```
Name : Prikshit
                                        Roll No : 11
                 Student Id: 21711126
91
 <html>
  <head>
  <title > Table format <title>
  thead>
  <body>
   < PHP>
      5 Con = mysql - connect ("localhost", "scot", "");
       if (!$(on)
         die ("not connected", my sql-error () })
        echo" Connection open", " <br/>";
         $ sldb = mysgl_select_db ("coust", $ con)/
         if (:$sldb)
         die ("not found", mysgl_error ());
          8
         echo" Database selected." <br/>';
         $ query = "select * from Customer";
          $ sql = mysql - query ($ query);
           echo & table border = 1'>
           Ttr>
            (_No 
            > C_Name >
             Mttem - Purchased 

Ab> Mob_no

/th>
             while ($000 = myszl- fetch-array ($ sgl))
            echo" ";
```

Prikuhit

echo "". \$ row['c\_ho']." ";

echo "". \$ row['c\_name']. "";

echo "". \$ row ['c\_name']. "";

echo "". \$ row ['item-purchased']." ";

echo ". \$ row ['mobeno']." ";

echo "";

echo "";

!>


\*/body>
\*/htm/>
\*/htm/>

"; Ssldb = mysql\_select\_db("coust",Scon); if(!Ssldb) { die("not found".mysql\_error()); } echo "Database "; Squery = "select \* from customer"; Ssql = mysql\_query(Squery); echo ""; while(Srow = mysql\_fetch\_i

C_No	C_Name	Item_Purchased	Mob_no
".\$row['c no']."	".Srow['c_name']."	".Srow['item_purchased']."	".Srow['mob_no']."

```
93
Code:
     <! DOCTYPE
                 html>
     <html>
       <head>
       <script Src= "https://ajax.googleakis.com/ajax/libs/jqvery/3.5.1/</pre>
       jquery.min.js"></script>
       (Script>
         $ (document). ready (function ()?
           $ ("#hide"). dick (function () {
           $ ("b").hide();
          3);
         $ ("#show"). click (function () {
             $ (" p"). Show();
           3),
          3),
         </script>
         1/head>
          <body>
           10>
          If you click on the "Hide" button the text will
         dissapear, And if you click the "show" button the
         text is
         < button id = "hide"> Hide < button>
          < button ; d = "show" > show < ) button>
          </body>
           </html>
```

Prishib



R programming Code: library (dplyr) library (gsplota) setud ("M:/orlang /Ap") getud () data <- read. csv ( "carthquaka.csv") View (data) head (data) tail (data) fail (dotarlo) Str (data) Summary (data) data & state. ligth sum (is.na (dota)) gyplot (data, and (y=gen, x=deaths))+ geom-bar (stat='identity') applot ( duta, all (y=month, x=deaths))+ geom-bar (state "identity") ggplot (dota, ale (y=month, x = duths, group= month, volou = deaths))+ geon\_line()+ geon\_point() data - Size <- factor (data) Str (dota\_size) Summary (data - Size) levels (data-size) data\_table <- table (data\_size)

bie (data\_table)

geomber (dota, all (y=denths, fill=year, x=year))+

geomber (vidth=1, stat="identity")+ (oord-bolar ("x", start=0)

gpplot (dota, all (y=year, x=denths, group=year, colon=denths))+

geom-line()+geom-boint().

Output:

