```
Mame - Bragivathe Danu
Subject - language R + Sculpting
Roll No - 21712099
OL <html>
    < head>
    <4111b>
           Display <1-446>
    <head>
    <body>
    < ppp
         s con = mysel _ conned ("local host", "vool", "");
         14 (! $ con)
          die ("non connected". mysql_evous() };
          echo " connection open ". "/br/7";
          9 sldb= mysq) - select-db ("coust", fcon);
          14 (! 4 SHb)
           die (" not found", mysel- everor ());
         echo " Databae sdeta!" "br/s".
          5 quoy = "solad" from custome";
           381 = mysal - query < $ query.
          ocho" 
          (4Y)
            CHO SNO (H)
            CHY C-Name CHAY
            CHAT I'M_ PWINDOWN CHAD
           CHAZ MOD-100(HAZ)
           while ( $ now = myses-fetos-array ( $sql))
            echo "Ltry";
           echo"(toly $ ious [c=no]." <1+0);
           echo "Ktd>" . $ now [c-name] " (td)";
          echo "(td)". I vow [ 'item purchased ']. "(Hel)";
          ceho "Ktd7". Brow [mob_noi] " 4+17",
          echo MCHY)";
          Yecho "< Italie>"; (1bodu) < h+m/>
```

Set weeking directory
Seture ("C/uss/pestlop")

Bargraph plot

Japlot (mydata, aus (x = NAME, y = 0 PEN))+geom bar
(State = "iden+Pty")

· Pie-chard plot

geom- box (width=1, state= " Pdentily")+ cort- bobil ("X", start=0)

· box plot
ggblot (mydata, aus (x=NAMB, y=HIGH.1)+geom_box

min (mydda Bopen)


- max. value from open column max (myddde Gopen)

men (mydata I CHMY)


median langdata sopen)

. display internal structure of dimenson of doctor but str (mydela) dum (mydela)


quantile function quantile (mydata & CHN9 ..., 0.75)



Scanned by Scanner Go



```
02
      <! DOCTUPE HIM!>
       Lhead
               Quer show and hora ethets
                                                     (HI-110)
       CHHOT
       (sold) ex = " hills & /1 code j query com (jquery-1.12.4 mm. 5")
          < /soupl)
        (344/0)
           ·button <
               text-align: cents;
                   display: intro-block;
                   tont-sne: 14 px;
                   curson : pothto;
              LISHIET
              (Sought)
                & (downed) . ready (furchos 1) X
                    11 Shoung hitten barea
                $ (11 show"). chek (fundos 1) {
                 $ ("he" shoul;
                 4);
                   11 hilly displayed paragraps
                  $ ("#huds"). click (funds) 1%
                    & ("h2"). hide ();
                   4);
                   4);
                 (Iswift)
                 </hear)
                Chody>
               Ch27 This is a paraporeph. </h2)
               < button clause "button" Pd = "hANO" > Hote Clauting
               < button class "button" & = "show" & show < 1 button
                         </h
```



This is a paragraph.

Hide Show

