Q.1
```html
<! DOCTYPE html>
<html>
<head>
<style>
h1 {
    colour: blue;
}

img {
    display: inline-block;
}

.div 1 {
height: loopx;
margin : lopx;
}

body {
    background-image: url('pic.jpg');
    background-repeat: no-repeat;
    background-attachment: fixed;
    background-attachment: fixed;
    background-position: center;
}

.top-left {
    Position: absolute;
    height: loopx;
    width: loopx;
    top: 0;
    right: 0;
}
```

```html
</style>
</head>
<body>
<div class="div1">
<img src="pic2.jpg" alt="mountain" class="top-left">
<img src="pic3.jpg" alt="mountain" class="top-right">
</div>

<h1> welcome To css Background-Parision property</h1>
<h1> welcome to css Background-Parision property</h1>
<h1> welcome to css Background-Parision property</h1>
<h1> welcome to css Background-Parision property</h1>
</body>
</html>
```

Welcome To CSS Background-Position Property

Welcome To CSS Background-Position Property

Welcome To CSS Background-Position Property

Welcome To CSS Background-Position Property

Welcome To CSS Background-Position Property

Welcome To CSS Background-Position Property

Welcome To CSS Background-Position Property

Welcome To CSS Background-Position Property

Welcome To CSS Background-Position Property

Welcome To CSS Background-Position Property

Welcome To CSS Background-Position Property