Name - Vaishali Thakur
Roll no. - 72
class - MCA - B
university Roll-no - 210 1 246

scripting language - Practical

CODE 1-
```
<! Doctype html >
<html>
<head>
<title> PROGRAM 1 :  </title>
<style>
body {
background-image: url('asd.jpeg'),
    background-attachment: fixed;
    fill: blue;
    height: 100px;
    background-size: 1280px  1080px;
    }
h1 { color: white;
    text-align: center;
    }
# left {
position : relative;
left : 1200 px;
border : 3px  solid red;
width : 100px;
height : 200px;
}
# right {
position: relative;
right : 0px;
border : 3px  solid red;
width : 100 px;
height : 200 px;
}
```

```
        p }
            font - size : 50px;
            color : black;

        }

    </style>
    </head>
    < body >
    <h1> IMAGE ATTACHMENT USING CSS </h1>
    <img src = "aaa.jpg'  id = " right ">
    <img src = "aaa .jpg'  id = " left ">
        <p>
```

HTML stands for Hyper Text Markup language

HTML is the standard markup language for creating web pages

HTML describes the structure of a web page

HTML consists tof a series of elements

HTML elements tell the browser how to display the content

HTML elements label pieces of content such as "this is a heading", " this is a paragraph", "this is a link ", etc.

```
    </p>
    <p >
```

HTML stands for Hyper Text Markup Language

HTML is the standard markup language for creating web pages.

HTML describes the structure of a web page.

HTML consists of a series of elements.

HTML elements tell the browser how to display the content.

HTML elements label pieces of content such as "this is a heading", "this is a paragraph", this is a link", etc.

```
</p>


</body>
</html>
```

CONTENT-2. Html

```html
<!DOCTYPE html>
<html lang = " en">
<head>
    <meta charset = "UTF-8">
    <meta http-equiv = "x-UA-Compatible"
    content = "IE =edge">
    <meta name = "viewport" content = "width = device
    width, initial-scale = 1.0">
    <title> Document </title>
</head>
<body>
    hey
    <a href = "aa.html" target = "  content2">
    click </a>
</body>
</html>
```

aa.Html

```html
<!doctype html>
<html>
<head>
    <title> frameset </title>
</head>
```

```html
<frameset cols = " 40%. , 60%." >
    &frame src = "aa. html" target = " content 2"
    name = " content 1' />
    <frame src = "ass 1. html" name = " content 2"/>

</frameset >
:

<body >

< /body >

</html>
```