

Page 2 Table 1 GDF-15 基线比较

Page 6 Table 2 一年生存 cox 分析

Page 6 Table 3 营养不良风险二元 Logistic 回归分析

Page 7 Table 4 以二分类握力为结局，GDF-15 的 Logistic 回归分析

Page 8 Table 5 衰弱（分 2 组：<0.07, ≥0.07）二元 logistic 回归

衰弱（分 3 组：<0.07, 0.07-0.38, >0.38）有序 logistic 回归

Page 9 supplementary Table 1 详细的定义+检查(缺)

Page 10 Supplementary Table 2 GDF-15 与其他指标的 spearman 分析

Page 11 握力多重线性回归（未确定文章的位置，未编号）

Page 13 衰弱指数多重线性回归（未确定文章的位置，未编号）

Page 16 Figure 1 流程图(缺)

Page 16 Figure 2 GDF-15 与其他指标的 spearman 相关分析图

Page 19 Figure 3 一年生存结局生存曲线

Table 1 GDF-15 基线比较

Variables	Total (n = 287)	Tertile 1 (n = 96)	Tertile 2 (n = 95)	Tertile 3 (n = 96)	P value
GDF - 15 (ng/mL)	4.75 (3.25, 7.54)	2.61 (2.07,3.25)	4.75 (4.13,5.62)	9.29 (7.56,14.61)	<0.001
Clinical					
Age (years)	64.00 (57.00, 69.00)	61.00 (55.75,68.00)	64.00 (58.00,68.00)	67.00 (58.00,71.00)	0.017
Sex, n (%)					0.662
Male	157 (54.70)	49 (51.04)	53 (55.79)	55 (57.29)	
Female	130 (45.30)	47 (48.96)	42 (44.21)	41 (42.71)	
Height (m)	1.66 (1.60, 1.72)	1.67 (1.60,1.72)	1.65 (1.60,1.72)	1.66 (1.60,1.72)	0.871
Weight (kg)	65.00 (55.00, 76.00)	65.00 (55.00,75.00)	65.50 (57.00,77.50)	65.00 (55.00,80.00)	0.458
BMI (kg/m²)	23.58 (21.29, 27.16)	23.31 (20.73,25.99)	23.94 (21.48,28.52)	24.25 (21.37,27.76)	0.117
CTP score	8.00 (6.00, 9.00)	7.00 (6.00,8.00)	8.00 (6.00,9.00)	8.50 (7.00,10.00)	<0.001
MELD - Na score	8.91 (5.09, 12.35)	7.67 (3.12,9.71)	8.70 (4.56,11.40)	11.04 (8.16,15.07)	<0.001
Nutrition					
RFH - NPT score	3.00 (1.00, 6.00)	1.00 (0.00,5.00)	2.00 (1.00,5.00)	4.00 (1.00,6.00)	0.001
RFH - NPT criteria, n (%)					0.005
Low malnutrition risk	105 (42.17)	42 (53.16)	39 (45.35)	24 (28.57)	
High malnutrition risk	144 (57.83)	37 (46.84)	47 (54.65)	60 (71.43)	
GLIM criteria, n (%)					0.943
Malnutrition	101 (40.56)	31 (39.24)	36 (41.86)	34 (40.48)	
Non-malnutrition	148 (59.44)	48 (60.76)	50 (58.14)	50 (59.52)	

Variables	Total (n = 287)	Tertile 1 (n = 96)	Tertile 2 (n = 95)	Tertile 3 (n = 96)	P value
Body composition					
Handgrip strength (kg)	20.00 (14.60, 28.10)	21.60 (14.80,30.10)	21.80 (15.24,29.33)	17.65 (13.83,25.64)	0.098
Routine criteria - Handgrip strength, n (%)					0.004
Low	130 (57.78)	33 (46.48)	43 (53.75)	54 (72.97)	
High	95 (42.22)	38 (53.52)	37 (46.25)	20 (27.03)	
JSH criteria - handgrip strength, n (%)					0.011
Low	130 (57.78)	38 (53.52)	39 (48.75)	53 (71.62)	
High	95 (42.22)	33 (46.48)	41 (51.25)	21 (28.38)	
AWGS 2019 criteria - handgrip strength, n (%)					0.019
Low	141 (62.67)	40 (56.34)	45 (56.25)	56 (75.68)	
High	84 (37.33)	31 (43.66)	35 (43.75)	18 (24.32)	
Frailty Index	0.12 (0.07, 0.25)	0.10 (0.06,0.17)	0.14 (0.07,0.23)	0.15 (0.08,0.30)	0.010
Abdominal circumference (cm)	91.00 (82.50, 102.00)	88.00 (82.00,96.50)	91.00 (83.75,102.25)	94.50 (85.25,106.25)	0.024
Waist circumference on CT (cm)	94.09 (87.03, 102.00)	91.88 (85.77,97.71)	95.47 (88.15,106.28)	99.51 (86.72,108.85)	0.015
Muscle area on CT (m ²)	126.11 (105.10,	124.86 (104.43,148.84)	127.52 (109.56,154.95)	126.11 (103.18,144.41)	0.723
Subcutaneous fat on CT (m ²)	119.13 (80.10, 171.29)	115.00 (84.93,157.16)	133.11 (79.73,184.76)	111.82 (70.07,175.73)	0.386
Visceral fat on CT (m ²)	101.27 (61.80, 156.75)	89.82 (60.12,143.36)	110.91 (69.98,167.72)	105.58 (70.92,151.59)	0.289
VSR	0.87 (0.64, 1.19)	0.83 (0.53,1.12)	0.84 (0.64,1.19)	0.93 (0.66,1.29)	0.208
Laboratory values					
NLR	3.17 (2.23, 4.86)	2.97 (2.11,4.48)	2.89 (1.95,4.31)	3.81 (2.69,6.27)	<0.001

Variables	Total (n = 287)	Tertile 1 (n = 96)	Tertile 2 (n = 95)	Tertile 3 (n = 96)	P value
LMR	2.23 (1.48, 3.21)	2.52 (1.77,3.42)	2.42 (1.55,3.57)	1.80 (1.25,2.54)	<0.001
TBIL (μmol/L)	20.60 (14.30, 32.48)	17.30 (12.70,25.00)	20.55 (15.22,32.05)	26.50 (16.25,44.00)	<0.001
Zn (mg/L)	0.67 (0.52, 0.80)	0.74 (0.61,0.86)	0.66 (0.56,0.80)	0.58 (0.48,0.75)	<0.001
ALB (g/L)	29.00 (26.00, 33.00)	32.00 (28.00,35.00)	28.00 (26.00,32.75)	28.00 (25.00,31.00)	<0.001
Cr (μmol/L)	60.00 (49.00, 75.00)	56.00 (48.00,65.00)	57.00 (44.50,70.00)	71.50 (55.00,109.25)	<0.001
CRP (mg/L)	0.87 (0.38, 2.42)	0.50 (0.26,1.21)	0.81 (0.36,2.73)	1.32 (0.64,2.90)	0.002
The etiologies of liver cirrhosis					
Viral - induced liver cirrhosis, n (%)					0.140
No	225 (78.40)	69 (71.88)	76 (80.00)	80 (83.33)	
Yes	62 (21.60)	27 (28.12)	19 (20.00)	16 (16.67)	
Alcohol - induced liver cirrhosis, n (%)					0.554
No	226 (78.75)	79 (82.29)	74 (77.89)	73 (76.04)	
Yes	61 (21.25)	17 (17.71)	21 (22.11)	23 (23.96)	
Immune - induced liver cirrhosis, n (%)					0.508
No	213 (74.22)	75 (78.12)	70 (73.68)	68 (70.83)	
Yes	74 (25.78)	21 (21.88)	25 (26.32)	28 (29.17)	
Cholangitis - induced liver cirrhosis , n (%)					0.967
No	246 (85.71)	83 (86.46)	81 (85.26)	82 (85.42)	
Yes	41 (14.29)	13 (13.54)	14 (14.74)	14 (14.58)	

Variables	Total (n = 287)	Tertile 1 (n = 96)	Tertile 2 (n = 95)	Tertile 3 (n = 96)	P value
comorbidities					
Hypertension, n (%)					0.740
No	196 (68.29)	68 (70.83)	65 (68.42)	63 (65.62)	
Yes	91 (31.71)	28 (29.17)	30 (31.58)	33 (34.38)	
Diabetes, n (%)					0.400
No	207 (72.13)	70 (72.92)	64 (67.37)	73 (76.04)	
Yes	80 (27.87)	26 (27.08)	31 (32.63)	23 (23.96)	
Coronary heart disease, n (%)					0.613
No	258 (89.90)	88 (91.67)	86 (90.53)	84 (87.50)	
Yes	29 (10.10)	8 (8.33)	9 (9.47)	12 (12.50)	
complications of liver cirrhosis					
Ascites, n (%)					0.004
No	109 (37.98)	46 (47.92)	39 (41.05)	24 (25.00)	
Yes	178 (62.02)	50 (52.08)	56 (58.95)	72 (75.00)	
Hepatic encephalopathy, n (%)					0.003
No	264 (91.99)	93 (96.88)	90 (94.74)	81 (84.38)	
Yes	23 (8.01)	3 (3.12)	5 (5.26)	15 (15.62)	
Esophagogastric variceal bleeding, n (%)					0.116
No	82 (28.57)	21 (21.88)	27 (28.42)	34 (35.42)	
Yes	205 (71.43)	75 (78.12)	68 (71.58)	62 (64.58)	

Variables	Total (n = 287)	Tertile 1 (n = 96)	Tertile 2 (n = 95)	Tertile 3 (n = 96)	P value
Infection, n (%)					0.206
No	252 (87.80)	88 (91.67)	84 (88.42)	80 (83.33)	
Yes	35 (12.20)	8 (8.33)	11 (11.58)	16 (16.67)	
Portal hypertension, n (%)					0.230
No	66 (23.00)	17 (17.71)	22 (23.16)	27 (28.12)	
Yes	221 (77.00)	79 (82.29)	73 (76.84)	69 (71.88)	

Table 2 一年生存 cox 分析

The one-year survival status comparison		P value	HR (95%CI)
CTP score	Unadjusted	<0.001	1.10 (1.07 ~ 1.14)
	Adjusted for age and sex	<0.001	1.10 (1.06 ~ 1.14)
	Adjusted for age, sex and BMI	<0.001	1.10 (1.05 ~ 1.14)
	Adjusted for age, sex,BMI and CTP score	0.022	1.06 (1.01 ~ 1.11)
	Adjusted for age, sex,BMI, CTP score and RFH-NPT criteria	0.013	1.07 (1.01 ~ 1.13)
MELD-Na score	Adjusted for age, sex,BMI and MELD-Na score	0.042	1.05 (1.01 ~ 1.11)
	Adjusted for age, sex,BMI, MELD-Na score and RFH-NPT criteria	0.044	1.06 (1.01 ~ 1.12)

Table 3 营养不良风险二元 Logistic 回归分析

Malnutrition risk status comparison		P value	OR (95%CI)
CTP score	Unadjusted	<0.001	1.15 (1.07 ~ 1.24)
	Adjusted for age and sex	<0.001	1.14 (1.06 ~ 1.23)
	Adjusted for age, sex and BMI	<0.001	1.18 (1.08 ~ 1.29)
	Adjusted for age, sex,BMI and CTP score	0.003	1.16 (1.05 ~ 1.28)
	Adjusted for age, sex,BMI, CTP score and abdominal circumference	0.017	1.15 (1.02 ~ 1.28)
MELD-Na score	Adjusted for age, sex,BMI and MELD-Na score	<0.001	1.22 (1.10 ~ 1.35)
	Adjusted for age, sex,BMI, MELD-Na score and abdominal circumference	<0.001	1.22 (1.09 ~ 1.37)

Table 4 以二分类握力为结局，GDF-15 的 Logistic 回归分析

Handgrip strength status comparison		P value	OR (95%CI)
Routine criteria	Unadjusted	0.003	1.12 (1.04 ~ 1.21)
	Adjusted for age and sex	0.019	1.10 (1.02 ~ 1.18)
	Adjusted for age, sex and BMI	0.018	1.10 (1.02 ~ 1.19)
	CTP score		
	Adjusted for age, sex,BMI and CTP score	0.187	1.06 (0.97 ~ 1.15)
	Adjusted for age, sex,BMI, CTP score and RFH-NPT criteria	0.267	1.05 (0.96 ~ 1.14)
MELD-Na score	Adjusted for age, sex,BMI and MELD-Na score	0.260	1.05 (0.97 ~ 1.14)
	Adjusted for age, sex,BMI, MELD-Na score and RFH-NPT criteria	0.487	1.03 (0.95 ~ 1.12)
JSH criteria	Unadjusted	0.019	1.09 (1.01 ~ 1.16)
	Adjusted for age and sex	0.022	1.09 (1.01 ~ 1.17)

AWGS 2019 criteria	CTP score	Adjusted for age, sex and BMI	0.020	1.09 (1.01 ~ 1.17)
		Adjusted for age, sex,BMI and CTP score	0.404	1.03 (0.96 ~ 1.11)
		Adjusted for age, sex,BMI, CTP score and RFH-NPT criteria	0.553	1.02 (0.95 ~ 1.11)
	MELD-Na score	Adjusted for age, sex,BMI and MELD-Na score	0.165	1.06 (0.98 ~ 1.14)
		Adjusted for age, sex,BMI, MELD-Na score and RFH-NPT criteria	0.357	1.04 (0.96 ~ 1.13)
	CTP score	Unadjusted	0.021	1.09 (1.01 ~ 1.17)
		Adjusted for age and sex	0.044	1.08 (1.01 ~ 1.16)
		Adjusted for age, sex and BMI	0.037	1.09 (1.01 ~ 1.17)
		Adjusted for age, sex,BMI and CTP score	0.534	1.03 (0.95 ~ 1.11)
		Adjusted for age, sex,BMI, CTP score and RFH-NPT criteria	0.756	1.01 (0.93 ~ 1.10)
		Adjusted for age, sex,BMI and MELD-Na score	0.334	1.04 (0.96 ~ 1.13)
		Adjusted for age, sex,BMI, MELD-Na score and RFH-NPT criteria	0.649	1.02 (0.94 ~ 1.11)

~~Table 5~~

~~衰弱（分 2 组：<0.07, ≥0.07）二元 logistic 回归~~

Frailty status comparison		P value	HR (95%CI)
CTP score	Unadjusted	0.188	1.04 (0.98 ~ 1.10)
	Adjusted for age and sex	0.539	1.02 (0.96 ~ 1.08)
	Adjusted for age, sex and BMI	0.166	1.05 (0.98 ~ 1.12)
	Adjusted for age, sex,BMI and CTP score	0.162	1.06 (0.98 ~ 1.15)

	Adjusted for age, sex,BMI, CTP score and Muscle area on CT	0.059	1.12 (1.00 ~ 1.26)
	Adjusted for age, sex,BMI, CTP score, Muscle area on CT and RFH-NPT criteria	0.083	1.13 (0.98 ~ 1.29)
MELD-Na score	Adjusted for age, sex,BMI and MELD-Na score	0.074	1.08 (0.99 ~ 1.17)
	Adjusted for age, sex,BMI, MELD-Na score and Muscle area on CT	0.010	1.18 (1.04 ~ 1.33)
	Adjusted for age, sex,BMI, MELD-Na score, Muscle area on CT and RFH-NPT criteria	0.038	1.16 (1.01 ~ 1.33)

衰弱（分 3 组：<0.07,0.07-0.38,>0.38）有序 logistic 回归

	Frailty status comparison	P value	HR (95%CI)
	Unadjusted	0.030	1.05 (1.01 ~ 1.10)
	Adjusted for age and sex	0.140	1.04 (0.99 ~ 1.09)
	Adjusted for age, sex and BMI	0.027	1.06 (1.01 ~ 1.11)
CTP score	Adjusted for age, sex,BMI and CTP score	0.115	1.05 (0.99 ~ 1.11)
	Adjusted for age, sex, BMI, CTP score and Muscle area on CT	0.075	1.06 (0.99 ~ 1.14)
	Adjusted for age, sex, BMI, CTP score, Muscle area on CT and RFH-NPT criteria	0.165	1.05 (0.98 ~ 1.13)
MELD-Na score	Adjusted for age, sex,BMI and MELD-Na score	0.025	1.07 (1.01 ~ 1.13)
	Adjusted for age, sex, BMI, MELD-Na score and Muscle area on CT	0.003	1.11 (1.03 ~ 1.18)
	Adjusted for age, sex, BMI, MELD-Na score, Muscle area on CT and RFH-NPT criteria	0.049	1.08 (1.01 ~ 1.16)

supplementary Table 1 详细的定义+检查(缺)

Supplementary Table 2 GDF-15 与其他指标的 spearman 分析

Variables	Spearman correlation	
	R	P value
CTP score	0.435	<0.001
MELD-Na score	0.388	<0.001
Cr (μmol/L)	0.329	<0.001
CRP (mg/L)	0.324	<0.001
RFH-NPT score	0.292	<0.001
TBIL (μ mol/L)	0.258	<0.001
NLR	0.237	<0.001
Frailty Index	0.231	<0.001
Waist circumference on CT (cm)	0.219	0.001
Age (years)	0.207	<0.001
Abdominal circumference (cm)	0.189	0.004
VSR	0.141	0.046
BMI (kg/m ²)	0.114	0.063
Visceral fat on CT (m ²)	0.096	0.166

Weight (kg)	0.045	0.473
Muscle area on CT (m ²)	0.007	0.914
Subcutaneous fat on CT (m ²)	-0.010	0.885
Height (m)	-0.026	0.675
Handgrip strength (kg)	-0.126	0.059
LMR	-0.288	<0.001
Zn (mg/L)	-0.323	<0.001
ALB (g/L)	-0.361	<0.001

握力多重线性回归

Model		Non-standardized		Standardized Regression	t	P value	Collinearity		R ²	Adjusted for R ²	F	D-W
		β	S.E				Tolerance	VIF				
Model 1	Intercept	24.312	1.224		19.865	<0.001			0.020	0.016	4.594	1.578
	GDF-15	-0.340	0.158	-0.142	-2.143	0.033	1	1				
Model 2	Intercept	50.623	3.550		14.259	<0.001			0.412	0.404	51.609	1.478
	GDF-15	-0.366	0.125	-0.153	-2.933	0.004	0.974	1.027				
	Sex	-11.308	1.175	-0.504	-9.622	<0.001	0.970	1.031				
	Age	-0.341	0.058	-0.311	-5.929	<0.001	0.966	1.036				
Model 3	Intercept	43.741	4.701		9.305	<0.001			0.426	0.415	40.369	1.403

Model 4	GDF-15	-0.383	0.124	-0.160	-3.083	0.002	0.974	1.027	0.424	0.411	30.683	1.312
	Sex	-11.092	1.175	-0.494	-9.443	<0.001	0.964	1.037				
	Age	-0.335	0.058	-0.305	-5.828	<0.001	0.962	1.040				
	BMI	0.267	0.120	0.115	2.231	0.027	0.991	1.009				
	Intercept	50.003	5.694		8.782	<0.001						
Model 5	GDF-15	-0.219	0.138	-0.092	-1.587	0.114	0.82	1.22	0.427	0.410	25.007	1.334
	Sex	-11.309	1.219	-0.506	-9.28	<0.001	0.929	1.076				
	Age	-0.337	0.058	-0.310	-5.781	<0.001	0.964	1.037				
	BMI	0.246	0.121	0.108	2.029	0.044	0.981	1.02				
	CTP score	-0.857	0.388	-0.130	-2.21	0.028	0.803	1.245				
	Intercept	48.530	5.754		8.434	<0.001						
	GDF-15	-0.238	0.141	-0.101	-1.689	0.093	0.795	1.257				
	Sex	-11.278	1.320	-0.503	-8.542	<0.001	0.820	1.219				
	Age	-0.330	0.059	-0.305	-5.596	<0.001	0.961	1.041				
	BMI	0.293	0.123	0.128	2.377	0.018	0.977	1.024				
Model 6	RFH-NPT score	-0.056	0.281	-0.012	-0.201	0.841	0.739	1.354	0.435	0.422	31.939	1.315
	CTP score	-0.817	0.401	-0.124	-2.038	0.043	0.767	1.303				
	Intercept	45.739	4.930		9.278	<0.001						
	GDF-15	-0.217	0.136	-0.092	-1.598	0.111	0.831	1.203				
	Sex	-11.214	1.196	-0.498	-9.380	<0.001	0.967	1.034				

Model 7	Age	-0.344	0.058	-0.318	-5.958	<0.001	0.958	1.043				
	BMI	0.266	0.124	0.113	2.149	0.033	0.987	1.013				
	MELD-Na score	-0.280	0.116	-0.137	-2.405	0.017	0.84	1.19				
	Intercept	44.835	5.003		8.962	<0.001			0.442	0.425	26.360	1.338
	GDF-15	-0.210	0.142	-0.089	-1.480	0.140	0.768	1.302				
	Sex	-11.356	1.297	-0.503	-0.754	<0.001	0.846	1.181				
	Age	-0.335	0.058	-0.311	-5.757	<0.001	0.955	1.047				
	BMI	0.315	0.126	0.133	2.507	0.013	0.986	1.014				
	MELD-Na score	-0.294	0.118	-0.143	-2.482	0.014	0.845	1.184				
	RFH-NPT score	-0.172	0.270	-0.038	-0.637	0.525	0.793	1.26				

衰弱指数多重线性回归

Model		Non-standardized		Standardized Regression Coefficient	t	P value	Collinearity		R ²	Adjusted for R ²	F	D-W
		β	S.E				Tolerance	VIF				
Model 1	Intercept	0.132	0.015		8.774	<0.001			0.046	0.042	12.577	1.879
	GDF-15	0.006	0.002	0.214	3.546	<0.001	1.000	1.000				
Model 2	Intercept	-0.160	0.055		-2.891	0.004			0.149	0.139	15.092	1.888
	GDF-15	0.005	0.002	0.165	2.830	0.005	0.962	1.039				
	Sex	0.023	0.018	0.073	1.263	0.208	0.975	1.026				
	Age	0.005	0.001	0.306	5.204	<0.001	0.948	1.054				


Model 3	Intercept	-0.212	0.075		-2.836	0.005			0.180	0.167	13.807	1.952
	GDF-15	0.006	0.002	0.208	3.577	<0.001	0.967	1.034				
	Sex	0.023	0.018	0.072	1.247	0.213	0.966	1.036				
	Age	0.005	0.001	0.325	5.536	<0.001	0.945	1.058				
	BMI	0.001	0.002	0.031	0.533	0.595	0.984	1.016				
Model 4	Intercept	-0.258	0.084		-3.077	0.002			0.194	0.177	11.472	1.967
	GDF-15	0.005	0.002	0.153	2.360	0.019	0.798	1.252				
	Sex	0.020	0.018	0.065	1.089	0.277	0.940	1.064				
	Age	0.005	0.001	0.335	5.594	<0.001	0.941	1.063				
	BMI	0	0.002	0.016	0.273	0.785	0.970	1.031				
	CTP score	0.010	0.006	0.113	1.728	0.085	0.793	1.262				
Model 5	Intercept	-0.327	0.103		-3.176	0.002			0.228	0.202	8.673	2.011
	GDF-15	0.006	0.002	0.180	2.408	0.017	0.781	1.280				
	Sex	0.058	0.025	0.189	2.286	0.023	0.641	1.559				
	Age	0.005	0.001	0.327	4.799	<0.001	0.943	1.060				
	BMI	-0.003	0.003	-0.101	-1.197	0.233	0.615	1.626				
	CTP score	0.014	0.006	0.156	2.101	0.037	0.796	1.256				
	Muscle area on CT	0.001	0.000	0.176	1.765	0.079	0.440	2.272				
Model 6	Intercept	-0.381	0.097		-3.914	<0.001			0.315	0.286	10.972	1.954
	GDF-15	0.005	0.002	0.160	2.164	0.032	0.746	1.340				







	Sex	0.067	0.025	0.223	2.702	0.008	0.601	1.665				
	Age	0.006	0.001	0.390	5.915	<0.001	0.942	1.061				
	BMI	-0.003	0.003	-0.087	-1.001	0.318	0.542	1.844				
	CTP score	0.009	0.006	0.111	1.503	0.135	0.753	1.328				
	Muscle area on CT	0.001	0.000	0.160	1.550	0.123	0.384	2.605				
	RFH-NPT score	0.012	0.004	0.199	2.730	0.007	0.775	1.290				
	Intercept	-0.202	0.077		-2.614	0.010			0.196	0.179	11.619	1.887
Model 7	GDF-15	0.008	0.002	0.246	3.685	<0.001	0.757	1.321				
	Sex	0.025	0.019	0.077	1.301	0.195	0.966	1.035				
	Age	0.005	0.001	0.327	5.471	<0.001	0.943	1.060				
	BMI	0.001	0.002	0.025	0.435	0.664	0.987	1.013				
	MELD-Na score	-0.001	0.002	-0.053	-0.81	0.419	0.777	1.287				
	Intercept	-0.267	0.102		-2.616	0.010			0.226	0.200	8.535	1.962
	GDF-15	0.009	0.002	0.288	3.862	<0.001	0.793	1.261				
Model 8	Sex	0.078	0.028	0.234	2.826	0.005	0.643	1.554				
	Age	0.005	0.001	0.305	4.444	<0.001	0.936	1.068				
	BMI	-0.004	0.003	-0.114	-1.326	0.186	0.602	1.661				
	MELD-Na score	-0.001	0.002	-0.026	-0.356	0.722	0.814	1.229				
	Muscle area on CT	0.001	0.001	0.225	2.23	0.027	0.434	2.304				
	Intercept	-0.367	0.096		-3.822	0			0.328	0.300	11.589	1.854
Model 9												

GDF-15	0.007	0.002	0.213	2.830	0.005	0.714	1.401
Sex	0.009	0.027	0.269	3.292	0.001	0.606	1.651
Age	0.006	0.001	0.362	5.496	<0.001	0.930	1.075
BMI	-0.003	0.003	-0.073	-0.825	0.411	0.514	1.945
MELD-Na score	0	0.002	0.014	0.198	0.843	0.808	1.237
Muscle area on CT	0.001	0.001	0.175	1.666	0.098	0.366	2.736
RFH-NPT score	0.016	0.005	0.249	3.549	0.001	0.824	1.213

Figure 1 流程图（缺）

Figure 2 GDF-15 与其他指标的 spearman 相关分析图













Figure 3 1 年生存结局生存曲线

	Tertile 1	Tertile 2	Tertile 3
三分位数	(n=96)	(n=95)	(n=96)
# 删失对象	88	77	72
# 死亡/事件	8	18	24

	Low GDF-15	High GDF-15
中位数	(n=143)	(n=144)
# 删失对象	128	109
# 死亡/事件	15	35

