Task:- Lab #02

Task 1:- A

Char with character:-


```
#include <iostream>
using namespace std;
int main() {

    char letter;
    letter = 'A';
    cout << letter << "\n";
    letter = 'B';
    cout << letter << "\n";
    cin >> letter;
    return 0;


}
```

Output:-

```
//A
//B
```


9:18
76
new*
1 #include <iostream>
2 using namespace std;
3 int main(){
4 char letter;
5 letter = 'A';
6 cout << letter << "\n";
7 letter = 'B';
8 cout << letter << "\n";
9 cin>>letter;
10 return 0;
11 }
Tab
{
}
:
;
"

CamScanner



CamScanner

(B)

char with ASCII number:-


```
#include <iostream>
using namespace std;
int main()
{
   char letter;
   letter = 65;
   cout << "letter " << letter << "\n";
   letter = 66;
   cout << letter << "\n";
   return 0;
}
```

output:-


//A
//B

65 is ASCII of A,
66 is B.


CamScanner




```
1  #include <iostream>
2  using namespace std;
3  int main(){
4     char letter;
5     letter = 65;
6     cout << letter << "\n";
7     letter = 66;
8     cout << letter << "\n";
9     cin>>letter;
10    return 0;
11 }
```



CamScanner



CamScanner


(C)

Int with char:-


```
#include <iostream>
using namespace std;
 int  main( )
 {
    int letter;
    letter = 'A';
    cout<<letter<<'\n';
     letter='B';
     cout<<letter<<'\n';
     return 0;
 }
```

output:-

```
//65
//66
(int show ASCII value)
```


9:19
75
new*
1 #include <iostream>
2 using namespace std;
3 int main(){
4 int letter;
5 letter = 'A';
6 cout << letter << "\n";
7 letter = 'B';
8 cout << letter << "\n";
9 cin>>letter;
10 return 0;
11 }
Tab
{
}
:
;
"

CamScanner



CamScanner

Task 2:-


Two integers Arithmetic

```
#include <iostream>
using namespace std;
int main()
{
    int a,b;
    cout << " Enter two integers:";
    cin >> a >> b;
    cout << "sum =" << a+b << endl;
    cout << " Difference =" << a-b << endl;
    cout << " Product =" << a*b << endl;
    cout " Division =" << a/b << endl;
    cout << " Modulus =" a%b << endl;
    return 0;
}
```


output:

Enter two integers.

CamScanner


3:04
58
new*
1 #include <iostream>
2 using namespace std;
3 int main(){
4 int a, b;
5 cout << "Enter two integers: ";
6 cin >> a >> b;
7 cout << "Sum = " << a+b << endl;
8 cout << "Difference = " << a-b << endl;
9 cout << "Product = " << a*b << endl;
10 cout << "Division = " << a/b << endl;
11 cout << "Modulus = " << a%b << endl;
12 return 0;
13 }
Tab
{
}
:
;
"

CamScanner




CamScanner

Task 3;


```
#include <iostream>
using namespace std;
int main()
{
int val1, val2, val3;
cout<<"Please enter your 3 numbers:";
cin >> val1>> val2>> val3;
cout<< val1 <<"\n"<< val2 <<"\n"<<val3 <<"\n";
cout<<val3 <<"\n"<< val2<<"\n"<<val1<<"\n";
return 0;
}
```

output:-

Please enter 3 numbers:


6:01
36
new*
1 #include <iostream>
2 using namespace std;
3 int main(){
4 int val1, val2, val3;
5 cout << "Please enter your 3 numbers: ";
6 cin >> val1 >> val2 >> val3;
7 cout << val1 << "\n" << val2 << "\n" << val3 << "\n";
8 cout << val3 << "\n" << val2 << "\n" << val1 << "\n";
9 return 0;
10 }
Tab
{
}
:
;
"

CamScanner



CamScanner


Task 4;

Formula $d = sqrt((x2-x1)^2+(y2-y1)^2)$


```
#include <iostream>
#include <cmath>
using namespace std;
int main()
{
   double x1, y1, x2, y2;
   cout<<"Enter x1 y1: ";
   cin>>x1>>y1;
   cout<<"Enter x2 y2=";
   cin>>x2>>y2;
   double distance = sqrt (pow(x2-x1,2)
        +pow(y2-y1,2));
   cout<<"Distance="<<distance<<endl;
   return 0;
}
```

output:-

Enter x1 y1


6:09
35
new*
1 #include <iostream>
2 #include <cmath>
3 using namespace std;
4 int main(){
5 double x1, y1, x2, y2;
6 cout << "Enter x1 y1: ";
7 cin >> x1 >> y1;
8 cout << "Enter x2 y2: ";
9 cin >> x2 >> y2;
10 double distance = sqrt(pow(x2 - x1, 2) +
pow(y2 - y1, 2));
11 cout << "Distance = " << distance << endl;
12 return 0;
13 }
Tab
{
}
:
;
"

CamScanner




CamScanner

Task 5;


```
#include <iostream>
using namespace std;
int main()
{
  const double PI = 3.14159;
  double r, length, width, base, height;
  Cout << "Enter radius of circle:";
  cin >> r;
  Cout << "Area of circle=" << PI * r * r << endl;
  Cout << "Enter length width of rectangle:";
  Cin >> length >> width;
  Cout << " Area of Rectangle=" << length * width << endl;
  Cout << "Enter base height of triangle:";
  Cin >> base >> height;
  Cout << "Area of triangle=" << base * height
                * 0.5 << endl;
  return 0;
}
```

output

Enter radius of circle


6:19
33
new*
1 #include <iostream>
2 using namespace std;
3 int main(){
4 const double PI = 3.14159;
5 double r, length, width, base, height;
6
7 cout << "Enter radius of circle: ";
8 cin >> r;
9 cout << "Area of Circle = " << PI * r * r << endl;
10
11 cout << "Enter length width of rectangle: ";
12 cin >> length >> width;
13 cout << "Area of Rectangle = " << length * width << endl;
14
15 cout << "Enter base height of triangle: ";
16 cin >> base >> height;
17 cout << "Area of Triangle = " << base * height * 0.5 << endl;
18 return 0;
19 }
Tab
{
}
:
;
"

CamScanner



CamScanner

Task 6;

```
#include <iostream>
using namespace std;
int main()
{
    double P1=12.95, P2=24.95, P3=6.95,
           P4=14.95, P5=3.95;
    double subtotal=P1+P2+P3+P4+P5;
    double tax=subtotal*0.06;
    double total=subtotal+tax;
    cout<<"Price1:$"<<P1<<endl;
    cout<<"Price2:$"<<P2<<endl;
    cout<<"Price3:$"<<P3<<endl;
    cout<<"Price4:$"<<P4<<endl;
    cout<<"Price5:$"<<P5<<endl;
    cout<<"------"<<endl;
    cout<<"subtotal: $"<<subtotal<<endl;
    cout<<"Sales Tax (6%):$"<<tax<<endl;
    cout<<"Total:$"<<Total<<endl;
    return 0;
}
```

Task 6 output

Price 1: $12-95

Price 2: $24-95

Price 3: $6-95

Price 4: $14-95


Price 5: $3-95

Subtotal: $63-75

Sales Taul (6%) : $3-825

Total: $67-575

CamScanner


7:40
94
new*
1 #include <iostream>
2 using namespace std;
3 int main(){
4 double p1=12.95, p2=24.95, p3=6.95, p4=14.
95, p5=3.95;
5 double subtotal = p1+p2+p3+p4+p5;
6 double tax = subtotal * 0.06;
7 double total = subtotal + tax;
8
9 cout << "Price 1: $" << p1 << endl;
10 cout << "Price 2: $" << p2 << endl;
11 cout << "Price 3: $" << p3 << endl;
12 cout << "Price 4: $" << p4 << endl;
13 cout << "Price 5: $" << p5 << endl;
14 cout << "----------" << endl;
15 cout << "Subtotal: $" << subtotal << endl;
16 cout << "Sales Tax (6%): $" << tax << endl;
17 cout << "Total: $" << total << endl;
18 return 0;
19 }
Tab
{
}
:
;
"

CamScanner


7:40
94
TAB
Price 1: $12.95
Price 2: $24.95
Price 3: $6.95
Price 4: $14.95
Price 5: $3.95
Subtotal: $63.75
Sales Tax (6%): $3.825
Total: $67.575
[Program finished]

CamScanner