LAB #2: GRAPH CONTROL IN MAKIE

Abdelbacet Mhamdi Senior-lecturer, Dept. of EE ISET Bizerte — Tunisia ••• a-mhamdi

You are required to carry out this lab using:

Pluto.jl

I. TOPIC

The main topic of this lab is to manipulate the sine wave parameters, namely: amplitude, frequency and phase, in **Makie**, which is an interactive graphics library that allows for the creation and manipulation of high-quality visualizations.

Exo 1: Case of Sine Wave

Consider the code shown hereafter, in which we cant to control and dynamically update the *amplitude*, *frequency* and *phase* of a sine wave. Those settings are represented by reactive variables, called **Observables**. The resulting interactive graph is shown in Figure 2. By changing each slider, we automatically update and trigger some actions (e.g., y-limits) in response to changes in its value.

```
#using JSServe
#JSServe.configure_server!
(listen_url="localhost", forwarded_port=9384)
#Page()

using Makie: Slider

using WGLMakie # Web-based backend
# http://localhost:9384/browser-display

# Create a figure window
set_theme!(theme_dark())
fig = Figure()
ax = Axis(fig[1, 1:3], title="~", xlabel="x", ylabel="y")

# Create sliders to control the parameters of a sinewave
amp = Slider(fig[2,1], range=0:.1:5, startvalue=.
5) # Amplitude
freq = Slider(fig[2,2], range=1:100, startvalue=1) # Frequency
```




Figure 2: Makie -> Sine wave



You are asked to add formatted annotations to the:

- 1. amplitude slider:
 - The word *Amplitude* to the left
 - The corresponding value to the right.
- 2. frequency slider

ISET Bizerte -1/2 –

- The word *Frequency* to the left
- The corresponding value to the right, along with the unit of measure.

3. phase slider

- The word *Phase* to the left
- The corresponding value to the right, along with the unit of measure.

ISET Bizerte -2/2-