


Graphical Abstract

This is a specimen a_b title

J.K. Krishnan, Han Thane, William J. Hansen, T. Rafeeq



Highlights

This is a specimen a_b title

J.K. Krishnan, Han Thane, William J. Hansen, T. Rafeeq

- Research highlights item 1
- Research highlights item 2
- Research highlights item 3

This is a specimen a_b title

Sir J.K. Krishnan^{a,c} (Researcher), Han Thane^{b,d}, William J. Hansen Jr^{b,c} (Co-ordinator) and T. Rafeeq^{a,c}

^aDepartment of Physics, J.K. Institute of Science, Jawahar Nagar, Trivandrum, 695013, Kerala, India

^bWorld Scientific University, Street 29, 1011 NX Amsterdam, The Netherlands

^cUniversity of Intelligent Studies, Street 15, Jabaladesh, 825001, Orissa, India

ARTICLE INFO

Keywords:

quadrupole exciton
polariton
WGM
BEC

ABSTRACT

This template helps you to create a properly formatted $\LaTeX$ manuscript.

`\beginabstract ... \endabstract` and `\begin{keyword} ... \end{keyword}` which contain the abstract and keywords respectively.

Each keyword shall be separated by a `\sep` command.

1. Introduction

The Elsevier cas-dc class is based on the standard article class and supports almost all of the functionality of that class. In addition, it features commands and options to format the

- document style
- baselineskip
- front matter
- keywords and MSC codes
- theorems, definitions and proofs
- labels of enumerations
- citation style and labeling.

This class depends on the following packages for its proper functioning:

1. natbib.sty for citation processing;
2. geometry.sty for margin settings;
3. fleqn.clo for left aligned equations;
4. graphicx.sty for graphics inclusion;
5. hyperref.sty optional packages if hyperlinking is required in the document;

All the above packages are part of any standard $\LaTeX$ installation. Therefore, the users need not be bothered about downloading any extra packages.

*This document is the results of the research project funded by the National Science Foundation.

**The second title footnote which is a longer text matter to fill through the whole text width and overflow into another line in the footnotes area of the first page.

This note has no numbers. In this work we demonstrate a_b the formation Y_1 of a new type of polariton on the interface between a cuprous oxide slab and a polystyrene micro-sphere placed on the slab.

*Corresponding author

**Principal corresponding author

ORCID(s):

¹This is the first author footnote, but is common to third author as well.

²Another author footnote, this is a very long footnote and it should be a really long footnote. But this footnote is not yet sufficiently long enough to make two lines of footnote text.

2. Installation

The package is available at author resources page at Elsevier (<http://www.elsevier.com/locate/latex>). The class may be moved or copied to a place, usually, `$TEXMF/tex/latex/elsevier/`, or a folder which will be read by $\LaTeX$ during document compilation. The $\TeX$ file database needs updation after moving/copying class file. Usually, we use commands like `mktexlsr` or `texhash` depending upon the distribution and operating system.

3. Front matter

The author names and affiliations could be formatted in two ways:

- (1) Group the authors per affiliation.
- (2) Use footnotes to indicate the affiliations.

See the front matter of this document for examples. You are recommended to conform your choice to the journal you are submitting to.

4. Bibliography styles

There are various bibliography styles available. You can select the style of your choice in the preamble of this document. These styles are Elsevier styles based on standard styles like Harvard and Vancouver. Please use Bib $\TeX$ to generate your bibliography and include DOIs whenever available.

Here are two sample references: [?] [? ?] [? ?]

5. Floats

Figures may be included using the command, `\includegraphics` in combination with or without its several options to further control graphic. `\includegraphics` is provided by `graphic[s,x].sty` which is part of any standard $\LaTeX$ distribution. `graphicx.sty` is loaded by default. $\LaTeX$ accepts figures in the postscript format while pdf $\LaTeX$ accepts *.pdf, *.mps (metapost), *.jpg and *.png formats. pdf $\LaTeX$ does not accept graphic files in the postscript format.




Figure 1: The beauty of Munnar, Kerala. (See also Table ??).

The table environment is handy for marking up tabular material. If users want to use multirow.sty, array.sty, etc., to fine control/enhance the tables, they are welcome to load any package of their choice and cas-dc.cls will work in combination with all loaded packages.

Table 1

This is a test caption. This is a test caption. This is a test caption. This is a test caption. Use `{table*}` instead of `{table}` if you want a two column spanned table.

Col 1	Col 2	Col 3	Col4
12345	12345	123	12345
12345	12345	123	12345
12345	12345	123	12345
12345	12345	123	12345
12345	12345	123	12345

6. Theorem and theorem like environments

cas-dc.cls provides a few shortcuts to format theorems and theorem-like environments with ease. In all commands the options that are used with the `\newtheorem` command will work exactly in the same manner. cas-dc.cls provides three commands to format theorem or theorem-like environments:

```
\newtheorem{theorem}{Theorem}
\newtheorem{lemma}[theorem]{Lemma}
\newdefinition{rmk}{Remark}
\newproof{pf}{Proof}
\newproof{pot}[Proof of Theorem \ref{thm2}]
```

The `\newtheorem` command formats a theorem in L^AT_EX's default style with italicized font, bold font for theorem heading and theorem number at the right hand side of the theorem

heading. It also optionally accepts an argument which will be printed as an extra heading in parentheses.

```
\begin{theorem}
  For system (8), consensus can be achieved with
  $\|T_{\omega z}$ ...
  \begin{eqnarray}\label{10}
  ....
  \end{eqnarray}
\end{theorem}
```

Theorem 1. *For system (8), consensus can be achieved with $\|T_{\omega z}$...*

.... (1)

The `\newdefinition` command is the same in all respects as its `\newtheorem` counterpart except that the font shape is roman instead of italic. Both `\newdefinition` and `\newtheorem` commands automatically define counters for the environments defined.

The `\newproof` command defines proof environments with upright font shape. No counters are defined.

7. Enumerated and Itemized Lists

cas-dc.cls provides an extended list processing macros which makes the usage a bit more user friendly than the default L^AT_EX list macros. With an optional argument to the `\begin{enumerate}` command, you can change the list counter type and its attributes.


```
\begin{enumerate}[1.]
\item The enumerate environment starts with an optional
      argument '1.', so that the item counter will be suffixed
      by a period.
\item You can use 'a)' for alphabetical counter and '(i)'
      for roman counter.
\begin{enumerate}[a]
\item Another level of list with alphabetical counter.
\item One more item before we start another.
\item One more item before we start another.
\item One more item before we start another.
\item One more item before we start another.
\end{enumerate}
\end{enumerate}
```

Further, the enhanced list environment allows one to prefix a string like 'step' to all the item numbers.

```
\begin{enumerate}[Step 1.]
\item This is the first step of the example list.
\item Obviously this is the second step.
\item The final step to wind up this example.
\end{enumerate}
```

8. Cross-references

In electronic publications, articles may be internally hyperlinked. Hyperlinks are generated from proper cross-references in the article. For example, the words Fig. 1 will



figs/cas-munnar-2024.jpg

Figure 2: The beauty of Munnar, Kerala. (See also Table ??).

never be more than simple text, whereas the proper cross-reference `\ref{tiger}` may be turned into a hyperlink to the figure itself: Fig. 1. In the same way, the words Ref. [1] will fail to turn into a hyperlink; the proper cross-reference is `\cite{Knuth96}`. Cross-referencing is possible in $\LaTeX$ for sections, subsections, formulae, figures, tables, and literature references.

9. Bibliography

Two bibliographic style files (*.bst) are provided — `modell-num-names.bst` and `model2-names.bst` — the first one can be used for the numbered scheme. This can also be used for the numbered with new options of `natbib.sty`. The second one is for the author year scheme. When you use `model2-names.bst`, the citation commands will be like

`\citep`, `\citet`, `\citealt` etc. However when you use `modell-num-names.bst`, you may use only `\cite` command.

thebibliography environment. Each reference is a `\bibitem` and each `\bibitem` is identified by a label, by which it can be cited in the text:

In connection with cross-referencing and possible future hyperlinking it is not a good idea to collect more than one literature item in one `\bibitem`. The so-called Harvard or author-year style of referencing is enabled by the $\LaTeX$ package `natbib`. With this package the literature can be cited as follows:

- Parenthetical: `\citep{WB96}` produces (Wettig & Brown, 1996).
- Textual: `\citet{ESG96}` produces Elson et al. (1996).

