



Keywords

_Alignas	break	float	signed
_Alignof	case	for	sizeof
_Atomic	char	goto	static
_Bool	const	if	struct
_Complex	continue	inline	switch
_Generic	default	int	typedef
_Imaginary	do	long	union
_Noreturn	double	register	unsigned
_Static_assert	else	restrict	void
_Thread_local	enum	return	volatile
auto	extern	short	WHILE

The good news is that, unlike Er **tuts+**

Functions

- The true workhorses of the C language
- Held in C language libraries
- Defined by header files
- Thousands of functions

incorporate a header file,
which defines the function **tuts+**

C From Beginner To Expert Programming Tutorial - The Complete Tutorial to Learn C.mp4 - VLC media player

Media Playback Audio Video Subtitle Tools View Help

Operators

- Mathematical: + - / * % ++ --
- Comparison: == != > <

used to manipulate data in the pr

tuts+

19:11 3:23:33 35%

Media Playback Audio Video Subtitle Tools View Help

Operators

- Bitwise & | ^ << >>
- Unary + - ~ ! *

as well as a host of other special s

tuts+

19:13 3:23:33 35%

C From Beginner To Expert Programming Tutorial - The Complete Tutorial to Learn Cmp4 - VLC media player

Media Playback Audio Video Subtitle Tools View Help

Values and Variables

Values	Variables
<ul style="list-style-type: none">• Characters• Integer values• Floating-point values• Memory locations	<ul style="list-style-type: none">• Characters• Integer values• Floating-point values• Memory locations

Its contents can change or va

tuts+

19:36

Media Playback Audio Video Subtitle Tools View Help

Structure

- Preprocessor directives
- The *main()* function
- Curly brackets
- Statements
- Comments

or other programmers,
reminders, general informati

tuts+

20:21

Media Playback Audio Video Subtitle Tools View Help