



#### Data

- int
- unsigned int
- float
- double
- char • bool

### **Expressions**

- I/O expressions
- Arithmetic expressions
- Boolean expressions

### **Control Flow**

- Sequential
- Branching
  - if
  - if-else
  - if-else if-else



8 Iterative Statement Lectures - Week 6 - Iterative Statements - Introduction to Programming in C++ - edX.ts - VLC



### Motivation



Write a program that reads a positive integer n, and prints the numbers from 1 up to n.


Let's Count

### **Example**

Please enter a positive integer:

- 4
- 1
- 2
- 3
- 4





#### <u>Data</u>


- int
- unsigned int
- float
- double
- char
- bool


### **Expressions**


- I/O expressions
- Arithmetic expressions
- Boolean expressions

### **Control Flow**

- Sequential
- Branching
  - if
  - if-else
  - if-else if-else
- Iterative
  - while







### For Loops



#### **Data**

- int
- unsigned int
- float
- double
- char
- bool

### **Expressions**

- I/O expressions
- Arithmetic expressions
- Boolean expressions

### **Control Flow**

- Sequential
- Branching
  - if
  - if-else
  - if-else if-else
- Iterative
  - while
  - for





### For Loops



for (initialization; condition; increment) {

. . .








Iterative Statement Lectures - Week 6 - Iterative Statements - Introduction to Programming in C++ - edX.ts - VLC media player

# Let's Count Problem - Comparing the Two Solutions

```
int main() {
    int n;
    int counter;
    cout<<"Please enter a positive
integer:";
    cin>>n;
    counter = 1;
    while(counter <= 4) {
        cout<<counter<++;
    }
    return 0;
}</pre>
```

```
int main() {
    int n;
    int counter;
    cout<<"Please enter a positive
integer:";
    cin>>n;

for(counter = 1; counter <= 4;
        counter++) {
        Cout<<counter<<endl;
    }
    return 0;
}</pre>
```



### 16:36 /46:38 N




### **Problem**

Write a program that reads a positive integer num, and prints the number of digits in num and their sum.

### **Example**

Please enter a positive integer: 375

375 has 3 digits and their sum is 15



### NYU TANDON ONLINE

# Counting and Summing Digits



$$375 \div 10 = 37 \text{ R} 5$$
  $2375 \div 10 = 237 \text{ R} 5$ 

$$375 \mod 10 = 5$$
  $2375 \mod 10 = 5$ 

375 div 
$$10 = 37$$
 2375 div  $10 = 237$ 



8 8 Iterative Statement Lectures - Week 6 - Iterative Statements - Introduction to Programming in C++ - edX.ts - VLC media player

# Counting and Summing Digits





$$375 \div 10 = 37 \text{ R} 5$$
  $2375 \div 10 = 237 \text{ R} 5$ 

$$375 \mod 10 = 5$$
  $2375 \mod 10 = 5$ 


375 div 
$$10 = 37$$
 2375 div  $10 = 237$ 

$$a_n a_{n-1} ... a_1 a_0 \mod 10 = a_0$$

$$a_n a_{n-1} ... a_1 a_0$$
 div  $10 = a_n a_{n-1} ... a_1$ 



## Counting and Summing Digits





 num
 3/5
 3/7
 \$
 0

 currDigit
 \$
 \$
 \$
 3
 \$

 countDigits
 \$
 \$
 \$
 \$
 \$
 \$
 1/2
 15

Blterative Statement Lectures - Week 6 - Iterative

8 Iterative Statement Lectures - Week 6 - Iterative Statements - Introduction to Programming in C++ - edX.ts - VLC media plays

# Computing The Average





### <u>Problem</u>

Write a program that reads grades of students in a class, and prints the average.

### **Example**

Please enter the number of students in the class:

4

Enter the students' grades (separated by a space):

71 86 68 94

The class average is 79.75

# Computing The Average





### <u>Problem</u>

Write a program that reads a sequence of grades (till -1 is entered), and prints the average.

### **Example**

Enter the grades separated by a space. End your sequence by typing -1: 71 86 68 94 -1 The class average is 79.75

