

Git – Configuration levels



All users + All their repositories



All repositories on the computer for current user



Only current repository



What is a repository?

Name	Date modified	Type	Size
hooks	2/2/2020 2:24 PM	File folder	
info	2/2/2020 2:24 PM	File folder	
logs	2/2/2020 2:25 PM	File folder	
objects	9/21/2020 8:50 PM	File folder	
refs	2/2/2020 2:27 PM	File folder	
COMMIT_EDITMSG	9/21/2020 8:50 PM	File	1 KB
config	9/30/2020 7:46 PM	File	1 KB
description	2/2/2020 2:24 PM	File	1 KB
HEAD	2/2/2020 2:24 PM	File	1 KB
index	9/30/2020 7:45 PM	File	36 KB



```
MINGW64:/c/Users/Andrii.Piatakha/Desktop/Lern IT - Git
Andrii_Piatakha@EPUAKHAW1357 MINGW64 ~/Desktop/Lern IT - Git
$ git config --global user.name "Andrii Piatakha"

Andrii_Piatakha@EPUAKHAW1357 MINGW64 ~/Desktop/Lern IT - Git
$ git config --global user.email "andrii.piatakha@example.com"

Andrii_Piatakha@EPUAKHAW1357 MINGW64 ~/Desktop/Lern IT - Git
$ git config user.name
Andrii Piatakha

Andrii_Piatakha@EPUAKHAW1357 MINGW64 ~/Desktop/Lern IT - Git
$ |
```

```
Udemy
MINGW32:/e/videos/study/cs/important/Git and github/Udemy teacher 1
Dell@SURAJ MINGW32 /e/videos/study/cs/important/Git and github/Udemy teacher 1
$ git config user.name
Suraj

Dell@SURAJ MINGW32 /e/videos/study/cs/important/Git and github/Udemy teacher 1
$ git config user.email
yadavsurajkumar665@gmail.com

Dell@SURAJ MINGW32 /e/videos/study/cs/important/Git and github/Udemy teacher 1
$ git config --list
pack.packsize=limit=2g
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=C:/Program Files/Git/mingw32/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager-core
credential.http://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.name=suraj
user.email=yadavsurajkumar665@gmail.com
color.ui=auto
gui.recentrepo=E:/downloads/Documents/cs/linux
alias.st=status
alias.unstage=restore --staged --
alias.unstage=restore --staged --

Dell@SURAJ MINGW32 /e/videos/study/cs/important/Git and github/Udemy teacher 1
$
```

To make a default text editor

```
MINGW64:/c/Users/Andrii_Piatakha/Desktop/Lern IT - Git
Andrii_Piatakha@EPUAKHAW1357 MINGW64 ~/Desktop/Lern IT - Git
$ git config --global core.editor "C:/Program Files/Notepad++/notepad++.exe"
Andrii_Piatakha@EPUAKHAW1357 MINGW64 ~/Desktop/Lern IT - Git
$
```