

The image shows two screenshots of the Visual Studio Code editor. The top screenshot shows the initial state of the file `26_visibilityAndZ-Index.html`. The code includes the HTML boilerplate with a title "Visibility and Z-Index". The body contains the Emmet abbreviation `.box#box$*4`. An Emmet Abbreviation popup is visible, showing the expanded code: `<div class="box" id="box1"></div>`, `<div class="box" id="box2"></div>`, `<div class="box" id="box3"></div>`, and `<div class="box" id="box4"></div>`. The bottom screenshot shows the file after expansion. The code now includes the full HTML boilerplate and the expanded div elements: `<div class="box" id="box1"></div>`, `<div class="box" id="box2"></div>`, `<div class="box" id="box3"></div>`, and `<div class="box" id="box4"></div>`. The status bar at the bottom indicates the cursor is at line 12, column 38.

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <title>Visibility and Z-Index</title>
8 </head>
9 <body>
10   .box#box$*4
11 </body>
12 </html>
```

Emmet Abbreviation

```
<div class="box" id="box1"></div>
<div class="box" id="box2"></div>
<div class="box" id="box3"></div>
<div class="box" id="box4"></div>
```

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <title>Visibility and Z-Index</title>
8 </head>
9 <body>
10   <div class="box" id="box1"></div>
11   <div class="box" id="box2"></div>
12   <div class="box" id="box3"></div>
13   <div class="box" id="box4"></div>
14 </body>
15 </html>
```

Dollar means counting like 1, 2, 3, ...