

The background features a light gray grid pattern. On the left, there is a large, abstract shape composed of many small blue dots. Scattered across the background are several light blue circular icons: an hourglass, a power button, a network symbol, a recycling symbol, a gear, a laptop, and a star.

SDCC 2016


中国软件开发大会

SOFTWARE DEVELOPER CONFERENCE CHINA


京东分布式数据库系统演进之路

京东—张成远

- 目录
- 发展历程
- 实践经验
- 困难与挑战
- 小结




业务层面拆分




ID	name	age
1	Tom	28
2	Joey	30
3	Max	29
4	Rose	35

ID	name	age
1	Tom	28
3	Max	29


ID	name	age
2	Joey	30
4	Rose	35




提供统一的解决方案




多份配置文件一致性如何保证？




配置文件中心化存储




扩容方案— re-sharding




扩容方案— pre-sharding







- 活下来
- 活得更好
- 经验小结




活下来—高可用/高可靠方案



- 完善的路由检查机制
- 便捷的路由管理






- 精细化记录慢SQL
- 支持慢SQL分析功能
- 跨库SQL/事务的监控
- 数据分布情况
- JProxy/MySQL连接数
- 网络指标
- 内存/cpu/磁盘/机器负载等

● 避免跨库的SQL

`select * from table`

`select * from table where id in(x, y, z)`

`select * from table where id=x or id=y`



● 避免跨库的事务

begin;

select * from table where id = x; //shard1

select * from table where id = y; //shard2

update table set price=xx where id=z; //shard3

commit;

- 每条SQL不跨库，事务依然可能跨库
- 大面积死锁风险（短期内未必马上显现）
- MySQL连接数依然会压力比较大

● 特殊业务特殊对待

- 全国分拣中心数量有限
- 各个分拣中心数据量有较大出入
- 普通拆分方式可能导致分布不均匀
- 开发路由，支持特殊拆分，大的分拣中心可以落在指定MySQL实例上，确保压力分散均匀

● 系统尽量独享

- 关键业务可以接受部分的资源浪费，确保业务稳定是第一要素
- 避免重要业务彼此影响产生的连锁效应


● 使用容器提高资源利用率

- 部署层面可以解决的问题，没必要在系统层面去解决
- 确保系统足够健壮可控比引入很多高大上的功能来得靠谱


- 选择合适的拆分字段/拆分方式
- 重写SQL，尽量带拆分字段
- 避免跨库的事务
- 每条SQL都有拆分字段无法保证避免跨库事务
- 跨库事务最痛苦的事情是死锁，大面积死锁
- 特殊业务特殊需求特殊对待
- 容器+物理机提高资源利用率，可以在部署层面搞定的事情没必要在系统层面去解决

- 基于MySQL的分布式解决方案为什么很难保证严格的分布式事务语义？


原子性




- 基于MySQL的分布式解决方案为什么很难保证严格的分布式事务语义？



- 基于MySQL的分布式解决方案为什么很难保证严格的分布式事务语义？



- 基于MySQL的分布式解决方案为什么很难保证严格的分布式事务语义？





困难与挑战—解决思路

- 协调者引入两阶段提交，保证原子性
- 引入全局事务ID，保证隔离性
- 考虑采用Raft等强一致协议保证多副本强一致，从而保证事务的持久性
- 前三者满足以后，自然就保证了事务的一致性

- 配置文件中心化管理
- 自动化迁移完成扩容
- 要有良好的自我保护功能
- 生产环境监控非常关键
- 要有高可用/高可靠的解决方案
- 分布式事务（本质上是大事务）容易引起大规模死锁
- 基于MySQL的解决方案很难保证严格的分布式事务语义

The background features a light gray diagonal line pattern. On the left, there is a large, abstract graphic composed of many small blue dots arranged in a circular, pixelated pattern. Scattered across the background are several light blue circular icons: an hourglass, a power button, a recycling symbol, a gear, a laptop, a starburst, and a diamond shape.

SDCC 2016

中国软件开发大会

SOFTWARE DEVELOPER CONFERENCE CHINA

谢谢！