Table S3 Cocrystal-ligand redocking across five random seeds

Target	PDB	CCD	Seeds	Jobs	Top-1 RMSD median [min, max] (Å)	Best-saved RMSD median [min, max] (Å)	Top-1 <2 Å (n)	Best <2 Å (n)	Modes
EGFR	3POZ	03P	5	5	1.0960 [1.0940, 1.1170]	1.0960 [1.0940, 1.1170]	5	5	9
HER2	3RCD	03P	5	5	2.0540 [2.0210, 2.8800]	2.0460 [1.3370, 2.0580]	0	1	9
JAK1	6N7A	KEV	5	5	0.4560 [0.4440, 0.4740]	0.4560 [0.4440, 0.4740]	5	5	9
JAK2	8BXH	C87	5	5	10.6940 [10.6860, 10.7200]	0.9980 [0.9490, 1.0750]	0	5	9
TYK2	3LXP	IZA	5	5	0.2560 [0.2180, 0.2620]	0.2560 [0.2180, 0.2620]	5	5	9
PIK3CA	4L23	X6K	5	5	0.9680 [0.8960, 0.9790]	0.9680 [0.8960, 0.9790]	5	5	9
mTOR	4JT6	X6K	5	5	4.9280 [4.9270, 4.9330]	0.5810 [0.5550, 0.6010]	0	5	9
AChE	4EY7	E20	5	5	0.8030 [0.7870, 0.8280]	0.8030 [0.7870, 0.8280]	5	5	9
BChE	4BDS	THA	5	5	4.7540 [4.7530, 4.7540]	0.3140 [0.3040, 0.4290]	0	5	9
F2	4UDW	N6L	5	5	0.5380 [0.5270, 0.5680]	0.5380 [0.5270, 0.5680]	5	5	9
F10	2JKH	BI7	5	5	0.8220 [0.7790, 0.8480]	0.8220 [0.7790, 0.8480]	5	5	9
PPARG	9V8H	BRL	5	5	2.0810 [1.6560, 6.7880]	1.4400 [0.7280, 1.9770]	2	5	9
PPARA	6LXA	EPA	5	5	7.7870 [7.7100, 7.8410]	1.1250 [0.5970, 1.6120]	0	5	9
PPARD	5U3Q	7UJ	5	5	0.4840 [0.4460, 0.7780]	0.4840 [0.4460, 0.7780]	5	5	9

Seeds: 17, 29, 42, 71 and 101. Symmetry-aware heavy-atom RMSD is calculated in the receptor coordinate frame. Top-ranked-pose success and success among saved poses are separate outcomes. The summary uses recorded RMSDs without recomputing coordinates; every seed-level record is in Supplementary_Data.zip. CCD denotes the cognate ligand Chemical Component Dictionary identifier. The "Jobs" and "Modes" columns report the number of successful docking jobs and the number of saved poses per job, respectively.