

Перб. примен.
3707.00000000 ЭИТ-1

Спроб. №

Подп. и дата

Инд. № дудл.

Взам. инд. №

Подп. и дата

Инд. № рабл.

*

The schematic diagram illustrates the electrical connections for the ECG device. It features four main functional blocks: INTERFACES, ECG, Measurement, and Generator. The INTERFACES block (INTERFACES.SchDoc) is connected to various power and signal lines, including +5ADC, +3.3ADC, +3.3M, +12, -12, GND, and AGND. The ECG block (ECG.SchDoc) is connected to +3.3, +12, -12, +165, and AGND. The Measurement block (Measurement.REQ.SchDoc) is connected to +12, -12, +165, and AGND. The Generator block (Generator.REQ.SchDoc) is connected to +12, -12, +165, and AGND. The POWER block (POWER.SchDoc) is connected to +5, +5C, +5ADC, +12, -12, +3.3, +3.3M, +3.3ADC, +165, and +5POWER. The diagram also shows connections to connectors X1, X2, X3, and X4, and test points TP1 through TP22. A resistor R1 (0 ±1% 0805) is connected between TP1 and TP2.

X1

1	
2	
3	

WF-3

X2

1	
2	
3	
4	

Micro-Fit 3.0 43045-0401

X3

1	
2	

MicroFit 3.0 43650-0225

X4

1	
2	
3	
4	
5	

Micro-USB

Изм.	Лист	№ докум.	Подп.	Дата
Разраб.		*		
Проб.		*		
Т.контр.				
И.контр.				
Утв.		*		

*

Лист 1

Листов 6

*

SubCompany



2.106-A3

Копировал


Формат А3

Инд. № разра.	Подп. и дата
Взам. инд. №	Инд. № аудита
Подп. и дата	
Инд. № разра.	

Изм.	Лист	№ докум.	Подп.	Дата	*	Лист
						2



*




Подп. и дата	
Ихб. № докум.	
Взам. ихб. №	
Подп. и дата	
Ихб. № разд.	

Изм.	Лист	№ докум.	Подп.	Дата

*


*



Инд. № разра.	Подп. и дата
Взам. инд. №	Инд. № дораб.
Подп. и дата	
Инд. № разра.	

Изм.	Лист	№ докум.	Подп.	Дата	*	Лист
						4

*



Инд. № разра.	Подп. и дата
Взам. инд. №	Инд. № ауд.
Подп. и дата	
Инд. № разра.	

Изм.	Лист	№ докум.	Подп.	Дата

*

Лист
5

