



EUDAMED user guide

Public API

Production v 2.27.0
2026



Table of Contents

1. Introduction	1
2. Actor data	5
3. Device data	10

1 Introduction

The Public EUDAMED API allows to download public data from EUDAMED.

Click the following link to access the [EUDAMED Public API](#)

**NOTE**

You can also click the [following link](#) to get to the full catalogue of APIs SANTE has to offer.

How does it work?

Data is synced between EUDAMED and the SANTE Data Platform.

This process happens automatically on two different occasions: Once daily for non-production systems, and every two hours for production systems.

Who can use the Public API

By nature, the API is public and therefore not restricted to anyone.

Any individual or organisation is able to download public data of EUDAMED through the API.

As the API is a "Standards Rest API", the data can be integrated directly into 3rd party software, without the need of making a "copy" of the data, which results in better data quality.

Reference data is available on the API and could be incorporated by organisations in their own systems.

The data is available only in JSON format.

Output reading methods and exceptions

The only HTTP method available for any of the REST endpoints is **GET**. Using any other method or Verb will result in a "404 resource not found" response.

Standard query parameters

Parameter	Description	Allowable values
api-version	The version of the API to use. Currently, there is only 1 version of the API so this will always be the same	v1.0

Response object format and pagination of long results sets

```
{
  "value": [
    {
      "ID": -200.0,
      "CODE": "RISK_CLASS_ID",
      "LANGUAGE": "lt",
      "VALUE": "B klasė"
    },
    {
      "ID": -203.0,
      "CODE": "RISK_CLASS_ID",
      "LANGUAGE": "pl",
      "VALUE": "Klasa I"
    },
    ...
    {
      "ID": -219.0,
      "CODE": "RISK_CLASS_ID",
      "LANGUAGE": "bg",
      "VALUE": " (IVD) "
    }
  ],
  "nextLink": URL To get Next results if there are more
}
```

When conducting a search, the API returns 100 results at a time. If the requested dataset has more than 100 records, the payload will create a custom link (nextLink) to retrieve the next 100. If there are no more records, the nextLink key will not be present in the response object:

DG SANTE
Home APIs Documentation

GET actors
GET reference
GET udi

actors

hidden-configportal hidden-public

Request

```
GET https://tst-api.datalake.sante.service.ec.europa.eu/eudamed/actors[?ACTOR_ID][&NAME][&ABBREVIATED_NAME][&ACTOR_COUNTRY_ISO2_CODE]&api-version=v1.0
```

Request parameters

Name	In	Required	Type	Example
ACTOR_ID	query	false	string	
NAME	query	false	string	
ABBREVIATED_NAME	query	false	string	
ACTOR_TYPE	query	false	string	
CA_NAME	query	false	string	
CA_ACTOR_ID	query	false	string	
ACT_COUNTRY_ISO2_CODE	query	false	string	

Request headers

Name	Required	Type	Example
Content-Type	true	string	

Response: 500 Internal Server Error

```

"ACT_ADDR_COUNTRY_TYPE": "EU_MEMBER_STATE",
"PRRC_FIRST_NAME": null,
"PRRC_FAMILY_NAME": null,
"PRRC_TELEPHONE": null,
"PRRC_EMAIL": null,
"PRRC_BUILDING_NUMBER": null,
"PRRC_STREET_NAME": null,
"PRRC_POST_BOX": null,
"PRRC_CITY_NAME": null,
"PRRC_POSTAL_ZONE": null,
"PRRC_COUNTRY_NAME": null,
"PRRC_COUNTRY_CODE": null,
"PRRC_COUNTRY_TYPE": null,
"CA_RESP_MAIN_AUTHORITY": "N/A",
"CA_RESP_MARKET_SURVEILLANCE": "N/A",
"CA_RESP_ECONOMIC_OPERATOR": "N/A",
"CA_RESP_UOI_DEVICE": "N/A",
"CA_RESP_VIGILANCE": "N/A",
"CA_RESP_CI_PS": "N/A",
"CA_RESP_IVD_SCOPE": "N/A",
"CA_RESP_IVD_SCOPE": "N/A",
"AR_ACTOR_ID": null,
"AR_NAME": null,
"AR_EMAIL": null,
"AR_TELEPHONE": null,
"CA_ACTOR_ID": null,
"CA_NAME": null,
"CA_EMAIL": null,
"CA_TELEPHONE": null,
"NAME": "G.F.I. Health Technology Certification L
td"
}
}
}
nextLink": "https://tst-api.datalake.sante.service.ec.europa.eu/eudamed/actors?after=4051809a85Tmfz25I6IKVNEFMUR
TQ8hfQUmT17X18VQKx3Q196SUXVIiwiRn1bGROYN1I1j0L6Fzaf9Jb2x1
bW4iLC7G6WVsZFZhHv1Ij0ic1d2mx4NkY2Hx21x1PDyQwVcd7AuK7uN
j2j0VnmDY3ND81LC76xX1V3Rp2410JB9XQ=&api-version=v1.0"
}

```

Send

How to read the files

Once you have launched a search and you have your data, you can copy the GET link into your database to fetch the necessary information:

HTTP request

HTTP

Reveal secrets Copy

```

GET https://tst-api.datalake.sante.service.ec.europa.eu/eudamed/actors?ACT_COUNTRY_ISO2_CODE=BE&api-version=v1.0 HTTP/1.1

Content-Type: application/json
Cache-Control: no-cache

```

The nextLink file can be used to continue and fetch the information until there are no more nextLinks left.

The response also appears under the request section:

HTTP response

HTTP/1.1 200 OK

content-length: 146141

content-type: application/json; charset=utf-8

date: Fri, 14 Feb 2025 16:22:04 GMT

vary: Origin

x-ms-correlation-id: 7cab6f7c-6b1b-42bb-babd-60aca87b98c8

```
{
  "value": [{
    "ID": 1921.0,
    "UDI_DI_DATA_ULID": "01HWQ75J67D8W1N9SMWRKHTC3S",
    "UUID": "5079bc21-87e3-4cb4-8b61-67cca6a3515f",
    "TRADE_NAME": null,
    "REFERENCE": "sdfvg",
    "PLACED_ON_THE_MARKET_ID": null,
    "LATEST_VERSION": 1.0,
    "CMR_SUBSTANCE": 0.0,
    "ENDOCRINE_DISRUPTOR": 0.0,
    "LATEX": 0.0,
    "REPROCESSED": 0.0,
    "STERILE": 0.0,
    "STERILIZATION": 0.0,
    "NEW_DEVICE": null,
    "VERSION_NUMBER": 1.0,
    "PRIMARY_DI": "66666drfgdfSH",
    "BASIC_UDI": "66666drfgdfSH",
    "BASIC_UDI_DATA_UUID": "76c6f29a-30d3-4fe4-bb96-f
4868ffb9fec",
    "BASIC_UDI_DATA_ULID": "01HWQ73TY43GXGMQ5588TV5FQ
Z",
    "ACTIVE": 0.0,
    "ADMINISTERING_MEDICINE": 0.0,
    "ANIMAL_TISSUES": 0.0,
    "COMPANION_DIAGNOSTICS": null,
    "HUMAN_TISSUES": 0.0,
    "IMPLANTABLE": 0.0,
    "KIT": null,
    "MEASURING_FUNCTION": 0.0,
    "MICROBIAL_SUBSTANCES": null,
```

2 Actor data



NOTE

If you have the information you wish to search for beforehand, you can continue. If not, please refer to the [Getting Started \[1\]](#) section and grab the information you need before continuing.



NOTE

By default, you will arrive to the Actors section of the API.

Find all Actors in a country

- With the information at hand (in this case, the ISO code for the country), navigate to the SANTE Datalake and click on **Try it** on the right side of the screen:

The screenshot shows the DG SANTE API interface. At the top, there's a blue header with 'DG SANTE' and navigation links for 'Home', 'APIs', and 'Documentation'. Below the header, there's a sidebar on the left with a search bar and a list of API endpoints: 'GET actors', 'GET iuliantest-actors-en', 'GET reference', and 'GET udi'. The main content area displays the 'API - EUDAMED Public v1.0' section. It includes a description of EUDAMED, a 'Try it' button (highlighted with a red arrow), and a 'Request' section with a sample GET request and a table of request parameters.

Request parameters

Name	In	Required	Type	Example	Description
ACTOR_ID	query	false	string		
NAME	query	false	string		

- When the sidebar opens, search for the field called `ACT_COUNTRY_ISO2_CODE` and enter the two-letter code for the country related to your query:

API - EUDAMED Public - v1.0

API - EUDAMED Public v1.0

Search operations Group by tag ☐

GET actors

GET iuliantest-actors-en

GET reference

GET udi

EUDAMED is the IT system established by Regulation (EU) 2017/745 on medical devices and Regulation (EU) 2017/746 on in vitro diagnostic medical devices that are made available in the European Union (EU) and aims to enhance overall transparency, including better coordination between the different Member States in the EU.

actors

hidden-configportal hidden-public

Request

GET https://api.datalake.sante.service.ec.europa.eu/eudamed/actors[?ACTOR_ID][&NAME][&ABBREVIATED_NAME][&format]&api-version=v1.0

Request parameters

Name	In	Required	Type	Example
ACTOR_ID	query	false	string	
NAME	query	false	string	
ABBREVIATED_NAME	query	false	string	

Parameters

ACTOR_ID value

NAME value

ABBREVIATED_NAME value

ACTOR_TYPE value

CA_NAME value

CA_ACTOR_ID value

ACT_COUNTRY_ISO2 value

format Select value... Value is required.

Headers

Content-Type application/json

3. Scroll to the bottom of the sidebar and click on **Send**:

API - EUDAMED Public - v1.0

API - EUDAMED Public v1.0

Search operations Group by tag ☐

GET actors

GET iuliantest-actors-en

GET reference

GET udi

EUDAMED is the IT system established by Regulation (EU) 2017/745 on medical devices and Regulation (EU) 2017/746 on in vitro diagnostic medical devices that are made available in the European Union (EU) and aims to enhance overall transparency, including better coordination between the different Member States in the EU.

actors

hidden-configportal hidden-public

Request

GET https://api.datalake.sante.service.ec.europa.eu/eudamed/actors[?ACTOR_ID][&NAME][&ABBREVIATED_NAME][&format]&api-version=v1.0

Request parameters

Name	In	Required	Type	Example
ACTOR_ID	query	false	string	
NAME	query	false	string	
ABBREVIATED_NAME	query	false	string	

format Select value... Value is required.

Headers

Content-Type application/json

Cache-Control no-cache

HTTP request

HTTP

GET https://api.datalake.sante.service.ec.europa.eu/eudamed/actors?api-version=v1.0 HTTP/1.1

Content-Type: application/json

Cache-Control: no-cache

Send

4. The result will display all of the Actors based on the country you have specified:

DG SANTE

- [Home](#)
- [APIs](#)
- [Documentation](#)

HTTP response

```

HTTP/1.1 200 OK

content-length: 997501
content-type: application/json; charset=utf-8
date: Fri, 13 Mar 2020 10:06:45 GMT
vary: Origin
x-ms-correlation-id: a8697ccg-4d3b-4218-af40-5f5b75df68ca

{
  "value": [
    {
      "ACTOR_ID": "PL-MF-000002198",
      "NAME": "HTL-Strefa S.A.",
      "ABBREVIATED_NAME": "HTL-Strefa S.A.",
      "STATUS_FROM_DATE": null,
      "STATUS": "Active",
      "ACTOR_TYPE": "Manufacturer",
      "SPONSOR_TYPE": null,
      "EUROPEAN_VAT_NUMBER": "732-18-88-362",
      "VERSION": 5.0,
      "ACT_COUNTRY_NAME": "Poland",
      "ACT_COUNTRY_ISO_CODE": "PL",
      "ACT_COUNTRY_TYPE": "EU_MEMBER_STATE",
      "ACT_EMAIL": "Justyna.zemigala@htl-strefa.pl",
      "ACT_TELEPHONE": "+48 664140189",
      "ACT_WEBSITE": "www.htl-strefa.com",
      "ACT_ADDR_BUILDING_NUMBER": "7",
      "ACT_ADDR_STREET_NAME": "Adamówiek",
      "ACT_ADDR_POST_BOX": null,
      "ACT_ADDR_POSTAL_ZONE": "95-035",
      "ACT_ADDR_CITY_NAME": "Ozorków",
      "ACT_ADDR_COUNTRY_NAME": "Poland",
      "ACT_ADDR_COUNTRY_CODE": "PL",
      "ACT_ADDR_COUNTRY_TYPE": "EU_MEMBER_STATE",
      "PRRC_FIRST_NAME": "Justyna",
      "PRRC_FAMILY_NAME": "Zemigala"
    },
    {
      "ACTOR_ID": "PL-IN-000035936",
      "NAME": "IDEAL POLAND SPÓŁKA Z OGRANICZONĄ ODPOWIEDZIALNOŚCIĄ",
      "ABBREVIATED_NAME": "IDEAL POLAND sp. z o. o.",
      "STATUS_FROM_DATE": null,
    }
  ]
}
```

API - EUDAMED Public - v1.0

%

y

Group by tag

API definition

[Changelog](#)

EUDAMED is the IT system established by Regulation (EU) 2017/745 on medical devices and Regulation (EU) 2017/746 on in vitro medical devices that are made available in the European Union (EU) and aims to enhance overall transparency, including better coordination between the different Member States in the EU.

actors

actors
actors
iliantest-actors-en
reference
udi

hidden-configportal

hidden-public

Request

```

GET https://api.data.lake.sante.service.ec.europa.eu/eudamed/actors?<ACTOR_ID>[&NAME][&ABBREVIATED_NAME]&format=&api-version=v1.0

```



NOTE

In order to view the results or import them somewhere else, follow the steps found [here](#)

Find all Actors of a type in a country

1. On the sidebar, enter the type of Actor and country code in the following fields:

API - EUDAMED Public - v1.0

Search operations

Group by tag

GET actors

GET iuliantest-actors-en

GET reference

GET udi

API - EUDAMED Public

API definition

Changelog

actors

hidden-configportal

hidden-public

Request

GET https://api.datalake.sante.service.ec.europa.eu/eudamed/actors[?ACTOR_ID][&NAME][&ABBREVIATED_NAME][&format]&api-version=v1.0

API - EUDAMED Public / v1.0 / actors

Authorization

Parameters

ACTOR_ID

NAME

ABBREVIATED_NAME

ACTOR_TYPE

CA_NAME

CA_ACTOR_ID

ACT_COUNTRY_1502

format

+ Add parameter

Headers

Content-Type

2. Scroll to the bottom of the sidebar and click on **Send**.
3. The result will display all of the Actors of a certain type in a specific country.

Find Actor Data from the Actor ID/SRN

1. On the sidebar, enter the Actor ID/SRN code in the ACTOR_ID field:

The screenshot shows the EUDAMED Public API interface. On the right sidebar, under the 'Parameters' section, the 'ACTOR_ID' field is highlighted with a red box. The main content area displays the 'API - EUDAMED Public v1.0' definition and a search bar. The sidebar also includes a 'Headers' section and a 'format' dropdown set to 'json'.

2. Scroll to the bottom of the sidebar and click on **Send**.
3. The result will display all of the available information related to the Actor ID/SRN you provided.

Find all Actors linked to a specific Competent Authority

1. On the sidebar, enter the Competent Authority's name in the CA_NAME field:

The screenshot shows the EUDAMED Public API interface. On the right sidebar, under the 'Parameters' section, the 'CA_NAME' field is highlighted with a red box. The main content area displays the 'API - EUDAMED Public v1.0' definition and a search bar. The sidebar also includes a 'Headers' section and a 'format' dropdown set to 'json'.

2. Scroll to the bottom of the sidebar and click on **Send**.
3. The result will display all of the Actors linked to the Competent Authority you provided.

**NOTE**

There are a few more fields in the pre-defined section that are not explained here, but follow the same idea.

Query parameters and Response objects

Here is a table of the fields when using the API for the Actor module:

Query Parameters (Path: /actors)

Parameter	Description	Data type / Source	Available options
actor_id	The Actor ID/SRN of the Actor	String	Actor ID/SRN of an actor
name	The Actor's name	String	Any string value
abbreviated_name	The abbreviated name of the Actor	String	Any string value
actor_type	The Actor type (see available options) column	String	• Competent Authority • Designating Authority • Importer • Authorised Representative • System/Procedure Pack Producer • Manufacturer • Notified Body
act_country_iso2_code	The country code where the Actor is	String	Any valid two-letter ISO2 country code (e.g. be, ie, fr..)
ca_name	The name of the CA linked to the Actor	String	Any string value
ca_actor_id	The Actor ID of the CA linked to the Actor	String	Any string value

3 Device data



NOTE

By default, you will arrive to the Actors section of the API.

You will need to change to the devices section by clicking on **UDI** on the left side of the screen:

Find all Devices from a Manufacturer

- On the sidebar, search for the pre-defined field MF-SRN, add the Actor ID/SRN number of the Manufacturer to the field (scroll for a bit):

Name	In	Required	Type	Example
PRIMARY_DI	query	false	string	
BASIC_UDI	query	false	string	
TRADE_NAME	query	false	string	
DEVICE_NAME	query	false	string	
DEVICE_MODEL	query	false	string	
REFERENCE	query	false	string	
NOMENCLATURE_COD	query	false	string	
RISK_CLASS_ID	query	false	string	
APPLICABLE_LEGIS	query	false	string	
PLACED_ON_THE_M	query	false	string	
MF-SRN	query	false	string	
SPECIAL_DEVICE_T	query	false	string	
MEDICAL_PURPOSE	query	false	string	

- Scroll to the bottom of the sidebar and click on **Send**:

DG SANTE

Home APIs Documentation

API - EUDAMED Public v1.0

Search operations: actors, iuliantest-actors-en, reference, udi

API definition: udi

EUDAMED is the IT system established by Regulation (EU) 2017/745 on medical devices and Regulation (EU) 2017/746 on in vitro diagnostic medical devices that are made available in the European Union (EU) and aims to enhance overall transparency, including better coordination between the different Member States in the EU.

Request parameters

Name	In	Required	Type	Example
PRIMARY_DI	query	false	string	
BASIC_UDI	query	false	string	
TRADE_NAME	query	false	string	
DEVICE_NAME	query	false	string	

Send

- The result will display all the devices related to that Manufacturer.

Find a device by UDI-DI

- On the sidebar, search for the pre-defined PRIMARY_UDI field, add the UDI-DI of the device to the field:

DG SANTE

Home APIs Documentation

Parameters

PRIMARY_DI: 12345-IIB-Active-ITE-S-R20

BASIC_UDI: value

- Click on **Send**.
- The result will display all the information related to the device based on the UDI-DI provided.

Find all devices for a Basic UDI-DI

- On the sidebar, search for the pre-defined BASIC_UDI field, add the Basic UDI-DI of the device to the field:

DG SANTE

Home APIs Documentation

Parameters

PRIMARY_DI: value

BASIC_UDI: 12345-IIB-Active-ITE-S-R2

- Click on **Send**.
- The result will display all of the information related to the device based on the Basic UDI-DI provided.

Find devices for a trade name

1. On the sidebar, search for the pre-defined TRADE_NAME field, add the trade name of the device to the field:

The screenshot shows the DG SANTE API interface. On the right, under the 'Parameters' section, there are four input fields: PRIMARY_DI, BASIC_UDI, TRADE_NAME, and a fourth field. The 'TRADE_NAME' field is highlighted with a red border and contains the text 'Generic Device'.

2. Click on **Send**.
3. The result will display all of the information related to the device based on the trade name provided.

Find devices for a device model

1. On the sidebar, search for the pre-defined DEVICE_MODEL field, add the device model of the device to the field:

The screenshot shows the 'API - EUDAMED Public' interface. On the right, under the 'Parameters' section, there are four input fields: TRADE_NAME, DEVICE_NAME, DEVICE_MODEL, and REFERENCE. The 'DEVICE_MODEL' field is highlighted with a red border and contains the text 'value'.

2. Click on **Send**.
3. The result will display all of the information related to the device based on the device model provided.

Find all Class III devices (reference lookup)

A risk-class search requires some extra steps in order to display a specific result, you first need to know the value that your risk class has in the system, follow the steps below to do so:

1. Head over to the Reference section of the API and click on **Try** to open the sidebar:

The screenshot shows the DG SANTE API interface. On the left, under the 'GET' section, there are three items: 'actors', 'iulamtest-actors-en', and 'reference'. The 'reference' item is highlighted with a red border. On the right, under the 'reference' section, there is a 'Try it' button highlighted with a red border.

2. Add the value "RISK_CLASS_ID" to the "CODE" field and then click on **Send**:

The screenshot shows the 'API - EUDAMED Public' interface. On the left, there's a sidebar with 'API - EUDAMED Public - v1.0' and a search bar. The main area displays the 'reference' endpoint with a description: 'EUDAMED is the IT system established by Regulation (EU) 2017/745 on medical devices and Regulation (EU) 2017/746 on in vitro diagnostic medical devices that are made available in the European Union (EU) and aims to enhance overall transparency, including better coordination between the different Member States in the EU.' Below this, there are buttons for 'hidden-configportal' and 'hidden-public'. On the right, the 'Parameters' section is expanded, showing fields for 'ID', 'CODE', and 'LANGUAGE', each with a 'value' input field and a trash icon. The 'CODE' and 'LANGUAGE' fields are highlighted with red boxes. Below these fields is a 'format' dropdown menu set to 'Select value...' and a '+ Add parameter' button.



NOTE

Risk classes contain all language variants in EUDAMED. In order to conduct a more precise search, you can set the "LANGUAGE" field to the language of your choice (we will use English for this example), use the two-letter code for your country (e.g. EN, BE, IT etc.)

3. The list will display all risk classes available in EUDAMED, search for the risk class you need in the result. (in this example, risk class III)
4. Once you've located the risk-class, you will notice four parameters for it, in this case we need the "ID" parameter:

```
{
  "ID": -155.0,
  "CODE": "RISK_CLASS_ID",
  "LANGUAGE": "en",
  "VALUE": "IVD Annex II List A"
},
{
  "ID": -10.0,
  "CODE": "RISK_CLASS_ID",
  "LANGUAGE": "en",
  "VALUE": "Class III"
},
{
  "ID": -157.0,
  "CODE": "RISK_CLASS_ID",
  "LANGUAGE": "en",
  "VALUE": "IVD General"
},
{
  "ID": -200.0,
  "CODE": "RISK_CLASS_ID",
  "LANGUAGE": "en",
  "VALUE": "Class B"
},
}
```

- Copy any number that appears after the "ID" value. This number is what the risk class is identified as in EUDAMED.
- Now, go back to the UDI section of the API and click on **Try** again to open the sidebar.
- In the field "RISK_CLASS_ID", add the value you found before (in this case, risk class III is identified as "-10"):

The screenshot shows the DG SANTE API - EUDAMED Public interface. The main area displays the 'udi' endpoint with a 'Try' button. The 'Parameters' sidebar on the right lists various query parameters, with 'RISK_CLASS_ID' highlighted in a red box. The 'Request' section shows the full URL with the highlighted parameter.

API - EUDAMED Public v1.0

Search operations **Try** **Group by tag**

GET **actors**

GET **instantiate-actors-en**

GET **reference**

GET **udi**

API definition **Changelog**

EUDAMED is the IT system established by Regulation (EU) 2017/745 on medical devices and Regulation (EU) 2017/746 on in vitro diagnostic medical devices that are made available in the European Union (EU) and aims to enhance overall transparency, including better coordination between the different Member States in the EU.

udi

hidden-configportal **hidden-public**

Request

GET [https://api.datalake.sante.service.ec.europa.eu/eudamed/udi/?PRIMARY_DI=\[&BASIC_UDI\]&TRADE_NAME=\[&RISK_CLASS_ID\]&APPLICABLE_LEGISLATION_ID=\[&PLACED_ON_THE_MARKET_ID\]&MF_SRN\]&SPECIAL_DEVICE_TYPE_I](https://api.datalake.sante.service.ec.europa.eu/eudamed/udi/?PRIMARY_DI=[&BASIC_UDI]&TRADE_NAME=[&RISK_CLASS_ID]&APPLICABLE_LEGISLATION_ID=[&PLACED_ON_THE_MARKET_ID]&MF_SRN]&SPECIAL_DEVICE_TYPE_I)

Request parameters

Name	In	Required	Type	Example
PRIMARY_DI			String	value
BASIC_UDI			String	value
TRADE_NAME			String	value
DEVICE_NAME			String	value
DEVICE_MODEL			String	value
REFERENCE			String	value
NOMENCLATURE_COD			String	value
RISK_CLASS_ID			String	value

- Click on **Send**.
- The browser will display ALL the devices linked to the risk class provided.

Query parameters and Response objects

Query parameters

Parameter	Description	Data type / Source	Available options
primary_di	The Device Identifier for the device (UDI-DI)	String	Any string value
basic_udi	The Basic UDI of the device "family"	String	Any string value
mf_srn	The Actor ID/SRN of the device Manufacturer	String	Any string value
trade_name	The Trade name of the device	String	Any string value
device_name	The Name of the device	String	Any string value
device_model	The model of the device	String	Any string value
reference	The reference of the device	String	Any string value
nomenclature_code	The EMDN reference code assigned to the device	String	Any valid EMDN code
risk_class_id	The reference to the Risk Class of the device	String	A Valid Risk Class ID from the list reference code RISK_CLASS_ID
applicable_legislation_id	The reference to the Applicable Legislation for the device	String	A Valid Legislation ID from the list for reference code APPLICABLE_LEGISLATION_ID
placed_on_the_market_id	The reference to the for placed on the market	String	A Valid Place on the Market ID from the list for reference code PLACED_ON_THE_MARKET_ID

