

Smart Contract Audit

FOR

SBF CEO

DATED: 26 April 23'



AUDIT SUMMARY

Project name - SBF CEO

Date: 26 April, 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed

Issues Found

Status	Critical	High	Medium	Low	Suggestion
Open	0	2	0	0	0
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0



USED TOOLS

Tools:

1- Manual Review:

A line by line code review has been performed by audit ace team.

2- BSC Test Network: All tests were conducted on the BSC Test network, and each test has a corresponding transaction attached to it. These tests can be found in the "Functional Tests" section of the report.

3-Slither:

The code has undergone static analysis using Slither.

Testnet version:

The tests were performed using the contract deployed on the BSC Testnet, which can be found at the following address:

https://testnet.bscscan.com/token/0xb65e03c8ad622a5aeb6819c014065f9235b24ac0



Token Information

Token Name: SBF CEO

Token Symbol: SBFCEO

Decimals: 18

Token Supply: 100,000,000,000

Token Address:

0x69C0e3dCE48E7A036C9027c10a9801cb6282b423

Checksum:

4d71e52bbcc17b365e19a9661658c05f4397eb29

Owner:

0x6a88aAD5547035BDE42020B18CDF4beD566a2e56 (at time of writing the audit)

Deployer:

0x4265d5b2d553b6C8F0C77E6D7A639c50Ff28796



TOKEN OVERVIEW

Fees:

Buy Fees: up to 8%

Sell Fees: up to 8%

Transfer Fees: 0

Fees Privilege: None

Ownership: Owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: No

Blacklist: No

Other Privileges: modifying swap threshold - toggling internal swap - excluding wallets from fee - including wallets in fee - modifying fees - changing buyback threshold



AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



VULNERABILITY CHECKLIST





CLASSIFICATION OF RISK

Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization/Suggestion

Description

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

Findings

Severity	Found
◆ Critical	0
♦ High-Risk	2
◆ Medium-Risk	0
♦ Low-Risk	0
Gas Optimization /Suggestions	0



INHERITANCE TREE





POINTS TO NOTE

- Owner is able to change buy/sell each one up to 8%
- Owner is not ablet o set transfer taxes (0% forever)
- Owner is not able to set max buy/sell/transfer/hold amount
- Owner is not able to blacklist an arbitrary wallet
- Owner is not able to disable trades
- Owner has to enable trades manually for holders
- Owner is not able to mint new tokens
- Token has BNB rewards with auto-distribution
- Fees are used for rewards (BNB), buyback and marketing



```
| Contract |
                Type
                            Bases
| **Function Name** | **Visibility** | **Mutability** | **Modifiers** | |
| **Context** | Implementation | |||
| L | _msgData | Internal 🦰 | | |
111111
**Ownable** | Implementation | Context | | |
| L | <Constructor> | Public | | | | NO | |
| L | owner | Public | | NO | |
| L | renounceOwnership | Public | | | | onlyOwner |
📙 | transferOwnership | Public 🛮 | 🛑 | onlyOwner |
📙 🗀 _transferOwnership | Internal 🦰 | 🛑 | |
\Pi\Pi\Pi\Pi
| **SafeMath** | Library | ||| |
| L | add | Internal 🦲 | | |
| L | sub | Internal 🦰 | | | |
| L | sub | Internal 🦰 | | | |
| L | mul | Internal 🦰 | | | |
| L | div | Internal 🦲 | | |
| L | div | Internal 🦲 | | |
| L | mod | Internal 🦰 | | |
| L | mod | Internal 🦰 | | |
\Pi\Pi\Pi\Pi\Pi
| **SafeMathInt** | Library | | | | |
| L | mul | Internal 🦰 | | |
| L | div | Internal 🦰 | | | |
| L | sub | Internal 🦰 | | | |
| L | add | Internal 🦰 | | |
| L | abs | Internal 🦰 | | | |
| L | toUint256Safe | Internal 🦰 | | |
111111
| **SafeMathUint** | Library | | | |
| L | toInt256Safe | Internal 🦰 | | |
\Pi\Pi\Pi\Pi\Pi
| **IterableMapping** | Library | | | | |
| L | get | Internal 🦰 | | | |
| L | getIndexOfKey | Internal 🦰 | | |
| L | size | Internal 🦰 | | |
| L | set | Internal 🦰 | 🛑 | |
| L | remove | Internal 🦰 | 🛑 | |
```



```
111111
**IUniswapV2Factory** | Interface | |||
| L | feeTo | External | | NO | |
| | | feeToSetter | External | | | | NO
| L | getPair | External | | NO | | |
| L | allPairs | External | | | NO | |
| L | allPairsLength | External | | NO | |
| L | createPair | External | | | NO | |
| L | setFeeTo | External | | | NO | |
| | setFeeToSetter | External | | | NO | |
ШИ
**IUniswapV2Pair** | Interface | |||
| L | name | External | | | NO | |
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | NO | |
| L | transfer | External | | | NO | |
| L | transferFrom | External | | | NO | |
| L | DOMAIN_SEPARATOR | External | | NO | |
| L | PERMIT TYPEHASH | External | | | NO | |
| L | nonces | External | | NO | |
| L | permit | External | | | NO | |
| L | MINIMUM LIQUIDITY | External | | NO |
| L | factory | External | | NO | |
| L | token0 | External | | NO | |
| L | token1 | External | | NO | |
| L | getReserves | External | | NO | |
| L | price0CumulativeLast | External | | NO | |
| L | price1CumulativeLast | External | | NO |
| L | kLast | External | | NO | |
| L | mint | External | | | NO | |
| L | burn | External | | | NO | |
| L | swap | External | | | NO | |
| L | skim | External | | | NO | |
| L | sync | External | | | NO | |
| L | initialize | External | | | NO | |
\Pi\Pi\Pi\Pi\Pi
| **IUniswapV2Router01** | Interface | | | |
```



```
| L | factory | External | | NO | |
| | WETH | External | | NO
| L | addLiquidity | External | | | | NO | |
| L | addLiquidityETH | External | | III | NO | |
| | removeLiquidity | External | | | NO | |
| L | removeLiquidityETH | External | | | NO | |
| L | removeLiquidityWithPermit | External | | | NO | |
| | removeLiquidityETHWithPermit | External | | | NO | |
| | swapExactTokensForTokens | External | | | NO | |
| L | swapTokensForExactTokens | External | | | NO | |
| L | swapExactETHForTokens | External | | 🔟 | NO | |
📙 | swapTokensForExactETH | External 📗 🛑 | NO 📙
| L | swapExactTokensForETH | External | | 🛑 | NO | |
| L | quote | External | | NO | |
| L | getAmountOut | External | | NO | |
| L | getAmountin | External | | NO | |
| L | getAmountsOut | External | | | NO | |
| L | getAmountsIn | External | | NO | |
111111
| **IUniswapV2Router02** | Interface | IUniswapV2Router01 | | | | | |
| L | removeLiquidityETHSupportingFeeOnTransferTokens | External | | | NO | |
| | removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External | | | | NO | |
| L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External | | | | NO | |
| L | swapExactTokensForETHSupportingFeeOnTransferTokens | External | | | NO | |
\Pi\Pi\Pi\Pi\Pi
| **IERC20** | Interface | ||| | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | allowance | External | | NO | |
| L | transfer | External | | | NO | |
| L | approve | External | | | NO | |
| L | transferFrom | External | | | NO | |
IIIIIII
| **Address** | Library | | | |
| L | isContract | Internal 🖲 | | |
| L | sendValue | Internal 🦰 | 🛑 | |
| L | functionCall | Internal 🦲 | 🧓 | |
| L | functionCall | Internal 🦲 | 🧓 | |
| L | functionCallWithValue | Internal 🖺 | 🛑 | |
```



```
| L | functionCallWithValue | Internal 🦲 | 🧓 | |
| L | functionCallWithValue | Private (P) | ( ) | |
**IERC20Metadata** | Interface | IERC20 | | |
| | name | External | | NO | |
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
111111
| **IPinkAntiBot** | Interface | | | | | |
| L | setTokenOwner | External | | | NO | |
| L | onPreTransferCheck | External | | | NO | |
111111
**ERC20** | Implementation | Context, IERC20, IERC20Metadata | | |
| L | <Constructor> | Public | | ( NO | | | |
| L | name | Public | | | NO | |
| L | symbol | Public | | NO | |
| L | decimals | Public | | NO | |
| L | totalSupply | Public | | NO | |
| L | balanceOf | Public | | NO | |
| L | transfer | Public | | | NO | |
| L | allowance | Public | | NO | |
| L | approve | Public | | | | NO | |
| L | transferFrom | Public | | | NO | |
| L | increaseAllowance | Public | | | NO | |
| L | decreaseAllowance | Public | | ( ) | NO | |
| L | _transfer | Internal 🦰 | 🛑 | |
| L | _mint | Internal 🦲 | 🧓 | |
| L | burn | Internal 🖺 | 🛑 | |
| L | _approve | Internal 🦰 | 🛑 | |
| L | beforeTokenTransfer | Internal 🦲 | 🛑 | |
| **DividendPayingTokenInterface** | Interface | |||
| L | dividendOf | External | | | NO | |
| L | withdrawDividend | External | | | NO | |
| **DividendPayingTokenOptionalInterface** | Interface | | | |
| L | withdrawableDividendOf | External | | NO | |
| L | withdrawnDividendOf | External | | NO | |
| L | accumulativeDividendOf | External | | NO | |
| **DividendPayingToken** | Implementation | ERC20, Ownable, DividendPayingTokenInterface,
DividendPayingTokenOptionalInterface | | |
```



```
📙 | distributeDividends | Public 🛮 | 🛑 | onlyOwner |
| L | withdrawDividend | Public | | ( NO | |
| L | _withdrawDividendOfUser | Internal 🦰 | 🛑 | |
| L | dividendOf | Public | | NO | |
| | withdrawableDividendOf | Public | | NO | |
| | withdrawnDividendOf | Public | | NO | |
| L | accumulativeDividendOf | Public | | NO | |
| L | _mint | Internal 🦰 | 🛑 | |
📙 _burn | Internal 🦰 | 🦲 | |
📙 | _setBalance | Internal 🦰 | 🛑 | |
111111
| **DividendTracker** | Implementation | Ownable, DividendPayingToken | | | | | |
| L | _transfer | Internal 🦰 | | |
| L | withdrawDividend | Public | | NO | |
| L | updateMinimumTokenBalanceForDividends | External | | | | onlyOwner |
| L | excludeFromDividends | External | | | | onlyOwner |
| L | setLastProcessedIndex | External | | | | onlyOwner |
| L | getLastProcessedIndex | External | | NO | |
| L | getNumberOfTokenHolders | External | | NO | |
| L | getAccount | Public | | NO | |
| L | getAccountAtIndex | Public | | NO | |
| L | canAutoClaim | Private 🦳 | | |
| L | setBalance | External | | | | onlyOwner |
| L | process | Public | | | | NO | |
| L | processAccount | Public | | ( ) | onlyOwner |
\Pi\Pi\Pi\Pi\Pi
| **SBFCEO** | Implementation | ERC20, Ownable | | | | |
| L | <Constructor> | Public | | ( ) | ERC20 |
| L | <Receive Ether> | External | | I NO | |
| L | claimStuckTokens | External | | | | onlyOwner |
| L | excludeFromFees | External | | | | onlyOwner |
| L | isExcludedFromFees | Public | | NO | |
| L | updateBuyFees | External | | | | onlyOwner |
| L | updateSellFees | External | | | | onlyOwner |
| L | enableTrading | External | | | | onlyOwner |
```



```
| L | _transfer | Internal 🦰 | 🛑 | | | |
| L | swapAndSendDividends | Private 🖳 | 🛑 | |
| L | setBNBValueForBuyBurn | Public | | 🛑 | onlyOwner |
| L | buyBack | Internal 🦰 | 🛑 | |
| L | setSwapTokensAtAmount | External | | | | onlyOwner |
| L | updateDividendTracker | Public | | ( ) | onlyOwner |
| | updateGasForProcessing | Public | | ( ) | onlyOwner |
| L | updateMinimumBalanceForDividends | External | | | | onlyOwner |
| L | getClaimWait | External | | NO | |
| | getTotalDividendsDistributed | External | | NO | |
| L | withdrawableDividendOf | Public | | NO | |
| L | dividendTokenBalanceOf | Public | | NO | |
| L | totalRewardsEarned | Public | | NO | |
| L | excludeFromDividends | External | | | | onlyOwner |
| L | isExcludedFromDividends | Public | | NO | |
| | getAccountDividendsInfo | External | | NO | |
| L | getAccountDividendsInfoAtIndex | External | | NO | |
| L | processDividendTracker | External | | | NO | |
| L | claim | External | | | NO | |
| L | claimAddress | External | | | | onlyOwner |
| L | getLastProcessedIndex | External | NO |
| L | setLastProcessedIndex | External | | | | onlyOwner |
| L | getNumberOfDividendTokenHolders | External | | NO | |
Legend
| Symbol | Meaning |
|:-----|
  | Function can modify state |
```

Function is payable |



STATIC ANALYSIS

```
Function Uniswapy(Pair_DOMAIN_SEPANTOR() (contracts/Token.sol#305) is not in mixedicase
Function Uniswapy(Pair_MINERS (LUGUETTY) (contracts/Token.sol#305) is not in mixedicase
Parameter DividendPair_Token.sol#301 (contracts/Token.sol#305) is not in mixedicase
Parameter Solongbob/Inu.updateBufyress(ulm250, ulm2250, ulm2250, ulm2250), unstablyobackBurnFeedbobly (contracts/Token.sol#301) is not in mixedicase
Parameter Solongbob/Inu.updateBufyress(ulm250, ulm250, ulm250), unstablyobackBurnFeedbobly (contracts/Token.sol#301) is not in mixedicase
Parameter Solongbob/Inu.updateBufyress(ulm250, ulm250, ulm2
```

Result => A static analysis of contract's source code has been performed using slither,

No major issues were found in the output



FUNCTIONAL TESTING

Router (PCS V2):

0xD99D1c33F9fC3444f8101754aBC46c52416550D1

All the functionalities have been tested, no issues were found

1- Adding liquidity (passed):

https://testnet.bscscan.com/tx/0x8f5472a6b782e67699df95613f0bbc048a6cb1b5 b6ffd6e383b9a3c6f5a3627d

2- Buying when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0x82c5d482456553c7385dfbf7b814a7b918e6e593 cb67789bcf088347d59ab530

3- Selling when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0xd46d18cc31855c14664fddfca2448ae53a304ea47797e19748838da59708738c

4- Transferring when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0xfbe5f7309cc59e8fb605aac4bd70af8db89d0943 6ba0b12287d68936ffcfe1a8

5- Buying when not excluded from fees (up to 8% tax) (passed):

https://testnet.bscscan.com/tx/0xfe379fdf0878a4ee64affe79b51b28ab71c635eca 992f07b9c86cf3fe5547893

6- Selling when not excluded from fees (up to 8% tax) (passed):

https://testnet.bscscan.com/tx/0x3ccdfd89f470c8c43e2a71ea3b24fbbeb31b612e2 898635c24d6d126c27591f0



FUNCTIONAL TESTING

7- Transferring when not excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x0206c6d1e07ee415ebd05afb68957872349a2234dd5733382567a9a16778d73a

8- Internal swap (passed):

marketing wallet received BNB

https://testnet.bscscan.com/address/0xf21d472cf93acc209087a7d260404246742 dcda0#internaltx

9- Buyback (passed):

Buyback happened after reaching the threshold, and tokens were sent to dead wallet



MANUAL TESTING

Logical – Upgradeable dividend tracker

Severity: High

Function: enableTrading

Lines: 1531

Status: Not Resolved

Overview:

Owner of the contract is able to change dividend tracker to another address. If new dividend tracker has issues (spending lots of gas, not compatible with current token implementation etc), buy/sell/transfers would be disabled.

```
function updateDividendTracker(address newAddress) public onlyOwner {
    newAddress != address(dividendTracker),
    "The dividend tracker already has that address"
  ):
  DividendTracker newDividendTracker = DividendTracker(
    pavable(newAddress)
  );
  require(
    newDividendTracker.owner() == address(this),
    "The new dividend tracker must be owned by the token contract"
  );
    newDividendTracker.excludeFromDividends(address(newDividendTracker))
  try newDividendTracker.excludeFromDividends(address(this)) {} catch {}
  try newDividendTracker.excludeFromDividends(DEAD) {} catch {}
    newDividendTracker.excludeFromDividends(address(uniswapV2Router))
  {} catch {}
    newDividendTracker.excludeFromDividends(address(uniswapV2Pair))
  emit UpdateDividendTracker(newAddress, address(dividendTracker));
  dividendTracker = newDividendTracker;
```

Recommendation:

There are several options to mitigate this issue

- renounce the ownership
- Ensure that dividend tracker is not upgradeable
- Add additional functions to current dividend tracker so be able to change reward token, router address etc. this means we don't need to create a new dividend tracker later in order to update current one.



MANUAL TESTING

Centralization - Owner Must Enable Trades

Severity: High / Informational Function: enableTrading

Lines: 1531

Status: Not Resolved

Overview:

The owner is required to enable trading for investors. If trading remains disabled, token holders will not have the ability to buy, sell, or transfer their tokens.

```
function enableTrading() external onlyOwner {
  tradingEnabled = true;
}
```

Recommendation:

While the presence of this function is considered a feature rather than a flaw, it is crucial to highlight the centralization risk it inherently poses. To address this issue and ensure the enablement of trades, one possible solution would be to transfer the contract's ownership to a trusted third party, such as a Pinksale Safu developer. This would help mitigate the centralization risk associated with this function.



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



ABOUT AUDITACE

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit_Ace



https://twitter.com/auditace_



https://github.com/Audit-Ace