

Smart Contract Audit

FOR

Shiba CEO

DATED: 13 MAR 23'



AUDIT SUMMARY

Project name - ShibaCEO

Date: 13 March, 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed(Contract developed by Pinksale Safu Dev)

Issues Found

Status	Critical	High	Medium	Low	Suggestion
Open	0	0	0	0	0
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0



USED TOOLS

Tools:

1- Manual Review:

a line by line code review has been performed by audit ace team.

2- BSC Testnet network:

all tests were done on Bsc Testnet network, each test has its transaction has attached to it.

3- Slither: Static Analysis

Testnet Link: all tests were done using this contract, tests are done on BSC Testnet

https://testnet.bscscan.com/token/0x591c886202597009cC592379B7B88Dd84FAD0eBe#balances



Token Information

Token Name: Shiba CEO

Token Symbol: ShibaCEO

Decimals: 9

Token Supply: 420,000,000,000,000,000

Token Address:

0xD7701de192b0973f69c310B0063D328cd8eE192a

Checksum:

2d7c64a76f5f92f97d4f45084c7d0c31c350a1a2

Owner:

https://bscscan.com/address/0x77c8a4bc2f528fbeb39e688c0895929465470125



TOKEN OVERVIEW

Fees:

Buy Fees: 10%

Sell Fees: 10%

Transfer Fees: 10%

Fees Privilige: None

Ownership: Owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: No

Blacklist: No

Other Priviliges: including and excluding from fees and rewards



AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



VULNERABILITY CHECKLIST





CLASSIFICATION OF RISK

Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization/Suggestion

Description

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

Findings

Severity	Found
◆ Critical	0
♦ High-Risk	0
◆ Medium-Risk	0
♦ Low-Risk	0
Gas Optimization /Suggestions	0



INHERITANCE TREE





POINTS TO NOTE

- Owner is not able to change fees (10% for buy/sell/transfers)
- Owner is not able to set max buy/sell/transfer/hold amount
- Owner is not able to blacklist an arbitrary wallet
- Owner is not able to disable trades
- Owner is not able to mint new tokens



```
| Contract |
                Type
                              Bases
<mark>|;-----:|;-----:|;-----:</mark>-:|;------:|;-----:|;
        **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
\Pi\Pi\Pi\Pi\Pi
| **Context** | Implementation | | | |
| L | _msgSender | Internal 🦰 | | |
| | msgData | Internal 🦰 | | |
\Pi\Pi\Pi\Pi
**Ownable** | Implementation | Context | | |
| L | <Constructor> | Public | | ( NO | |
| L | owner | Public | | NO | |
renounceOwnership | Public | | 🛑 | onlyOwner |
| L | transferOwnership | Public | | ( ) | onlyOwner |
111111
| **IERC20** | Interface | ||| | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | transfer | External | | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | ( NO | |
| L | transferFrom | External | | | NO | |
ШШ
| **Address** | Library | | | |
| L | sendValue | Internal 🦰 | 🛑 | |
| L | functionCall | Internal 🦲 | 🧓 | |
| L | functionCall | Internal 🦲 | 🧓 | |
| L | functionCallWithValue | Internal 🦰 | 🛑 | |
| L | functionCallWithValue | Internal 🦰 | 🛑 | |
| L | functionCallWithValue | Private 🦳 | 🛑 | |
111111
| **IUniswapV2Factory** | Interface | ||| | |
| L | feeTo | External | | NO | |
| L | feeToSetter | External | | NO | |
| L | getPair | External | | | NO | |
| L | allPairs | External | | NO | |
| L | allPairsLength | External | | NO | |
| L | createPair | External | | | NO | |
| L | setFeeTo | External | | | NO | |
| L | setFeeToSetter | External | | | NO | |
\Pi\Pi\Pi\Pi\Pi
| **IUniswapV2Pair** | Interface | | | |
```



```
| L | name | External | | NO | | | |
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | 🛑 | NO | |
| L | transfer | External | | | NO | |
| L | transferFrom | External | | | NO | |
| L | DOMAIN_SEPARATOR | External | | | NO | |
| L | PERMIT_TYPEHASH | External | | | NO | |
| | | nonces | External | | | NO | |
| L | permit | External | | 🛑 | NO | |
| L | MINIMUM LIQUIDITY | External | | | NO | |
| L | factory | External | | NO | |
| L | token0 | External | | NO | |
| L | token1 | External | | NO | |
| L | getReserves | External | | NO | |
| L | price0CumulativeLast | External | | NO | |
| | price1CumulativeLast | External | | NO |
| L | kLast | External | | NO | |
| L | burn | External | | | NO | |
| L | swap | External | | | NO | |
| L | skim | External | | | NO | |
| L | sync | External | | | NO | |
| L | initialize | External | | | NO | |
111111
| **IUniswapV2Router01** | Interface | | | | | | |
| L | factory | External | | | NO | |
| L | WETH | External | | NO | |
| L | addLiquidity | External | | | | NO | |
| L | removeLiquidity | External | | | NO | |
| L | removeLiquidityETH | External | | | NO | |
| L | removeLiquidityWithPermit | External | | | NO | |
| L | removeLiquidityETHWithPermit | External | | | NO | |
| L | swapExactTokensForTokens | External | | | NO | |
| L | swapTokensForExactTokens | External | | | NO | |
| L | swapExactETHForTokens | External | | I NO | |
| L | swapTokensForExactETH | External | | | NO | |
| L | swapExactTokensForETH | External | | | NO | |
```



```
| L | swapETHForExactTokens | External | | 💷 | NO | |
| | quote | External | | NO | |
| | getAmountOut | External | | NO | |
| L | getAmountIn | External | | | NO | |
| | getAmountsOut | External | | NO | |
| | getAmountsin | External | | NO | |
**IUniswapV2Router02** | Interface | IUniswapV2Router01 | | |
| | removeLiquidityETHSupportingFeeOnTransferTokens | External | | | NO | | |
| | removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External | | | | NO | |
| L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External | | | NO | |
| L | swapExactTokensForETHSupportingFeeOnTransferTokens | External | | | NO | |
| **ShibaCEO** | Implementation | Context, IERC20, Ownable | | |
| L | <Constructor> | Public | | ( ) | NO | |
| L | name | Public | | | NO | |
| L | symbol | Public | | NO | |
| L | decimals | Public | | NO | |
| L | totalSupply | Public | | NO | |
| L | balanceOf | Public | | NO | |
| L | transfer | Public | | | NO | |
| L | allowance | Public | | NO | |
| L | approve | Public | | | NO | |
| L | transferFrom | Public | | | NO | |
| L | increaseAllowance | Public | | | NO | |
| L | decreaseAllowance | Public | | | NO | |
| L | isExcludedFromReward | Public | | NO | |
| L | totalReflectionDistributed | Public | | NO |
| | reflectionFromToken | Public | | NO |
| L | tokenFromReflection | Public | | NO |
| L | <Receive Ether> | External | | I I INO | |
| L | claimStuckTokens | External | | | | onlyOwner |
| L | _reflectFee | Private 🤔 | 🥮 | |
| L | _getValues | Private 🦳 | | |
| L | _getTValues | Private 🤔 | | |
| L | getRValues | Private 🦳 | | |
| L | _getRate | Private 🦳 | | |
```



```
| L | _getCurrentSupply | Private (P) | | | | |
| L | _takeLiquidity | Private 🦳 | 🦲 | |
| L | _takeMarketing | Private 📍 | 🛑 | |
| L | calculateTaxFee | Private 🤔 | | |
| | calculateLiquidityFee | Private 🞒 | | |
| | | calculateMarketingFee | Private 🖺 | | |
| L | setBuyFee | Private 🦳 | 🧓 | |
| L | setSellFee | Private 🖰 | 🛑 | |
| L | isExcludedFromFee | Public | | | NO | |
📙 📘 _approve | Private 傄 | 🧶 | |
📙 | _transfer | Private 🥙 | 🧶 | |
| L | swapAndLiquify | Private 🦳 | 🛑 | | | |
| L | swapAndSendMarketing | Private 🦳 | 🛑 | |
| L | setSwapTokensAtAmount | External | | | | onlyOwner |
| L | setSwapEnabled | External | | | | onlyOwner |
| L | _tokenTransfer | Private 🖺 | 🛑 | |
| L | _transferStandard | Private 🦳 | 🧓 | |
| L | _transferToExcluded | Private 🛅 | 🛑 | |
| L | _transferFromExcluded | Private 🛅 | 🛑 | |
| L | _transferBothExcluded | Private 🖺 | 📵 | |
| L | excludeFromFees | External | | | | onlyOwner |
```

Legend



STATIC ANALYSIS

```
wariable Shabetto, getfinalues(usin1286, usin1286, usin1
```

Result => A static analysis of contract's source code has been performed using slither,

No issues found



FUNCTIONAL TESTING

Router (PCS V2):

0xD99D1c33F9fC3444f8101754aBC46c52416550D1

1- Adding Liquidity (Passed):

liquidity added on Pancakeswap V2:

https://testnet.bscscan.com/tx/0x7c83426bed83de613569cfeed3 8488ce0d6df681b114fd6993e8c98c5ac93a75

2- Buying from a non-excluded wallet (0% max)(Passed):

https://testnet.bscscan.com/tx/0x3b7ba9d6952863fcdeed8f0f9c 22e17e42f4f4e7a5a8334a55f69c1a6c2abeb5

3- Selling from a non-excluded wallet (0% max)(Passed):

https://testnet.bscscan.com/tx/0xf8a6a6960fae0596034f11b56e4e7db65cadcc9c5071d56c010abdee196abb2c

4- Transferring when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0x9e4ed6daef99ee3d0c56a2a280 37a2b01922a48b7751c3c57665e3dbfaeb0d8b

5- Buying when not excluded (10% tax) (passed):

https://testnet.bscscan.com/tx/0x170d2edb479f4867dcbc5d153a 3d3385907cd6bd3e4acd864799d1fc413f9f6a



FUNCTIONAL TESTING

6- Selling when not excluded (10% tax) (passed):

https://testnet.bscscan.com/tx/0x21b640958889a18fbe50fe0f742 2936ac8559317b1d3d730f0c46292c22685f6

7- Transferring when not excluded(10% tax) (passed):

https://testnet.bscscan.com/tx/0x9e4ed6daef99ee3d0c56a2a280 37a2b01922a48b7751c3c57665e3dbfaeb0d8b

8- Internal swap (passed):

marketing wallet 2 received ETH

https://testnet.bscscan.com/address/0x3cde8c587e658c4275a27 212b943c865edf1618e#internaltx

marketing wallet 1 received ETH

https://testnet.bscscan.com/address/0xc6f92e3f0d46d5418e400c55b97cfb5364f3b3af#internaltx

9- Reflections (passed):

we monitored wallet balances for testing this features, wallets received reflection after trades, they stoped getting reflections after getting excluded from rewards



MANUAL TESTING

No Issues Found



Social Media Overview

Here are the Social Media Accounts of Shiba CEO



https://t.me/ShibaCEOEN



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



ABOUT AUDITACE

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit_Ace



https://twitter.com/auditace_



https://github.com/Audit-Ace