



# Smart Contract Audit

FOR  
**CAT CEO**

DATED : 2 MARCH 23'



# AUDIT SUMMARY

---

**Project name – CAT CEO**

**Date:** 2 March, 2023

**Scope of Audit-** Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

**Audit Status:** **Passed**

## Issues Found

| Status       | Critical | High | Medium | Low | Suggestion |
|--------------|----------|------|--------|-----|------------|
| Open         | 0        | 0    | 0      | 0   | 0          |
| Acknowledged | 0        | 0    | 0      | 0   | 0          |
| Resolved     | 0        | 0    | 0      | 0   | 0          |

---



# USED TOOLS

---

## Tools:

### 1- Manual Review:

a line by line code review has been performed by audit ace team.

### 2- BSC Test Network:

all tests were done on BSC Test network, each test has its transaction has attached to it.

### 3- Slither : Static Analysis

**Testnet Link:** all tests were done using this contract, tests are done on BSC Testnet

<https://bscscan.com/address/0x4937e7D93dd8d8e76Eb83659F109Cdc633FfDEe9#readContract>

---



# Token Information

---

**Token Name :** CAT CEO

**Token Symbol:** CATCEO

**Decimals:** 9

**Token Supply:** 420,000,000,000,000,000

**Token Address:**

<https://bscscan.com/address/0x4937e7D93dd8d8e76Eb83659F109Cdc633FfDEe9>

**Checksum:**

388560a874c128a9b7669f396b80ede50a44d6ce

**Owner:**

0xca94554ea45D90897F46F7d12aff87e4f2D997c1

**Deployer:**

0xca94554ea45D90897F46F7d12aff87e4f2D997c1

---



# TOKEN OVERVIEW

---

## **Fees:**

Buy Fees: 5%

Sell Fees: 5%

Transfer Fees: 5%

---

**Fees Privilege:** Static fees

---

**Ownership :** Owned

---

**Minting:** No mint function

---

**Max Tx Amount/ Max Wallet Amount:** No

---

**Blacklist:** No

---

**Other Privileges:** including and excluding from rewards and fees

---



# AUDIT METHODOLOGY

---

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
  - Manual review of the entire codebase by our experts, which is the process of reading source code line-by-line in an attempt to identify potential vulnerabilities.
  - Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
  - Test coverage analysis determines whether the test cases are covering the code and how much code is exercised when we run the test cases.
  - Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
  - Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.
-

# VULNERABILITY CHECKLIST

---

- |  |   |
|--|---|
|  Return values of low-level calls  |  <b>Gasless Send</b>           |
|  Private modifier                  |  Using block.timestamp         |
|  Multiple Sends                    |  Re-entrancy                   |
|  Using Suicide                    |  Tautology or contradiction   |
|  Gas Limitand Loops              |  Timestamp Dependence        |
|  Address hardcoded               |  Revert/require functions    |
|  Exception Disorder              |  Use of tx.origin            |
|  Using inline assembly           |  Integer overflow/underflow  |
|  Divide before multiply          |  Dangerous strict equalities |
|  Missing Zero Address Validation |  Using SHA3                  |
|  Compiler version not fixed      |  Using throw                 |
-



# CLASSIFICATION OF RISK

## Severity

## Description

|                                 |  |
|---------------------------------|--|
| ◆ Critical                      | These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away. |
| ◆ High-Risk                     | A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.          |
| ◆ Medium-Risk                   | A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.  |
| ◆ Low-Risk                      | A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.                |
| ◆ Gas Optimization / Suggestion | A vulnerability that has an informational character but is not affecting any of the code.  |

## Findings

### Severity


### Found

|                                  |   |
|----------------------------------|---|
| ◆ Critical                       | 0 |
| ◆ High-Risk                      | 0 |
| ◆ Medium-Risk                    | 0 |
| ◆ Low-Risk                       | 0 |
| ◆ Gas Optimization / Suggestions | 0 |



# INHERITANCE TREE

---





## POINTS TO NOTE

---

- Owner is not able to change buy taxes (5% static)
  - Owner is not able to change sell taxes (5% static)
  - Owner is not able to change transfer taxes (5% static)
  - Owner is not able to set max wallet/transfer/buy/sell amounts
  - Owner is not able to blacklist an arbitrary wallet
  - Owner is not able to disable trades
  - Owner is not able to mint new tokens
-

# CONTRACT ASSESMENT

| Contract | Type   | Bases          |                          |               |           |
|----------|--|----------------|--------------------------|---------------|-----------|
| └─       | **Function Name**                                  | **Visibility** | **Mutability**           | **Modifiers** |           |
|          |  |                |                          |               |           |
|          | **IBEP20**   | Interface      |                          |               |           |
| └─       | totalSupply  | External       | !                        |               | NO !      |
| └─       | balanceOf  | External       | !                        |               | NO !      |
| └─       | transfer   | External       | !                        | ●             | NO !      |
| └─       | allowance  | External       | !                        |               | NO !      |
| └─       | approve  | External       | !                        | ●             | NO !      |
| └─       | transferFrom                                       | External       | !                        | ●             | NO !      |
|          |  |                |                          |               |           |
|          | **Context**  | Implementation |                          |               |           |
| └─       | _msgSender   | Internal       | 🔒                        |               |           |
| └─       | _msgData   | Internal       | 🔒                        |               |           |
|          |  |                |                          |               |           |
|          | **Ownable**  | Implementation | Context                  |               |           |
| └─       | <Constructor>                                      | Public         | !                        | ●             | NO !      |
| └─       | owner  | Public         | !                        |               | NO !      |
| └─       | renounceOwnership                                  | Public         | !                        | ●             | onlyOwner |
| └─       | _setOwner  | Private        | 🔒                        | ●             |           |
|          |  |                |                          |               |           |
|          | **IFactory**                                       | Interface      |                          |               |           |
| └─       | createPair   | External       | !                        | ●             | NO !      |
|          |  |                |                          |               |           |
|          | **IRouter**  | Interface      |                          |               |           |
| └─       | factory  | External       | !                        |               | NO !      |
| └─       | WETH   | External       | !                        |               | NO !      |
| └─       | addLiquidityETH                                    | External       | !                        | 🟢             | NO !      |
| └─       | swapExactTokensForETHSupportingFeeOnTransferTokens | External       | !                        | ●             | NO !      |
|          |  |                |                          |               |           |
|          | **Address**  | Library        |                          |               |           |
| └─       | sendValue  | Internal       | 🔒                        | ●             |           |
|          |  |                |                          |               |           |
|          | **CATCEO**   | Implementation | Context, IBEP20, Ownable |               |           |
| └─       | <Constructor>                                      | Public         | !                        | ●             | NO !      |
| └─       | name   | Public         | !                        |               | NO !      |
| └─       | symbol   | Public         | !                        |               | NO !      |
| └─       | decimals   | Public         | !                        |               | NO !      |
| └─       | totalSupply  | Public         | !                        |               | NO !      |
| └─       | balanceOf  | Public         | !                        |               | NO !      |
| └─       | allowance  | Public         | !                        |               | NO !      |
| └─       | approve  | Public         | !                        | ●             | NO !      |



# CONTRACT ASSESMENT

```
| | transferFrom | Public ! | ● | NO ! |
| | increaseAllowance | Public ! | ● | NO ! |
| | decreaseAllowance | Public ! | ● | NO ! |
| | transfer | Public ! | ● | NO ! |
| | isExcludedFromReward | Public ! | | NO ! |
| | reflectionFromToken | Public ! | | NO ! |
| | tokenFromReflection | Public ! | | NO ! |
| | excludeFromReward | Public ! | ● | onlyOwner |
| | includeInReward | External ! | ● | onlyOwner |
| | excludeFromFee | Public ! | ● | onlyOwner |
| | includeInFee | Public ! | ● | onlyOwner |
| | isExcludedFromFee | Public ! | | NO ! |
| | _reflectRfi | Private 🔒 | ● | |
| | _takeMarketing | Private 🔒 | ● | |
| | _getValues | Private 🔒 | | |
| | _getTValues | Private 🔒 | | |
| | _getRValues | Private 🔒 | | |
| | _getRate | Private 🔒 | | |
| | _getCurrentSupply | Private 🔒 | | |
| | _approve | Private 🔒 | ● | |
| | _transfer | Private 🔒 | ● | |
| | _tokenTransfer | Private 🔒 | ● | |
| | swapAndLiquify | Private 🔒 | ● | lockTheSwap |
| | swapTokensForBNB | Private 🔒 | ● | |
| | bulkExcludeFee | External ! | ● | onlyOwner |
| | <Receive Ether> | External ! | 🟢 | NO ! |
|||||
| **Node** | Implementation | ERC20, UniSwapPoolETH, RatesTracker, SellTracker, Excludes |||
| | <Constructor> | Public ! | ● | ERC20 |
| | openTrading | Public ! | ● | onlyOwner |
| | _transfer | Internal 🔒 | ● | |
| | handSwap | Internal 🔒 | ● | |
|||||
| **ERC20** | Implementation | Context, IERC20, IERC20Metadata |||
| | <Constructor> | Public ! | ● | NO ! |
| | name | Public ! | | NO ! |
| | symbol | Public ! | | NO ! |
| | decimals | Public ! | | NO ! |
| | totalSupply | Public ! | | NO ! |
| | balanceOf | Public ! | | NO ! |
| | transfer | Public ! | ● | NO ! |
| | allowance | Public ! | | NO ! |
```

# CONTRACT ASSESMENT

```

| | approve | Public ! | ● | NO ! |
| | transferFrom | Public ! | ● | NO ! |
| | increaseAllowance | Public ! | ● | NO ! |
| | decreaseAllowance | Public ! | ● | NO ! |
| | _transfer | Internal 🔒 | ● | |
| | _takeTransfer | Internal 🔒 | ● | |
| | _mint | Internal 🔒 | ● | |
| | _burn | Internal 🔒 | ● | |
| | _approve | Internal 🔒 | ● | |
| | _spendAllowance | Internal 🔒 | ● | |
| | _beforeTokenTransfer | Internal 🔒 | ● | |
| | _afterTokenTransfer | Internal 🔒 | ● | |
|||||
| **IERC20** | Interface | |||
| | totalSupply | External ! | | NO ! |
| | balanceOf | External ! | | NO ! |
| | transfer | External ! | ● | NO ! |
| | allowance | External ! | | NO ! |
| | approve | External ! | ● | NO ! |
| | transferFrom | External ! | ● | NO ! |
|||||
| **IERC20Metadata** | Interface | IERC20 |||
| | name | External ! | | NO ! |
| | symbol | External ! | | NO ! |
| | decimals | External ! | | NO ! |
|||||
| **Context** | Implementation | |||
| | _msgSender | Internal 🔒 | | |
| | _msgData | Internal 🔒 | | |
|||||
| **RatesTracker** | Implementation | ERC20, SwitchTracker |||
| | <Constructor> | Public ! | ● | NO ! |
| | setDivision | Public ! | ● | onlyOwner |
| | setDistributeAt | Public ! | ● | onlyOwner |
| | setTo | Public ! | ● | onlyOwner |
| | setRatesBuy | Public ! | ● | onlyOwner |
| | setRatesSell | Public ! | ● | onlyOwner |
| | processBuyFees | Internal 🔒 | ● | |
| | processSellFees | Internal 🔒 | ● | |
| | distribute | Internal 🔒 | ● | |
|||||
| **SwitchTracker** | Implementation | Ownable |||

```

# CONTRACT ASSESMENT

```

|  | setSwitch | Public ! | ● | onlyOwner |
|||||
| **Ownable** | Implementation | Context |||
|  | <Constructor> | Public ! | ● | NO ! |
|  | owner | Public ! | | NO ! |
|  | _checkOwner | Internal 🔒 | | |
|  | renounceOwnership | Public ! | ● | onlyOwner |
|  | _transferOwnership | Internal 🔒 | ● | |
|||||
| **UniSwapPoolETH** | Implementation | |||
|  | <Receive Ether> | External ! | 💰 | NO ! |
|  | createPair | Internal 🔒 | ● | |
|  | isPair | Internal 🔒 | | |
|||||
| **IRouter** | Interface | |||
|  | factory | External ! | | NO ! |
|  | WETH | External ! | | NO ! |
|  | addLiquidityETH | External ! | 💰 | NO ! |
|  | swapExactTokensForETHSupportingFeeOnTransferTokens | External ! | ● | NO ! |
|  | swapExactTokensForTokensSupportingFeeOnTransferTokens | External ! | ● | NO ! |
|  | getAmountsOut | External ! | | NO ! |
|||||
| **IFactory** | Interface | |||
|  | createPair | External ! | ● | NO ! |
|||||
| **SellTracker** | Implementation | ERC20, UniSwapPoolETH, SwitchTracker |||
|  | recordStartAt | Internal 🔒 | ● | |
|  | getPrice | Internal 🔒 | | |
|  | wrapPrice | Internal 🔒 | ● | |
|  | sellCheck | Internal 🔒 | ● | |
|||||
| **Excludes** | Implementation | Ownable |||
|  | setExclude | Internal 🔒 | ● | |
|  | setExcludes | Public ! | ● | onlyOwner |
|  | isExcludes | Internal 🔒 | | |
|  | setLiquidityer | Public ! | ● | onlyOwner |
|  | isLiquidityer | Internal 🔒 | | |
|  | removeLiquidityer | Internal 🔒 | ● | |

```

| Symbol | Meaning |

|:-----:|-----|

| ● | Function can modify state |

| 💰 | Function is payable |





# STATIC ANALYSIS

```
Reentrancy in CATCEO.transferFrom(address,address,uint256) (contracts/Token.sol#251-266):
  External calls:
    - _transfer(sender,recipient,amount) (contracts/Token.sol#256)
    - (success) = recipient.call{value: amount}() (contracts/Token.sol#123)
    - router.swapExactTokensForETHSupportingFeeOnTransferTokens(tokenAmount,0,path,address(this),block.timestamp) (contracts/Token.sol#536-542)
    - address(marketingWallet).sendValue(deltaBalance) (contracts/Token.sol#523)
  External calls sending eth:
    - _transfer(sender,recipient,amount) (contracts/Token.sol#256)
    - (success) = recipient.call{value: amount}() (contracts/Token.sol#123)
  Event emitted after the call(s):
    - Approval(owner,spender,amount) (contracts/Token.sol#461)
    - approve(sender,msgSender(),currentAllowance - amount) (contracts/Token.sol#263)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#reentrancy-vulnerabilities-3

CATCEO.includeInReward(address) (contracts/Token.sol#341-352) has costly operations inside a loop:
  - excluded.pop() (contracts/Token.sol#348)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#costly-operations-inside-a-loop

Context.msgData() (contracts/Token.sol#45-48) is never used and should be removed
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#dead-code

CATCEO._tTotal (contracts/Token.sol#151) is set pre-construction with a non-constant function or state variable:
  - (MAX - (MAX % _tTotal))
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#function-initializing-state

Pragma version"0.8.17" (contracts/Token.sol#6) necessitates a version too recent to be trusted. Consider deploying with 0.6.12/0.7.6/0.8.16
solc-0.8.18 is not recommended for deployment
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#incorrect-versions-of-solidity

Low level call in Address.sendValue(address,uint256) (contracts/Token.sol#117-128):
  - (success) = recipient.call{value: amount}() (contracts/Token.sol#123)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#low-level-calls

Function IRouter.WETH() (contracts/Token.sol#93) is not in mixedCase
Struct CATCEO.valuesFromGetValues (contracts/Token.sol#175-183) is not in CapWords
Constant CATCEO.decimals (contracts/Token.sol#147) is not in UPPER_CASE_WITH_UNDERSCORES
Constant CATCEO.name (contracts/Token.sol#158) is not in UPPER_CASE_WITH_UNDERSCORES
Constant CATCEO.symbol (contracts/Token.sol#159) is not in UPPER_CASE_WITH_UNDERSCORES
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#conformance-to-solidity-naming-conventions

Redundant expression "this (contracts/Token.sol#46)" inContext (contracts/Token.sol#40-49)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#redundant-statements

CATCEO._tTotal (contracts/Token.sol#150) should be constant
CATCEO.DeadWallet (contracts/Token.sol#155) should be constant
CATCEO.marketingWallet (contracts/Token.sol#156) should be constant
CATCEO.swapTokensAtAmount (contracts/Token.sol#153) should be constant
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-constant

CATCEO.pair (contracts/Token.sol#145) should be immutable
CATCEO.router (contracts/Token.sol#144) should be immutable
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-immutable
```

**Result => A static analysis of contract's source code has been performed using slither,**

**No major issues were found in the output**



# FUNCTIONAL TESTING

---

## Router (PCS V2):

0xD99D1c33F9fC3444f8101754aBC46c52416550D1

All the features word as expected

### 1- Adding liquidity (passed):

<https://testnet.bscscan.com/tx/0xc2d0a90778b6e4374ba64c7a9540e713f102c87fb49e75f6e43375740f245c36>

### 2- Buying when excluded (0% tax) (passed):

<https://testnet.bscscan.com/tx/0xcb2b558b7cc580f030c15e5618323c64baa9cbc4ac74a946debb42e72020d4c0>

### 3- Selling when excluded (0% tax) (passed):

<https://testnet.bscscan.com/tx/0xa432f1212d281f0c45113fac38689da712d0a223c7d11fa037deaf603eddee9f>

### 4- Transferring when excluded (0% tax) (passed):

<https://testnet.bscscan.com/tx/0x88dbb77d2b380b4480830973c51dcef0e867526d39ff7e25bded734e81ee9e9c>

### 5- Buying when not excluded (5% tax) (passed):

<https://testnet.bscscan.com/tx/0x8292a5d67626832429eb8859067a6dc21418ef5d1d956d5232680d361cd46b72>

### 6- Selling when not excluded (5% tax) (passed):

<https://testnet.bscscan.com/tx/0x2b7c128ac93eeb020ff838446c6f467bd1b8341908a3031cecd30a789596833>

---





# FUNCTIONAL TESTING

---

## 7- Transferring when not excluded (25% tax) (passed):

<https://testnet.bscscan.com/tx/0x2a67ed838cad208136af21c367ca9320c05930840927de201c8965bde3d7111e>

## 8- Internal swap (passed):

marketing wallet received ETH

<https://testnet.bscscan.com/address/0xca94554ea45d90897f46f7d12aff87e4f2d997c1#internaltx>

## 9- Reflections (passed):

0x5d8d71b4b69857bf69c7800cdb38e22f89a5190b received reflections when was included in rewards, and after excluding it from rewards, it did not receive rewards anymore.

Also totFeesPaid shows 5501839515207546989003264 (in r format) for rfi which means reflections work.



# MANUAL TESTING

---

**NO ISSUES FOUND**

A solid red vertical bar is located in the bottom right corner of the page.



# DISCLAIMER

---

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.

---

# Social Media Overview

---

**Here are the Social Media Accounts of  
CAT CEO**



**[https://t.me/catceo\\_global](https://t.me/catceo_global)**



**<https://twitter.com/CatCeoBSC>**



**<http://catceo.io/>**

---



# ABOUT AUDITACE

---

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



**<https://auditace.tech/>**



**[https://t.me/Audit\\_Ace](https://t.me/Audit_Ace)**



**[https://twitter.com/auditace\\_](https://twitter.com/auditace_)**



**<https://github.com/Audit-Ace>**

---