

Smart Contract Audit

FOR

KnowieGTX

DATED: 11 MAR 23'



AUDIT SUMMARY

Project name - KnowieGTX

Date: 11 March, 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed(Contract developed by Pinksale Safu Dev)

Issues Found

Status	Critical	High	Medium	Low	Suggestion
Open	0	1	0	0	0
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0



USED TOOLS

Tools:

1- Manual Review:

a line by line code review has been performed by audit ace team.

2- Goerli network:

all tests were done on Goerli network, each test has its transaction has attached to it.

3- Slither: Static Analysis

Testnet Link: all tests were done using this contract, tests are done on BSC Testnet

https://testnet.bscscan.com/address/0x7Da4D12b67 4bcB23e20d7fE018d7cb898344f982#code



Token Information

Token Name: KnowieGTX

Token Symbol: KGTX

Decimals: 18

Token Supply: 100,000,000

Token Address: Not deployed

Checksum:

2d7c64a76f5f92f97d4f45084c7d0c31c350a1a2

Owner: Not Deployed



TOKEN OVERVIEW

Fees:

Buy Fees: 0%

Sell Fees: 0%

Transfer Fees: 0%

Fees Privilige: Owner

Ownership: Owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: No

Blacklist: No

Other Priviliges: None



AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



VULNERABILITY CHECKLIST





CLASSIFICATION OF RISK

Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization
 /Suggestion

Description

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

Findings

Severity	Found
◆ Critical	0
♦ High-Risk	1
◆ Medium-Risk	0
♦ Low-Risk	0
Gas Optimization /Suggestions	0



INHERITANCE TREE





POINTS TO NOTE

- Owner must enable trading in order for investors to be able to trade (buy/sell/transfer)
- Owner is not able to set taxes (0% tax)
- Owner is not able to blacklist an arbitrary wallet
- Owner is not able to set max buy/sell/transfer amounts
- Owner is not able to disable trades
- Owner is not able to mint new tokens



```
| Contract |
                Type
                              Bases
<mark>|;-----:|;-----:|;-----:</mark>-;|;------;|;-----:|;
       **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
111111
**IUniswapV2Factory** | Interface | |||
| L | feeTo | External | | NO | |
| | | feeToSetter | External | | | NO
| | getPair | External | | NO | |
| | allPairs | External | | NO | |
| | allPairsLength | External | | NO | |
📙 createPair | External 📗 | 🛑 | NO 📗
📙 | setFeeTo | External 📗 | 🛑 | NO 📗
| L | setFeeToSetter | External | | ( NO | | |
| **IUniswapV2Pair** | Interface | | | |
| L | name | External | | NO | |
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | NO | |
| L | transfer | External | | | NO | |
| L | transferFrom | External | | | NO | |
| L | DOMAIN SEPARATOR | External | | | NO | |
| L | PERMIT_TYPEHASH | External | | NO |
| L | nonces | External | | NO |
| L | permit | External | | | NO | |
| L | MINIMUM LIQUIDITY | External | | NO | |
| L | factory | External | | NO | |
| L | token0 | External | | NO | |
| L | token1 | External | | NO | |
| L | getReserves | External | | | NO | |
| L | price0CumulativeLast | External | | NO | |
| L | price1CumulativeLast | External | | NO | |
| L | kLast | External | | NO | |
| L | mint | External | | | NO | |
| L | burn | External | | | NO | |
| L | swap | External | | | NO | |
| L | skim | External | | | NO | |
| L | sync | External | | | NO | |
| L | initialize | External | | | NO | |
```



```
111111
**IUniswapV2Router01** | Interface | |||
| L | factory | External | | NO | | |
| L | WETH | External | | NO | |
| L | addLiquidity | External | | | NO | |
| | removeLiquidity | External | | | NO | |
| | removeLiquidityETH | External | | | NO | |
| | removeLiquidityWithPermit | External | | | NO | |
| | removeLiquidityETHWithPermit | External | | | NO | |
| L | swapExactTokensForTokens | External | | ( NO | |
📙 | swapTokensForExactTokens | External 📗 | 🛑 | NO 📗
| L | swapExactETHForTokens | External | | 🔟 | NO | |
| L | swapTokensForExactETH | External | | | NO | |
| L | swapExactTokensForETH | External | | | NO | |
| L | swapETHForExactTokens | External | | I NO | |
| L | quote | External | | | NO | |
| L | getAmountOut | External L | NOL |
| L | getAmountIn | External | | NO | |
| L | getAmountsOut | External | | NO | |
| L | getAmountsIn | External | | NO | |
\Pi\Pi\Pi\Pi\Pi
| **IUniswapV2Router02** | Interface | IUniswapV2Router01 | | | | | |
| L | removeLiquidityETHSupportingFeeOnTransferTokens | External | | | NO | |
| L | removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External | | | | NO | |
| L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External | | | NO | |
111111
| **IERC20** | Interface | | | | | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | transfer | External | | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | NO | |
| L | transferFrom | External | | | NO | |
IIIIIII
| **IERC20Metadata** | Interface | IERC20 | | | |
| L | name | External | | NO | |
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
111111
```



```
**Address** | Library | |||
| L | sendValue | Internal 🦲 | 🛑 | | | | |
| L | functionCall | Internal 🦰 | 🛑 | |
| L | functionCall | Internal 🦰 | 🛑 | |
| L | functionCallWithValue | Internal 🦲 | 🛑 | |
| L | functionCallWithValue | Internal 🦰 | 🛑 | |
| | | functionStaticCall | Internal | | | | |
| | | functionStaticCall | Internal | | | | |
| L | functionDelegateCall | Internal 🦲 | 🛑 | |
| L | functionDelegateCall | Internal 🦰 | 🛑 | |
| L | verifyCallResult | Internal 🦰 | | |
| L | revert | Private 🦳 | | |
\Pi\Pi\Pi\Pi\Pi
| **Context** | Implementation | |||
| L | _msgSender | Internal 🦰 | | |
| L | _msgData | Internal 🦲 | | |
111111
| **Ownable** | Implementation | Context | | | |
| L | <Constructor> | Public | | ( NO | |
| L | owner | Public | | NO | |
| L | renounceOwnership | Public | | (e) | onlyOwner |
| L | transferOwnership | Public | | ( ) | onlyOwner |
IIIIIII
| **ERC20** | Implementation | Context, IERC20, IERC20Metadata | | | | | |
| L | <Constructor> | Public | | ( ) | NO | |
| L | name | Public | | NO | |
| L | symbol | Public | | NO | |
| L | decimals | Public | | NO | |
| L | totalSupply | Public | | NO | |
| L | balanceOf | Public | | NO | |
| L | transfer | Public | | | | NO | |
| L | allowance | Public | | NO | |
| L | approve | Public | | | NO | |
| L | transferFrom | Public | | ( ) | NO | |
| L | increaseAllowance | Public | | | NO | |
| L | decreaseAllowance | Public | | | NO | |
| L | _transfer | Internal 🦰 | 🛑 | |
| L | _mint | Internal 🦰 | 🛑 | |
| L | _burn | Internal 🦲 | 🧓 | |
```



```
| L | _approve | Internal 🖰 | 🛑 | |
| L | _beforeTokenTransfer | Internal 🦰 | 🛑 | |
| L | _afterTokenTransfer | Internal 🦰 | 🛑 | |
111111
**KGTX** | Implementation | ERC20, Ownable | | |
| L | <Constructor> | Public | | | | | ERC20 |
| L | <Receive Ether> | External | | I I INO | |
| L | claimStuckTokens | External | | | | onlyOwner |
| | excludeFromFees | External | | | onlyOwner |
| L | isExcludedFromFees | Public | | NO | |
| L | enableTrading | External | | | | onlyOwner |
📙 | transfer | Internal 🦰 | 🛑 | |
| Symbol | Meaning |
|:-----|
| I Function is payable |
```



STATIC ANALYSIS

```
Address. revert(bytes.string) (contracts/Token.sol#549-564) is never used and should be removed Address. functionCall(address.bytes) (contracts/Token.sol#686-19) is never used and should be removed Address. functionCall(address.bytes) (contracts/Token.sol#6849-519) is never used and should be removed Address. functionCallWithWaller(address.bytes.unt256) (contracts/Token.sol#499-481) is never used and should be removed Address. functionCallWithWaller(address.bytes.unt256) (contracts/Token.sol#499-481) is never used and should be removed Address. functionDelegataCall(address.bytes.string) (contracts/Token.sol#499-481) is never used and should be removed Address. functionDelegataCall(address.bytes.string) (contracts/Token.sol#991-991) is never used and should be removed Address. functionSelt(address.bytes.string) (contracts/Token.sol#991-991) is never used and should be removed Address.string(address.bytes.string) (contracts/Token.sol#991-991) is never used and should be removed Address.string(address.bytes.string) (contracts/Token.sol#991-991) is never used and should be removed Address.string(allexuit)(not), bytes.string) (contracts/Token.sol#991-991) is never used and should be removed Address.verifyCallexuit(not), bytes.string) (contracts/Token.sol#991-993) is never used and should be removed Address.verifyCallexuit(not), bytes.string) (contracts/Token.sol#991-993) is never used and should be removed Address.verifyCallexuit(not), bytes.string) (contracts/Token.sol#991-993) is never used and should be removed Address.verifyCallexuit(not), bytes.string) (contracts/Token.sol#991-993) is never used and should be removed Address.verifyCallexuit(not), bytes.string) (contracts/Token.sol#991-993) is never used and should be removed Address.verifyCallexuit(not), bytes.string(address.bytes.sol#991-993) is never used and should be removed Address.verifyCallexuit(not), bytes.string(address.bytes.sol#991-993) is never used and should be removed Address.bytes.sol#991-993) is never used and should be removed Address.bytes.so
```

Result => A static analysis of contract's source code has been performed using slither,

No issues found



FUNCTIONAL TESTING

Router (PCS V2):

0xD99D1c33F9fC3444f8101754aBC46c52416550D1

1- Adding Liquidity (Passed):

liquidity added on Pancakeswap V2:

https://testnet.bscscan.com/tx/0xec8155aa0092c332c8c7210e6a 7d45fda8bc6e3b06e4bb5f40e471ddf4a45669

2- Buying from a non-excluded wallet (0% max)(Passed):

https://testnet.bscscan.com/tx/0x7926ddcc55aa7f6ba2192564167 188d4d600f07f23ec51fdd53ad91771927042

3- Selling from a non-excluded wallet (0% max)(Passed):

https://testnet.bscscan.com/tx/0xaf4bdac0dff594fb3b0659a04f3 5b4e523707012d2417c78f58a010e7dc9f7fe



MANUAL TESTING

Issue: Owner must enable trading

Type: Centralization

Severity: High

Function: enableTrading

Line: 627-630

Overview:

Owner must enable trading in order to start trades.

Since contract is owend by safu dev, enabling trades is guaranteed.

```
function enableTrading() external onlyOwner {
    require(!tradingEnabled, "Trading already enabled.");
    tradingEnabled = true;
}
```



Social Media Overview

Here are the Social Media Accounts of KnowieGTX



https://knowiegtx.app/



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



ABOUT AUDITACE

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit_Ace



https://twitter.com/auditace_



https://github.com/Audit-Ace