

# Smart Contract Audit

**FOR** 

# Meta Date Al

**DATED: 18 FEB 23'** 



## **AUDIT SUMMARY**

Project name - Meta Date

Date: 18 February, 2023

**Scope of Audit-** Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed(Contract developed by Pinksale Safu Dev)

### **Issues Found**

Status	Critical	High	Medium	Low	Suggestion
Open	0	0	0	0	0
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	3



## **USED TOOLS**

### Tools:

### 1- Manual Review:

a line by line code review has been performed by audit ace team.

#### 2- BSC Test Network:

all tests were done on BSC Test network, each test has its transaction has attached to it.

### 3- Slither: Static Analysis

**Testnet Link:** all tests were done using this contract, tests are done on BSC Testnet

https://testnet.bscscan.com/token/0xcb873b7ad68 3028bdae741b51224b2dc2565c065



## **Token Information**

Token Name: Meta Date Al

Token Symbol: Date Al

Decimals: 18

Token Supply: 100,000,000

#### **Token Address:**

0xD2425ec81d1E1916166D247F7B9D1571a72eb775

#### Checksum:

05fc4bd948af5f726c9eb37b2e1a460cd5817dc2

#### Owner:

0x0e073f7a05B496bB8e39d39eD7bd00DF870D479B

### Deployer:

0x0e073f7a05B496bB8e39d39eD7bd00DF870D479B



## **TOKEN OVERVIEW**

Fees:

Buy Fees: 0%

Sell Fees: 0%

Transfer Fees: 0%

Fees Privilige: Owner

Ownership: Owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: No

Blacklist: No

Other Priviliges: None



## **AUDIT METHODOLOGY**

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



## **VULNERABILITY CHECKLIST**





## **CLASSIFICATION OF RISK**

### Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization/Suggestion

### **Description**

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

### **Findings**

Severity	Found
◆ Critical	0
◆ High-Risk	0
◆ Medium-Risk	0
♦ Low-Risk	0
<ul><li>Gas Optimization /</li><li>Suggestions</li></ul>	0



## **INHERITANCE TREE**





### **POINTS TO NOTE**

- Owner is not able to set buy/sell/transfer fees (all 0% static)
- Owner is not able to blacklist an arbitrary wallet
- Owner is not able to set max buy/sell/transfer amounts
- Owner is not able to disable trades
- Owner is not able to mint new tokens



```
| Contract |
                Type
                              Bases
<mark>|;-----:|;-----:|;-----:</mark>-;|;------;|;-----:|;
       **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
111111
**IUniswapV2Factory** | Interface | |||
| L | feeTo | External | | NO | |
| | | feeToSetter | External | | | NO
| | getPair | External | | NO | |
| | allPairs | External | | NO | |
| | allPairsLength | External | | NO | |
📙 createPair | External 📗 | 🛑 | NO 📗
📙 | setFeeTo | External 📗 | 🛑 | NO 📗
| L | setFeeToSetter | External | | ( NO | | |
| **IUniswapV2Pair** | Interface | | | |
| L | name | External | | NO | |
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | NO | |
| L | transfer | External | | | NO | |
| L | transferFrom | External | | | NO | |
| L | DOMAIN SEPARATOR | External | | | NO | |
| L | PERMIT_TYPEHASH | External | | NO |
| L | nonces | External | | NO |
| L | permit | External | | | NO | |
| L | MINIMUM LIQUIDITY | External | | | NO | |
| L | factory | External | | NO | |
| L | token0 | External | | NO | |
| L | token1 | External | | NO | |
| L | getReserves | External | | | NO | |
| L | price0CumulativeLast | External | | NO | |
| L | price1CumulativeLast | External | | NO | |
| L | kLast | External | | NO | |
| L | mint | External | | | NO | |
| L | burn | External | | | NO | |
| L | swap | External | | | NO | |
| L | skim | External | | | NO | |
| L | sync | External | | | NO | |
| L | initialize | External | | | NO | |
```



```
111111
**IUniswapV2Router01** | Interface | |||
| L | factory | External | | NO | | |
| L | WETH | External | | NO | |
| L | addLiquidity | External | | | NO | |
| L | removeLiquidity | External | | | NO | |
| | removeLiquidityETH | External | | | NO | |
| | removeLiquidityWithPermit | External | | | NO | |
| | removeLiquidityETHWithPermit | External | | | NO | |
| L | swapExactTokensForTokens | External | | ( NO | |
📙 | swapTokensForExactTokens | External 📗 | 🛑 | NO 📗
| L | swapExactETHForTokens | External | | 🔟 | NO | | |
| L | swapTokensForExactETH | External | | | | NO | |
| L | swapExactTokensForETH | External | | | NO | |
| L | swapETHForExactTokens | External | | I NO | |
| L | quote | External | | | NO | |
| L | getAmountOut | External L | NOL |
| L | getAmountIn | External | | NO | |
| L | getAmountsOut | External | | NO | |
| L | getAmountsIn | External | | NO | |
\Pi\Pi\Pi\Pi\Pi
| **IUniswapV2Router02** | Interface | IUniswapV2Router01 | | | | | |
| L | removeLiquidityETHSupportingFeeOnTransferTokens | External | | | NO | |
| L | removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External | | | | NO | |
| L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External | | | NO | |
111111
| **IERC20** | Interface | | | | | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | transfer | External | | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | NO | |
| L | transferFrom | External | | | NO | |
IIIIIII
| **IERC20Metadata** | Interface | IERC20 | | | |
| L | name | External | | NO | |
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
111111
```



```
**Address** | Library | |||
| L | sendValue | Internal 🦲 | 🛑 | | | | |
| L | functionCall | Internal 🦰 | 🛑 | |
| L | functionCall | Internal 🦰 | 🛑 | |
| L | functionCallWithValue | Internal 🦲 | 🛑 | |
| L | functionCallWithValue | Internal 🦰 | 🛑 | |
| | | functionStaticCall | Internal | | | | |
| | | functionStaticCall | Internal | | | | |
| L | functionDelegateCall | Internal 🦲 | 🛑 | |
| L | functionDelegateCall | Internal 🦰 | 🛑 | |
| L | verifyCallResult | Internal 🦰 | | |
| L | revert | Private 🦳 | | |
\Pi\Pi\Pi\Pi\Pi
| **Context** | Implementation | |||
| L | _msgSender | Internal 🦰 | | |
| L | _msgData | Internal 🦲 | | |
111111
| **Ownable** | Implementation | Context | | | |
| L | <Constructor> | Public | | ( NO | |
| L | owner | Public | | NO | |
| L | renounceOwnership | Public | | (e) | onlyOwner |
| L | transferOwnership | Public | | ( ) | onlyOwner |
IIIIIII
| **ERC20** | Implementation | Context, IERC20, IERC20Metadata | | | | | |
| L | <Constructor> | Public | | ( ) | NO | |
| L | name | Public | | NO | |
| L | symbol | Public | | NO | |
| L | decimals | Public | | NO | |
| L | totalSupply | Public | | NO | |
| L | balanceOf | Public | | NO | |
| L | transfer | Public | | | | NO | |
| L | allowance | Public | | NO | |
| L | approve | Public | | | NO | |
| L | transferFrom | Public | | ( ) | NO | |
| L | increaseAllowance | Public | | | NO | |
| L | decreaseAllowance | Public | | | NO | |
| L | _transfer | Internal 🦰 | 🛑 | |
| L | _mint | Internal 🦰 | 🛑 | |
| L | _burn | Internal 🦲 | 🧓 | |
```



```
| L | _approve | Internal 🖰 | 🛑 | |
| L | _beforeTokenTransfer | Internal 🖺 | 🛑 | |
| L | _afterTokenTransfer | Internal 🦰 | 🛑 | |
111111
**MetaDateAI** | Implementation | ERC20, Ownable |||
| L | <Constructor> | Public | | ( ) | ERC20 | |
| L | <Receive Ether> | External | | I I INO | |
| L | claimStuckTokens | External | | | | onlyOwner |
| L | excludeFromFees | External | | | onlyOwner |
| L | isExcludedFromFees | Public | | NO | |
| L | enableTrading | External | | | | onlyOwner |
📙 | transfer | Internal 🦰 | 🛑 | |
| Symbol | Meaning |
|:-----|
| Image: | Function is payable |
```



### **STATIC ANALYSIS**

Result => A static analysis of contract's source code has been performed using slither,

Output suggests to check return value of "transfer" call at claimStuckTokens



## **FUNCTIONAL TESTING**

#### Router (PCS V2):

0xD99D1c33F9fC3444f8101754aBC46c52416550D1

#### 1- Adding Liquidity (Passed):

liquidity added on Pancakeswap V2:

https://testnet.bscscan.com/tx/0xb7db11b8e1c149b2ecbab7ca81de 1e93457cd7e3981a9641cc0246b964003b18

#### 2- Buying (0% max)(Passed):

https://testnet.bscscan.com/tx/0xe1a3ca5a15eb13f9b08a86c63d5 790b080cddaea13eba729c7f78f9a7d1bbe31

#### 3- Selling (0% max)(Passed):

https://testnet.bscscan.com/tx/0x20e240a1ae4e9dd943e2a34b28 5e2015b7ba71f2e0ae6f51a7797238749ac766

#### 4-Transferring (0% Tax)(Passed):

https://testnet.bscscan.com/tx/0x89164dfa525b10792727e07b651 1f90afd62b6fee7a1cb6f7a11ae7577c6adaf



### MANUAL TESTING

### Suggestions & Optimizations

- 'uniswapV2Pair' and 'uniswapV2Router' never been used in the contract (except creating a pair without liquidity)
- 'create' variable is not used, initialize this variable or remove it
- set 'uniswapV2Router' and 'uniswapV2Pair' as immutable variables



## DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



## **ABOUT AUDITACE**

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit\_Ace



https://twitter.com/auditace\_



https://github.com/Audit-Ace