

Smart Contract Audit

FOR

Listen Al

DATED: 23 FEB 23'



AUDIT SUMMARY

Project name - Listen Al

Date: 23 February, 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed

Issues Found

Status	Critical	High	Medium	Low	Suggestion
Open	0	0	0	0	0
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0



USED TOOLS

Tools:

1- Manual Review:

a line by line code review has been performed by audit ace team.

2- BSC Test Network:

all tests were done on BSC Test network, each test has its transaction has attached to it.

3- Slither: Static Analysis

Testnet Link: all tests were done using this contract, tests are done on BSC Testnet

https://testnet.bscscan.com/token/0x1a69c72cbbdd cc78608af6c828ac09e4551032d7



Token Information

Token Name: ListenAl

Token Symbol: ListenAl

Decimals: 18

Token Supply: 100,000,000

Token Address:

0x3F3BCaA89030fa5729F0B992417C0aCDA053B1cd

Checksum:

7f4637c4c0993af2f6a3874de24406b78e17d63c560 bf5b3e6f76b0b4edc8fe0

Owner:

0xdd652278507d15e8e77d66ea7b1af926a942c2f0



TOKEN OVERVIEW

Fees:

Buy Fees: 0%

Sell Fees: 0%

Transfer Fees: 0%

Fees Privilige: Owner

Ownership: Owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: No

Blacklist: No

Other Priviliges: None



AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



VULNERABILITY CHECKLIST





CLASSIFICATION OF RISK

Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization/Suggestion

Description

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

Findings

Severity	Found
◆ Critical	0
◆ High-Risk	0
◆ Medium-Risk	0
♦ Low-Risk	0
Gas Optimization /Suggestions	0



INHERITANCE TREE





POINTS TO NOTE

- Owner is not able to set buy/sell/transfer taxes (0% static)
- Owner is not able to blacklist an arbitrary wallet
- Owner is not able to set max buy/sell/transfer amounts
- Owner is not able to disable trades
- Owner is not able to mint new tokens
- Owner must enable trading in order for everyone to be able to trade (otherwise no one would be able to buy/sell/transfer



```
| Contract |
                Type
                              Bases
<mark>|;-----:|;|;-----:|</mark>:|;-----:|
       **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
111111
**IUniswapV2Factory** | Interface | |||
| L | feeTo | External | | NO | |
| | | feeToSetter | External | | | NO
| | getPair | External | | NO | |
| | allPairs | External | | NO | |
| | allPairsLength | External | | NO | |
📙 createPair | External 📗 | 🛑 | NO 📗
📙 | setFeeTo | External 📗 | 🛑 | NO 📗
| L | setFeeToSetter | External | | ( NO | | |
| **IUniswapV2Pair** | Interface | | | |
| L | name | External | | NO | |
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | NO | |
| L | transfer | External | | | NO | |
| L | transferFrom | External | | | NO | |
| L | DOMAIN SEPARATOR | External | | | NO | |
| L | PERMIT_TYPEHASH | External | | | NO | |
| L | nonces | External | | NO |
| L | permit | External | | | NO | |
| L | MINIMUM LIQUIDITY | External | | | NO | |
| L | factory | External | | NO | |
| L | token0 | External | | NO | |
| L | token1 | External | | NO | |
| L | getReserves | External | | | NO | |
| L | price0CumulativeLast | External | | NO | |
| L | price1CumulativeLast | External | | NO | |
| L | kLast | External | | NO | |
| L | mint | External | | | NO | |
| L | burn | External | | | NO | |
| L | swap | External | | | NO | |
| L | skim | External | | | NO | |
| L | sync | External | | | NO | |
| L | initialize | External | | | NO | |
```



```
111111
| **IUniswapV2Router01** | Interface | | | | | |
| L | factory | External | | NO | |
| L | WETH | External | | NO | |
| L | addLiquidity | External | | | NO | |
| L | removeLiquidity | External | | | NO | |
| | removeLiquidityETH | External | | | NO | |
| | removeLiquidityWithPermit | External | | | NO | |
| | removeLiquidityETHWithPermit | External | | | NO | |
| L | swapExactTokensForTokens | External | | ( NO | |
📙 | swapTokensForExactTokens | External 📗 | 🛑 | NO 📗
| L | swapExactETHForTokens | External | | 🔟 | NO | |
| L | swapTokensForExactETH | External | | | NO | |
| L | swapExactTokensForETH | External | | | NO | |
| L | swapETHForExactTokens | External | | I NO | |
| L | quote | External | | | NO | |
| L | getAmountOut | External L | NOL |
| L | getAmountIn | External | | | NO | |
| L | getAmountsOut | External | | NO | |
| L | getAmountsIn | External | | NO | |
\mathbf{H}\mathbf{H}\mathbf{H}\mathbf{H}
| **IUniswapV2Router02** | Interface | IUniswapV2Router01 | | | | | |
| L | removeLiquidityETHSupportingFeeOnTransferTokens | External | | | NO | |
| L | removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External | | | | NO | |
| L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External | | | NO | |
111111
| **IERC20** | Interface | | | | | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | transfer | External | | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | NO | |
| L | transferFrom | External | | | NO | |
IIIIIII
| **IERC20Metadata** | Interface | IERC20 | | | |
| L | name | External | | NO | |
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
111111
```



```
**Address** | Library | |||
| L | isContract | Internal 🦰 | | | | | |
| L | sendValue | Internal 🦲 | 🛑 | |
| L | functionCall | Internal 🦰 | 🛑 | |
| L | functionCall | Internal 🦲 | 🦲 | |
| L | functionCallWithValue | Internal 🦲 | 🛑 | |
| L | functionCallWithValue | Internal 🦰 | 🛑 | |
| | | functionStaticCall | Internal | | | | |
| L | functionDelegateCall | Internal 🦲 | 🛑 | |
| L | functionDelegateCall | Internal 🦰 | 🛑 | |
📙 | verifyCallResultFromTarget | Internal 🦰 | | |
| L | verifyCallResult | Internal 🦰 | | |
| L | revert | Private 🦳 | | |
\Pi\Pi\Pi\Pi\Pi
| **Context** | Implementation | |||
| L | _msgSender | Internal 🦰 | | |
| L | _msgData | Internal 🦲 | | |
111111
| **Ownable** | Implementation | Context | | | |
| L | <Constructor> | Public | | ( NO | |
| L | owner | Public | | NO | |
| L | renounceOwnership | Public | | (e) | onlyOwner |
| L | transferOwnership | Public | | ( ) | onlyOwner |
IIIIIII
| **ERC20** | Implementation | Context, IERC20, IERC20Metadata | | | | | |
| L | <Constructor> | Public | | ( ) | NO | |
| L | name | Public | | NO | |
| L | symbol | Public | | NO | |
| L | decimals | Public | | NO | |
| L | totalSupply | Public | | NO | |
| L | balanceOf | Public | | NO | |
| L | transfer | Public | | | | NO | |
| L | allowance | Public | | NO | |
| L | approve | Public | | | NO | |
| L | transferFrom | Public | | ( ) | NO | |
| L | increaseAllowance | Public | | | NO | |
| L | decreaseAllowance | Public | | | NO | |
| L | _transfer | Internal 🦰 | 🛑 | |
| L | _mint | Internal 🦰 | 🛑 | |
| L | _burn | Internal 🦲 | 🧓 | |
```





STATIC ANALYSIS

```
Address_report(bytes_string) (contracts/Token.sole529-544) uses assembly

- Talk DM (contracts/Token.sole529-544) uses assembly

- Talk DM (contracts/Token.sole529-544) uses assembly

- Talk DM (contracts/Token.sole529-544) uses assembly

- Address_report(bytes_string) (contracts/Token.sole529-544) uses assembly

- Address_report(bytes_string) (contracts/Token.sole329-544) uses assembly usage

Address_functionCall(address_bytes) (contracts/Token.sole328-399) is never used and should be removed

Address_functionCall(address_bytes) (contracts/Token.sole328-399) is never used and should be removed

Address_functionCall(address_bytes) (contracts/Token.sole328-399) is never used and should be removed

Address_functionCall(address_bytes) (contracts/Token.sole328-349) is never used and should be removed

Address_functionCall(address_bytes) (contracts/Token.sole328-349) is never used and should be removed

Address_functionCall(address_bytes) (contracts/Token.sole328-349) is never used and should be removed

Address_functionCall(address_bytes) (contracts/Token.sole328-349) is never used and should be removed

Address_functionCall(address_bytes_string) (contracts/Token.sole328-349) is never used and should be removed

Address_functionCall(address_bytes_string) (contracts/Token.sole328-349) is never used and should be removed

Address_functionCall(address_bytes_string) (contracts/Token.sole328-349) is never used and should be removed

Address_functionCall(address_bytes_string) (contracts/Token.sole328-329) is never used and should be removed

Address_functionCall(address_bytes_string) (contracts/Token.sole328-329) is never used and should be removed

Address_functionCall(address_bytes_string) (contracts/Token.sole328-329) is never used and should be removed

Address_functionCall(address_bytes_string) (contracts/Token.sole328-329) is never used and should be removed

Address_functionCall(address_bytes_string) (contracts/Token.sole328-329) is never used and should be removed

Address_functionCall(address_bytes_string) (cont
```

Result => A static analysis of contract's source code has been performed using slither,

No major issues were found in the output



FUNCTIONAL TESTING

Router (PCS V2):

0xD99D1c33F9fC3444f8101754aBC46c52416550D1

1- Adding Liquidity (Passed):

liquidity added on Pancakeswap V2:

https://testnet.bscscan.com/tx/0x762015b4171eab19e467d09d29b 4ab6e5b347dfc4ce326145b0da1356a431f41

no issue were found on adding liquidity.

2- Buying (0% Tax) (Passed):

https://testnet.bscscan.com/tx/0x16c16382a56473194ceb9d21f94 5542c09d02696267ee841285c9262ff90504f

3- Selling (0% Tax) (Passed):

https://testnet.bscscan.com/tx/0x12242b377894dc057724b04306 0fb2bf9b27f70ac558ae7230001a85f296804b

4-Transferring (0% tax)(Passed):

https://testnet.bscscan.com/tx/0xbeca595119bf35e1e6d97be448d a82208d10dd1462ba0bfc80eff9b41c9766f285



MANUAL TESTING

NO ISSUES FOUND



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



ABOUT AUDITACE

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit_Ace



https://twitter.com/auditace_



https://github.com/Audit-Ace