

Smart Contract Audit

FOR

Degen Donalds

DATED: 8 APR 23'



AUDIT SUMMARY

Project name - Degen Donalds

Date: 8 April, 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed

Issues Found

| Status | Critical | High | Medium | Low | Suggestion |
|--------------|----------|------|--------|-----|------------|
| Open | 0 | 0 | 0 | 0 | 0 |
| Acknowledged | 0 | 0 | 0 | 0 | 0 |
| Resolved | 0 | 0 | 0 | 0 | 0 |



USED TOOLS

Tools:

- **1.Manual Review:** The code has undergone a line-by-line review by the Ace team.
- 2.BSC Test Network: All tests were conducted on the BSC Test network, and each test has a corresponding transaction attached to it. These tests can be found in the "Functional Tests" section of the report.
- **3.Slither:** The code has undergone static analysis using Slither.



Token Information

Name: Degen Donalds

Symbol: MDD

Decimals: 18

Netowrk: BSC

Token Type: BEP20

Owner:

0xe4477a54140f22D588Efa6C7C93A87826a4C887A (at time of writing the audit)

Deployer:

0xe4477a54140f22D588Efa6C7C93A87826a4C887A

Token Address:

0x67C501d26eCe4D3642112e1FD3f625E815b4fd7f



Token Information

Fees:

Buy Fees: up to 25%

Sell Fees: up to 25%

Transfer Fees: up to 25%

Fees Privilige: Owner

Ownership: Owned

Minting: None

Max Tx Amount/ Max Wallet Amount: No

Blacklist: No

Other Priviliges: Changing fee - including and excluding form fee - changing distribution settings (min tokens to be eligible, cool down between claims etc)



AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



VULNERABILITY CHECKLIST





CLASSIFICATION OF RISK

Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization/Suggestion

Description

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

Findings

| Severity | Found |
|--|-------|
| ◆ Critical | 0 |
| ◆ High-Risk | 0 |
| ◆ Medium-Risk | 0 |
| ♦ Low-Risk | 0 |
| Gas Optimization /Suggestions | 0 |



INHERITANCE TREE





POINTS TO NOTE

- Owner is able to change buy/sell/transfer fees but sum of fees can not exceed 25%
- Contract is recognized as proxy in bscscan, however this is because dividend distributor is minimal proxy contract which is not upgradeable currently
- Owner is not able to set max buy/sell/transfer/hold amount
- Owner is not able to blacklist an arbitrary wallet
- Owner is not able to disable trades
- Owner is not able to mint new tokens



TOKEN DISTRIBUTION

It should be noted that the owner currently holds 100% of the total supply. However, information about the distribution of these tokens is not available, and it is recommended that investors exercise caution when considering this aspect.



```
Contract |
               Type
        **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
| **IERC20** | Interface | |||
 L | totalSupply | External | NO | |
 L | balanceOf | External | | NO | |
 L | transfer | External | | NO | |
 L | allowance | External | | NO | |
 | approve | External | | | NO | |
 **IERC20Metadata** | Interface | IERC20 |||
 L | name | External | | NO | |
 L | symbol | External | | NO | |
| L | decimals | External | | NO | |
| **Context** | Implementation | |||
| L | msgSender | Internal 🔒 | | |
 L | msgData | Internal 🔒 | | |
| **ERC20** | Implementation | Context, IERC20, IERC20Metadata || |
 L | <Constructor> | Public | | | NO | |
 L | name | Public | | | NO | |
 L | symbol | Public | | NO | |
 L | decimals | Public | | | NO |
 L | totalSupply | Public | | NO | |
 L | balanceOf | Public | | NO | |
 L | transfer | Public | | | NO | |
 L | allowance | Public | | NO | |
 L | approve | Public | | | NO |
 L | transferFrom | Public | | | NO | |
 L | increaseAllowance | Public | | | NO | |
 L | decreaseAllowance | Public | | | NO | |
 └ | transfer | Internal 🔒 | 🛑 | |
 └ | mint | Internal 🔒 | 🛑 | |
 └ | burn | Internal 🔓 | 🛑 | |
| L | approve | Internal 🔒 | 🛑 | |
 └ | beforeTokenTransfer | Internal 🔒 | ● | |
 └ | afterTokenTransfer | Internal 🔒 | ● | |
| **Ownable** | Implementation | Context |||
| L | < Constructor > | Public | | | | | | | | | | | |
```



```
owner | Public | NO | |
 L | transferOwnership | Public | | | onlyOwner |
 L | setOwner | Private 🔐 | 🛑 | |
**SafeMath** | Library | |||
 L | tryAdd | Internal | | | |
 └ | trySub | Internal 🔒 | | |
 L | tryMul | Internal 🔒 | | |
 └ | tryDiv | Internal 🔒 | | |
 L | tryMod | Internal 🔒 | | |
 L | add | Internal 🔒 | ||
 L | sub | Internal | | | |
 └ | mul | Internal 🔒 | ||
 └ | div | Internal 🔒 | ||
 L | sub | Internal | | | |
 └ | div | Internal 🔒 | | |
 L | mod | Internal 🔒 | | |
**Clones** | Library | |||
 L | clone | Internal 🔒 | 🛑 | |
 └ | cloneDeterministic | Internal 🔒 | 🛑 ||
 | | predictDeterministicAddress | Internal | | | |
**Address** | Library | |||
 L | isContract | Internal 🔒 | | |
 L | sendValue | Internal 🔒 | 🛑 | |
 └ | functionCall | Internal 🔒 | 🛑 | |
 └ | functionCall | Internal 🔒 | 🛑 | |
 L | functionCallWithValue | Internal | | | | |
 └ | functionCallWithValue | Internal 🔒 | ● | |
 L | functionStaticCall | Internal | | | |
 └ | functionStaticCall | Internal 🔒 | | |
 L | functionDelegateCall | Internal 🔒 | 0
 └ | functionDelegateCall | Internal 🔓 | ● | |
 └ | verifyCallResult | Internal 🔒 | | |
| **IUniswapV2Factory** | Interface | |||
| L | feeTo | External | | NO | |
| L | feeToSetter | External | | NO | |
```



```
| getPair | External | NO | |
L | allPairs | External | | | NO |
| allPairsLength | External | | NO | |
createPair | External | | NO | |
| setFeeTo | External | | NO | |
| setFeeToSetter | External | | NO | |
**IUniswapV2Router01** | Interface | |||
| factory | External | | NO | |
WETH | External | | NO | |
addLiquidity | External | | | NO | |
| addLiquidityETH | External | | | | | | | | | | |
| removeLiquidity | External | | | | | | | | | | | | | |
| removeLiquidityETHWithPermit | External | |
L | swapExactTokensForTokens | External | | | NO |
L | swapTokensForExactTokens | External | | | NO |
L | swapExactETHForTokens | External | NO |
L | swapExactTokensForETH | External | |
L | swapETHForExactTokens | External | | SD | NO | |
L | quote | External | | | NO | |
L | getAmountOut | External | | NO | |
L | getAmountIn | External | | | NO | |
| getAmountsOut | External | NO | |
L | getAmountsIn | External | | | NO | |
**IUniswapV2Router02** | Interface | IUniswapV2Router01 |||
**IERC20Upgradeable** | Interface | |||
L | totalSupply | External | | | NO | |
L | balanceOf | External | | NO | |
L | transfer | External | | | NO | |
L | allowance | External | | NO | |
L | approve | External | | NO | |
L | transferFrom | External | | | NO | |
```



```
**IERC20MetadataUpgradeable** | Interface | IERC20Upgradeable |||
 L | name | External | | | NO | |
L | symbol | External | | NO | |
| L | decimals | External | | | NO | |
| **Initializable** | Implementation | |||
**ContextUpgradeable** | Implementation | Initializable |||
 Context init | Internal 🔒 | 🛑 | initializer |
 □ msgSender | Internal • | | |
 L | msgData | Internal 🔒 | | |
**ERC20Upgradeable** | Implementation | Initializable, ContextUpgradeable, IERC20Upgradeable,
IERC20MetadataUpgradeable |||
 L | ERC20 init | Internal 🔒 | ● | initializer |
 L | ERC20 init unchained | Internal 1 | ● | initializer |
 L | name | Public | | | NO | |
 L | symbol | Public | | | NO | |
 L | decimals | Public | | NO | |
 L | totalSupply | Public | | NO | |
 L | balanceOf | Public | | NO | |
 L | transfer | Public | | | NO | |
 L | allowance | Public | | NO | |
 L | approve | Public ! | | NO! |
 L | transferFrom | Public | | | NO | |
 L | increaseAllowance | Public | | | NO | |
 L | transfer | Internal 🔒 | 🛑 | |
 L|_mint | Internal 🔒 | 🛑 ||
 L | burn | Internal 🔒 | ● | |
| L | approve | Internal | | | | |
 └ | beforeTokenTransfer | Internal 🔒 | ● | |
 └ | afterTokenTransfer | Internal 🔒 | ● | |
**OwnableUpgradeable** | Implementation | Initializable, ContextUpgradeable |||
 L | _Ownable_init | Internal 🔒 | ● | initializer |
 L | owner | Public | | NO ! |
 L | renounceOwnership | Public | | • | onlyOwner |
 L | transferOwnership | Public | | | onlyOwner |
```



```
| L | setOwner | Private | | | | |
**IUniswapV2Pair** | Interface | |||
| L | name | External | | NO | |
 | decimals | External | | NO | |
 L | totalSupply | External | | | NO | |
 | balanceOf | External | NO | |
 | allowance | External | NO |
 | approve | External | | | NO | |
 L | transfer | External | | | NO |
 L | transferFrom | External | | | NO | |
 L | DOMAIN SEPARATOR | External | | | NO | |
 L | PERMIT TYPEHASH | External | | | NO | |
 I nonces | External | NO | |
 L | permit | External | | NO | |
 L | MINIMUM LIQUIDITY | External | | | NO | |
 L | factory | External | | NO | |
 L | token0 | External | | NO | |
 L | token1 | External | | NO | |
 L | getReserves | External | | NO | |
 L | price0CumulativeLast | External | | NO | |
 | price1CumulativeLast | External | NO | |
 L | kLast | External | | NO | |
 L | swap | External | | NO | |
 └ | skim | External ! | ● |NO! |
 L | sync | External | | NO | |
 | initialize | External | | | | | | | | | | | |
| **SafeMathInt** | Library | |||
L|mul|Internal 🔒 | ||
 └ | div | Internal 🔒 | ||
 | L | add | Internal 🔒 | | |
| L | abs | Internal 🔒 | | |
| └ | toUint256Safe | Internal 🔒 | ||
| **SafeMathUint** | Library | |||
| L | toInt256Safe | Internal 🔒 | | |
```



```
<mark>| **IterableMapping** | Li</mark>brary | |||
 L | get | Internal | | |
 L | getIndexOfKey | Internal 🔒 | ||
 └ | getKeyAtIndex | Internal 🔒 | ||
 L | size | Internal | | | |
L | set | Internal ↑ | ● ||
 L | remove | Internal 🔒 | 🛑 | |
**DividendPayingTokenInterface** | Interface | ||
| L | dividendOf | External | | NO | |
 withdrawDividend | External | | NO | |
| withdrawableDividendOf | External | | NO | |
 L | withdrawnDividendOf | External | | NO | |
 L | accumulativeDividendOf | External | | | NO | |
**DividendPayingToken** | Implementation | ERC20Upgradeable, OwnableUpgradeable,
DividendPayingTokenInterface, DividendPayingTokenOptionalInterface |||
 L | DividendPayingToken init | Internal 🔒 | ● | initializer |
 L | distributeCAKEDividends | Public | | • | onlyOwner |
 | withdrawDividend | Public | | | NO | |
 L | dividendOf | Public | | NO | |
 | withdrawableDividendOf | Public | NO |
 L | withdrawnDividendOf | Public | | NO |
 L | transfer | Internal 🔒 | 🛑 | |
 └ | setBalance | Internal 🔒 | 🛑 | |
**BABYTOKENDividendTracker** | Implementation | OwnableUpgradeable, DividendPayingToken ||
L | transfer | Internal | | | |
L | withdrawDividend | Public | | NO | |
 L | excludeFromDividends | External | | | onlyOwner |
 L | isExcludedFromDividends | Public | | NO | |
 L | updateMinimumTokenBalanceForDividends | External | | • | onlyOwner |
 L | getLastProcessedIndex | External | | NO | |
 L | getNumberOfTokenHolders | External | NO | |
```



```
L | getAccount | Public | | NO ! |
 | getAccountAtIndex | Public | | NO | |
L | canAutoClaim | Private 🔐 | ||
 | setBalance | External | onlyOwner |
 | process | Public | | | NO | |
 processAccount | Public | onlyOwner |
**BaseToken** | Implementation | |||
**BABYTOKEN** | Implementation | ERC20, Ownable, BaseToken ||
 Constructor> | Public | | ERC20 |
 | | <Receive Ether> | External | | | | | | | | | | | |
 L | excludeFromFees | External | | • | onlyOwner |
 L | excludeMultipleAccountsFromFees | External | | | onlyOwner |
 L | setMarketingWallet | External | | onlyOwner |
 L | setMarketingFee | External | | | onlyOwner |
 └ | setAutomatedMarketMakerPair | Private 🔐 | ● ||
 L | updateGasForProcessing | Public | | onlyOwner |
 L | getClaimWait | External | | NO | |
 L | updateMinimumTokenBalanceForDividends | External | | | onlyOwner |
 L | getMinimumTokenBalanceForDividends | External | | NO | |
L | getTotalDividendsDistributed | External | NO | |
 L | isExcludedFromFees | Public | | NO | |
 | withdrawableDividendOf | Public | NO | |
 L | dividendTokenBalanceOf | Public | | NO | |
 L | excludeFromDividends | External | | | onlyOwner |
L | isExcludedFromDividends | Public | | NO | |
 L | getAccountDividendsInfo | External | | NO | |
L | getAccountDividendsInfoAtIndex | External | | NO | |
 L | processDividendTracker | External | | | NO | |
 L | claim | External | | | NO | |
L | getLastProcessedIndex | External | | | NO | |
 L | getNumberOfDividendTokenHolders | External | | NO | |
 L | transfer | Internal 🔒 | 🛑 | |
 L | swapAndSendToFee | Private | | | | | | |
 L | swapAndLiquify | Private 🔐 | 🌑 | |
 L | swapTokensForEth | Private 🔐 | 🛑 | |
```





STATIC ANALYSIS

Result => A static analysis of contract's source code has been performed using slither,

No issues found



FUNCTIONAL TESTING

Router (PCS V2):

0xD99D1c33F9fC3444f8101754aBC46c52416550D1

1- Adding liquidity (passed):

https://testnet.bscscan.com/tx/0xa746bfff20a26713775feed3e14 ec85d7d974c36c122e901ad27de026d2677d7

2- Buying when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0x8b5860cb7d205231a4c9c6bb6f 6db1ca4f2a0a223710539d7c52140bdce9993b

3- Selling when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0x4623e9d9d4a5901895a024efedf66d65473303177f8b1a7eb609d1b7d700ce22

4- Transferring when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x1a2b32dae563093f8cafacdb970ed38e9e9aba334a216a55b948bcf9020942e3

- 5- Buying when not excluded from fees (up to 25% tax) (passed): https://testnet.bscscan.com/tx/0x1dba829783bae865780db3252be787f4090d553d13084d7ad5116904bc27c923
- 6- Selling when not excluded from fees (up to 25% tax) (passed): https://testnet.bscscan.com/tx/0x613b1182bb9d3540069f084e4ef ac4802c6389c1c0288c6c91ef45518bf344ef
- 7- Transferring when not excluded from fees (up to 25% tax) (passed):

https://testnet.bscscan.com/tx/0x29477f76f9190d05d1e20720fa14bee4495db35cbcde36ceffb89296dbaf9f61



FUNCTIONAL TESTING

8- Internal swap (passed):

marketing wallet received BUSD

https://testnet.bscscan.com/address/0xa2da001d772453f7a1d520 148663462ebcbd79b4#tokentxns

9- Reflections (passed):

as seen in this transaction:

https://testnet.bscscan.com/address/0xe7af7dc357ec9a5cbc5af5c17b7c3a59d721d8c7#tokentxns

distributor is sending BUSD to holders (auto distribution)

10- Auto Liquidity (passed):

https://testnet.bscscan.com/token/0xe7af7dc357ec9a5cbc5af5c17b7c3a59d721d8c7?



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



ABOUT AUDITACE

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit_Ace



https://twitter.com/auditace_



https://github.com/Audit-Ace