

Smart Contract Audit

FOR

Crazy Hippo

DATED: 7 Sep 23'



AUDIT SUMMARY

Project name - Crazy Hippo

Date: 7 Sep, 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed

Issues Found

Status	Critical	High	Medium	Low	Suggestion
Open	0	0	0	0	0
Acknowledged	0	0	0	0	0
Resolved	0	1	0	0	0



USED TOOLS

Tools:

1- Manual Review:

A line by line code review has been performed by audit ace team.

2- BSC Test Network: All tests were conducted on the BSC Test network, and each test has a corresponding transaction attached to it. These tests can be found in the "Functional Tests" section of the report.

3-Slither:

The code has undergone static analysis using Slither.

Testnet version:

The tests were performed using the contract deployed on the BSC Testnet, which can be found at the following address:

https://testnet.bscscan.com/token/0x62035c573954db D4581f8f0fF89F77ed14CB9ee6



Token Information

Token Name: Crazy Hippo

Token Symbol: HIPPO

Decimals: 18

Token Supply: 200,000,000,000

Token Address:

0x62035c573954dbD4581f8f0fF89F77ed14CB9ee6

Checksum:

3aa85371cb9853106409d78434d3d28f551c2fad

Owner:

0x77D7635faE1d1C139A04De6e5E68f695a3eB97c7 (at time of writing the audit)

Deployer:

0x77D7635faE1d1C139A04De6e5E68f695a3eB97c7



TOKEN OVERVIEW

Fees:

Buy Fees: 0-3%

Sell Fees: 0-3%

Transfer Fees: 0-3%

Fees Privilege: owner

Ownership: owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: No

Blacklist: No

Other Privileges: Initial distribution of the tokens

modifying fees

Enabling trades



AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



VULNERABILITY CHECKLIST





CLASSIFICATION OF RISK

Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization/Suggestion

Description

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.

A vulnerability that has an informational character but is not affecting any of the code.

Findings

Severity	Found
◆ Critical	0
♦ High-Risk	1
♦ Medium-Risk	0
♦ Low-Risk	0
Gas Optimization / Suggestions	0



INHERITANCE TREE





POINTS TO NOTE

- Owner is able to adjust buy/sell/transfer fees within 0-3%
- Owner is not able to blacklist an arbitrary wallet
- Owner is not able to disable trades
- Owner is not able to mint new tokens
- Owner is not able to set maximum wallet and maximum buy/sell/transfer limits
- Owner must enable trades manually



```
| Contract|
        Type Bases
                        **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
| **IBEP20** | Interface | |||
| LotalSupply | External | | NO! |
| L | balanceOf | External ! | NO! |
| └ | transfer | External ! | ● |NO! |
| Lallowance | External ! | NO! |
| └ | approve | External ! | ● |NO! |
| └ | transferFrom | External ! | ● | NO! |
\mathbf{H}
**SafeMath** | Library | |||
| └| tryAdd | Internal 🔒 | ||
111111
| **Context** | Implementation | |||
| └ | <Constructor> | Public ! | ● |NO! |
| L |_{msgSender} | Internal = | | |
111111
| **Ownable** | Implementation | Context | | |
| └ | <Constructor> | Public ! | ● | NO! |
| └ | renounceOwnership | Public ! | ● | onlyOwner |
111111
| **BEP20Detailed** | Implementation | | | |
| └ | <Constructor> | Public ! | ● | NO! |
```



```
| **Address** | Library | | | |
| | isContract | Internal | | | |
111111
**SafeBEP20** | Library | |||
| L | safeTransfer | Internal 🔒 | 🔵 | | |
| └ | safeTransferFrom | Internal | ● | ● | |
| └ | safeApprove | Internal 🔒 | ● | |
| L | callOptionalReturn | Private 🔐 | 🌑 | |
| **IUniswapV2Factory** | Interface | | | |
| - | feeToSetter | External ! | | NO! |
| └ | getPair | External ! | |NO! |
| L | allPairs | External ! | NO! |
| L | allPairsLength | External ! | NO! |
| └ | createPair | External ! | ● | NO! |
| └ | setFeeTo | External ! | ● |NO! |
| └ | setFeeToSetter | External ! | ● | NO! |
111111
| **IUniswapV2Pair** | Interface | ||| | |
| L | decimals | External ! | NO! |
| └ | totalSupply | External ! | NO! |
| L | balanceOf | External ! | NO! |
| Lallowance | External | NO! |
| └ | transferFrom | External ! | ● | NO! |
| L | DOMAIN_SEPARATOR | External | | | NO | |
| └ | PERMIT_TYPEHASH | External ! | |NO! |
| └ | MINIMUM_LIQUIDITY | External ! | NO! |
| L | factory | External | | NO! |
| └ | getReserves | External ! | |NO! |
| L | priceOCumulativeLast | External ! | NO! |
| L | price1CumulativeLast | External ! | NO! |
| L | kLast | External | | NO | |
```



```
| L | burn | External | | O | NO | |
| L | initialize | External ! | ONO! |
| **IUniswapV2Router01** | Interface | |||
| | factory | External | | NO | |
| L | WETH | External ! | NO! |
| LaddLiquidity | External ! | ONO! |
| - | addLiquidityETH | External ! | 💵 | NO ! |
| └ | removeLiquidityETH | External ! | ● | NO! |
| └ | removeLiquidityWithPermit | External ! | ● |NO! |
└ | removeLiquidityETHWithPermit | External ! | ● |NO! |
| └ | swapTokensForExactTokens | External ! | ● |NO! |
| L | swapExactETHForTokens | External ! | 1 NO! |
| L | getAmountOut | External ! | NO! |
| └ | getAmountIn | External ! | |NO! |
| L | getAmountsOut | External ! | NO! |
| └ | getAmountsIn | External ! | NO! |
111111
| **IUniswapV2Router02** | Interface | IUniswapV2Router01 |||
| - | removeLiquidityETHSupportingFeeOnTransferTokens | External ! | • | NO! |
| └ | removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External ! | ● | NO! |
└ | swapExactTokensForTokensSupportingFeeOnTransferTokens | External ! | ● | NO! |
| - | swapExactETHForTokensSupportingFeeOnTransferTokens | External ! | 11 | NO! |
| └ | swapExactTokensForETHSupportingFeeOnTransferTokens | External ! | ● |NO! |
111111
| **HIPPO** | Implementation | Context, Ownable, IBEP20, BEP20Detailed ||| | |
| └ | <Constructor> | Public ! | ● | BEP20Detailed |
| └ | totalSupply | Public ! | |NO! |
| L | balanceOf | Public ! | NO! |
| └ | transfer | Public ! | ● |NO! |
| L | allowance | Public ! | NO! |
| └ | approve | Public | | ● |NO | |
```



```
| └ | transferFrom | Public ! | ● | NO! | | |
| └ | decreaseAllowance | Public ! | ● | NO! |
| L | approve | Internal 🔒 | 🌒 | |
| | enableTrading | External | | | onlyOwner |
| L | isContract | Internal | | | |
| | setSellDevelopmentFeePercent | External | | | | onlyOwner |
| | setDevelopmentAddress | External ! | • onlyOwner |
| └ | changeNumTokensSellToFee | External ! | ● | onlyOwner |
| - | clearETH | External ! | • | onlyOwner |
│ └ | clearERC20 | External ! | ● | onlyOwner |
| L | excludeFromFee | Public ! | OnlyOwner | |
| └ | includeInFee | Public ! | ● | onlyOwner |
| └ | isExcludedFromFee | Public ! | |NO! |
| └ | <Receive Ether> | External ! | ₽₽ | NO! |
| └ | _transfer | Internal 🔒 | ● | |
| └ | swapAndLiquify | Private 🔐 | ● | lockTheSwap |
│ └ | swapTokensForEth | Private 🔐 | ● | |
### Legend
```



STATIC ANALYSIS

```
Parameter HIPPO.clearERC20(address,address,uint256)._amount (contracts/Token.sol#822) is not in mixedCase Variable HIPPO._balances (contracts/Token.sol#616) is not in mixedCase Variable HIPPO._allowances (contracts/Token.sol#617) is not in mixedCase Variable HIPPO._totalSupply (contracts/Token.sol#601) is not in mixedCase Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#conformance-to-solidity-naming-conventions
 INFO:Detectors:
 Reentrancy in HIPPO._transfer(address,address,uint256) (contracts/Token.sol#843-908):
External calls:
                    - swapAndLiquify(contractTokenBalance) (contracts/Token.sol#866)
- address(developmentAddress).transfer(address(this).balance) (contracts/Token.sol#914)
                   State variables written after the call(s):
                   - _balances[sender] = _balances[sender].sub(amount,BEP20: transfer amount exceeds balar
- _balances[recipient] = _balances[recipient].add(TotalSent) (contracts/Token.sol#896)
                   -__balances[rectpient] = __balances[rectpient].adu[fotalsent] (contracts/foxen.sol#090)
-_balances[address(this]] = _balances[address(this]].add[taxMount) (contracts/foxen.sol#097)
-_balances[sender] = _balances[sender].sub(amount,8EP20: transfer amount exceeds balance) (contracts/foxen.sol#001-904)
-_balances[rectpient] = _balances[rectpient].add(amount) (contracts/foxen.sol#005)
-_developmentFee = _buyDevelopmentFee (contracts/foxen.sol#005)
-_developmentFee = _sellDevelopmentFee (contracts/foxen.sol#008)
                   Event emitted after the call(s):
- Transfer(sender,recipient,TotalSent) (contracts/Token.sol#898)
                    - Transfer(sender,address(this),taxAmount) (contracts/Token.sol#899)
- Transfer(sender,recipient,amount) (contracts/Token.sol#906)
         ntrancy in HIPPO.swapAndLiquify(uint256) (contracts/Token.sol#910-917):
                       address(developmentAddress).transfer(address(this).balance) (contracts/Token.sol#914)
                    Event emitted after the call(s):
                      SwapAndLiquify(contractTokenBalance,address(this).balance) (contracts/Token.sol#916)
  Reentrancy in HIPPO.transferFrom(address,address,uint256) (contracts/Token.sol#703-718):
                   External calls:
                    - _transfer(sender,recipient,amount) (contracts/Token.sol#708)
                                          address(developmentAddress).transfer(address(this).balance) (contracts/Token.sol#914)
                   State variables written after the call(s):
                    -_approve(sender,_msgSender(),_allowances[sender][_msgSender()].sub(amount,BEP20: transfer amount exceeds allowance)) (contracts/Token.sol#709-716)
-_allowances[towner][spender] = amount (contracts/Token.sol#750)
 Event emitted after the call(s):
- Approval(towner,spender,amount) (contracts/Token.sol#751)
- _approve(sender,_msgSender(),_allowances[sender][_msgSender()].sub(amount,BEP20: transfer amount exceeds allowance)) (contracts/Token.sol#709-716)

Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#reentrancy-vulnerabilities-4
 INFO:Detectors:
 Variable IUniswapv2Router01.addLiquidity(address,address,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint2
 Reference: https://github.com/crytic/slither/wiki/Detector-Documentation@variable-names-too-similar
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#too-many-digits
 HIPPO._owner (contracts/Token.sol#645) should be immutable
HIPPO._totalSupply (contracts/Token.sol#620) should be immutable Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-immutable
```

Result => A static analysis of contract's source code has been performed using slither,

No major issues were found in the output

INFO:Slither:./contracts/Token.sol analyzed (12 contracts with 88 detectors), 46 result(s) found



FUNCTIONAL TESTING

1- Adding liquidity (passed):

https://testnet.bscscan.com/tx/0xd3955fa8af71d3cc0736fd0bce7db6e 48474ac99ee3ac1067239b711a0cf38b9

2- Buying when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0x28bb41330f0bfec5fd9bc67847a9c4c 95f96a9ebf2cd6e98294a90849dd68ed9

3- Selling when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0x3bea7a77960dc7d055871c5d5f29b2 084799c3498bd7ade6c5095ab91d649742

4- Transferring when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0xdcd4f69606430207ef977e5f70f774 33be541bfa34babad80235cccff0555da9

5- Buying when not excluded from fees (tax 0-3%) (passed):

https://testnet.bscscan.com/tx/0x0c1fd75c5c8b2d6d76e252a8d450b4 ce896a3129fc859d5bca7ec071e5c879fb

6- Selling when not excluded from fees (tax 0-3%) (passed):

https://testnet.bscscan.com/tx/0x60e2475ac4c210aa468baa6863f4e9d314fe31aa40fcae8d3dd5d92457568e21



FUNCTIONAL TESTING

7- Transferring when not excluded from fees (0-3% tax) (passed):

https://testnet.bscscan.com/tx/0x0dd9267fde1d84d5e12272c735f9e8e de000d2670bc2b7cdad33616895a51bda

8- Internal swap (BNB set to Marketing wallet) (passed):

https://testnet.bscscan.com/tx/0x60e2475ac4c210aa468baa6863f4e9d314fe31aa40fcae8d3dd5d92457568e21



High Risk

Centralization – **Enabling Trades**

Severity: High

function: enableTrading

Status: Resolved (contract owned by safu developer)

Overview:

The **launch** function permits only the contract owner to activate trading capabilities. Until this function is executed, no investors can buy, sell, or transfer their tokens. This places a high degree of control and centralization in the hands of the contract owner.

```
function enableTrading() external onlyOwner {
    require(!tradingEnabled, "Trading is already enabled");
    tradingEnabled = true;
    startTradingBlock = block.number;
}
```

Suggestion

To reduce centralization and potential manipulation, consider one of the following approaches:

- 1. Automatically enable trading after a specified condition, such as the completion of a presale, is met.
- 2. If manual activation is still desired, consider transferring the ownership of the contract to a trustworthy, third-party entity like a certified "PinkSale Safu" developer. This can provide investors with more confidence in the eventual activation of trading capabilities, mitigating concerns of potential bad faith actions by the original owner



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



ABOUT AUDITACE

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit_Ace



https://twitter.com/auditace_



https://github.com/Audit-Ace