

# Smart Contract Audit

**FOR** 

**GROK CEO** 

DATED: 10 January 2024



## **AUDIT SUMMARY**

Project name - GROK CEO

Date: 10 January, 2024

**Scope of Audit-** Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

**Audit Status: Passed with High Risk** 

### **Issues Found**

Status	Critical	High	Medium	Low	Suggestion
Open	0	1	0	2	2
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0



## **USED TOOLS**

### Tools:

#### 1- Manual Review:

A line by line code review has been performed by audit ace team.

2- BSC Test Network: All tests were conducted on the BSC Test network, and each test has a corresponding transaction attached to it. These tests can be found in the "Functional Tests" section of the report.

### 3- Slither:

The code has undergone static analysis using Slither.

### **Testnet version:**

The tests were performed using the contract deployed on the BSC Testnet, which can be found at the following address:

https://testnet.bscscan.com/address/0x5dedcd8b43e335d30ddfeb968cc3c59ccb729968#code



## **Token Information**

#### **Token Address:**

0x1c64BF31B6F0B93aB4b8977cd4562207Ef2C2B77

Name: GROK CEO

Symbol: GROKCEO

Decimals: 9

Network: BscScan

Token Type: BEP-20

### **Owner:**

0xa860467495a5df4d63D86f6ccA216eBF7ab45C31

### Deployer:

0xa860467495a5df4d63D86f6ccA216eBF7ab45C31

**Token Supply:** 42000000

Checksum: Ae1c3a4fbb6e83e8393a57617b5a5b23

### **Testnet:**

https://testnet.bscscan.com/address/0x5dedcd8b43e335d30ddfeb968cc3c59ccb729968#code



## **TOKEN OVERVIEW**

Burn: 1%

Marketing: 2.4%

Developing: 1.6%

Fee Privilege: Owner

Ownership: Owned

Minting: None

Blacklist: No



## **AUDIT METHODOLOGY**

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



## **VULNERABILITY CHECKLIST**





### **STATIC ANALYSIS**

```
INFO:Detectors:
                      swapTokenAtAmount = newAmount (GROKCEO.sol#1070)
https://github.com/crytic/slither/wiki/Detector-Documentation#missing-events-arithmetic
  GROKCEO.changenarketingwatter(address)._marketing (GROKCEO.sol#1002) tacks a zero-check on :
- marketing = _marketing (GROKCEO.sol#1003)
GROKCEO.changeDeveloperWallet(address)._developer (GROKCEO.sol#1006) tacks a zero-check on :
- developing = _developer (GROKCEO.sol#1007)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#missing-zero-address-validation
INFO:Detectors:
    eentrancy in GROKCEO._transfer(address,address,uint256) (GROKCEO.sol#937-969)
                    distributeTaxes(contractTokenBalance) (GROKCEO.sol#955)
                - distributeTaxes(contractTokenBalance) (GROKCEO.sol#955)
- (success) = address(_to).call{value: amount}() (GROKCEO.sol#1017)
- router.swapExactTokensForETHSupportingFeeOnTransferTokens(tokenAmount,0,path,address(this),block.timestamp) (GROKCEO.sol#1045-1053)

External calls sending eth:
- distributeTaxes(contractTokenBalance) (GROKCEO.sol#955)
- (success) = address(_to).call{value: amount}() (GROKCEO.sol#1017)

Event emitted after the call(s):
- Inposeon(fore to value) (CROWCEO.sol#669)
                     Transfer(from,to,value) (GROKCEO.sol#669)
- super._transfer(sender,recipient,transferAmount) (GROKCEO.sol#967)
    - Transfer(from,to,value) (GROKCEO.sol#669)
- super._transfer(sender,address(this),taxAmount) (GROKCEO.sol#966)
eference: https://github.com/crytic/slither/wiki/Detector-Documentation#reentrancy-vulnerabilities-3
  Context_msgData() (GROKCEO.sol#208-210) is never used and should be removed
ERC20._burn(address,uint256) (GROKCEO.sol#695-700) is never used and should be removed
ReentrancyGuard._reentrancyGuardEntered() (GROKCEO.sol#855-857) is never used and should be removed
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#dead-code
   Pragma version^0.8.19 (GROKCEO.sol#14) necessitates a version too recent to be trusted. Consider deploying with 0.8.18
  Pragma version^0.8.19 (GROKCEO.sol#191) necessitates a version too recent to be trusted. Consider deploying with 0.8.18 
Pragma version^0.8.19 (GROKCEO.sol#221) necessitates a version too recent to be trusted. Consider deploying with 0.8.18
  Pragma version 0.8.19 (GROKCEO.sol#324) necessitates a version too recent to be trusted. Consider deploying with 0.8.18. Pragma version^0.8.19 (GROKCEO.sol#416) necessitates a version too recent to be trusted. Consider deploying with 0.8.18. Pragma version^0.8.19 (GROKCEO.sol#442) necessitates a version too recent to be trusted. Consider deploying with 0.8.18. Pragma version^0.8.19 (GROKCEO.sol#442) necessitates a version too recent to be trusted. Consider deploying with 0.8.18.
  solc-0.8.19 is not recommended for deployment
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#incorrect-versions-of-solidity
  INFO:Detectors:
  - (success) = address(_to).call{value: amount}() (GROKCEO.sol#1017)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#low-level-calls
  INFO:Detectors:
  Parameter GROKCEO.changeMarketingWallet(address)._marketing (GROKCEO.sol#1002) is not in mixedCase
Parameter GROKCEO.changeMarketingWallet(address)._marketing (GROKCEO.sol#1002) is not in mixedCase
Parameter GROKCEO.changeDeveloperWallet(address)._developer (GROKCEO.sol#1006) is not in mixedCase
Parameter GROKCEO.sendBNB(address,uint256)._to (GROKCEO.sol#1010) is not in mixedCase
Function GROKCEO.AddExemptFee(address) (GROKCEO.sol#1056-1058) is not in mixedCase
  Parameter GROKCEO.AddExemptFee(address) (GROKCEO.sol#1866) is not in mixedCase Function GROKCEO.RemoveExemptFee(address) (GROKCEO.sol#1866) is not in mixedCase Parameter GROKCEO.RemoveExemptFee(address) (GROKCEO.sol#1868-1862) is not in mixedCase Parameter GROKCEO.RemoveExemptFee(address)._address (GROKCEO.sol#1868) is not in mixedCase
   Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#conformance-to-solidity-naming-conventions
  INFO:Detectors:
        OKCEO.feeDenominator (GROKCEO.sol#873) should be constant
```



## **STATIC ANALYSIS**

GROKCEO.feeDenominator (GROKCEO.sol#873) should be constant
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-constant

INFO:Detectors:

GROKCEO.pair (GROKCEO.sol#862) should be immutable
GROKCEO.router (GROKCEO.sol#861) should be immutable
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-immutable
INFO:Slither:GROKCEO.sol #861) should be immutable
INFO:Slither:GROKCEO.sol #861) should be immutable
INFO:Slither:GROKCEO.sol #862) should be immutable
INFO:Slither:GROKCEO.sol #862) should be immutable
INFO:Slither:GROKCEO.sol #861) should be immutable
INFO:Slither:GROKCEO.sol #862) should be immutable



## **FUNCTIONAL TESTING**

#### 1- Approve (passed):

https://testnet.bscscan.com/tx/0x93e96e05ab6a1a187b183a64c6 3eae1678c586aed513aaa0f5bf43c180f978db

#### 2- Add Exempt Fee (passed):

https://testnet.bscscan.com/tx/0x092fd2a779c561253e05ecba6c eaa51fa9542d640959ba92e8e5ab7a0f699c08

#### 3- Remove Exempt Fee (passed):

https://testnet.bscscan.com/tx/0xe883e7d3277dd26d773500953 9f53a1b7f28004c8406cd411daf05e2636db364

### 4- Set Trading Enabled (passed):


https://testnet.bscscan.com/tx/0xa73b977bca06665f1cf77096dd4 6d0340c46bd6bbf0c589a3bab6577576a3947

#### 5- Update Exempt Fee (passed):

https://testnet.bscscan.com/tx/0xe3841f18d8912f7bb27fed6077f 9b7e02367f4c05a67b3f1c8d2a84fbc02fdf7



## **INHERITANCE TREE**





## POINTS TO NOTE

- -Whitelist to transfer without enabling trades
- Enabling trades



## **CLASSIFICATION OF RISK**

### Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization/Suggestion

### **Description**

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.

A vulnerability that has an informational character but is not affecting any of the code.

## **Findings**

Severity	Found
◆ Critical	0
♦ High-Risk	1
♦ Medium-Risk	0
◆ Low-Risk	2
<ul><li>Gas Optimization /</li><li>Suggestions</li></ul>	2



**Centralization - Enabling Trades** 

Severity: High

Function: setTradingEnable

Overview:

The **setTradingEnable** function permits only the contract owner to activate trading capabilities. Until this function is executed, no investors can buy, sell, or transfer their tokens. This places a high degree of control and centralization in the hands of the contract owner.

```
function setTradingEnabled() external onlyOwner {
require(!tradingEnabled, "Trade is already enabled");
  tradingEnabled = true;
}
```

### Suggestion:

To reduce centralization and potential manipulation, consider one of the following approaches:

1.Automatically enable trading after a specified condition, such as the completion of a presale, is met. bad faith actions by the original owner.



2.If manual activation is still desired, consider transferring the ownership of the contract to a trustworthy, third-party entity like a certified "PinkSale Safu" developer. This can provide investors with more confidence in the eventual activation of trading capabilities, mitigating concerns of potential



### **Centralization** - Missing Events

Severity: Low

**Subject:** Missing Events

Status: Open

#### Overview:

They serve as a mechanism for emitting and recording data onto the blockchain, making it transparent and easily accessible.

```
function changeMarketingWallet(address _marketing)
external onlyOwner {
    marketing = _marketing;
}
function changeDeveloperWallet(address _developer)
external onlyOwner {
    developing = _developer;
}
```



```
function setAutomatedMarketMakerPair(address
lpPair, bool value)
external
only Owner
require(
pair!= lpPair,
"The pair cannot be removed from
automatedMarketMakerPairs"
):
_setAutomatedMarketMakerPair(pair, value);
function changeSwapTokenAtAmount(uint256
newAmount) external onlyOwner {
require(
newAmount > totalSupply() / 100_000 &&
newAmount < (totalSupply() / 100),
"Amount should be greater than 1 and less than 1% of
total supply"
);
swapTokenAtAmount = newAmount;
}
```



### **Centralization - Missing Zero Address**

Severity: Low

**Status:** Open

#### Overview:

Functions can take a zero address as a parameter (0x00000...). If a function parameter of address type is not properly validated by checking for zero addresses, there could be serious consequences for the contract's functionality.

```
function changeMarketingWallet(address _marketing)
external onlyOwner {
    marketing = _marketing;
}
function changeDeveloperWallet(address _developer)
external onlyOwner {
    developing = _developer;
}
```

### Suggestion:

It is suggested that the address should not be zero or dead.



### **Optimization**

**Severity: Optimization** 

Subject: Remove unused code.

Status: Open

#### Overview:

Unused variables are allowed in Solidity, and they do. not pose a direct security issue. It is the best practice. though to avoid them.

```
function _msgData() internal view virtual returns (bytes
memory) {
   this;
return msg.data;
}
```



### **Optimization**

**Severity: Informational** 

Subject: Floating Pragma Solidity version

Status: Open

#### Overview:

It is considered best practice to pick one compiler version and stick with it. With a floating pragma, contracts may accidentally be deployed using an outdated.

pragma solidity ^0.8.19;

### Suggestion:

Adding the latest constant version of solidity is recommended, as this prevents the unintentional deployment of a contract with an outdated compiler that contains unresolved bugs.



# DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



## **ABOUT AUDITACE**

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit\_Ace



https://twitter.com/auditace\_



https://github.com/Audit-Ace