

# Smart Contract Audit

**FOR** 

# Bull Doge

**DATED: 12 Apr 23'** 



# **AUDIT SUMMARY**

Project name - Bull Doge

**Date: 12** April, 2023

**Scope of Audit-** Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

**Audit Status: Passed** 

#### **Issues Found**

Status	Critical	High	Medium	Low	Suggestion
Open	0	0	0	0	0
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0



# **USED TOOLS**

## Tools:

#### 1- Manual Review:

a line by line code review has been performed by audit ace team.

#### 2- BSC Test Network:

all tests were done on BSC Test network, each test has its transaction has attached to it.

#### 3- Slither: Static Analysis

**Testnet Link:** all tests were done using this contract, tests are done on BSC Testnet

https://testnet.bscscan.com/token/0xF986c93d8cB B1136F95d86c741f984C346fCcA5a



# **Token Information**

Token Name: Bull Doge

Token Symbol: bDoge

Decimals: 18

Token Supply: 1,000,000,000,000,000

#### **Token Address:**

0xc32410f3fE5fF77c2880a4F31eAA677C25e8a87c

#### Checksum:

d8f25894d1b2a6d13080fc5bc09d9672a22495e8

#### Owner:

0xC2697b1c67C421D9fEDB742dd1F7Ec9f14E370F3



# **TOKEN OVERVIEW**

Fees:

Buy Fees: upto 25%

Sell Fees: upto 25%

Transfer Fees: upto 25%

Fees Privilige: Owner

Ownership: Owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: No

**Blacklist: No** 

**Other Priviliges**: including and excluding form fee - changing swap threshold - enabling trades - modifying fees



# **AUDIT METHODOLOGY**

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



# **VULNERABILITY CHECKLIST**





# **CLASSIFICATION OF RISK**

## Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization/Suggestion

## **Description**

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

## **Findings**

Severity	Found
◆ Critical	0
◆ High-Risk	0
◆ Medium-Risk	0
♦ Low-Risk	0
<ul><li>Gas Optimization /</li><li>Suggestions</li></ul>	0



## **INHERITANCE TREE**





## **POINTS TO NOTE**

- Owner is able to change buy/sell/transfer fees but sum of fees can not exceed 25%
- Contract is recognized as proxy in bscscan, however this
  is because dividend distributor is minimal proxy contract
  which is not upgradeable currently
- Owner is not able to set max buy/sell/transfer/hold amount
- · Owner is not able to blacklist an arbitrary wallet
- · Owner is not able to disable trades
- · Owner is not able to mint new tokens
- Token has pinksale anti-bot



## **OVERVIEW**

This token has three different types of fees, which are used for marketing, maintaining liquidity, and providing rewards to holders. The fees collected are converted to a stablecoin called BUSD and sent to a marketing wallet. Another part of the fee is used to maintain liquidity and is sent to a dividend tracker to provide BUSD rewards to holders. Rewards are distributed to holders every time a buy, sell or transfer occurs, and can also be manually claimed from the BscScan website.



## **TOKEN DISTRIBUTION**

it should be noted that the owner currently holds 100% of the total supply. However, information about the distribution of these tokens is not available, and it is recommended that investors exercise caution when considering this aspect.



```
| Contract |
                Type
                              Bases
|<del>:-----:|:-----:|:-----:|:-----:|</del>
        | **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
111111
| **IERC20** | Interface | | | | | | |
| totalSupply | External | NO | |
| L | balanceOf | External | | NO | |
| L | transfer | External | | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | | NO | |
| L | transferFrom | External | | | NO | |
ШШ
**IERC20Metadata** | Interface | IERC20 | | |
| L | name | External | | NO | | |
| L | symbol | External | | NO | |
| L | decimals | External | | | NO | |
IIIIIII
| **Context** | Implementation | |||
| L | _msgSender | Internal 🦲 | | |
| L | _msgData | Internal 🦰 | | |
111111
| **ERC20** | Implementation | Context, IERC20, IERC20Metadata | | | | | |
| L | <Constructor> | Public | | ( ) | NO | |
| L | name | Public | | | NO | |
| L | symbol | Public | | NO | |
| L | decimals | Public | | NO | |
| L | totalSupply | Public | | NO | |
| L | balanceOf | Public | | NO | |
| L | transfer | Public | | | | NO | |
| L | allowance | Public | | NO | |
| L | approve | Public | | | | NO | |
| L | transferFrom | Public | | | NO | |
| L | increaseAllowance | Public | | ( NO | |
| L | decreaseAllowance | Public | | | NO | |
| L | _transfer | Internal 🦰 | 🛑 | |
| L | _mint | Internal 🦰 | 🛑 | |
| L | _burn | Internal 🦲 | 🛑 | |
| L | _approve | Internal 🦲 | 🧓 | |
| L | _beforeTokenTransfer | Internal 🦰 | 🛑 | |
| L | afterTokenTransfer | Internal 🦰 | 🛑 | |
111111
| **Ownable** | Implementation | Context | | |
```



```
| L | <Constructor> | Public | | ( NO | |
| L | owner | Public | | NO | |
| L | renounceOwnership | Public | | 🛑 | onlyOwner |
| L | transferOwnership | Public | | 🛑 | onlyOwner |
| L | setOwner | Private 🦳 | 🦲 | |
\Pi\Pi\Pi\Pi\Pi
| **SafeMath** | Library | |||
| L | tryAdd | Internal 🦰 | | |
| L | tryMul | Internal 🦰 | | |
📙 tryDiv | Internal 🦰 | | |
📙 | tryMod | Internal 🦰 | | |
| └ | add | Internal 🦰 | | | |
| L | sub | Internal 🦰 | | | |
| L | mul | Internal 🦰 | | |
| L | div | Internal 🦰 | | |
| L | mod | Internal 🦰 | | |
| L | sub | Internal 🦰 | | |
| L | div | Internal 🦰 | | | |
| L | mod | Internal 🦰 | | | |
\Pi\Pi\Pi\Pi\Pi
| **Clones** | Library | | | |
| L | clone | Internal 🦰 | 🛑 | |
| L | cloneDeterministic | Internal 🦰 | 🛑 | |
\mathbf{H}
| **Address** | Library | | | | | |
| L | isContract | Internal 🖲 | | |
| L | sendValue | Internal 🦰 | 🛑 | |
| L | functionCall | Internal 🦲 | 🛑 | |
| L | functionCall | Internal 🦲 | 🧓 | |
| L | functionCallWithValue | Internal 🦲 | 🥮 | |
| L | functionCallWithValue | Internal 🦰 | 🛑 | |
| L | functionStaticCall | Internal 🦰 | | |
| L | functionStaticCall | Internal 🦰 | | |
| L | functionDelegateCall | Internal A | ( ) | |
| L | functionDelegateCall | Internal 🦰 | 🛑 | |
| L | verifyCallResult | Internal | A | | | |
111111
| **IUniswapV2Factory** | Interface | |||
| L | feeTo | External | | NO | |
```



```
| L | feeToSetter | External | | NO | | | |
| L | getPair | External | | NO | |
| L | allPairs | External | | NO | |
| | allPairsLength | External | | NO | |
| | createPair | External | | | | NO | |
| L | setFeeTo | External | | | NO | |
| L | setFeeToSetter | External | | ( NO | |
**IUniswapV2Router01** | Interface | |||
| L | factory | External | | NO | |
| L | WETH | External | | NO | |
📙 | addLiquidity | External 📗 | 🛑 | NO 📗
| L | addLiquidityETH | External | | III | INO | | |
| L | removeLiquidity | External | | | NO | |
| L | removeLiquidityETH | External | | | NO | |
| L | removeLiquidityWithPermit | External | | ( NO | |
| L | removeLiquidityETHWithPermit | External | | | NO | |
| L | swapExactTokensForTokens | External | | | NO | |
| L | swapTokensForExactTokens | External | | | NO | |
| L | swapExactETHForTokens | External | | I | NO | |
| L | swapTokensForExactETH | External | | | NO | |
| L | swapExactTokensForETH | External | | | NO | |
| L | swapETHForExactTokens | External | | I NO | |
| L | quote | External | | NO | |
| L | getAmountOut | External | | NO | |
| L | getAmountIn | External | | NO | |
| | getAmountsOut | External | | NO | |
| L | getAmountsIn | External | | NO | |
| **IUniswapV2Router02** | Interface | IUniswapV2Router01 | | |
| L | removeLiquidityETHSupportingFeeOnTransferTokens | External | | | NO | |
| | removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External | | | | NO | |
| L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External | | | NO | |
| L | swapExactTokensForETHSupportingFeeOnTransferTokens | External | | | | NO | |
| **IPinkAntiBot** | Interface | | | |
| L | setTokenOwner | External | | | NO | |
| L | onPreTransferCheck | External | | | NO | |
111111
| **IERC20Upgradeable** | Interface | | | |
| L | totalSupply | External | | NO | |
```



```
| L | balanceOf | External | | NO | | |
| L | transfer | External | | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | NO | |
| L | transferFrom | External | | | NO | |
**IERC20MetadataUpgradeable** | Interface | IERC20Upgradeable | | |
| L | name | External | | NO | | |
| | symbol | External | | NO | |
| L | decimals | External | | | NO | |
**Initializable** | Implementation | |||
| **ContextUpgradeable** | Implementation | Initializable | | |
| L | _msgSender | Internal 🖺 | | |
| L | msgData | Internal 🦲 | | |
\mathbf{H}
| **ERC20Upgradeable** | Implementation | Initializable, ContextUpgradeable, IERC20Upgradeable,
IERC20MetadataUpgradeable | | |
| L | name | Public | | | NO | | |
| L | symbol | Public | | NO | |
| L | decimals | Public | | NO | |
| L | totalSupply | Public | | NO | |
| L | balanceOf | Public | | NO | |
| L | transfer | Public | | 🛑 | NO | |
| L | allowance | Public | | NO | |
| L | approve | Public | | | | NO | |
| L | transferFrom | Public | | | NO | |
| L | increaseAllowance | Public | | | NO | |
| L | decreaseAllowance | Public | | | NO | |
| L | transfer | Internal 🦰 | 🛑 | |
| L | _mint | Internal 🦲 | 🛑 | |
| L | burn | Internal 🦰 | 🛑 | |
| L | _approve | Internal 🦲 | 🧓 | |
| L | _beforeTokenTransfer | Internal 🦰 | 🛑 | |
| L | _afterTokenTransfer | Internal 🦰 | 🛑 | |
| **OwnableUpgradeable** | Implementation | Initializable, ContextUpgradeable | | |
```



```
| L | __Ownable_init_unchained | Internal 🦰 | 🛑 | initializer | |
| L | owner | Public | | NO | |
| | renounceOwnership | Public | | 🛑 | onlyOwner |
| L | transferOwnership | Public | | 🛑 | onlyOwner |
| L | setOwner | Private 😷 | 🦲 | |
\Pi\Pi\Pi\Pi\Pi
| **IUniswapV2Pair** | Interface | | | | | |
| | name | External | | NO | |
| | symbol | External | | NO | |
| L | decimals | External | | NO | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | NO | |
| L | transfer | External | | | NO | |
| L | transferFrom | External | | | NO | |
| L | DOMAIN_SEPARATOR | External | | NO | |
| L | PERMIT TYPEHASH | External | | | NO | |
| L | nonces | External | | NO | |
| L | permit | External | | | NO | |
| L | MINIMUM_LIQUIDITY | External | | NO | |
| L | factory | External | | NO | |
| L | token0 | External | | NO | |
| L | token1 | External | | NO | |
| L | getReserves | External | | NO | |
| L | price0CumulativeLast | External | | NO | |
| L | price1CumulativeLast | External | | NO | |
| L | kLast | External | | | NO | |
| L | mint | External | | | NO | |
| L | burn | External | | | NO | |
| L | swap | External | | | NO | |
| L | skim | External | | | NO | |
| L | sync | External | | | NO | |
| L | initialize | External | | | NO | |
| **SafeMathInt** | Library | |||
| L | mul | Internal 🦰 | | |
| L | div | Internal 🦰 | | |
| L | sub | Internal 🦰 | | | |
| L | add | Internal 🦰 | | | |
```



```
| L | abs | Internal 🦰 | | | |
| L | toUint256Safe | Internal 🖺 | | |
| **SafeMathUint** | Library | | | |
| L | tolnt256Safe | Internal 🦰 | | |
| **IterableMapping** | Library | | | |
| L | get | Internal 🦰 | | | |
| | getIndexOfKey | Internal 🦰 | | |
| L | getKeyAtIndex | Internal 🦲 | | |
📙 size | Internal 🦰 | 📙
📙 | set | Internal 🦲 | 🦲 | |
📙 🗀 remove | Internal 🦰 | 🛑 | |
IIIIIII
| **DividendPayingTokenInterface** | Interface | | | | | |
| L | dividendOf | External | | | NO | |
| L | withdrawDividend | External | | | NO | |
| **DividendPayingTokenOptionalInterface** | Interface | | | |
| L | withdrawableDividendOf | External | | NO | |
| L | withdrawnDividendOf | External | | NO | |
| L | accumulativeDividendOf | External | | NO | |
\Pi\Pi\Pi\Pi\Pi
| **DividendPayingToken** | Implementation | ERC20Upgradeable, OwnableUpgradeable,
DividendPayingTokenInterface, DividendPayingTokenOptionalInterface | | |
| L | distributeCAKEDividends | Public | | ( ) | onlyOwner | | |
| L | withdrawDividend | Public | | | | NO | |
| L | _withdrawDividendOfUser | Internal 🦰 | 🛑 | |
| L | dividendOf | Public | | NO | |
| L | withdrawableDividendOf | Public | | NO | |
| L | withdrawnDividendOf | Public | | NO | |
| L | accumulativeDividendOf | Public | | NO | |
| L | _transfer | Internal 🦰 | 🛑 | |
| L | _mint | Internal 🦲 | 🦲 | |
| L | _burn | Internal 🦲 | 🧓 | |
| L | _setBalance | Internal 🦲 | 🛑 | |
111111
| **BABYTOKENDividendTracker** | Implementation | OwnableUpgradeable, DividendPayingToken | | | | | |
| L | initialize | External | | | | | initializer |
| L | transfer | Internal 🦰 | | |
| L | withdrawDividend | Public | | NO | |
```



```
| L | excludeFromDividends | External | | | | onlyOwner | |
| | | isExcludedFromDividends | Public | | | NO | |
| updateMinimumTokenBalanceForDividends | External | | 🛑 | onlyOwner |
| | getLastProcessedIndex | External | | NO | |
| L | getNumberOfTokenHolders | External | | | NO | |
| | getAccount | Public | | NO | |
| L | getAccountAtIndex | Public | | NO | |
📙 📙 canAutoClaim | Private 🤔 📗 📙
| L | setBalance | External | | | | onlyOwner |
| L | process | Public | | 🛑 | NO | |
📙 | processAccount | Public 🛮 | 🛑 | onlyOwner |
111111
| **BaseToken** | Implementation | ||| | | |
| **AntiBotBABYTOKEN** | Implementation | ERC20, Ownable, BaseToken | | |
| L | <Constructor> | Public | | III | ERC20 |
| L | setSwapTokensAtAmount | External | | | | onlyOwner |
| L | excludeFromFees | External | | ( ) | onlyOwner |
| L | excludeMultipleAccountsFromFees | External | | | | onlyOwner |
| L | setMarketingWallet | External | | | | onlyOwner |
| L | setTokenRewardsFee | External | | ( ) | onlyOwner |
| L | setLiquiditFee | External | | | | onlyOwner |
| L | setMarketingFee | External | | ( ) | onlyOwner |
| L | setAutomatedMarketMakerPair | Private <a>P</a> | 
| L | updateGasForProcessing | Public | | (e) | onlyOwner |
| L | getClaimWait | External | | NO | |
| L | updateMinimumTokenBalanceForDividends | External | | | | onlyOwner |
| L | getMinimumTokenBalanceForDividends | External | NO | |
| L | getTotalDividendsDistributed | External | | NO | |
| L | isExcludedFromFees | Public | | NO | |
| | | withdrawableDividendOf | Public | | | NO | |
| L | dividendTokenBalanceOf | Public | | NO | |
| L | excludeFromDividends | External | | | | onlyOwner |
| L | isExcludedFromDividends | Public | | NO | |
| L | getAccountDividendsInfo | External | | NO | |
| L | getAccountDividendsInfoAtIndex | External | | NO | |
| L | processDividendTracker | External | | | NO | |
| L | claim | External | | | NO | |
```



```
| L | getLastProcessedIndex | External | | NO | |
| | getNumberOfDividendTokenHolders | External | | NO | |
| L | _transfer | Internal 🦰 | 🛑 | |
| L | swapAndSendToFee | Private 📍 | 🛑 | |
| L | swapAndLiquify | Private 🖺 | 🧶 | |
| L | swapTokensForEth | Private 🦳 | 🧓 | |
| L | swapTokensForCake | Private (P) | (P) | |
| L | addLiquidity | Private 🦳 | 🦲 | |
📙 📙 swapAndSendDividends | Private 🦰 | 🧶 | |
111111
**DividendPayingToken** | Implementation | ERC20, DividendPayingTokenInterface, Ownable | | |
| | | Constructor> | Public | | | | | ERC20 |
| L | <Receive Ether> | External | | 🔟 | NO | |
| L | distributeDividends | Public | | III | INO | |
| L | _withdrawDividendOfUser | Internal 🦰 | 🛑 | |
| L | setRewardToken | External | | | | onlyOwner |
| L | swapBnbForCustomToken | Internal 🦰 | 🛑 | |
| L | dividendOf | Public | | NO | |
| L | withdrawableDividendOf | Public | | NO |
| L | withdrawnDividendOf | Public | | NO | |
| L | accumulativeDividendOf | Public | | NO | |
| L | _transfer | Internal 🦰 | 🛑 | |
| L | tokengeneration | Internal 🦲 | 🛑 | |
| L | _burn | Internal 🦰 | 🛑 | |
| L | setBalance | Internal 🦰 | 🛑 | |
\Pi\Pi\Pi\Pi\Pi
| **ERC20** | Implementation | Context, IERC20, IERC20Metadata | | | | | |
| L | <Constructor> | Public | | ( NO |
| L | name | Public | | | NO | |
| L | symbol | Public | | NO | |
| L | decimals | Public | | NO | |
| L | totalSupply | Public | | NO | |
| L | balanceOf | Public | | NO | |
| L | transfer | Public | | 🛑 | NO | |
| L | allowance | Public | | NO | |
| L | approve | Public | | | | NO | |
| L | transferFrom | Public | | | NO | |
| L | increaseAllowance | Public | | | NO | |
| L | decreaseAllowance | Public | | ( NO | |
| L | transfer | Internal 🦲 | 🛑 | |
| L | _tokengeneration | Internal 🦲 | 🛑 | |
```




```
| L | _burn | Internal 🦰 | 🛑 | |
| L | _approve | Internal 🦰 | 🛑 | |
| L | _beforeTokenTransfer | Internal 🦰 | 🛑 | |
111111
| **IERC20** | Interface | ||| | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | transfer | External | | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | NO | |
| L | transferFrom | External | | ( NO | |
11/11/1
**IERC20Metadata** | Interface | IERC20 | | |
| L | name | External | | NO | | |
| L | symbol | External | | | NO | |
| L | decimals | External | | NO | |
111111
| **Context** | Implementation | | | | |
| L | _msgSender | Internal 🦰 | | |
| L | msgData | Internal 🦰 | | |
| **SafeMath** | Library | |||
| L | add | Internal 🦰 | | | |
| L | sub | Internal 🦲 | | |
| L | sub | Internal 🦰 | | | |
| L | mul | Internal 🦲 | | |
| L | div | Internal 🦰 | | |
| L | div | Internal 🦰 | | |
| L | mod | Internal 🦰 | | |
| L | mod | Internal 🦰 | | |
| **SafeMathInt** | Library | | | |
| L | div | Internal 🦰 | | | |
| L | sub | Internal 🦰 | | |
| L | add | Internal 🦰 | | |
| L | abs | Internal 🦰 | | | |
| L | toUint256Safe | Internal 🦰 | | |
111111
| **SafeMathUint** | Library | | | |
| L | toInt256Safe | Internal 🦰 | | |
\Pi\Pi\Pi\Pi
```



```
| **DividendPayingTokenInterface** | Interface | | | | | | | |
| L | dividendOf | External | | | NO | |
| L | distributeDividends | External | | | | | NO | |
| | withdrawableDividendOf | External | | NO | |
| | withdrawnDividendOf | External | | NO | |
| | accumulativeDividendOf | External | | | NO | |
\Pi\Pi\Pi\Pi\Pi
| **Ownable** | Implementation | Context | | | |
| L | <Constructor> | Public | | ( NO | |
| L | owner | Public | | NO | |
| L | renounceOwnership | Public | | 🛑 | onlyOwner |
📙 | transferOwnership | Public 🛮 | 🛑 | onlyOwner |
| **IPair** | Interface | | | |
| L | sync | External | | | NO | |
IIIIIII
| **IFactory** | Interface | ||| | |
| L | createPair | External | | | NO | |
| L | getPair | External | | NO | |
\Pi\Pi\Pi\Pi
| **IRouter** | Interface | ||| | | |
| L | factory | External | | | NO | |
| L | WETH | External | | NO | |
| L | addLiquidityETH | External | | III | INO | |
| L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External | | | NO | |
| L | swapExactETHForTokens | External | | III | NO | |
| L | swapExactTokensForETHSupportingFeeOnTransferTokens | External | | | | NO | |
111111
| **IterableMapping** | Library | | | |
| L | get | Internal 🦰 | | |
| L | getIndexOfKey | Internal 🦰 | | |
| L | size | Internal 🦰 | | |
| L | set | Internal 🦰 | 🛑 | |
| L | remove | Internal 🖲 | 🛑 | |
```



#### Legend





## STATIC ANALYSIS

```
Faction Contextipyramelle. _Gonet._init.unchainodi (contracts/Token.sole/2501) is not in mixedicate

**Variable Context/pyramelle. _BC28_init(string,string) (contracts/Token.sole/2501) is not in mixedicate

**Function (BC288pyramelle._BC28_init(string,string) (contracts/Token.sole/2501) is not in mixedicate

**Function (BC288pyramelle._BC28_init(string,string) (contracts/Token.sole/2501) is not in mixedicate

**Function (benefit by the property of the proper
```

Result => A static analysis of contract's source code has been performed using slither,

No major issues were found in the output



# **FUNCTIONAL TESTING**

#### Router (PCS V2):

0xD99D1c33F9fC3444f8101754aBC46c52416550D1

All the functionalities have been tested, no issues were found

#### 1- Adding liquidity (passed):

https://testnet.bscscan.com/tx/0xcb21fb25a5fd96662222a652e1b f7e167f7771aa49ea52fcaeaf575c44b82147

#### 2- Buying when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0x35b0edfaeacb28c3d84043917e 0af35e56020dfd4924c253912f48f60566c54f

#### 3- Selling when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0xbfd55f86ae8bf06c319fcf4b446 7d93789f6c351d16b14c2f1eb18c4adfa2226

### 4- Transferring when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0x3a791c714b245e6cafc42b503b2 3e0a71bd3e3ba7dc616cf07a8d4e5e62d62fd

#### 5- Buying when not excluded (upto 25% tax) (passed):

https://testnet.bscscan.com/tx/0x2ce71e2ea7cae376a966e0cc1ab 685cd790e14c05c1d48f52af62e3a24079fc1

### 6- Selling when not excluded (upto 25% tax) (passed):

https://testnet.bscscan.com/tx/0xd5413e12b0fc45ac79a855f2f5ca3cde6c2ade92b86d3fcfd58e474857a89c8b



# **FUNCTIONAL TESTING**

#### 7- Transferring when not excluded (upto 25% tax) (passed):

https://testnet.bscscan.com/tx/0xb1b01a547bea2c2292339bd5fd9 42a83c402c82e9689a9c9f4fa3d1b40f87030

#### 8- Internal swap (passed):

As can seen in this transaction, marketing wallet received BUSD https://testnet.bscscan.com/address/0xa2da001d772453f7a1d520 148663462ebcbd79b4#tokentxns

#### 9- Auto Liquidity (passed):

https://testnet.bscscan.com/tx/0xd5413e12b0fc45ac79a855f2f5ca3cde6c2ade92b86d3fcfd58e474857a89c8b distributor is sending BUSD to holders (auto distribution)

#### 10- Distribution of rewards (passed):

https://testnet.bscscan.com/token/0x2a07846012568d2f400b05f4707f26ed88d081ec?



## **MANUAL TESTING**

# Contract Generated by Pinksale No Issues Found



# DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



# **ABOUT AUDITACE**

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit\_Ace



https://twitter.com/auditace\_



https://github.com/Audit-Ace