Nama: Hassan Falih

Kelas : 2IA19 NPM : 50421596

1.

```
package main
     import (
         "encoding/json"
         "net/http"
     func main() {
         http.Handle("/", http.FileServer(http.Dir("polymer")))
         http.HandleFunc("/api/mahasiswa", user)
         fmt.Println("web Berjalan dengan port 5020")
         http.ListenAndServe(":5020", nil)
    type lepkom struct {
         Nama string `json:"nama_mahasiswa"`
         Kursus string `json:"kursus_mahasiswa"`
Foto string `json:"foto_mahasiswa"`
     var data_mahasiswa = []lepkom{
             Nama: "Hassan Falih",
             Kursus: "Golang For Beginer",
             Foto: "img/4x6 copy.jpg",
29
     func user(w http.ResponseWriter, r *http.Request) {
         w.Header().Set("Content-type", "application/json")
         if r.Method == http.MethodGet {
             result, err := json.Marshal(data_mahasiswa)
             if err != nil {
                 http.Error(w, err.Error(), http.StatusInternalServerError)
                 return
             w.Write(result)
             return
```

```
Copyright (c) 2016 The Polymer Project Authors. All rights reserved.
The complete set of authors may be found at http://polymer.github.io/AUTHORS.txt
The complete set of contributors may be found at http://polymer.github.io/CONTRIBUTORS.txt
subject to an additional IP rights grant found at http://polymer.github.io/PATENTS.txt
<link rel="import" href="../bower_components/polymer/polymer-element.html">
<link rel="import" href="../bower_components/iron-ajax/iron-ajax.html">
<link rel="import" href="shared-styles.html">
<dom-module id="my-view1">
    <style include="shared-styles">
     :host {
       display: block;
       padding: 10px;
     .card{
      width: 24%;
       display: inline-block;
       overflow: hidden;
      .gambar{
       width: 100%;
       height: 180px;
    <center><h1>Daftar Nama Mahasiswa Kursus Lepkom</h1></center>
    <template is= "dom-repeat" items="[[data]]">
     <div class="card">
       <img src="[[item.foto_mahasiswa]]" alt="gambar">
        Nama : [[item.nama_mahasiswa]]
       Kursus : [[item.kursus_mahasiswa]]
    <iron-ajax</pre>
     auto
      url="/api/mahasiswa"
      handle-as="json"
```

```
method="GET"
      on-response="_handleResponse"
     debounce-duration="300"
   </iron-ajax>
  </template>
 <script>
   class MyView1 extends Polymer.Element {
     static get is() { return 'my-view1'; }
     static get properties(){
       return{
         data : {
           type : Object,
          notify : true,
      _handleResponse(e){
      this.data = e.detail.response
    window.customElements.define(MyView1.is, MyView1);
  </script>
</dom-module>
```

3.

Menu

View One

View Two
View Three

Му Арр

Daftar Nama Mahasiswa Kursus Lepkom

