




KITCHEN EQUIPMENT CONNECTION SCHEDULE											
EQUIPMENT DESCRIPTIONS			ELECTRICAL CHARACTERISTICS				FEEDER	PANEL INFORMATION	NOTES		
TAG	DESCRIPTION	LOAD (KW)	LOAD (AMPS)	VOLTS	PHASE	CONDUIT	PHASE CONDUCTORS	GROUND CONDUCTORS	DISCONNECT	PANEL	
1151	ICE MAKER, CUBER	1.3	10.6	120	1	3/4"	(2)#12	#12	HARDWIRE	NL1B41A	
1153	REFRIGERATOR, REACH IN	0.6	5.2	120	1	3/4"	(2)#12	#12	5-20R	NL1B41A	
1154	REFRIGERATED CASE	2.1	10.1	208	1	3/4"	(2)#12	#12	6-20R	NL1B41A	
1155	OVEN, RAPID COOK	5.0	24.0	208	1	3/4"	(2)#10	#10	6-30R	NL1B41A	
1156	SANDWICH PRESS	5.4	26.0	208	1	3/4"	(2)#8	#8	6-30R	NL1B41A	
1157	BACK COUNTER			120/208	1	3/4"	(2)#12	#12	(2) 5-20R & (1) 6-20R	NL1B41A	
1158	COLD BREW COFFEE DISPENSER	0.1	1.2	120	1	3/4"	(2)#12	#12	5-20R	NL1B41A	
1159	REFRIGERATOR, UNDERCOUNTER	0.3	2.5	120	1	3/4"	(2)#12	#12	5-20R	NL1B41A	
1161	CAFE FRONT COUNTER			120/208	1	3/4"	(2)#12	#12	(2) 5-20R & (1) 6-20R	NL1B41A	
1163	ESPRESSO STEAM TAP	3.0	14.4	208	1	3/4"	(2)#12	#12	6-20R	NL1B41A	
1164	ESPRESSO MACHINE	3.0	14.2	208	1	3/4"	(2)#12	#12	6-20R	NL1B41A	
1165	ESPRESSO GRINDER	0.3	2.9	120	1	3/4"	(2)#12	#12	5-20R	NL1B41A	
1165	ESPRESSO GRINDER	0.3	2.9	120	1	3/4"	(2)#12	#12	5-20R	NL1B41A	
1166	POUR OVER	2.7	13.0	208	1	3/4"	(2)#12	#12	6-20R	NL1B41A	
1167	POS REGISTER	0.2	2.0	120	1	3/4"	(2)#12	#12	5-20R	NL1B41A	DEDICATED
1171	REFRIGERATED CASE	1.8	15.2	120	1	3/4"	(2)#12	#12	5-20R	NL1B41A	



2 ENLARGED POWER PLAN - SOUP STATION

KITCHEN EQUIPMENT CONNECTION SCHEDULE											
	EQUIPMENT DESCRIPTIONS		ELECTRICAL CHARACTE	ERISTICS			FEEDER (PANEL INFORMATION	NOTES		
TAG	DESCRIPTION	LOAD (KW)	LOAD (AMPS)	VOLTS	PHASE	CONDUIT	PHASE CONDUCTORS	GROUND CONDUCTORS	DISCONNECT	PANEL	
2320	SOUP/SALAD SERVING COUNTER W/ SINK			120/208	1	3/4"	(2)#12	#12	(3) 5-20R & (1) 6-20R	NL2B24B	
2325	HOT/COLD PAN, DROP IN	2.0	16.7	120	1	3/4"	(2)#10	#10	L5-30R	NL2B24B	
2326	DISPLAY CASE, REFRIGERATED	1.2	9.9	120	1	3/4"	(2)#12	#12	5-20R	NL2B24B	
2329	POS REGISTER	0.2	2.0	120	1	3/4"	(2)#12	#12	5-20R	NL2B24B	DEDICATED
2330	REFRIGERATED CASE	1.4	12.0	120	1	3/4"	(2)#12	#12	5-20R	NL2B24B	
2332	SANDWICH PRESS	5.4	26.0	208	1	3/4"	(2)#10	#10	6-30R	NL2B24B	
2332	SANDWICH PRESS	5.4	26.0	208	1	3/4"	(2)#10	#10	6-30R	NL2B24B	
2333	HOT HOLDING CABINET	1.0	8.4	120	1	3/4"	(2)#12	#12	5-20R	NL2B24B	
2333	HOT HOLDING CABINET	1.0	8.4	120	1	3/4"	(2)#12	#12	5-20R	NL2B24B	

SHEET NOTES \bigcirc

8000 South Federal Way Boise ID 83707

Gensler

811 SW 6TH AVE SUITE 300 PORTLAND, OR 97204



TEL 971.277.2370

pae-engineers.com

Lumald.com

GENERAL NOTES

- A. REFER TO THE KITCHEN CONSULTANT DOCUMENTS FOR FURTHER DETAILS, NOTES AND ELECTRICAL INSTALLATION INSTRUCTIONS.
- B. ALL RECEPTACLES WITHIN THE KITCHEN AREA SHALL BE GFCI TYPE PER NEC.
- C. PROVIDE CONTROLS INTERLOCK
 CONNECTION BETWEEN THE HOOD
 CONTROL PANEL AND THE HOOD
 EXHAUST FAN STARTER AS
 RECOMMENDED BY THE HOOD
 MANUFACTURER.
- D. PROVIDE CONTROLS INTERLOCK
 CONNECTION BETWEEN THE
 DISHWASHER CONTROL PANEL AND THE
 HOOD EXHAUST FAN STARTER AS
 RECOMMENDED BY THE DISHWASHER
 MANUFACTURER.
- E. FOR EACH PIECE OF HARDWIRED EQUIPMENT, PROVIDE SUITABLE DISCONNECTING MEANS IN ACCESSIBLE, CONCEALED, SEPARATE LOCATION.

F. PROVIDE POWER AND GAS SHUTOFF

FOR EQUIPMENT LOCATED UNDER THE

- G. PROVIDE FIRE ALARM SYSTEM
 MONITORING OF THE HOOD FIRE
- SUPRESSION PANEL.

 H. WELCOME CAFE CIRCUITS FED FROM NL1B41A UNLESS OTHERWISE NOTED.

SOUP STATION CIRCUITS FED FROM NL2B24B UNLESS OTHERWISE NOTED.

Date Description

05/02/2023 PROGRESS SET

12/22/2023 CD PROGRESS SET FOR PERMIT AND

 12/22/2023
 CD PROGRESS SET FOR PERMIT AND PRICING

 02/22/2024
 CD - MEP BID SET

 03/29/2024
 Issue for Permit

 1
 10/11/2024

 ISSSUE FOR CONSTRUCTION

Seal / Signature

oject Name

MICRON BUILDING B42

22-1717

ENLARGED PLANS ELECTRICAL

Scale 1/4" = 1'-0"

E3.006

© 2022 Gensler

City of Boise Stamps