Start Phonecall

POST /a1/Calls

```
from = TestElk
to = +46723175800
voice_start = Hi! This is your message.
whenhangup = http://yourserver/
timeout = 25
```

Response

```
{
    "created": "2016-11-03T15:08:14.609873",
    "direction": "outgoing",
    "from": "+46723175800",
    "id": "c719b1eefbf65b1f89c013e6433dbf537",
    "state": "ongoing",
    "to": "+46723175800"
}
```

List latest 100 Calls

GET /a1/Calls Response

"result": "success"

"direction": "incoming",

"from": "+46723175800",

"duration": 14,

"state": "success",
"to": "+46101994214"

"state": "success",

"to": "+4634090510"

"from": "+46723175800",

"created": "2016-11-03T09:24:24.355000",

"id": "c595183c042b1e43d1c8e79b9fd5cbcab".

"start": "2016-11-03T09:24:24.333000",

"cost": "1500,",

"duration": 15,

"legs": Γ

Get one Call.

GET /a1/Calls/{id}

Response

```
"actions": [
    "connect": "+4634090510",
    "result": "success"
"cost": "1500,",
"created": "2016-11-03T09:24:24.355000",
"direction": "incoming",
"duration": 15.
"from": "+46723175800",
"id": "c595183c042b1e43d1c8e79b9fd5cbcab".
"legs": Γ
    "duration": 14,
    "from": "+46723175800",
    "state": "success".
    "to": "+4634090510"
"start": "2016-11-03T09:24:24.333000",
"state": "success",
"to": "+46101994214"
```

Send MMS

POST /a1/MMS

```
from = TestElk
to = +46723175800
message = Hi! This is your message.
image = http://yourserver/imae.png
```

```
"cost": 12500,
   "created": "2016-11-03T12:44:56.180704",
   "direction": "outgoing",
   "from": "+46766861218",
   "id": "mf3d05c159aa49e1951c5301bc6af1bac",
   "message": "Hej!",
   "owner": "u5a0588130b2bfe9dec437a4df1056d15",
   "to": "+46723175800"
}
```

List latest 100 MMS

GET /a1/MMS

```
Response
   "data": Γ
       "cost": 12500.
       "created": "2016-10-11T13:36:13.081000",
       "direction": "outgoing",
       "from": "Lasse".
       "id": "m70df59406a1b4643b96f3f91e0bfb7b0",
       "imaaes": Γ
         "m70df59406a1b4643b96f3f91e0bfb7b0-i0"
       "message": "This is the message sent to the
       "to": "+46723175800"
       "created": "2016-08-18T09:55:31.116000",
       "direction": "incoming",
       "from": "Martin",
       "id": "m3633fa8e62f823e52fbc67ebf6925ab5",
       "imaaes": Γ
         "m70df59406a1b4643b96f3f91e0bfb7b0-i0"
       "message": "TEst 32423",
       "to": "+46766861475"
```

Get one MMS.

GET /a1/MMS/{id}

Response

Send SMS

POST /a1/SMS

```
from = TestElk
to = +46723175800
message = Hi! This is your message.
whendelivered = http://yourserver/
flashsms = no

Response
{
    "cost": 3500,
    "created": "2016-10-11T13:36:13.081000",
    "direction": "outgoing",
    "from": "Lasse",
    "id": "s70df59406a1b4643b96f3f91e0bfb7b0",
```

"message": "This is the message sent to the phone

List latest 100 SMS

"to": "+46723175800"

GET /a1/SMS

Response

Get one SMS.

GET /a1/SMS/{id}

Response

```
"created": "2016-08-18T09:55:31.116000",
  "direction": "incoming",
  "from": "Martin",
  "id": "s3633fa8e62f823e52fbc67ebf6925ab5",
  "message": "TEst 32423",
  "to": "+46766861475"
}
```

Get image list

GET /a1/images

Response

Get metadata of one image.

GET /a1/images/{id}

```
"bytes": 206210,
"created": "2016-11-03T12:30:18.964000",
"digest": "c7e02bad59c63f8616fda84ac1ef689d017fa9"
"filetype": "jpg",
"id": "m84af96809ff8989f3668c93aaaedb69c-i0",
"mmsid": "m84af96809ff8989f3668c93aaaedb69c"
```

Get image file

GET /a1/images/{id}.ipg

Response

null

Get vour account data

GET /a1/me

Response

```
"balance": 9670500,
"currency": "SEK".
"displayname": "Your name or company",
"email": "help@46elks.com",
"id": "u5a9566c072160b318445d163949bf505".
"mobilenumber": "+46766861004".
"trialactivated": "2013-06-20T18:44:27.434000"
```

Allocate new number for usage in the API.

POST /a1/numbers

```
countrv = se
capabilities = sms,voice
sms_url = http://www.server.com/incommingsms
mms url = http://www.server.com/incommingmms
voice start = http://www.server.com/incommingcall
sms\_replies = yes
```

Response

```
"active": true.
"capabilities": [
  "sms",
  "voice"
"category": "mobile",
"country": "se".
"expires": "2016-12-01T07:52:15",
"id": "n53c05a4e002ae26f790cbaf82b93bc37",
"number": "+46766861475".
"sms_replies": true,
"voice_start": "http://www.server.nu/incommuingco
```

Get all numbers allocated in the API

GET /a1/numbers

```
Response
   "data": [
       "active": true.
       "capabilities": Γ
         "sms",
         "voice"
       "category": "mobile".
       "country": "se",
       "expires": "2016-12-01T07:52:15"
       "id": "n53c05a4e002ae26f790cbaf82b93bc37",
       "number": "+46766861475",
       "sms_replies": true,
       "voice start": "http://www.server.nu/incommu
       "active": true,
       "capabilities": [
         "sms",
         "voice",
         "mms"
       "category": "mobile",
       "country": "se",
       "expires": "2016-12-01T07:52:15",
       "id": "n53c05a4e002ae26f790cbaf82b93bc38".
       "number": "+46766861476".
       "sms url": "http://www.server.nu/incommuinac
```

Change parameters of number

POST /a1/numbers/{id}

```
sms url = http://www.server.com/incommingsms
 voice start = http://www.server.com/incommingcall
 mms url = http://www.server.com/incomminamms
 sms replies = ves
active = ves. (setting this to no is irreversible)
Response
   "active": true,
   "capabilities": Γ
     "sms",
     "voice"
   "category": "mobile",
   "country": "se",
   "expires": "2016-12-01T07:52:15".
   "id": "n53c05a4e002ae26f790cbaf82b93bc37",
   "number": "+46766861475",
   "sms_replies": true,
   "voice_start": "http://www.server.nu/incommuingca
```

Get information about one number.

GET /a1/numbers/{id}

```
"active": true.
"capabilities": Γ
  "sms",
  "voice"
"category": "mobile".
"country": "se",
"expires": "2016-12-01T07:52:15",
"id": "n53c05a4e002ae26f790cbaf82b93bc37".
"number": "+46766861475".
"sms replies": true.
"voice start": "http://www.server.nu/incommuinaca
```

Get list of recordings

GET /a1/recordings

```
Response
```

Get metadata of one recording.

GET /a1/recordings/{id}

Response

```
{
  "created": "2016-02-28T23:54:57.075000",
  "duration": 15,
  "id": "c361e5927d2c4d7dcf71a142dc0ec6d9b-r0"
}
```

Get recodring soundfile.

GET /a1/recordings/{id}.wav

Response

null

Create new subaccount.

POST /a1/subaccounts

```
name = Company XYZ
usagelimit = 3423432400
```

Response

```
"created": "2014-12-08T13:18:07.625000",
"id": "af3d05a159669e1951c5301bc6a61bac",
"name": "This Co2",
"secret": "D81DEF1B65E19A83DBCEA0BE0D89D082",
"usagelimit": 99999999999
```

Get all subaccounts

GET /a1/subaccounts

Response

Update subaccount.

POST /a1/subaccounts/{id}

```
name = Company XYZ
usaaelimit = 3423432400
```

Response

```
{
  "created": "2014-12-08T13:18:07.625000",
  "id": "af3d05a159669e1951c5301bc6a61bac",
  "name": "This Co",
  "secret": "D81DEF1B65E19A83DBCEA0BE0D89D082",
  "usage": 12300,
  "usagelimit": 99999999999
}
```

Get the data about one subaccount.

GET /a1/subaccounts/{id}

```
"created": "2014-12-08T13:18:07.625000",
  "id": "af3d05a159669e1951c5301bc6a61bac",
  "name": "This Co",
  "secret": "D81DEF1B65E19A83DBCEA0BE0D89D082",
  "usage": 12300,
  "usagelimit": 910000
}
```