



University of
St Andrews

CS4099 SENIOR HONOURS PROJECT

Graph matching with Lobsters

MARCH 5, 2018

Supervisor:
Kasim Terzić

Submitted By :
Sizhe Yuen

Declaration

I declare that the material submitted for assessment is my own work except where credit is explicitly given to others by citation or acknowledgement. This work was performed during the current academic year except where otherwise stated.

The main text of this project report is NN,NNN* words long, including project specification and plan.

In submitting this project report to the University of St Andrews, I give permission for it to be made available for use in accordance with the regulations of the University Library. I also give permission for the report to be made available on the Web, for this work to be used in research within the University of St Andrews, and for any software to be released on an open source basis. I retain the copyright in this work, and ownership of any resulting intellectual property.

Abstract

The ability to measure lobsters is important to be able to monitor the size and health of the creatures. By being able to do this task with images and automatically with software, we can aid scientists in this field accomplish their work more quickly. There is currently an existing dataset of images where efforts have been made to determine the size and sex of the lobsters using global features such as total length.

This project aims extend that work by representing images of lobsters as graphs and use graph matching techniques to compare between them. We aim to use these techniques to discover properties of the lobster, for example its age, gender and health. The effectiveness of these techniques will be evaluated against the existing dataset to discover if graph matching is a suitable method for lobster recognition and characterisation. Extensions to this project would be to develop a new algorithm for create graphs rather than using existing ones and to try the same techniques on more complex images with lobsters in their natural environment.

Contents

1	Introduction	4
1.1	Objectives	4
2	Related/existing work	5
2.1	Research	5
2.2	Tools	5
3	Requirements specification	5
4	Graph representation of lobsters	5
4.1	Human pose matching	5
4.2	Graph creation	5
5	Graph matching algorithms	5
5.1	APPAGATO	5
5.2	Graphgrep	5
5.3	Subgraph matching	5
5.4	Introducing errors	5
5.5	Ranking with probabilities	5
6	Interest point detection from images	5
6.1	Feature detection algorithms	5
6.2	Keypoints to graphs	5
7	Evaluation	5
8	Discussion and conclusion	5

1 Introduction

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam, eaque ipsa quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt explicabo. Nemo enim ipsam voluptatem quia voluptas sit aspernatur aut odit aut fugit, sed quia consequuntur magni dolores eos qui ratione voluptatem sequi nesciunt. Neque porro quisquam est, qui dolorem ipsum quia dolor sit amet, consectetur, adipisci velit, sed quia non numquam eius modi tempora incidunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim ad minima veniam, quis nostrum exercitationem ullam corporis suscipit laboriosam, nisi ut aliquid ex ea commodi consequatur? Quis autem vel eum iure reprehenderit qui in ea voluptate velit esse quam nihil molestiae consequatur, vel illum qui dolorem eum fugiat quo voluptas nulla pariatur?

1.1 Objectives

1.1.1 Primary objectives

- Explore and create suitable graph representations for lobsters
- Measure similarity of lobster graphs with existing software
- Automatically detect interest points from images
- Evaluate this method of graph matching on lobsters against the existing dataset

1.1.2 Secondary objectives

- Explore and create suitable graph representations for lobsters
- Measure similarity of lobster graphs with existing software
- Automatically detect interest points from images
- Evaluate this method of graph matching on lobsters against the existing dataset

2	Related/existing work
2.1	Research
2.2	Tools
3	Requirements specification
4	Graph representation of lobsters
4.1	Human pose matching
4.2	Graph creation
5	Graph matching algorithms
5.1	APPAGATO
5.2	Graphgrep
5.3	Subgraph matching
5.4	Introducing errors
5.5	Ranking with probabilities
6	Interest point detection from images
6.1	Feature detection algorithms
6.2	Keypoints to graphs
7	Evaluation
8	Discussion and conclusion