

Table A. Admission evidence

Controlled-prototype comparison


Lifecycle state	Full A/D/U	Native A/D/U	Business access Full / native	Current checks Full / native	First rejection Full / native
A. Legal admission	TBD	TBD	TBD	TBD	TBD
B. Record unconfirmed	TBD	TBD	TBD	TBD	TBD
C. Record confirmed	TBD	TBD	TBD	TBD	TBD

Offline history diagnostics


Policy case	Evidence source	Verifier decision
Eligible recorded history	TBD	TBD
Permitted unrelated history	TBD	TBD
Ineligible launch history	TBD	TBD

Controlled prototype; planned n=3 paired runs per mode. A/D/U = allow/deny/unknown. TBD = data pending. Historical TDX integration is archived separately.


(a) Binding configuration change




(b) Helper freeze



(c) Closure after fault



(d) Receipt at window end




Controlled prototype. Dots: runs; hollow triangles: right-censored closure. Gaps break traces.

Table B. Agent task continuation

Pair	Condition	S1	S2	S3	S4	S5	S6	Readback k / K	Correct continuation	Complete task	Access / continue from re-admission (s)
1	Healthy	TBD	TBD	TBD	TBD	TBD	TBD	TBD	N/A	TBD	N/A
1	Recovery	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
2	Healthy	TBD	TBD	TBD	TBD	TBD	TBD	TBD	N/A	TBD	N/A
2	Recovery	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
3	Healthy	TBD	TBD	TBD	TBD	TBD	TBD	TBD	N/A	TBD	N/A
3	Recovery	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD

C correct; X incorrect; R rejected; T timeout; U unknown; N not dispatched. k/K: verified readback / all confirmed proposals. TBD: data pending.

Controlled prototype with real memory operations. One row per task; all six steps remain visible. Recovery intervals share a start and are not added.



Controlled software path. Dots: runs; lines: medians. Outcomes and resources: Table S2.

Table S1. Identity and evidence reuse

Mode	Window (s)	Node evidence requests	Workload evidence requests	Identity subscriptions	Node SVIDs	Workload SVIDs	New admissions
Full Argus	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Native SPIRE	TBD	TBD	TBD	TBD	TBD	TBD	TBD

Controlled prototype: count evidence-backend requests and distinct SVID serials within each healthy window. These are not hardware Quote counts. TBD is not zero.

Table S2. Supporting cost evidence

Normal access: outcomes and resources

Mode	TLS	Valid / attempted	R / F / T / I	Valid requests/s	CPU (% of one core)	RSS (MiB)
Full	New	TBD	TBD	TBD	TBD	TBD
Full	Reuse	TBD	TBD	TBD	TBD	TBD
Native	New	TBD	TBD	TBD	TBD	TBD
Native	Reuse	TBD	TBD	TBD	TBD	TBD

Full Argus: directly measured intervals

Measured interval	Establishment (ms)	Recovery (ms)
Evidence backend	TBD	TBD
Experiment appraisal	TBD	TBD
Identity delivery	TBD	TBD
Ingress readiness	TBD	TBD
First legal access	TBD	TBD
Deliberate evidence hold	TBD	TBD

Offline history processing

History case	Source	Records	Bytes	Offline verification (ms)
Eligible recorded history	TBD	TBD	TBD	TBD
Permitted unrelated history	TBD	TBD	TBD	TBD
Ineligible launch history	TBD	TBD	TBD	TBD

Controlled software path: median [min, max] of observed runs. R/F/T/I = rejected/failed/timed out/invalid. Experiment-backend costs do not estimate TDX/DCAP costs. Holds and offline timings are separate; intervals are not summed.