

## void pointer in C / C++

A void pointer is a pointer that has no associated data type with it. A void pointer can hold address of any type and can be typecasted to any type.

filter\_none

edit

play\_arrow

brightness\_4

```
int a = 10;
char b = 'x';
```

```
void *p = &a; // void pointer holds address of int 'a'
p = &b; // void pointer holds address of char 'b'
```

### Advantages of void pointers:

1) malloc() and calloc() return void \* type and this allows these functions to be used to allocate memory of any data type (just because of void \*)

filter\_none

edit

play\_arrow

brightness\_4

```
int main(void)
{
    // Note that malloc() returns void * which can be
    // typecasted to any type like int *, char *, ..
    int *x = malloc(sizeof(int) * n);
}
```

Note that the above program compiles in C, but doesn't compile in C++. In C++, we must explicitly typecast return value of malloc to (int \*).

2) void pointers in C are used to implement generic functions in C. For example [compare function which is used in qsort\(\)](#).

### Some Interesting Facts:

1) void pointers cannot be dereferenced. For example the following program doesn't compile.

**Bored of sitting idle at home?**

Special 21

Be a **part** of this **challenge** and stand a **chance to win prizes** worth ₹7500

Get Started



GEEKSFORGEEEKS

### Most popular in C

Hello World Program : First program while learning Programming

C fopen() function with Examples

Introduction to the C99 Programming Language : Part III

C program to count number of vowels and consonants in a String

C/C++ #include directive with Examples

### More related articles in C

How to create GUI in C

Chain of Pointers in C with Examples
Difference between Iterators and Pointers in C/C++ with Examples
Introduction to the C99 Programming Language : Part I
Internal static variable vs. External static variable with Examples in C
Jagged Array or Array of Arrays in C with Examples
Difference between Argument and Parameter in C/C++ with Examples
C/C++ do while loop with Examples
exit(0) vs exit(1) in C/C++ with Examples
C/C++ while loop with Examples
C/C++ if else if ladder with Examples
<complex.h> header file in C with Examples
C/C++ if else statement with Examples
tgamma() method in C/C++ with Examples
C/C++ For loop with Examples

filter\_none  
edit  
play\_arrow  
brightness\_4

```
#include<stdio.h>
int main()
{
    int a = 10;
    void *ptr = &a;
    printf("%d", *ptr);
    return 0;
}
```

Output:

Compiler Error: 'void\*' is not a pointer-to-object type

The following program compiles and runs fine.

filter\_none  
edit  
play\_arrow  
brightness\_4

```
#include<stdio.h>
int main()
{
    int a = 10;
    void *ptr = &a;
    printf("%d", *(int *)ptr);
    return 0;
}
```

Output:

10

2) The C standard doesn't allow pointer arithmetic with void pointers. However, in GNU C it is allowed by considering the size of void is 1. For example the following program compiles and runs fine in gcc.

filter\_none  
edit  
play\_arrow  
brightness\_4

```
#include<stdio.h>
int main()
{
```

programming using GTK Toolkit
Difference between Static variables and Register variables in C
ctype.h(<cctype>) library in C/C++ with Examples
getch() function in C with Examples
Difference between Increment and Decrement Operators

Implicit Type  
Conversion in C with  
Examples

Nested Loops in C  
with Examples

```
int a[2] = {1, 2};
void *ptr = &a;
ptr = ptr + sizeof(int);
printf("%d", *(int *)ptr);
return 0;
}
```

Output:

2

Note that the above program may not work in other compilers.

#### References:

<http://stackoverflow.com/questions/20967868/should-the-compiler-warn-on-pointer-arithmetic-with-a-void-pointer>

<http://stackoverflow.com/questions/692564/concept-of-void-pointer-in-c-programming>

Please write comments if you find anything incorrect, or you want to share more information about the topic discussed above

#### Recommended Posts:

Double Pointer (Pointer to Pointer) in C

How does "void \*" differ in C and C++?

Return from void functions in C++

Dangling, Void , Null and Wild Pointers

What is a Pointer to a Null pointer

Is it fine to write "void main()" or "main()" in C/C++?

Difference between "int main()" and "int main(void)" in C/C++?

'this' pointer in C++

Pointer to an Array | Array Pointer

Opaque Pointer

C++ | this pointer | Question 4

C++ | this pointer | Question 5

A C/C++ Pointer Puzzle

C++ | this pointer | Question 3

C++ | this pointer | Question 2

C C Basics C-Pointers cpp-pointer **Article Tags :**

C Practice Tags :

thumb\_up

☐ To-do ☐ Done

Based on 45 vote(s)

Please write to us at [contribute@geeksforgeeks.org](mailto:contribute@geeksforgeeks.org) to report any issue with the above content.

Previous

[first\\_page](#) Assertions in C/C++

Next

C | Variable Declaration and Scope | [last\\_page](#) Question 8

Writing code in comment? Please use [ide.geeksforgeeks.org](https://ide.geeksforgeeks.org), generate link and share the link here.

Load Comments

GeeksforGeeks  
A computer science portal for geeks

5th Floor, A-118,  
Sector-136, Noida, Uttar Pradesh - 201305  
[feedback@geeksforgeeks.org](mailto:feedback@geeksforgeeks.org)

COMPANY

About Us  
Careers  
Privacy Policy  
Contact Us

LEARN

Algorithms  
Data Structures  
Languages  
CS Subjects  
Video Tutorials

PRACTICE

Courses  
Company-wise  
Topic-wise  
How to begin?

CONTRIBUTE

Write an Article  
Write Interview Experience  
Internships  
Videos



@geeksforgeeks, Some rights reserved