

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Workshop Registration & Confirmation</title>
```

```
  <!--Include QR Code Library via CDN -->
```

```
  <script src="https://cloudflare.com"></script>
```

```
  <style>
```

```
    /*Base styles and variables */
```

```
    :root {
```

```
      --bg-color: #f4f7f6;
```

```
      --card-bg: #ffffff;
```

```
      --text-main: #333333;
```

```
      --text-muted: #7f8c8d;
```

```
      --primary: #3498db;
```

```
      --primary-hover: #2980b9;
```

```
      --success: #2ecc71;
```

```
      --border: #ecf0f1;
```

```
    }
```

```
    body {
```

```
      font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, sans-serif;
```

```
      background-color: var(--bg-color);
```

```
      margin: 0;
```

```
      padding: 40px 20px;
```

```
      color: var(--text-main);
```

```
display: flex;

justify-content: center;

align-items: center;

min-height: 80vh;

}
```

```
.container {

  background: var(--card-bg);

  width: 100%;

  max-width: 450px;

  padding: 35px;

  border-radius: 12px;

  box-shadow: 0 4px 15px rgba(0, 0, 0, 0.08);

  box-sizing: border-box;

}
```

*/*Utility view toggles */*

```
.hidden {

  display: none !important;

}
```

*/*Form view styling */*

```
h2{

  margin-top: 0;

  color: #2c3e50;

  font-size: 24px;

  border-bottom: 2px solid var(--border);

}
```

```
padding-bottom: 10px;  
}
```

```
.form-group {  
    margin-bottom: 20px;  
}
```

```
label {  
    display: block;  
    margin-bottom: 6px;  
    font-weight: 600;  
    font-size: 14px;  
    color: #4f5d73;  
}
```

```
input[type="text"], input[type="email"], select {  
    width: 100%;  
    padding: 11px;  
    border: 1px solid #ccc;  
    border-radius: 6px;  
    box-sizing: border-box;  
    font-size: 15px;  
}
```

```
input:focus, select:focus {  
    border-color: var(--primary);  
    outline: none;
```

```
    box-shadow: 0 0 5px rgba(52, 152, 219, 0.3);  
}
```

```
button {  
    width: 100%;  
    padding: 12px;  
    background-color: var(--primary);  
    border: none;  
    border-radius: 6px;  
    color: white;  
    font-size: 16px;  
    font-weight: bold;  
    cursor: pointer;  
    transition: background 0.2s ease;  
}
```

```
button:hover {  
    background-color: var(--primary-hover);  
}
```

```
.footer-note {  
    text-align: center;  
    margin-top: 15px;  
    font-size: 12px;  
    color: var(--text-muted);  
}
```

/*Ticket confirmation view styling */

```
.success-header {  
    color: var(--success);  
    margin-bottom: 10px;  
    text-align: center;  
}
```

```
.success-p {  
    text-align: center;  
    margin-bottom: 20px;  
}
```

```
.details-box {  
    text-align: left;  
    margin: 20px 0;  
    background: #f9f9f9;  
    padding: 15px;  
    border-radius: 6px;  
    border-left: 4px solid var(--success);  
    font-size: 14px;  
    line-height: 1.6;  
}
```

```
.qr-wrapper {  
    text-align: center;  
    margin: 25px 0;  
}
```

```
.qr-box {  
    display: inline-block;  
    padding: 15px;  
    background: #fff;  
    border: 1px solid #ddd;  
    border-radius: 8px;  
}
```

```
.qr-label {  
    margin: 0 0 10px 0;  
    font-size: 12px;  
    font-weight: bold;  
    color: #666;  
    letter-spacing: 1px;  
}
```

```
#qrcode img {  
    margin: 0 auto;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="container">
```

```
<!-- VIEW 1: REGISTRATION FORM -->
```

```
<div id="formView">
```

<h2>Workshop Registration</h2>

<form id="registrationForm">

<div class="form-group">

<label for="name">Full Name *</label>

<input type="text" id="name" required placeholder="John Doe">

</div>

<div class="form-group">

<label for="email">Email Address *</label>

<input type="email" id="email" required placeholder="john@example.com">

</div>

<div class="form-group">

<label for="company">Company / Institution</label>

<input type="text" id="company" placeholder="Optional">

</div>

<div class="form-group">

<label for="workshop">Select Workshop Session *</label>

<select id="workshop" required>

<option value="" disabled selected>-- Choose a track --</option>

<option value="Advanced Web Architectures">Advanced Web Architectures</option>

<option value="UI/UX Responsive Design Studio">UI/UX Responsive Design
Studio</option>

<option value="Cloud Security Fundamentals">Cloud Security Fundamentals</option>

</select>

</div>

<button type="submit">Complete Registration</button>

</form>

<pclass="footer-note">Your secure check-in pass will generate instantly.</p>

</div>

<!--VIEW 2: CONFIRMATION TICKET -->

<divid="confirmationView" class="hidden">

<h2class="success-header">🎉 Registration Confirmed!</h2>

<pclass="success-p">Your seat has been successfully reserved.</p>

<div class="details-box">

Ticket ID:

Name:

Email:

Session:

</div>

<div class="qr-wrapper">

<div class="qr-box">

<div class="qr-label">SCAN AT ENTRY GATE</div>

<div id="qrcode"></div>

</div>

</div>

<button id="resetBtn" style="background-color: #7f8c8d;">Register Another Person</button>

</div>

</div>


```
<!--APP ENGINE SCRIPT -->
```

```
<script>
```

```
document.addEventListener('DOMContentLoaded', () => {

  const registrationForm = document.getElementById('registrationForm');

  const formView = document.getElementById('formView');

  const confirmationView = document.getElementById('confirmationView');

  const resetBtn = document.getElementById('resetBtn');

  const qrContainer = document.getElementById('qrcode');


  // Initialize variable to hold the live QRCode instance

  let qrCodeInstance = null;


  //Handle Form Submission Lifecycle

  registrationForm.addEventListener('submit', (e) => {

    e.preventDefault();


    // Capture structural values

    const name = document.getElementById('name').value;

    const email = document.getElementById('email').value;

    const company = document.getElementById('company').value || 'N/A';

    const workshop = document.getElementById('workshop').value;


    // Create a unique local tracking identity

    const attendeeId = `WKSHP-${Date.now()}-${Math.floor(Math.random() * 1000)}`;


    // Map data attributes onto the confirmation screen UI fields
```

```
document.getElementById('ticketId').textContent = attendeeId;

document.getElementById('confName').textContent = name;

document.getElementById('confEmail').textContent = email;

document.getElementById('confWorkshop').textContent = workshop;
```

```
// Clean up previous QR representations if they exist
```

```
qrContainer.innerHTML = "";
```

```
//Package targeted verification structural string
```

```
const qrPayload = JSON.stringify({

  id: attendeeId,

  name: name,

  event: workshop

});
```

```
//Generate new QR element node mapping
```

```
qrCodeInstance = new QRCode(qrContainer, {

  text: qrPayload,

  width: 160,

  height: 160,

  colorDark: "#000000",

  colorLight: "#ffffff",

  correctLevel: QRCode.CorrectLevel.H

});
```

```
// Swap functional view panels gracefully
```

```
formView.classList.add('hidden');
```

```
confirmationView.classList.remove('hidden');  
});
```

```
// Handle Form Reset Lifecycle
```

```
resetBtn.addEventListener('click', () => {  
    registrationForm.reset();  
    confirmationView.classList.add('hidden');  
    formView.classList.remove('hidden');  
});
```

```
});
```

```
</script>
```

```
</body>
```

```
</html>
```