











































```
Experiment 'pr2 arms experiment3 arms[SBLkConfigDefault]'
Number of averaged runs: SBL=50, LBKPIECE1=0, KPIECE1=0, RRT=0, RRTConnect=0
Time limit per run: 15.0 seconds
Memory limit per run: 4096.0 MB
Experiment 'pr2 arms experiment3 arms[LBKPIECEkConfigDefault]'
Number of averaged runs: SBL=0, LBKPIECE1=50, KPIECE1=0, RRT=0, RRTConnect=0
Time limit per run: 15.0 seconds
Memory limit per run: 4096.0 MB
Experiment 'pr2_arms_experiment3_arms[KPIECEkConfigDefault]'
Number of averaged runs: SBL=0, LBKPIECE1=0, KPIECE1=50, RRT=0, RRTConnect=0
Time limit per run: 15.0 seconds
Memory limit per run: 4096.0 MB
Experiment 'pr2 arms experiment3 arms[RRTkConfigDefault]'
```

Number of averaged runs: SBL=0, LBKPIECE1=0, KPIECE1=0, RRT=50, RRTConnect=0

 ${\bf Experiment~'pr2\_arms\_experiment3\_arms[RRTConnectkConfigDefault]'}$ 

Time limit per run: 15.0 seconds

Memory limit per run: 4096.0 MB