HTML TABLES

Use Table Elements, Attributes, and Values in Designing Web Pages

Table Elements → Attributes → Formatting

LEARNING OBJECTIVES

By the End of This Lesson, You Will...

01 **Identify** table elements and attributes.

02 **Create** tables with rows and columns.

03 **Apply** table formatting in webpage design.

TODAY'S ROADMAP

Table Elements → Attributes → Formatting

Elements →

The building blocks: <table>, <tr> for rows, <td> for data cells, <th> for header cells.

Attributes →

Extra instructions in the opening tag: colspan, rowspan, border, and more.

Formatting

Using attributes, values, and CSS together to design clear, organized tables.

Basic Table Structure

A table starts with <table>. Each row is a <tr>. Each cell is a <td> (data) or <th> (header).

```
<table>
  <tr>
    <th>Name</th><th>Grade</th>
  </tr>
  <tr>
    <td>Ana</td><td>95</td>
  </tr>
</table>
```

TAG SUMMARY

<table>	Defines the table
<tr>	Defines a table row
<th>	Defines a header cell (bold, centered)
<td>	Defines a standard data cell

Table Attributes & Values

Attribute	Used On	Example Value	What It Does
`border`	`<table>`	`1, 2, 3…`	Adds a visible border (in px)
`colspan`	`<td> / <th>`	`any number`	Merges cells across columns
`rowspan`	`<td> / <th>`	`any number`	Merges cells across rows
`style`	`any tag`	`CSS rules`	Applies custom formatting (color, padding, etc.)

Merging Cells — colspan & rowspan

colspan merges cells across columns (sideways). rowspan merges cells across rows (downward).

```
<tr>
  <th colspan="2">Name</th>
</tr>
<tr>
  <td>Juan</td><td>Cruz</td>
</tr>
```

colspan="2" makes one header stretch across two columns.

ROWSPAN EXAMPLE

```
<tr>
  <td rowspan="2">Morning</td>
  <td>Math</td>
</tr>
<tr>
  <td>Science</td>
</tr>
```

rowspan="2" makes "Morning" stretch down two rows.

Table Formatting with CSS

Modern tables are styled with CSS instead of old HTML attributes like bgcolor or cellpadding.

```
table {
  width: 100%;
  border-collapse: collapse;
}
th, td {
  border: 1px solid #ccc;
  padding: 8px;
}
```

COMMON CSS PROPERTIES

`border-collapse`	Merges double borders into one
`padding`	Adds space inside each cell
`text-align`	Aligns text left, center, or right
`background-color`	Colors a row, cell, or header

Warm-Up: Name That Tag

Look at each description. Students shout the correct table tag.

The container that holds the whole table	`<table>`
Defines a single row in a table	`<tr>`
Defines a bold, centered header cell	`<th>`
Defines a regular data cell	`<td>`
Merges a cell across two columns	`colspan="2"`

ACTIVITY 6 · 20 MIN

Group Challenge: Webpage Table Design

In groups of 3–4, choose ONE table to design: **a class schedule, a price list/menu, a sports tournament bracket, or a grade summary sheet.**

YOUR TABLE MUST INCLUDE

- ○ At least one row of <th> header cells
- ○ At least 3 rows and 3 columns of <td> data
- ○ One use of colspan OR rowspan to merge cells
- ○ Basic CSS styling applied (border, padding, or background-color)

ACTIVITY 6 · SCORING

Design Challenge Rubric — 20 Points

8	**Correct Table Structure**	table, tr, th, and td used correctly with no broken tags
6	**Attribute Use**	colspan, rowspan, or styling applied purposefully
4	**Layout & Clarity**	Table is organized, readable, and fits its real-world purpose
2	**Teamwork & Time**	Task completed on time, all members contributed

GREAT WORK, WEB DESIGNERS!

Tables organize data. Attributes and formatting make that data clear.