


# SCUD Facility



DESCRIPTION OF THE DESIRED POINTS OF IMPACT WITH WPN TYPE:

N 68 04.798 E 034 07.352, - 865 ft - SRNTGT089 A-1: Rocket propellant storage

N 68 04.785 E 034 07.389, - 865 ft - SRNTGT089 A-2: Rocket propellant storage


N 68 04.730 E 034 07.576, - 865 ft - SRNTGT089 B: Headquarter

N 68 04.778 E 034 07.248, - 865 ft - SRNTGT089 C: Repair facility

N 68 04.805 E 034 07.309, - 865 ft - SRNTGT089 D: Storage Facility



## SRNTGT089 SCUD Facility



SRNTGT089 **A-1**: Rocket propellant storage  
At least 1x 1,000 lbs advised

SRNTGT089 **A-2**: Rocket propellant storage  
At least 1x 1,000 lbs advised

SRNTGT089 **B**: Headquarter  
Light office building for command staff, 1x500 lbs weapon sufficient

SRNTGT089 **C**: Repair facility  
The actual target is the facility's crane structure –  
1x1,000lbs weapon is sufficient

SRNTGT089 **D**: Storage Facility  
Hard concrete structure with basement as target –  
1x2,000lbs class weapon advised, possible effectiveness  
with 2x1,000 lbs.


### DESCRIPTION OF THE DESIRED POINTS OF IMPACT WITH WPN TYPE:

N 68 04.798 E 034 07.352, - 865 ft - SRNTGT089 **A-1**: Rocket propellant storage  
N 68 04.785 E 034 07.389, - 865 ft - SRNTGT089 **A-2**: Rocket propellant storage  
N 68 04.730 E 034 07.576, - 865 ft - SRNTGT089 **B**: Headquarter  
N 68 04.778 E 034 07.248, - 865 ft - SRNTGT089 **C**: Repair facility  
N 68 04.805 E 034 07.309, - 865 ft - SRNTGT089 **D**: Storage Facility





## SRNTGT089 SCUD Facility



### SECONDARY IMPLICATION

In event of TGP attack, secondary is to recon the nearby launch pads to the south-east and further south