
TARGET FOLDER

TRMATGT004

TROMSØ Airfield, REDLAND

TROMSØ Airfield, REDLAND
JOINT OPERATIONS GRAPHIC 1/1

BE: TRMATGT004 CATCODE: 3
MIDB GEO: N69˚40.800 E018˚55.800
ICOD: 2011-JUL-06 DOI:2011-JUL-06



TRMA CLASSIFIED
REL TO 132nd

DECL ON: 2061-JUL-06

TROMSØ Airfield
TRMATGT004

TROMSØ Airfield, REDLAND
FACILITY OUTLINE GRAPHIC 1/1

BE: TRMATGT004 CATCODE: 3
MIDB GEO: N69˚40.800 E018˚55.800
ICOD: 2011-JUL-06 DOI:2011-JUL-06



TRMA CLASSIFIED
REL TO 132nd

DECL ON: 2061-JUL-06

N

TROMSØ Airfield
TRMATGT004

TROMSØ Airfield, REDLAND

DESIRED POINT OF IMPACT GRAPHIC 1/1

BE: TRMATGT004 CATCODE: 3
MIDB GEO: N69˚40.800 E018˚55.800
ICOD: 2011-JUL-06 DOI:2011-JUL-06



TRMA CLASSIFIED
REL TO 132nd

DECL ON: 2061-JUL-06

DPI: A
INTELLIGENCE OFFICE
N69 41.060 E018 54.587
DPI MSL:22FT

DPI: B
SQUADRON BUILDING
N69 41.086 E018 54.737
DPI MSL:21FT

DPI: C
RUNWAY
N69 41.244 E018 55.294
DPI MSL: 18 FT


DPI: D
RUNWAY
N69 40.981 E018 55.117
DPI MSL: 22 FT

N

TROMSØ Airfield, REDLAND

DESIRED POINT OF IMPACT GRAPHIC 1/1

BE: TRMATGT004 CATCODE: 3
MIDB GEO: N69˚40.800 E018˚55.800
ICOD: 2011-JUL-06 DOI:2011-JUL-06



TRMA CLASSIFIED
REL TO 132nd

DECL ON: 2061-JUL-06


DPI: A
INTELLIGENCE OFFICE
N69 41.060 E018 54.587
DPI MSL:22FT

DPI: B
SQUADRON BUILDING
N69 41.086 E018 54.737
DPI MSL:21FT

N

TROMSØ Airfield, REDLAND
WEAPONEERING OPTIONS 1/1

BE: TRMATGT004 CATCODE: 3
MIDB GEO: N69˚40.800 E018˚55.800
ICOD: 2011-JUL-06 DOI:2011-JUL-06



TRMA CLASSIFIED
REL TO 132nd

DECL ON: 2061-JUL-06

JDPI	DESCRIPTION	TLE	WARHEAD	GUIDANCE	DESIRED EFFECT	IMPACT ANGLE	FUZING
A	INTELLIGENCE OFFICE	CAT 2	500 lbs	METRIC	BLAST, FRAGMENTATION	N/A	0MS
B	SQUADRON BUILDING	CAT 2	500 lbs	METRIC	BLAST, FRAGMENTATION	N/A	0MS
C	RUNWAY	CAT 2	500 lbs	METRIC	BLAST, FRAGMENTATION	N/A	0MS
D	RUNWAY	CAT 2	500 lbs	METRIC	BLAST, FRAGMENTATION	N/A	0MS


TROMSØ Airfield, REDLAND
COLLATERAL DAMAGE ESTIMATION GRAPHIC [X]

BE: TRMATGT004 CATCODE: 3
MIDB GEO: N69˚40.800 E018˚55.800
ICOD: 2011-JUL-06 DOI:2011-JUL-06



TRMA CLASSIFIED
REL TO 132nd


DECL ON: 2061-JUL-06



CDE 2 (FAH 055˚-125˚ or 260˚-350˚), No cluster munition

TROMSØ Airfield, REDLAND
COLLATERAL DAMAGES ESTIMATION 1/1

BE: TRMATGT004 CATCODE: 3
MIDB GEO: N69˚40.800 E018˚55.800
ICOD: 2011-JUL-06 DOI:2011-JUL-06



TRMA CLASSIFIED
REL TO 132nd

DECL ON: 2061-JUL-06

COLLATERAL DAMAGES WITHIN A 500M RADIUS

DESCRIPTION	CATCODE	MIDB GEOS	LOCATION	REMARKS
ATC TOWER	14		300ft S of DPI A	Dual-use ATC Tower
Civilian Storage	14		400ft S of DPI A	Civilian airline storage

NO STRIKE ENTITIES WITHIN A 500M RADIUS

NSE ID	DESCRIPTION	CATCODE	MIDB GEOS	LOCATION	REMARKS