




# OPARTGT022 Vehicle Factory



-DESCRIPTION OF THE DESIRED POINTS OF IMPACT WITH WPN TYPE:

OPARTGT022A – Production Plant

DPI 1 – N35 58.066 E 039 00.627/807ft /1000 lbs bomb

DPI 2 – N35 58.067 E 039 00.652/806ft /1000 lbs bomb

OPARTGT022B – Assembly Hall

DPI 3 – N35 58.085 E 039 00.686/812ft/ 1000 lbs bomb

DPI 4 – N35 58.070 E 039 00.687/807ft/ 1000 lbs bomb

OPARTGT022C – Assembly Hall

DPI 5 – N35 58.085 E 039 00.716/811ft/ 500 lbs bomb

DPI 6 – N35 58.073 E 039 00.718/806ft/ 500 lbs bomb

- Flammables filled siloses
- residential districts surrounding the OPARTGT022



# OPARTGT022 Vehicle Factory



DESCRIPTION OF THE DESIRED POINTS OF IMPACT WITH WPN TYPE:

OPARTGT022A – Production Plant

DPI 1 – N35 58.066 E 039 00.627/807ft /GBU-32/GBU-16

DPI 2 – N35 58.067 E 039 00.652/806ft /GBU-32/GBU-16

OPARTGT022B – Assembly Hall

DPI 3 – N35 58.085 E 039 00.686/812ft/ GBU-32/GBU-16

DPI 4 – N35 58.070 E 039 00.687/807ft/ GBU-32/GBU-16

OPARTGT022C – Assembly Hall

DPI 5 – N35 58.085 E 039 00.716/811ft/ GBU-38/GBU-12

DPI 6 – N35 58.073 E 039 00.718/806ft/ GBU-38/GBU-12

- Flammables filled siloses
- residential districts surrounding the OPARTGT022





# OPARTGT022 CDC

## COLLATERAL DAMAGE CONCERN (CDC)

- 9x Siloses filled with flammables.
- Residential districts surround the OPARTGT022

