1.1 ./Platform.Data.Doublets/Decorators/LinksCascadeUniquenessAndUsagesResolver.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    public class LinksCascadeUniquenessAndUsagesResolver<TLink> : LinksUniquenessResolver<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksCascadeUniquenessAndUsagesResolver(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink ResolveAddressChangeConflict(TLink oldLinkAddress, TLink
        ↪  newLinkAddress)
        {
            // Use Facade (the last decorator) to ensure recursion working correctly
            Facade.MergeUsages(oldLinkAddress, newLinkAddress);
            return base.ResolveAddressChangeConflict(oldLinkAddress, newLinkAddress);
        }
    }
}
```

1.2 ./Platform.Data.Doublets/Decorators/LinksCascadeUsagesResolver.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    /// <remarks>
    /// <para>Must be used in conjunction with NonNullContentsLinkDeletionResolver.</para>
    /// <para>Должен использоваться вместе с NonNullContentsLinkDeletionResolver.</para>
    /// </remarks>
    public class LinksCascadeUsagesResolver<TLink> : LinksDecoratorBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksCascadeUsagesResolver(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override void Delete(IList<TLink> restrictions)
        {
            var linkIndex = restrictions[Constants.IndexPart];
            // Use Facade (the last decorator) to ensure recursion working correctly
            Facade.DeleteAllUsages(linkIndex);
            Links.Delete(linkIndex);
        }
    }
}
```

1.3 ./Platform.Data.Doublets/Decorators/LinksDecoratorBase.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    public abstract class LinksDecoratorBase<TLink> : LinksOperatorBase<TLink>, ILinks<TLink>
    {
        private ILinks<TLink> _facade;

        public LinksConstants<TLink> Constants
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
        }

        public ILinks<TLink> Facade
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get => _facade;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set
            {
                _facade = value;
```

```
                if (Links is LinksDecoratorBase<TLink> decorator)
                {
                    decorator.Facade = value;
                }
                else if (Links is LinksDisposableDecoratorBase<TLink> disposableDecorator)
                {
                    disposableDecorator.Facade = value;
                }
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected LinksDecoratorBase(ILinks<TLink> links) : base(links)
        {
            Constants = links.Constants;
            Facade = this;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Count(IList<TLink> restrictions) => Links.Count(restrictions);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
        ↪  => Links.Each(handler, restrictions);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Create(IList<TLink> restrictions) => Links.Create(restrictions);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Update(IList<TLink> restrictions, IList<TLink> substitution) =>
        ↪  Links.Update(restrictions, substitution);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual void Delete(IList<TLink> restrictions) => Links.Delete(restrictions);
    }
}
```

1.4 ./Platform.Data.Doublets/Decorators/LinksDisposableDecoratorBase.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Disposables;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    public abstract class LinksDisposableDecoratorBase<TLink> : DisposableBase, ILinks<TLink>
    {
        private ILinks<TLink> _facade;

        public LinksConstants<TLink> Constants
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
        }

        public ILinks<TLink> Links
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
        }

        public ILinks<TLink> Facade
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get => _facade;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set
            {
                _facade = value;
                if (Links is LinksDecoratorBase<TLink> decorator)
                {
                    decorator.Facade = value;
                }
                else if (Links is LinksDisposableDecoratorBase<TLink> disposableDecorator)
                {
                    disposableDecorator.Facade = value;
                }
            }
```

```
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected LinksDisposableDecoratorBase(ILinks<TLink> links)
        {
            Links = links;
            Constants = links.Constants;
            Facade = this;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Count(IList<TLink> restrictions) => Links.Count(restrictions);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
        ↪  => Links.Each(handler, restrictions);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Create(IList<TLink> restrictions) => Links.Create(restrictions);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Update(IList<TLink> restrictions, IList<TLink> substitution) =>
        ↪  Links.Update(restrictions, substitution);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual void Delete(IList<TLink> restrictions) => Links.Delete(restrictions);

        protected override bool AllowMultipleDisposeCalls
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get => true;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void Dispose(bool manual, bool wasDisposed)
        {
            if (!wasDisposed)
            {
                Links.DisposeIfPossible();
            }
        }
    }
}
```

1.5 ./Platform.Data.Doublets/Decorators/LinksInnerReferenceExistenceValidator.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    // TODO: Make LinksExternalReferenceValidator. A layer that checks each link to exist or to
    ↪  be external (hybrid link's raw number).
    public class LinksInnerReferenceExistenceValidator<TLink> : LinksDecoratorBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksInnerReferenceExistenceValidator(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
        {
            Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
            return Links.Each(handler, restrictions);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
        {
            // TODO: Possible values: null, ExistentLink or NonExistentHybrid(ExternalReference)
            Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
            Links.EnsureInnerReferenceExists(substitution, nameof(substitution));
            return Links.Update(restrictions, substitution);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override void Delete(IList<TLink> restrictions)
        {
```

```
            var link = restrictions[Constants.IndexPart];
            Links.EnsureLinkExists(link, nameof(link));
            Links.Delete(link);
        }
    }
}
```

1.6 ./Platform.Data.Doublets/Decorators/LinksItselfConstantToSelfReferenceResolver.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    public class LinksItselfConstantToSelfReferenceResolver<TLink> : LinksDecoratorBase<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksItselfConstantToSelfReferenceResolver(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
        {
            var constants = Constants;
            var itselfConstant = constants.Itself;
            var indexPartConstant = constants.IndexPart;
            var sourcePartConstant = constants.SourcePart;
            var targetPartConstant = constants.TargetPart;
            var restrictionsCount = restrictions.Count;
            if (!_equalityComparer.Equals(constants.Any, itselfConstant)
             && (((restrictionsCount > indexPartConstant) &&
              ↪  _equalityComparer.Equals(restrictions[indexPartConstant], itselfConstant))
              || ((restrictionsCount > sourcePartConstant) &&
              ↪  _equalityComparer.Equals(restrictions[sourcePartConstant], itselfConstant))
              || ((restrictionsCount > targetPartConstant) &&
              ↪  _equalityComparer.Equals(restrictions[targetPartConstant], itselfConstant))))
            {
                // Itself constant is not supported for Each method right now, skipping execution
                return constants.Continue;
            }
            return Links.Each(handler, restrictions);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution) =>
        ↪  Links.Update(restrictions, Links.ResolveConstantAsSelfReference(Constants.Itself,
        ↪  restrictions, substitution));
    }
}
```

1.7 ./Platform.Data.Doublets/Decorators/LinksNonExistentDependenciesCreator.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    /// <remarks>
    /// Not practical if newSource and newTarget are too big.
    /// To be able to use practical version we should allow to create link at any specific
    ↪  location inside ResizableDirectMemoryLinks.
    /// This in turn will require to implement not a list of empty links, but a list of ranges
    ↪  to store it more efficiently.
    /// </remarks>
    public class LinksNonExistentDependenciesCreator<TLink> : LinksDecoratorBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksNonExistentDependenciesCreator(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
        {
            var constants = Constants;
            Links.EnsureCreated(substitution[constants.SourcePart],
            ↪  substitution[constants.TargetPart]);
```

```
            return Links.Update(restrictions, substitution);
        }
    }
}
```

1.8 ./Platform.Data.Doublets/Decorators/LinksNullConstantToSelfReferenceResolver.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    public class LinksNullConstantToSelfReferenceResolver<TLink> : LinksDecoratorBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksNullConstantToSelfReferenceResolver(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Create(IList<TLink> restrictions) => Links.CreatePoint();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution) =>
        ↪ Links.Update(restrictions, Links.ResolveConstantAsSelfReference(Constants.Null,
        ↪ restrictions, substitution));
    }
}
```

1.9 ./Platform.Data.Doublets/Decorators/LinksUniquenessResolver.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    public class LinksUniquenessResolver<TLink> : LinksDecoratorBase<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksUniquenessResolver(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
        {
            var constants = Constants;
            var newLinkAddress = Links.SearchOrDefault(substitution[constants.SourcePart],
            ↪ substitution[constants.TargetPart]);
            if (_equalityComparer.Equals(newLinkAddress, default))
            {
                return Links.Update(restrictions, substitution);
            }
            return ResolveAddressChangeConflict(restrictions[constants.IndexPart],
            ↪ newLinkAddress);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual TLink ResolveAddressChangeConflict(TLink oldLinkAddress, TLink
        ↪ newLinkAddress)
        {
            if (!_equalityComparer.Equals(oldLinkAddress, newLinkAddress) &&
            ↪ Links.Exists(oldLinkAddress))
            {
                Facade.Delete(oldLinkAddress);
            }
            return newLinkAddress;
        }
    }
}
```

1.10 ./Platform.Data.Doublets/Decorators/LinksUniquenessValidator.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

```

```
6  namespace Platform.Data.Doublets.Decorators
7  {
8      public class LinksUniquenessValidator<TLink> : LinksDecoratorBase<TLink>
9      {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public LinksUniquenessValidator(ILinks<TLink> links) : base(links) { }
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
15         {
16             Links.EnsureDoesNotExists(substitution[Constants.SourcePart],
               ↪  substitution[Constants.TargetPart]);
17             return Links.Update(restrictions, substitution);
18         }
19     }
20 }
```

1.11 ./Platform.Data.Doublets/Decorators/LinksUsagesValidator.cs

```
1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Decorators
7  {
8      public class LinksUsagesValidator<TLink> : LinksDecoratorBase<TLink>
9      {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public LinksUsagesValidator(ILinks<TLink> links) : base(links) { }
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
15         {
16             Links.EnsureNoUsages(restrictions[Constants.IndexPart]);
17             return Links.Update(restrictions, substitution);
18         }
19
20         [MethodImpl(MethodImplOptions.AggressiveInlining)]
21         public override void Delete(IList<TLink> restrictions)
22         {
23             var link = restrictions[Constants.IndexPart];
24             Links.EnsureNoUsages(link);
25             Links.Delete(link);
26         }
27     }
28 }
```

1.12 ./Platform.Data.Doublets/Decorators/NonNullContentsLinkDeletionResolver.cs

```
1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Decorators
7  {
8      public class NonNullContentsLinkDeletionResolver<TLink> : LinksDecoratorBase<TLink>
9      {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public NonNullContentsLinkDeletionResolver(ILinks<TLink> links) : base(links) { }
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public override void Delete(IList<TLink> restrictions)
15         {
16             var linkIndex = restrictions[Constants.IndexPart];
17             Links.EnforceResetValues(linkIndex);
18             Links.Delete(linkIndex);
19         }
20     }
21 }
```

1.13 ./Platform.Data.Doublets/Decorators/UInt64Links.cs

```
1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Decorators
7  {
8      /// <summary>
```

```
9       /// Представляет объект для работы с базой данных (файлом) в формате Links (массива связей).
10      /// </summary>
11      /// <remarks>
12      /// Возможные оптимизации:
13      /// Объединение в одном поле Source и Target с уменьшением до 32 бит.
14      ///     + меньше объём БД
15      ///     - меньше производительность
16      ///     - больше ограничение на количество связей в БД)
17      /// Ленивое хранение размеров поддеревьев (расчитываемое по мере использования БД)
18      ///     + меньше объём БД
19      ///     - больше сложность
20      ///
21      /// Текущее теоретическое ограничение на индекс связи, из-за использования 5 бит в размере
        ↪  поддеревьев для AVL баланса и флагов нитей: 2 в степени(64 минус 5 равно 59 ) равно 576
        ↪  460 752 303 423 488
22      /// Желательно реализовать поддержку переключения между деревьями и битовыми индексами
        ↪  (битовыми строками) - вариант матрицы (выстраеваемой лениво).
23      ///
24      /// Решить отключать ли проверки при компиляции под Release. Т.е. исключения будут
        ↪  выбрасываться только при #if DEBUG
25      /// </remarks>
26      public class UInt64Links : LinksDisposableDecoratorBase<ulong>
27      {
28          [MethodImpl(MethodImplOptions.AggressiveInlining)]
29          public UInt64Links(ILinks<ulong> links) : base(links) { }
30
31          [MethodImpl(MethodImplOptions.AggressiveInlining)]
32          public override ulong Create(IList<ulong> restrictions) => Links.CreatePoint();
33
34          [MethodImpl(MethodImplOptions.AggressiveInlining)]
35          public override ulong Update(IList<ulong> restrictions, IList<ulong> substitution)
36          {
37              var constants = Constants;
38              var indexPartConstant = constants.IndexPart;
39              var sourcePartConstant = constants.SourcePart;
40              var targetPartConstant = constants.TargetPart;
41              var nullConstant = constants.Null;
42              var itselfConstant = constants.Itself;
43              var existedLink = nullConstant;
44              var updatedLink = restrictions[indexPartConstant];
45              var newSource = substitution[sourcePartConstant];
46              var newTarget = substitution[targetPartConstant];
47              if (newSource != itselfConstant && newTarget != itselfConstant)
48              {
49                  existedLink = Links.SearchOrDefault(newSource, newTarget);
50              }
51              if (existedLink == nullConstant)
52              {
53                  var before = Links.GetLink(updatedLink);
54                  if (before[sourcePartConstant] != newSource || before[targetPartConstant] !=
                    ↪  newTarget)
55                  {
56                      Links.Update(updatedLink, newSource == itselfConstant ? updatedLink :
                        ↪  newSource,
57                                               newTarget == itselfConstant ? updatedLink :
                                                 ↪  newTarget);
58                  }
59                  return updatedLink;
60              }
61              else
62              {
63                  return Facade.MergeAndDelete(updatedLink, existedLink);
64              }
65          }
66
67          [MethodImpl(MethodImplOptions.AggressiveInlining)]
68          public override void Delete(IList<ulong> restrictions)
69          {
70              var linkIndex = restrictions[Constants.IndexPart];
71              Links.EnforceResetValues(linkIndex);
72              Facade.DeleteAllUsages(linkIndex);
73              Links.Delete(linkIndex);
74          }
75      }
76  }
```

1.14 ./Platform.Data.Doublets/Decorators/UniLinks.cs

```
1   using System;
2   using System.Collections.Generic;
```

```
using System.Linq;
using Platform.Collections;
using Platform.Collections.Lists;
using Platform.Data.Universal;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    /// <remarks>
    /// What does empty pattern (for condition or substitution) mean? Nothing or Everything?
    /// Now we go with nothing. And nothing is something one, but empty, and cannot be changed by itself. But can cause creation (update from nothing) or deletion (update to nothing).
    ///
    /// TODO: Decide to change to IDoubletLinks or not to change. (Better to create DefaultUniLinksBase, that contains logic itself and can be implemented using both IDoubletLinks and ILinks.)
    /// </remarks>
    internal class UniLinks<TLink> : LinksDecoratorBase<TLink>, IUniLinks<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer = EqualityComparer<TLink>.Default;

        public UniLinks(ILinks<TLink> links) : base(links) { }

        private struct Transition
        {
            public IList<TLink> Before;
            public IList<TLink> After;

            public Transition(IList<TLink> before, IList<TLink> after)
            {
                Before = before;
                After = after;
            }
        }

        //public static readonly TLink NullConstant = Use<LinksConstants<TLink>>.Single.Null;
        //public static readonly IReadOnlyList<TLink> NullLink = new ReadOnlyCollection<TLink>(new List<TLink> { NullConstant, NullConstant, NullConstant });

        // TODO: Подумать о том, как реализовать древовидный Restriction и Substitution (Links-Expression)
        public TLink Trigger(IList<TLink> restriction, Func<IList<TLink>, IList<TLink>, TLink> matchedHandler, IList<TLink> substitution, Func<IList<TLink>, IList<TLink>, TLink> substitutedHandler)
        {
            ////List<Transition> transitions = null;
            ////if (!restriction.IsNullOrEmpty())
            ////{
            ////    // Есть причина делать проход (чтение)
            ////    if (matchedHandler != null)
            ////    {
            ////        if (!substitution.IsNullOrEmpty())
            ////        {
            ////            // restriction => { 0, 0, 0 } | { 0 } // Create
            ////            // substitution => { itself, 0, 0 } | { itself, itself, itself } // Create / Update
            ////            // substitution => { 0, 0, 0 } | { 0 } // Delete
            ////            transitions = new List<Transition>();
            ////            if (Equals(substitution[Constants.IndexPart], Constants.Null))
            ////            {
            ////                // If index is Null, that means we always ignore every other value (they are also Null by definition)
            ////                var matchDecision = matchedHandler(, NullLink);
            ////                if (Equals(matchDecision, Constants.Break))
            ////                    return false;
            ////                if (!Equals(matchDecision, Constants.Skip))
            ////                    transitions.Add(new Transition(matchedLink, newValue));
            ////            }
            ////            else
            ////            {
            ////                Func<T, bool> handler;
            ////                handler = link =>
            ////                {
            ////                    var matchedLink = Memory.GetLinkValue(link);
            ////                    var newValue = Memory.GetLinkValue(link);
            ////                    newValue[Constants.IndexPart] = Constants.Itself;
```

```
71              ////                    newValue[Constants.SourcePart] =
                ↪  Equals(substitution[Constants.SourcePart], Constants.Itself) ?
                ↪  matchedLink[Constants.IndexPart] : substitution[Constants.SourcePart];
72              ////                    newValue[Constants.TargetPart] =
                ↪  Equals(substitution[Constants.TargetPart], Constants.Itself) ?
                ↪  matchedLink[Constants.IndexPart] : substitution[Constants.TargetPart];
73              ////                    var matchDecision = matchedHandler(matchedLink, newValue);
74              ////                    if (Equals(matchDecision, Constants.Break))
75              ////                        return false;
76              ////                    if (!Equals(matchDecision, Constants.Skip))
77              ////                        transitions.Add(new Transition(matchedLink, newValue));
78              ////                    return true;
79              ////                };
80              ////                if (!Memory.Each(handler, restriction))
81              ////                    return Constants.Break;
82              ////            }
83              ////        }
84              ////        else
85              ////        {
86              ////            Func<T, bool> handler = link =>
87              ////            {
88              ////                var matchedLink = Memory.GetLinkValue(link);
89              ////                var matchDecision = matchedHandler(matchedLink, matchedLink);
90              ////                return !Equals(matchDecision, Constants.Break);
91              ////            };
92              ////            if (!Memory.Each(handler, restriction))
93              ////                return Constants.Break;
94              ////        }
95              ////    }
96              ////    else
97              ////    {
98              ////        if (substitution != null)
99              ////        {
100             ////            transitions = new List<IList<T>>();
101             ////            Func<T, bool> handler = link =>
102             ////            {
103             ////                var matchedLink = Memory.GetLinkValue(link);
104             ////                transitions.Add(matchedLink);
105             ////                return true;
106             ////            };
107             ////            if (!Memory.Each(handler, restriction))
108             ////                return Constants.Break;
109             ////        }
110             ////        else
111             ////        {
112             ////            return Constants.Continue;
113             ////        }
114             ////    }
115             ////}
116             ////if (substitution != null)
117             ////{
118             ////    // Есть причина делать замену (запись)
119             ////    if (substitutedHandler != null)
120             ////    {
121             ////    }
122             ////    else
123             ////    {
124             ////    }
125             ////}
126             ////return Constants.Continue;
127
128             //if (restriction.IsNullOrEmpty()) // Create
129             //{
130             //    substitution[Constants.IndexPart] = Memory.AllocateLink();
131             //    Memory.SetLinkValue(substitution);
132             //}
133             //else if (substitution.IsNullOrEmpty()) // Delete
134             //{
135             //    Memory.FreeLink(restriction[Constants.IndexPart]);
136             //}
137             //else if (restriction.EqualTo(substitution)) // Read or ("repeat" the state) // Each
138             //{
139             //    // No need to collect links to list
140             //    // Skip == Continue
141             //    // No need to check substituedHandler
142             //    if (!Memory.Each(link => !Equals(matchedHandler(Memory.GetLinkValue(link)),
                ↪  Constants.Break), restriction))
```

```
143             //        return Constants.Break;
144             //}
145             //else // Update
146             //{
147             //    //List<IList<T>> matchedLinks = null;
148             //    if (matchedHandler != null)
149             //    {
150             //        matchedLinks = new List<IList<T>>();
151             //        Func<T, bool> handler = link =>
152             //        {
153             //            var matchedLink = Memory.GetLinkValue(link);
154             //            var matchDecision = matchedHandler(matchedLink);
155             //            if (Equals(matchDecision, Constants.Break))
156             //                return false;
157             //            if (!Equals(matchDecision, Constants.Skip))
158             //                matchedLinks.Add(matchedLink);
159             //            return true;
160             //        };
161             //        if (!Memory.Each(handler, restriction))
162             //            return Constants.Break;
163             //    }
164             //    if (!matchedLinks.IsNullOrEmpty())
165             //    {
166             //        var totalMatchedLinks = matchedLinks.Count;
167             //        for (var i = 0; i < totalMatchedLinks; i++)
168             //        {
169             //            var matchedLink = matchedLinks[i];
170             //            if (substitutedHandler != null)
171             //            {
172             //                var newValue = new List<T>(); // TODO: Prepare value to update here
173             //                // TODO: Decide is it actually needed to use Before and After
                ↪  substitution handling.
174             //                var substitutedDecision = substitutedHandler(matchedLink,
                ↪  newValue);
175             //                if (Equals(substitutedDecision, Constants.Break))
176             //                    return Constants.Break;
177             //                if (Equals(substitutedDecision, Constants.Continue))
178             //                {
179             //                    // Actual update here
180             //                    Memory.SetLinkValue(newValue);
181             //                }
182             //                if (Equals(substitutedDecision, Constants.Skip))
183             //                {
184             //                    // Cancel the update. TODO: decide use separate Cancel
                ↪  constant or Skip is enough?
185             //                }
186             //            }
187             //        }
188             //    }
189             //}
190             return Constants.Continue;
191         }
192 
193         public TLink Trigger(IList<TLink> patternOrCondition, Func<IList<TLink>, TLink>
            ↪  matchHandler, IList<TLink> substitution, Func<IList<TLink>, IList<TLink>, TLink>
            ↪  substitutionHandler)
194         {
195             if (patternOrCondition.IsNullOrEmpty() && substitution.IsNullOrEmpty())
196             {
197                 return Constants.Continue;
198             }
199             else if (patternOrCondition.EqualTo(substitution)) // Should be Each here TODO:
                ↪  Check if it is a correct condition
200             {
201                 // Or it only applies to trigger without matchHandler.
202                 throw new NotImplementedException();
203             }
204             else if (!substitution.IsNullOrEmpty()) // Creation
205             {
206                 var before = Array.Empty<TLink>();
207                 // Что должно означать False здесь? Остановиться (перестать идти) или пропустить
                    ↪  (пройти мимо) или пустить (взять)?
208                 if (matchHandler != null && _equalityComparer.Equals(matchHandler(before),
                    ↪  Constants.Break))
209                 {
210                     return Constants.Break;
211                 }
212                 var after = (IList<TLink>)substitution.ToArray();
```

```
213                     if (_equalityComparer.Equals(after[0], default))
214                     {
215                         var newLink = Links.Create();
216                         after[0] = newLink;
217                     }
218                     if (substitution.Count == 1)
219                     {
220                         after = Links.GetLink(substitution[0]);
221                     }
222                     else if (substitution.Count == 3)
223                     {
224                         //Links.Create(after);
225                     }
226                     else
227                     {
228                         throw new NotSupportedException();
229                     }
230                     if (matchHandler != null)
231                     {
232                         return substitutionHandler(before, after);
233                     }
234                     return Constants.Continue;
235                 }
236                 else if (!patternOrCondition.IsNullOrEmpty()) // Deletion
237                 {
238                     if (patternOrCondition.Count == 1)
239                     {
240                         var linkToDelete = patternOrCondition[0];
241                         var before = Links.GetLink(linkToDelete);
242                         if (matchHandler != null && _equalityComparer.Equals(matchHandler(before),
                            ↪ Constants.Break))
243                         {
244                             return Constants.Break;
245                         }
246                         var after = Array.Empty<TLink>();
247                         Links.Update(linkToDelete, Constants.Null, Constants.Null);
248                         Links.Delete(linkToDelete);
249                         if (matchHandler != null)
250                         {
251                             return substitutionHandler(before, after);
252                         }
253                         return Constants.Continue;
254                     }
255                     else
256                     {
257                         throw new NotSupportedException();
258                     }
259                 }
260                 else // Replace / Update
261                 {
262                     if (patternOrCondition.Count == 1) //-V3125
263                     {
264                         var linkToUpdate = patternOrCondition[0];
265                         var before = Links.GetLink(linkToUpdate);
266                         if (matchHandler != null && _equalityComparer.Equals(matchHandler(before),
                            ↪ Constants.Break))
267                         {
268                             return Constants.Break;
269                         }
270                         var after = (IList<TLink>)substitution.ToArray(); //-V3125
271                         if (_equalityComparer.Equals(after[0], default))
272                         {
273                             after[0] = linkToUpdate;
274                         }
275                         if (substitution.Count == 1)
276                         {
277                             if (!_equalityComparer.Equals(substitution[0], linkToUpdate))
278                             {
279                                 after = Links.GetLink(substitution[0]);
280                                 Links.Update(linkToUpdate, Constants.Null, Constants.Null);
281                                 Links.Delete(linkToUpdate);
282                             }
283                         }
284                         else if (substitution.Count == 3)
285                         {
286                             //Links.Update(after);
287                         }
288                         else
```

```
                    {
                        throw new NotSupportedException();
                    }
                    if (matchHandler != null)
                    {
                        return substitutionHandler(before, after);
                    }
                    return Constants.Continue;
                }
                else
                {
                    throw new NotSupportedException();
                }
            }
        }

        /// <remarks>
        /// IList[IList[IList[T]]]
        /// |      |      |      |||
        /// |      |      |      ------ ||
        /// |      |      |       link  ||
        /// |      |      -------------- |
        /// |      |         change      |
        /// |      ---------------------
        /// |            changes
        /// </remarks>
        public IList<IList<IList<TLink>>> Trigger(IList<TLink> condition, IList<TLink>
        ↪  substitution)
        {
            var changes = new List<IList<IList<TLink>>>();
            Trigger(condition, AlwaysContinue, substitution, (before, after) =>
            {
                var change = new[] { before, after };
                changes.Add(change);
                return Constants.Continue;
            });
            return changes;
        }

        private TLink AlwaysContinue(IList<TLink> linkToMatch) => Constants.Continue;
    }
}
```

1.15 ./Platform.Data.Doublets/Doublet.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets
{
    public struct Doublet<T> : IEquatable<Doublet<T>>
    {
        private static readonly EqualityComparer<T> _equalityComparer =
        ↪  EqualityComparer<T>.Default;

        public T Source
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }
        public T Target
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public Doublet(T source, T target)
        {
            Source = source;
            Target = target;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        public override string ToString() => $"{Source}->{Target}";

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool Equals(Doublet<T> other) => _equalityComparer.Equals(Source, other.Source)
        ↪  && _equalityComparer.Equals(Target, other.Target);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override bool Equals(object obj) => obj is Doublet<T> doublet ?
        ↪  base.Equals(doublet) : false;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override int GetHashCode() => (Source, Target).GetHashCode();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static bool operator ==(Doublet<T> left, Doublet<T> right) => left.Equals(right);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static bool operator !=(Doublet<T> left, Doublet<T> right) => !(left == right);
    }
}
```

1.16 ./Platform.Data.Doublets/DoubletComparer.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets
{
    /// <remarks>
    /// TODO: Может стоит попробовать ref во всех методах (IRefEqualityComparer)
    /// 2x faster with comparer
    /// </remarks>
    public class DoubletComparer<T> : IEqualityComparer<Doublet<T>>
    {
        public static readonly DoubletComparer<T> Default = new DoubletComparer<T>();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool Equals(Doublet<T> x, Doublet<T> y) => x.Equals(y);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public int GetHashCode(Doublet<T> obj) => obj.GetHashCode();
    }
}
```

1.17 ./Platform.Data.Doublets/ILinks.cs

```
#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

using System.Collections.Generic;

namespace Platform.Data.Doublets
{
    public interface ILinks<TLink> : ILinks<TLink, LinksConstants<TLink>>
    {
    }
}
```

1.18 ./Platform.Data.Doublets/ILinksExtensions.cs

```
using System;
using System.Collections;
using System.Collections.Generic;
using System.Linq;
using System.Runtime.CompilerServices;
using Platform.Ranges;
using Platform.Collections.Arrays;
using Platform.Random;
using Platform.Setters;
using Platform.Converters;
using Platform.Numbers;
using Platform.Data.Exceptions;
using Platform.Data.Doublets.Decorators;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets
{
    public static class ILinksExtensions
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
22          public static void RunRandomCreations<TLink>(this ILinks<TLink> links, ulong
            ↪ amountOfCreations)
23          {
24              var random = RandomHelpers.Default;
25              var addressToUInt64Converter = UncheckedConverter<TLink, ulong>.Default;
26              var uInt64ToAddressConverter = UncheckedConverter<ulong, TLink>.Default;
27              for (var i = 0UL; i < amountOfCreations; i++)
28              {
29                  var linksAddressRange = new Range<ulong>(0,
                    ↪ addressToUInt64Converter.Convert(links.Count()));
30                  var source =
                    ↪ uInt64ToAddressConverter.Convert(random.NextUInt64(linksAddressRange));
31                  var target =
                    ↪ uInt64ToAddressConverter.Convert(random.NextUInt64(linksAddressRange));
32                  links.GetOrCreate(source, target);
33              }
34          }
35
36          [MethodImpl(MethodImplOptions.AggressiveInlining)]
37          public static void RunRandomSearches<TLink>(this ILinks<TLink> links, ulong
            ↪ amountOfSearches)
38          {
39              var random = RandomHelpers.Default;
40              var addressToUInt64Converter = UncheckedConverter<TLink, ulong>.Default;
41              var uInt64ToAddressConverter = UncheckedConverter<ulong, TLink>.Default;
42              for (var i = 0UL; i < amountOfSearches; i++)
43              {
44                  var linksAddressRange = new Range<ulong>(0,
                    ↪ addressToUInt64Converter.Convert(links.Count()));
45                  var source =
                    ↪ uInt64ToAddressConverter.Convert(random.NextUInt64(linksAddressRange));
46                  var target =
                    ↪ uInt64ToAddressConverter.Convert(random.NextUInt64(linksAddressRange));
47                  links.SearchOrDefault(source, target);
48              }
49          }
50
51          [MethodImpl(MethodImplOptions.AggressiveInlining)]
52          public static void RunRandomDeletions<TLink>(this ILinks<TLink> links, ulong
            ↪ amountOfDeletions)
53          {
54              var random = RandomHelpers.Default;
55              var addressToUInt64Converter = UncheckedConverter<TLink, ulong>.Default;
56              var uInt64ToAddressConverter = UncheckedConverter<ulong, TLink>.Default;
57              var linksCount = addressToUInt64Converter.Convert(links.Count());
58              var min = amountOfDeletions > linksCount ? 0UL : linksCount - amountOfDeletions;
59              for (var i = 0UL; i < amountOfDeletions; i++)
60              {
61                  linksCount = addressToUInt64Converter.Convert(links.Count());
62                  if (linksCount <= min)
63                  {
64                      break;
65                  }
66                  var linksAddressRange = new Range<ulong>(min, linksCount);
67                  var link =
                    ↪ uInt64ToAddressConverter.Convert(random.NextUInt64(linksAddressRange));
68                  links.Delete(link);
69              }
70          }
71
72          [MethodImpl(MethodImplOptions.AggressiveInlining)]
73          public static void Delete<TLink>(this ILinks<TLink> links, TLink linkToDelete) =>
            ↪ links.Delete(new LinkAddress<TLink>(linkToDelete));
74
75          /// <remarks>
76          /// TODO: Возможно есть очень простой способ это сделать.
77          /// (Например просто удалить файл, или изменить его размер таким образом,
78          /// чтобы удалился весь контент)
79          /// Например через _header->AllocatedLinks в ResizableDirectMemoryLinks
80          /// </remarks>
81          [MethodImpl(MethodImplOptions.AggressiveInlining)]
82          public static void DeleteAll<TLink>(this ILinks<TLink> links)
83          {
84              var equalityComparer = EqualityComparer<TLink>.Default;
85              var comparer = Comparer<TLink>.Default;
86              for (var i = links.Count(); comparer.Compare(i, default) > 0; i =
                ↪ Arithmetic.Decrement(i))
87              {
```

```
                links.Delete(i);
                if (!equalityComparer.Equals(links.Count(), Arithmetic.Decrement(i)))
                {
                    i = links.Count();
                }
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static TLink First<TLink>(this ILinks<TLink> links)
        {
            TLink firstLink = default;
            var equalityComparer = EqualityComparer<TLink>.Default;
            if (equalityComparer.Equals(links.Count(), default))
            {
                throw new InvalidOperationException("В хранилище нет связей.");
            }
            links.Each(links.Constants.Any, links.Constants.Any, link =>
            {
                firstLink = link[links.Constants.IndexPart];
                return links.Constants.Break;
            });
            if (equalityComparer.Equals(firstLink, default))
            {
                throw new InvalidOperationException("В процессе поиска по хранилищу не было
                ↪  найдено связей.");
            }
            return firstLink;
        }

        #region Paths

        /// <remarks>
        /// TODO: Как так? Как то что ниже может быть корректно?
        /// Скорее всего практически не применимо
        /// Предполагалось, что можно было конвертировать формируемый в проходе через
        ↪  SequenceWalker
        /// Stack в конкретный путь из Source, Target до связи, но это не всегда так.
        /// TODO: Возможно нужен метод, который именно выбрасывает исключения (EnsurePathExists)
        /// </remarks>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static bool CheckPathExistance<TLink>(this ILinks<TLink> links, params TLink[]
        ↪  path)
        {
            var current = path[0];
            //EnsureLinkExists(current, "path");
            if (!links.Exists(current))
            {
                return false;
            }
            var equalityComparer = EqualityComparer<TLink>.Default;
            var constants = links.Constants;
            for (var i = 1; i < path.Length; i++)
            {
                var next = path[i];
                var values = links.GetLink(current);
                var source = values[constants.SourcePart];
                var target = values[constants.TargetPart];
                if (equalityComparer.Equals(source, target) && equalityComparer.Equals(source,
                ↪  next))
                {
                    //throw new InvalidOperationException(string.Format("Невозможно выбрать
                    ↪  путь, так как и Source и Target совпадают с элементом пути {0}.", next));
                    return false;
                }
                if (!equalityComparer.Equals(next, source) && !equalityComparer.Equals(next,
                ↪  target))
                {
                    //throw new InvalidOperationException(string.Format("Невозможно продолжить
                    ↪  путь через элемент пути {0}", next));
                    return false;
                }
                current = next;
            }
            return true;
        }

        /// <remarks>
```

```
159         /// Может потребовать дополнительного стека для PathElement's при использовании
            ↪ SequenceWalker.
160         /// </remarks>
161         [MethodImpl(MethodImplOptions.AggressiveInlining)]
162         public static TLink GetByKeys<TLink>(this ILinks<TLink> links, TLink root, params int[]
            ↪ path)
163         {
164             links.EnsureLinkExists(root, "root");
165             var currentLink = root;
166             for (var i = 0; i < path.Length; i++)
167             {
168                 currentLink = links.GetLink(currentLink)[path[i]];
169             }
170             return currentLink;
171         }
172 
173         [MethodImpl(MethodImplOptions.AggressiveInlining)]
174         public static TLink GetSquareMatrixSequenceElementByIndex<TLink>(this ILinks<TLink>
            ↪ links, TLink root, ulong size, ulong index)
175         {
176             var constants = links.Constants;
177             var source = constants.SourcePart;
178             var target = constants.TargetPart;
179             if (!Platform.Numbers.Math.IsPowerOfTwo(size))
180             {
181                 throw new ArgumentOutOfRangeException(nameof(size), "Sequences with sizes other
                    ↪ than powers of two are not supported.");
182             }
183             var path = new BitArray(BitConverter.GetBytes(index));
184             var length = Bit.GetLowestPosition(size);
185             links.EnsureLinkExists(root, "root");
186             var currentLink = root;
187             for (var i = length - 1; i >= 0; i--)
188             {
189                 currentLink = links.GetLink(currentLink)[path[i] ? target : source];
190             }
191             return currentLink;
192         }
193 
194         #endregion
195 
196         /// <summary>
197         /// Возвращает индекс указанной связи.
198         /// </summary>
199         /// <param name="links">Хранилище связей.</param>
200         /// <param name="link">Связь представленная списком, состоящим из её адреса и
            ↪ содержимого.</param>
201         /// <returns>Индекс начальной связи для указанной связи.</returns>
202         [MethodImpl(MethodImplOptions.AggressiveInlining)]
203         public static TLink GetIndex<TLink>(this ILinks<TLink> links, IList<TLink> link) =>
            ↪ link[links.Constants.IndexPart];
204 
205         /// <summary>
206         /// Возвращает индекс начальной (Source) связи для указанной связи.
207         /// </summary>
208         /// <param name="links">Хранилище связей.</param>
209         /// <param name="link">Индекс связи.</param>
210         /// <returns>Индекс начальной связи для указанной связи.</returns>
211         [MethodImpl(MethodImplOptions.AggressiveInlining)]
212         public static TLink GetSource<TLink>(this ILinks<TLink> links, TLink link) =>
            ↪ links.GetLink(link)[links.Constants.SourcePart];
213 
214         /// <summary>
215         /// Возвращает индекс начальной (Source) связи для указанной связи.
216         /// </summary>
217         /// <param name="links">Хранилище связей.</param>
218         /// <param name="link">Связь представленная списком, состоящим из её адреса и
            ↪ содержимого.</param>
219         /// <returns>Индекс начальной связи для указанной связи.</returns>
220         [MethodImpl(MethodImplOptions.AggressiveInlining)]
221         public static TLink GetSource<TLink>(this ILinks<TLink> links, IList<TLink> link) =>
            ↪ link[links.Constants.SourcePart];
222 
223         /// <summary>
224         /// Возвращает индекс конечной (Target) связи для указанной связи.
225         /// </summary>
226         /// <param name="links">Хранилище связей.</param>
227         /// <param name="link">Индекс связи.</param>
```

```
228         /// <returns>Индекс конечной связи для указанной связи.</returns>
229         [MethodImpl(MethodImplOptions.AggressiveInlining)]
230         public static TLink GetTarget<TLink>(this ILinks<TLink> links, TLink link) =>
            ↪ links.GetLink(link)[links.Constants.TargetPart];
231
232         /// <summary>
233         /// Возвращает индекс конечной (Target) связи для указанной связи.
234         /// </summary>
235         /// <param name="links">Хранилище связей.</param>
236         /// <param name="link">Связь представленная списком, состоящим из её адреса и
            ↪ содержимого.</param>
237         /// <returns>Индекс конечной связи для указанной связи.</returns>
238         [MethodImpl(MethodImplOptions.AggressiveInlining)]
239         public static TLink GetTarget<TLink>(this ILinks<TLink> links, IList<TLink> link) =>
            ↪ link[links.Constants.TargetPart];
240
241         /// <summary>
242         /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
            ↪ (handler) для каждой подходящей связи.
243         /// </summary>
244         /// <param name="links">Хранилище связей.</param>
245         /// <param name="handler">Обработчик каждой подходящей связи.</param>
246         /// <param name="restrictions">Ограничения на содержимое связей. Каждое ограничение
            ↪ может иметь значения: Constants.Null - 0-я связь, обозначающая ссылку на пустоту,
            ↪ Any - отсутствие ограничения, 1..∞ конкретный адрес связи.</param>
247         /// <returns>True, в случае если проход по связям не был прерван и False в обратном
            ↪ случае.</returns>
248         [MethodImpl(MethodImplOptions.AggressiveInlining)]
249         public static bool Each<TLink>(this ILinks<TLink> links, Func<IList<TLink>, TLink>
            ↪ handler, params TLink[] restrictions)
250             => EqualityComparer<TLink>.Default.Equals(links.Each(handler, restrictions),
                ↪ links.Constants.Continue);
251
252         /// <summary>
253         /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
            ↪ (handler) для каждой подходящей связи.
254         /// </summary>
255         /// <param name="links">Хранилище связей.</param>
256         /// <param name="source">Значение, определяющее соответствующие шаблону связи.
            ↪ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве начала,
            ↪ Constants.Any - любое начало, 1..∞ конкретное начало)</param>
257         /// <param name="target">Значение, определяющее соответствующие шаблону связи.
            ↪ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве конца,
            ↪ Constants.Any - любой конец, 1..∞ конкретный конец)</param>
258         /// <param name="handler">Обработчик каждой подходящей связи.</param>
259         /// <returns>True, в случае если проход по связям не был прерван и False в обратном
            ↪ случае.</returns>
260         [MethodImpl(MethodImplOptions.AggressiveInlining)]
261         public static bool Each<TLink>(this ILinks<TLink> links, TLink source, TLink target,
            ↪ Func<TLink, bool> handler)
262         {
263             var constants = links.Constants;
264             return links.Each(link => handler(link[constants.IndexPart]) ? constants.Continue :
                ↪ constants.Break, constants.Any, source, target);
265         }
266
267         /// <summary>
268         /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
            ↪ (handler) для каждой подходящей связи.
269         /// </summary>
270         /// <param name="links">Хранилище связей.</param>
271         /// <param name="source">Значение, определяющее соответствующие шаблону связи.
            ↪ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве начала,
            ↪ Constants.Any - любое начало, 1..∞ конкретное начало)</param>
272         /// <param name="target">Значение, определяющее соответствующие шаблону связи.
            ↪ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве конца,
            ↪ Constants.Any - любой конец, 1..∞ конкретный конец)</param>
273         /// <param name="handler">Обработчик каждой подходящей связи.</param>
274         /// <returns>True, в случае если проход по связям не был прерван и False в обратном
            ↪ случае.</returns>
275         [MethodImpl(MethodImplOptions.AggressiveInlining)]
276         public static bool Each<TLink>(this ILinks<TLink> links, TLink source, TLink target,
            ↪ Func<IList<TLink>, TLink> handler) => links.Each(handler, links.Constants.Any,
            ↪ source, target);
277
278         [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
279         public static IList<IList<TLink>> All<TLink>(this ILinks<TLink> links, params TLink[]
            ↪ restrictions)
280         {
281             var arraySize = CheckedConverter<TLink,
                ↪ long>.Default.Convert(links.Count(restrictions));
282             if (arraySize > 0)
283             {
284                 var array = new IList<TLink>[arraySize];
285                 var filler = new ArrayFiller<IList<TLink>, TLink>(array,
                    ↪ links.Constants.Continue);
286                 links.Each(filler.AddAndReturnConstant, restrictions);
287                 return array;
288             }
289             else
290             {
291                 return Array.Empty<IList<TLink>>();
292             }
293         }
294 
295         [MethodImpl(MethodImplOptions.AggressiveInlining)]
296         public static IList<TLink> AllIndices<TLink>(this ILinks<TLink> links, params TLink[]
            ↪ restrictions)
297         {
298             var arraySize = CheckedConverter<TLink,
                ↪ long>.Default.Convert(links.Count(restrictions));
299             if (arraySize > 0)
300             {
301                 var array = new TLink[arraySize];
302                 var filler = new ArrayFiller<TLink, TLink>(array, links.Constants.Continue);
303                 links.Each(filler.AddFirstAndReturnConstant, restrictions);
304                 return array;
305             }
306             else
307             {
308                 return Array.Empty<TLink>();
309             }
310         }
311 
312         /// <summary>
313         /// Возвращает значение, определяющее существует ли связь с указанными началом и концом
            ↪ в хранилище связей.
314         /// </summary>
315         /// <param name="links">Хранилище связей.</param>
316         /// <param name="source">Начало связи.</param>
317         /// <param name="target">Конец связи.</param>
318         /// <returns>Значение, определяющее существует ли связь.</returns>
319         [MethodImpl(MethodImplOptions.AggressiveInlining)]
320         public static bool Exists<TLink>(this ILinks<TLink> links, TLink source, TLink target)
            ↪ => Comparer<TLink>.Default.Compare(links.Count(links.Constants.Any, source, target),
            ↪ default) > 0;
321 
322         #region Ensure
323         // TODO: May be move to EnsureExtensions or make it both there and here
324 
325         [MethodImpl(MethodImplOptions.AggressiveInlining)]
326         public static void EnsureLinkExists<TLink>(this ILinks<TLink> links, IList<TLink>
            ↪ restrictions)
327         {
328             for (var i = 0; i < restrictions.Count; i++)
329             {
330                 if (!links.Exists(restrictions[i]))
331                 {
332                     throw new ArgumentLinkDoesNotExistsException<TLink>(restrictions[i],
                        ↪ $"sequence[{i}]");
333                 }
334             }
335         }
336 
337         [MethodImpl(MethodImplOptions.AggressiveInlining)]
338         public static void EnsureInnerReferenceExists<TLink>(this ILinks<TLink> links, TLink
            ↪ reference, string argumentName)
339         {
340             if (links.Constants.IsInternalReference(reference) && !links.Exists(reference))
341             {
342                 throw new ArgumentLinkDoesNotExistsException<TLink>(reference, argumentName);
343             }
344         }
345 
```

```
346         [MethodImpl(MethodImplOptions.AggressiveInlining)]
347         public static void EnsureInnerReferenceExists<TLink>(this ILinks<TLink> links,
            ↪ IList<TLink> restrictions, string argumentName)
348         {
349             for (int i = 0; i < restrictions.Count; i++)
350             {
351                 links.EnsureInnerReferenceExists(restrictions[i], argumentName);
352             }
353         }
354 
355         [MethodImpl(MethodImplOptions.AggressiveInlining)]
356         public static void EnsureLinkIsAnyOrExists<TLink>(this ILinks<TLink> links, IList<TLink>
            ↪ restrictions)
357         {
358             var equalityComparer = EqualityComparer<TLink>.Default;
359             var any = links.Constants.Any;
360             for (var i = 0; i < restrictions.Count; i++)
361             {
362                 if (!equalityComparer.Equals(restrictions[i], any) &&
                    ↪ !links.Exists(restrictions[i]))
363                 {
364                     throw new ArgumentLinkDoesNotExistsException<TLink>(restrictions[i],
                        ↪ $"sequence[{i}]");
365                 }
366             }
367         }
368 
369         [MethodImpl(MethodImplOptions.AggressiveInlining)]
370         public static void EnsureLinkIsAnyOrExists<TLink>(this ILinks<TLink> links, TLink link,
            ↪ string argumentName)
371         {
372             var equalityComparer = EqualityComparer<TLink>.Default;
373             if (!equalityComparer.Equals(link, links.Constants.Any) && !links.Exists(link))
374             {
375                 throw new ArgumentLinkDoesNotExistsException<TLink>(link, argumentName);
376             }
377         }
378 
379         [MethodImpl(MethodImplOptions.AggressiveInlining)]
380         public static void EnsureLinkIsItselfOrExists<TLink>(this ILinks<TLink> links, TLink
            ↪ link, string argumentName)
381         {
382             var equalityComparer = EqualityComparer<TLink>.Default;
383             if (!equalityComparer.Equals(link, links.Constants.Itself) && !links.Exists(link))
384             {
385                 throw new ArgumentLinkDoesNotExistsException<TLink>(link, argumentName);
386             }
387         }
388 
389         /// <param name="links">Хранилище связей.</param>
390         [MethodImpl(MethodImplOptions.AggressiveInlining)]
391         public static void EnsureDoesNotExists<TLink>(this ILinks<TLink> links, TLink source,
            ↪ TLink target)
392         {
393             if (links.Exists(source, target))
394             {
395                 throw new LinkWithSameValueAlreadyExistsException();
396             }
397         }
398 
399         /// <param name="links">Хранилище связей.</param>
400         [MethodImpl(MethodImplOptions.AggressiveInlining)]
401         public static void EnsureNoUsages<TLink>(this ILinks<TLink> links, TLink link)
402         {
403             if (links.HasUsages(link))
404             {
405                 throw new ArgumentLinkHasDependenciesException<TLink>(link);
406             }
407         }
408 
409         /// <param name="links">Хранилище связей.</param>
410         [MethodImpl(MethodImplOptions.AggressiveInlining)]
411         public static void EnsureCreated<TLink>(this ILinks<TLink> links, params TLink[]
            ↪ addresses) => links.EnsureCreated(links.Create, addresses);
412 
413         /// <param name="links">Хранилище связей.</param>
414         [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
415         public static void EnsurePointsCreated<TLink>(this ILinks<TLink> links, params TLink[]
            ↪  addresses) => links.EnsureCreated(links.CreatePoint, addresses);
416
417         /// <param name="links">Хранилище связей.</param>
418         [MethodImpl(MethodImplOptions.AggressiveInlining)]
419         public static void EnsureCreated<TLink>(this ILinks<TLink> links, Func<TLink> creator,
            ↪  params TLink[] addresses)
420         {
421             var addressToUInt64Converter = CheckedConverter<TLink, ulong>.Default;
422             var uInt64ToAddressConverter = CheckedConverter<ulong, TLink>.Default;
423             var nonExistentAddresses = new HashSet<TLink>(addresses.Where(x =>
                ↪  !links.Exists(x)));
424             if (nonExistentAddresses.Count > 0)
425             {
426                 var max = nonExistentAddresses.Max();
427                 max = uInt64ToAddressConverter.Convert(System.Math.Min(addressToUInt64Converter.
                    ↪  Convert(max),
                    ↪  addressToUInt64Converter.Convert(links.Constants.InternalReferencesRange.Max
                    ↪  imum)));
428                 var createdLinks = new List<TLink>();
429                 var equalityComparer = EqualityComparer<TLink>.Default;
430                 TLink createdLink = creator();
431                 while (!equalityComparer.Equals(createdLink, max))
432                 {
433                     createdLinks.Add(createdLink);
434                 }
435                 for (var i = 0; i < createdLinks.Count; i++)
436                 {
437                     if (!nonExistentAddresses.Contains(createdLinks[i]))
438                     {
439                         links.Delete(createdLinks[i]);
440                     }
441                 }
442             }
443         }
444
445         #endregion
446
447         /// <param name="links">Хранилище связей.</param>
448         [MethodImpl(MethodImplOptions.AggressiveInlining)]
449         public static TLink CountUsages<TLink>(this ILinks<TLink> links, TLink link)
450         {
451             var constants = links.Constants;
452             var values = links.GetLink(link);
453             TLink usagesAsSource = links.Count(new Link<TLink>(constants.Any, link,
                ↪  constants.Any));
454             var equalityComparer = EqualityComparer<TLink>.Default;
455             if (equalityComparer.Equals(values[constants.SourcePart], link))
456             {
457                 usagesAsSource = Arithmetic<TLink>.Decrement(usagesAsSource);
458             }
459             TLink usagesAsTarget = links.Count(new Link<TLink>(constants.Any, constants.Any,
                ↪  link));
460             if (equalityComparer.Equals(values[constants.TargetPart], link))
461             {
462                 usagesAsTarget = Arithmetic<TLink>.Decrement(usagesAsTarget);
463             }
464             return Arithmetic<TLink>.Add(usagesAsSource, usagesAsTarget);
465         }
466
467         /// <param name="links">Хранилище связей.</param>
468         [MethodImpl(MethodImplOptions.AggressiveInlining)]
469         public static bool HasUsages<TLink>(this ILinks<TLink> links, TLink link) =>
            ↪  Comparer<TLink>.Default.Compare(links.CountUsages(link), default) > 0;
470
471         /// <param name="links">Хранилище связей.</param>
472         [MethodImpl(MethodImplOptions.AggressiveInlining)]
473         public static bool Equals<TLink>(this ILinks<TLink> links, TLink link, TLink source,
            ↪  TLink target)
474         {
475             var constants = links.Constants;
476             var values = links.GetLink(link);
477             var equalityComparer = EqualityComparer<TLink>.Default;
478             return equalityComparer.Equals(values[constants.SourcePart], source) &&
                ↪  equalityComparer.Equals(values[constants.TargetPart], target);
479         }
480
481         /// <summary>
```

```
482         /// Выполняет поиск связи с указанными Source (началом) и Target (концом).
483         /// </summary>
484         /// <param name="links">Хранилище связей.</param>
485         /// <param name="source">Индекс связи, которая является началом для искомой
            ↪  связи.</param>
486         /// <param name="target">Индекс связи, которая является концом для искомой связи.</param>
487         /// <returns>Индекс искомой связи с указанными Source (началом) и Target
            ↪  (концом).</returns>
488         [MethodImpl(MethodImplOptions.AggressiveInlining)]
489         public static TLink SearchOrDefault<TLink>(this ILinks<TLink> links, TLink source, TLink
            ↪  target)
490         {
491             var contants = links.Constants;
492             var setter = new Setter<TLink, TLink>(contants.Continue, contants.Break, default);
493             links.Each(setter.SetFirstAndReturnFalse, contants.Any, source, target);
494             return setter.Result;
495         }
496
497         /// <param name="links">Хранилище связей.</param>
498         [MethodImpl(MethodImplOptions.AggressiveInlining)]
499         public static TLink Create<TLink>(this ILinks<TLink> links) => links.Create(null);
500
501         /// <param name="links">Хранилище связей.</param>
502         [MethodImpl(MethodImplOptions.AggressiveInlining)]
503         public static TLink CreatePoint<TLink>(this ILinks<TLink> links)
504         {
505             var link = links.Create();
506             return links.Update(link, link, link);
507         }
508
509         /// <param name="links">Хранилище связей.</param>
510         [MethodImpl(MethodImplOptions.AggressiveInlining)]
511         public static TLink CreateAndUpdate<TLink>(this ILinks<TLink> links, TLink source, TLink
            ↪  target) => links.Update(links.Create(), source, target);
512
513         /// <summary>
514         /// Обновляет связь с указанными началом (Source) и концом (Target)
515         /// на связь с указанными началом (NewSource) и концом (NewTarget).
516         /// </summary>
517         /// <param name="links">Хранилище связей.</param>
518         /// <param name="link">Индекс обновляемой связи.</param>
519         /// <param name="newSource">Индекс связи, которая является началом связи, на которую
            ↪  выполняется обновление.</param>
520         /// <param name="newTarget">Индекс связи, которая является концом связи, на которую
            ↪  выполняется обновление.</param>
521         /// <returns>Индекс обновлённой связи.</returns>
522         [MethodImpl(MethodImplOptions.AggressiveInlining)]
523         public static TLink Update<TLink>(this ILinks<TLink> links, TLink link, TLink newSource,
            ↪  TLink newTarget) => links.Update(new LinkAddress<TLink>(link), new Link<TLink>(link,
            ↪  newSource, newTarget));
524
525         /// <summary>
526         /// Обновляет связь с указанными началом (Source) и концом (Target)
527         /// на связь с указанными началом (NewSource) и концом (NewTarget).
528         /// </summary>
529         /// <param name="links">Хранилище связей.</param>
530         /// <param name="restrictions">Ограничения на содержимое связей. Каждое ограничение
            ↪  может иметь значения: Constants.Null - 0-я связь, обозначающая ссылку на пустоту,
            ↪  Itself - требование установить ссылку на себя, 1..∞ конкретный адрес другой
            ↪  связи.</param>
531         /// <returns>Индекс обновлённой связи.</returns>
532         [MethodImpl(MethodImplOptions.AggressiveInlining)]
533         public static TLink Update<TLink>(this ILinks<TLink> links, params TLink[] restrictions)
534         {
535             if (restrictions.Length == 2)
536             {
537                 return links.MergeAndDelete(restrictions[0], restrictions[1]);
538             }
539             if (restrictions.Length == 4)
540             {
541                 return links.UpdateOrCreateOrGet(restrictions[0], restrictions[1],
                    ↪  restrictions[2], restrictions[3]);
542             }
543             else
544             {
545                 return links.Update(new LinkAddress<TLink>(restrictions[0]), restrictions);
546             }
```

```
547         }
548
549         [MethodImpl(MethodImplOptions.AggressiveInlining)]
550         public static IList<TLink> ResolveConstantAsSelfReference<TLink>(this ILinks<TLink>
            ↪  links, TLink constant, IList<TLink> restrictions, IList<TLink> substitution)
551         {
552             var equalityComparer = EqualityComparer<TLink>.Default;
553             var constants = links.Constants;
554             var restrictionsIndex = restrictions[constants.IndexPart];
555             var substitutionIndex = substitution[constants.IndexPart];
556             if (equalityComparer.Equals(substitutionIndex, default))
557             {
558                 substitutionIndex = restrictionsIndex;
559             }
560             var source = substitution[constants.SourcePart];
561             var target = substitution[constants.TargetPart];
562             source = equalityComparer.Equals(source, constant) ? substitutionIndex : source;
563             target = equalityComparer.Equals(target, constant) ? substitutionIndex : target;
564             return new Link<TLink>(substitutionIndex, source, target);
565         }
566
567         /// <summary>
568         /// Создаёт связь (если она не существовала), либо возвращает индекс существующей связи
            ↪  с указанными Source (началом) и Target (концом).
569         /// </summary>
570         /// <param name="links">Хранилище связей.</param>
571         /// <param name="source">Индекс связи, которая является началом на создаваемой
            ↪  связи.</param>
572         /// <param name="target">Индекс связи, которая является концом для создаваемой
            ↪  связи.</param>
573         /// <returns>Индекс связи, с указанным Source (началом) и Target (концом)</returns>
574         [MethodImpl(MethodImplOptions.AggressiveInlining)]
575         public static TLink GetOrCreate<TLink>(this ILinks<TLink> links, TLink source, TLink
            ↪  target)
576         {
577             var link = links.SearchOrDefault(source, target);
578             if (EqualityComparer<TLink>.Default.Equals(link, default))
579             {
580                 link = links.CreateAndUpdate(source, target);
581             }
582             return link;
583         }
584
585         /// <summary>
586         /// Обновляет связь с указанными началом (Source) и концом (Target)
587         /// на связь с указанными началом (NewSource) и концом (NewTarget).
588         /// </summary>
589         /// <param name="links">Хранилище связей.</param>
590         /// <param name="source">Индекс связи, которая является началом обновляемой
            ↪  связи.</param>
591         /// <param name="target">Индекс связи, которая является концом обновляемой связи.</param>
592         /// <param name="newSource">Индекс связи, которая является началом связи, на которую
            ↪  выполняется обновление.</param>
593         /// <param name="newTarget">Индекс связи, которая является концом связи, на которую
            ↪  выполняется обновление.</param>
594         /// <returns>Индекс обновлённой связи.</returns>
595         [MethodImpl(MethodImplOptions.AggressiveInlining)]
596         public static TLink UpdateOrCreateOrGet<TLink>(this ILinks<TLink> links, TLink source,
            ↪  TLink target, TLink newSource, TLink newTarget)
597         {
598             var equalityComparer = EqualityComparer<TLink>.Default;
599             var link = links.SearchOrDefault(source, target);
600             if (equalityComparer.Equals(link, default))
601             {
602                 return links.CreateAndUpdate(newSource, newTarget);
603             }
604             if (equalityComparer.Equals(newSource, source) && equalityComparer.Equals(newTarget,
                ↪  target))
605             {
606                 return link;
607             }
608             return links.Update(link, newSource, newTarget);
609         }
610
611         /// <summary>Удаляет связь с указанными началом (Source) и концом (Target).</summary>
612         /// <param name="links">Хранилище связей.</param>
613         /// <param name="source">Индекс связи, которая является началом удаляемой связи.</param>
```

```
614             /// <param name="target">Индекс связи, которая является концом удаляемой связи.</param>
615             [MethodImpl(MethodImplOptions.AggressiveInlining)]
616             public static TLink DeleteIfExists<TLink>(this ILinks<TLink> links, TLink source, TLink
                ↪ target)
617             {
618                 var link = links.SearchOrDefault(source, target);
619                 if (!EqualityComparer<TLink>.Default.Equals(link, default))
620                 {
621                     links.Delete(link);
622                     return link;
623                 }
624                 return default;
625             }
626
627             /// <summary>Удаляет несколько связей.</summary>
628             /// <param name="links">Хранилище связей.</param>
629             /// <param name="deletedLinks">Список адресов связей к удалению.</param>
630             [MethodImpl(MethodImplOptions.AggressiveInlining)]
631             public static void DeleteMany<TLink>(this ILinks<TLink> links, IList<TLink> deletedLinks)
632             {
633                 for (int i = 0; i < deletedLinks.Count; i++)
634                 {
635                     links.Delete(deletedLinks[i]);
636                 }
637             }
638
639             /// <remarks>Before execution of this method ensure that deleted link is detached (all
                ↪ values - source and target are reset to null) or it might enter into infinite
                ↪ recursion.</remarks>
640             [MethodImpl(MethodImplOptions.AggressiveInlining)]
641             public static void DeleteAllUsages<TLink>(this ILinks<TLink> links, TLink linkIndex)
642             {
643                 var anyConstant = links.Constants.Any;
644                 var usagesAsSourceQuery = new Link<TLink>(anyConstant, linkIndex, anyConstant);
645                 links.DeleteByQuery(usagesAsSourceQuery);
646                 var usagesAsTargetQuery = new Link<TLink>(anyConstant, linkIndex, anyConstant);
647                 links.DeleteByQuery(usagesAsTargetQuery);
648             }
649
650             [MethodImpl(MethodImplOptions.AggressiveInlining)]
651             public static void DeleteByQuery<TLink>(this ILinks<TLink> links, Link<TLink> query)
652             {
653                 var count = CheckedConverter<TLink, long>.Default.Convert(links.Count(query));
654                 if (count > 0)
655                 {
656                     var queryResult = new TLink[count];
657                     var queryResultFiller = new ArrayFiller<TLink, TLink>(queryResult,
                        ↪ links.Constants.Continue);
658                     links.Each(queryResultFiller.AddFirstAndReturnConstant, query);
659                     for (var i = count - 1; i >= 0; i--)
660                     {
661                         links.Delete(queryResult[i]);
662                     }
663                 }
664             }
665
666             // TODO: Move to Platform.Data
667             [MethodImpl(MethodImplOptions.AggressiveInlining)]
668             public static bool AreValuesReset<TLink>(this ILinks<TLink> links, TLink linkIndex)
669             {
670                 var nullConstant = links.Constants.Null;
671                 var equalityComparer = EqualityComparer<TLink>.Default;
672                 var link = links.GetLink(linkIndex);
673                 for (int i = 1; i < link.Count; i++)
674                 {
675                     if (!equalityComparer.Equals(link[i], nullConstant))
676                     {
677                         return false;
678                     }
679                 }
680                 return true;
681             }
682
683             // TODO: Create a universal version of this method in Platform.Data (with using of for
                ↪ loop)
684             [MethodImpl(MethodImplOptions.AggressiveInlining)]
685             public static void ResetValues<TLink>(this ILinks<TLink> links, TLink linkIndex)
686             {
```

```
687             var nullConstant = links.Constants.Null;
688             var updateRequest = new Link<TLink>(linkIndex, nullConstant, nullConstant);
689             links.Update(updateRequest);
690         }
691 
692         // TODO: Create a universal version of this method in Platform.Data (with using of for
        ↪  loop)
693         [MethodImpl(MethodImplOptions.AggressiveInlining)]
694         public static void EnforceResetValues<TLink>(this ILinks<TLink> links, TLink linkIndex)
695         {
696             if (!links.AreValuesReset(linkIndex))
697             {
698                 links.ResetValues(linkIndex);
699             }
700         }
701 
702         /// <summary>
703         /// Merging two usages graphs, all children of old link moved to be children of new link
        ↪  or deleted.
704         /// </summary>
705         [MethodImpl(MethodImplOptions.AggressiveInlining)]
706         public static TLink MergeUsages<TLink>(this ILinks<TLink> links, TLink oldLinkIndex,
        ↪  TLink newLinkIndex)
707         {
708             var addressToInt64Converter = CheckedConverter<TLink, long>.Default;
709             var equalityComparer = EqualityComparer<TLink>.Default;
710             if (!equalityComparer.Equals(oldLinkIndex, newLinkIndex))
711             {
712                 var constants = links.Constants;
713                 var usagesAsSourceQuery = new Link<TLink>(constants.Any, oldLinkIndex,
                    ↪  constants.Any);
714                 var usagesAsSourceCount =
                    ↪  addressToInt64Converter.Convert(links.Count(usagesAsSourceQuery));
715                 var usagesAsTargetQuery = new Link<TLink>(constants.Any, constants.Any,
                    ↪  oldLinkIndex);
716                 var usagesAsTargetCount =
                    ↪  addressToInt64Converter.Convert(links.Count(usagesAsTargetQuery));
717                 var isStandalonePoint = Point<TLink>.IsFullPoint(links.GetLink(oldLinkIndex)) &&
                    ↪  usagesAsSourceCount == 1 && usagesAsTargetCount == 1;
718                 if (!isStandalonePoint)
719                 {
720                     var totalUsages = usagesAsSourceCount + usagesAsTargetCount;
721                     if (totalUsages > 0)
722                     {
723                         var usages = ArrayPool.Allocate<TLink>(totalUsages);
724                         var usagesFiller = new ArrayFiller<TLink, TLink>(usages,
                            ↪  links.Constants.Continue);
725                         var i = 0L;
726                         if (usagesAsSourceCount > 0)
727                         {
728                             links.Each(usagesFiller.AddFirstAndReturnConstant,
                                ↪  usagesAsSourceQuery);
729                             for (; i < usagesAsSourceCount; i++)
730                             {
731                                 var usage = usages[i];
732                                 if (!equalityComparer.Equals(usage, oldLinkIndex))
733                                 {
734                                     links.Update(usage, newLinkIndex, links.GetTarget(usage));
735                                 }
736                             }
737                         }
738                         if (usagesAsTargetCount > 0)
739                         {
740                             links.Each(usagesFiller.AddFirstAndReturnConstant,
                                ↪  usagesAsTargetQuery);
741                             for (; i < usages.Length; i++)
742                             {
743                                 var usage = usages[i];
744                                 if (!equalityComparer.Equals(usage, oldLinkIndex))
745                                 {
746                                     links.Update(usage, links.GetSource(usage), newLinkIndex);
747                                 }
748                             }
749                         }
750                         ArrayPool.Free(usages);
751                     }
752                 }
```

```
            }
            return newLinkIndex;
        }

        /// <summary>
        /// Replace one link with another (replaced link is deleted, children are updated or
        ↪  deleted).
        /// </summary>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static TLink MergeAndDelete<TLink>(this ILinks<TLink> links, TLink oldLinkIndex,
        ↪  TLink newLinkIndex)
        {
            var equalityComparer = EqualityComparer<TLink>.Default;
            if (!equalityComparer.Equals(oldLinkIndex, newLinkIndex))
            {
                links.MergeUsages(oldLinkIndex, newLinkIndex);
                links.Delete(oldLinkIndex);
            }
            return newLinkIndex;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static ILinks<TLink>
        ↪  DecorateWithAutomaticUniquenessAndUsagesResolution<TLink>(this ILinks<TLink> links)
        {
            links = new LinksCascadeUsagesResolver<TLink>(links);
            links = new NonNullContentsLinkDeletionResolver<TLink>(links);
            links = new LinksCascadeUniquenessAndUsagesResolver<TLink>(links);
            return links;
        }
    }
}
```

1.19 ./Platform.Data.Doublets/ISynchronizedLinks.cs

```
#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets
{
    public interface ISynchronizedLinks<TLink> : ISynchronizedLinks<TLink, ILinks<TLink>,
    ↪  LinksConstants<TLink>>, ILinks<TLink>
    {
    }
}
```

1.20 ./Platform.Data.Doublets/Incrementers/FrequencyIncrementer.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Incrementers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Incrementers
{
    public class FrequencyIncrementer<TLink> : LinksOperatorBase<TLink>, IIncrementer<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private readonly TLink _frequencyMarker;
        private readonly TLink _unaryOne;
        private readonly IIncrementer<TLink> _unaryNumberIncrementer;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public FrequencyIncrementer(ILinks<TLink> links, TLink frequencyMarker, TLink unaryOne,
        ↪  IIncrementer<TLink> unaryNumberIncrementer)
            : base(links)
        {
            _frequencyMarker = frequencyMarker;
            _unaryOne = unaryOne;
            _unaryNumberIncrementer = unaryNumberIncrementer;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Increment(TLink frequency)
        {
            if (_equalityComparer.Equals(frequency, default))
            {
                return Links.GetOrCreate(_unaryOne, _frequencyMarker);
            }
```

```
33              var incrementedSource =
                ↪  _unaryNumberIncrementer.Increment(Links.GetSource(frequency));
34              return Links.GetOrCreate(incrementedSource, _frequencyMarker);
35          }
36      }
37  }
```

1.21 ./Platform.Data.Doublets/Incrementers/UnaryNumberIncrementer.cs

```
1   using System.Collections.Generic;
2   using System.Runtime.CompilerServices;
3   using Platform.Incrementers;
4
5   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7   namespace Platform.Data.Doublets.Incrementers
8   {
9       public class UnaryNumberIncrementer<TLink> : LinksOperatorBase<TLink>, IIncrementer<TLink>
10      {
11          private static readonly EqualityComparer<TLink> _equalityComparer =
                ↪  EqualityComparer<TLink>.Default;
12
13          private readonly TLink _unaryOne;
14
15          [MethodImpl(MethodImplOptions.AggressiveInlining)]
16          public UnaryNumberIncrementer(ILinks<TLink> links, TLink unaryOne) : base(links) =>
                ↪  _unaryOne = unaryOne;
17
18          [MethodImpl(MethodImplOptions.AggressiveInlining)]
19          public TLink Increment(TLink unaryNumber)
20          {
21              if (_equalityComparer.Equals(unaryNumber, _unaryOne))
22              {
23                  return Links.GetOrCreate(_unaryOne, _unaryOne);
24              }
25              var source = Links.GetSource(unaryNumber);
26              var target = Links.GetTarget(unaryNumber);
27              if (_equalityComparer.Equals(source, target))
28              {
29                  return Links.GetOrCreate(unaryNumber, _unaryOne);
30              }
31              else
32              {
33                  return Links.GetOrCreate(source, Increment(target));
34              }
35          }
36      }
37  }
```

1.22 ./Platform.Data.Doublets/Link.cs

```
1   using Platform.Collections.Lists;
2   using Platform.Exceptions;
3   using Platform.Ranges;
4   using Platform.Singletons;
5   using System;
6   using System.Collections;
7   using System.Collections.Generic;
8   using System.Runtime.CompilerServices;
9
10  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
11
12  namespace Platform.Data.Doublets
13  {
14      /// <summary>
15      /// Структура описывающая уникальную связь.
16      /// </summary>
17      public struct Link<TLink> : IEquatable<Link<TLink>>, IReadOnlyList<TLink>, IList<TLink>
18      {
19          public static readonly Link<TLink> Null = new Link<TLink>();
20
21          private static readonly LinksConstants<TLink> _constants =
                ↪  Default<LinksConstants<TLink>>.Instance;
22          private static readonly EqualityComparer<TLink> _equalityComparer =
                ↪  EqualityComparer<TLink>.Default;
23
24          private const int Length = 3;
25
26          public readonly TLink Index;
27          public readonly TLink Source;
28          public readonly TLink Target;
29
```

```
30          [MethodImpl(MethodImplOptions.AggressiveInlining)]
31          public Link(params TLink[] values) => SetValues(values, out Index, out Source, out
            ↪  Target);
32
33          [MethodImpl(MethodImplOptions.AggressiveInlining)]
34          public Link(IList<TLink> values) => SetValues(values, out Index, out Source, out Target);
35
36          [MethodImpl(MethodImplOptions.AggressiveInlining)]
37          public Link(object other)
38          {
39              if (other is Link<TLink> otherLink)
40              {
41                  SetValues(ref otherLink, out Index, out Source, out Target);
42              }
43              else if(other is IList<TLink> otherList)
44              {
45                  SetValues(otherList, out Index, out Source, out Target);
46              }
47              else
48              {
49                  throw new NotSupportedException();
50              }
51          }
52
53          [MethodImpl(MethodImplOptions.AggressiveInlining)]
54          public Link(ref Link<TLink> other) => SetValues(ref other, out Index, out Source, out
            ↪  Target);
55
56          [MethodImpl(MethodImplOptions.AggressiveInlining)]
57          public Link(TLink index, TLink source, TLink target)
58          {
59              Index = index;
60              Source = source;
61              Target = target;
62          }
63
64          [MethodImpl(MethodImplOptions.AggressiveInlining)]
65          private static void SetValues(ref Link<TLink> other, out TLink index, out TLink source,
            ↪  out TLink target)
66          {
67              index = other.Index;
68              source = other.Source;
69              target = other.Target;
70          }
71
72          [MethodImpl(MethodImplOptions.AggressiveInlining)]
73          private static void SetValues(IList<TLink> values, out TLink index, out TLink source,
            ↪  out TLink target)
74          {
75              switch (values.Count)
76              {
77                  case 3:
78                      index = values[0];
79                      source = values[1];
80                      target = values[2];
81                      break;
82                  case 2:
83                      index = values[0];
84                      source = values[1];
85                      target = default;
86                      break;
87                  case 1:
88                      index = values[0];
89                      source = default;
90                      target = default;
91                      break;
92                  default:
93                      index = default;
94                      source = default;
95                      target = default;
96                      break;
97              }
98          }
99
100         [MethodImpl(MethodImplOptions.AggressiveInlining)]
101         public override int GetHashCode() => (Index, Source, Target).GetHashCode();
102
103         [MethodImpl(MethodImplOptions.AggressiveInlining)]
104         public bool IsNull() => _equalityComparer.Equals(Index, _constants.Null)
105                                 && _equalityComparer.Equals(Source, _constants.Null)
```

```
                        && _equalityComparer.Equals(Target, _constants.Null);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override bool Equals(object other) => other is Link<TLink> &&
        ↪  Equals((Link<TLink>)other);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool Equals(Link<TLink> other) => _equalityComparer.Equals(Index, other.Index)
                                              && _equalityComparer.Equals(Source, other.Source)
                                              && _equalityComparer.Equals(Target, other.Target);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static string ToString(TLink index, TLink source, TLink target) => $"({index}:
        ↪  {source}->{target})";

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static string ToString(TLink source, TLink target) => $"({source}->{target})";

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static implicit operator TLink[](Link<TLink> link) => link.ToArray();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static implicit operator Link<TLink>(TLink[] linkArray) => new
        ↪  Link<TLink>(linkArray);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override string ToString() => _equalityComparer.Equals(Index, _constants.Null) ?
        ↪  ToString(Source, Target) : ToString(Index, Source, Target);

        #region IList

        public int Count
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get => Length;
        }

        public bool IsReadOnly
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get => true;
        }

        public TLink this[int index]
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get
            {
                Ensure.OnDebug.ArgumentInRange(index, new Range<int>(0, Length - 1),
                ↪  nameof(index));
                if (index == _constants.IndexPart)
                {
                    return Index;
                }
                if (index == _constants.SourcePart)
                {
                    return Source;
                }
                if (index == _constants.TargetPart)
                {
                    return Target;
                }
                throw new NotSupportedException(); // Impossible path due to
                ↪  Ensure.ArgumentInRange
            }
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set => throw new NotSupportedException();
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        IEnumerator IEnumerable.GetEnumerator() => GetEnumerator();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public IEnumerator<TLink> GetEnumerator()
        {
            yield return Index;
            yield return Source;
            yield return Target;
        }
```

```
179
180         [MethodImpl(MethodImplOptions.AggressiveInlining)]
181         public void Add(TLink item) => throw new NotSupportedException();
182
183         [MethodImpl(MethodImplOptions.AggressiveInlining)]
184         public void Clear() => throw new NotSupportedException();
185
186         [MethodImpl(MethodImplOptions.AggressiveInlining)]
187         public bool Contains(TLink item) => IndexOf(item) >= 0;
188
189         [MethodImpl(MethodImplOptions.AggressiveInlining)]
190         public void CopyTo(TLink[] array, int arrayIndex)
191         {
192             Ensure.OnDebug.ArgumentNotNull(array, nameof(array));
193             Ensure.OnDebug.ArgumentInRange(arrayIndex, new Range<int>(0, array.Length - 1),
                ↪  nameof(arrayIndex));
194             if (arrayIndex + Length > array.Length)
195             {
196                 throw new InvalidOperationException();
197             }
198             array[arrayIndex++] = Index;
199             array[arrayIndex++] = Source;
200             array[arrayIndex] = Target;
201         }
202
203         [MethodImpl(MethodImplOptions.AggressiveInlining)]
204         public bool Remove(TLink item) => Throw.A.NotSupportedExceptionAndReturn<bool>();
205
206         [MethodImpl(MethodImplOptions.AggressiveInlining)]
207         public int IndexOf(TLink item)
208         {
209             if (_equalityComparer.Equals(Index, item))
210             {
211                 return _constants.IndexPart;
212             }
213             if (_equalityComparer.Equals(Source, item))
214             {
215                 return _constants.SourcePart;
216             }
217             if (_equalityComparer.Equals(Target, item))
218             {
219                 return _constants.TargetPart;
220             }
221             return -1;
222         }
223
224         [MethodImpl(MethodImplOptions.AggressiveInlining)]
225         public void Insert(int index, TLink item) => throw new NotSupportedException();
226
227         [MethodImpl(MethodImplOptions.AggressiveInlining)]
228         public void RemoveAt(int index) => throw new NotSupportedException();
229
230         [MethodImpl(MethodImplOptions.AggressiveInlining)]
231         public static bool operator ==(Link<TLink> left, Link<TLink> right) =>
            ↪  left.Equals(right);
232
233         [MethodImpl(MethodImplOptions.AggressiveInlining)]
234         public static bool operator !=(Link<TLink> left, Link<TLink> right) => !(left == right);
235
236         #endregion
237     }
238 }
```

1.23 ./Platform.Data.Doublets/LinkExtensions.cs

```
1  using System.Runtime.CompilerServices;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Data.Doublets
6  {
7      public static class LinkExtensions
8      {
9          [MethodImpl(MethodImplOptions.AggressiveInlining)]
10         public static bool IsFullPoint<TLink>(this Link<TLink> link) =>
            ↪  Point<TLink>.IsFullPoint(link);
11
12         [MethodImpl(MethodImplOptions.AggressiveInlining)]
13         public static bool IsPartialPoint<TLink>(this Link<TLink> link) =>
            ↪  Point<TLink>.IsPartialPoint(link);
```

```
    }
}
```

1.24 ./Platform.Data.Doublets/LinksOperatorBase.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets
{
    public abstract class LinksOperatorBase<TLink>
    {
        public ILinks<TLink> Links
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected LinksOperatorBase(ILinks<TLink> links) => Links = links;
    }
}
```

1.25 ./Platform.Data.Doublets/Numbers/Unary/AddressToUnaryNumberConverter.cs

```
using System.Collections.Generic;
using Platform.Reflection;
using Platform.Converters;
using Platform.Numbers;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Numbers.Unary
{
    public class AddressToUnaryNumberConverter<TLink> : LinksOperatorBase<TLink>,
    ↪  IConverter<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;
        private static readonly TLink _zero = default;
        private static readonly TLink _one = Arithmetic.Increment(_zero);

        private readonly IConverter<int, TLink> _powerOf2ToUnaryNumberConverter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public AddressToUnaryNumberConverter(ILinks<TLink> links, IConverter<int, TLink>
        ↪  powerOf2ToUnaryNumberConverter) : base(links) => _powerOf2ToUnaryNumberConverter =
        ↪  powerOf2ToUnaryNumberConverter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Convert(TLink number)
        {
            var nullConstant = Links.Constants.Null;
            var target = nullConstant;
            for (var i = 0; !_equalityComparer.Equals(number, _zero) && i <
            ↪  NumericType<TLink>.BitsSize; i++)
            {
                if (_equalityComparer.Equals(Bit.And(number, _one), _one))
                {
                    target = _equalityComparer.Equals(target, nullConstant)
                        ? _powerOf2ToUnaryNumberConverter.Convert(i)
                        : Links.GetOrCreate(_powerOf2ToUnaryNumberConverter.Convert(i), target);
                }
                number = Bit.ShiftRight(number, 1);
            }
            return target;
        }
    }
}
```

1.26 ./Platform.Data.Doublets/Numbers/Unary/LinkToItsFrequencyNumberConveter.cs

```
using System;
using System.Collections.Generic;
using Platform.Interfaces;
using Platform.Converters;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Numbers.Unary
```

```
{
    public class LinkToItsFrequencyNumberConveter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<Doublet<TLink>, TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;

        private readonly IProperty<TLink, TLink> _frequencyPropertyOperator;
        private readonly IConverter<TLink> _unaryNumberToAddressConverter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkToItsFrequencyNumberConveter(
            ILinks<TLink> links,
            IProperty<TLink, TLink> frequencyPropertyOperator,
            IConverter<TLink> unaryNumberToAddressConverter)
            : base(links)
        {
            _frequencyPropertyOperator = frequencyPropertyOperator;
            _unaryNumberToAddressConverter = unaryNumberToAddressConverter;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Convert(Doublet<TLink> doublet)
        {
            var link = Links.SearchOrDefault(doublet.Source, doublet.Target);
            if (_equalityComparer.Equals(link, default))
            {
                throw new ArgumentException($"Link ({doublet}) not found.", nameof(doublet));
            }
            var frequency = _frequencyPropertyOperator.Get(link);
            if (_equalityComparer.Equals(frequency, default))
            {
                return default;
            }
            var frequencyNumber = Links.GetSource(frequency);
            return _unaryNumberToAddressConverter.Convert(frequencyNumber);
        }
    }
}
```

1.27 ./Platform.Data.Doublets/Numbers/Unary/PowerOf2ToUnaryNumberConverter.cs

```
using System.Collections.Generic;
using Platform.Exceptions;
using Platform.Ranges;
using Platform.Converters;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Numbers.Unary
{
    public class PowerOf2ToUnaryNumberConverter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<int, TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;

        private readonly TLink[] _unaryNumberPowersOf2;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public PowerOf2ToUnaryNumberConverter(ILinks<TLink> links, TLink one) : base(links)
        {
            _unaryNumberPowersOf2 = new TLink[64];
            _unaryNumberPowersOf2[0] = one;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Convert(int power)
        {
            Ensure.Always.ArgumentInRange(power, new Range<int>(0, _unaryNumberPowersOf2.Length
            ↪ - 1), nameof(power));
            if (!_equalityComparer.Equals(_unaryNumberPowersOf2[power], default))
            {
                return _unaryNumberPowersOf2[power];
            }
            var previousPowerOf2 = Convert(power - 1);
            var powerOf2 = Links.GetOrCreate(previousPowerOf2, previousPowerOf2);
            _unaryNumberPowersOf2[power] = powerOf2;
            return powerOf2;
        }
```

```
    }
}
```

1.28 ./Platform.Data.Doublets/Numbers/Unary/UnaryNumberToAddressAddOperationConverter.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Converters;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Numbers.Unary
{
    public class UnaryNumberToAddressAddOperationConverter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;
        private static readonly UncheckedConverter<TLink, ulong> _addressToUInt64Converter =
        ↪ UncheckedConverter<TLink, ulong>.Default;
        private static readonly UncheckedConverter<ulong, TLink> _uInt64ToAddressConverter =
        ↪ UncheckedConverter<ulong, TLink>.Default;
        private static readonly TLink _zero = default;
        private static readonly TLink _one = Arithmetic.Increment(_zero);

        private readonly Dictionary<TLink, TLink> _unaryToUInt64;
        private readonly TLink _unaryOne;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UnaryNumberToAddressAddOperationConverter(ILinks<TLink> links, TLink unaryOne)
            : base(links)
        {
            _unaryOne = unaryOne;
            _unaryToUInt64 = CreateUnaryToUInt64Dictionary(links, unaryOne);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Convert(TLink unaryNumber)
        {
            if (_equalityComparer.Equals(unaryNumber, default))
            {
                return default;
            }
            if (_equalityComparer.Equals(unaryNumber, _unaryOne))
            {
                return _one;
            }
            var source = Links.GetSource(unaryNumber);
            var target = Links.GetTarget(unaryNumber);
            if (_equalityComparer.Equals(source, target))
            {
                return _unaryToUInt64[unaryNumber];
            }
            else
            {
                var result = _unaryToUInt64[source];
                TLink lastValue;
                while (!_unaryToUInt64.TryGetValue(target, out lastValue))
                {
                    source = Links.GetSource(target);
                    result = Arithmetic<TLink>.Add(result, _unaryToUInt64[source]);
                    target = Links.GetTarget(target);
                }
                result = Arithmetic<TLink>.Add(result, lastValue);
                return result;
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static Dictionary<TLink, TLink> CreateUnaryToUInt64Dictionary(ILinks<TLink>
        ↪ links, TLink unaryOne)
        {
            var unaryToUInt64 = new Dictionary<TLink, TLink>
            {
                { unaryOne, _one }
            };
            var unary = unaryOne;
            var number = _one;
            for (var i = 1; i < 64; i++)
            {
```

```
                unary = links.GetOrCreate(unary, unary);
                number = Double(number);
                unaryToUInt64.Add(unary, number);
            }
            return unaryToUInt64;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static TLink Double(TLink number) =>
        ↪  _uInt64ToAddressConverter.Convert(_addressToUInt64Converter.Convert(number) * 2UL);
    }
}
```

1.29 ./Platform.Data.Doublets/Numbers/Unary/UnaryNumberToAddressOrOperationConverter.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Reflection;
using Platform.Converters;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Numbers.Unary
{
    public class UnaryNumberToAddressOrOperationConverter<TLink> : LinksOperatorBase<TLink>,
    ↪  IConverter<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;
        private static readonly TLink _zero = default;
        private static readonly TLink _one = Arithmetic.Increment(_zero);

        private readonly IDictionary<TLink, int> _unaryNumberPowerOf2Indicies;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UnaryNumberToAddressOrOperationConverter(ILinks<TLink> links, IConverter<int,
        ↪  TLink> powerOf2ToUnaryNumberConverter) : base(links) => _unaryNumberPowerOf2Indicies
        ↪  = CreateUnaryNumberPowerOf2IndiciesDictionary(powerOf2ToUnaryNumberConverter);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Convert(TLink sourceNumber)
        {
            var links = Links;
            var nullConstant = links.Constants.Null;
            var source = sourceNumber;
            var target = nullConstant;
            if (!_equalityComparer.Equals(source, nullConstant))
            {
                while (true)
                {
                    if (_unaryNumberPowerOf2Indicies.TryGetValue(source, out int powerOf2Index))
                    {
                        SetBit(ref target, powerOf2Index);
                        break;
                    }
                    else
                    {
                        powerOf2Index = _unaryNumberPowerOf2Indicies[links.GetSource(source)];
                        SetBit(ref target, powerOf2Index);
                        source = links.GetTarget(source);
                    }
                }
            }
            return target;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static Dictionary<TLink, int>
        ↪  CreateUnaryNumberPowerOf2IndiciesDictionary(IConverter<int, TLink>
        ↪  powerOf2ToUnaryNumberConverter)
        {
            var unaryNumberPowerOf2Indicies = new Dictionary<TLink, int>();
            for (int i = 0; i < NumericType<TLink>.BitsSize; i++)
            {
                unaryNumberPowerOf2Indicies.Add(powerOf2ToUnaryNumberConverter.Convert(i), i);
            }
            return unaryNumberPowerOf2Indicies;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
61          private static void SetBit(ref TLink target, int powerOf2Index) => target =
            ↪ Bit.Or(target, Bit.ShiftLeft(_one, powerOf2Index));
62      }
63  }
```

1.30 ./Platform.Data.Doublets/PropertyOperators/PropertiesOperator.cs

```
1   using System.Linq;
2   using System.Collections.Generic;
3   using System.Runtime.CompilerServices;
4   using Platform.Interfaces;
5
6   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8   namespace Platform.Data.Doublets.PropertyOperators
9   {
10      public class PropertiesOperator<TLink> : LinksOperatorBase<TLink>, IProperties<TLink, TLink,
        ↪ TLink>
11      {
12          private static readonly EqualityComparer<TLink> _equalityComparer =
            ↪ EqualityComparer<TLink>.Default;
13
14          [MethodImpl(MethodImplOptions.AggressiveInlining)]
15          public PropertiesOperator(ILinks<TLink> links) : base(links) { }
16
17          [MethodImpl(MethodImplOptions.AggressiveInlining)]
18          public TLink GetValue(TLink @object, TLink property)
19          {
20              var objectProperty = Links.SearchOrDefault(@object, property);
21              if (_equalityComparer.Equals(objectProperty, default))
22              {
23                  return default;
24              }
25              var valueLink = Links.All(Links.Constants.Any, objectProperty).SingleOrDefault();
26              if (valueLink == null)
27              {
28                  return default;
29              }
30              return Links.GetTarget(valueLink[Links.Constants.IndexPart]);
31          }
32
33          [MethodImpl(MethodImplOptions.AggressiveInlining)]
34          public void SetValue(TLink @object, TLink property, TLink value)
35          {
36              var objectProperty = Links.GetOrCreate(@object, property);
37              Links.DeleteMany(Links.AllIndices(Links.Constants.Any, objectProperty));
38              Links.GetOrCreate(objectProperty, value);
39          }
40      }
41  }
```

1.31 ./Platform.Data.Doublets/PropertyOperators/PropertyOperator.cs

```
1   using System.Collections.Generic;
2   using System.Runtime.CompilerServices;
3   using Platform.Interfaces;
4
5   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7   namespace Platform.Data.Doublets.PropertyOperators
8   {
9       public class PropertyOperator<TLink> : LinksOperatorBase<TLink>, IProperty<TLink, TLink>
10      {
11          private static readonly EqualityComparer<TLink> _equalityComparer =
            ↪ EqualityComparer<TLink>.Default;
12
13          private readonly TLink _propertyMarker;
14          private readonly TLink _propertyValueMarker;
15
16          [MethodImpl(MethodImplOptions.AggressiveInlining)]
17          public PropertyOperator(ILinks<TLink> links, TLink propertyMarker, TLink
            ↪ propertyValueMarker) : base(links)
18          {
19              _propertyMarker = propertyMarker;
20              _propertyValueMarker = propertyValueMarker;
21          }
22
23          [MethodImpl(MethodImplOptions.AggressiveInlining)]
24          public TLink Get(TLink link)
25          {
26              var property = Links.SearchOrDefault(link, _propertyMarker);
27              return GetValue(GetContainer(property));
```

```
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private TLink GetContainer(TLink property)
        {
            var valueContainer = default(TLink);
            if (_equalityComparer.Equals(property, default))
            {
                return valueContainer;
            }
            var links = Links;
            var constants = links.Constants;
            var countinueConstant = constants.Continue;
            var breakConstant = constants.Break;
            var anyConstant = constants.Any;
            var query = new Link<TLink>(anyConstant, property, anyConstant);
            links.Each(candidate =>
            {
                var candidateTarget = links.GetTarget(candidate);
                var valueTarget = links.GetTarget(candidateTarget);
                if (_equalityComparer.Equals(valueTarget, _propertyValueMarker))
                {
                    valueContainer = links.GetIndex(candidate);
                    return breakConstant;
                }
                return countinueConstant;
            }, query);
            return valueContainer;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private TLink GetValue(TLink container) => _equalityComparer.Equals(container, default)
        ↪  ? default : Links.GetTarget(container);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void Set(TLink link, TLink value)
        {
            var links = Links;
            var property = links.GetOrCreate(link, _propertyMarker);
            var container = GetContainer(property);
            if (_equalityComparer.Equals(container, default))
            {
                links.GetOrCreate(property, value);
            }
            else
            {
                links.Update(container, property, value);
            }
        }
    }
}
```

1.32 ./Platform.Data.Doublets/ResizableDirectMemory/Generic/LinksAvlBalancedTreeMethodsBase.cs

```
using System;
using System.Text;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Methods.Trees;
using Platform.Converters;
using Platform.Numbers;
using static System.Runtime.CompilerServices.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Generic
{
    public unsafe abstract class LinksAvlBalancedTreeMethodsBase<TLink> :
    ↪  SizedAndThreadedAVLBalancedTreeMethods<TLink>, ILinksTreeMethods<TLink>
    {
        private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
        ↪  UncheckedConverter<TLink, long>.Default;
        private static readonly UncheckedConverter<TLink, int> _addressToInt32Converter =
        ↪  UncheckedConverter<TLink, int>.Default;
        private static readonly UncheckedConverter<bool, TLink> _boolToAddressConverter =
        ↪  UncheckedConverter<bool, TLink>.Default;
        private static readonly UncheckedConverter<int, TLink> _int32ToAddressConverter =
        ↪  UncheckedConverter<int, TLink>.Default;

        protected readonly TLink Break;
        protected readonly TLink Continue;
```

```
23          protected readonly byte* Links;
24          protected readonly byte* Header;
25
26          [MethodImpl(MethodImplOptions.AggressiveInlining)]
27          protected LinksAvlBalancedTreeMethodsBase(LinksConstants<TLink> constants, byte* links,
            ↪  byte* header)
28          {
29              Links = links;
30              Header = header;
31              Break = constants.Break;
32              Continue = constants.Continue;
33          }
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          protected abstract TLink GetTreeRoot();
37
38          [MethodImpl(MethodImplOptions.AggressiveInlining)]
39          protected abstract TLink GetBasePartValue(TLink link);
40
41          [MethodImpl(MethodImplOptions.AggressiveInlining)]
42          protected abstract bool FirstIsToTheRightOfSecond(TLink source, TLink target, TLink
            ↪  rootSource, TLink rootTarget);
43
44          [MethodImpl(MethodImplOptions.AggressiveInlining)]
45          protected abstract bool FirstIsToTheLeftOfSecond(TLink source, TLink target, TLink
            ↪  rootSource, TLink rootTarget);
46
47          [MethodImpl(MethodImplOptions.AggressiveInlining)]
48          protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref
            ↪  AsRef<LinksHeader<TLink>>(Header);
49
50          [MethodImpl(MethodImplOptions.AggressiveInlining)]
51          protected virtual ref RawLink<TLink> GetLinkReference(TLink link) => ref
            ↪  AsRef<RawLink<TLink>>(Links + (RawLink<TLink>.SizeInBytes *
            ↪  _addressToInt64Converter.Convert(link)));
52
53          [MethodImpl(MethodImplOptions.AggressiveInlining)]
54          protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
55          {
56              ref var link = ref GetLinkReference(linkIndex);
57              return new Link<TLink>(linkIndex, link.Source, link.Target);
58          }
59
60          [MethodImpl(MethodImplOptions.AggressiveInlining)]
61          protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
62          {
63              ref var firstLink = ref GetLinkReference(first);
64              ref var secondLink = ref GetLinkReference(second);
65              return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
                ↪  secondLink.Source, secondLink.Target);
66          }
67
68          [MethodImpl(MethodImplOptions.AggressiveInlining)]
69          protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
70          {
71              ref var firstLink = ref GetLinkReference(first);
72              ref var secondLink = ref GetLinkReference(second);
73              return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
                ↪  secondLink.Source, secondLink.Target);
74          }
75
76          [MethodImpl(MethodImplOptions.AggressiveInlining)]
77          protected virtual TLink GetSizeValue(TLink value) => Bit<TLink>.PartialRead(value, 5,
            ↪  -5);
78
79          [MethodImpl(MethodImplOptions.AggressiveInlining)]
80          protected virtual void SetSizeValue(ref TLink storedValue, TLink size) => storedValue =
            ↪  Bit<TLink>.PartialWrite(storedValue, size, 5, -5);
81
82          [MethodImpl(MethodImplOptions.AggressiveInlining)]
83          protected virtual bool GetLeftIsChildValue(TLink value)
84          {
85              unchecked
86              {
87                  //return _addressToBoolConverter.Convert(Bit<TLink>.PartialRead(previousValue,
                    ↪  4, 1));
88                  return !EqualityComparer.Equals(Bit<TLink>.PartialRead(value, 4, 1), default);
89              }
```

```
90          }
91
92          [MethodImpl(MethodImplOptions.AggressiveInlining)]
93          protected virtual void SetLeftIsChildValue(ref TLink storedValue, bool value)
94          {
95              unchecked
96              {
97                  var previousValue = storedValue;
98                  var modified = Bit<TLink>.PartialWrite(previousValue,
                    ↪  _boolToAddressConverter.Convert(value), 4, 1);
99                  storedValue = modified;
100             }
101         }
102
103         [MethodImpl(MethodImplOptions.AggressiveInlining)]
104         protected virtual bool GetRightIsChildValue(TLink value)
105         {
106             unchecked
107             {
108                 //return _addressToBoolConverter.Convert(Bit<TLink>.PartialRead(previousValue,
                    ↪  3, 1));
109                 return !EqualityComparer.Equals(Bit<TLink>.PartialRead(value, 3, 1), default);
110             }
111         }
112
113         [MethodImpl(MethodImplOptions.AggressiveInlining)]
114         protected virtual void SetRightIsChildValue(ref TLink storedValue, bool value)
115         {
116             unchecked
117             {
118                 var previousValue = storedValue;
119                 var modified = Bit<TLink>.PartialWrite(previousValue,
                    ↪  _boolToAddressConverter.Convert(value), 3, 1);
120                 storedValue = modified;
121             }
122         }
123
124         [MethodImpl(MethodImplOptions.AggressiveInlining)]
125         protected bool IsChild(TLink parent, TLink possibleChild)
126         {
127             var parentSize = GetSize(parent);
128             var childSize = GetSizeOrZero(possibleChild);
129             return GreaterThanZero(childSize) && LessOrEqualThan(childSize, parentSize);
130         }
131
132         [MethodImpl(MethodImplOptions.AggressiveInlining)]
133         protected virtual sbyte GetBalanceValue(TLink storedValue)
134         {
135             unchecked
136             {
137                 var value = _addressToInt32Converter.Convert(Bit<TLink>.PartialRead(storedValue,
                    ↪  0, 3));
138                 value |= 0xF8 * ((value & 4) >> 2); // if negative, then continue ones to the
                    ↪  end of sbyte
139                 return (sbyte)value;
140             }
141         }
142
143         [MethodImpl(MethodImplOptions.AggressiveInlining)]
144         protected virtual void SetBalanceValue(ref TLink storedValue, sbyte value)
145         {
146             unchecked
147             {
148                 var packagedValue = _int32ToAddressConverter.Convert((byte)value >> 5 & 4 |
                    ↪  value & 3);
149                 var modified = Bit<TLink>.PartialWrite(storedValue, packagedValue, 0, 3);
150                 storedValue = modified;
151             }
152         }
153
154         public TLink this[TLink index]
155         {
156             [MethodImpl(MethodImplOptions.AggressiveInlining)]
157             get
158             {
159                 var root = GetTreeRoot();
160                 if (GreaterOrEqualThan(index, GetSize(root)))
161                 {
162                     return Zero;
```

```
                }
                while (!EqualToZero(root))
                {
                    var left = GetLeftOrDefault(root);
                    var leftSize = GetSizeOrZero(left);
                    if (LessThan(index, leftSize))
                    {
                        root = left;
                        continue;
                    }
                    if (AreEqual(index, leftSize))
                    {
                        return root;
                    }
                    root = GetRightOrDefault(root);
                    index = Subtract(index, Increment(leftSize));
                }
                return Zero; // TODO: Impossible situation exception (only if tree structure
                ↪  broken)
            }
        }

        /// <summary>
        /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
        ↪  (концом).
        /// </summary>
        /// <param name="source">Индекс связи, которая является началом на искомой связи.</param>
        /// <param name="target">Индекс связи, которая является концом на искомой связи.</param>
        /// <returns>Индекс искомой связи.</returns>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Search(TLink source, TLink target)
        {
            var root = GetTreeRoot();
            while (!EqualToZero(root))
            {
                ref var rootLink = ref GetLinkReference(root);
                var rootSource = rootLink.Source;
                var rootTarget = rootLink.Target;
                if (FirstIsToTheLeftOfSecond(source, target, rootSource, rootTarget)) //
                ↪  node.Key < root.Key
                {
                    root = GetLeftOrDefault(root);
                }
                else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget)) //
                ↪  node.Key > root.Key
                {
                    root = GetRightOrDefault(root);
                }
                else // node.Key == root.Key
                {
                    return root;
                }
            }
            return Zero;
        }

        // TODO: Return indices range instead of references count
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink CountUsages(TLink link)
        {
            var root = GetTreeRoot();
            var total = GetSize(root);
            var totalRightIgnore = Zero;
            while (!EqualToZero(root))
            {
                var @base = GetBasePartValue(root);
                if (LessOrEqualThan(@base, link))
                {
                    root = GetRightOrDefault(root);
                }
                else
                {
                    totalRightIgnore = Add(totalRightIgnore, Increment(GetRightSize(root)));
                    root = GetLeftOrDefault(root);
                }
            }
            root = GetTreeRoot();
            var totalLeftIgnore = Zero;
```

```
            while (!EqualToZero(root))
            {
                var @base = GetBasePartValue(root);
                if (GreaterOrEqualThan(@base, link))
                {
                    root = GetLeftOrDefault(root);
                }
                else
                {
                    totalLeftIgnore = Add(totalLeftIgnore, Increment(GetLeftSize(root)));

                    root = GetRightOrDefault(root);
                }
            }
            return Subtract(Subtract(total, totalRightIgnore), totalLeftIgnore);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink EachUsage(TLink link, Func<IList<TLink>, TLink> handler)
        {
            var root = GetTreeRoot();
            if (EqualToZero(root))
            {
                return Continue;
            }
            TLink first = Zero, current = root;
            while (!EqualToZero(current))
            {
                var @base = GetBasePartValue(current);
                if (GreaterOrEqualThan(@base, link))
                {
                    if (AreEqual(@base, link))
                    {
                        first = current;
                    }
                    current = GetLeftOrDefault(current);
                }
                else
                {
                    current = GetRightOrDefault(current);
                }
            }
            if (!EqualToZero(first))
            {
                current = first;
                while (true)
                {
                    if (AreEqual(handler(GetLinkValues(current)), Break))
                    {
                        return Break;
                    }
                    current = GetNext(current);
                    if (EqualToZero(current) || !AreEqual(GetBasePartValue(current), link))
                    {
                        break;
                    }
                }
            }
            return Continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void PrintNodeValue(TLink node, StringBuilder sb)
        {
            ref var link = ref GetLinkReference(node);
            sb.Append(' ');
            sb.Append(link.Source);
            sb.Append('-');
            sb.Append('>');
            sb.Append(link.Target);
        }
    }
}
```

1.33 ./Platform.Data.Doublets/ResizableDirectMemory/Generic/LinksSizeBalancedTreeMethodsBase.cs

```
using System;
using System.Text;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
```

```
using Platform.Collections.Methods.Trees;
using Platform.Converters;
using static System.Runtime.CompilerServices.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Generic
{
    public unsafe abstract class LinksSizeBalancedTreeMethodsBase<TLink> : SizeBalancedTreeMethods<TLink>, ILinksTreeMethods<TLink>
    {
        private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter = UncheckedConverter<TLink, long>.Default;

        protected readonly TLink Break;
        protected readonly TLink Continue;
        protected readonly byte* Links;
        protected readonly byte* Header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected LinksSizeBalancedTreeMethodsBase(LinksConstants<TLink> constants, byte* links, byte* header)
        {
            Links = links;
            Header = header;
            Break = constants.Break;
            Continue = constants.Continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetTreeRoot();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetBasePartValue(TLink link);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract bool FirstIsToTheRightOfSecond(TLink source, TLink target, TLink rootSource, TLink rootTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract bool FirstIsToTheLeftOfSecond(TLink source, TLink target, TLink rootSource, TLink rootTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref AsRef<LinksHeader<TLink>>(Header);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref RawLink<TLink> GetLinkReference(TLink link) => ref AsRef<RawLink<TLink>>(Links + (RawLink<TLink>.SizeInBytes * _addressToInt64Converter.Convert(link)));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
        {
            ref var link = ref GetLinkReference(linkIndex);
            return new Link<TLink>(linkIndex, link.Source, link.Target);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
        {
            ref var firstLink = ref GetLinkReference(first);
            ref var secondLink = ref GetLinkReference(second);
            return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target, secondLink.Source, secondLink.Target);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
        {
            ref var firstLink = ref GetLinkReference(first);
            ref var secondLink = ref GetLinkReference(second);
            return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target, secondLink.Source, secondLink.Target);
        }

        public TLink this[TLink index]
        {
```

```
74              [MethodImpl(MethodImplOptions.AggressiveInlining)]
75              get
76              {
77                  var root = GetTreeRoot();
78                  if (GreaterOrEqualThan(index, GetSize(root)))
79                  {
80                      return Zero;
81                  }
82                  while (!EqualToZero(root))
83                  {
84                      var left = GetLeftOrDefault(root);
85                      var leftSize = GetSizeOrZero(left);
86                      if (LessThan(index, leftSize))
87                      {
88                          root = left;
89                          continue;
90                      }
91                      if (AreEqual(index, leftSize))
92                      {
93                          return root;
94                      }
95                      root = GetRightOrDefault(root);
96                      index = Subtract(index, Increment(leftSize));
97                  }
98                  return Zero; // TODO: Impossible situation exception (only if tree structure
                    ↪  broken)
99              }
100         }
101
102         /// <summary>
103         /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
                ↪  (концом).
104         /// </summary>
105         /// <param name="source">Индекс связи, которая является началом на искомой связи.</param>
106         /// <param name="target">Индекс связи, которая является концом на искомой связи.</param>
107         /// <returns>Индекс искомой связи.</returns>
108         [MethodImpl(MethodImplOptions.AggressiveInlining)]
109         public TLink Search(TLink source, TLink target)
110         {
111             var root = GetTreeRoot();
112             while (!EqualToZero(root))
113             {
114                 ref var rootLink = ref GetLinkReference(root);
115                 var rootSource = rootLink.Source;
116                 var rootTarget = rootLink.Target;
117                 if (FirstIsToTheLeftOfSecond(source, target, rootSource, rootTarget)) //
                    ↪  node.Key < root.Key
118                 {
119                     root = GetLeftOrDefault(root);
120                 }
121                 else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget)) //
                    ↪  node.Key > root.Key
122                 {
123                     root = GetRightOrDefault(root);
124                 }
125                 else // node.Key == root.Key
126                 {
127                     return root;
128                 }
129             }
130             return Zero;
131         }
132
133         // TODO: Return indices range instead of references count
134         [MethodImpl(MethodImplOptions.AggressiveInlining)]
135         public TLink CountUsages(TLink link)
136         {
137             var root = GetTreeRoot();
138             var total = GetSize(root);
139             var totalRightIgnore = Zero;
140             while (!EqualToZero(root))
141             {
142                 var @base = GetBasePartValue(root);
143                 if (LessOrEqualThan(@base, link))
144                 {
145                     root = GetRightOrDefault(root);
146                 }
147                 else
```

```
                {
                    totalRightIgnore = Add(totalRightIgnore, Increment(GetRightSize(root)));
                    root = GetLeftOrDefault(root);
                }
            }
            root = GetTreeRoot();
            var totalLeftIgnore = Zero;
            while (!EqualToZero(root))
            {
                var @base = GetBasePartValue(root);
                if (GreaterOrEqualThan(@base, link))
                {
                    root = GetLeftOrDefault(root);
                }
                else
                {
                    totalLeftIgnore = Add(totalLeftIgnore, Increment(GetLeftSize(root)));

                    root = GetRightOrDefault(root);
                }
            }
            return Subtract(Subtract(total, totalRightIgnore), totalLeftIgnore);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink EachUsage(TLink @base, Func<IList<TLink>, TLink> handler) =>
        ↪  EachUsageCore(@base, GetTreeRoot(), handler);

        // TODO: 1. Move target, handler to separate object. 2. Use stack or walker 3. Use
        ↪  low-level MSIL stack.
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private TLink EachUsageCore(TLink @base, TLink link, Func<IList<TLink>, TLink> handler)
        {
            var @continue = Continue;
            if (EqualToZero(link))
            {
                return @continue;
            }
            var linkBasePart = GetBasePartValue(link);
            var @break = Break;
            if (GreaterThan(linkBasePart, @base))
            {
                if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
                {
                    return @break;
                }
            }
            else if (LessThan(linkBasePart, @base))
            {
                if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
                {
                    return @break;
                }
            }
            else //if (linkBasePart == @base)
            {
                if (AreEqual(handler(GetLinkValues(link)), @break))
                {
                    return @break;
                }
                if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
                {
                    return @break;
                }
                if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
                {
                    return @break;
                }
            }
            return @continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void PrintNodeValue(TLink node, StringBuilder sb)
        {
            ref var link = ref GetLinkReference(node);
            sb.Append(' ');
            sb.Append(link.Source);
            sb.Append('-');
```

```
            sb.Append('>');
            sb.Append(link.Target);
        }
    }
}
```

1.34 ./Platform.Data.Doublets/ResizableDirectMemory/Generic/LinksSourcesAvlBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Generic
{
    public unsafe class LinksSourcesAvlBalancedTreeMethods<TLink> :
    ↪ LinksAvlBalancedTreeMethodsBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksSourcesAvlBalancedTreeMethods(LinksConstants<TLink> constants, byte* links,
        ↪ byte* header) : base(constants, links, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected unsafe override ref TLink GetLeftReference(TLink node) => ref
        ↪ GetLinkReference(node).LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected unsafe override ref TLink GetRightReference(TLink node) => ref
        ↪ GetLinkReference(node).RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪ GetLinkReference(node).LeftAsSource = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪ GetLinkReference(node).RightAsSource = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) =>
        ↪ GetSizeValue(GetLinkReference(node).SizeAsSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) => SetSizeValue(ref
        ↪ GetLinkReference(node).SizeAsSource, size);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GetLeftIsChild(TLink node) =>
        ↪ GetLeftIsChildValue(GetLinkReference(node).SizeAsSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeftIsChild(TLink node, bool value) =>
        ↪ SetLeftIsChildValue(ref GetLinkReference(node).SizeAsSource, value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GetRightIsChild(TLink node) =>
        ↪ GetRightIsChildValue(GetLinkReference(node).SizeAsSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRightIsChild(TLink node, bool value) =>
        ↪ SetRightIsChildValue(ref GetLinkReference(node).SizeAsSource, value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override sbyte GetBalance(TLink node) =>
        ↪ GetBalanceValue(GetLinkReference(node).SizeAsSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetBalance(TLink node, sbyte value) => SetBalanceValue(ref
        ↪ GetLinkReference(node).SizeAsSource, value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot() => GetHeaderReference().FirstAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
58          protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Source;
59
60          [MethodImpl(MethodImplOptions.AggressiveInlining)]
61          protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
            ↪  TLink secondSource, TLink secondTarget) => LessThan(firstSource, secondSource) ||
            ↪  (AreEqual(firstSource, secondSource) && LessThan(firstTarget, secondTarget));
62
63          [MethodImpl(MethodImplOptions.AggressiveInlining)]
64          protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
            ↪  TLink secondSource, TLink secondTarget) => GreaterThan(firstSource, secondSource) ||
            ↪  (AreEqual(firstSource, secondSource) && GreaterThan(firstTarget, secondTarget));
65
66          [MethodImpl(MethodImplOptions.AggressiveInlining)]
67          protected override void ClearNode(TLink node)
68          {
69              ref var link = ref GetLinkReference(node);
70              link.LeftAsSource = Zero;
71              link.RightAsSource = Zero;
72              link.SizeAsSource = Zero;
73          }
74      }
75  }
```

1.35 ./Platform.Data.Doublets/ResizableDirectMemory/Generic/LinksSourcesSizeBalancedTreeMethods.cs

```
1   using System.Runtime.CompilerServices;
2
3   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5   namespace Platform.Data.Doublets.ResizableDirectMemory.Generic
6   {
7       public unsafe class LinksSourcesSizeBalancedTreeMethods<TLink> :
        ↪  LinksSizeBalancedTreeMethodsBase<TLink>
8       {
9           [MethodImpl(MethodImplOptions.AggressiveInlining)]
10          public LinksSourcesSizeBalancedTreeMethods(LinksConstants<TLink> constants, byte* links,
            ↪  byte* header) : base(constants, links, header) { }
11
12          [MethodImpl(MethodImplOptions.AggressiveInlining)]
13          protected unsafe override ref TLink GetLeftReference(TLink node) => ref
            ↪  GetLinkReference(node).LeftAsSource;
14
15          [MethodImpl(MethodImplOptions.AggressiveInlining)]
16          protected unsafe override ref TLink GetRightReference(TLink node) => ref
            ↪  GetLinkReference(node).RightAsSource;
17
18          [MethodImpl(MethodImplOptions.AggressiveInlining)]
19          protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsSource;
20
21          [MethodImpl(MethodImplOptions.AggressiveInlining)]
22          protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsSource;
23
24          [MethodImpl(MethodImplOptions.AggressiveInlining)]
25          protected override void SetLeft(TLink node, TLink left) =>
            ↪  GetLinkReference(node).LeftAsSource = left;
26
27          [MethodImpl(MethodImplOptions.AggressiveInlining)]
28          protected override void SetRight(TLink node, TLink right) =>
            ↪  GetLinkReference(node).RightAsSource = right;
29
30          [MethodImpl(MethodImplOptions.AggressiveInlining)]
31          protected override TLink GetSize(TLink node) => GetLinkReference(node).SizeAsSource;
32
33          [MethodImpl(MethodImplOptions.AggressiveInlining)]
34          protected override void SetSize(TLink node, TLink size) =>
            ↪  GetLinkReference(node).SizeAsSource = size;
35
36          [MethodImpl(MethodImplOptions.AggressiveInlining)]
37          protected override TLink GetTreeRoot() => GetHeaderReference().FirstAsSource;
38
39          [MethodImpl(MethodImplOptions.AggressiveInlining)]
40          protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Source;
41
42          [MethodImpl(MethodImplOptions.AggressiveInlining)]
43          protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
            ↪  TLink secondSource, TLink secondTarget) => LessThan(firstSource, secondSource) ||
            ↪  (AreEqual(firstSource, secondSource) && LessThan(firstTarget, secondTarget));
44
45          [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
        ↪  TLink secondSource, TLink secondTarget) => GreaterThan(firstSource, secondSource) ||
        ↪  (AreEqual(firstSource, secondSource) && GreaterThan(firstTarget, secondTarget));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref GetLinkReference(node);
            link.LeftAsSource = Zero;
            link.RightAsSource = Zero;
            link.SizeAsSource = Zero;
        }
    }
}
```

1.36 ./Platform.Data.Doublets/ResizableDirectMemory/Generic/LinksTargetsAvlBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Generic
{
    public unsafe class LinksTargetsAvlBalancedTreeMethods<TLink> :
    ↪  LinksAvlBalancedTreeMethodsBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksTargetsAvlBalancedTreeMethods(LinksConstants<TLink> constants, byte* links,
        ↪  byte* header) : base(constants, links, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected unsafe override ref TLink GetLeftReference(TLink node) => ref
        ↪  GetLinkReference(node).LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected unsafe override ref TLink GetRightReference(TLink node) => ref
        ↪  GetLinkReference(node).RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪  GetLinkReference(node).LeftAsTarget = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪  GetLinkReference(node).RightAsTarget = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) =>
        ↪  GetSizeValue(GetLinkReference(node).SizeAsTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) => SetSizeValue(ref
        ↪  GetLinkReference(node).SizeAsTarget, size);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GetLeftIsChild(TLink node) =>
        ↪  GetLeftIsChildValue(GetLinkReference(node).SizeAsTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeftIsChild(TLink node, bool value) =>
        ↪  SetLeftIsChildValue(ref GetLinkReference(node).SizeAsTarget, value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GetRightIsChild(TLink node) =>
        ↪  GetRightIsChildValue(GetLinkReference(node).SizeAsTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRightIsChild(TLink node, bool value) =>
        ↪  SetRightIsChildValue(ref GetLinkReference(node).SizeAsTarget, value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override sbyte GetBalance(TLink node) =>
        ↪  GetBalanceValue(GetLinkReference(node).SizeAsTarget);
```

```

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetBalance(TLink node, sbyte value) => SetBalanceValue(ref
        ↪  GetLinkReference(node).SizeAsTarget, value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot() => GetHeaderReference().FirstAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
        ↪  TLink secondSource, TLink secondTarget) => LessThan(firstTarget, secondTarget) ||
        ↪  (AreEqual(firstTarget, secondTarget) && LessThan(firstSource, secondSource));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
        ↪  TLink secondSource, TLink secondTarget) => GreaterThan(firstTarget, secondTarget) ||
        ↪  (AreEqual(firstTarget, secondTarget) && GreaterThan(firstSource, secondSource));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref GetLinkReference(node);
            link.LeftAsTarget = Zero;
            link.RightAsTarget = Zero;
            link.SizeAsTarget = Zero;
        }
    }
}
```

1.37 ./Platform.Data.Doublets/ResizableDirectMemory/Generic/LinksTargetsSizeBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Generic
{
    public unsafe class LinksTargetsSizeBalancedTreeMethods<TLink> :
    ↪  LinksSizeBalancedTreeMethodsBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksTargetsSizeBalancedTreeMethods(LinksConstants<TLink> constants, byte* links,
        ↪  byte* header) : base(constants, links, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected unsafe override ref TLink GetLeftReference(TLink node) => ref
        ↪  GetLinkReference(node).LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected unsafe override ref TLink GetRightReference(TLink node) => ref
        ↪  GetLinkReference(node).RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪  GetLinkReference(node).LeftAsTarget = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪  GetLinkReference(node).RightAsTarget = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) => GetLinkReference(node).SizeAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪  GetLinkReference(node).SizeAsTarget = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot() => GetHeaderReference().FirstAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
        ↪  TLink secondSource, TLink secondTarget) => LessThan(firstTarget, secondTarget) ||
        ↪  (AreEqual(firstTarget, secondTarget) && LessThan(firstSource, secondSource));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
        ↪  TLink secondSource, TLink secondTarget) => GreaterThan(firstTarget, secondTarget) ||
        ↪  (AreEqual(firstTarget, secondTarget) && GreaterThan(firstSource, secondSource));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref GetLinkReference(node);
            link.LeftAsTarget = Zero;
            link.RightAsTarget = Zero;
            link.SizeAsTarget = Zero;
        }
    }
}
```

1.38 ./Platform.Data.Doublets/ResizableDirectMemory/Generic/ResizableDirectMemoryLinks.cs

```
using System;
using System.Runtime.CompilerServices;
using Platform.Singletons;
using Platform.Memory;
using static System.Runtime.CompilerServices.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Generic
{
    public unsafe partial class ResizableDirectMemoryLinks<TLink> :
    ↪  ResizableDirectMemoryLinksBase<TLink>
    {
        private readonly Func<ILinksTreeMethods<TLink>> _createSourceTreeMethods;
        private readonly Func<ILinksTreeMethods<TLink>> _createTargetTreeMethods;
        private byte* _header;
        private byte* _links;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public ResizableDirectMemoryLinks(string address) : this(address, DefaultLinksSizeStep)
        ↪  { }

        /// <summary>
        /// Создаёт экземпляр базы данных Links в файле по указанному адресу, с указанным
        ↪  минимальным шагом расширения базы данных.
        /// </summary>
        /// <param name="address">Полный пусть к файлу базы данных.</param>
        /// <param name="memoryReservationStep">Минимальный шаг расширения базы данных в
        ↪  байтах.</param>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public ResizableDirectMemoryLinks(string address, long memoryReservationStep) : this(new
        ↪  FileMappedResizableDirectMemory(address, memoryReservationStep),
        ↪  memoryReservationStep) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public ResizableDirectMemoryLinks(IResizableDirectMemory memory) : this(memory,
        ↪  DefaultLinksSizeStep) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public ResizableDirectMemoryLinks(IResizableDirectMemory memory, long
        ↪  memoryReservationStep) : this(memory, memoryReservationStep,
        ↪  Default<LinksConstants<TLink>>.Instance, true) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public ResizableDirectMemoryLinks(IResizableDirectMemory memory, long
        ↪  memoryReservationStep, LinksConstants<TLink> constants, bool useAvlBasedIndex) :
        ↪  base(memory, memoryReservationStep, constants)
        {
            if (useAvlBasedIndex)
            {
                _createSourceTreeMethods = () => new
                ↪  LinksSourcesAvlBalancedTreeMethods<TLink>(Constants, _links, _header);
                _createTargetTreeMethods = () => new
                ↪  LinksTargetsAvlBalancedTreeMethods<TLink>(Constants, _links, _header);
            }
```

```
            else
            {
                _createSourceTreeMethods = () => new
                ↪  LinksSourcesSizeBalancedTreeMethods<TLink>(Constants, _links, _header);
                _createTargetTreeMethods = () => new
                ↪  LinksTargetsSizeBalancedTreeMethods<TLink>(Constants, _links, _header);
            }
            Init(memory, memoryReservationStep);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetPointers(IResizableDirectMemory memory)
        {
            _links = (byte*)memory.Pointer;
            _header = _links;
            SourcesTreeMethods = _createSourceTreeMethods();
            TargetsTreeMethods = _createTargetTreeMethods();
            UnusedLinksListMethods = new UnusedLinksListMethods<TLink>(_links, _header);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ResetPointers()
        {
            base.ResetPointers();
            _links = null;
            _header = null;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref LinksHeader<TLink> GetHeaderReference() => ref
        ↪  AsRef<LinksHeader<TLink>>(_header);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLink<TLink> GetLinkReference(TLink linkIndex) => ref
        ↪  AsRef<RawLink<TLink>>(_links + (LinkSizeInBytes * ConvertToInt64(linkIndex)));
    }
}
```

1.39 ./Platform.Data.Doublets/ResizableDirectMemory/Generic/ResizableDirectMemoryLinksBase.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Disposables;
using Platform.Singletons;
using Platform.Converters;
using Platform.Numbers;
using Platform.Memory;
using Platform.Data.Exceptions;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Generic
{
    public abstract class ResizableDirectMemoryLinksBase<TLink> : DisposableBase, ILinks<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;
        private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
        private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
        ↪  UncheckedConverter<TLink, long>.Default;
        private static readonly UncheckedConverter<long, TLink> _int64ToAddressConverter =
        ↪  UncheckedConverter<long, TLink>.Default;

        private static readonly TLink _zero = default;
        private static readonly TLink _one = Arithmetic.Increment(_zero);

        /// <summary>Возвращает размер одной связи в байтах.</summary>
        /// <remarks>
        /// Используется только во вне класса, не рекомедуется использовать внутри.
        /// Так как во вне не обязательно будет доступен unsafe C#.
        /// </remarks>
        public static readonly long LinkSizeInBytes = RawLink<TLink>.SizeInBytes;

        public static readonly long LinkHeaderSizeInBytes = LinksHeader<TLink>.SizeInBytes;

        public static readonly long DefaultLinksSizeStep = LinkSizeInBytes * 1024 * 1024;

        protected readonly IResizableDirectMemory _memory;
        protected readonly long _memoryReservationStep;

```

```
39          protected ILinksTreeMethods<TLink> TargetsTreeMethods;
40          protected ILinksTreeMethods<TLink> SourcesTreeMethods;
41          // TODO: Возможно чтобы гарантированно проверять на то, является ли связь удалённой,
            ↪  нужно использовать не список а дерево, так как так можно быстрее проверить на
            ↪  наличие связи внутри
42          protected ILinksListMethods<TLink> UnusedLinksListMethods;
43
44          /// <summary>
45          /// Возвращает общее число связей находящихся в хранилище.
46          /// </summary>
47          protected virtual TLink Total
48          {
49              [MethodImpl(MethodImplOptions.AggressiveInlining)]
50              get
51              {
52                  ref var header = ref GetHeaderReference();
53                  return Subtract(header.AllocatedLinks, header.FreeLinks);
54              }
55          }
56
57          public virtual LinksConstants<TLink> Constants
58          {
59              [MethodImpl(MethodImplOptions.AggressiveInlining)]
60              get;
61          }
62
63          [MethodImpl(MethodImplOptions.AggressiveInlining)]
64          protected ResizableDirectMemoryLinksBase(IResizableDirectMemory memory, long
            ↪  memoryReservationStep, LinksConstants<TLink> constants)
65          {
66              _memory = memory;
67              _memoryReservationStep = memoryReservationStep;
68              Constants = constants;
69          }
70
71          [MethodImpl(MethodImplOptions.AggressiveInlining)]
72          protected ResizableDirectMemoryLinksBase(IResizableDirectMemory memory, long
            ↪  memoryReservationStep) : this(memory, memoryReservationStep,
            ↪  Default<LinksConstants<TLink>>.Instance) { }
73
74          [MethodImpl(MethodImplOptions.AggressiveInlining)]
75          protected virtual void Init(IResizableDirectMemory memory, long memoryReservationStep)
76          {
77              if (memory.ReservedCapacity < memoryReservationStep)
78              {
79                  memory.ReservedCapacity = memoryReservationStep;
80              }
81              SetPointers(_memory);
82              ref var header = ref GetHeaderReference();
83              // Гарантия корректности _memory.UsedCapacity относительно _header->AllocatedLinks
84              _memory.UsedCapacity = (ConvertToInt64(header.AllocatedLinks) * LinkSizeInBytes) +
                ↪  LinkHeaderSizeInBytes;
85              // Гарантия корректности _header->ReservedLinks относительно _memory.ReservedCapacity
86              header.ReservedLinks = ConvertToAddress((_memory.ReservedCapacity -
                ↪  LinkHeaderSizeInBytes) / LinkSizeInBytes);
87          }
88
89          [MethodImpl(MethodImplOptions.AggressiveInlining)]
90          public virtual TLink Count(IList<TLink> restrictions)
91          {
92              // Если нет ограничений, тогда возвращаем общее число связей находящихся в хранилище.
93              if (restrictions.Count == 0)
94              {
95                  return Total;
96              }
97              var constants = Constants;
98              var any = constants.Any;
99              var index = restrictions[constants.IndexPart];
100             if (restrictions.Count == 1)
101             {
102                 if (AreEqual(index, any))
103                 {
104                     return Total;
105                 }
106                 return Exists(index) ? GetOne() : GetZero();
107             }
108             if (restrictions.Count == 2)
109             {
110                 var value = restrictions[1];
```

```
111                 if (AreEqual(index, any))
112                 {
113                     if (AreEqual(value, any))
114                     {
115                         return Total; // Any - как отсутствие ограничения
116                     }
117                     return Add(SourcesTreeMethods.CountUsages(value),
                        ↪  TargetsTreeMethods.CountUsages(value));
118                 }
119                 else
120                 {
121                     if (!Exists(index))
122                     {
123                         return GetZero();
124                     }
125                     if (AreEqual(value, any))
126                     {
127                         return GetOne();
128                     }
129                     ref var storedLinkValue = ref GetLinkReference(index);
130                     if (AreEqual(storedLinkValue.Source, value) ||
                        ↪  AreEqual(storedLinkValue.Target, value))
131                     {
132                         return GetOne();
133                     }
134                     return GetZero();
135                 }
136             }
137             if (restrictions.Count == 3)
138             {
139                 var source = restrictions[constants.SourcePart];
140                 var target = restrictions[constants.TargetPart];
141                 if (AreEqual(index, any))
142                 {
143                     if (AreEqual(source, any) && AreEqual(target, any))
144                     {
145                         return Total;
146                     }
147                     else if (AreEqual(source, any))
148                     {
149                         return TargetsTreeMethods.CountUsages(target);
150                     }
151                     else if (AreEqual(target, any))
152                     {
153                         return SourcesTreeMethods.CountUsages(source);
154                     }
155                     else //if(source != Any && target != Any)
156                     {
157                         // Эквивалент Exists(source, target) => Count(Any, source, target) > 0
158                         var link = SourcesTreeMethods.Search(source, target);
159                         return AreEqual(link, constants.Null) ? GetZero() : GetOne();
160                     }
161                 }
162                 else
163                 {
164                     if (!Exists(index))
165                     {
166                         return GetZero();
167                     }
168                     if (AreEqual(source, any) && AreEqual(target, any))
169                     {
170                         return GetOne();
171                     }
172                     ref var storedLinkValue = ref GetLinkReference(index);
173                     if (!AreEqual(source, any) && !AreEqual(target, any))
174                     {
175                         if (AreEqual(storedLinkValue.Source, source) &&
                            ↪  AreEqual(storedLinkValue.Target, target))
176                         {
177                             return GetOne();
178                         }
179                         return GetZero();
180                     }
181                     var value = default(TLink);
182                     if (AreEqual(source, any))
183                     {
184                         value = target;
185                     }
```

```
                    if (AreEqual(target, any))
                    {
                        value = source;
                    }
                    if (AreEqual(storedLinkValue.Source, value) ||
                    ↪  AreEqual(storedLinkValue.Target, value))
                    {
                        return GetOne();
                    }
                    return GetZero();
                }
            }
            throw new NotSupportedException("Другие размеры и способы ограничений не
            ↪  поддерживаются.");
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
        {
            var constants = Constants;
            var @break = constants.Break;
            if (restrictions.Count == 0)
            {
                for (var link = GetOne(); LessOrEqualThan(link,
                ↪  GetHeaderReference().AllocatedLinks); link = Increment(link))
                {
                    if (Exists(link) && AreEqual(handler(GetLinkStruct(link)), @break))
                    {
                        return @break;
                    }
                }
                return @break;
            }
            var @continue = constants.Continue;
            var any = constants.Any;
            var index = restrictions[constants.IndexPart];
            if (restrictions.Count == 1)
            {
                if (AreEqual(index, any))
                {
                    return Each(handler, GetEmptyList());
                }
                if (!Exists(index))
                {
                    return @continue;
                }
                return handler(GetLinkStruct(index));
            }
            if (restrictions.Count == 2)
            {
                var value = restrictions[1];
                if (AreEqual(index, any))
                {
                    if (AreEqual(value, any))
                    {
                        return Each(handler, GetEmptyList());
                    }
                    if (AreEqual(Each(handler, new Link<TLink>(index, value, any)), @break))
                    {
                        return @break;
                    }
                    return Each(handler, new Link<TLink>(index, any, value));
                }
                else
                {
                    if (!Exists(index))
                    {
                        return @continue;
                    }
                    if (AreEqual(value, any))
                    {
                        return handler(GetLinkStruct(index));
                    }
                    ref var storedLinkValue = ref GetLinkReference(index);
                    if (AreEqual(storedLinkValue.Source, value) ||
                        AreEqual(storedLinkValue.Target, value))
                    {
                        return handler(GetLinkStruct(index));
```

```
                    }
                    return @continue;
                }
            }
            if (restrictions.Count == 3)
            {
                var source = restrictions[constants.SourcePart];
                var target = restrictions[constants.TargetPart];
                if (AreEqual(index, any))
                {
                    if (AreEqual(source, any) && AreEqual(target, any))
                    {
                        return Each(handler, GetEmptyList());
                    }
                    else if (AreEqual(source, any))
                    {
                        return TargetsTreeMethods.EachUsage(target, handler);
                    }
                    else if (AreEqual(target, any))
                    {
                        return SourcesTreeMethods.EachUsage(source, handler);
                    }
                    else //if(source != Any && target != Any)
                    {
                        var link = SourcesTreeMethods.Search(source, target);
                        return AreEqual(link, constants.Null) ? @continue :
                        ↪  handler(GetLinkStruct(link));
                    }
                }
                else
                {
                    if (!Exists(index))
                    {
                        return @continue;
                    }
                    if (AreEqual(source, any) && AreEqual(target, any))
                    {
                        return handler(GetLinkStruct(index));
                    }
                    ref var storedLinkValue = ref GetLinkReference(index);
                    if (!AreEqual(source, any) && !AreEqual(target, any))
                    {
                        if (AreEqual(storedLinkValue.Source, source) &&
                            AreEqual(storedLinkValue.Target, target))
                        {
                            return handler(GetLinkStruct(index));
                        }
                        return @continue;
                    }
                    var value = default(TLink);
                    if (AreEqual(source, any))
                    {
                        value = target;
                    }
                    if (AreEqual(target, any))
                    {
                        value = source;
                    }
                    if (AreEqual(storedLinkValue.Source, value) ||
                        AreEqual(storedLinkValue.Target, value))
                    {
                        return handler(GetLinkStruct(index));
                    }
                    return @continue;
                }
            }
            throw new NotSupportedException("Другие размеры и способы ограничений не
            ↪  поддерживаются.");
        }

        /// <remarks>
        /// TODO: Возможно можно перемещать значения, если указан индекс, но значение существует
        ↪  в другом месте (но не в менеджере памяти, а в логике Links)
        /// </remarks>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
        {
            var constants = Constants;
```

```
            var @null = constants.Null;
            var linkIndex = restrictions[constants.IndexPart];
            ref var link = ref GetLinkReference(linkIndex);
            ref var header = ref GetHeaderReference();
            ref var firstAsSource = ref header.FirstAsSource;
            ref var firstAsTarget = ref header.FirstAsTarget;
            // Будет корректно работать только в том случае, если пространство выделенной связи предварительно заполнено нулями
            if (!AreEqual(link.Source, @null))
            {
                SourcesTreeMethods.Detach(ref firstAsSource, linkIndex);
            }
            if (!AreEqual(link.Target, @null))
            {
                TargetsTreeMethods.Detach(ref firstAsTarget, linkIndex);
            }
            link.Source = substitution[constants.SourcePart];
            link.Target = substitution[constants.TargetPart];
            if (!AreEqual(link.Source, @null))
            {
                SourcesTreeMethods.Attach(ref firstAsSource, linkIndex);
            }
            if (!AreEqual(link.Target, @null))
            {
                TargetsTreeMethods.Attach(ref firstAsTarget, linkIndex);
            }
            return linkIndex;
        }

        /// <remarks>
        /// TODO: Возможно нужно будет заполнение нулями, если внешнее API ими не заполняет пространство
        /// </remarks>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Create(IList<TLink> restrictions)
        {
            ref var header = ref GetHeaderReference();
            var freeLink = header.FirstFreeLink;
            if (!AreEqual(freeLink, Constants.Null))
            {
                UnusedLinksListMethods.Detach(freeLink);
            }
            else
            {
                var maximumPossibleInnerReference = Constants.InternalReferencesRange.Maximum;
                if (GreaterThan(header.AllocatedLinks, maximumPossibleInnerReference))
                {
                    throw new LinksLimitReachedException<TLink>(maximumPossibleInnerReference);
                }
                if (GreaterOrEqualThan(header.AllocatedLinks, Decrement(header.ReservedLinks)))
                {
                    _memory.ReservedCapacity += _memoryReservationStep;
                    SetPointers(_memory);
                    header.ReservedLinks = ConvertToAddress(_memory.ReservedCapacity / LinkSizeInBytes);
                }
                header.AllocatedLinks = Increment(header.AllocatedLinks);
                _memory.UsedCapacity += LinkSizeInBytes;
                freeLink = header.AllocatedLinks;
            }
            return freeLink;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual void Delete(IList<TLink> restrictions)
        {
            ref var header = ref GetHeaderReference();
            var link = restrictions[Constants.IndexPart];
            if (LessThan(link, header.AllocatedLinks))
            {
                UnusedLinksListMethods.AttachAsFirst(link);
            }
            else if (AreEqual(link, header.AllocatedLinks))
            {
                header.AllocatedLinks = Decrement(header.AllocatedLinks);
                _memory.UsedCapacity -= LinkSizeInBytes;
                // Убираем все связи, находящиеся в списке свободных в конце файла, до тех пор, пока не дойдём до первой существующей связи
                // Позволяет оптимизировать количество выделенных связей (AllocatedLinks)
```

```
411                 while (GreaterThan(header.AllocatedLinks, GetZero()) &&
                    ↪  IsUnusedLink(header.AllocatedLinks))
412                 {
413                     UnusedLinksListMethods.Detach(header.AllocatedLinks);
414                     header.AllocatedLinks = Decrement(header.AllocatedLinks);
415                     _memory.UsedCapacity -= LinkSizeInBytes;
416                 }
417             }
418         }
419 
420         [MethodImpl(MethodImplOptions.AggressiveInlining)]
421         public IList<TLink> GetLinkStruct(TLink linkIndex)
422         {
423             ref var link = ref GetLinkReference(linkIndex);
424             return new Link<TLink>(linkIndex, link.Source, link.Target);
425         }
426 
427         /// <remarks>
428         /// TODO: Возможно это должно быть событием, вызываемым из IMemory, в том случае, если
                ↪  адрес реально поменялся
429         ///
430         /// Указатель this.links может быть в том же месте,
431         /// так как 0-я связь не используется и имеет такой же размер как Header,
432         /// поэтому header размещается в том же месте, что и 0-я связь
433         /// </remarks>
434         [MethodImpl(MethodImplOptions.AggressiveInlining)]
435         protected abstract void SetPointers(IResizableDirectMemory memory);
436 
437         [MethodImpl(MethodImplOptions.AggressiveInlining)]
438         protected virtual void ResetPointers()
439         {
440             SourcesTreeMethods = null;
441             TargetsTreeMethods = null;
442             UnusedLinksListMethods = null;
443         }
444 
445         [MethodImpl(MethodImplOptions.AggressiveInlining)]
446         protected abstract ref LinksHeader<TLink> GetHeaderReference();
447 
448         [MethodImpl(MethodImplOptions.AggressiveInlining)]
449         protected abstract ref RawLink<TLink> GetLinkReference(TLink linkIndex);
450 
451         [MethodImpl(MethodImplOptions.AggressiveInlining)]
452         protected virtual bool Exists(TLink link)
453             => GreaterOrEqualThan(link, Constants.InternalReferencesRange.Minimum)
454             && LessOrEqualThan(link, GetHeaderReference().AllocatedLinks)
455             && !IsUnusedLink(link);
456 
457         [MethodImpl(MethodImplOptions.AggressiveInlining)]
458         protected virtual bool IsUnusedLink(TLink linkIndex)
459         {
460             if (!AreEqual(GetHeaderReference().FirstFreeLink, linkIndex)) // May be this check
                    ↪  is not needed
461             {
462                 ref var link = ref GetLinkReference(linkIndex);
463                 return AreEqual(link.SizeAsSource, default) && !AreEqual(link.Source, default);
464             }
465             else
466             {
467                 return true;
468             }
469         }
470 
471         [MethodImpl(MethodImplOptions.AggressiveInlining)]
472         protected virtual TLink GetOne() => _one;
473 
474         [MethodImpl(MethodImplOptions.AggressiveInlining)]
475         protected virtual TLink GetZero() => default;
476 
477         [MethodImpl(MethodImplOptions.AggressiveInlining)]
478         protected virtual bool AreEqual(TLink first, TLink second) =>
                ↪  _equalityComparer.Equals(first, second);
479 
480         [MethodImpl(MethodImplOptions.AggressiveInlining)]
481         protected virtual bool LessThan(TLink first, TLink second) => _comparer.Compare(first,
                ↪  second) < 0;
482 
483         [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
484         protected virtual bool LessOrEqualThan(TLink first, TLink second) =>
            ↪ _comparer.Compare(first, second) <= 0;
485
486         [MethodImpl(MethodImplOptions.AggressiveInlining)]
487         protected virtual bool GreaterThan(TLink first, TLink second) =>
            ↪ _comparer.Compare(first, second) > 0;
488
489         [MethodImpl(MethodImplOptions.AggressiveInlining)]
490         protected virtual bool GreaterOrEqualThan(TLink first, TLink second) =>
            ↪ _comparer.Compare(first, second) >= 0;
491
492         [MethodImpl(MethodImplOptions.AggressiveInlining)]
493         protected virtual long ConvertToInt64(TLink value) =>
            ↪ _addressToInt64Converter.Convert(value);
494
495         [MethodImpl(MethodImplOptions.AggressiveInlining)]
496         protected virtual TLink ConvertToAddress(long value) =>
            ↪ _int64ToAddressConverter.Convert(value);
497
498         [MethodImpl(MethodImplOptions.AggressiveInlining)]
499         protected virtual TLink Add(TLink first, TLink second) => Arithmetic<TLink>.Add(first,
            ↪ second);
500
501         [MethodImpl(MethodImplOptions.AggressiveInlining)]
502         protected virtual TLink Subtract(TLink first, TLink second) =>
            ↪ Arithmetic<TLink>.Subtract(first, second);
503
504         [MethodImpl(MethodImplOptions.AggressiveInlining)]
505         protected virtual TLink Increment(TLink link) => Arithmetic<TLink>.Increment(link);
506
507         [MethodImpl(MethodImplOptions.AggressiveInlining)]
508         protected virtual TLink Decrement(TLink link) => Arithmetic<TLink>.Decrement(link);
509
510         [MethodImpl(MethodImplOptions.AggressiveInlining)]
511         protected virtual IList<TLink> GetEmptyList() => Array.Empty<TLink>();
512
513         #region Disposable
514
515         protected override bool AllowMultipleDisposeCalls
516         {
517             [MethodImpl(MethodImplOptions.AggressiveInlining)]
518             get => true;
519         }
520
521         [MethodImpl(MethodImplOptions.AggressiveInlining)]
522         protected override void Dispose(bool manual, bool wasDisposed)
523         {
524             if (!wasDisposed)
525             {
526                 ResetPointers();
527                 _memory.DisposeIfPossible();
528             }
529         }
530
531         #endregion
532     }
533 }
```

1.40 ./Platform.Data.Doublets/ResizableDirectMemory/Generic/UnusedLinksListMethods.cs

```
1  using System.Runtime.CompilerServices;
2  using Platform.Collections.Methods.Lists;
3  using Platform.Converters;
4  using static System.Runtime.CompilerServices.Unsafe;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data.Doublets.ResizableDirectMemory.Generic
9  {
10     public unsafe class UnusedLinksListMethods<TLink> : CircularDoublyLinkedListMethods<TLink>,
       ↪ ILinksListMethods<TLink>
11     {
12         private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
           ↪ UncheckedConverter<TLink, long>.Default;
13
14         private readonly byte* _links;
15         private readonly byte* _header;
16
17         [MethodImpl(MethodImplOptions.AggressiveInlining)]
18         public UnusedLinksListMethods(byte* links, byte* header)
19         {
```

```
            _links = links;
            _header = header;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref
        ↪  AsRef<LinksHeader<TLink>>(_header);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref RawLink<TLink> GetLinkReference(TLink link) => ref
        ↪  AsRef<RawLink<TLink>>(_links + (RawLink<TLink>.SizeInBytes *
        ↪  _addressToInt64Converter.Convert(link)));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetFirst() => GetHeaderReference().FirstFreeLink;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLast() => GetHeaderReference().LastFreeLink;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetPrevious(TLink element) => GetLinkReference(element).Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetNext(TLink element) => GetLinkReference(element).Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize() => GetHeaderReference().FreeLinks;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetFirst(TLink element) => GetHeaderReference().FirstFreeLink =
        ↪  element;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLast(TLink element) => GetHeaderReference().LastFreeLink =
        ↪  element;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetPrevious(TLink element, TLink previous) =>
        ↪  GetLinkReference(element).Source = previous;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetNext(TLink element, TLink next) =>
        ↪  GetLinkReference(element).Target = next;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink size) => GetHeaderReference().FreeLinks = size;
    }
}
```

1.41 ./Platform.Data.Doublets/ResizableDirectMemory/ILinksListMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory
{
    public interface ILinksListMethods<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        void Detach(TLink freeLink);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        void AttachAsFirst(TLink link);
    }
}
```

1.42 ./Platform.Data.Doublets/ResizableDirectMemory/ILinksTreeMethods.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory
{
    public interface ILinksTreeMethods<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        TLink CountUsages(TLink link);
```

```

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        TLink Search(TLink source, TLink target);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        TLink EachUsage(TLink source, Func<IList<TLink>, TLink> handler);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        void Detach(ref TLink firstAsSource, TLink linkIndex);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        void Attach(ref TLink firstAsSource, TLink linkIndex);
    }
}
```

1.43 ./Platform.Data.Doublets/ResizableDirectMemory/LinksHeader.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory
{
    public struct LinksHeader<TLink> : IEquatable<LinksHeader<TLink>>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        public static readonly long SizeInBytes = Structure<LinksHeader<TLink>>.Size;

        public TLink AllocatedLinks;
        public TLink ReservedLinks;
        public TLink FreeLinks;
        public TLink FirstFreeLink;
        public TLink FirstAsSource;
        public TLink FirstAsTarget;
        public TLink LastFreeLink;
        public TLink Reserved8;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override bool Equals(object obj) => obj is LinksHeader<TLink> linksHeader ?
        ↪  Equals(linksHeader) : false;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool Equals(LinksHeader<TLink> other)
            => _equalityComparer.Equals(AllocatedLinks, other.AllocatedLinks)
            && _equalityComparer.Equals(ReservedLinks, other.ReservedLinks)
            && _equalityComparer.Equals(FreeLinks, other.FreeLinks)
            && _equalityComparer.Equals(FirstFreeLink, other.FirstFreeLink)
            && _equalityComparer.Equals(FirstAsSource, other.FirstAsSource)
            && _equalityComparer.Equals(FirstAsTarget, other.FirstAsTarget)
            && _equalityComparer.Equals(LastFreeLink, other.LastFreeLink)
            && _equalityComparer.Equals(Reserved8, other.Reserved8);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override int GetHashCode() => (AllocatedLinks, ReservedLinks, FreeLinks,
        ↪  FirstFreeLink, FirstAsSource, FirstAsTarget, LastFreeLink, Reserved8).GetHashCode();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static bool operator ==(LinksHeader<TLink> left, LinksHeader<TLink> right) =>
        ↪  left.Equals(right);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static bool operator !=(LinksHeader<TLink> left, LinksHeader<TLink> right) =>
        ↪  !(left == right);
    }
}
```

1.44 ./Platform.Data.Doublets/ResizableDirectMemory/RawLink.cs

```
using Platform.Unsafe;
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory
{
```

```
    public struct RawLink<TLink> : IEquatable<RawLink<TLink>>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        public static readonly long SizeInBytes = Structure<RawLink<TLink>>.Size;

        public TLink Source;
        public TLink Target;
        public TLink LeftAsSource;
        public TLink RightAsSource;
        public TLink SizeAsSource;
        public TLink LeftAsTarget;
        public TLink RightAsTarget;
        public TLink SizeAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override bool Equals(object obj) => obj is RawLink<TLink> link ? Equals(link) :
        ↪  false;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool Equals(RawLink<TLink> other)
            => _equalityComparer.Equals(Source, other.Source)
            && _equalityComparer.Equals(Target, other.Target)
            && _equalityComparer.Equals(LeftAsSource, other.LeftAsSource)
            && _equalityComparer.Equals(RightAsSource, other.RightAsSource)
            && _equalityComparer.Equals(SizeAsSource, other.SizeAsSource)
            && _equalityComparer.Equals(LeftAsTarget, other.LeftAsTarget)
            && _equalityComparer.Equals(RightAsTarget, other.RightAsTarget)
            && _equalityComparer.Equals(SizeAsTarget, other.SizeAsTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override int GetHashCode() => (Source, Target, LeftAsSource, RightAsSource,
        ↪  SizeAsSource, LeftAsTarget, RightAsTarget, SizeAsTarget).GetHashCode();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static bool operator ==(RawLink<TLink> left, RawLink<TLink> right) =>
        ↪  left.Equals(right);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static bool operator !=(RawLink<TLink> left, RawLink<TLink> right) => !(left ==
        ↪  right);
    }
}
```

1.45 ./Platform.Data.Doublets/ResizableDirectMemory/Specific/UInt64LinksAvlBalancedTreeMethodsBase.cs

```
using System.Runtime.CompilerServices;
using Platform.Data.Doublets.ResizableDirectMemory.Generic;
using static System.Runtime.CompilerServices.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Specific
{
    public unsafe abstract class UInt64LinksAvlBalancedTreeMethodsBase :
    ↪  LinksAvlBalancedTreeMethodsBase<ulong>
    {
        protected new readonly RawLink<ulong>* Links;
        protected new readonly LinksHeader<ulong>* Header;

        protected UInt64LinksAvlBalancedTreeMethodsBase(LinksConstants<ulong> constants,
        ↪  RawLink<ulong>* links, LinksHeader<ulong>* header)
            : base(constants, (byte*)links, (byte*)header)
        {
            Links = links;
            Header = header;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetZero() => 0UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool EqualToZero(ulong value) => value == 0UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool AreEqual(ulong first, ulong second) => first == second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterThanZero(ulong value) => value > 0UL;

```

```
33          [MethodImpl(MethodImplOptions.AggressiveInlining)]
34          protected override bool GreaterThan(ulong first, ulong second) => first > second;
35
36          [MethodImpl(MethodImplOptions.AggressiveInlining)]
37          protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;
38
39          [MethodImpl(MethodImplOptions.AggressiveInlining)]
40          protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0 is
            ↪  always true for ulong
41
42          [MethodImpl(MethodImplOptions.AggressiveInlining)]
43          protected override bool LessOrEqualThanZero(ulong value) => value == 0UL; // value is
            ↪  always >= 0 for ulong
44
45          [MethodImpl(MethodImplOptions.AggressiveInlining)]
46          protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;
47
48          [MethodImpl(MethodImplOptions.AggressiveInlining)]
49          protected override bool LessThanZero(ulong value) => false; // value < 0 is always false
            ↪  for ulong
50
51          [MethodImpl(MethodImplOptions.AggressiveInlining)]
52          protected override bool LessThan(ulong first, ulong second) => first < second;
53
54          [MethodImpl(MethodImplOptions.AggressiveInlining)]
55          protected override ulong Increment(ulong value) => ++value;
56
57          [MethodImpl(MethodImplOptions.AggressiveInlining)]
58          protected override ulong Decrement(ulong value) => --value;
59
60          [MethodImpl(MethodImplOptions.AggressiveInlining)]
61          protected override ulong Add(ulong first, ulong second) => first + second;
62
63          [MethodImpl(MethodImplOptions.AggressiveInlining)]
64          protected override ulong Subtract(ulong first, ulong second) => first - second;
65
66          [MethodImpl(MethodImplOptions.AggressiveInlining)]
67          protected override bool FirstIsToTheLeftOfSecond(ulong first, ulong second)
68          {
69              ref var firstLink = ref Links[first];
70              ref var secondLink = ref Links[second];
71              return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
                ↪  secondLink.Source, secondLink.Target);
72          }
73
74          [MethodImpl(MethodImplOptions.AggressiveInlining)]
75          protected override bool FirstIsToTheRightOfSecond(ulong first, ulong second)
76          {
77              ref var firstLink = ref Links[first];
78              ref var secondLink = ref Links[second];
79              return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
                ↪  secondLink.Source, secondLink.Target);
80          }
81
82          [MethodImpl(MethodImplOptions.AggressiveInlining)]
83          protected override ulong GetSizeValue(ulong value) => unchecked((value & 4294967264UL)
            ↪  >> 5);
84
85          [MethodImpl(MethodImplOptions.AggressiveInlining)]
86          protected override void SetSizeValue(ref ulong storedValue, ulong size) => storedValue =
            ↪  unchecked(storedValue & 31UL | (size & 134217727UL) << 5);
87
88          [MethodImpl(MethodImplOptions.AggressiveInlining)]
89          protected override bool GetLeftIsChildValue(ulong value) => unchecked((value & 16UL) >>
            ↪  4 == 1UL);
90
91          [MethodImpl(MethodImplOptions.AggressiveInlining)]
92          protected override void SetLeftIsChildValue(ref ulong storedValue, bool value) =>
            ↪  storedValue = unchecked(storedValue & 4294967279UL | (As<bool, byte>(ref value) &
            ↪  1UL) << 4);
93
94          [MethodImpl(MethodImplOptions.AggressiveInlining)]
95          protected override bool GetRightIsChildValue(ulong value) => unchecked((value & 8UL) >>
            ↪  3 == 1UL);
96
97          [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
98          protected override void SetRightIsChildValue(ref ulong storedValue, bool value) =>
            ↪ storedValue = unchecked(storedValue & 4294967287UL | (As<bool, byte>(ref value) &
            ↪ 1UL) << 3);
99
100         [MethodImpl(MethodImplOptions.AggressiveInlining)]
101         protected override sbyte GetBalanceValue(ulong value) => unchecked((sbyte)(value & 7UL |
            ↪ 0xF8UL * ((value & 4UL) >> 2))); // if negative, then continue ones to the end of
            ↪ sbyte
102
103         [MethodImpl(MethodImplOptions.AggressiveInlining)]
104         protected override void SetBalanceValue(ref ulong storedValue, sbyte value) =>
            ↪ storedValue = unchecked(storedValue & 4294967288UL | (ulong)((byte)value >> 5 & 4 |
            ↪ value & 3) & 7UL);
105
106         [MethodImpl(MethodImplOptions.AggressiveInlining)]
107         protected override ref LinksHeader<ulong> GetHeaderReference() => ref *Header;
108
109         [MethodImpl(MethodImplOptions.AggressiveInlining)]
110         protected override ref RawLink<ulong> GetLinkReference(ulong link) => ref Links[link];
111     }
112 }
```

1.46 ./Platform.Data.Doublets/ResizableDirectMemory/Specific/UInt64LinksSizeBalancedTreeMethodsBase.cs

```
1  using System.Runtime.CompilerServices;
2  using Platform.Data.Doublets.ResizableDirectMemory.Generic;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.ResizableDirectMemory.Specific
7  {
8      public unsafe abstract class UInt64LinksSizeBalancedTreeMethodsBase :
       ↪ LinksSizeBalancedTreeMethodsBase<ulong>
9      {
10         protected new readonly RawLink<ulong>* Links;
11         protected new readonly LinksHeader<ulong>* Header;
12
13         protected UInt64LinksSizeBalancedTreeMethodsBase(LinksConstants<ulong> constants,
           ↪ RawLink<ulong>* links, LinksHeader<ulong>* header)
14             : base(constants, (byte*)links, (byte*)header)
15         {
16             Links = links;
17             Header = header;
18         }
19
20         [MethodImpl(MethodImplOptions.AggressiveInlining)]
21         protected override ulong GetZero() => 0UL;
22
23         [MethodImpl(MethodImplOptions.AggressiveInlining)]
24         protected override bool EqualToZero(ulong value) => value == 0UL;
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         protected override bool AreEqual(ulong first, ulong second) => first == second;
28
29         [MethodImpl(MethodImplOptions.AggressiveInlining)]
30         protected override bool GreaterThanZero(ulong value) => value > 0UL;
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         protected override bool GreaterThan(ulong first, ulong second) => first > second;
34
35         [MethodImpl(MethodImplOptions.AggressiveInlining)]
36         protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;
37
38         [MethodImpl(MethodImplOptions.AggressiveInlining)]
39         protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0 is
           ↪ always true for ulong
40
41         [MethodImpl(MethodImplOptions.AggressiveInlining)]
42         protected override bool LessOrEqualThanZero(ulong value) => value == 0UL; // value is
           ↪ always >= 0 for ulong
43
44         [MethodImpl(MethodImplOptions.AggressiveInlining)]
45         protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;
46
47         [MethodImpl(MethodImplOptions.AggressiveInlining)]
48         protected override bool LessThanZero(ulong value) => false; // value < 0 is always false
           ↪ for ulong
49
50         [MethodImpl(MethodImplOptions.AggressiveInlining)]
51         protected override bool LessThan(ulong first, ulong second) => first < second;
52
```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Increment(ulong value) => ++value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Decrement(ulong value) => --value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Add(ulong first, ulong second) => first + second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Subtract(ulong first, ulong second) => first - second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(ulong first, ulong second)
        {
            ref var firstLink = ref Links[first];
            ref var secondLink = ref Links[second];
            return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
            ↪  secondLink.Source, secondLink.Target);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(ulong first, ulong second)
        {
            ref var firstLink = ref Links[first];
            ref var secondLink = ref Links[second];
            return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
            ↪  secondLink.Source, secondLink.Target);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref LinksHeader<ulong> GetHeaderReference() => ref *Header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLink<ulong> GetLinkReference(ulong link) => ref Links[link];
    }
}
```

1.47 ./Platform.Data.Doublets/ResizableDirectMemory/Specific/UInt64LinksSourcesAvlBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Specific
{
    public unsafe class UInt64LinksSourcesAvlBalancedTreeMethods :
    ↪  UInt64LinksAvlBalancedTreeMethodsBase
    {
        public UInt64LinksSourcesAvlBalancedTreeMethods(LinksConstants<ulong> constants,
        ↪  RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants, links, header)
        ↪  { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref ulong GetLeftReference(ulong node) => ref
        ↪  Links[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref ulong GetRightReference(ulong node) => ref
        ↪  Links[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetLeft(ulong node) => Links[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetRight(ulong node) => Links[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsSource =
        ↪  left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(ulong node, ulong right) => Links[node].RightAsSource =
        ↪  right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetSize(ulong node) => GetSizeValue(Links[node].SizeAsSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
33          protected override void SetSize(ulong node, ulong size) => SetSizeValue(ref
            ↪ Links[node].SizeAsSource, size);
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          protected override bool GetLeftIsChild(ulong node) =>
            ↪ GetLeftIsChildValue(Links[node].SizeAsSource);
37
38          //[MethodImpl(MethodImplOptions.AggressiveInlining)]
39          //protected override bool GetLeftIsChild(ulong node) => IsChild(node, GetLeft(node));
40
41          [MethodImpl(MethodImplOptions.AggressiveInlining)]
42          protected override void SetLeftIsChild(ulong node, bool value) =>
            ↪ SetLeftIsChildValue(ref Links[node].SizeAsSource, value);
43
44          [MethodImpl(MethodImplOptions.AggressiveInlining)]
45          protected override bool GetRightIsChild(ulong node) =>
            ↪ GetRightIsChildValue(Links[node].SizeAsSource);
46
47          //[MethodImpl(MethodImplOptions.AggressiveInlining)]
48          //protected override bool GetRightIsChild(ulong node) => IsChild(node, GetRight(node));
49
50          [MethodImpl(MethodImplOptions.AggressiveInlining)]
51          protected override void SetRightIsChild(ulong node, bool value) =>
            ↪ SetRightIsChildValue(ref Links[node].SizeAsSource, value);
52
53          [MethodImpl(MethodImplOptions.AggressiveInlining)]
54          protected override sbyte GetBalance(ulong node) =>
            ↪ GetBalanceValue(Links[node].SizeAsSource);
55
56          [MethodImpl(MethodImplOptions.AggressiveInlining)]
57          protected override void SetBalance(ulong node, sbyte value) => SetBalanceValue(ref
            ↪ Links[node].SizeAsSource, value);
58
59          [MethodImpl(MethodImplOptions.AggressiveInlining)]
60          protected override ulong GetTreeRoot() => Header->FirstAsSource;
61
62          [MethodImpl(MethodImplOptions.AggressiveInlining)]
63          protected override ulong GetBasePartValue(ulong link) => Links[link].Source;
64
65          [MethodImpl(MethodImplOptions.AggressiveInlining)]
66          protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
            ↪ ulong secondSource, ulong secondTarget)
67              => firstSource < secondSource || (firstSource == secondSource && firstTarget <
                ↪ secondTarget);
68
69          [MethodImpl(MethodImplOptions.AggressiveInlining)]
70          protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
            ↪ ulong secondSource, ulong secondTarget)
71              => firstSource > secondSource || (firstSource == secondSource && firstTarget >
                ↪ secondTarget);
72
73          [MethodImpl(MethodImplOptions.AggressiveInlining)]
74          protected override void ClearNode(ulong node)
75          {
76              ref var link = ref Links[node];
77              link.LeftAsSource = 0UL;
78              link.RightAsSource = 0UL;
79              link.SizeAsSource = 0UL;
80          }
81      }
82  }
```

1.48 ./Platform.Data.Doublets/ResizableDirectMemory/Specific/UInt64LinksSourcesSizeBalancedTreeMethods.cs

```
1   using System.Runtime.CompilerServices;
2
3   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5   namespace Platform.Data.Doublets.ResizableDirectMemory.Specific
6   {
7       public unsafe class UInt64LinksSourcesSizeBalancedTreeMethods :
        ↪ UInt64LinksSizeBalancedTreeMethodsBase
8       {
9           public UInt64LinksSourcesSizeBalancedTreeMethods(LinksConstants<ulong> constants,
            ↪ RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants, links, header)
            ↪ { }
10
11          [MethodImpl(MethodImplOptions.AggressiveInlining)]
12          protected override ref ulong GetLeftReference(ulong node) => ref
            ↪ Links[node].LeftAsSource;
```

```

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref ulong GetRightReference(ulong node) => ref
        ↪  Links[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetLeft(ulong node) => Links[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetRight(ulong node) => Links[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsSource =
        ↪  left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(ulong node, ulong right) => Links[node].RightAsSource =
        ↪  right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetSize(ulong node) => Links[node].SizeAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(ulong node, ulong size) => Links[node].SizeAsSource =
        ↪  size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetTreeRoot() => Header->FirstAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetBasePartValue(ulong link) => Links[link].Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
        ↪  ulong secondSource, ulong secondTarget)
            => firstSource < secondSource || (firstSource == secondSource && firstTarget <
            ↪  secondTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
        ↪  ulong secondSource, ulong secondTarget)
            => firstSource > secondSource || (firstSource == secondSource && firstTarget >
            ↪  secondTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(ulong node)
        {
            ref var link = ref Links[node];
            link.LeftAsSource = 0UL;
            link.RightAsSource = 0UL;
            link.SizeAsSource = 0UL;
        }
    }
}
```

1.49 ./Platform.Data.Doublets/ResizableDirectMemory/Specific/UInt64LinksTargetsAvlBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Specific
{
    public unsafe class UInt64LinksTargetsAvlBalancedTreeMethods :
    ↪  UInt64LinksAvlBalancedTreeMethodsBase
    {
        public UInt64LinksTargetsAvlBalancedTreeMethods(LinksConstants<ulong> constants,
        ↪  RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants, links, header)
        ↪  { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref ulong GetLeftReference(ulong node) => ref
        ↪  Links[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref ulong GetRightReference(ulong node) => ref
        ↪  Links[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetLeft(ulong node) => Links[node].LeftAsTarget;
```

```
19
20          [MethodImpl(MethodImplOptions.AggressiveInlining)]
21          protected override ulong GetRight(ulong node) => Links[node].RightAsTarget;
22
23          [MethodImpl(MethodImplOptions.AggressiveInlining)]
24          protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsTarget =
            ↪  left;
25
26          [MethodImpl(MethodImplOptions.AggressiveInlining)]
27          protected override void SetRight(ulong node, ulong right) => Links[node].RightAsTarget =
            ↪  right;
28
29          [MethodImpl(MethodImplOptions.AggressiveInlining)]
30          protected override ulong GetSize(ulong node) => GetSizeValue(Links[node].SizeAsTarget);
31
32          [MethodImpl(MethodImplOptions.AggressiveInlining)]
33          protected override void SetSize(ulong node, ulong size) => SetSizeValue(ref
            ↪  Links[node].SizeAsTarget, size);
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          protected override bool GetLeftIsChild(ulong node) =>
            ↪  GetLeftIsChildValue(Links[node].SizeAsTarget);
37
38          [MethodImpl(MethodImplOptions.AggressiveInlining)]
39          protected override void SetLeftIsChild(ulong node, bool value) =>
            ↪  SetLeftIsChildValue(ref Links[node].SizeAsTarget, value);
40
41          [MethodImpl(MethodImplOptions.AggressiveInlining)]
42          protected override bool GetRightIsChild(ulong node) =>
            ↪  GetRightIsChildValue(Links[node].SizeAsTarget);
43
44          [MethodImpl(MethodImplOptions.AggressiveInlining)]
45          protected override void SetRightIsChild(ulong node, bool value) =>
            ↪  SetRightIsChildValue(ref Links[node].SizeAsTarget, value);
46
47          [MethodImpl(MethodImplOptions.AggressiveInlining)]
48          protected override sbyte GetBalance(ulong node) =>
            ↪  GetBalanceValue(Links[node].SizeAsTarget);
49
50          [MethodImpl(MethodImplOptions.AggressiveInlining)]
51          protected override void SetBalance(ulong node, sbyte value) => SetBalanceValue(ref
            ↪  Links[node].SizeAsTarget, value);
52
53          [MethodImpl(MethodImplOptions.AggressiveInlining)]
54          protected override ulong GetTreeRoot() => Header->FirstAsTarget;
55
56          [MethodImpl(MethodImplOptions.AggressiveInlining)]
57          protected override ulong GetBasePartValue(ulong link) => Links[link].Target;
58
59          [MethodImpl(MethodImplOptions.AggressiveInlining)]
60          protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
            ↪  ulong secondSource, ulong secondTarget)
61              => firstTarget < secondTarget || (firstTarget == secondTarget && firstSource <
                ↪  secondSource);
62
63          [MethodImpl(MethodImplOptions.AggressiveInlining)]
64          protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
            ↪  ulong secondSource, ulong secondTarget)
65              => firstTarget > secondTarget || (firstTarget == secondTarget && firstSource >
                ↪  secondSource);
66
67          [MethodImpl(MethodImplOptions.AggressiveInlining)]
68          protected override void ClearNode(ulong node)
69          {
70              ref var link = ref Links[node];
71              link.LeftAsTarget = OUL;
72              link.RightAsTarget = OUL;
73              link.SizeAsTarget = OUL;
74          }
75      }
76  }
```

1.50 ./Platform.Data.Doublets/ResizableDirectMemory/Specific/UInt64LinksTargetsSizeBalancedTreeMethods.cs

```
1   using System.Runtime.CompilerServices;
2
3   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5   namespace Platform.Data.Doublets.ResizableDirectMemory.Specific
6   {
```

```
    public unsafe class UInt64LinksTargetsSizeBalancedTreeMethods : UInt64LinksSizeBalancedTreeMethodsBase
    {
        public UInt64LinksTargetsSizeBalancedTreeMethods(LinksConstants<ulong> constants, RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants, links, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref ulong GetLeftReference(ulong node) => ref Links[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref ulong GetRightReference(ulong node) => ref Links[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetLeft(ulong node) => Links[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetRight(ulong node) => Links[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsTarget = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(ulong node, ulong right) => Links[node].RightAsTarget = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetSize(ulong node) => Links[node].SizeAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(ulong node, ulong size) => Links[node].SizeAsTarget = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetTreeRoot() => Header->FirstAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetBasePartValue(ulong link) => Links[link].Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget, ulong secondSource, ulong secondTarget)
            => firstTarget < secondTarget || (firstTarget == secondTarget && firstSource < secondSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget, ulong secondSource, ulong secondTarget)
            => firstTarget > secondTarget || (firstTarget == secondTarget && firstSource > secondSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(ulong node)
        {
            ref var link = ref Links[node];
            link.LeftAsTarget = 0UL;
            link.RightAsTarget = 0UL;
            link.SizeAsTarget = 0UL;
        }
    }
}
```

1.51 ./Platform.Data.Doublets/ResizableDirectMemory/Specific/UInt64ResizableDirectMemoryLinks.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Memory;
using Platform.Data.Doublets.ResizableDirectMemory.Generic;
using Platform.Singletons;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Specific
{
    public unsafe class UInt64ResizableDirectMemoryLinks : ResizableDirectMemoryLinksBase<ulong>
    {
```

```
14          private readonly Func<ILinksTreeMethods<ulong>> _createSourceTreeMethods;
15          private readonly Func<ILinksTreeMethods<ulong>> _createTargetTreeMethods;
16          private LinksHeader<ulong>* _header;
17          private RawLink<ulong>* _links;
18
19          [MethodImpl(MethodImplOptions.AggressiveInlining)]
20          public UInt64ResizableDirectMemoryLinks(string address) : this(address,
            ↪  DefaultLinksSizeStep) { }
21
22          /// <summary>
23          /// Создаёт экземпляр базы данных Links в файле по указанному адресу, с указанным
            ↪  минимальным шагом расширения базы данных.
24          /// </summary>
25          /// <param name="address">Полный пусть к файлу базы данных.</param>
26          /// <param name="memoryReservationStep">Минимальный шаг расширения базы данных в
            ↪  байтах.</param>
27          [MethodImpl(MethodImplOptions.AggressiveInlining)]
28          public UInt64ResizableDirectMemoryLinks(string address, long memoryReservationStep) :
            ↪  this(new FileMappedResizableDirectMemory(address, memoryReservationStep),
            ↪  memoryReservationStep) { }
29
30          [MethodImpl(MethodImplOptions.AggressiveInlining)]
31          public UInt64ResizableDirectMemoryLinks(IResizableDirectMemory memory) : this(memory,
            ↪  DefaultLinksSizeStep) { }
32
33          [MethodImpl(MethodImplOptions.AggressiveInlining)]
34          public UInt64ResizableDirectMemoryLinks(IResizableDirectMemory memory, long
            ↪  memoryReservationStep) : this(memory, memoryReservationStep,
            ↪  Default<LinksConstants<ulong>>.Instance, true) { }
35
36          [MethodImpl(MethodImplOptions.AggressiveInlining)]
37          public UInt64ResizableDirectMemoryLinks(IResizableDirectMemory memory, long
            ↪  memoryReservationStep, LinksConstants<ulong> constants, bool useAvlBasedIndex) :
            ↪  base(memory, memoryReservationStep, constants)
38          {
39              if (useAvlBasedIndex)
40              {
41                  _createSourceTreeMethods = () => new
                    ↪  UInt64LinksSourcesAvlBalancedTreeMethods(Constants, _links, _header);
42                  _createTargetTreeMethods = () => new
                    ↪  UInt64LinksTargetsAvlBalancedTreeMethods(Constants, _links, _header);
43              }
44              else
45              {
46                  _createSourceTreeMethods = () => new
                    ↪  UInt64LinksSourcesSizeBalancedTreeMethods(Constants, _links, _header);
47                  _createTargetTreeMethods = () => new
                    ↪  UInt64LinksTargetsSizeBalancedTreeMethods(Constants, _links, _header);
48              }
49              Init(memory, memoryReservationStep);
50          }
51
52          [MethodImpl(MethodImplOptions.AggressiveInlining)]
53          protected override void SetPointers(IResizableDirectMemory memory)
54          {
55              _header = (LinksHeader<ulong>*)memory.Pointer;
56              _links = (RawLink<ulong>*)memory.Pointer;
57              SourcesTreeMethods = _createSourceTreeMethods();
58              TargetsTreeMethods = _createTargetTreeMethods();
59              UnusedLinksListMethods = new UInt64UnusedLinksListMethods(_links, _header);
60          }
61
62          [MethodImpl(MethodImplOptions.AggressiveInlining)]
63          protected override void ResetPointers()
64          {
65              base.ResetPointers();
66              _links = null;
67              _header = null;
68          }
69
70          [MethodImpl(MethodImplOptions.AggressiveInlining)]
71          protected override ref LinksHeader<ulong> GetHeaderReference() => ref *_header;
72
73          [MethodImpl(MethodImplOptions.AggressiveInlining)]
74          protected override ref RawLink<ulong> GetLinkReference(ulong linkIndex) => ref
            ↪  _links[linkIndex];
75
76          [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        protected override bool AreEqual(ulong first, ulong second) => first == second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessThan(ulong first, ulong second) => first < second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterThan(ulong first, ulong second) => first > second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetZero() => 0UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetOne() => 1UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override long ConvertToInt64(ulong value) => (long)value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong ConvertToAddress(long value) => (ulong)value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Add(ulong first, ulong second) => first + second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Subtract(ulong first, ulong second) => first - second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Increment(ulong link) => ++link;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Decrement(ulong link) => --link;
    }
}
```

1.52 ./Platform.Data.Doublets/ResizableDirectMemory/Specific/UInt64UnusedLinksListMethods.cs

```
using System.Runtime.CompilerServices;
using Platform.Data.Doublets.ResizableDirectMemory.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Specific
{
    public unsafe class UInt64UnusedLinksListMethods : UnusedLinksListMethods<ulong>
    {
        private readonly RawLink<ulong>* _links;
        private readonly LinksHeader<ulong>* _header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UInt64UnusedLinksListMethods(RawLink<ulong>* links, LinksHeader<ulong>* header)
            : base((byte*)links, (byte*)header)
        {
            _links = links;
            _header = header;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLink<ulong> GetLinkReference(ulong link) => ref _links[link];

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref LinksHeader<ulong> GetHeaderReference() => ref *_header;
    }
}
```

1.53 ./Platform.Data.Doublets/Sequences/Converters/BalancedVariantConverter.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Converters
{
    public class BalancedVariantConverter<TLink> : LinksListToSequenceConverterBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        public BalancedVariantConverter(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Convert(IList<TLink> sequence)
        {
            var length = sequence.Count;
            if (length < 1)
            {
                return default;
            }
            if (length == 1)
            {
                return sequence[0];
            }
            // Make copy of next layer
            if (length > 2)
            {
                // TODO: Try to use stackalloc (which at the moment is not working with
                ↪  generics) but will be possible with Sigil
                var halvedSequence = new TLink[(length / 2) + (length % 2)];
                HalveSequence(halvedSequence, sequence, length);
                sequence = halvedSequence;
                length = halvedSequence.Length;
            }
            // Keep creating layer after layer
            while (length > 2)
            {
                HalveSequence(sequence, sequence, length);
                length = (length / 2) + (length % 2);
            }
            return Links.GetOrCreate(sequence[0], sequence[1]);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void HalveSequence(IList<TLink> destination, IList<TLink> source, int length)
        {
            var loopedLength = length - (length % 2);
            for (var i = 0; i < loopedLength; i += 2)
            {
                destination[i / 2] = Links.GetOrCreate(source[i], source[i + 1]);
            }
            if (length > loopedLength)
            {
                destination[length / 2] = source[length - 1];
            }
        }
    }
}
```

1.54 ./Platform.Data.Doublets/Sequences/Converters/CompressingConverter.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections;
using Platform.Converters;
using Platform.Singletons;
using Platform.Numbers;
using Platform.Data.Doublets.Sequences.Frequencies.Cache;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Converters
{
    /// <remarks>
    /// TODO: Возможно будет лучше если алгоритм будет выполняться полностью изолированно от
    ↪  Links на этапе сжатия.
    ///     А именно будет создаваться временный список пар необходимых для выполнения сжатия, в
    ↪  таком случае тип значения элемента массива может быть любым, как char так и ulong.
    ///     Как только список/словарь пар был выявлен можно разом выполнить создание всех этих
    ↪  пар, а так же разом выполнить замену.
    /// </remarks>
    public class CompressingConverter<TLink> : LinksListToSequenceConverterBase<TLink>
    {
        private static readonly LinksConstants<TLink> _constants =
        ↪  Default<LinksConstants<TLink>>.Instance;
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;
        private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;

        private static readonly TLink _zero = default;
```

```
26          private static readonly TLink _one = Arithmetic.Increment(_zero);
27
28          private readonly IConverter<IList<TLink>, TLink> _baseConverter;
29          private readonly LinkFrequenciesCache<TLink> _doubletFrequenciesCache;
30          private readonly TLink _minFrequencyToCompress;
31          private readonly bool _doInitialFrequenciesIncrement;
32          private Doublet<TLink> _maxDoublet;
33          private LinkFrequency<TLink> _maxDoubletData;
34
35          private struct HalfDoublet
36          {
37              public TLink Element;
38              public LinkFrequency<TLink> DoubletData;
39
40              [MethodImpl(MethodImplOptions.AggressiveInlining)]
41              public HalfDoublet(TLink element, LinkFrequency<TLink> doubletData)
42              {
43                  Element = element;
44                  DoubletData = doubletData;
45              }
46
47              public override string ToString() => $"{Element}: ({DoubletData})";
48          }
49
50          [MethodImpl(MethodImplOptions.AggressiveInlining)]
51          public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
            ↪  baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache)
52              : this(links, baseConverter, doubletFrequenciesCache, _one, true)
53          {
54          }
55
56          [MethodImpl(MethodImplOptions.AggressiveInlining)]
57          public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
            ↪  baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache, bool
            ↪  doInitialFrequenciesIncrement)
58              : this(links, baseConverter, doubletFrequenciesCache, _one,
                ↪  doInitialFrequenciesIncrement)
59          {
60          }
61
62          [MethodImpl(MethodImplOptions.AggressiveInlining)]
63          public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
            ↪  baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache, TLink
            ↪  minFrequencyToCompress, bool doInitialFrequenciesIncrement)
64              : base(links)
65          {
66              _baseConverter = baseConverter;
67              _doubletFrequenciesCache = doubletFrequenciesCache;
68              if (_comparer.Compare(minFrequencyToCompress, _one) < 0)
69              {
70                  minFrequencyToCompress = _one;
71              }
72              _minFrequencyToCompress = minFrequencyToCompress;
73              _doInitialFrequenciesIncrement = doInitialFrequenciesIncrement;
74              ResetMaxDoublet();
75          }
76
77          [MethodImpl(MethodImplOptions.AggressiveInlining)]
78          public override TLink Convert(IList<TLink> source) =>
            ↪  _baseConverter.Convert(Compress(source));
79
80          /// <remarks>
81          /// Original algorithm idea: https://en.wikipedia.org/wiki/Byte_pair_encoding .
82          /// Faster version (doublets' frequencies dictionary is not recreated).
83          /// </remarks>
84          [MethodImpl(MethodImplOptions.AggressiveInlining)]
85          private IList<TLink> Compress(IList<TLink> sequence)
86          {
87              if (sequence.IsNullOrEmpty())
88              {
89                  return null;
90              }
91              if (sequence.Count == 1)
92              {
93                  return sequence;
94              }
95              if (sequence.Count == 2)
96              {
97                  return new[] { Links.GetOrCreate(sequence[0], sequence[1]) };
```

```
            }
            // TODO: arraypool with min size (to improve cache locality) or stackallow with Sigil
            var copy = new HalfDoublet[sequence.Count];
            Doublet<TLink> doublet = default;
            for (var i = 1; i < sequence.Count; i++)
            {
                doublet.Source = sequence[i - 1];
                doublet.Target = sequence[i];
                LinkFrequency<TLink> data;
                if (_doInitialFrequenciesIncrement)
                {
                    data = _doubletFrequenciesCache.IncrementFrequency(ref doublet);
                }
                else
                {
                    data = _doubletFrequenciesCache.GetFrequency(ref doublet);
                    if (data == null)
                    {
                        throw new NotSupportedException("If you ask not to increment
                        ↪  frequencies, it is expected that all frequencies for the sequence
                        ↪  are prepared.");
                    }
                }
                copy[i - 1].Element = sequence[i - 1];
                copy[i - 1].DoubletData = data;
                UpdateMaxDoublet(ref doublet, data);
            }
            copy[sequence.Count - 1].Element = sequence[sequence.Count - 1];
            copy[sequence.Count - 1].DoubletData = new LinkFrequency<TLink>();
            if (_comparer.Compare(_maxDoubletData.Frequency, default) > 0)
            {
                var newLength = ReplaceDoublets(copy);
                sequence = new TLink[newLength];
                for (int i = 0; i < newLength; i++)
                {
                    sequence[i] = copy[i].Element;
                }
            }
            return sequence;
        }

        /// <remarks>
        /// Original algorithm idea: https://en.wikipedia.org/wiki/Byte_pair_encoding
        /// </remarks>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private int ReplaceDoublets(HalfDoublet[] copy)
        {
            var oldLength = copy.Length;
            var newLength = copy.Length;
            while (_comparer.Compare(_maxDoubletData.Frequency, default) > 0)
            {
                var maxDoubletSource = _maxDoublet.Source;
                var maxDoubletTarget = _maxDoublet.Target;
                if (_equalityComparer.Equals(_maxDoubletData.Link, _constants.Null))
                {
                    _maxDoubletData.Link = Links.GetOrCreate(maxDoubletSource, maxDoubletTarget);
                }
                var maxDoubletReplacementLink = _maxDoubletData.Link;
                oldLength--;
                var oldLengthMinusTwo = oldLength - 1;
                // Substitute all usages
                int w = 0, r = 0; // (r == read, w == write)
                for (; r < oldLength; r++)
                {
                    if (_equalityComparer.Equals(copy[r].Element, maxDoubletSource) &&
                    ↪  _equalityComparer.Equals(copy[r + 1].Element, maxDoubletTarget))
                    {
                        if (r > 0)
                        {
                            var previous = copy[w - 1].Element;
                            copy[w - 1].DoubletData.DecrementFrequency();
                            copy[w - 1].DoubletData =
                            ↪  _doubletFrequenciesCache.IncrementFrequency(previous,
                            ↪  maxDoubletReplacementLink);
                        }
                        if (r < oldLengthMinusTwo)
                        {
                            var next = copy[r + 2].Element;
```

```
                                copy[r + 1].DoubletData.DecrementFrequency();
                                copy[w].DoubletData = _doubletFrequenciesCache.IncrementFrequency(ma
                                ↪  xDoubletReplacementLink,
                                ↪  next);
                            }
                            copy[w++].Element = maxDoubletReplacementLink;
                            r++;
                            newLength--;
                        }
                        else
                        {
                            copy[w++] = copy[r];
                        }
                    }
                    if (w < newLength)
                    {
                        copy[w] = copy[r];
                    }
                    oldLength = newLength;
                    ResetMaxDoublet();
                    UpdateMaxDoublet(copy, newLength);
                }
                return newLength;
            }

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            private void ResetMaxDoublet()
            {
                _maxDoublet = new Doublet<TLink>();
                _maxDoubletData = new LinkFrequency<TLink>();
            }

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            private void UpdateMaxDoublet(HalfDoublet[] copy, int length)
            {
                Doublet<TLink> doublet = default;
                for (var i = 1; i < length; i++)
                {
                    doublet.Source = copy[i - 1].Element;
                    doublet.Target = copy[i].Element;
                    UpdateMaxDoublet(ref doublet, copy[i - 1].DoubletData);
                }
            }

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            private void UpdateMaxDoublet(ref Doublet<TLink> doublet, LinkFrequency<TLink> data)
            {
                var frequency = data.Frequency;
                var maxFrequency = _maxDoubletData.Frequency;
                //if (frequency > _minFrequencyToCompress && (maxFrequency < frequency ||
                ↪  (maxFrequency == frequency && doublet.Source + doublet.Target < /* gives better
                ↪  compression string data (and gives collisions quickly) */ _maxDoublet.Source +
                ↪  _maxDoublet.Target)))
                if (_comparer.Compare(frequency, _minFrequencyToCompress) > 0 &&
                   (_comparer.Compare(maxFrequency, frequency) < 0 ||
                    ↪  (_equalityComparer.Equals(maxFrequency, frequency) &&
                    ↪  _comparer.Compare(Arithmetic.Add(doublet.Source, doublet.Target),
                    ↪  Arithmetic.Add(_maxDoublet.Source, _maxDoublet.Target)) > 0))) /* gives
                    ↪  better stability and better compression on sequent data and even on rundom
                    ↪  numbers data (but gives collisions anyway) */
                {
                    _maxDoublet = doublet;
                    _maxDoubletData = data;
                }
            }
        }
    }
```

1.55 ./Platform.Data.Doublets/Sequences/Converters/LinksListToSequenceConverterBase.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Converters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Converters
{
    public abstract class LinksListToSequenceConverterBase<TLink> : IConverter<IList<TLink>,
    ↪  TLink>
```

```
    {
        protected readonly ILinks<TLink> Links;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected LinksListToSequenceConverterBase(ILinks<TLink> links) => Links = links;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public abstract TLink Convert(IList<TLink> source);
    }
}
```

1.56 ./Platform.Data.Doublets/Sequences/Converters/OptimalVariantConverter.cs

```
using System.Collections.Generic;
using System.Linq;
using System.Runtime.CompilerServices;
using Platform.Converters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Converters
{
    public class OptimalVariantConverter<TLink> : LinksListToSequenceConverterBase<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer = EqualityComparer<TLink>.Default;
        private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;

        private readonly IConverter<IList<TLink>> _sequenceToItsLocalElementLevelsConverter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public OptimalVariantConverter(ILinks<TLink> links, IConverter<IList<TLink>> sequenceToItsLocalElementLevelsConverter) : base(links)
        => _sequenceToItsLocalElementLevelsConverter = sequenceToItsLocalElementLevelsConverter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Convert(IList<TLink> sequence)
        {
            var length = sequence.Count;
            if (length == 1)
            {
                return sequence[0];
            }
            var links = Links;
            if (length == 2)
            {
                return links.GetOrCreate(sequence[0], sequence[1]);
            }
            sequence = sequence.ToArray();
            var levels = _sequenceToItsLocalElementLevelsConverter.Convert(sequence);
            while (length > 2)
            {
                var levelRepeat = 1;
                var currentLevel = levels[0];
                var previousLevel = levels[0];
                var skipOnce = false;
                var w = 0;
                for (var i = 1; i < length; i++)
                {
                    if (_equalityComparer.Equals(currentLevel, levels[i]))
                    {
                        levelRepeat++;
                        skipOnce = false;
                        if (levelRepeat == 2)
                        {
                            sequence[w] = links.GetOrCreate(sequence[i - 1], sequence[i]);
                            var newLevel = i >= length - 1 ?
                                GetPreviousLowerThanCurrentOrCurrent(previousLevel, currentLevel) :
                                i < 2 ?
                                GetNextLowerThanCurrentOrCurrent(currentLevel, levels[i + 1]) :
                                GetGreatestNeigbourLowerThanCurrentOrCurrent(previousLevel, currentLevel, levels[i + 1]);
                            levels[w] = newLevel;
                            previousLevel = currentLevel;
                            w++;
                            levelRepeat = 0;
                            skipOnce = true;
                        }
                        else if (i == length - 1)
```

```
                        {
                            sequence[w] = sequence[i];
                            levels[w] = levels[i];
                            w++;
                        }
                    }
                    else
                    {
                        currentLevel = levels[i];
                        levelRepeat = 1;
                        if (skipOnce)
                        {
                            skipOnce = false;
                        }
                        else
                        {
                            sequence[w] = sequence[i - 1];
                            levels[w] = levels[i - 1];
                            previousLevel = levels[w];
                            w++;
                        }
                        if (i == length - 1)
                        {
                            sequence[w] = sequence[i];
                            levels[w] = levels[i];
                            w++;
                        }
                    }
                }
                length = w;
            }
            return links.GetOrCreate(sequence[0], sequence[1]);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static TLink GetGreatestNeigbourLowerThanCurrentOrCurrent(TLink previous, TLink
        ↪  current, TLink next)
        {
            return _comparer.Compare(previous, next) > 0
                ? _comparer.Compare(previous, current) < 0 ? previous : current
                : _comparer.Compare(next, current) < 0 ? next : current;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static TLink GetNextLowerThanCurrentOrCurrent(TLink current, TLink next) =>
        ↪  _comparer.Compare(next, current) < 0 ? next : current;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static TLink GetPreviousLowerThanCurrentOrCurrent(TLink previous, TLink current)
        ↪  => _comparer.Compare(previous, current) < 0 ? previous : current;
    }
}
```

1.57 ./Platform.Data.Doublets/Sequences/Converters/SequenceToItsLocalElementLevelsConverter.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Converters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Converters
{
    public class SequenceToItsLocalElementLevelsConverter<TLink> : LinksOperatorBase<TLink>,
    ↪  IConverter<IList<TLink>>
    {
        private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;

        private readonly IConverter<Doublet<TLink>, TLink> _linkToItsFrequencyToNumberConveter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public SequenceToItsLocalElementLevelsConverter(ILinks<TLink> links,
        ↪  IConverter<Doublet<TLink>, TLink> linkToItsFrequencyToNumberConveter) : base(links)
        ↪  => _linkToItsFrequencyToNumberConveter = linkToItsFrequencyToNumberConveter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public IList<TLink> Convert(IList<TLink> sequence)
        {
            var levels = new TLink[sequence.Count];
            levels[0] = GetFrequencyNumber(sequence[0], sequence[1]);
```

```
            for (var i = 1; i < sequence.Count - 1; i++)
            {
                var previous = GetFrequencyNumber(sequence[i - 1], sequence[i]);
                var next = GetFrequencyNumber(sequence[i], sequence[i + 1]);
                levels[i] = _comparer.Compare(previous, next) > 0 ? previous : next;
            }
            levels[levels.Length - 1] = GetFrequencyNumber(sequence[sequence.Count - 2],
            ↪  sequence[sequence.Count - 1]);
            return levels;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink GetFrequencyNumber(TLink source, TLink target) =>
        ↪  _linkToItsFrequencyToNumberConveter.Convert(new Doublet<TLink>(source, target));
    }
}
```

1.58 ./Platform.Data.Doublets/Sequences/CriterionMatchers/DefaultSequenceElementCriterionMatcher.cs

```
using System.Runtime.CompilerServices;
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.CriterionMatchers
{
    public class DefaultSequenceElementCriterionMatcher<TLink> : LinksOperatorBase<TLink>,
    ↪  ICriterionMatcher<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public DefaultSequenceElementCriterionMatcher(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool IsMatched(TLink argument) => Links.IsPartialPoint(argument);
    }
}
```

1.59 ./Platform.Data.Doublets/Sequences/CriterionMatchers/MarkedSequenceCriterionMatcher.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.CriterionMatchers
{
    public class MarkedSequenceCriterionMatcher<TLink> : ICriterionMatcher<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private readonly ILinks<TLink> _links;
        private readonly TLink _sequenceMarkerLink;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public MarkedSequenceCriterionMatcher(ILinks<TLink> links, TLink sequenceMarkerLink)
        {
            _links = links;
            _sequenceMarkerLink = sequenceMarkerLink;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool IsMatched(TLink sequenceCandidate)
            => _equalityComparer.Equals(_links.GetSource(sequenceCandidate), _sequenceMarkerLink)
            || !_equalityComparer.Equals(_links.SearchOrDefault(_sequenceMarkerLink,
            ↪  sequenceCandidate), _links.Constants.Null);
    }
}
```

1.60 ./Platform.Data.Doublets/Sequences/DefaultSequenceAppender.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Stacks;
using Platform.Data.Doublets.Sequences.HeightProviders;
using Platform.Data.Sequences;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
```

```
    public class DefaultSequenceAppender<TLink> : LinksOperatorBase<TLink>,
    ↪ ISequenceAppender<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;

        private readonly IStack<TLink> _stack;
        private readonly ISequenceHeightProvider<TLink> _heightProvider;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public DefaultSequenceAppender(ILinks<TLink> links, IStack<TLink> stack,
        ↪ ISequenceHeightProvider<TLink> heightProvider)
            : base(links)
        {
            _stack = stack;
            _heightProvider = heightProvider;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Append(TLink sequence, TLink appendant)
        {
            var cursor = sequence;
            while (!_equalityComparer.Equals(_heightProvider.Get(cursor), default))
            {
                var source = Links.GetSource(cursor);
                var target = Links.GetTarget(cursor);
                if (_equalityComparer.Equals(_heightProvider.Get(source),
                ↪ _heightProvider.Get(target)))
                {
                    break;
                }
                else
                {
                    _stack.Push(source);
                    cursor = target;
                }
            }
            var left = cursor;
            var right = appendant;
            while (!_equalityComparer.Equals(cursor = _stack.Pop(), Links.Constants.Null))
            {
                right = Links.GetOrCreate(left, right);
                left = cursor;
            }
            return Links.GetOrCreate(left, right);
        }
    }
}
```

1.61 ./Platform.Data.Doublets/Sequences/DuplicateSegmentsCounter.cs

```
using System.Collections.Generic;
using System.Linq;
using System.Runtime.CompilerServices;
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    public class DuplicateSegmentsCounter<TLink> : ICounter<int>
    {
        private readonly IProvider<IList<KeyValuePair<IList<TLink>, IList<TLink>>>>
        ↪ _duplicateFragmentsProvider;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public DuplicateSegmentsCounter(IProvider<IList<KeyValuePair<IList<TLink>,
        ↪ IList<TLink>>>> duplicateFragmentsProvider) => _duplicateFragmentsProvider =
        ↪ duplicateFragmentsProvider;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public int Count() => _duplicateFragmentsProvider.Get().Sum(x => x.Value.Count);
    }
}
```

1.62 ./Platform.Data.Doublets/Sequences/DuplicateSegmentsProvider.cs

```
using System;
using System.Linq;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Interfaces;
```

```
using Platform.Collections;
using Platform.Collections.Lists;
using Platform.Collections.Segments;
using Platform.Collections.Segments.Walkers;
using Platform.Singletons;
using Platform.Converters;
using Platform.Data.Doublets.Unicode;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    public class DuplicateSegmentsProvider<TLink> :
    ↪ DictionaryBasedDuplicateSegmentsWalkerBase<TLink>,
    ↪ IProvider<IList<KeyValuePair<IList<TLink>, IList<TLink>>>>
    {
        private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
        ↪ UncheckedConverter<TLink, long>.Default;
        private static readonly UncheckedConverter<TLink, ulong> _addressToUInt64Converter =
        ↪ UncheckedConverter<TLink, ulong>.Default;
        private static readonly UncheckedConverter<ulong, TLink> _uInt64ToAddressConverter =
        ↪ UncheckedConverter<ulong, TLink>.Default;

        private readonly ILinks<TLink> _links;
        private readonly ILinks<TLink> _sequences;
        private HashSet<KeyValuePair<IList<TLink>, IList<TLink>>> _groups;
        private BitString _visited;

        private class ItemEquilityComparer : IEqualityComparer<KeyValuePair<IList<TLink>,
        ↪ IList<TLink>>>
        {
            private readonly IListEqualityComparer<TLink> _listComparer;

            public ItemEquilityComparer() => _listComparer =
            ↪ Default<IListEqualityComparer<TLink>>.Instance;

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public bool Equals(KeyValuePair<IList<TLink>, IList<TLink>> left,
            ↪ KeyValuePair<IList<TLink>, IList<TLink>> right) =>
            ↪ _listComparer.Equals(left.Key, right.Key) && _listComparer.Equals(left.Value,
            ↪ right.Value);

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public int GetHashCode(KeyValuePair<IList<TLink>, IList<TLink>> pair) =>
            ↪ (_listComparer.GetHashCode(pair.Key),
            ↪ _listComparer.GetHashCode(pair.Value)).GetHashCode();
        }

        private class ItemComparer : IComparer<KeyValuePair<IList<TLink>, IList<TLink>>>
        {
            private readonly IListComparer<TLink> _listComparer;

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public ItemComparer() => _listComparer = Default<IListComparer<TLink>>.Instance;

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public int Compare(KeyValuePair<IList<TLink>, IList<TLink>> left,
            ↪ KeyValuePair<IList<TLink>, IList<TLink>> right)
            {
                var intermediateResult = _listComparer.Compare(left.Key, right.Key);
                if (intermediateResult == 0)
                {
                    intermediateResult = _listComparer.Compare(left.Value, right.Value);
                }
                return intermediateResult;
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public DuplicateSegmentsProvider(ILinks<TLink> links, ILinks<TLink> sequences)
            : base(minimumStringSegmentLength: 2)
        {
            _links = links;
            _sequences = sequences;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public IList<KeyValuePair<IList<TLink>, IList<TLink>>> Get()
        {
```

```
72              _groups = new HashSet<KeyValuePair<IList<TLink>,
                ↪  IList<TLink>>>(Default<ItemEquilityComparer>.Instance);
73              var count = _links.Count();
74              _visited = new BitString(_addressToInt64Converter.Convert(count) + 1L);
75              _links.Each(link =>
76              {
77                  var linkIndex = _links.GetIndex(link);
78                  var linkBitIndex = _addressToInt64Converter.Convert(linkIndex);
79                  if (!_visited.Get(linkBitIndex))
80                  {
81                      var sequenceElements = new List<TLink>();
82                      var filler = new ListFiller<TLink, TLink>(sequenceElements,
                        ↪  _sequences.Constants.Break);
83                      _sequences.Each(filler.AddSkipFirstAndReturnConstant, new
                        ↪  LinkAddress<TLink>(linkIndex));
84                      if (sequenceElements.Count > 2)
85                      {
86                          WalkAll(sequenceElements);
87                      }
88                  }
89                  return _links.Constants.Continue;
90              });
91              var resultList = _groups.ToList();
92              var comparer = Default<ItemComparer>.Instance;
93              resultList.Sort(comparer);
94  #if DEBUG
95              foreach (var item in resultList)
96              {
97                  PrintDuplicates(item);
98              }
99  #endif
100             return resultList;
101         }
102
103         [MethodImpl(MethodImplOptions.AggressiveInlining)]
104         protected override Segment<TLink> CreateSegment(IList<TLink> elements, int offset, int
            ↪  length) => new Segment<TLink>(elements, offset, length);
105
106         [MethodImpl(MethodImplOptions.AggressiveInlining)]
107         protected override void OnDublicateFound(Segment<TLink> segment)
108         {
109             var duplicates = CollectDuplicatesForSegment(segment);
110             if (duplicates.Count > 1)
111             {
112                 _groups.Add(new KeyValuePair<IList<TLink>, IList<TLink>>(segment.ToArray(),
                    ↪  duplicates));
113             }
114         }
115
116         [MethodImpl(MethodImplOptions.AggressiveInlining)]
117         private List<TLink> CollectDuplicatesForSegment(Segment<TLink> segment)
118         {
119             var duplicates = new List<TLink>();
120             var readAsElement = new HashSet<TLink>();
121             var restrictions = segment.ShiftRight();
122             restrictions[0] = _sequences.Constants.Any;
123             _sequences.Each(sequence =>
124             {
125                 var sequenceIndex = sequence[_sequences.Constants.IndexPart];
126                 duplicates.Add(sequenceIndex);
127                 readAsElement.Add(sequenceIndex);
128                 return _sequences.Constants.Continue;
129             }, restrictions);
130             if (duplicates.Any(x => _visited.Get(_addressToInt64Converter.Convert(x))))
131             {
132                 return new List<TLink>();
133             }
134             foreach (var duplicate in duplicates)
135             {
136                 var duplicateBitIndex = _addressToInt64Converter.Convert(duplicate);
137                 _visited.Set(duplicateBitIndex);
138             }
139             if (_sequences is Sequences sequencesExperiments)
140             {
141                 var partiallyMatched = sequencesExperiments.GetAllPartiallyMatchingSequences4((H
                    ↪  ashSet<ulong>)(object)readAsElement,
                    ↪  (IList<ulong>)segment);
142                 foreach (var partiallyMatchedSequence in partiallyMatched)
```

```
                {
                    var sequenceIndex =
                    ↪  _uInt64ToAddressConverter.Convert(partiallyMatchedSequence);
                    duplicates.Add(sequenceIndex);
                }
            }
            duplicates.Sort();
            return duplicates;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void PrintDuplicates(KeyValuePair<IList<TLink>, IList<TLink>> duplicatesItem)
        {
            if (!(_links is ILinks<ulong> ulongLinks))
            {
                return;
            }
            var duplicatesKey = duplicatesItem.Key;
            var keyString = UnicodeMap.FromLinksToString((IList<ulong>)duplicatesKey);
            Console.WriteLine($"> {keyString} ({string.Join(", ", duplicatesKey)})");
            var duplicatesList = duplicatesItem.Value;
            for (int i = 0; i < duplicatesList.Count; i++)
            {
                var sequenceIndex = _addressToUInt64Converter.Convert(duplicatesList[i]);
                var formatedSequenceStructure = ulongLinks.FormatStructure(sequenceIndex, x =>
                ↪  Point<ulong>.IsPartialPoint(x), (sb, link) => _ =
                ↪  UnicodeMap.IsCharLink(link.Index) ?
                ↪  sb.Append(UnicodeMap.FromLinkToChar(link.Index)) : sb.Append(link.Index));
                Console.WriteLine(formatedSequenceStructure);
                var sequenceString = UnicodeMap.FromSequenceLinkToString(sequenceIndex,
                ↪  ulongLinks);
                Console.WriteLine(sequenceString);
            }
            Console.WriteLine();
        }
    }
}
```

1.63 ./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequenciesCache.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Interfaces;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
{
    /// <remarks>
    /// Can be used to operate with many CompressingConverters (to keep global frequencies data
    ↪  between them).
    /// TODO: Extract interface to implement frequencies storage inside Links storage
    /// </remarks>
    public class LinkFrequenciesCache<TLink> : LinksOperatorBase<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;
        private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;

        private static readonly TLink _zero = default;
        private static readonly TLink _one = Arithmetic.Increment(_zero);

        private readonly Dictionary<Doublet<TLink>, LinkFrequency<TLink>> _doubletsCache;
        private readonly ICounter<TLink, TLink> _frequencyCounter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkFrequenciesCache(ILinks<TLink> links, ICounter<TLink, TLink> frequencyCounter)
            : base(links)
        {
            _doubletsCache = new Dictionary<Doublet<TLink>, LinkFrequency<TLink>>(4096,
            ↪  DoubletComparer<TLink>.Default);
            _frequencyCounter = frequencyCounter;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkFrequency<TLink> GetFrequency(TLink source, TLink target)
        {
            var doublet = new Doublet<TLink>(source, target);
```

```
            return GetFrequency(ref doublet);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkFrequency<TLink> GetFrequency(ref Doublet<TLink> doublet)
        {
            _doubletsCache.TryGetValue(doublet, out LinkFrequency<TLink> data);
            return data;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void IncrementFrequencies(IList<TLink> sequence)
        {
            for (var i = 1; i < sequence.Count; i++)
            {
                IncrementFrequency(sequence[i - 1], sequence[i]);
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkFrequency<TLink> IncrementFrequency(TLink source, TLink target)
        {
            var doublet = new Doublet<TLink>(source, target);
            return IncrementFrequency(ref doublet);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void PrintFrequencies(IList<TLink> sequence)
        {
            for (var i = 1; i < sequence.Count; i++)
            {
                PrintFrequency(sequence[i - 1], sequence[i]);
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void PrintFrequency(TLink source, TLink target)
        {
            var number = GetFrequency(source, target).Frequency;
            Console.WriteLine("({0},{1}) - {2}", source, target, number);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkFrequency<TLink> IncrementFrequency(ref Doublet<TLink> doublet)
        {
            if (_doubletsCache.TryGetValue(doublet, out LinkFrequency<TLink> data))
            {
                data.IncrementFrequency();
            }
            else
            {
                var link = Links.SearchOrDefault(doublet.Source, doublet.Target);
                data = new LinkFrequency<TLink>(_one, link);
                if (!_equalityComparer.Equals(link, default))
                {
                    data.Frequency = Arithmetic.Add(data.Frequency,
                    ↪  _frequencyCounter.Count(link));
                }
                _doubletsCache.Add(doublet, data);
            }
            return data;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void ValidateFrequencies()
        {
            foreach (var entry in _doubletsCache)
            {
                var value = entry.Value;
                var linkIndex = value.Link;
                if (!_equalityComparer.Equals(linkIndex, default))
                {
                    var frequency = value.Frequency;
                    var count = _frequencyCounter.Count(linkIndex);
                    // TODO: Why `frequency` always greater than `count` by 1?
                    if (((_comparer.Compare(frequency, count) > 0) &&
                    ↪  (_comparer.Compare(Arithmetic.Subtract(frequency, count), _one) > 0))
                     || ((_comparer.Compare(count, frequency) > 0) &&
                      ↪  (_comparer.Compare(Arithmetic.Subtract(count, frequency), _one) > 0)))
```

```
                    {
                        throw new InvalidOperationException("Frequencies validation failed.");
                    }
                }
                //else
                //{
                //    if (value.Frequency > 0)
                //    {
                //        var frequency = value.Frequency;
                //        linkIndex = _createLink(entry.Key.Source, entry.Key.Target);
                //        var count = _countLinkFrequency(linkIndex);

                //        if ((frequency > count && frequency - count > 1) || (count > frequency
                ↪  && count - frequency > 1))
                //            throw new Exception("Frequencies validation failed.");
                //    }
                //}
            }
        }
    }
}
```

1.64 ./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequency.cs

```
using System.Runtime.CompilerServices;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
{
    public class LinkFrequency<TLink>
    {
        public TLink Frequency { get; set; }
        public TLink Link { get; set; }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkFrequency(TLink frequency, TLink link)
        {
            Frequency = frequency;
            Link = link;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkFrequency() { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void IncrementFrequency() => Frequency = Arithmetic<TLink>.Increment(Frequency);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void DecrementFrequency() => Frequency = Arithmetic<TLink>.Decrement(Frequency);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override string ToString() => $"F: {Frequency}, L: {Link}";
    }
}
```

1.65 ./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkToItsFrequencyValueConverter.cs

```
using System.Runtime.CompilerServices;
using Platform.Converters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
{
    public class FrequenciesCacheBasedLinkToItsFrequencyNumberConverter<TLink> :
    ↪  IConverter<Doublet<TLink>, TLink>
    {
        private readonly LinkFrequenciesCache<TLink> _cache;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public
        ↪  FrequenciesCacheBasedLinkToItsFrequencyNumberConverter(LinkFrequenciesCache<TLink>
        ↪  cache) => _cache = cache;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Convert(Doublet<TLink> source) => _cache.GetFrequency(ref source).Frequency;
    }
}
```

1.66 ./Platform.Data.Doublets/Sequences/Frequencies/Counters/MarkedSequenceSymbolFrequencyOneOffCounte

```
using System.Runtime.CompilerServices;
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
{
    public class MarkedSequenceSymbolFrequencyOneOffCounter<TLink> :
    ↪  SequenceSymbolFrequencyOneOffCounter<TLink>
    {
        private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public MarkedSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links,
        ↪  ICriterionMatcher<TLink> markedSequenceMatcher, TLink sequenceLink, TLink symbol)
            : base(links, sequenceLink, symbol)
            => _markedSequenceMatcher = markedSequenceMatcher;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Count()
        {
            if (!_markedSequenceMatcher.IsMatched(_sequenceLink))
            {
                return default;
            }
            return base.Count();
        }
    }
}
```

1.67 ./Platform.Data.Doublets/Sequences/Frequencies/Counters/SequenceSymbolFrequencyOneOffCounter.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Interfaces;
using Platform.Numbers;
using Platform.Data.Sequences;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
{
    public class SequenceSymbolFrequencyOneOffCounter<TLink> : ICounter<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;
        private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;

        protected readonly ILinks<TLink> _links;
        protected readonly TLink _sequenceLink;
        protected readonly TLink _symbol;
        protected TLink _total;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public SequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links, TLink sequenceLink,
        ↪  TLink symbol)
        {
            _links = links;
            _sequenceLink = sequenceLink;
            _symbol = symbol;
            _total = default;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Count()
        {
            if (_comparer.Compare(_total, default) > 0)
            {
                return _total;
            }
            StopableSequenceWalker.WalkRight(_sequenceLink, _links.GetSource, _links.GetTarget,
            ↪  IsElement, VisitElement);
            return _total;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private bool IsElement(TLink x) => _equalityComparer.Equals(x, _symbol) ||
        ↪  _links.IsPartialPoint(x); // TODO: Use SequenceElementCreteriaMatcher instead of
        ↪  IsPartialPoint

```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private bool VisitElement(TLink element)
        {
            if (_equalityComparer.Equals(element, _symbol))
            {
                _total = Arithmetic.Increment(_total);
            }
            return true;
        }
    }
}
```

1.68 ./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequencyCounter.

```
using System.Runtime.CompilerServices;
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
{
    public class TotalMarkedSequenceSymbolFrequencyCounter<TLink> : ICounter<TLink, TLink>
    {
        private readonly ILinks<TLink> _links;
        private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TotalMarkedSequenceSymbolFrequencyCounter(ILinks<TLink> links,
        ↪  ICriterionMatcher<TLink> markedSequenceMatcher)
        {
            _links = links;
            _markedSequenceMatcher = markedSequenceMatcher;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Count(TLink argument) => new
        ↪  TotalMarkedSequenceSymbolFrequencyOneOffCounter<TLink>(_links,
        ↪  _markedSequenceMatcher, argument).Count();
    }
}
```

1.69 ./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequencyOneOffC

```
using System.Runtime.CompilerServices;
using Platform.Interfaces;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
{
    public class TotalMarkedSequenceSymbolFrequencyOneOffCounter<TLink> :
    ↪  TotalSequenceSymbolFrequencyOneOffCounter<TLink>
    {
        private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TotalMarkedSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links,
        ↪  ICriterionMatcher<TLink> markedSequenceMatcher, TLink symbol)
            : base(links, symbol)
            => _markedSequenceMatcher = markedSequenceMatcher;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void CountSequenceSymbolFrequency(TLink link)
        {
            var symbolFrequencyCounter = new
            ↪  MarkedSequenceSymbolFrequencyOneOffCounter<TLink>(_links,
            ↪  _markedSequenceMatcher, link, _symbol);
            _total = Arithmetic.Add(_total, symbolFrequencyCounter.Count());
        }
    }
}
```

1.70 ./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyCounter.cs

```
using System.Runtime.CompilerServices;
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
{
```

```
    public class TotalSequenceSymbolFrequencyCounter<TLink> : ICounter<TLink, TLink>
    {
        private readonly ILinks<TLink> _links;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TotalSequenceSymbolFrequencyCounter(ILinks<TLink> links) => _links = links;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Count(TLink symbol) => new
        ↪  TotalSequenceSymbolFrequencyOneOffCounter<TLink>(_links, symbol).Count();
    }
}
```

1.71 ./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyOneOffCounter.

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Interfaces;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
{
    public class TotalSequenceSymbolFrequencyOneOffCounter<TLink> : ICounter<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;
        private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;

        protected readonly ILinks<TLink> _links;
        protected readonly TLink _symbol;
        protected readonly HashSet<TLink> _visits;
        protected TLink _total;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TotalSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links, TLink symbol)
        {
            _links = links;
            _symbol = symbol;
            _visits = new HashSet<TLink>();
            _total = default;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Count()
        {
            if (_comparer.Compare(_total, default) > 0 || _visits.Count > 0)
            {
                return _total;
            }
            CountCore(_symbol);
            return _total;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void CountCore(TLink link)
        {
            var any = _links.Constants.Any;
            if (_equalityComparer.Equals(_links.Count(any, link), default))
            {
                CountSequenceSymbolFrequency(link);
            }
            else
            {
                _links.Each(EachElementHandler, any, link);
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual void CountSequenceSymbolFrequency(TLink link)
        {
            var symbolFrequencyCounter = new SequenceSymbolFrequencyOneOffCounter<TLink>(_links,
            ↪  link, _symbol);
            _total = Arithmetic.Add(_total, symbolFrequencyCounter.Count());
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private TLink EachElementHandler(IList<TLink> doublet)
        {
            var constants = _links.Constants;
```

```
            var doubletIndex = doublet[constants.IndexPart];
            if (_visits.Add(doubletIndex))
            {
                CountCore(doubletIndex);
            }
            return constants.Continue;
        }
    }
}
```

1.72 ./Platform.Data.Doublets/Sequences/HeightProviders/CachedSequenceHeightProvider.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Interfaces;
using Platform.Converters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.HeightProviders
{
    public class CachedSequenceHeightProvider<TLink> : LinksOperatorBase<TLink>,
    ↪ ISequenceHeightProvider<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;

        private readonly TLink _heightPropertyMarker;
        private readonly ISequenceHeightProvider<TLink> _baseHeightProvider;
        private readonly IConverter<TLink> _addressToUnaryNumberConverter;
        private readonly IConverter<TLink> _unaryNumberToAddressConverter;
        private readonly IProperties<TLink, TLink, TLink> _propertyOperator;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public CachedSequenceHeightProvider(
            ILinks<TLink> links,
            ISequenceHeightProvider<TLink> baseHeightProvider,
            IConverter<TLink> addressToUnaryNumberConverter,
            IConverter<TLink> unaryNumberToAddressConverter,
            TLink heightPropertyMarker,
            IProperties<TLink, TLink, TLink> propertyOperator)
            : base(links)
        {
            _heightPropertyMarker = heightPropertyMarker;
            _baseHeightProvider = baseHeightProvider;
            _addressToUnaryNumberConverter = addressToUnaryNumberConverter;
            _unaryNumberToAddressConverter = unaryNumberToAddressConverter;
            _propertyOperator = propertyOperator;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Get(TLink sequence)
        {
            TLink height;
            var heightValue = _propertyOperator.GetValue(sequence, _heightPropertyMarker);
            if (_equalityComparer.Equals(heightValue, default))
            {
                height = _baseHeightProvider.Get(sequence);
                heightValue = _addressToUnaryNumberConverter.Convert(height);
                _propertyOperator.SetValue(sequence, _heightPropertyMarker, heightValue);
            }
            else
            {
                height = _unaryNumberToAddressConverter.Convert(heightValue);
            }
            return height;
        }
    }
}
```

1.73 ./Platform.Data.Doublets/Sequences/HeightProviders/DefaultSequenceRightHeightProvider.cs

```
using System.Runtime.CompilerServices;
using Platform.Interfaces;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.HeightProviders
{
    public class DefaultSequenceRightHeightProvider<TLink> : LinksOperatorBase<TLink>,
    ↪ ISequenceHeightProvider<TLink>
    {
```

```
        private readonly ICriterionMatcher<TLink> _elementMatcher;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public DefaultSequenceRightHeightProvider(ILinks<TLink> links, ICriterionMatcher<TLink>
        ↪  elementMatcher) : base(links) => _elementMatcher = elementMatcher;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Get(TLink sequence)
        {
            var height = default(TLink);
            var pairOrElement = sequence;
            while (!_elementMatcher.IsMatched(pairOrElement))
            {
                pairOrElement = Links.GetTarget(pairOrElement);
                height = Arithmetic.Increment(height);
            }
            return height;
        }
    }
}
```

1.74 ./Platform.Data.Doublets/Sequences/HeightProviders/ISequenceHeightProvider.cs

```
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.HeightProviders
{
    public interface ISequenceHeightProvider<TLink> : IProvider<TLink, TLink>
    {
    }
}
```

1.75 ./Platform.Data.Doublets/Sequences/Indexes/CachedFrequencyIncrementingSequenceIndex.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Data.Doublets.Sequences.Frequencies.Cache;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Indexes
{
    public class CachedFrequencyIncrementingSequenceIndex<TLink> : ISequenceIndex<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private readonly LinkFrequenciesCache<TLink> _cache;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public CachedFrequencyIncrementingSequenceIndex(LinkFrequenciesCache<TLink> cache) =>
        ↪  _cache = cache;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool Add(IList<TLink> sequence)
        {
            var indexed = true;
            var i = sequence.Count;
            while (--i >= 1 && (indexed = IsIndexedWithIncrement(sequence[i - 1], sequence[i])))
            ↪  { }
            for (; i >= 1; i--)
            {
                _cache.IncrementFrequency(sequence[i - 1], sequence[i]);
            }
            return indexed;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private bool IsIndexedWithIncrement(TLink source, TLink target)
        {
            var frequency = _cache.GetFrequency(source, target);
            if (frequency == null)
            {
                return false;
            }
            var indexed = !_equalityComparer.Equals(frequency.Frequency, default);
            if (indexed)
            {
                _cache.IncrementFrequency(source, target);
```

```
            }
            return indexed;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool MightContain(IList<TLink> sequence)
        {
            var indexed = true;
            var i = sequence.Count;
            while (--i >= 1 && (indexed = IsIndexed(sequence[i - 1], sequence[i]))) { }
            return indexed;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private bool IsIndexed(TLink source, TLink target)
        {
            var frequency = _cache.GetFrequency(source, target);
            if (frequency == null)
            {
                return false;
            }
            return !_equalityComparer.Equals(frequency.Frequency, default);
        }
    }
}
```

1.76 ./Platform.Data.Doublets/Sequences/Indexes/FrequencyIncrementingSequenceIndex.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Interfaces;
using Platform.Incrementers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Indexes
{
    public class FrequencyIncrementingSequenceIndex<TLink> : SequenceIndex<TLink>,
    ↪ ISequenceIndex<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;

        private readonly IProperty<TLink, TLink> _frequencyPropertyOperator;
        private readonly IIncrementer<TLink> _frequencyIncrementer;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public FrequencyIncrementingSequenceIndex(ILinks<TLink> links, IProperty<TLink, TLink>
        ↪ frequencyPropertyOperator, IIncrementer<TLink> frequencyIncrementer)
            : base(links)
        {
            _frequencyPropertyOperator = frequencyPropertyOperator;
            _frequencyIncrementer = frequencyIncrementer;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override bool Add(IList<TLink> sequence)
        {
            var indexed = true;
            var i = sequence.Count;
            while (--i >= 1 && (indexed = IsIndexedWithIncrement(sequence[i - 1], sequence[i])))
            ↪ { }
            for (; i >= 1; i--)
            {
                Increment(Links.GetOrCreate(sequence[i - 1], sequence[i]));
            }
            return indexed;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private bool IsIndexedWithIncrement(TLink source, TLink target)
        {
            var link = Links.SearchOrDefault(source, target);
            var indexed = !_equalityComparer.Equals(link, default);
            if (indexed)
            {
                Increment(link);
            }
            return indexed;
        }

```

```
50          [MethodImpl(MethodImplOptions.AggressiveInlining)]
51          private void Increment(TLink link)
52          {
53              var previousFrequency = _frequencyPropertyOperator.Get(link);
54              var frequency = _frequencyIncrementer.Increment(previousFrequency);
55              _frequencyPropertyOperator.Set(link, frequency);
56          }
57      }
58  }
```

1.77 ./Platform.Data.Doublets/Sequences/Indexes/ISequenceIndex.cs

```
1   using System.Collections.Generic;
2   using System.Runtime.CompilerServices;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Data.Doublets.Sequences.Indexes
7   {
8       public interface ISequenceIndex<TLink>
9       {
10          /// <summary>
11          /// Индексирует последовательность глобально, и возвращает значение,
12          /// определяющие была ли запрошенная последовательность проиндексирована ранее.
13          /// </summary>
14          /// <param name="sequence">Последовательность для индексации.</param>
15          [MethodImpl(MethodImplOptions.AggressiveInlining)]
16          bool Add(IList<TLink> sequence);
17
18          [MethodImpl(MethodImplOptions.AggressiveInlining)]
19          bool MightContain(IList<TLink> sequence);
20      }
21  }
```

1.78 ./Platform.Data.Doublets/Sequences/Indexes/SequenceIndex.cs

```
1   using System.Collections.Generic;
2   using System.Runtime.CompilerServices;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Data.Doublets.Sequences.Indexes
7   {
8       public class SequenceIndex<TLink> : LinksOperatorBase<TLink>, ISequenceIndex<TLink>
9       {
10          private static readonly EqualityComparer<TLink> _equalityComparer =
            ↪  EqualityComparer<TLink>.Default;
11
12          [MethodImpl(MethodImplOptions.AggressiveInlining)]
13          public SequenceIndex(ILinks<TLink> links) : base(links) { }
14
15          [MethodImpl(MethodImplOptions.AggressiveInlining)]
16          public virtual bool Add(IList<TLink> sequence)
17          {
18              var indexed = true;
19              var i = sequence.Count;
20              while (--i >= 1 && (indexed =
                ↪  !_equalityComparer.Equals(Links.SearchOrDefault(sequence[i - 1], sequence[i]),
                ↪  default))) { }
21              for (; i >= 1; i--)
22              {
23                  Links.GetOrCreate(sequence[i - 1], sequence[i]);
24              }
25              return indexed;
26          }
27
28          [MethodImpl(MethodImplOptions.AggressiveInlining)]
29          public virtual bool MightContain(IList<TLink> sequence)
30          {
31              var indexed = true;
32              var i = sequence.Count;
33              while (--i >= 1 && (indexed =
                ↪  !_equalityComparer.Equals(Links.SearchOrDefault(sequence[i - 1], sequence[i]),
                ↪  default))) { }
34              return indexed;
35          }
36      }
37  }
```

1.79 ./Platform.Data.Doublets/Sequences/Indexes/SynchronizedSequenceIndex.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Indexes
{
    public class SynchronizedSequenceIndex<TLink> : ISequenceIndex<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private readonly ISynchronizedLinks<TLink> _links;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public SynchronizedSequenceIndex(ISynchronizedLinks<TLink> links) => _links = links;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool Add(IList<TLink> sequence)
        {
            var indexed = true;
            var i = sequence.Count;
            var links = _links.Unsync;
            _links.SyncRoot.ExecuteReadOperation(() =>
            {
                while (--i >= 1 && (indexed =
                ↪  !_equalityComparer.Equals(links.SearchOrDefault(sequence[i - 1],
                ↪  sequence[i]), default))) { }
            });
            if (!indexed)
            {
                _links.SyncRoot.ExecuteWriteOperation(() =>
                {
                    for (; i >= 1; i--)
                    {
                        links.GetOrCreate(sequence[i - 1], sequence[i]);
                    }
                });
            }
            return indexed;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool MightContain(IList<TLink> sequence)
        {
            var links = _links.Unsync;
            return _links.SyncRoot.ExecuteReadOperation(() =>
            {
                var indexed = true;
                var i = sequence.Count;
                while (--i >= 1 && (indexed =
                ↪  !_equalityComparer.Equals(links.SearchOrDefault(sequence[i - 1],
                ↪  sequence[i]), default))) { }
                return indexed;
            });
        }
    }
}
```

1.80 ./Platform.Data.Doublets/Sequences/Indexes/Unindex.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Indexes
{
    public class Unindex<TLink> : ISequenceIndex<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual bool Add(IList<TLink> sequence) => false;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual bool MightContain(IList<TLink> sequence) => true;
    }
}
```

1.81 ./Platform.Data.Doublets/Sequences/Sequences.Experiments.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using System.Linq;
using System.Text;
using Platform.Collections;
using Platform.Collections.Sets;
using Platform.Collections.Stacks;
using Platform.Data.Exceptions;
using Platform.Data.Sequences;
using Platform.Data.Doublets.Sequences.Frequencies.Counters;
using Platform.Data.Doublets.Sequences.Walkers;
using LinkIndex = System.UInt64;
using Stack = System.Collections.Generic.Stack<ulong>;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    partial class Sequences
    {
        #region Create All Variants (Not Practical)

        /// <remarks>
        /// Number of links that is needed to generate all variants for
        /// sequence of length N corresponds to https://oeis.org/A014143/list sequence.
        /// </remarks>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public ulong[] CreateAllVariants2(ulong[] sequence)
        {
            return _sync.ExecuteWriteOperation(() =>
            {
                if (sequence.IsNullOrEmpty())
                {
                    return Array.Empty<ulong>();
                }
                Links.EnsureLinkExists(sequence);
                if (sequence.Length == 1)
                {
                    return sequence;
                }
                return CreateAllVariants2Core(sequence, 0, sequence.Length - 1);
            });
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private ulong[] CreateAllVariants2Core(ulong[] sequence, long startAt, long stopAt)
        {
#if DEBUG
            if ((stopAt - startAt) < 0)
            {
                throw new ArgumentOutOfRangeException(nameof(startAt), "startAt должен быть
                ↪  меньше или равен stopAt");
            }
#endif
            if ((stopAt - startAt) == 0)
            {
                return new[] { sequence[startAt] };
            }
            if ((stopAt - startAt) == 1)
            {
                return new[] { Links.Unsync.GetOrCreate(sequence[startAt], sequence[stopAt]) };
            }
            var variants = new ulong[(ulong)Platform.Numbers.Math.Catalan(stopAt - startAt)];
            var last = 0;
            for (var splitter = startAt; splitter < stopAt; splitter++)
            {
                var left = CreateAllVariants2Core(sequence, startAt, splitter);
                var right = CreateAllVariants2Core(sequence, splitter + 1, stopAt);
                for (var i = 0; i < left.Length; i++)
                {
                    for (var j = 0; j < right.Length; j++)
                    {
                        var variant = Links.Unsync.GetOrCreate(left[i], right[j]);
                        if (variant == Constants.Null)
                        {
                            throw new NotImplementedException("Creation cancellation is not
                            ↪  implemented.");
```

```
                    }
                    variants[last++] = variant;
                }
            }
        }
        return variants;
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public List<ulong> CreateAllVariants1(params ulong[] sequence)
    {
        return _sync.ExecuteWriteOperation(() =>
        {
            if (sequence.IsNullOrEmpty())
            {
                return new List<ulong>();
            }
            Links.Unsync.EnsureLinkExists(sequence);
            if (sequence.Length == 1)
            {
                return new List<ulong> { sequence[0] };
            }
            var results = new
            ↪  List<ulong>((int)Platform.Numbers.Math.Catalan(sequence.Length));
            return CreateAllVariants1Core(sequence, results);
        });
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    private List<ulong> CreateAllVariants1Core(ulong[] sequence, List<ulong> results)
    {
        if (sequence.Length == 2)
        {
            var link = Links.Unsync.GetOrCreate(sequence[0], sequence[1]);
            if (link == Constants.Null)
            {
                throw new NotImplementedException("Creation cancellation is not
                ↪  implemented.");
            }
            results.Add(link);
            return results;
        }
        var innerSequenceLength = sequence.Length - 1;
        var innerSequence = new ulong[innerSequenceLength];
        for (var li = 0; li < innerSequenceLength; li++)
        {
            var link = Links.Unsync.GetOrCreate(sequence[li], sequence[li + 1]);
            if (link == Constants.Null)
            {
                throw new NotImplementedException("Creation cancellation is not
                ↪  implemented.");
            }
            for (var isi = 0; isi < li; isi++)
            {
                innerSequence[isi] = sequence[isi];
            }
            innerSequence[li] = link;
            for (var isi = li + 1; isi < innerSequenceLength; isi++)
            {
                innerSequence[isi] = sequence[isi + 1];
            }
            CreateAllVariants1Core(innerSequence, results);
        }
        return results;
    }

    #endregion

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public HashSet<ulong> Each1(params ulong[] sequence)
    {
        var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
        Each1(link =>
        {
            if (!visitedLinks.Contains(link))
            {
                visitedLinks.Add(link); // изучить почему случаются повторы
            }
```

```
            return true;
        }, sequence);
        return visitedLinks;
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    private void Each1(Func<ulong, bool> handler, params ulong[] sequence)
    {
        if (sequence.Length == 2)
        {
            Links.Unsync.Each(sequence[0], sequence[1], handler);
        }
        else
        {
            var innerSequenceLength = sequence.Length - 1;
            for (var li = 0; li < innerSequenceLength; li++)
            {
                var left = sequence[li];
                var right = sequence[li + 1];
                if (left == 0 && right == 0)
                {
                    continue;
                }
                var linkIndex = li;
                ulong[] innerSequence = null;
                Links.Unsync.Each(doublet =>
                {
                    if (innerSequence == null)
                    {
                        innerSequence = new ulong[innerSequenceLength];
                        for (var isi = 0; isi < linkIndex; isi++)
                        {
                            innerSequence[isi] = sequence[isi];
                        }
                        for (var isi = linkIndex + 1; isi < innerSequenceLength; isi++)
                        {
                            innerSequence[isi] = sequence[isi + 1];
                        }
                    }
                    innerSequence[linkIndex] = doublet[Constants.IndexPart];
                    Each1(handler, innerSequence);
                    return Constants.Continue;
                }, Constants.Any, left, right);
            }
        }
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public HashSet<ulong> EachPart(params ulong[] sequence)
    {
        var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
        EachPartCore(link =>
        {
            var linkIndex = link[Constants.IndexPart];
            if (!visitedLinks.Contains(linkIndex))
            {
                visitedLinks.Add(linkIndex); // изучить почему случаются повторы
            }
            return Constants.Continue;
        }, sequence);
        return visitedLinks;
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public void EachPart(Func<IList<LinkIndex>, LinkIndex> handler, params ulong[] sequence)
    {
        var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
        EachPartCore(link =>
        {
            var linkIndex = link[Constants.IndexPart];
            if (!visitedLinks.Contains(linkIndex))
            {
                visitedLinks.Add(linkIndex); // изучить почему случаются повторы
                return handler(new LinkAddress<LinkIndex>(linkIndex));
            }
            return Constants.Continue;
        }, sequence);
    }

```

```
231         [MethodImpl(MethodImplOptions.AggressiveInlining)]
232         private void EachPartCore(Func<IList<LinkIndex>, LinkIndex> handler, params ulong[]
            ↪ sequence)
233         {
234             if (sequence.IsNullOrEmpty())
235             {
236                 return;
237             }
238             Links.EnsureLinkIsAnyOrExists(sequence);
239             if (sequence.Length == 1)
240             {
241                 var link = sequence[0];
242                 if (link > 0)
243                 {
244                     handler(new LinkAddress<LinkIndex>(link));
245                 }
246                 else
247                 {
248                     Links.Each(Constants.Any, Constants.Any, handler);
249                 }
250             }
251             else if (sequence.Length == 2)
252             {
253                 //_links.Each(sequence[0], sequence[1], handler);
254                 //  o_|      x_o ...
255                 // x_|        |___|
256                 Links.Each(sequence[1], Constants.Any, doublet =>
257                 {
258                     var match = Links.SearchOrDefault(sequence[0], doublet);
259                     if (match != Constants.Null)
260                     {
261                         handler(new LinkAddress<LinkIndex>(match));
262                     }
263                     return true;
264                 });
265                 // |_x      ... x_o
266                 //  |_o      |___|
267                 Links.Each(Constants.Any, sequence[0], doublet =>
268                 {
269                     var match = Links.SearchOrDefault(doublet, sequence[1]);
270                     if (match != 0)
271                     {
272                         handler(new LinkAddress<LinkIndex>(match));
273                     }
274                     return true;
275                 });
276                 //           ._x o_.
277                 //            |___|
278                 PartialStepRight(x => handler(x), sequence[0], sequence[1]);
279             }
280             else
281             {
282                 throw new NotImplementedException();
283             }
284         }
285 
286         [MethodImpl(MethodImplOptions.AggressiveInlining)]
287         private void PartialStepRight(Action<IList<LinkIndex>> handler, ulong left, ulong right)
288         {
289             Links.Unsync.Each(Constants.Any, left, doublet =>
290             {
291                 StepRight(handler, doublet, right);
292                 if (left != doublet)
293                 {
294                     PartialStepRight(handler, doublet, right);
295                 }
296                 return true;
297             });
298         }
299 
300         [MethodImpl(MethodImplOptions.AggressiveInlining)]
301         private void StepRight(Action<IList<LinkIndex>> handler, ulong left, ulong right)
302         {
303             Links.Unsync.Each(left, Constants.Any, rightStep =>
304             {
305                 TryStepRightUp(handler, right, rightStep);
306                 return true;
307             });
```

```
308         }
309
310         [MethodImpl(MethodImplOptions.AggressiveInlining)]
311         private void TryStepRightUp(Action<IList<LinkIndex>> handler, ulong right, ulong
            ↪  stepFrom)
312         {
313             var upStep = stepFrom;
314             var firstSource = Links.Unsync.GetTarget(upStep);
315             while (firstSource != right && firstSource != upStep)
316             {
317                 upStep = firstSource;
318                 firstSource = Links.Unsync.GetSource(upStep);
319             }
320             if (firstSource == right)
321             {
322                 handler(new LinkAddress<LinkIndex>(stepFrom));
323             }
324         }
325
326         // TODO: Test
327         [MethodImpl(MethodImplOptions.AggressiveInlining)]
328         private void PartialStepLeft(Action<IList<LinkIndex>> handler, ulong left, ulong right)
329         {
330             Links.Unsync.Each(right, Constants.Any, doublet =>
331             {
332                 StepLeft(handler, left, doublet);
333                 if (right != doublet)
334                 {
335                     PartialStepLeft(handler, left, doublet);
336                 }
337                 return true;
338             });
339         }
340
341         [MethodImpl(MethodImplOptions.AggressiveInlining)]
342         private void StepLeft(Action<IList<LinkIndex>> handler, ulong left, ulong right)
343         {
344             Links.Unsync.Each(Constants.Any, right, leftStep =>
345             {
346                 TryStepLeftUp(handler, left, leftStep);
347                 return true;
348             });
349         }
350
351         [MethodImpl(MethodImplOptions.AggressiveInlining)]
352         private void TryStepLeftUp(Action<IList<LinkIndex>> handler, ulong left, ulong stepFrom)
353         {
354             var upStep = stepFrom;
355             var firstTarget = Links.Unsync.GetSource(upStep);
356             while (firstTarget != left && firstTarget != upStep)
357             {
358                 upStep = firstTarget;
359                 firstTarget = Links.Unsync.GetTarget(upStep);
360             }
361             if (firstTarget == left)
362             {
363                 handler(new LinkAddress<LinkIndex>(stepFrom));
364             }
365         }
366
367         [MethodImpl(MethodImplOptions.AggressiveInlining)]
368         private bool StartsWith(ulong sequence, ulong link)
369         {
370             var upStep = sequence;
371             var firstSource = Links.Unsync.GetSource(upStep);
372             while (firstSource != link && firstSource != upStep)
373             {
374                 upStep = firstSource;
375                 firstSource = Links.Unsync.GetSource(upStep);
376             }
377             return firstSource == link;
378         }
379
380         [MethodImpl(MethodImplOptions.AggressiveInlining)]
381         private bool EndsWith(ulong sequence, ulong link)
382         {
383             var upStep = sequence;
384             var lastTarget = Links.Unsync.GetTarget(upStep);
385             while (lastTarget != link && lastTarget != upStep)
```

```
            {
                upStep = lastTarget;
                lastTarget = Links.Unsync.GetTarget(upStep);
            }
            return lastTarget == link;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public List<ulong> GetAllMatchingSequences0(params ulong[] sequence)
        {
            return _sync.ExecuteReadOperation(() =>
            {
                var results = new List<ulong>();
                if (sequence.Length > 0)
                {
                    Links.EnsureLinkExists(sequence);
                    var firstElement = sequence[0];
                    if (sequence.Length == 1)
                    {
                        results.Add(firstElement);
                        return results;
                    }
                    if (sequence.Length == 2)
                    {
                        var doublet = Links.SearchOrDefault(firstElement, sequence[1]);
                        if (doublet != Constants.Null)
                        {
                            results.Add(doublet);
                        }
                        return results;
                    }
                    var linksInSequence = new HashSet<ulong>(sequence);
                    void handler(IList<LinkIndex> result)
                    {
                        var resultIndex = result[Links.Constants.IndexPart];
                        var filterPosition = 0;
                        StopableSequenceWalker.WalkRight(resultIndex, Links.Unsync.GetSource,
                            Links.Unsync.GetTarget,
                            x => linksInSequence.Contains(x) || Links.Unsync.GetTarget(x) == x,
                            x =>
                            {
                                if (filterPosition == sequence.Length)
                                {
                                    filterPosition = -2; // Длиннее чем нужно
                                    return false;
                                }
                                if (x != sequence[filterPosition])
                                {
                                    filterPosition = -1;
                                    return false; // Начинается иначе
                                }
                                filterPosition++;

                                return true;
                            });
                        if (filterPosition == sequence.Length)
                        {
                            results.Add(resultIndex);
                        }
                    }
                    if (sequence.Length >= 2)
                    {
                        StepRight(handler, sequence[0], sequence[1]);
                    }
                    var last = sequence.Length - 2;
                    for (var i = 1; i < last; i++)
                    {
                        PartialStepRight(handler, sequence[i], sequence[i + 1]);
                    }
                    if (sequence.Length >= 3)
                    {
                        StepLeft(handler, sequence[sequence.Length - 2],
                            sequence[sequence.Length - 1]);
                    }
                }
                return results;
            });
        }

```

```
462         [MethodImpl(MethodImplOptions.AggressiveInlining)]
463         public HashSet<ulong> GetAllMatchingSequences1(params ulong[] sequence)
464         {
465             return _sync.ExecuteReadOperation(() =>
466             {
467                 var results = new HashSet<ulong>();
468                 if (sequence.Length > 0)
469                 {
470                     Links.EnsureLinkExists(sequence);
471                     var firstElement = sequence[0];
472                     if (sequence.Length == 1)
473                     {
474                         results.Add(firstElement);
475                         return results;
476                     }
477                     if (sequence.Length == 2)
478                     {
479                         var doublet = Links.SearchOrDefault(firstElement, sequence[1]);
480                         if (doublet != Constants.Null)
481                         {
482                             results.Add(doublet);
483                         }
484                         return results;
485                     }
486                     var matcher = new Matcher(this, sequence, results, null);
487                     if (sequence.Length >= 2)
488                     {
489                         StepRight(matcher.AddFullMatchedToResults, sequence[0], sequence[1]);
490                     }
491                     var last = sequence.Length - 2;
492                     for (var i = 1; i < last; i++)
493                     {
494                         PartialStepRight(matcher.AddFullMatchedToResults, sequence[i],
                            ↪ sequence[i + 1]);
495                     }
496                     if (sequence.Length >= 3)
497                     {
498                         StepLeft(matcher.AddFullMatchedToResults, sequence[sequence.Length - 2],
                            ↪ sequence[sequence.Length - 1]);
499                     }
500                 }
501                 return results;
502             });
503         }
504 
505         public const int MaxSequenceFormatSize = 200;
506 
507         [MethodImpl(MethodImplOptions.AggressiveInlining)]
508         public string FormatSequence(LinkIndex sequenceLink, params LinkIndex[] knownElements)
            ↪ => FormatSequence(sequenceLink, (sb, x) => sb.Append(x), true, knownElements);
509 
510         [MethodImpl(MethodImplOptions.AggressiveInlining)]
511         public string FormatSequence(LinkIndex sequenceLink, Action<StringBuilder, LinkIndex>
            ↪ elementToString, bool insertComma, params LinkIndex[] knownElements) =>
            ↪ Links.SyncRoot.ExecuteReadOperation(() => FormatSequence(Links.Unsync, sequenceLink,
            ↪ elementToString, insertComma, knownElements));
512 
513         [MethodImpl(MethodImplOptions.AggressiveInlining)]
514         private string FormatSequence(ILinks<LinkIndex> links, LinkIndex sequenceLink,
            ↪ Action<StringBuilder, LinkIndex> elementToString, bool insertComma, params
            ↪ LinkIndex[] knownElements)
515         {
516             var linksInSequence = new HashSet<ulong>(knownElements);
517             //var entered = new HashSet<ulong>();
518             var sb = new StringBuilder();
519             sb.Append('{');
520             if (links.Exists(sequenceLink))
521             {
522                 StopableSequenceWalker.WalkRight(sequenceLink, links.GetSource, links.GetTarget,
523                     x => linksInSequence.Contains(x) || links.IsPartialPoint(x), element => //
                        ↪ entered.AddAndReturnVoid, x => { }, entered.DoNotContains
524                     {
525                         if (insertComma && sb.Length > 1)
526                         {
527                             sb.Append(',');
528                         }
529                         //if (entered.Contains(element))
530                         //{
```

```
                        //    sb.Append('{');
                        //    elementToString(sb, element);
                        //    sb.Append('}');
                        //}
                        //else
                        elementToString(sb, element);
                        if (sb.Length < MaxSequenceFormatSize)
                        {
                            return true;
                        }
                        sb.Append(insertComma ? ", ..." : "...");
                        return false;
                    });
            }
            sb.Append('}');
            return sb.ToString();
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public string SafeFormatSequence(LinkIndex sequenceLink, params LinkIndex[]
        ↪  knownElements) => SafeFormatSequence(sequenceLink, (sb, x) => sb.Append(x), true,
        ↪  knownElements);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public string SafeFormatSequence(LinkIndex sequenceLink, Action<StringBuilder,
        ↪  LinkIndex> elementToString, bool insertComma, params LinkIndex[] knownElements) =>
        ↪  Links.SyncRoot.ExecuteReadOperation(() => SafeFormatSequence(Links.Unsync,
        ↪  sequenceLink, elementToString, insertComma, knownElements));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private string SafeFormatSequence(ILinks<LinkIndex> links, LinkIndex sequenceLink,
        ↪  Action<StringBuilder, LinkIndex> elementToString, bool insertComma, params
        ↪  LinkIndex[] knownElements)
        {
            var linksInSequence = new HashSet<ulong>(knownElements);
            var entered = new HashSet<ulong>();
            var sb = new StringBuilder();
            sb.Append('{');
            if (links.Exists(sequenceLink))
            {
                StopableSequenceWalker.WalkRight(sequenceLink, links.GetSource, links.GetTarget,
                    x => linksInSequence.Contains(x) || links.IsFullPoint(x),
                    ↪  entered.AddAndReturnVoid, x => { }, entered.DoNotContains, element =>
                    {
                        if (insertComma && sb.Length > 1)
                        {
                            sb.Append(',');
                        }
                        if (entered.Contains(element))
                        {
                            sb.Append('{');
                            elementToString(sb, element);
                            sb.Append('}');
                        }
                        else
                        {
                            elementToString(sb, element);
                        }
                        if (sb.Length < MaxSequenceFormatSize)
                        {
                            return true;
                        }
                        sb.Append(insertComma ? ", ..." : "...");
                        return false;
                    });
            }
            sb.Append('}');
            return sb.ToString();
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public List<ulong> GetAllPartiallyMatchingSequences0(params ulong[] sequence)
        {
            return _sync.ExecuteReadOperation(() =>
            {
                if (sequence.Length > 0)
                {
                    Links.EnsureLinkExists(sequence);
```

```
                    var results = new HashSet<ulong>();
                    for (var i = 0; i < sequence.Length; i++)
                    {
                        AllUsagesCore(sequence[i], results);
                    }
                    var filteredResults = new List<ulong>();
                    var linksInSequence = new HashSet<ulong>(sequence);
                    foreach (var result in results)
                    {
                        var filterPosition = -1;
                        StopableSequenceWalker.WalkRight(result, Links.Unsync.GetSource,
                        ↪  Links.Unsync.GetTarget,
                            x => linksInSequence.Contains(x) || Links.Unsync.GetTarget(x) == x,
                            ↪  x =>
                            {
                                if (filterPosition == (sequence.Length - 1))
                                {
                                    return false;
                                }
                                if (filterPosition >= 0)
                                {
                                    if (x == sequence[filterPosition + 1])
                                    {
                                        filterPosition++;
                                    }
                                    else
                                    {
                                        return false;
                                    }
                                }
                                if (filterPosition < 0)
                                {
                                    if (x == sequence[0])
                                    {
                                        filterPosition = 0;
                                    }
                                }
                                return true;
                            });
                        if (filterPosition == (sequence.Length - 1))
                        {
                            filteredResults.Add(result);
                        }
                    }
                    return filteredResults;
                }
                return new List<ulong>();
            });
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public HashSet<ulong> GetAllPartiallyMatchingSequences1(params ulong[] sequence)
        {
            return _sync.ExecuteReadOperation(() =>
            {
                if (sequence.Length > 0)
                {
                    Links.EnsureLinkExists(sequence);
                    var results = new HashSet<ulong>();
                    for (var i = 0; i < sequence.Length; i++)
                    {
                        AllUsagesCore(sequence[i], results);
                    }
                    var filteredResults = new HashSet<ulong>();
                    var matcher = new Matcher(this, sequence, filteredResults, null);
                    matcher.AddAllPartialMatchedToResults(results);
                    return filteredResults;
                }
                return new HashSet<ulong>();
            });
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool GetAllPartiallyMatchingSequences2(Func<IList<LinkIndex>, LinkIndex> handler,
        ↪  params ulong[] sequence)
        {
            return _sync.ExecuteReadOperation(() =>
            {
```

```
676                 if (sequence.Length > 0)
677                 {
678                     Links.EnsureLinkExists(sequence);
679 
680                     var results = new HashSet<ulong>();
681                     var filteredResults = new HashSet<ulong>();
682                     var matcher = new Matcher(this, sequence, filteredResults, handler);
683                     for (var i = 0; i < sequence.Length; i++)
684                     {
685                         if (!AllUsagesCore1(sequence[i], results, matcher.HandlePartialMatched))
686                         {
687                             return false;
688                         }
689                     }
690                     return true;
691                 }
692                 return true;
693             });
694         }
695 
696         //public HashSet<ulong> GetAllPartiallyMatchingSequences3(params ulong[] sequence)
697         //{
698         //    return Sync.ExecuteReadOperation(() =>
699         //    {
700         //        if (sequence.Length > 0)
701         //        {
702         //            _links.EnsureEachLinkIsAnyOrExists(sequence);
703 
704         //            var firstResults = new HashSet<ulong>();
705         //            var lastResults = new HashSet<ulong>();
706 
707         //            var first = sequence.First(x => x != LinksConstants.Any);
708         //            var last = sequence.Last(x => x != LinksConstants.Any);
709 
710         //            AllUsagesCore(first, firstResults);
711         //            AllUsagesCore(last, lastResults);
712 
713         //            firstResults.IntersectWith(lastResults);
714 
715         //            //for (var i = 0; i < sequence.Length; i++)
716         //            //    AllUsagesCore(sequence[i], results);
717 
718         //            var filteredResults = new HashSet<ulong>();
719         //            var matcher = new Matcher(this, sequence, filteredResults, null);
720         //            matcher.AddAllPartialMatchedToResults(firstResults);
721         //            return filteredResults;
722         //        }
723 
724         //        return new HashSet<ulong>();
725         //    });
726         //}
727 
728         [MethodImpl(MethodImplOptions.AggressiveInlining)]
729         public HashSet<ulong> GetAllPartiallyMatchingSequences3(params ulong[] sequence)
730         {
731             return _sync.ExecuteReadOperation((Func<HashSet<ulong>>)(() =>
732             {
733                 if (sequence.Length > 0)
734                 {
735                     ILinksExtensions.EnsureLinkIsAnyOrExists<ulong>(Links,
                        ↪  (IList<ulong>)sequence);
736                     var firstResults = new HashSet<ulong>();
737                     var lastResults = new HashSet<ulong>();
738                     var first = sequence.First(x => x != Constants.Any);
739                     var last = sequence.Last(x => x != Constants.Any);
740                     AllUsagesCore(first, firstResults);
741                     AllUsagesCore(last, lastResults);
742                     firstResults.IntersectWith(lastResults);
743                     //for (var i = 0; i < sequence.Length; i++)
744                     //    AllUsagesCore(sequence[i], results);
745                     var filteredResults = new HashSet<ulong>();
746                     var matcher = new Matcher(this, sequence, filteredResults, null);
747                     matcher.AddAllPartialMatchedToResults(firstResults);
748                     return filteredResults;
749                 }
750                 return new HashSet<ulong>();
751             }));
752         }
753 
```

```
754             [MethodImpl(MethodImplOptions.AggressiveInlining)]
755             public HashSet<ulong> GetAllPartiallyMatchingSequences4(HashSet<ulong> readAsElements,
                ↪  IList<ulong> sequence)
756             {
757                 return _sync.ExecuteReadOperation(() =>
758                 {
759                     if (sequence.Count > 0)
760                     {
761                         Links.EnsureLinkExists(sequence);
762                         var results = new HashSet<LinkIndex>();
763                         //var nextResults = new HashSet<ulong>();
764                         //for (var i = 0; i < sequence.Length; i++)
765                         //{
766                         //    AllUsagesCore(sequence[i], nextResults);
767                         //    if (results.IsNullOrEmpty())
768                         //    {
769                         //        results = nextResults;
770                         //        nextResults = new HashSet<ulong>();
771                         //    }
772                         //    else
773                         //    {
774                         //        results.IntersectWith(nextResults);
775                         //        nextResults.Clear();
776                         //    }
777                         //}
778                         var collector1 = new AllUsagesCollector1(Links.Unsync, results);
779                         collector1.Collect(Links.Unsync.GetLink(sequence[0]));
780                         var next = new HashSet<ulong>();
781                         for (var i = 1; i < sequence.Count; i++)
782                         {
783                             var collector = new AllUsagesCollector1(Links.Unsync, next);
784                             collector.Collect(Links.Unsync.GetLink(sequence[i]));
785
786                             results.IntersectWith(next);
787                             next.Clear();
788                         }
789                         var filteredResults = new HashSet<ulong>();
790                         var matcher = new Matcher(this, sequence, filteredResults, null,
                                ↪  readAsElements);
791                         matcher.AddAllPartialMatchedToResultsAndReadAsElements(results.OrderBy(x =>
                                ↪  x)); // OrderBy is a Hack
792                         return filteredResults;
793                     }
794                     return new HashSet<ulong>();
795                 });
796             }
797
798             // Does not work
799             //public HashSet<ulong> GetAllPartiallyMatchingSequences5(HashSet<ulong> readAsElements,
                ↪  params ulong[] sequence)
800             //{
801             //    var visited = new HashSet<ulong>();
802             //    var results = new HashSet<ulong>();
803             //    var matcher = new Matcher(this, sequence, visited, x => { results.Add(x); return
                ↪  true; }, readAsElements);
804             //    var last = sequence.Length - 1;
805             //    for (var i = 0; i < last; i++)
806             //    {
807             //        PartialStepRight(matcher.PartialMatch, sequence[i], sequence[i + 1]);
808             //    }
809             //    return results;
810             //}
811
812             [MethodImpl(MethodImplOptions.AggressiveInlining)]
813             public List<ulong> GetAllPartiallyMatchingSequences(params ulong[] sequence)
814             {
815                 return _sync.ExecuteReadOperation(() =>
816                 {
817                     if (sequence.Length > 0)
818                     {
819                         Links.EnsureLinkExists(sequence);
820                         //var firstElement = sequence[0];
821                         //if (sequence.Length == 1)
822                         //{
823                         //    //results.Add(firstElement);
824                         //    return results;
825                         //}
```

```
                    //if (sequence.Length == 2)
                    //{
                    //    //var doublet = _links.SearchCore(firstElement, sequence[1]);
                    //    //if (doublet != Doublets.Links.Null)
                    //    //    results.Add(doublet);
                    //    return results;
                    //}
                    //var lastElement = sequence[sequence.Length - 1];
                    //Func<ulong, bool> handler = x =>
                    //{
                    //    if (StartsWith(x, firstElement) && EndsWith(x, lastElement))
                    ↪  results.Add(x);
                    //    return true;
                    //};
                    //if (sequence.Length >= 2)
                    //    StepRight(handler, sequence[0], sequence[1]);
                    //var last = sequence.Length - 2;
                    //for (var i = 1; i < last; i++)
                    //    PartialStepRight(handler, sequence[i], sequence[i + 1]);
                    //if (sequence.Length >= 3)
                    //    StepLeft(handler, sequence[sequence.Length - 2],
                    ↪  sequence[sequence.Length - 1]);
                    //////if (sequence.Length == 1)
                    //////{
                    //////    throw new NotImplementedException(); // all sequences, containing
                    ↪  this element?
                    //////}
                    //////if (sequence.Length == 2)
                    //////{
                    //////    var results = new List<ulong>();
                    //////    PartialStepRight(results.Add, sequence[0], sequence[1]);
                    //////    return results;
                    //////}
                    //////var matches = new List<List<ulong>>();
                    //////var last = sequence.Length - 1;
                    //////for (var i = 0; i < last; i++)
                    //////{
                    //////    var results = new List<ulong>();
                    //////    //StepRight(results.Add, sequence[i], sequence[i + 1]);
                    //////    PartialStepRight(results.Add, sequence[i], sequence[i + 1]);
                    //////    if (results.Count > 0)
                    //////        matches.Add(results);
                    //////    else
                    //////        return results;
                    //////    if (matches.Count == 2)
                    //////    {
                    //////        var merged = new List<ulong>();
                    //////        for (var j = 0; j < matches[0].Count; j++)
                    //////            for (var k = 0; k < matches[1].Count; k++)
                    //////                CloseInnerConnections(merged.Add, matches[0][j],
                    ↪  matches[1][k]);
                    //////        if (merged.Count > 0)
                    //////            matches = new List<List<ulong>> { merged };
                    //////        else
                    //////            return new List<ulong>();
                    //////    }
                    //////}
                    //////if (matches.Count > 0)
                    //////{
                    //////    var usages = new HashSet<ulong>();
                    //////    for (int i = 0; i < sequence.Length; i++)
                    //////    {
                    //////        AllUsagesCore(sequence[i], usages);
                    //////    }
                    //////    //for (int i = 0; i < matches[0].Count; i++)
                    //////    //    AllUsagesCore(matches[0][i], usages);
                    //////    //usages.UnionWith(matches[0]);
                    //////    return usages.ToList();
                    //////}
                    var firstLinkUsages = new HashSet<ulong>();
                    AllUsagesCore(sequence[0], firstLinkUsages);
                    firstLinkUsages.Add(sequence[0]);
                    //var previousMatchings = firstLinkUsages.ToList(); //new List<ulong>() {
                    ↪  sequence[0] }; // or all sequences, containing this element?
                    //return GetAllPartiallyMatchingSequencesCore(sequence, firstLinkUsages,
                    ↪  1).ToList();
                    var results = new HashSet<ulong>();
```

```
                    foreach (var match in GetAllPartiallyMatchingSequencesCore(sequence,
                    ↪  firstLinkUsages, 1))
                    {
                        AllUsagesCore(match, results);
                    }
                    return results.ToList();
                }
                return new List<ulong>();
            });
        }

        /// <remarks>
        /// TODO: Может потробоваться ограничение на уровень глубины рекурсии
        /// </remarks>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public HashSet<ulong> AllUsages(ulong link)
        {
            return _sync.ExecuteReadOperation(() =>
            {
                var usages = new HashSet<ulong>();
                AllUsagesCore(link, usages);
                return usages;
            });
        }

        // При сборе всех использований (последовательностей) можно сохранять обратный путь к
        ↪  той связи с которой начинался поиск (STTTSSSTT),
        // причём достаточно одного бита для хранения перехода влево или вправо
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void AllUsagesCore(ulong link, HashSet<ulong> usages)
        {
            bool handler(ulong doublet)
            {
                if (usages.Add(doublet))
                {
                    AllUsagesCore(doublet, usages);
                }
                return true;
            }
            Links.Unsync.Each(link, Constants.Any, handler);
            Links.Unsync.Each(Constants.Any, link, handler);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public HashSet<ulong> AllBottomUsages(ulong link)
        {
            return _sync.ExecuteReadOperation(() =>
            {
                var visits = new HashSet<ulong>();
                var usages = new HashSet<ulong>();
                AllBottomUsagesCore(link, visits, usages);
                return usages;
            });
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void AllBottomUsagesCore(ulong link, HashSet<ulong> visits, HashSet<ulong>
        ↪  usages)
        {
            bool handler(ulong doublet)
            {
                if (visits.Add(doublet))
                {
                    AllBottomUsagesCore(doublet, visits, usages);
                }
                return true;
            }
            if (Links.Unsync.Count(Constants.Any, link) == 0)
            {
                usages.Add(link);
            }
            else
            {
                Links.Unsync.Each(link, Constants.Any, handler);
                Links.Unsync.Each(Constants.Any, link, handler);
            }
        }

```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public ulong CalculateTotalSymbolFrequencyCore(ulong symbol)
        {
            if (Options.UseSequenceMarker)
            {
                var counter = new TotalMarkedSequenceSymbolFrequencyOneOffCounter<ulong>(Links,
                ↪  Options.MarkedSequenceMatcher, symbol);
                return counter.Count();
            }
            else
            {
                var counter = new TotalSequenceSymbolFrequencyOneOffCounter<ulong>(Links,
                ↪  symbol);
                return counter.Count();
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private bool AllUsagesCore1(ulong link, HashSet<ulong> usages, Func<IList<LinkIndex>,
        ↪  LinkIndex> outerHandler)
        {
            bool handler(ulong doublet)
            {
                if (usages.Add(doublet))
                {
                    if (outerHandler(new LinkAddress<LinkIndex>(doublet)) != Constants.Continue)
                    {
                        return false;
                    }
                    if (!AllUsagesCore1(doublet, usages, outerHandler))
                    {
                        return false;
                    }
                }
                return true;
            }
            return Links.Unsync.Each(link, Constants.Any, handler)
                && Links.Unsync.Each(Constants.Any, link, handler);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void CalculateAllUsages(ulong[] totals)
        {
            var calculator = new AllUsagesCalculator(Links, totals);
            calculator.Calculate();
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void CalculateAllUsages2(ulong[] totals)
        {
            var calculator = new AllUsagesCalculator2(Links, totals);
            calculator.Calculate();
        }

        private class AllUsagesCalculator
        {
            private readonly SynchronizedLinks<ulong> _links;
            private readonly ulong[] _totals;

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public AllUsagesCalculator(SynchronizedLinks<ulong> links, ulong[] totals)
            {
                _links = links;
                _totals = totals;
            }

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public void Calculate() => _links.Each(_links.Constants.Any, _links.Constants.Any,
            ↪  CalculateCore);

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            private bool CalculateCore(ulong link)
            {
                if (_totals[link] == 0)
                {
                    var total = 1UL;
                    _totals[link] = total;
                    var visitedChildren = new HashSet<ulong>();
                    bool linkCalculator(ulong child)
```

```
                {
                    if (link != child && visitedChildren.Add(child))
                    {
                        total += _totals[child] == 0 ? 1 : _totals[child];
                    }
                    return true;
                }
                _links.Unsync.Each(link, _links.Constants.Any, linkCalculator);
                _links.Unsync.Each(_links.Constants.Any, link, linkCalculator);
                _totals[link] = total;
            }
            return true;
        }
    }

    private class AllUsagesCalculator2
    {
        private readonly SynchronizedLinks<ulong> _links;
        private readonly ulong[] _totals;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public AllUsagesCalculator2(SynchronizedLinks<ulong> links, ulong[] totals)
        {
            _links = links;
            _totals = totals;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void Calculate() => _links.Each(_links.Constants.Any, _links.Constants.Any,
        ↪  CalculateCore);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private bool IsElement(ulong link)
        {
            //_linksInSequence.Contains(link) ||
            return _links.Unsync.GetTarget(link) == link || _links.Unsync.GetSource(link) ==
            ↪  link;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private bool CalculateCore(ulong link)
        {
            // TODO: Проработать защиту от зацикливания
            // Основано на SequenceWalker.WalkLeft
            Func<ulong, ulong> getSource = _links.Unsync.GetSource;
            Func<ulong, ulong> getTarget = _links.Unsync.GetTarget;
            Func<ulong, bool> isElement = IsElement;
            void visitLeaf(ulong parent)
            {
                if (link != parent)
                {
                    _totals[parent]++;
                }
            }
            void visitNode(ulong parent)
            {
                if (link != parent)
                {
                    _totals[parent]++;
                }
            }
            var stack = new Stack();
            var element = link;
            if (isElement(element))
            {
                visitLeaf(element);
            }
            else
            {
                while (true)
                {
                    if (isElement(element))
                    {
                        if (stack.Count == 0)
                        {
                            break;
                        }
                        element = stack.Pop();
                        var source = getSource(element);
```

```
                        var target = getTarget(element);
                        // Обработка элемента
                        if (isElement(target))
                        {
                            visitLeaf(target);
                        }
                        if (isElement(source))
                        {
                            visitLeaf(source);
                        }
                        element = source;
                    }
                    else
                    {
                        stack.Push(element);
                        visitNode(element);
                        element = getTarget(element);
                    }
                }
            }
            _totals[link]++;
            return true;
        }
    }

    private class AllUsagesCollector
    {
        private readonly ILinks<ulong> _links;
        private readonly HashSet<ulong> _usages;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public AllUsagesCollector(ILinks<ulong> links, HashSet<ulong> usages)
        {
            _links = links;
            _usages = usages;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool Collect(ulong link)
        {
            if (_usages.Add(link))
            {
                _links.Each(link, _links.Constants.Any, Collect);
                _links.Each(_links.Constants.Any, link, Collect);
            }
            return true;
        }
    }

    private class AllUsagesCollector1
    {
        private readonly ILinks<ulong> _links;
        private readonly HashSet<ulong> _usages;
        private readonly ulong _continue;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public AllUsagesCollector1(ILinks<ulong> links, HashSet<ulong> usages)
        {
            _links = links;
            _usages = usages;
            _continue = _links.Constants.Continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public ulong Collect(IList<ulong> link)
        {
            var linkIndex = _links.GetIndex(link);
            if (_usages.Add(linkIndex))
            {
                _links.Each(Collect, _links.Constants.Any, linkIndex);
            }
            return _continue;
        }
    }

    private class AllUsagesCollector2
    {
        private readonly ILinks<ulong> _links;
        private readonly BitString _usages;
```

```
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public AllUsagesCollector2(ILinks<ulong> links, BitString usages)
            {
                _links = links;
                _usages = usages;
            }

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public bool Collect(ulong link)
            {
                if (_usages.Add((long)link))
                {
                    _links.Each(link, _links.Constants.Any, Collect);
                    _links.Each(_links.Constants.Any, link, Collect);
                }
                return true;
            }
        }

        private class AllUsagesIntersectingCollector
        {
            private readonly SynchronizedLinks<ulong> _links;
            private readonly HashSet<ulong> _intersectWith;
            private readonly HashSet<ulong> _usages;
            private readonly HashSet<ulong> _enter;

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public AllUsagesIntersectingCollector(SynchronizedLinks<ulong> links, HashSet<ulong>
            ↪  intersectWith, HashSet<ulong> usages)
            {
                _links = links;
                _intersectWith = intersectWith;
                _usages = usages;
                _enter = new HashSet<ulong>(); // защита от зацикливания
            }

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public bool Collect(ulong link)
            {
                if (_enter.Add(link))
                {
                    if (_intersectWith.Contains(link))
                    {
                        _usages.Add(link);
                    }
                    _links.Unsync.Each(link, _links.Constants.Any, Collect);
                    _links.Unsync.Each(_links.Constants.Any, link, Collect);
                }
                return true;
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void CloseInnerConnections(Action<IList<LinkIndex>> handler, ulong left, ulong
        ↪  right)
        {
            TryStepLeftUp(handler, left, right);
            TryStepRightUp(handler, right, left);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void AllCloseConnections(Action<IList<LinkIndex>> handler, ulong left, ulong
        ↪  right)
        {
            // Direct
            if (left == right)
            {
                handler(new LinkAddress<LinkIndex>(left));
            }
            var doublet = Links.Unsync.SearchOrDefault(left, right);
            if (doublet != Constants.Null)
            {
                handler(new LinkAddress<LinkIndex>(doublet));
            }
            // Inner
            CloseInnerConnections(handler, left, right);
            // Outer
            StepLeft(handler, left, right);
            StepRight(handler, left, right);
```

```
1280            PartialStepRight(handler, left, right);
1281            PartialStepLeft(handler, left, right);
1282        }
1283
1284        [MethodImpl(MethodImplOptions.AggressiveInlining)]
1285        private HashSet<ulong> GetAllPartiallyMatchingSequencesCore(ulong[] sequence,
            ↪ HashSet<ulong> previousMatchings, long startAt)
1286        {
1287            if (startAt >= sequence.Length) // ?
1288            {
1289                return previousMatchings;
1290            }
1291            var secondLinkUsages = new HashSet<ulong>();
1292            AllUsagesCore(sequence[startAt], secondLinkUsages);
1293            secondLinkUsages.Add(sequence[startAt]);
1294            var matchings = new HashSet<ulong>();
1295            var filler = new SetFiller<LinkIndex, LinkIndex>(matchings, Constants.Continue);
1296            //for (var i = 0; i < previousMatchings.Count; i++)
1297            foreach (var secondLinkUsage in secondLinkUsages)
1298            {
1299                foreach (var previousMatching in previousMatchings)
1300                {
1301                    //AllCloseConnections(matchings.AddAndReturnVoid, previousMatching,
                        ↪ secondLinkUsage);
1302                    StepRight(filler.AddFirstAndReturnConstant, previousMatching,
                        ↪ secondLinkUsage);
1303                    TryStepRightUp(filler.AddFirstAndReturnConstant, secondLinkUsage,
                        ↪ previousMatching);
1304                    //PartialStepRight(matchings.AddAndReturnVoid, secondLinkUsage,
                        ↪ sequence[startAt]); // почему-то эта ошибочная запись приводит к
                        ↪ желаемым результам.
1305                    PartialStepRight(filler.AddFirstAndReturnConstant, previousMatching,
                        ↪ secondLinkUsage);
1306                }
1307            }
1308            if (matchings.Count == 0)
1309            {
1310                return matchings;
1311            }
1312            return GetAllPartiallyMatchingSequencesCore(sequence, matchings, startAt + 1); // ??
1313        }
1314
1315        [MethodImpl(MethodImplOptions.AggressiveInlining)]
1316        private static void EnsureEachLinkIsAnyOrZeroOrManyOrExists(SynchronizedLinks<ulong>
            ↪ links, params ulong[] sequence)
1317        {
1318            if (sequence == null)
1319            {
1320                return;
1321            }
1322            for (var i = 0; i < sequence.Length; i++)
1323            {
1324                if (sequence[i] != links.Constants.Any && sequence[i] != ZeroOrMany &&
                    ↪ !links.Exists(sequence[i]))
1325                {
1326                    throw new ArgumentLinkDoesNotExistsException<ulong>(sequence[i],
                        ↪ $"patternSequence[{i}]");
1327                }
1328            }
1329        }
1330
1331        // Pattern Matching -> Key To Triggers
1332        [MethodImpl(MethodImplOptions.AggressiveInlining)]
1333        public HashSet<ulong> MatchPattern(params ulong[] patternSequence)
1334        {
1335            return _sync.ExecuteReadOperation(() =>
1336            {
1337                patternSequence = Simplify(patternSequence);
1338                if (patternSequence.Length > 0)
1339                {
1340                    EnsureEachLinkIsAnyOrZeroOrManyOrExists(Links, patternSequence);
1341                    var uniqueSequenceElements = new HashSet<ulong>();
1342                    for (var i = 0; i < patternSequence.Length; i++)
1343                    {
1344                        if (patternSequence[i] != Constants.Any && patternSequence[i] !=
                            ↪ ZeroOrMany)
1345                        {
```

```
                        uniqueSequenceElements.Add(patternSequence[i]);
                    }
                }
                var results = new HashSet<ulong>();
                foreach (var uniqueSequenceElement in uniqueSequenceElements)
                {
                    AllUsagesCore(uniqueSequenceElement, results);
                }
                var filteredResults = new HashSet<ulong>();
                var matcher = new PatternMatcher(this, patternSequence, filteredResults);
                matcher.AddAllPatternMatchedToResults(results);
                return filteredResults;
            }
            return new HashSet<ulong>();
        });
    }

    // Найти все возможные связи между указанным списком связей.
    // Находит связи между всеми указанными связями в любом порядке.
    // TODO: решить что делать с повторами (когда одни и те же элементы встречаются несколько раз в последовательности)
    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public HashSet<ulong> GetAllConnections(params ulong[] linksToConnect)
    {
        return _sync.ExecuteReadOperation(() =>
        {
            var results = new HashSet<ulong>();
            if (linksToConnect.Length > 0)
            {
                Links.EnsureLinkExists(linksToConnect);
                AllUsagesCore(linksToConnect[0], results);
                for (var i = 1; i < linksToConnect.Length; i++)
                {
                    var next = new HashSet<ulong>();
                    AllUsagesCore(linksToConnect[i], next);
                    results.IntersectWith(next);
                }
            }
            return results;
        });
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public HashSet<ulong> GetAllConnections1(params ulong[] linksToConnect)
    {
        return _sync.ExecuteReadOperation(() =>
        {
            var results = new HashSet<ulong>();
            if (linksToConnect.Length > 0)
            {
                Links.EnsureLinkExists(linksToConnect);
                var collector1 = new AllUsagesCollector(Links.Unsync, results);
                collector1.Collect(linksToConnect[0]);
                var next = new HashSet<ulong>();
                for (var i = 1; i < linksToConnect.Length; i++)
                {
                    var collector = new AllUsagesCollector(Links.Unsync, next);
                    collector.Collect(linksToConnect[i]);
                    results.IntersectWith(next);
                    next.Clear();
                }
            }
            return results;
        });
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public HashSet<ulong> GetAllConnections2(params ulong[] linksToConnect)
    {
        return _sync.ExecuteReadOperation(() =>
        {
            var results = new HashSet<ulong>();
            if (linksToConnect.Length > 0)
            {
                Links.EnsureLinkExists(linksToConnect);
                var collector1 = new AllUsagesCollector(Links, results);
                collector1.Collect(linksToConnect[0]);
                //AllUsagesCore(linksToConnect[0], results);
```

```
                for (var i = 1; i < linksToConnect.Length; i++)
                {
                    var next = new HashSet<ulong>();
                    var collector = new AllUsagesIntersectingCollector(Links, results, next);
                    collector.Collect(linksToConnect[i]);
                    //AllUsagesCore(linksToConnect[i], next);
                    //results.IntersectWith(next);
                    results = next;
                }
            }
            return results;
        });
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public List<ulong> GetAllConnections3(params ulong[] linksToConnect)
    {
        return _sync.ExecuteReadOperation(() =>
        {
            var results = new BitString((long)Links.Unsync.Count() + 1); // new
            ↪  BitArray((int)_links.Total + 1);
            if (linksToConnect.Length > 0)
            {
                Links.EnsureLinkExists(linksToConnect);
                var collector1 = new AllUsagesCollector2(Links.Unsync, results);
                collector1.Collect(linksToConnect[0]);
                for (var i = 1; i < linksToConnect.Length; i++)
                {
                    var next = new BitString((long)Links.Unsync.Count() + 1); //new
                    ↪  BitArray((int)_links.Total + 1);
                    var collector = new AllUsagesCollector2(Links.Unsync, next);
                    collector.Collect(linksToConnect[i]);
                    results = results.And(next);
                }
            }
            return results.GetSetUInt64Indices();
        });
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    private static ulong[] Simplify(ulong[] sequence)
    {
        // Считаем новый размер последовательности
        long newLength = 0;
        var zeroOrManyStepped = false;
        for (var i = 0; i < sequence.Length; i++)
        {
            if (sequence[i] == ZeroOrMany)
            {
                if (zeroOrManyStepped)
                {
                    continue;
                }
                zeroOrManyStepped = true;
            }
            else
            {
                //if (zeroOrManyStepped) Is it efficient?
                zeroOrManyStepped = false;
            }
            newLength++;
        }
        // Строим новую последовательность
        zeroOrManyStepped = false;
        var newSequence = new ulong[newLength];
        long j = 0;
        for (var i = 0; i < sequence.Length; i++)
        {
            //var current = zeroOrManyStepped;
            //zeroOrManyStepped = patternSequence[i] == zeroOrMany;
            //if (current && zeroOrManyStepped)
            //    continue;
            //var newZeroOrManyStepped = patternSequence[i] == zeroOrMany;
            //if (zeroOrManyStepped && newZeroOrManyStepped)
            //    continue;
            //zeroOrManyStepped = newZeroOrManyStepped;
            if (sequence[i] == ZeroOrMany)
            {
```

```
                if (zeroOrManyStepped)
                {
                    continue;
                }
                zeroOrManyStepped = true;
            }
            else
            {
                //if (zeroOrManyStepped) Is it efficient?
                zeroOrManyStepped = false;
            }
            newSequence[j++] = sequence[i];
        }
        return newSequence;
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public static void TestSimplify()
    {
        var sequence = new ulong[] { ZeroOrMany, ZeroOrMany, 2, 3, 4, ZeroOrMany,
        ↪  ZeroOrMany, ZeroOrMany, 4, ZeroOrMany, ZeroOrMany, ZeroOrMany };
        var simplifiedSequence = Simplify(sequence);
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public List<ulong> GetSimilarSequences() => new List<ulong>();

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public void Prediction()
    {
        //_links
        //sequences
    }

    #region From Triplets

    //public static void DeleteSequence(Link sequence)
    //{
    //}

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public List<ulong> CollectMatchingSequences(ulong[] links)
    {
        if (links.Length == 1)
        {
            throw new Exception("Подпоследовательности с одним элементом не
            ↪  поддерживаются.");
        }
        var leftBound = 0;
        var rightBound = links.Length - 1;
        var left = links[leftBound++];
        var right = links[rightBound--];
        var results = new List<ulong>();
        CollectMatchingSequences(left, leftBound, links, right, rightBound, ref results);
        return results;
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    private void CollectMatchingSequences(ulong leftLink, int leftBound, ulong[]
    ↪  middleLinks, ulong rightLink, int rightBound, ref List<ulong> results)
    {
        var leftLinkTotalReferers = Links.Unsync.Count(leftLink);
        var rightLinkTotalReferers = Links.Unsync.Count(rightLink);
        if (leftLinkTotalReferers <= rightLinkTotalReferers)
        {
            var nextLeftLink = middleLinks[leftBound];
            var elements = GetRightElements(leftLink, nextLeftLink);
            if (leftBound <= rightBound)
            {
                for (var i = elements.Length - 1; i >= 0; i--)
                {
                    var element = elements[i];
                    if (element != 0)
                    {
                        CollectMatchingSequences(element, leftBound + 1, middleLinks,
                        ↪  rightLink, rightBound, ref results);
                    }
                }
            }
```

```
                else
                {
                    for (var i = elements.Length - 1; i >= 0; i--)
                    {
                        var element = elements[i];
                        if (element != 0)
                        {
                            results.Add(element);
                        }
                    }
                }
            }
            else
            {
                var nextRightLink = middleLinks[rightBound];
                var elements = GetLeftElements(rightLink, nextRightLink);
                if (leftBound <= rightBound)
                {
                    for (var i = elements.Length - 1; i >= 0; i--)
                    {
                        var element = elements[i];
                        if (element != 0)
                        {
                            CollectMatchingSequences(leftLink, leftBound, middleLinks,
                            ↪  elements[i], rightBound - 1, ref results);
                        }
                    }
                }
                else
                {
                    for (var i = elements.Length - 1; i >= 0; i--)
                    {
                        var element = elements[i];
                        if (element != 0)
                        {
                            results.Add(element);
                        }
                    }
                }
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public ulong[] GetRightElements(ulong startLink, ulong rightLink)
        {
            var result = new ulong[5];
            TryStepRight(startLink, rightLink, result, 0);
            Links.Each(Constants.Any, startLink, couple =>
            {
                if (couple != startLink)
                {
                    if (TryStepRight(couple, rightLink, result, 2))
                    {
                        return false;
                    }
                }
                return true;
            });
            if (Links.GetTarget(Links.GetTarget(startLink)) == rightLink)
            {
                result[4] = startLink;
            }
            return result;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool TryStepRight(ulong startLink, ulong rightLink, ulong[] result, int offset)
        {
            var added = 0;
            Links.Each(startLink, Constants.Any, couple =>
            {
                if (couple != startLink)
                {
                    var coupleTarget = Links.GetTarget(couple);
                    if (coupleTarget == rightLink)
                    {
                        result[offset] = couple;
                        if (++added == 2)
```

```
                    {
                        return false;
                    }
                }
                else if (Links.GetSource(coupleTarget) == rightLink) // coupleTarget.Linker
                ↪  == Net.And &&
                {
                    result[offset + 1] = couple;
                    if (++added == 2)
                    {
                        return false;
                    }
                }
            }
            return true;
        });
        return added > 0;
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public ulong[] GetLeftElements(ulong startLink, ulong leftLink)
    {
        var result = new ulong[5];
        TryStepLeft(startLink, leftLink, result, 0);
        Links.Each(startLink, Constants.Any, couple =>
        {
            if (couple != startLink)
            {
                if (TryStepLeft(couple, leftLink, result, 2))
                {
                    return false;
                }
            }
            return true;
        });
        if (Links.GetSource(Links.GetSource(leftLink)) == startLink)
        {
            result[4] = leftLink;
        }
        return result;
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public bool TryStepLeft(ulong startLink, ulong leftLink, ulong[] result, int offset)
    {
        var added = 0;
        Links.Each(Constants.Any, startLink, couple =>
        {
            if (couple != startLink)
            {
                var coupleSource = Links.GetSource(couple);
                if (coupleSource == leftLink)
                {
                    result[offset] = couple;
                    if (++added == 2)
                    {
                        return false;
                    }
                }
                else if (Links.GetTarget(coupleSource) == leftLink) // coupleSource.Linker
                ↪  == Net.And &&
                {
                    result[offset + 1] = couple;
                    if (++added == 2)
                    {
                        return false;
                    }
                }
            }
            return true;
        });
        return added > 0;
    }

    #endregion

    #region Walkers

    public class PatternMatcher : RightSequenceWalker<ulong>
```

```
{
    private readonly Sequences _sequences;
    private readonly ulong[] _patternSequence;
    private readonly HashSet<LinkIndex> _linksInSequence;
    private readonly HashSet<LinkIndex> _results;

    #region Pattern Match

    enum PatternBlockType
    {
        Undefined,
        Gap,
        Elements
    }

    struct PatternBlock
    {
        public PatternBlockType Type;
        public long Start;
        public long Stop;
    }

    private readonly List<PatternBlock> _pattern;
    private int _patternPosition;
    private long _sequencePosition;

    #endregion

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public PatternMatcher(Sequences sequences, LinkIndex[] patternSequence,
    ↪  HashSet<LinkIndex> results)
        : base(sequences.Links.Unsync, new DefaultStack<ulong>())
    {
        _sequences = sequences;
        _patternSequence = patternSequence;
        _linksInSequence = new HashSet<LinkIndex>(patternSequence.Where(x => x !=
        ↪  _sequences.Constants.Any && x != ZeroOrMany));
        _results = results;
        _pattern = CreateDetailedPattern();
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    protected override bool IsElement(ulong link) => _linksInSequence.Contains(link) ||
    ↪  base.IsElement(link);

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public bool PatternMatch(LinkIndex sequenceToMatch)
    {
        _patternPosition = 0;
        _sequencePosition = 0;
        foreach (var part in Walk(sequenceToMatch))
        {
            if (!PatternMatchCore(part))
            {
                break;
            }
        }
        return _patternPosition == _pattern.Count || (_patternPosition == _pattern.Count
        ↪  - 1 && _pattern[_patternPosition].Start == 0);
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    private List<PatternBlock> CreateDetailedPattern()
    {
        var pattern = new List<PatternBlock>();
        var patternBlock = new PatternBlock();
        for (var i = 0; i < _patternSequence.Length; i++)
        {
            if (patternBlock.Type == PatternBlockType.Undefined)
            {
                if (_patternSequence[i] == _sequences.Constants.Any)
                {
                    patternBlock.Type = PatternBlockType.Gap;
                    patternBlock.Start = 1;
                    patternBlock.Stop = 1;
                }
                else if (_patternSequence[i] == ZeroOrMany)
                {
                    patternBlock.Type = PatternBlockType.Gap;
                    patternBlock.Start = 0;
```

```
                        patternBlock.Stop = long.MaxValue;
                    }
                    else
                    {
                        patternBlock.Type = PatternBlockType.Elements;
                        patternBlock.Start = i;
                        patternBlock.Stop = i;
                    }
                }
                else if (patternBlock.Type == PatternBlockType.Elements)
                {
                    if (_patternSequence[i] == _sequences.Constants.Any)
                    {
                        pattern.Add(patternBlock);
                        patternBlock = new PatternBlock
                        {
                            Type = PatternBlockType.Gap,
                            Start = 1,
                            Stop = 1
                        };
                    }
                    else if (_patternSequence[i] == ZeroOrMany)
                    {
                        pattern.Add(patternBlock);
                        patternBlock = new PatternBlock
                        {
                            Type = PatternBlockType.Gap,
                            Start = 0,
                            Stop = long.MaxValue
                        };
                    }
                    else
                    {
                        patternBlock.Stop = i;
                    }
                }
                else // patternBlock.Type == PatternBlockType.Gap
                {
                    if (_patternSequence[i] == _sequences.Constants.Any)
                    {
                        patternBlock.Start++;
                        if (patternBlock.Stop < patternBlock.Start)
                        {
                            patternBlock.Stop = patternBlock.Start;
                        }
                    }
                    else if (_patternSequence[i] == ZeroOrMany)
                    {
                        patternBlock.Stop = long.MaxValue;
                    }
                    else
                    {
                        pattern.Add(patternBlock);
                        patternBlock = new PatternBlock
                        {
                            Type = PatternBlockType.Elements,
                            Start = i,
                            Stop = i
                        };
                    }
                }
            }
            if (patternBlock.Type != PatternBlockType.Undefined)
            {
                pattern.Add(patternBlock);
            }
            return pattern;
        }

        // match: search for regexp anywhere in text
        //int match(char* regexp, char* text)
        //{
        //    do
        //    {
        //    } while (*text++ != '\0');
        //    return 0;
        //}

        // matchhere: search for regexp at beginning of text
        //int matchhere(char* regexp, char* text)
```

```
            //{
            //    if (regexp[0] == '\0')
            //        return 1;
            //    if (regexp[1] == '*')
            //        return matchstar(regexp[0], regexp + 2, text);
            //    if (regexp[0] == '$' && regexp[1] == '\0')
            //        return *text == '\0';
            //    if (*text != '\0' && (regexp[0] == '.' || regexp[0] == *text))
            //        return matchhere(regexp + 1, text + 1);
            //    return 0;
            //}

            // matchstar: search for c*regexp at beginning of text
            //int matchstar(int c, char* regexp, char* text)
            //{
            //    do
            //    {    /* a * matches zero or more instances */
            //        if (matchhere(regexp, text))
            //            return 1;
            //    } while (*text != '\0' && (*text++ == c || c == '.'));
            //    return 0;
            //}

            //private void GetNextPatternElement(out LinkIndex element, out long mininumGap, out long maximumGap)
            //{
            //    mininumGap = 0;
            //    maximumGap = 0;
            //    element = 0;
            //    for (; _patternPosition < _patternSequence.Length; _patternPosition++)
            //    {
            //        if (_patternSequence[_patternPosition] == Doublets.Links.Null)
            //            mininumGap++;
            //        else if (_patternSequence[_patternPosition] == ZeroOrMany)
            //            maximumGap = long.MaxValue;
            //        else
            //            break;
            //    }

            //    if (maximumGap < mininumGap)
            //        maximumGap = mininumGap;
            //}

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            private bool PatternMatchCore(LinkIndex element)
            {
                if (_patternPosition >= _pattern.Count)
                {
                    _patternPosition = -2;
                    return false;
                }
                var currentPatternBlock = _pattern[_patternPosition];
                if (currentPatternBlock.Type == PatternBlockType.Gap)
                {
                    //var currentMatchingBlockLength = (_sequencePosition - _lastMatchedBlockPosition);
                    if (_sequencePosition < currentPatternBlock.Start)
                    {
                        _sequencePosition++;
                        return true; // Двигаемся дальше
                    }
                    // Это последний блок
                    if (_pattern.Count == _patternPosition + 1)
                    {
                        _patternPosition++;
                        _sequencePosition = 0;
                        return false; // Полное соответствие
                    }
                    else
                    {
                        if (_sequencePosition > currentPatternBlock.Stop)
                        {
                            return false; // Соответствие невозможно
                        }
                        var nextPatternBlock = _pattern[_patternPosition + 1];
                        if (_patternSequence[nextPatternBlock.Start] == element)
                        {
                            if (nextPatternBlock.Start < nextPatternBlock.Stop)
```

```
                    {
                        _patternPosition++;
                        _sequencePosition = 1;
                    }
                    else
                    {
                        _patternPosition += 2;
                        _sequencePosition = 0;
                    }
                }
            }
        }
        else // currentPatternBlock.Type == PatternBlockType.Elements
        {
            var patternElementPosition = currentPatternBlock.Start + _sequencePosition;
            if (_patternSequence[patternElementPosition] != element)
            {
                return false; // Соответствие невозможно
            }
            if (patternElementPosition == currentPatternBlock.Stop)
            {
                _patternPosition++;
                _sequencePosition = 0;
            }
            else
            {
                _sequencePosition++;
            }
        }
        return true;
        //if (_patternSequence[_patternPosition] != element)
        //    return false;
        //else
        //{
        //    _sequencePosition++;
        //    _patternPosition++;
        //    return true;
        //}
        ////////
        //if (_filterPosition == _patternSequence.Length)
        //{
        //    _filterPosition = -2; // Длиннее чем нужно
        //    return false;
        //}
        //if (element != _patternSequence[_filterPosition])
        //{
        //    _filterPosition = -1;
        //    return false; // Начинается иначе
        //}
        //_filterPosition++;
        //if (_filterPosition == (_patternSequence.Length - 1))
        //    return false;
        //if (_filterPosition >= 0)
        //{
        //    if (element == _patternSequence[_filterPosition + 1])
        //        _filterPosition++;
        //    else
        //        return false;
        //}
        //if (_filterPosition < 0)
        //{
        //    if (element == _patternSequence[0])
        //        _filterPosition = 0;
        //}
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public void AddAllPatternMatchedToResults(IEnumerable<ulong> sequencesToMatch)
    {
        foreach (var sequenceToMatch in sequencesToMatch)
        {
            if (PatternMatch(sequenceToMatch))
            {
                _results.Add(sequenceToMatch);
            }
        }
    }
}
```

```
2039            #endregion
2040        }
2041    }
```

1.82 ./Platform.Data.Doublets/Sequences/Sequences.cs

```
1   using System;
2   using System.Collections.Generic;
3   using System.Linq;
4   using System.Runtime.CompilerServices;
5   using Platform.Collections;
6   using Platform.Collections.Lists;
7   using Platform.Collections.Stacks;
8   using Platform.Threading.Synchronization;
9   using Platform.Data.Doublets.Sequences.Walkers;
10  using LinkIndex = System.UInt64;
11
12  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
13
14  namespace Platform.Data.Doublets.Sequences
15  {
16      /// <summary>
17      /// Представляет коллекцию последовательностей связей.
18      /// </summary>
19      /// <remarks>
20      /// Обязательно реализовать атомарность каждого публичного метода.
21      ///
22      /// TODO:
23      ///
24      /// !!! Повышение вероятности повторного использования групп (подпоследовательностей),
25      /// через естественную группировку по unicode типам, все whitespace вместе, все символы
        ↪  вместе, все числа вместе и т.п.
26      /// + использовать ровно сбалансированный вариант, чтобы уменьшать вложенность (глубину
        ↪  графа)
27      ///
28      /// x*y - найти все связи между, в последовательностях любой формы, если не стоит
        ↪  ограничитель на то, что является последовательностью, а что нет,
29      /// то находятся любые структуры связей, которые содержат эти элементы именно в таком
        ↪  порядке.
30      ///
31      /// Рост последовательности слева и справа.
32      /// Поиск со звёздочкой.
33      /// URL, PURL - реестр используемых во вне ссылок на ресурсы,
34      /// так же проблема может быть решена при реализации дистанционных триггеров.
35      /// Нужны ли уникальные указатели вообще?
36      /// Что если обращение к информации будет происходить через содержимое всегда?
37      ///
38      /// Писать тесты.
39      ///
40      ///
41      /// Можно убрать зависимость от конкретной реализации Links,
42      /// на зависимость от абстрактного элемента, который может быть представлен несколькими
        ↪  способами.
43      ///
44      /// Можно ли как-то сделать один общий интерфейс
45      ///
46      ///
47      /// Блокчейн и/или гит для распределённой записи транзакций.
48      ///
49      /// </remarks>
50      public partial class Sequences : ILinks<LinkIndex> // IList<string>, IList<LinkIndex[]>
        ↪  (после завершения реализации Sequences)
51      {
52          /// <summary>Возвращает значение LinkIndex, обозначающее любое количество
            ↪  связей.</summary>
53          public const LinkIndex ZeroOrMany = LinkIndex.MaxValue;
54
55          public SequencesOptions<LinkIndex> Options { get; }
56          public SynchronizedLinks<LinkIndex> Links { get; }
57          private readonly ISynchronization _sync;
58
59          public LinksConstants<LinkIndex> Constants { get; }
60
61          [MethodImpl(MethodImplOptions.AggressiveInlining)]
62          public Sequences(SynchronizedLinks<LinkIndex> links, SequencesOptions<LinkIndex> options)
63          {
64              Links = links;
65              _sync = links.SyncRoot;
66              Options = options;
67              Options.ValidateOptions();
```

```
68              Options.InitOptions(Links);
69              Constants = links.Constants;
70          }
71
72          [MethodImpl(MethodImplOptions.AggressiveInlining)]
73          public Sequences(SynchronizedLinks<LinkIndex> links) : this(links, new
            ↪  SequencesOptions<LinkIndex>()) { }
74
75          [MethodImpl(MethodImplOptions.AggressiveInlining)]
76          public bool IsSequence(LinkIndex sequence)
77          {
78              return _sync.ExecuteReadOperation(() =>
79              {
80                  if (Options.UseSequenceMarker)
81                  {
82                      return Options.MarkedSequenceMatcher.IsMatched(sequence);
83                  }
84                  return !Links.Unsync.IsPartialPoint(sequence);
85              });
86          }
87
88          [MethodImpl(MethodImplOptions.AggressiveInlining)]
89          private LinkIndex GetSequenceByElements(LinkIndex sequence)
90          {
91              if (Options.UseSequenceMarker)
92              {
93                  return Links.SearchOrDefault(Options.SequenceMarkerLink, sequence);
94              }
95              return sequence;
96          }
97
98          [MethodImpl(MethodImplOptions.AggressiveInlining)]
99          private LinkIndex GetSequenceElements(LinkIndex sequence)
100         {
101             if (Options.UseSequenceMarker)
102             {
103                 var linkContents = new Link<ulong>(Links.GetLink(sequence));
104                 if (linkContents.Source == Options.SequenceMarkerLink)
105                 {
106                     return linkContents.Target;
107                 }
108                 if (linkContents.Target == Options.SequenceMarkerLink)
109                 {
110                     return linkContents.Source;
111                 }
112             }
113             return sequence;
114         }
115
116         #region Count
117
118         [MethodImpl(MethodImplOptions.AggressiveInlining)]
119         public LinkIndex Count(IList<LinkIndex> restrictions)
120         {
121             if (restrictions.IsNullOrEmpty())
122             {
123                 return Links.Count(Constants.Any, Options.SequenceMarkerLink, Constants.Any);
124             }
125             if (restrictions.Count == 1) // Первая связь это адрес
126             {
127                 var sequenceIndex = restrictions[0];
128                 if (sequenceIndex == Constants.Null)
129                 {
130                     return 0;
131                 }
132                 if (sequenceIndex == Constants.Any)
133                 {
134                     return Count(null);
135                 }
136                 if (Options.UseSequenceMarker)
137                 {
138                     return Links.Count(Constants.Any, Options.SequenceMarkerLink, sequenceIndex);
139                 }
140                 return Links.Exists(sequenceIndex) ? 1UL : 0;
141             }
142             throw new NotImplementedException();
143         }
144
145         [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
146         private LinkIndex CountUsages(params LinkIndex[] restrictions)
147         {
148             if (restrictions.Length == 0)
149             {
150                 return 0;
151             }
152             if (restrictions.Length == 1) // Первая связь это адрес
153             {
154                 if (restrictions[0] == Constants.Null)
155                 {
156                     return 0;
157                 }
158                 var any = Constants.Any;
159                 if (Options.UseSequenceMarker)
160                 {
161                     var elementsLink = GetSequenceElements(restrictions[0]);
162                     var sequenceLink = GetSequenceByElements(elementsLink);
163                     if (sequenceLink != Constants.Null)
164                     {
165                         return Links.Count(any, sequenceLink) + Links.Count(any, elementsLink) -
                                ↪  1;
166                     }
167                     return Links.Count(any, elementsLink);
168                 }
169                 return Links.Count(any, restrictions[0]);
170             }
171             throw new NotImplementedException();
172         }
173 
174         #endregion
175 
176         #region Create
177 
178         [MethodImpl(MethodImplOptions.AggressiveInlining)]
179         public LinkIndex Create(IList<LinkIndex> restrictions)
180         {
181             return _sync.ExecuteWriteOperation(() =>
182             {
183                 if (restrictions.IsNullOrEmpty())
184                 {
185                     return Constants.Null;
186                 }
187                 Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
188                 return CreateCore(restrictions);
189             });
190         }
191 
192         [MethodImpl(MethodImplOptions.AggressiveInlining)]
193         private LinkIndex CreateCore(IList<LinkIndex> restrictions)
194         {
195             LinkIndex[] sequence = restrictions.SkipFirst();
196             if (Options.UseIndex)
197             {
198                 Options.Index.Add(sequence);
199             }
200             var sequenceRoot = default(LinkIndex);
201             if (Options.EnforceSingleSequenceVersionOnWriteBasedOnExisting)
202             {
203                 var matches = Each(restrictions);
204                 if (matches.Count > 0)
205                 {
206                     sequenceRoot = matches[0];
207                 }
208             }
209             else if (Options.EnforceSingleSequenceVersionOnWriteBasedOnNew)
210             {
211                 return CompactCore(sequence);
212             }
213             if (sequenceRoot == default)
214             {
215                 sequenceRoot = Options.LinksToSequenceConverter.Convert(sequence);
216             }
217             if (Options.UseSequenceMarker)
218             {
219                 return Links.Unsync.GetOrCreate(Options.SequenceMarkerLink, sequenceRoot);
220             }
221             return sequenceRoot; // Возвращаем корень последовательности (т.е. сами элементы)
222         }
```

```
223
224         #endregion
225
226         #region Each
227
228         [MethodImpl(MethodImplOptions.AggressiveInlining)]
229         public List<LinkIndex> Each(IList<LinkIndex> sequence)
230         {
231             var results = new List<LinkIndex>();
232             var filler = new ListFiller<LinkIndex, LinkIndex>(results, Constants.Continue);
233             Each(filler.AddFirstAndReturnConstant, sequence);
234             return results;
235         }
236
237         [MethodImpl(MethodImplOptions.AggressiveInlining)]
238         public LinkIndex Each(Func<IList<LinkIndex>, LinkIndex> handler, IList<LinkIndex>
            ↪ restrictions)
239         {
240             return _sync.ExecuteReadOperation(() =>
241             {
242                 if (restrictions.IsNullOrEmpty())
243                 {
244                     return Constants.Continue;
245                 }
246                 Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
247                 if (restrictions.Count == 1)
248                 {
249                     var link = restrictions[0];
250                     var any = Constants.Any;
251                     if (link == any)
252                     {
253                         if (Options.UseSequenceMarker)
254                         {
255                             return Links.Unsync.Each(handler, new Link<LinkIndex>(any,
                                ↪ Options.SequenceMarkerLink, any));
256                         }
257                         else
258                         {
259                             return Links.Unsync.Each(handler, new Link<LinkIndex>(any, any,
                                ↪ any));
260                         }
261                     }
262                     if (Options.UseSequenceMarker)
263                     {
264                         var sequenceLinkValues = Links.Unsync.GetLink(link);
265                         if (sequenceLinkValues[Constants.SourcePart] ==
                            ↪ Options.SequenceMarkerLink)
266                         {
267                             link = sequenceLinkValues[Constants.TargetPart];
268                         }
269                     }
270                     var sequence = Options.Walker.Walk(link).ToArray().ShiftRight();
271                     sequence[0] = link;
272                     return handler(sequence);
273                 }
274                 else if (restrictions.Count == 2)
275                 {
276                     throw new NotImplementedException();
277                 }
278                 else if (restrictions.Count == 3)
279                 {
280                     return Links.Unsync.Each(handler, restrictions);
281                 }
282                 else
283                 {
284                     var sequence = restrictions.SkipFirst();
285                     if (Options.UseIndex && !Options.Index.MightContain(sequence))
286                     {
287                         return Constants.Break;
288                     }
289                     return EachCore(handler, sequence);
290                 }
291             });
292         }
293
294         [MethodImpl(MethodImplOptions.AggressiveInlining)]
295         private LinkIndex EachCore(Func<IList<LinkIndex>, LinkIndex> handler, IList<LinkIndex>
            ↪ values)
```

```
296         {
297             var matcher = new Matcher(this, values, new HashSet<LinkIndex>(), handler);
298             // TODO: Find out why matcher.HandleFullMatched executed twice for the same sequence
                ↪ Id.
299             Func<IList<LinkIndex>, LinkIndex> innerHandler = Options.UseSequenceMarker ?
                ↪ (Func<IList<LinkIndex>, LinkIndex>)matcher.HandleFullMatchedSequence :
                ↪ matcher.HandleFullMatched;
300             //if (sequence.Length >= 2)
301             if (StepRight(innerHandler, values[0], values[1]) != Constants.Continue)
302             {
303                 return Constants.Break;
304             }
305             var last = values.Count - 2;
306             for (var i = 1; i < last; i++)
307             {
308                 if (PartialStepRight(innerHandler, values[i], values[i + 1]) !=
                    ↪ Constants.Continue)
309                 {
310                     return Constants.Break;
311                 }
312             }
313             if (values.Count >= 3)
314             {
315                 if (StepLeft(innerHandler, values[values.Count - 2], values[values.Count - 1])
                    ↪ != Constants.Continue)
316                 {
317                     return Constants.Break;
318                 }
319             }
320             return Constants.Continue;
321         }
322 
323         [MethodImpl(MethodImplOptions.AggressiveInlining)]
324         private LinkIndex PartialStepRight(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex
            ↪ left, LinkIndex right)
325         {
326             return Links.Unsync.Each(doublet =>
327             {
328                 var doubletIndex = doublet[Constants.IndexPart];
329                 if (StepRight(handler, doubletIndex, right) != Constants.Continue)
330                 {
331                     return Constants.Break;
332                 }
333                 if (left != doubletIndex)
334                 {
335                     return PartialStepRight(handler, doubletIndex, right);
336                 }
337                 return Constants.Continue;
338             }, new Link<LinkIndex>(Constants.Any, Constants.Any, left));
339         }
340 
341         [MethodImpl(MethodImplOptions.AggressiveInlining)]
342         private LinkIndex StepRight(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex left,
            ↪ LinkIndex right) => Links.Unsync.Each(rightStep => TryStepRightUp(handler, right,
            ↪ rightStep[Constants.IndexPart]), new Link<LinkIndex>(Constants.Any, left,
            ↪ Constants.Any));
343 
344         [MethodImpl(MethodImplOptions.AggressiveInlining)]
345         private LinkIndex TryStepRightUp(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex
            ↪ right, LinkIndex stepFrom)
346         {
347             var upStep = stepFrom;
348             var firstSource = Links.Unsync.GetTarget(upStep);
349             while (firstSource != right && firstSource != upStep)
350             {
351                 upStep = firstSource;
352                 firstSource = Links.Unsync.GetSource(upStep);
353             }
354             if (firstSource == right)
355             {
356                 return handler(new LinkAddress<LinkIndex>(stepFrom));
357             }
358             return Constants.Continue;
359         }
360 
361         [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
362         private LinkIndex StepLeft(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex left,
            ↪  LinkIndex right) => Links.Unsync.Each(leftStep => TryStepLeftUp(handler, left,
            ↪  leftStep[Constants.IndexPart]), new Link<LinkIndex>(Constants.Any, Constants.Any,
            ↪  right));
363
364         [MethodImpl(MethodImplOptions.AggressiveInlining)]
365         private LinkIndex TryStepLeftUp(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex
            ↪  left, LinkIndex stepFrom)
366         {
367             var upStep = stepFrom;
368             var firstTarget = Links.Unsync.GetSource(upStep);
369             while (firstTarget != left && firstTarget != upStep)
370             {
371                 upStep = firstTarget;
372                 firstTarget = Links.Unsync.GetTarget(upStep);
373             }
374             if (firstTarget == left)
375             {
376                 return handler(new LinkAddress<LinkIndex>(stepFrom));
377             }
378             return Constants.Continue;
379         }
380
381         #endregion
382
383         #region Update
384
385         [MethodImpl(MethodImplOptions.AggressiveInlining)]
386         public LinkIndex Update(IList<LinkIndex> restrictions, IList<LinkIndex> substitution)
387         {
388             var sequence = restrictions.SkipFirst();
389             var newSequence = substitution.SkipFirst();
390             if (sequence.IsNullOrEmpty() && newSequence.IsNullOrEmpty())
391             {
392                 return Constants.Null;
393             }
394             if (sequence.IsNullOrEmpty())
395             {
396                 return Create(substitution);
397             }
398             if (newSequence.IsNullOrEmpty())
399             {
400                 Delete(restrictions);
401                 return Constants.Null;
402             }
403             return _sync.ExecuteWriteOperation((Func<ulong>)(() =>
404             {
405                 ILinksExtensions.EnsureLinkIsAnyOrExists<ulong>(Links, (IList<ulong>)sequence);
406                 Links.EnsureLinkExists(newSequence);
407                 return UpdateCore(sequence, newSequence);
408             }));
409         }
410
411         [MethodImpl(MethodImplOptions.AggressiveInlining)]
412         private LinkIndex UpdateCore(IList<LinkIndex> sequence, IList<LinkIndex> newSequence)
413         {
414             LinkIndex bestVariant;
415             if (Options.EnforceSingleSequenceVersionOnWriteBasedOnNew &&
                ↪  !sequence.EqualTo(newSequence))
416             {
417                 bestVariant = CompactCore(newSequence);
418             }
419             else
420             {
421                 bestVariant = CreateCore(newSequence);
422             }
423             // TODO: Check all options only ones before loop execution
424             // Возможно нужно две версии Each, возвращающий фактические последовательности и с
                ↪  маркером,
425             // или возможно даже возвращать и тот и тот вариант. С другой стороны все варианты
                ↪  можно получить имея только фактические последовательности.
426             foreach (var variant in Each(sequence))
427             {
428                 if (variant != bestVariant)
429                 {
430                     UpdateOneCore(variant, bestVariant);
431                 }
432             }
433             return bestVariant;
```

```
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void UpdateOneCore(LinkIndex sequence, LinkIndex newSequence)
        {
            if (Options.UseGarbageCollection)
            {
                var sequenceElements = GetSequenceElements(sequence);
                var sequenceElementsContents = new Link<ulong>(Links.GetLink(sequenceElements));
                var sequenceLink = GetSequenceByElements(sequenceElements);
                var newSequenceElements = GetSequenceElements(newSequence);
                var newSequenceLink = GetSequenceByElements(newSequenceElements);
                if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
                {
                    if (sequenceLink != Constants.Null)
                    {
                        Links.Unsync.MergeAndDelete(sequenceLink, newSequenceLink);
                    }
                    Links.Unsync.MergeAndDelete(sequenceElements, newSequenceElements);
                }
                ClearGarbage(sequenceElementsContents.Source);
                ClearGarbage(sequenceElementsContents.Target);
            }
            else
            {
                if (Options.UseSequenceMarker)
                {
                    var sequenceElements = GetSequenceElements(sequence);
                    var sequenceLink = GetSequenceByElements(sequenceElements);
                    var newSequenceElements = GetSequenceElements(newSequence);
                    var newSequenceLink = GetSequenceByElements(newSequenceElements);
                    if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
                    {
                        if (sequenceLink != Constants.Null)
                        {
                            Links.Unsync.MergeAndDelete(sequenceLink, newSequenceLink);
                        }
                        Links.Unsync.MergeAndDelete(sequenceElements, newSequenceElements);
                    }
                }
                else
                {
                    if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
                    {
                        Links.Unsync.MergeAndDelete(sequence, newSequence);
                    }
                }
            }
        }

        #endregion

        #region Delete

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void Delete(IList<LinkIndex> restrictions)
        {
            _sync.ExecuteWriteOperation(() =>
            {
                var sequence = restrictions.SkipFirst();
                // TODO: Check all options only ones before loop execution
                foreach (var linkToDelete in Each(sequence))
                {
                    DeleteOneCore(linkToDelete);
                }
            });
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void DeleteOneCore(LinkIndex link)
        {
            if (Options.UseGarbageCollection)
            {
                var sequenceElements = GetSequenceElements(link);
                var sequenceElementsContents = new Link<ulong>(Links.GetLink(sequenceElements));
                var sequenceLink = GetSequenceByElements(sequenceElements);
                if (Options.UseCascadeDelete || CountUsages(link) == 0)
                {
```

```
                    if (sequenceLink != Constants.Null)
                    {
                        Links.Unsync.Delete(sequenceLink);
                    }
                    Links.Unsync.Delete(link);
                }
                ClearGarbage(sequenceElementsContents.Source);
                ClearGarbage(sequenceElementsContents.Target);
            }
            else
            {
                if (Options.UseSequenceMarker)
                {
                    var sequenceElements = GetSequenceElements(link);
                    var sequenceLink = GetSequenceByElements(sequenceElements);
                    if (Options.UseCascadeDelete || CountUsages(link) == 0)
                    {
                        if (sequenceLink != Constants.Null)
                        {
                            Links.Unsync.Delete(sequenceLink);
                        }
                        Links.Unsync.Delete(link);
                    }
                }
                else
                {
                    if (Options.UseCascadeDelete || CountUsages(link) == 0)
                    {
                        Links.Unsync.Delete(link);
                    }
                }
            }
        }

        #endregion

        #region Compactification

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void CompactAll()
        {
            _sync.ExecuteWriteOperation(() =>
            {
                var sequences = Each((LinkAddress<LinkIndex>)Constants.Any);
                for (int i = 0; i < sequences.Count; i++)
                {
                    var sequence = this.ToList(sequences[i]);
                    Compact(sequence.ShiftRight());
                }
            });
        }

        /// <remarks>
        /// bestVariant можно выбирать по максимальному числу использований,
        /// но балансированный позволяет гарантировать уникальность (если есть возможность,
        /// гарантировать его использование в других местах).
        ///
        /// Получается этот метод должен игнорировать Options.EnforceSingleSequenceVersionOnWrite
        /// </remarks>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkIndex Compact(IList<LinkIndex> sequence)
        {
            return _sync.ExecuteWriteOperation(() =>
            {
                if (sequence.IsNullOrEmpty())
                {
                    return Constants.Null;
                }
                Links.EnsureInnerReferenceExists(sequence, nameof(sequence));
                return CompactCore(sequence);
            });
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private LinkIndex CompactCore(IList<LinkIndex> sequence) => UpdateCore(sequence,
        ↪  sequence);

        #endregion

```

```
590         #region Garbage Collection
591
592         /// <remarks>
593         /// TODO: Добавить дополнительный обработчик / событие CanBeDeleted которое можно
            ↪  определить извне или в унаследованном классе
594         /// </remarks>
595         [MethodImpl(MethodImplOptions.AggressiveInlining)]
596         private bool IsGarbage(LinkIndex link) => link != Options.SequenceMarkerLink &&
            ↪  !Links.Unsync.IsPartialPoint(link) && Links.Count(Constants.Any, link) == 0;
597
598         [MethodImpl(MethodImplOptions.AggressiveInlining)]
599         private void ClearGarbage(LinkIndex link)
600         {
601             if (IsGarbage(link))
602             {
603                 var contents = new Link<ulong>(Links.GetLink(link));
604                 Links.Unsync.Delete(link);
605                 ClearGarbage(contents.Source);
606                 ClearGarbage(contents.Target);
607             }
608         }
609
610         #endregion
611
612         #region Walkers
613
614         [MethodImpl(MethodImplOptions.AggressiveInlining)]
615         public bool EachPart(Func<LinkIndex, bool> handler, LinkIndex sequence)
616         {
617             return _sync.ExecuteReadOperation(() =>
618             {
619                 var links = Links.Unsync;
620                 foreach (var part in Options.Walker.Walk(sequence))
621                 {
622                     if (!handler(part))
623                     {
624                         return false;
625                     }
626                 }
627                 return true;
628             });
629         }
630
631         public class Matcher : RightSequenceWalker<LinkIndex>
632         {
633             private readonly Sequences _sequences;
634             private readonly IList<LinkIndex> _patternSequence;
635             private readonly HashSet<LinkIndex> _linksInSequence;
636             private readonly HashSet<LinkIndex> _results;
637             private readonly Func<IList<LinkIndex>, LinkIndex> _stopableHandler;
638             private readonly HashSet<LinkIndex> _readAsElements;
639             private int _filterPosition;
640
641             [MethodImpl(MethodImplOptions.AggressiveInlining)]
642             public Matcher(Sequences sequences, IList<LinkIndex> patternSequence,
                ↪  HashSet<LinkIndex> results, Func<IList<LinkIndex>, LinkIndex> stopableHandler,
                ↪  HashSet<LinkIndex> readAsElements = null)
643                 : base(sequences.Links.Unsync, new DefaultStack<LinkIndex>())
644             {
645                 _sequences = sequences;
646                 _patternSequence = patternSequence;
647                 _linksInSequence = new HashSet<LinkIndex>(patternSequence.Where(x => x !=
                    ↪  Links.Constants.Any && x != ZeroOrMany));
648                 _results = results;
649                 _stopableHandler = stopableHandler;
650                 _readAsElements = readAsElements;
651             }
652
653             [MethodImpl(MethodImplOptions.AggressiveInlining)]
654             protected override bool IsElement(LinkIndex link) => base.IsElement(link) ||
                ↪  (_readAsElements != null && _readAsElements.Contains(link)) ||
                ↪  _linksInSequence.Contains(link);
655
656             [MethodImpl(MethodImplOptions.AggressiveInlining)]
657             public bool FullMatch(LinkIndex sequenceToMatch)
658             {
659                 _filterPosition = 0;
660                 foreach (var part in Walk(sequenceToMatch))
661                 {
662                     if (!FullMatchCore(part))
```

```
                {
                    break;
                }
            }
            return _filterPosition == _patternSequence.Count;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private bool FullMatchCore(LinkIndex element)
        {
            if (_filterPosition == _patternSequence.Count)
            {
                _filterPosition = -2; // Длиннее чем нужно
                return false;
            }
            if (_patternSequence[_filterPosition] != Links.Constants.Any
             && element != _patternSequence[_filterPosition])
            {
                _filterPosition = -1;
                return false; // Начинается/Продолжается иначе
            }
            _filterPosition++;
            return true;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void AddFullMatchedToResults(IList<LinkIndex> restrictions)
        {
            var sequenceToMatch = restrictions[Links.Constants.IndexPart];
            if (FullMatch(sequenceToMatch))
            {
                _results.Add(sequenceToMatch);
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkIndex HandleFullMatched(IList<LinkIndex> restrictions)
        {
            var sequenceToMatch = restrictions[Links.Constants.IndexPart];
            if (FullMatch(sequenceToMatch) && _results.Add(sequenceToMatch))
            {
                return _stopableHandler(new LinkAddress<LinkIndex>(sequenceToMatch));
            }
            return Links.Constants.Continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkIndex HandleFullMatchedSequence(IList<LinkIndex> restrictions)
        {
            var sequenceToMatch = restrictions[Links.Constants.IndexPart];
            var sequence = _sequences.GetSequenceByElements(sequenceToMatch);
            if (sequence != Links.Constants.Null && FullMatch(sequenceToMatch) &&
            ↪  _results.Add(sequenceToMatch))
            {
                return _stopableHandler(new LinkAddress<LinkIndex>(sequence));
            }
            return Links.Constants.Continue;
        }

        /// <remarks>
        /// TODO: Add support for LinksConstants.Any
        /// </remarks>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool PartialMatch(LinkIndex sequenceToMatch)
        {
            _filterPosition = -1;
            foreach (var part in Walk(sequenceToMatch))
            {
                if (!PartialMatchCore(part))
                {
                    break;
                }
            }
            return _filterPosition == _patternSequence.Count - 1;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private bool PartialMatchCore(LinkIndex element)
        {
```

```
741                 if (_filterPosition == (_patternSequence.Count - 1))
742                 {
743                     return false; // Нашлось
744                 }
745                 if (_filterPosition >= 0)
746                 {
747                     if (element == _patternSequence[_filterPosition + 1])
748                     {
749                         _filterPosition++;
750                     }
751                     else
752                     {
753                         _filterPosition = -1;
754                     }
755                 }
756                 if (_filterPosition < 0)
757                 {
758                     if (element == _patternSequence[0])
759                     {
760                         _filterPosition = 0;
761                     }
762                 }
763                 return true; // Ищем дальше
764             }
765 
766             [MethodImpl(MethodImplOptions.AggressiveInlining)]
767             public void AddPartialMatchedToResults(LinkIndex sequenceToMatch)
768             {
769                 if (PartialMatch(sequenceToMatch))
770                 {
771                     _results.Add(sequenceToMatch);
772                 }
773             }
774 
775             [MethodImpl(MethodImplOptions.AggressiveInlining)]
776             public LinkIndex HandlePartialMatched(IList<LinkIndex> restrictions)
777             {
778                 var sequenceToMatch = restrictions[Links.Constants.IndexPart];
779                 if (PartialMatch(sequenceToMatch))
780                 {
781                     return _stopableHandler(new LinkAddress<LinkIndex>(sequenceToMatch));
782                 }
783                 return Links.Constants.Continue;
784             }
785 
786             [MethodImpl(MethodImplOptions.AggressiveInlining)]
787             public void AddAllPartialMatchedToResults(IEnumerable<LinkIndex> sequencesToMatch)
788             {
789                 foreach (var sequenceToMatch in sequencesToMatch)
790                 {
791                     if (PartialMatch(sequenceToMatch))
792                     {
793                         _results.Add(sequenceToMatch);
794                     }
795                 }
796             }
797 
798             [MethodImpl(MethodImplOptions.AggressiveInlining)]
799             public void AddAllPartialMatchedToResultsAndReadAsElements(IEnumerable<LinkIndex>
                ↪ sequencesToMatch)
800             {
801                 foreach (var sequenceToMatch in sequencesToMatch)
802                 {
803                     if (PartialMatch(sequenceToMatch))
804                     {
805                         _readAsElements.Add(sequenceToMatch);
806                         _results.Add(sequenceToMatch);
807                     }
808                 }
809             }
810         }
811 
812         #endregion
813     }
814 }
```

1.83 ./Platform.Data.Doublets/Sequences/SequencesExtensions.cs

```
1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
```

```
using Platform.Collections.Lists;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    public static class SequencesExtensions
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static TLink Create<TLink>(this ILinks<TLink> sequences, IList<TLink[]>
        ↪  groupedSequence)
        {
            var finalSequence = new TLink[groupedSequence.Count];
            for (var i = 0; i < finalSequence.Length; i++)
            {
                var part = groupedSequence[i];
                finalSequence[i] = part.Length == 1 ? part[0] :
                ↪  sequences.Create(part.ShiftRight());
            }
            return sequences.Create(finalSequence.ShiftRight());
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static IList<TLink> ToList<TLink>(this ILinks<TLink> sequences, TLink sequence)
        {
            var list = new List<TLink>();
            var filler = new ListFiller<TLink, TLink>(list, sequences.Constants.Break);
            sequences.Each(filler.AddSkipFirstAndReturnConstant, new
            ↪  LinkAddress<TLink>(sequence));
            return list;
        }
    }
}
```

1.84 ./Platform.Data.Doublets/Sequences/SequencesOptions.cs

```
using System;
using System.Collections.Generic;
using Platform.Interfaces;
using Platform.Collections.Stacks;
using Platform.Converters;
using Platform.Data.Doublets.Sequences.Frequencies.Cache;
using Platform.Data.Doublets.Sequences.Frequencies.Counters;
using Platform.Data.Doublets.Sequences.Converters;
using Platform.Data.Doublets.Sequences.Walkers;
using Platform.Data.Doublets.Sequences.Indexes;
using Platform.Data.Doublets.Sequences.CriterionMatchers;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    public class SequencesOptions<TLink> // TODO: To use type parameter <TLink> the
    ↪  ILinks<TLink> must contain GetConstants function.
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        public TLink SequenceMarkerLink
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public bool UseCascadeUpdate
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public bool UseCascadeDelete
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
```

```
        }

        public bool UseIndex
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        } // TODO: Update Index on sequence update/delete.

        public bool UseSequenceMarker
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public bool UseCompression
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public bool UseGarbageCollection
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public bool EnforceSingleSequenceVersionOnWriteBasedOnExisting
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public bool EnforceSingleSequenceVersionOnWriteBasedOnNew
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public MarkedSequenceCriterionMatcher<TLink> MarkedSequenceMatcher
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public IConverter<IList<TLink>, TLink> LinksToSequenceConverter
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public ISequenceIndex<TLink> Index
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public ISequenceWalker<TLink> Walker
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }
```

```
125
126         public bool ReadFullSequence
127         {
128             [MethodImpl(MethodImplOptions.AggressiveInlining)]
129             get;
130             [MethodImpl(MethodImplOptions.AggressiveInlining)]
131             set;
132         }
133
134         // TODO: Реализовать компактификацию при чтении
135         //public bool EnforceSingleSequenceVersionOnRead { get; set; }
136         //public bool UseRequestMarker { get; set; }
137         //public bool StoreRequestResults { get; set; }
138
139         [MethodImpl(MethodImplOptions.AggressiveInlining)]
140         public void InitOptions(ISynchronizedLinks<TLink> links)
141         {
142             if (UseSequenceMarker)
143             {
144                 if (_equalityComparer.Equals(SequenceMarkerLink, links.Constants.Null))
145                 {
146                     SequenceMarkerLink = links.CreatePoint();
147                 }
148                 else
149                 {
150                     if (!links.Exists(SequenceMarkerLink))
151                     {
152                         var link = links.CreatePoint();
153                         if (!_equalityComparer.Equals(link, SequenceMarkerLink))
154                         {
155                             throw new InvalidOperationException("Cannot recreate sequence marker
                                ↪ link.");
156                         }
157                     }
158                 }
159                 if (MarkedSequenceMatcher == null)
160                 {
161                     MarkedSequenceMatcher = new MarkedSequenceCriterionMatcher<TLink>(links,
                        ↪ SequenceMarkerLink);
162                 }
163             }
164             var balancedVariantConverter = new BalancedVariantConverter<TLink>(links);
165             if (UseCompression)
166             {
167                 if (LinksToSequenceConverter == null)
168                 {
169                     ICounter<TLink, TLink> totalSequenceSymbolFrequencyCounter;
170                     if (UseSequenceMarker)
171                     {
172                         totalSequenceSymbolFrequencyCounter = new
                            ↪ TotalMarkedSequenceSymbolFrequencyCounter<TLink>(links,
                            ↪ MarkedSequenceMatcher);
173                     }
174                     else
175                     {
176                         totalSequenceSymbolFrequencyCounter = new
                            ↪ TotalSequenceSymbolFrequencyCounter<TLink>(links);
177                     }
178                     var doubletFrequenciesCache = new LinkFrequenciesCache<TLink>(links,
                        ↪ totalSequenceSymbolFrequencyCounter);
179                     var compressingConverter = new CompressingConverter<TLink>(links,
                        ↪ balancedVariantConverter, doubletFrequenciesCache);
180                     LinksToSequenceConverter = compressingConverter;
181                 }
182             }
183             else
184             {
185                 if (LinksToSequenceConverter == null)
186                 {
187                     LinksToSequenceConverter = balancedVariantConverter;
188                 }
189             }
190             if (UseIndex && Index == null)
191             {
192                 Index = new SequenceIndex<TLink>(links);
193             }
194             if (Walker == null)
195             {
```

```
                Walker = new RightSequenceWalker<TLink>(links, new DefaultStack<TLink>());
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void ValidateOptions()
        {
            if (UseGarbageCollection && !UseSequenceMarker)
            {
                throw new NotSupportedException("To use garbage collection UseSequenceMarker
                ↪  option must be on.");
            }
        }
    }
}
```

1.85 ./Platform.Data.Doublets/Sequences/Walkers/ISequenceWalker.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Walkers
{
    public interface ISequenceWalker<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        IEnumerable<TLink> Walk(TLink sequence);
    }
}
```

1.86 ./Platform.Data.Doublets/Sequences/Walkers/LeftSequenceWalker.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Stacks;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Walkers
{
    public class LeftSequenceWalker<TLink> : SequenceWalkerBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LeftSequenceWalker(ILinks<TLink> links, IStack<TLink> stack, Func<TLink, bool>
        ↪  isElement) : base(links, stack, isElement) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LeftSequenceWalker(ILinks<TLink> links, IStack<TLink> stack) : base(links, stack,
        ↪  links.IsPartialPoint) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetNextElementAfterPop(TLink element) =>
        ↪  Links.GetSource(element);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetNextElementAfterPush(TLink element) =>
        ↪  Links.GetTarget(element);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override IEnumerable<TLink> WalkContents(TLink element)
        {
            var parts = Links.GetLink(element);
            var start = Links.Constants.IndexPart + 1;
            for (var i = parts.Count - 1; i >= start; i--)
            {
                var part = parts[i];
                if (IsElement(part))
                {
                    yield return part;
                }
            }
        }
    }
}
```

1.87 ./Platform.Data.Doublets/Sequences/Walkers/LeveledSequenceWalker.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

//#define USEARRAYPOOL
#if USEARRAYPOOL
using Platform.Collections;
#endif

namespace Platform.Data.Doublets.Sequences.Walkers
{
    public class LeveledSequenceWalker<TLink> : LinksOperatorBase<TLink>, ISequenceWalker<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private readonly Func<TLink, bool> _isElement;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LeveledSequenceWalker(ILinks<TLink> links, Func<TLink, bool> isElement) :
        ↪  base(links) => _isElement = isElement;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LeveledSequenceWalker(ILinks<TLink> links) : base(links) => _isElement =
        ↪  Links.IsPartialPoint;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public IEnumerable<TLink> Walk(TLink sequence) => ToArray(sequence);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink[] ToArray(TLink sequence)
        {
            var length = 1;
            var array = new TLink[length];
            array[0] = sequence;
            if (_isElement(sequence))
            {
                return array;
            }
            bool hasElements;
            do
            {
                length *= 2;
#if USEARRAYPOOL
                var nextArray = ArrayPool.Allocate<ulong>(length);
#else
                var nextArray = new TLink[length];
#endif
                hasElements = false;
                for (var i = 0; i < array.Length; i++)
                {
                    var candidate = array[i];
                    if (_equalityComparer.Equals(array[i], default))
                    {
                        continue;
                    }
                    var doubletOffset = i * 2;
                    if (_isElement(candidate))
                    {
                        nextArray[doubletOffset] = candidate;
                    }
                    else
                    {
                        var link = Links.GetLink(candidate);
                        var linkSource = Links.GetSource(link);
                        var linkTarget = Links.GetTarget(link);
                        nextArray[doubletOffset] = linkSource;
                        nextArray[doubletOffset + 1] = linkTarget;
                        if (!hasElements)
                        {
                            hasElements = !(_isElement(linkSource) && _isElement(linkTarget));
                        }
                    }
                }
#if USEARRAYPOOL
                if (array.Length > 1)
                {
```

```
                    ArrayPool.Free(array);
                }
#endif
                array = nextArray;
            }
            while (hasElements);
            var filledElementsCount = CountFilledElements(array);
            if (filledElementsCount == array.Length)
            {
                return array;
            }
            else
            {
                return CopyFilledElements(array, filledElementsCount);
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static TLink[] CopyFilledElements(TLink[] array, int filledElementsCount)
        {
            var finalArray = new TLink[filledElementsCount];
            for (int i = 0, j = 0; i < array.Length; i++)
            {
                if (!_equalityComparer.Equals(array[i], default))
                {
                    finalArray[j] = array[i];
                    j++;
                }
            }
#if USEARRAYPOOL
                ArrayPool.Free(array);
#endif
            return finalArray;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static int CountFilledElements(TLink[] array)
        {
            var count = 0;
            for (var i = 0; i < array.Length; i++)
            {
                if (!_equalityComparer.Equals(array[i], default))
                {
                    count++;
                }
            }
            return count;
        }
    }
}
```

1.88 ./Platform.Data.Doublets/Sequences/Walkers/RightSequenceWalker.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Stacks;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Walkers
{
    public class RightSequenceWalker<TLink> : SequenceWalkerBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public RightSequenceWalker(ILinks<TLink> links, IStack<TLink> stack, Func<TLink, bool>
        ↪  isElement) : base(links, stack, isElement) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public RightSequenceWalker(ILinks<TLink> links, IStack<TLink> stack) : base(links,
        ↪  stack, links.IsPartialPoint) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetNextElementAfterPop(TLink element) =>
        ↪  Links.GetTarget(element);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetNextElementAfterPush(TLink element) =>
        ↪  Links.GetSource(element);

```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override IEnumerable<TLink> WalkContents(TLink element)
        {
            var parts = Links.GetLink(element);
            for (var i = Links.Constants.IndexPart + 1; i < parts.Count; i++)
            {
                var part = parts[i];
                if (IsElement(part))
                {
                    yield return part;
                }
            }
        }
    }
}
```

1.89 ./Platform.Data.Doublets/Sequences/Walkers/SequenceWalkerBase.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Stacks;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Walkers
{
    public abstract class SequenceWalkerBase<TLink> : LinksOperatorBase<TLink>,
    ↪ ISequenceWalker<TLink>
    {
        private readonly IStack<TLink> _stack;
        private readonly Func<TLink, bool> _isElement;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected SequenceWalkerBase(ILinks<TLink> links, IStack<TLink> stack, Func<TLink, bool>
        ↪ isElement) : base(links)
        {
            _stack = stack;
            _isElement = isElement;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected SequenceWalkerBase(ILinks<TLink> links, IStack<TLink> stack) : this(links,
        ↪ stack, links.IsPartialPoint) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public IEnumerable<TLink> Walk(TLink sequence)
        {
            _stack.Clear();
            var element = sequence;
            if (IsElement(element))
            {
                yield return element;
            }
            else
            {
                while (true)
                {
                    if (IsElement(element))
                    {
                        if (_stack.IsEmpty)
                        {
                            break;
                        }
                        element = _stack.Pop();
                        foreach (var output in WalkContents(element))
                        {
                            yield return output;
                        }
                        element = GetNextElementAfterPop(element);
                    }
                    else
                    {
                        _stack.Push(element);
                        element = GetNextElementAfterPush(element);
                    }
                }
            }
        }

```

```
60          [MethodImpl(MethodImplOptions.AggressiveInlining)]
61          protected virtual bool IsElement(TLink elementLink) => _isElement(elementLink);
62
63          [MethodImpl(MethodImplOptions.AggressiveInlining)]
64          protected abstract TLink GetNextElementAfterPop(TLink element);
65
66          [MethodImpl(MethodImplOptions.AggressiveInlining)]
67          protected abstract TLink GetNextElementAfterPush(TLink element);
68
69          [MethodImpl(MethodImplOptions.AggressiveInlining)]
70          protected abstract IEnumerable<TLink> WalkContents(TLink element);
71      }
72  }
```

1.90 ./Platform.Data.Doublets/Stacks/Stack.cs

```
1   using System.Collections.Generic;
2   using System.Runtime.CompilerServices;
3   using Platform.Collections.Stacks;
4
5   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7   namespace Platform.Data.Doublets.Stacks
8   {
9       public class Stack<TLink> : IStack<TLink>
10      {
11          private static readonly EqualityComparer<TLink> _equalityComparer =
            ↪  EqualityComparer<TLink>.Default;
12
13          private readonly ILinks<TLink> _links;
14          private readonly TLink _stack;
15
16          public bool IsEmpty
17          {
18              [MethodImpl(MethodImplOptions.AggressiveInlining)]
19              get => _equalityComparer.Equals(Peek(), _stack);
20          }
21
22          [MethodImpl(MethodImplOptions.AggressiveInlining)]
23          public Stack(ILinks<TLink> links, TLink stack)
24          {
25              _links = links;
26              _stack = stack;
27          }
28
29          [MethodImpl(MethodImplOptions.AggressiveInlining)]
30          private TLink GetStackMarker() => _links.GetSource(_stack);
31
32          [MethodImpl(MethodImplOptions.AggressiveInlining)]
33          private TLink GetTop() => _links.GetTarget(_stack);
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          public TLink Peek() => _links.GetTarget(GetTop());
37
38          [MethodImpl(MethodImplOptions.AggressiveInlining)]
39          public TLink Pop()
40          {
41              var element = Peek();
42              if (!_equalityComparer.Equals(element, _stack))
43              {
44                  var top = GetTop();
45                  var previousTop = _links.GetSource(top);
46                  _links.Update(_stack, GetStackMarker(), previousTop);
47                  _links.Delete(top);
48              }
49              return element;
50          }
51
52          [MethodImpl(MethodImplOptions.AggressiveInlining)]
53          public void Push(TLink element) => _links.Update(_stack, GetStackMarker(),
            ↪  _links.GetOrCreate(GetTop(), element));
54      }
55  }
```

1.91 ./Platform.Data.Doublets/Stacks/StackExtensions.cs

```
1   using System.Runtime.CompilerServices;
2
3   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5   namespace Platform.Data.Doublets.Stacks
6   {
```

```
    public static class StackExtensions
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static TLink CreateStack<TLink>(this ILinks<TLink> links, TLink stackMarker)
        {
            var stackPoint = links.CreatePoint();
            var stack = links.Update(stackPoint, stackMarker, stackPoint);
            return stack;
        }
    }
}
```

1.92 ./Platform.Data.Doublets/SynchronizedLinks.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Data.Doublets;
using Platform.Threading.Synchronization;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets
{
    /// <remarks>
    /// TODO: Autogeneration of synchronized wrapper (decorator).
    /// TODO: Try to unfold code of each method using IL generation for performance improvements.
    /// TODO: Or even to unfold multiple layers of implementations.
    /// </remarks>
    public class SynchronizedLinks<TLinkAddress> : ISynchronizedLinks<TLinkAddress>
    {
        public LinksConstants<TLinkAddress> Constants
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
        }

        public ISynchronization SyncRoot
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
        }

        public ILinks<TLinkAddress> Sync
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
        }

        public ILinks<TLinkAddress> Unsync
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public SynchronizedLinks(ILinks<TLinkAddress> links) : this(new
        ↪  ReaderWriterLockSynchronization(), links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public SynchronizedLinks(ISynchronization synchronization, ILinks<TLinkAddress> links)
        {
            SyncRoot = synchronization;
            Sync = this;
            Unsync = links;
            Constants = links.Constants;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLinkAddress Count(IList<TLinkAddress> restriction) =>
        ↪  SyncRoot.ExecuteReadOperation(restriction, Unsync.Count);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLinkAddress Each(Func<IList<TLinkAddress>, TLinkAddress> handler,
        ↪  IList<TLinkAddress> restrictions) => SyncRoot.ExecuteReadOperation(handler,
        ↪  restrictions, (handler1, restrictions1) => Unsync.Each(handler1, restrictions1));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLinkAddress Create(IList<TLinkAddress> restrictions) =>
        ↪  SyncRoot.ExecuteWriteOperation(restrictions, Unsync.Create);

```

```
63          [MethodImpl(MethodImplOptions.AggressiveInlining)]
64          public TLinkAddress Update(IList<TLinkAddress> restrictions, IList<TLinkAddress>
            ↪  substitution) => SyncRoot.ExecuteWriteOperation(restrictions, substitution,
            ↪  Unsync.Update);
65
66          [MethodImpl(MethodImplOptions.AggressiveInlining)]
67          public void Delete(IList<TLinkAddress> restrictions) =>
            ↪  SyncRoot.ExecuteWriteOperation(restrictions, Unsync.Delete);
68
69          //public T Trigger(IList<T> restriction, Func<IList<T>, IList<T>, T> matchedHandler,
            ↪  IList<T> substitution, Func<IList<T>, IList<T>, T> substitutedHandler)
70          //{
71          //    if (restriction != null && substitution != null &&
            ↪  !substitution.EqualTo(restriction))
72          //        return SyncRoot.ExecuteWriteOperation(restriction, matchedHandler,
            ↪  substitution, substitutedHandler, Unsync.Trigger);
73
74          //    return SyncRoot.ExecuteReadOperation(restriction, matchedHandler, substitution,
            ↪  substitutedHandler, Unsync.Trigger);
75          //}
76      }
77  }
```

1.93 ./Platform.Data.Doublets/UInt64LinksExtensions.cs

```
1   using System;
2   using System.Text;
3   using System.Collections.Generic;
4   using System.Runtime.CompilerServices;
5   using Platform.Singletons;
6   using Platform.Data.Doublets.Unicode;
7
8   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10  namespace Platform.Data.Doublets
11  {
12      public static class UInt64LinksExtensions
13      {
14          public static readonly LinksConstants<ulong> Constants =
            ↪  Default<LinksConstants<ulong>>.Instance;
15
16          [MethodImpl(MethodImplOptions.AggressiveInlining)]
17          public static void UseUnicode(this ILinks<ulong> links) => UnicodeMap.InitNew(links);
18
19          [MethodImpl(MethodImplOptions.AggressiveInlining)]
20          public static bool AnyLinkIsAny(this ILinks<ulong> links, params ulong[] sequence)
21          {
22              if (sequence == null)
23              {
24                  return false;
25              }
26              var constants = links.Constants;
27              for (var i = 0; i < sequence.Length; i++)
28              {
29                  if (sequence[i] == constants.Any)
30                  {
31                      return true;
32                  }
33              }
34              return false;
35          }
36
37          [MethodImpl(MethodImplOptions.AggressiveInlining)]
38          public static string FormatStructure(this ILinks<ulong> links, ulong linkIndex,
            ↪  Func<Link<ulong>, bool> isElement, bool renderIndex = false, bool renderDebug =
            ↪  false)
39          {
40              var sb = new StringBuilder();
41              var visited = new HashSet<ulong>();
42              links.AppendStructure(sb, visited, linkIndex, isElement, (innerSb, link) =>
                ↪  innerSb.Append(link.Index), renderIndex, renderDebug);
43              return sb.ToString();
44          }
45
46          [MethodImpl(MethodImplOptions.AggressiveInlining)]
47          public static string FormatStructure(this ILinks<ulong> links, ulong linkIndex,
            ↪  Func<Link<ulong>, bool> isElement, Action<StringBuilder, Link<ulong>> appendElement,
            ↪  bool renderIndex = false, bool renderDebug = false)
48          {
49              var sb = new StringBuilder();
```

```
50              var visited = new HashSet<ulong>();
51              links.AppendStructure(sb, visited, linkIndex, isElement, appendElement, renderIndex,
                ↪  renderDebug);
52              return sb.ToString();
53          }
54
55          [MethodImpl(MethodImplOptions.AggressiveInlining)]
56          public static void AppendStructure(this ILinks<ulong> links, StringBuilder sb,
            ↪  HashSet<ulong> visited, ulong linkIndex, Func<Link<ulong>, bool> isElement,
            ↪  Action<StringBuilder, Link<ulong>> appendElement, bool renderIndex = false, bool
            ↪  renderDebug = false)
57          {
58              if (sb == null)
59              {
60                  throw new ArgumentNullException(nameof(sb));
61              }
62              if (linkIndex == Constants.Null || linkIndex == Constants.Any || linkIndex ==
                ↪  Constants.Itself)
63              {
64                  return;
65              }
66              if (links.Exists(linkIndex))
67              {
68                  if (visited.Add(linkIndex))
69                  {
70                      sb.Append('(');
71                      var link = new Link<ulong>(links.GetLink(linkIndex));
72                      if (renderIndex)
73                      {
74                          sb.Append(link.Index);
75                          sb.Append(':');
76                      }
77                      if (link.Source == link.Index)
78                      {
79                          sb.Append(link.Index);
80                      }
81                      else
82                      {
83                          var source = new Link<ulong>(links.GetLink(link.Source));
84                          if (isElement(source))
85                          {
86                              appendElement(sb, source);
87                          }
88                          else
89                          {
90                              links.AppendStructure(sb, visited, source.Index, isElement,
                                ↪  appendElement, renderIndex);
91                          }
92                      }
93                      sb.Append(' ');
94                      if (link.Target == link.Index)
95                      {
96                          sb.Append(link.Index);
97                      }
98                      else
99                      {
100                         var target = new Link<ulong>(links.GetLink(link.Target));
101                         if (isElement(target))
102                         {
103                             appendElement(sb, target);
104                         }
105                         else
106                         {
107                             links.AppendStructure(sb, visited, target.Index, isElement,
                                ↪  appendElement, renderIndex);
108                         }
109                     }
110                     sb.Append(')');
111                 }
112                 else
113                 {
114                     if (renderDebug)
115                     {
116                         sb.Append('*');
117                     }
118                     sb.Append(linkIndex);
119                 }
120             }
```

```
            else
            {
                if (renderDebug)
                {
                    sb.Append('~');
                }
                sb.Append(linkIndex);
            }
        }
    }
}
```

1.94 ./Platform.Data.Doublets/UInt64LinksTransactionsLayer.cs

```
using System;
using System.Linq;
using System.Collections.Generic;
using System.IO;
using System.Runtime.CompilerServices;
using System.Threading;
using System.Threading.Tasks;
using Platform.Disposables;
using Platform.Timestamps;
using Platform.Unsafe;
using Platform.IO;
using Platform.Data.Doublets.Decorators;
using Platform.Exceptions;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets
{
    public class UInt64LinksTransactionsLayer : LinksDisposableDecoratorBase<ulong> //-V3073
    {
        /// <remarks>
        /// Альтернативные варианты хранения трансформации (элемента транзакции):
        ///
        /// private enum TransitionType
        /// {
        ///     Creation,
        ///     UpdateOf,
        ///     UpdateTo,
        ///     Deletion
        /// }
        ///
        /// private struct Transition
        /// {
        ///     public ulong TransactionId;
        ///     public UniqueTimestamp Timestamp;
        ///     public TransactionItemType Type;
        ///     public Link Source;
        ///     public Link Linker;
        ///     public Link Target;
        /// }
        ///
        /// Или
        ///
        /// public struct TransitionHeader
        /// {
        ///     public ulong TransactionIdCombined;
        ///     public ulong TimestampCombined;
        ///
        ///     public ulong TransactionId
        ///     {
        ///         get
        ///         {
        ///             return (ulong) mask &amp; TransactionIdCombined;
        ///         }
        ///     }
        ///
        ///     public UniqueTimestamp Timestamp
        ///     {
        ///         get
        ///         {
        ///             return (UniqueTimestamp)mask &amp; TransactionIdCombined;
        ///         }
        ///     }
        ///
        ///     public TransactionItemType Type
        ///     {
```

```
67          ///         get
68          ///         {
69          ///             // Использовать по одному биту из TransactionId и Timestamp,
70          ///             // для значения в 2 бита, которое представляет тип операции
71          ///             throw new NotImplementedException();
72          ///         }
73          ///     }
74          /// }
75          ///
76          /// private struct Transition
77          /// {
78          ///     public TransitionHeader Header;
79          ///     public Link Source;
80          ///     public Link Linker;
81          ///     public Link Target;
82          /// }
83          ///
84          /// </remarks>
85          public struct Transition : IEquatable<Transition>
86          {
87              public static readonly long Size = Structure<Transition>.Size;
88
89              public readonly ulong TransactionId;
90              public readonly Link<ulong> Before;
91              public readonly Link<ulong> After;
92              public readonly Timestamp Timestamp;
93
94              [MethodImpl(MethodImplOptions.AggressiveInlining)]
95              public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong
                ↪  transactionId, Link<ulong> before, Link<ulong> after)
96              {
97                  TransactionId = transactionId;
98                  Before = before;
99                  After = after;
100                 Timestamp = uniqueTimestampFactory.Create();
101             }
102
103             [MethodImpl(MethodImplOptions.AggressiveInlining)]
104             public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong
                ↪  transactionId, Link<ulong> before) : this(uniqueTimestampFactory, transactionId,
                ↪  before, default) { }
105
106             [MethodImpl(MethodImplOptions.AggressiveInlining)]
107             public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong
                ↪  transactionId) : this(uniqueTimestampFactory, transactionId, default, default) {
                ↪  }
108
109             [MethodImpl(MethodImplOptions.AggressiveInlining)]
110             public override string ToString() => $"{Timestamp} {TransactionId}: {Before} =>
                ↪  {After}";
111
112             [MethodImpl(MethodImplOptions.AggressiveInlining)]
113             public override bool Equals(object obj) => obj is Transition transition ?
                ↪  Equals(transition) : false;
114
115             [MethodImpl(MethodImplOptions.AggressiveInlining)]
116             public override int GetHashCode() => (TransactionId, Before, After,
                ↪  Timestamp).GetHashCode();
117
118             [MethodImpl(MethodImplOptions.AggressiveInlining)]
119             public bool Equals(Transition other) => TransactionId == other.TransactionId &&
                ↪  Before == other.Before && After == other.After && Timestamp == other.Timestamp;
120
121             [MethodImpl(MethodImplOptions.AggressiveInlining)]
122             public static bool operator ==(Transition left, Transition right) =>
                ↪  left.Equals(right);
123
124             [MethodImpl(MethodImplOptions.AggressiveInlining)]
125             public static bool operator !=(Transition left, Transition right) => !(left ==
                ↪  right);
126         }
127
128         /// <remarks>
129         /// Другие варианты реализации транзакций (атомарности):
130         ///     1. Разделение хранения значения связи ((Source Target) или (Source Linker
            ↪  Target)) и индексов.
131         ///     2. Хранение трансформаций/операций в отдельном хранилище Links, но дополнительно
            ↪  потребуется решить вопрос
```

```
132         ///        со ссылками на внешние идентификаторы, или как-то иначе решить вопрос с
            ↪  пересечениями идентификаторов.
133         ///
134         /// Где хранить промежуточный список транзакций?
135         ///
136         /// В оперативной памяти:
137         ///  Минусы:
138         ///     1. Может усложнить систему, если она будет функционировать самостоятельно,
139         ///     так как нужно отдельно выделять память под список трансформаций.
140         ///     2. Выделенной оперативной памяти может не хватить, в том случае,
141         ///     если транзакция использует слишком много трансформаций.
142         ///         -> Можно использовать жёсткий диск для слишком длинных транзакций.
143         ///         -> Максимальный размер списка трансформаций можно ограничить / задать
            ↪  константой.
144         ///     3. При подтверждении транзакции (Commit) все трансформации записываются разом
            ↪  создавая задержку.
145         ///
146         /// На жёстком диске:
147         ///  Минусы:
148         ///     1. Длительный отклик, на запись каждой трансформации.
149         ///     2. Лог транзакций дополнительно наполняется отменёнными транзакциями.
150         ///         -> Это может решаться упаковкой/исключением дублирующих операций.
151         ///         -> Также это может решаться тем, что короткие транзакции вообще
152         ///            не будут записываться в случае отката.
153         ///     3. Перед тем как выполнять отмену операций транзакции нужно дождаться пока все
            ↪  операции (трансформации)
154         ///        будут записаны в лог.
155         ///
156         /// </remarks>
157         public class Transaction : DisposableBase
158         {
159             private readonly Queue<Transition> _transitions;
160             private readonly UInt64LinksTransactionsLayer _layer;
161             public bool IsCommitted { get; private set; }
162             public bool IsReverted { get; private set; }
163
164             [MethodImpl(MethodImplOptions.AggressiveInlining)]
165             public Transaction(UInt64LinksTransactionsLayer layer)
166             {
167                 _layer = layer;
168                 if (_layer._currentTransactionId != 0)
169                 {
170                     throw new NotSupportedException("Nested transactions not supported.");
171                 }
172                 IsCommitted = false;
173                 IsReverted = false;
174                 _transitions = new Queue<Transition>();
175                 SetCurrentTransaction(layer, this);
176             }
177
178             [MethodImpl(MethodImplOptions.AggressiveInlining)]
179             public void Commit()
180             {
181                 EnsureTransactionAllowsWriteOperations(this);
182                 while (_transitions.Count > 0)
183                 {
184                     var transition = _transitions.Dequeue();
185                     _layer._transitions.Enqueue(transition);
186                 }
187                 _layer._lastCommitedTransactionId = _layer._currentTransactionId;
188                 IsCommitted = true;
189             }
190
191             [MethodImpl(MethodImplOptions.AggressiveInlining)]
192             private void Revert()
193             {
194                 EnsureTransactionAllowsWriteOperations(this);
195                 var transitionsToRevert = new Transition[_transitions.Count];
196                 _transitions.CopyTo(transitionsToRevert, 0);
197                 for (var i = transitionsToRevert.Length - 1; i >= 0; i--)
198                 {
199                     _layer.RevertTransition(transitionsToRevert[i]);
200                 }
201                 IsReverted = true;
202             }
203
204             [MethodImpl(MethodImplOptions.AggressiveInlining)]
205             public static void SetCurrentTransaction(UInt64LinksTransactionsLayer layer,
                ↪  Transaction transaction)
```

```
206             {
207                 layer._currentTransactionId = layer._lastCommitedTransactionId + 1;
208                 layer._currentTransactionTransitions = transaction._transitions;
209                 layer._currentTransaction = transaction;
210             }
211 
212             [MethodImpl(MethodImplOptions.AggressiveInlining)]
213             public static void EnsureTransactionAllowsWriteOperations(Transaction transaction)
214             {
215                 if (transaction.IsReverted)
216                 {
217                     throw new InvalidOperationException("Transation is reverted.");
218                 }
219                 if (transaction.IsCommitted)
220                 {
221                     throw new InvalidOperationException("Transation is commited.");
222                 }
223             }
224 
225             [MethodImpl(MethodImplOptions.AggressiveInlining)]
226             protected override void Dispose(bool manual, bool wasDisposed)
227             {
228                 if (!wasDisposed && _layer != null && !_layer.IsDisposed)
229                 {
230                     if (!IsCommitted && !IsReverted)
231                     {
232                         Revert();
233                     }
234                     _layer.ResetCurrentTransation();
235                 }
236             }
237         }
238 
239         public static readonly TimeSpan DefaultPushDelay = TimeSpan.FromSeconds(0.1);
240 
241         private readonly string _logAddress;
242         private readonly FileStream _log;
243         private readonly Queue<Transition> _transitions;
244         private readonly UniqueTimestampFactory _uniqueTimestampFactory;
245         private Task _transitionsPusher;
246         private Transition _lastCommitedTransition;
247         private ulong _currentTransactionId;
248         private Queue<Transition> _currentTransactionTransitions;
249         private Transaction _currentTransaction;
250         private ulong _lastCommitedTransactionId;
251 
252         [MethodImpl(MethodImplOptions.AggressiveInlining)]
253         public UInt64LinksTransactionsLayer(ILinks<ulong> links, string logAddress)
254             : base(links)
255         {
256             if (string.IsNullOrWhiteSpace(logAddress))
257             {
258                 throw new ArgumentNullException(nameof(logAddress));
259             }
260             // В первой строке файла хранится последняя закоммиченную транзакцию.
261             // При запуске это используется для проверки удачного закрытия файла лога.
262             // In the first line of the file the last committed transaction is stored.
263             // On startup, this is used to check that the log file is successfully closed.
264             var lastCommitedTransition = FileHelpers.ReadFirstOrDefault<Transition>(logAddress);
265             var lastWrittenTransition = FileHelpers.ReadLastOrDefault<Transition>(logAddress);
266             if (!lastCommitedTransition.Equals(lastWrittenTransition))
267             {
268                 Dispose();
269                 throw new NotSupportedException("Database is damaged, autorecovery is not
                    ↪ supported yet.");
270             }
271             if (lastCommitedTransition == default)
272             {
273                 FileHelpers.WriteFirst(logAddress, lastCommitedTransition);
274             }
275             _lastCommitedTransition = lastCommitedTransition;
276             // TODO: Think about a better way to calculate or store this value
277             var allTransitions = FileHelpers.ReadAll<Transition>(logAddress);
278             _lastCommitedTransactionId = allTransitions.Length > 0 ? allTransitions.Max(x =>
                ↪ x.TransactionId) : 0;
279             _uniqueTimestampFactory = new UniqueTimestampFactory();
280             _logAddress = logAddress;
281             _log = FileHelpers.Append(logAddress);
282             _transitions = new Queue<Transition>();
```

```
283             _transitionsPusher = new Task(TransitionsPusher);
284             _transitionsPusher.Start();
285         }
286 
287         [MethodImpl(MethodImplOptions.AggressiveInlining)]
288         public IList<ulong> GetLinkValue(ulong link) => Links.GetLink(link);
289 
290         [MethodImpl(MethodImplOptions.AggressiveInlining)]
291         public override ulong Create(IList<ulong> restrictions)
292         {
293             var createdLinkIndex = Links.Create();
294             var createdLink = new Link<ulong>(Links.GetLink(createdLinkIndex));
295             CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
                ↪  default, createdLink));
296             return createdLinkIndex;
297         }
298 
299         [MethodImpl(MethodImplOptions.AggressiveInlining)]
300         public override ulong Update(IList<ulong> restrictions, IList<ulong> substitution)
301         {
302             var linkIndex = restrictions[Constants.IndexPart];
303             var beforeLink = new Link<ulong>(Links.GetLink(linkIndex));
304             linkIndex = Links.Update(restrictions, substitution);
305             var afterLink = new Link<ulong>(Links.GetLink(linkIndex));
306             CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
                ↪  beforeLink, afterLink));
307             return linkIndex;
308         }
309 
310         [MethodImpl(MethodImplOptions.AggressiveInlining)]
311         public override void Delete(IList<ulong> restrictions)
312         {
313             var link = restrictions[Constants.IndexPart];
314             var deletedLink = new Link<ulong>(Links.GetLink(link));
315             Links.Delete(link);
316             CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
                ↪  deletedLink, default));
317         }
318 
319         [MethodImpl(MethodImplOptions.AggressiveInlining)]
320         private Queue<Transition> GetCurrentTransitions() => _currentTransactionTransitions ??
            ↪  _transitions;
321 
322         [MethodImpl(MethodImplOptions.AggressiveInlining)]
323         private void CommitTransition(Transition transition)
324         {
325             if (_currentTransaction != null)
326             {
327                 Transaction.EnsureTransactionAllowsWriteOperations(_currentTransaction);
328             }
329             var transitions = GetCurrentTransitions();
330             transitions.Enqueue(transition);
331         }
332 
333         [MethodImpl(MethodImplOptions.AggressiveInlining)]
334         private void RevertTransition(Transition transition)
335         {
336             if (transition.After.IsNull()) // Revert Deletion with Creation
337             {
338                 Links.Create();
339             }
340             else if (transition.Before.IsNull()) // Revert Creation with Deletion
341             {
342                 Links.Delete(transition.After.Index);
343             }
344             else // Revert Update
345             {
346                 Links.Update(new[] { transition.After.Index, transition.Before.Source,
                    ↪  transition.Before.Target });
347             }
348         }
349 
350         [MethodImpl(MethodImplOptions.AggressiveInlining)]
351         private void ResetCurrentTransation()
352         {
353             _currentTransactionId = 0;
354             _currentTransactionTransitions = null;
355             _currentTransaction = null;
```

```
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void PushTransitions()
        {
            if (_log == null || _transitions == null)
            {
                return;
            }
            for (var i = 0; i < _transitions.Count; i++)
            {
                var transition = _transitions.Dequeue();

                _log.Write(transition);
                _lastCommitedTransition = transition;
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void TransitionsPusher()
        {
            while (!IsDisposed && _transitionsPusher != null)
            {
                Thread.Sleep(DefaultPushDelay);
                PushTransitions();
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public Transaction BeginTransaction() => new Transaction(this);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void DisposeTransitions()
        {
            try
            {
                var pusher = _transitionsPusher;
                if (pusher != null)
                {
                    _transitionsPusher = null;
                    pusher.Wait();
                }
                if (_transitions != null)
                {
                    PushTransitions();
                }
                _log.DisposeIfPossible();
                FileHelpers.WriteFirst(_logAddress, _lastCommitedTransition);
            }
            catch (Exception ex)
            {
                ex.Ignore();
            }
        }

        #region DisposalBase

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void Dispose(bool manual, bool wasDisposed)
        {
            if (!wasDisposed)
            {
                DisposeTransitions();
            }
            base.Dispose(manual, wasDisposed);
        }

        #endregion
    }
}
```

1.95 ./Platform.Data.Doublets/Unicode/CharToUnicodeSymbolConverter.cs

```
using System.Runtime.CompilerServices;
using Platform.Converters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Unicode
{
```

```
    public class CharToUnicodeSymbolConverter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<char, TLink>
    {
        private static readonly UncheckedConverter<char, TLink> _charToAddressConverter =
        ↪ UncheckedConverter<char, TLink>.Default;

        private readonly IConverter<TLink> _addressToNumberConverter;
        private readonly TLink _unicodeSymbolMarker;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public CharToUnicodeSymbolConverter(ILinks<TLink> links, IConverter<TLink>
        ↪ addressToNumberConverter, TLink unicodeSymbolMarker) : base(links)
        {
            _addressToNumberConverter = addressToNumberConverter;
            _unicodeSymbolMarker = unicodeSymbolMarker;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Convert(char source)
        {
            var unaryNumber =
            ↪ _addressToNumberConverter.Convert(_charToAddressConverter.Convert(source));
            return Links.GetOrCreate(unaryNumber, _unicodeSymbolMarker);
        }
    }
}
```

1.96 ./Platform.Data.Doublets/Unicode/StringToUnicodeSequenceConverter.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Converters;
using Platform.Data.Doublets.Sequences.Indexes;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Unicode
{
    public class StringToUnicodeSequenceConverter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<string, TLink>
    {
        private readonly IConverter<char, TLink> _charToUnicodeSymbolConverter;
        private readonly ISequenceIndex<TLink> _index;
        private readonly IConverter<IList<TLink>, TLink> _listToSequenceLinkConverter;
        private readonly TLink _unicodeSequenceMarker;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public StringToUnicodeSequenceConverter(ILinks<TLink> links, IConverter<char, TLink>
        ↪ charToUnicodeSymbolConverter, ISequenceIndex<TLink> index, IConverter<IList<TLink>,
        ↪ TLink> listToSequenceLinkConverter, TLink unicodeSequenceMarker) : base(links)
        {
            _charToUnicodeSymbolConverter = charToUnicodeSymbolConverter;
            _index = index;
            _listToSequenceLinkConverter = listToSequenceLinkConverter;
            _unicodeSequenceMarker = unicodeSequenceMarker;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Convert(string source)
        {
            var elements = new TLink[source.Length];
            for (int i = 0; i < source.Length; i++)
            {
                elements[i] = _charToUnicodeSymbolConverter.Convert(source[i]);
            }
            _index.Add(elements);
            var sequence = _listToSequenceLinkConverter.Convert(elements);
            return Links.GetOrCreate(sequence, _unicodeSequenceMarker);
        }
    }
}
```

1.97 ./Platform.Data.Doublets/Unicode/UnicodeMap.cs

```
using System;
using System.Collections.Generic;
using System.Globalization;
using System.Runtime.CompilerServices;
using System.Text;
using Platform.Data.Sequences;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
```

```
9
10  namespace Platform.Data.Doublets.Unicode
11  {
12      public class UnicodeMap
13      {
14          public static readonly ulong FirstCharLink = 1;
15          public static readonly ulong LastCharLink = FirstCharLink + char.MaxValue;
16          public static readonly ulong MapSize = 1 + char.MaxValue;
17
18          private readonly ILinks<ulong> _links;
19          private bool _initialized;
20
21          [MethodImpl(MethodImplOptions.AggressiveInlining)]
22          public UnicodeMap(ILinks<ulong> links) => _links = links;
23
24          [MethodImpl(MethodImplOptions.AggressiveInlining)]
25          public static UnicodeMap InitNew(ILinks<ulong> links)
26          {
27              var map = new UnicodeMap(links);
28              map.Init();
29              return map;
30          }
31
32          [MethodImpl(MethodImplOptions.AggressiveInlining)]
33          public void Init()
34          {
35              if (_initialized)
36              {
37                  return;
38              }
39              _initialized = true;
40              var firstLink = _links.CreatePoint();
41              if (firstLink != FirstCharLink)
42              {
43                  _links.Delete(firstLink);
44              }
45              else
46              {
47                  for (var i = FirstCharLink + 1; i <= LastCharLink; i++)
48                  {
49                      // From NIL to It (NIL -> Character) transformation meaning, (or infinite
                        ↪  amount of NIL characters before actual Character)
50                      var createdLink = _links.CreatePoint();
51                      _links.Update(createdLink, firstLink, createdLink);
52                      if (createdLink != i)
53                      {
54                          throw new InvalidOperationException("Unable to initialize UTF 16
                            ↪  table.");
55                      }
56                  }
57              }
58          }
59
60          // 0 - null link
61          // 1 - nil character (0 character)
62          // ...
63          // 65536 (0(1) + 65535 = 65536 possible values)
64
65          [MethodImpl(MethodImplOptions.AggressiveInlining)]
66          public static ulong FromCharToLink(char character) => (ulong)character + 1;
67
68          [MethodImpl(MethodImplOptions.AggressiveInlining)]
69          public static char FromLinkToChar(ulong link) => (char)(link - 1);
70
71          [MethodImpl(MethodImplOptions.AggressiveInlining)]
72          public static bool IsCharLink(ulong link) => link <= MapSize;
73
74          [MethodImpl(MethodImplOptions.AggressiveInlining)]
75          public static string FromLinksToString(IList<ulong> linksList)
76          {
77              var sb = new StringBuilder();
78              for (int i = 0; i < linksList.Count; i++)
79              {
80                  sb.Append(FromLinkToChar(linksList[i]));
81              }
82              return sb.ToString();
83          }
84
85          [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
86          public static string FromSequenceLinkToString(ulong link, ILinks<ulong> links)
87          {
88              var sb = new StringBuilder();
89              if (links.Exists(link))
90              {
91                  StopableSequenceWalker.WalkRight(link, links.GetSource, links.GetTarget,
92                      x => x <= MapSize || links.GetSource(x) == x || links.GetTarget(x) == x,
                        ↪  element =>
93                      {
94                          sb.Append(FromLinkToChar(element));
95                          return true;
96                      });
97              }
98              return sb.ToString();
99          }
100
101         [MethodImpl(MethodImplOptions.AggressiveInlining)]
102         public static ulong[] FromCharsToLinkArray(char[] chars) => FromCharsToLinkArray(chars,
            ↪  chars.Length);
103
104         [MethodImpl(MethodImplOptions.AggressiveInlining)]
105         public static ulong[] FromCharsToLinkArray(char[] chars, int count)
106         {
107             // char array to ulong array
108             var linksSequence = new ulong[count];
109             for (var i = 0; i < count; i++)
110             {
111                 linksSequence[i] = FromCharToLink(chars[i]);
112             }
113             return linksSequence;
114         }
115
116         [MethodImpl(MethodImplOptions.AggressiveInlining)]
117         public static ulong[] FromStringToLinkArray(string sequence)
118         {
119             // char array to ulong array
120             var linksSequence = new ulong[sequence.Length];
121             for (var i = 0; i < sequence.Length; i++)
122             {
123                 linksSequence[i] = FromCharToLink(sequence[i]);
124             }
125             return linksSequence;
126         }
127
128         [MethodImpl(MethodImplOptions.AggressiveInlining)]
129         public static List<ulong[]> FromStringToLinkArrayGroups(string sequence)
130         {
131             var result = new List<ulong[]>();
132             var offset = 0;
133             while (offset < sequence.Length)
134             {
135                 var currentCategory = CharUnicodeInfo.GetUnicodeCategory(sequence[offset]);
136                 var relativeLength = 1;
137                 var absoluteLength = offset + relativeLength;
138                 while (absoluteLength < sequence.Length &&
139                        currentCategory ==
                           ↪  CharUnicodeInfo.GetUnicodeCategory(sequence[absoluteLength]))
140                 {
141                     relativeLength++;
142                     absoluteLength++;
143                 }
144                 // char array to ulong array
145                 var innerSequence = new ulong[relativeLength];
146                 var maxLength = offset + relativeLength;
147                 for (var i = offset; i < maxLength; i++)
148                 {
149                     innerSequence[i - offset] = FromCharToLink(sequence[i]);
150                 }
151                 result.Add(innerSequence);
152                 offset += relativeLength;
153             }
154             return result;
155         }
156
157         [MethodImpl(MethodImplOptions.AggressiveInlining)]
158         public static List<ulong[]> FromLinkArrayToLinkArrayGroups(ulong[] array)
159         {
160             var result = new List<ulong[]>();
161             var offset = 0;
```

```
            while (offset < array.Length)
            {
                var relativeLength = 1;
                if (array[offset] <= LastCharLink)
                {
                    var currentCategory =
                    ↪ CharUnicodeInfo.GetUnicodeCategory(FromLinkToChar(array[offset]));
                    var absoluteLength = offset + relativeLength;
                    while (absoluteLength < array.Length &&
                           array[absoluteLength] <= LastCharLink &&
                           currentCategory == CharUnicodeInfo.GetUnicodeCategory(FromLinkToChar(
                           ↪ array[absoluteLength])))
                    {
                        relativeLength++;
                        absoluteLength++;
                    }
                }
                else
                {
                    var absoluteLength = offset + relativeLength;
                    while (absoluteLength < array.Length && array[absoluteLength] > LastCharLink)
                    {
                        relativeLength++;
                        absoluteLength++;
                    }
                }
                // copy array
                var innerSequence = new ulong[relativeLength];
                var maxLength = offset + relativeLength;
                for (var i = offset; i < maxLength; i++)
                {
                    innerSequence[i - offset] = array[i];
                }
                result.Add(innerSequence);
                offset += relativeLength;
            }
            return result;
        }
    }
}
```

1.98 ./Platform.Data.Doublets/Unicode/UnicodeSequenceCriterionMatcher.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Unicode
{
    public class UnicodeSequenceCriterionMatcher<TLink> : LinksOperatorBase<TLink>,
    ↪ ICriterionMatcher<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;

        private readonly TLink _unicodeSequenceMarker;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UnicodeSequenceCriterionMatcher(ILinks<TLink> links, TLink unicodeSequenceMarker)
        ↪ : base(links) => _unicodeSequenceMarker = unicodeSequenceMarker;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool IsMatched(TLink link) => _equalityComparer.Equals(Links.GetTarget(link),
        ↪ _unicodeSequenceMarker);
    }
}
```

1.99 ./Platform.Data.Doublets/Unicode/UnicodeSequenceToStringConverter.cs

```
using System;
using System.Linq;
using System.Runtime.CompilerServices;
using Platform.Interfaces;
using Platform.Converters;
using Platform.Data.Doublets.Sequences.Walkers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Unicode
{
```

```
12      public class UnicodeSequenceToStringConverter<TLink> : LinksOperatorBase<TLink>,
        ↪ IConverter<TLink, string>
13      {
14          private readonly ICriterionMatcher<TLink> _unicodeSequenceCriterionMatcher;
15          private readonly ISequenceWalker<TLink> _sequenceWalker;
16          private readonly IConverter<TLink, char> _unicodeSymbolToCharConverter;
17
18          [MethodImpl(MethodImplOptions.AggressiveInlining)]
19          public UnicodeSequenceToStringConverter(ILinks<TLink> links, ICriterionMatcher<TLink>
            ↪ unicodeSequenceCriterionMatcher, ISequenceWalker<TLink> sequenceWalker,
            ↪ IConverter<TLink, char> unicodeSymbolToCharConverter) : base(links)
20          {
21              _unicodeSequenceCriterionMatcher = unicodeSequenceCriterionMatcher;
22              _sequenceWalker = sequenceWalker;
23              _unicodeSymbolToCharConverter = unicodeSymbolToCharConverter;
24          }
25
26          [MethodImpl(MethodImplOptions.AggressiveInlining)]
27          public string Convert(TLink source)
28          {
29              if(!_unicodeSequenceCriterionMatcher.IsMatched(source))
30              {
31                  throw new ArgumentOutOfRangeException(nameof(source), source, "Specified link is
                    ↪ not a unicode sequence.");
32              }
33              var sequence = Links.GetSource(source);
34              var charArray = _sequenceWalker.Walk(sequence).Select(_unicodeSymbolToCharConverter.
                ↪ Convert).ToArray();
35              return new string(charArray);
36          }
37      }
38  }
```

1.100 ./Platform.Data.Doublets/Unicode/UnicodeSymbolCriterionMatcher.cs

```
1   using System.Collections.Generic;
2   using System.Runtime.CompilerServices;
3   using Platform.Interfaces;
4
5   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7   namespace Platform.Data.Doublets.Unicode
8   {
9       public class UnicodeSymbolCriterionMatcher<TLink> : LinksOperatorBase<TLink>,
        ↪ ICriterionMatcher<TLink>
10      {
11          private static readonly EqualityComparer<TLink> _equalityComparer =
            ↪ EqualityComparer<TLink>.Default;
12
13          private readonly TLink _unicodeSymbolMarker;
14
15          [MethodImpl(MethodImplOptions.AggressiveInlining)]
16          public UnicodeSymbolCriterionMatcher(ILinks<TLink> links, TLink unicodeSymbolMarker) :
            ↪ base(links) => _unicodeSymbolMarker = unicodeSymbolMarker;
17
18          [MethodImpl(MethodImplOptions.AggressiveInlining)]
19          public bool IsMatched(TLink link) => _equalityComparer.Equals(Links.GetTarget(link),
            ↪ _unicodeSymbolMarker);
20      }
21  }
```

1.101 ./Platform.Data.Doublets/Unicode/UnicodeSymbolToCharConverter.cs

```
1   using System;
2   using System.Runtime.CompilerServices;
3   using Platform.Interfaces;
4   using Platform.Converters;
5
6   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8   namespace Platform.Data.Doublets.Unicode
9   {
10      public class UnicodeSymbolToCharConverter<TLink> : LinksOperatorBase<TLink>,
        ↪ IConverter<TLink, char>
11      {
12          private static readonly UncheckedConverter<TLink, ushort> _addressToUInt16Converter =
            ↪ UncheckedConverter<TLink, ushort>.Default;
13
14          private readonly IConverter<TLink> _numberToAddressConverter;
15          private readonly ICriterionMatcher<TLink> _unicodeSymbolCriterionMatcher;
16
17          [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
18          public UnicodeSymbolToCharConverter(ILinks<TLink> links, IConverter<TLink>
            ↪ numberToAddressConverter, ICriterionMatcher<TLink> unicodeSymbolCriterionMatcher) :
            ↪ base(links)
19          {
20              _numberToAddressConverter = numberToAddressConverter;
21              _unicodeSymbolCriterionMatcher = unicodeSymbolCriterionMatcher;
22          }
23
24          [MethodImpl(MethodImplOptions.AggressiveInlining)]
25          public char Convert(TLink source)
26          {
27              if (!_unicodeSymbolCriterionMatcher.IsMatched(source))
28              {
29                  throw new ArgumentOutOfRangeException(nameof(source), source, "Specified link is
                    ↪ not a unicode symbol.");
30              }
31              return (char)_addressToUInt16Converter.Convert(_numberToAddressConverter.Convert(Lin
                ↪ ks.GetSource(source)));
32          }
33      }
34  }
```

1.102 ./Platform.Data.Doublets.Tests/ComparisonTests.cs

```
1   using System;
2   using System.Collections.Generic;
3   using Xunit;
4   using Platform.Diagnostics;
5
6   namespace Platform.Data.Doublets.Tests
7   {
8       public static class ComparisonTests
9       {
10          private class UInt64Comparer : IComparer<ulong>
11          {
12              public int Compare(ulong x, ulong y) => x.CompareTo(y);
13          }
14
15          private static int Compare(ulong x, ulong y) => x.CompareTo(y);
16
17          [Fact]
18          public static void GreaterOrEqualPerfomanceTest()
19          {
20              const int N = 1000000;
21
22              ulong x = 10;
23              ulong y = 500;
24
25              bool result = false;
26
27              var ts1 = Performance.Measure(() =>
28              {
29                  for (int i = 0; i < N; i++)
30                  {
31                      result = Compare(x, y) >= 0;
32                  }
33              });
34
35              var comparer1 = Comparer<ulong>.Default;
36
37              var ts2 = Performance.Measure(() =>
38              {
39                  for (int i = 0; i < N; i++)
40                  {
41                      result = comparer1.Compare(x, y) >= 0;
42                  }
43              });
44
45              Func<ulong, ulong, int> compareReference = comparer1.Compare;
46
47              var ts3 = Performance.Measure(() =>
48              {
49                  for (int i = 0; i < N; i++)
50                  {
51                      result = compareReference(x, y) >= 0;
52                  }
53              });
54
55              var comparer2 = new UInt64Comparer();
56
57              var ts4 = Performance.Measure(() =>
```

```
            {
                for (int i = 0; i < N; i++)
                {
                    result = comparer2.Compare(x, y) >= 0;
                }
            });

            Console.WriteLine($"{ts1} {ts2} {ts3} {ts4} {result}");
        }
    }
}
```

1.103 ./Platform.Data.Doublets.Tests/EqualityTests.cs

```
using System;
using System.Collections.Generic;
using Xunit;
using Platform.Diagnostics;

namespace Platform.Data.Doublets.Tests
{
    public static class EqualityTests
    {
        protected class UInt64EqualityComparer : IEqualityComparer<ulong>
        {
            public bool Equals(ulong x, ulong y) => x == y;

            public int GetHashCode(ulong obj) => obj.GetHashCode();
        }

        private static bool Equals1<T>(T x, T y) => Equals(x, y);

        private static bool Equals2<T>(T x, T y) => x.Equals(y);

        private static bool Equals3(ulong x, ulong y) => x == y;

        [Fact]
        public static void EqualsPerfomanceTest()
        {
            const int N = 1000000;

            ulong x = 10;
            ulong y = 500;

            bool result = false;

            var ts1 = Performance.Measure(() =>
            {
                for (int i = 0; i < N; i++)
                {
                    result = Equals1(x, y);
                }
            });

            var ts2 = Performance.Measure(() =>
            {
                for (int i = 0; i < N; i++)
                {
                    result = Equals2(x, y);
                }
            });

            var ts3 = Performance.Measure(() =>
            {
                for (int i = 0; i < N; i++)
                {
                    result = Equals3(x, y);
                }
            });

            var equalityComparer1 = EqualityComparer<ulong>.Default;

            var ts4 = Performance.Measure(() =>
            {
                for (int i = 0; i < N; i++)
                {
                    result = equalityComparer1.Equals(x, y);
                }
            });

            var equalityComparer2 = new UInt64EqualityComparer();
```

```
68
69              var ts5 = Performance.Measure(() =>
70              {
71                  for (int i = 0; i < N; i++)
72                  {
73                      result = equalityComparer2.Equals(x, y);
74                  }
75              });
76
77              Func<ulong, ulong, bool> equalityComparer3 = equalityComparer2.Equals;
78
79              var ts6 = Performance.Measure(() =>
80              {
81                  for (int i = 0; i < N; i++)
82                  {
83                      result = equalityComparer3(x, y);
84                  }
85              });
86
87              var comparer = Comparer<ulong>.Default;
88
89              var ts7 = Performance.Measure(() =>
90              {
91                  for (int i = 0; i < N; i++)
92                  {
93                      result = comparer.Compare(x, y) == 0;
94                  }
95              });
96
97              Assert.True(ts2 < ts1);
98              Assert.True(ts3 < ts2);
99              Assert.True(ts5 < ts4);
100             Assert.True(ts5 < ts6);
101
102             Console.WriteLine($"{ts1} {ts2} {ts3} {ts4} {ts5} {ts6} {ts7} {result}");
103         }
104     }
105 }
```

1.104 ./Platform.Data.Doublets.Tests/GenericLinksTests.cs

```
1  using System;
2  using Xunit;
3  using Platform.Reflection;
4  using Platform.Memory;
5  using Platform.Scopes;
6  using Platform.Data.Doublets.ResizableDirectMemory.Generic;
7
8  namespace Platform.Data.Doublets.Tests
9  {
10     public unsafe static class GenericLinksTests
11     {
12         [Fact]
13         public static void CRUDTest()
14         {
15             Using<byte>(links => links.TestCRUDOperations());
16             Using<ushort>(links => links.TestCRUDOperations());
17             Using<uint>(links => links.TestCRUDOperations());
18             Using<ulong>(links => links.TestCRUDOperations());
19         }
20
21         [Fact]
22         public static void RawNumbersCRUDTest()
23         {
24             Using<byte>(links => links.TestRawNumbersCRUDOperations());
25             Using<ushort>(links => links.TestRawNumbersCRUDOperations());
26             Using<uint>(links => links.TestRawNumbersCRUDOperations());
27             Using<ulong>(links => links.TestRawNumbersCRUDOperations());
28         }
29
30         [Fact]
31         public static void MultipleRandomCreationsAndDeletionsTest()
32         {
33             Using<byte>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Test
                ↪ MultipleRandomCreationsAndDeletions(16)); // Cannot use more because current
                ↪ implementation of tree cuts out 5 bits from the address space.
34             Using<ushort>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Te
                ↪ stMultipleRandomCreationsAndDeletions(100));
35             Using<uint>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Test
                ↪ MultipleRandomCreationsAndDeletions(100));
```

```
            Using<ulong>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Tes
            ↪  tMultipleRandomCreationsAndDeletions(100));
        }

        private static void Using<TLink>(Action<ILinks<TLink>> action)
        {
            using (var scope = new Scope<Types<HeapResizableDirectMemory,
            ↪  ResizableDirectMemoryLinks<TLink>>>())
            {
                action(scope.Use<ILinks<TLink>>());
            }
        }
    }
}
```

1.105 ./Platform.Data.Doublets.Tests/LinksConstantsTests.cs

```
using Xunit;

namespace Platform.Data.Doublets.Tests
{
    public static class LinksConstantsTests
    {
        [Fact]
        public static void ExternalReferencesTest()
        {
            LinksConstants<ulong> constants = new LinksConstants<ulong>((1, long.MaxValue),
            ↪  (long.MaxValue + 1UL, ulong.MaxValue));

            //var minimum = new Hybrid<ulong>(0, isExternal: true);
            var minimum = new Hybrid<ulong>(1, isExternal: true);
            var maximum = new Hybrid<ulong>(long.MaxValue, isExternal: true);

            Assert.True(constants.IsExternalReference(minimum));
            Assert.True(constants.IsExternalReference(maximum));
        }
    }
}
```

1.106 ./Platform.Data.Doublets.Tests/OptimalVariantSequenceTests.cs

```
using System;
using System.Linq;
using Xunit;
using Platform.Collections.Stacks;
using Platform.Collections.Arrays;
using Platform.Memory;
using Platform.Data.Numbers.Raw;
using Platform.Data.Doublets.Sequences;
using Platform.Data.Doublets.Sequences.Frequencies.Cache;
using Platform.Data.Doublets.Sequences.Frequencies.Counters;
using Platform.Data.Doublets.Sequences.Converters;
using Platform.Data.Doublets.PropertyOperators;
using Platform.Data.Doublets.Incrementers;
using Platform.Data.Doublets.Sequences.Walkers;
using Platform.Data.Doublets.Sequences.Indexes;
using Platform.Data.Doublets.Unicode;
using Platform.Data.Doublets.Numbers.Unary;
using Platform.Data.Doublets.Decorators;
using Platform.Data.Doublets.ResizableDirectMemory.Specific;

namespace Platform.Data.Doublets.Tests
{
    public static class OptimalVariantSequenceTests
    {
        private static readonly string _sequenceExample = "зеленела зелёная зелень";
        private static readonly string _loremIpsumExample = @"Lorem ipsum dolor sit amet,
        ↪  consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore
        ↪  magna aliqua.
Facilisi nullam vehicula ipsum a arcu cursus vitae congue mauris.
Et malesuada fames ac turpis egestas sed.
Eget velit aliquet sagittis id consectetur purus.
Dignissim cras tincidunt lobortis feugiat vivamus.
Vitae aliquet nec ullamcorper sit.
Lectus quam id leo in vitae.
Tortor dignissim convallis aenean et tortor at risus viverra adipiscing.
Sed risus ultricies tristique nulla aliquet enim tortor at auctor.
Integer eget aliquet nibh praesent tristique.
Vitae congue eu consequat ac felis donec et odio.
Tristique et egestas quis ipsum suspendisse.
Suspendisse potenti nullam ac tortor vitae purus faucibus ornare.
Nulla facilisi etiam dignissim diam quis enim lobortis scelerisque.
Imperdiet proin fermentum leo vel orci.
```

```
In ante metus dictum at tempor commodo.
Nisi lacus sed viverra tellus in.
Quam vulputate dignissim suspendisse in.
Elit scelerisque mauris pellentesque pulvinar pellentesque habitant morbi tristique senectus.
Gravida cum sociis natoque penatibus et magnis dis parturient.
Risus quis varius quam quisque id diam.
Congue nisi vitae suscipit tellus mauris a diam maecenas.
Eget nunc scelerisque viverra mauris in aliquam sem fringilla.
Pharetra vel turpis nunc eget lorem dolor sed viverra.
Mattis pellentesque id nibh tortor id aliquet.
Purus non enim praesent elementum facilisis leo vel.
Etiam sit amet nisl purus in mollis nunc sed.
Tortor at auctor urna nunc id cursus metus aliquam.
Volutpat odio facilisis mauris sit amet.
Turpis egestas pretium aenean pharetra magna ac placerat.
Fermentum dui faucibus in ornare quam viverra orci sagittis eu.
Porttitor leo a diam sollicitudin tempor id eu.
Volutpat sed cras ornare arcu dui.
Ut aliquam purus sit amet luctus venenatis lectus magna.
Aliquet risus feugiat in ante metus dictum at.
Mattis nunc sed blandit libero.
Elit pellentesque habitant morbi tristique senectus et netus.
Nibh sit amet commodo nulla facilisi nullam vehicula ipsum a.
Enim sit amet venenatis urna cursus eget nunc scelerisque viverra.
Amet venenatis urna cursus eget nunc scelerisque viverra mauris in.
Diam donec adipiscing tristique risus nec feugiat.
Pulvinar mattis nunc sed blandit libero volutpat.
Cras fermentum odio eu feugiat pretium nibh ipsum.
In nulla posuere sollicitudin aliquam ultrices sagittis orci a.
Mauris pellentesque pulvinar pellentesque habitant morbi tristique senectus et.
A iaculis at erat pellentesque.
Morbi blandit cursus risus at ultrices mi tempus imperdiet nulla.
Eget lorem dolor sed viverra ipsum nunc.
Leo a diam sollicitudin tempor id eu.
Interdum consectetur libero id faucibus nisl tincidunt eget nullam non.";

        [Fact]
        public static void LinksBasedFrequencyStoredOptimalVariantSequenceTest()
        {
            using (var scope = new TempLinksTestScope(useSequences: false))
            {
                var links = scope.Links;
                var constants = links.Constants;

                links.UseUnicode();

                var sequence = UnicodeMap.FromStringToLinkArray(_sequenceExample);

                var meaningRoot = links.CreatePoint();
                var unaryOne = links.CreateAndUpdate(meaningRoot, constants.Itself);
                var frequencyMarker = links.CreateAndUpdate(meaningRoot, constants.Itself);
                var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot,
                    constants.Itself);

                var unaryNumberToAddressConverter = new
                    UnaryNumberToAddressAddOperationConverter<ulong>(links, unaryOne);
                var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links, unaryOne);
                var frequencyIncrementer = new FrequencyIncrementer<ulong>(links,
                    frequencyMarker, unaryOne, unaryNumberIncrementer);
                var frequencyPropertyOperator = new PropertyOperator<ulong>(links,
                    frequencyPropertyMarker, frequencyMarker);
                var index = new FrequencyIncrementingSequenceIndex<ulong>(links,
                    frequencyPropertyOperator, frequencyIncrementer);
                var linkToItsFrequencyNumberConverter = new
                    LinkToItsFrequencyNumberConveter<ulong>(links, frequencyPropertyOperator,
                    unaryNumberToAddressConverter);
                var sequenceToItsLocalElementLevelsConverter = new
                    SequenceToItsLocalElementLevelsConverter<ulong>(links,
                    linkToItsFrequencyNumberConverter);
                var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
                    sequenceToItsLocalElementLevelsConverter);

                var sequences = new Sequences.Sequences(links, new SequencesOptions<ulong>() {
                    Walker = new LeveledSequenceWalker<ulong>(links) });

                ExecuteTest(sequences, sequence, sequenceToItsLocalElementLevelsConverter,
                    index, optimalVariantConverter);
            }
        }

        [Fact]
```

```
110         public static void DictionaryBasedFrequencyStoredOptimalVariantSequenceTest()
111         {
112             using (var scope = new TempLinksTestScope(useSequences: false))
113             {
114                 var links = scope.Links;
115 
116                 links.UseUnicode();
117 
118                 var sequence = UnicodeMap.FromStringToLinkArray(_sequenceExample);
119 
120                 var totalSequenceSymbolFrequencyCounter = new
                    ↪  TotalSequenceSymbolFrequencyCounter<ulong>(links);
121 
122                 var linkFrequenciesCache = new LinkFrequenciesCache<ulong>(links,
                    ↪  totalSequenceSymbolFrequencyCounter);
123 
124                 var index = new
                    ↪  CachedFrequencyIncrementingSequenceIndex<ulong>(linkFrequenciesCache);
125                 var linkToItsFrequencyNumberConverter = new FrequenciesCacheBasedLinkToItsFreque
                    ↪  ncyNumberConverter<ulong>(linkFrequenciesCache);
126 
127                 var sequenceToItsLocalElementLevelsConverter = new
                    ↪  SequenceToItsLocalElementLevelsConverter<ulong>(links,
                    ↪  linkToItsFrequencyNumberConverter);
128                 var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
                    ↪  sequenceToItsLocalElementLevelsConverter);
129 
130                 var sequences = new Sequences.Sequences(links, new SequencesOptions<ulong>() {
                    ↪  Walker = new LeveledSequenceWalker<ulong>(links) });
131 
132                 ExecuteTest(sequences, sequence, sequenceToItsLocalElementLevelsConverter,
                    ↪  index, optimalVariantConverter);
133             }
134         }
135 
136         private static void ExecuteTest(Sequences.Sequences sequences, ulong[] sequence,
            ↪  SequenceToItsLocalElementLevelsConverter<ulong>
            ↪  sequenceToItsLocalElementLevelsConverter, ISequenceIndex<ulong> index,
            ↪  OptimalVariantConverter<ulong> optimalVariantConverter)
137         {
138             index.Add(sequence);
139 
140             var optimalVariant = optimalVariantConverter.Convert(sequence);
141 
142             var readSequence1 = sequences.ToList(optimalVariant);
143 
144             Assert.True(sequence.SequenceEqual(readSequence1));
145         }
146 
147         [Fact]
148         public static void SavedSequencesOptimizationTest()
149         {
150             LinksConstants<ulong> constants = new LinksConstants<ulong>((1, long.MaxValue),
                ↪  (long.MaxValue + 1UL, ulong.MaxValue));
151 
152             using (var memory = new HeapResizableDirectMemory())
153             using (var disposableLinks = new UInt64ResizableDirectMemoryLinks(memory,
                ↪  UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep, constants,
                ↪  useAvlBasedIndex: false))
154             {
155                 var links = new UInt64Links(disposableLinks);
156 
157                 var root = links.CreatePoint();
158 
159                 //var numberToAddressConverter = new RawNumberToAddressConverter<ulong>();
160                 var addressToNumberConverter = new AddressToRawNumberConverter<ulong>();
161 
162                 var unicodeSymbolMarker = links.GetOrCreate(root,
                    ↪  addressToNumberConverter.Convert(1));
163                 var unicodeSequenceMarker = links.GetOrCreate(root,
                    ↪  addressToNumberConverter.Convert(2));
164 
165                 var totalSequenceSymbolFrequencyCounter = new
                    ↪  TotalSequenceSymbolFrequencyCounter<ulong>(links);
166                 var linkFrequenciesCache = new LinkFrequenciesCache<ulong>(links,
                    ↪  totalSequenceSymbolFrequencyCounter);
167                 var index = new
                    ↪  CachedFrequencyIncrementingSequenceIndex<ulong>(linkFrequenciesCache);
```

```
                var linkToItsFrequencyNumberConverter = new FrequenciesCacheBasedLinkToItsFrequencyNumberConverter<ulong>(linkFrequenciesCache);
                var sequenceToItsLocalElementLevelsConverter = new SequenceToItsLocalElementLevelsConverter<ulong>(links, linkToItsFrequencyNumberConverter);
                var optimalVariantConverter = new OptimalVariantConverter<ulong>(links, sequenceToItsLocalElementLevelsConverter);

                var walker = new RightSequenceWalker<ulong>(links, new DefaultStack<ulong>(), (link) => constants.IsExternalReference(link) || links.IsPartialPoint(link));

                var unicodeSequencesOptions = new SequencesOptions<ulong>()
                {
                    UseSequenceMarker = true,
                    SequenceMarkerLink = unicodeSequenceMarker,
                    UseIndex = true,
                    Index = index,
                    LinksToSequenceConverter = optimalVariantConverter,
                    Walker = walker,
                    UseGarbageCollection = true
                };

                var unicodeSequences = new Sequences.Sequences(new SynchronizedLinks<ulong>(links), unicodeSequencesOptions);

                // Create some sequences
                var strings = _loremIpsumExample.Split(new[] { '\n', '\r' }, StringSplitOptions.RemoveEmptyEntries);
                var arrays = strings.Select(x => x.Select(y => addressToNumberConverter.Convert(y)).ToArray()).ToArray();
                for (int i = 0; i < arrays.Length; i++)
                {
                    unicodeSequences.Create(arrays[i].ShiftRight());
                }

                var linksCountAfterCreation = links.Count();

                // get list of sequences links
                // for each sequence link
                //   create new sequence version
                //   if new sequence is not the same as sequence link
                //     delete sequence link
                //     collect garbadge
                unicodeSequences.CompactAll();

                var linksCountAfterCompactification = links.Count();

                Assert.True(linksCountAfterCompactification < linksCountAfterCreation);
            }
        }
    }
}
```

1.107 ./Platform.Data.Doublets.Tests/ReadSequenceTests.cs

```
using System;
using System.Collections.Generic;
using System.Diagnostics;
using System.Linq;
using Xunit;
using Platform.Data.Sequences;
using Platform.Data.Doublets.Sequences.Converters;
using Platform.Data.Doublets.Sequences.Walkers;
using Platform.Data.Doublets.Sequences;

namespace Platform.Data.Doublets.Tests
{
    public static class ReadSequenceTests
    {
        [Fact]
        public static void ReadSequenceTest()
        {
            const long sequenceLength = 2000;

            using (var scope = new TempLinksTestScope(useSequences: false))
            {
                var links = scope.Links;
                var sequences = new Sequences.Sequences(links, new SequencesOptions<ulong> { Walker = new LeveledSequenceWalker<ulong>(links) });

                var sequence = new ulong[sequenceLength];
```

```
                for (var i = 0; i < sequenceLength; i++)
                {
                    sequence[i] = links.Create();
                }

                var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);

                var sw1 = Stopwatch.StartNew();
                var balancedVariant = balancedVariantConverter.Convert(sequence); sw1.Stop();

                var sw2 = Stopwatch.StartNew();
                var readSequence1 = sequences.ToList(balancedVariant); sw2.Stop();

                var sw3 = Stopwatch.StartNew();
                var readSequence2 = new List<ulong>();
                SequenceWalker.WalkRight(balancedVariant,
                                         links.GetSource,
                                         links.GetTarget,
                                         links.IsPartialPoint,
                                         readSequence2.Add);
                sw3.Stop();

                Assert.True(sequence.SequenceEqual(readSequence1));

                Assert.True(sequence.SequenceEqual(readSequence2));

                // Assert.True(sw2.Elapsed < sw3.Elapsed);

                Console.WriteLine($"Stack-based walker: {sw3.Elapsed}, Level-based reader:
                ↪ {sw2.Elapsed}");

                for (var i = 0; i < sequenceLength; i++)
                {
                    links.Delete(sequence[i]);
                }
            }
        }
    }
}
```

1.108 ./Platform.Data.Doublets.Tests/ResizableDirectMemoryLinksTests.cs

```
using System.IO;
using Xunit;
using Platform.Singletons;
using Platform.Memory;
using Platform.Data.Doublets.ResizableDirectMemory.Specific;

namespace Platform.Data.Doublets.Tests
{
    public static class ResizableDirectMemoryLinksTests
    {
        private static readonly LinksConstants<ulong> _constants =
        ↪ Default<LinksConstants<ulong>>.Instance;

        [Fact]
        public static void BasicFileMappedMemoryTest()
        {
            var tempFilename = Path.GetTempFileName();
            using (var memoryAdapter = new UInt64ResizableDirectMemoryLinks(tempFilename))
            {
                memoryAdapter.TestBasicMemoryOperations();
            }
            File.Delete(tempFilename);
        }

        [Fact]
        public static void BasicHeapMemoryTest()
        {
            using (var memory = new
            ↪ HeapResizableDirectMemory(UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
            using (var memoryAdapter = new UInt64ResizableDirectMemoryLinks(memory,
            ↪ UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
            {
                memoryAdapter.TestBasicMemoryOperations();
            }
        }

        private static void TestBasicMemoryOperations(this ILinks<ulong> memoryAdapter)
        {
```

```
            var link = memoryAdapter.Create();
            memoryAdapter.Delete(link);
        }

        [Fact]
        public static void NonexistentReferencesHeapMemoryTest()
        {
            using (var memory = new
            ↪  HeapResizableDirectMemory(UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
            using (var memoryAdapter = new UInt64ResizableDirectMemoryLinks(memory,
            ↪  UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
            {
                memoryAdapter.TestNonexistentReferences();
            }
        }

        private static void TestNonexistentReferences(this ILinks<ulong> memoryAdapter)
        {
            var link = memoryAdapter.Create();
            memoryAdapter.Update(link, ulong.MaxValue, ulong.MaxValue);
            var resultLink = _constants.Null;
            memoryAdapter.Each(foundLink =>
            {
                resultLink = foundLink[_constants.IndexPart];
                return _constants.Break;
            }, _constants.Any, ulong.MaxValue, ulong.MaxValue);
            Assert.True(resultLink == link);
            Assert.True(memoryAdapter.Count(ulong.MaxValue) == 0);
            memoryAdapter.Delete(link);
        }
    }
}
```

1.109 ./Platform.Data.Doublets.Tests/ScopeTests.cs

```
using Xunit;
using Platform.Scopes;
using Platform.Memory;
using Platform.Data.Doublets.Decorators;
using Platform.Reflection;
using Platform.Data.Doublets.ResizableDirectMemory.Generic;
using Platform.Data.Doublets.ResizableDirectMemory.Specific;

namespace Platform.Data.Doublets.Tests
{
    public static class ScopeTests
    {
        [Fact]
        public static void SingleDependencyTest()
        {
            using (var scope = new Scope())
            {
                scope.IncludeAssemblyOf<IMemory>();
                var instance = scope.Use<IDirectMemory>();
                Assert.IsType<HeapResizableDirectMemory>(instance);
            }
        }

        [Fact]
        public static void CascadeDependencyTest()
        {
            using (var scope = new Scope())
            {
                scope.Include<TemporaryFileMappedResizableDirectMemory>();
                scope.Include<UInt64ResizableDirectMemoryLinks>();
                var instance = scope.Use<ILinks<ulong>>();
                Assert.IsType<UInt64ResizableDirectMemoryLinks>(instance);
            }
        }

        [Fact]
        public static void FullAutoResolutionTest()
        {
            using (var scope = new Scope(autoInclude: true, autoExplore: true))
            {
                var instance = scope.Use<UInt64Links>();
                Assert.IsType<UInt64Links>(instance);
            }
        }

```

```
46          [Fact]
47          public static void TypeParametersTest()
48          {
49              using (var scope = new Scope<Types<HeapResizableDirectMemory,
                ↪  ResizableDirectMemoryLinks<ulong>>>())
50              {
51                  var links = scope.Use<ILinks<ulong>>();
52                  Assert.IsType<ResizableDirectMemoryLinks<ulong>>(links);
53              }
54          }
55      }
56  }
```

1.110 ./Platform.Data.Doublets.Tests/SequencesTests.cs

```
1   using System;
2   using System.Collections.Generic;
3   using System.Diagnostics;
4   using System.Linq;
5   using Xunit;
6   using Platform.Collections;
7   using Platform.Collections.Arrays;
8   using Platform.Random;
9   using Platform.IO;
10  using Platform.Singletons;
11  using Platform.Data.Doublets.Sequences;
12  using Platform.Data.Doublets.Sequences.Frequencies.Cache;
13  using Platform.Data.Doublets.Sequences.Frequencies.Counters;
14  using Platform.Data.Doublets.Sequences.Converters;
15  using Platform.Data.Doublets.Unicode;
16
17  namespace Platform.Data.Doublets.Tests
18  {
19      public static class SequencesTests
20      {
21          private static readonly LinksConstants<ulong> _constants =
            ↪  Default<LinksConstants<ulong>>.Instance;
22
23          static SequencesTests()
24          {
25              // Trigger static constructor to not mess with perfomance measurements
26              _ = BitString.GetBitMaskFromIndex(1);
27          }
28
29          [Fact]
30          public static void CreateAllVariantsTest()
31          {
32              const long sequenceLength = 8;
33
34              using (var scope = new TempLinksTestScope(useSequences: true))
35              {
36                  var links = scope.Links;
37                  var sequences = scope.Sequences;
38
39                  var sequence = new ulong[sequenceLength];
40                  for (var i = 0; i < sequenceLength; i++)
41                  {
42                      sequence[i] = links.Create();
43                  }
44
45                  var sw1 = Stopwatch.StartNew();
46                  var results1 = sequences.CreateAllVariants1(sequence); sw1.Stop();
47
48                  var sw2 = Stopwatch.StartNew();
49                  var results2 = sequences.CreateAllVariants2(sequence); sw2.Stop();
50
51                  Assert.True(results1.Count > results2.Length);
52                  Assert.True(sw1.Elapsed > sw2.Elapsed);
53
54                  for (var i = 0; i < sequenceLength; i++)
55                  {
56                      links.Delete(sequence[i]);
57                  }
58
59                  Assert.True(links.Count() == 0);
60              }
61          }
62
63          //[Fact]
64          //public void CUDTest()
65          //{
```

```
66          //    var tempFilename = Path.GetTempFileName();
67
68          //    const long sequenceLength = 8;
69
70          //    const ulong itself = LinksConstants.Itself;
71
72          //    using (var memoryAdapter = new ResizableDirectMemoryLinks(tempFilename,
            ↪  DefaultLinksSizeStep))
73          //    using (var links = new Links(memoryAdapter))
74          //    {
75          //        var sequence = new ulong[sequenceLength];
76          //        for (var i = 0; i < sequenceLength; i++)
77          //            sequence[i] = links.Create(itself, itself);
78
79          //        SequencesOptions o = new SequencesOptions();
80
81          // TODO: Из числа в bool значения o.UseSequenceMarker = ((value & 1) != 0)
82          //        o.
83
84          //        var sequences = new Sequences(links);
85
86          //        var sw1 = Stopwatch.StartNew();
87          //        var results1 = sequences.CreateAllVariants1(sequence); sw1.Stop();
88
89          //        var sw2 = Stopwatch.StartNew();
90          //        var results2 = sequences.CreateAllVariants2(sequence); sw2.Stop();
91
92          //        Assert.True(results1.Count > results2.Length);
93          //        Assert.True(sw1.Elapsed > sw2.Elapsed);
94
95          //        for (var i = 0; i < sequenceLength; i++)
96          //            links.Delete(sequence[i]);
97          //    }
98
99          //    File.Delete(tempFilename);
100         //}
101
102         [Fact]
103         public static void AllVariantsSearchTest()
104         {
105             const long sequenceLength = 8;
106
107             using (var scope = new TempLinksTestScope(useSequences: true))
108             {
109                 var links = scope.Links;
110                 var sequences = scope.Sequences;
111
112                 var sequence = new ulong[sequenceLength];
113                 for (var i = 0; i < sequenceLength; i++)
114                 {
115                     sequence[i] = links.Create();
116                 }
117
118                 var createResults = sequences.CreateAllVariants2(sequence).Distinct().ToArray();
119
120                 //for (int i = 0; i < createResults.Length; i++)
121                 //    sequences.Create(createResults[i]);
122
123                 var sw0 = Stopwatch.StartNew();
124                 var searchResults0 = sequences.GetAllMatchingSequences0(sequence); sw0.Stop();
125
126                 var sw1 = Stopwatch.StartNew();
127                 var searchResults1 = sequences.GetAllMatchingSequences1(sequence); sw1.Stop();
128
129                 var sw2 = Stopwatch.StartNew();
130                 var searchResults2 = sequences.Each1(sequence); sw2.Stop();
131
132                 var sw3 = Stopwatch.StartNew();
133                 var searchResults3 = sequences.Each(sequence.ShiftRight()); sw3.Stop();
134
135                 var intersection0 = createResults.Intersect(searchResults0).ToList();
136                 Assert.True(intersection0.Count == searchResults0.Count);
137                 Assert.True(intersection0.Count == createResults.Length);
138
139                 var intersection1 = createResults.Intersect(searchResults1).ToList();
140                 Assert.True(intersection1.Count == searchResults1.Count);
141                 Assert.True(intersection1.Count == createResults.Length);
142
143                 var intersection2 = createResults.Intersect(searchResults2).ToList();
144                 Assert.True(intersection2.Count == searchResults2.Count);
```

```
145                 Assert.True(intersection2.Count == createResults.Length);
146
147                 var intersection3 = createResults.Intersect(searchResults3).ToList();
148                 Assert.True(intersection3.Count == searchResults3.Count);
149                 Assert.True(intersection3.Count == createResults.Length);
150
151                 for (var i = 0; i < sequenceLength; i++)
152                 {
153                     links.Delete(sequence[i]);
154                 }
155             }
156         }
157
158         [Fact]
159         public static void BalancedVariantSearchTest()
160         {
161             const long sequenceLength = 200;
162
163             using (var scope = new TempLinksTestScope(useSequences: true))
164             {
165                 var links = scope.Links;
166                 var sequences = scope.Sequences;
167
168                 var sequence = new ulong[sequenceLength];
169                 for (var i = 0; i < sequenceLength; i++)
170                 {
171                     sequence[i] = links.Create();
172                 }
173
174                 var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
175
176                 var sw1 = Stopwatch.StartNew();
177                 var balancedVariant = balancedVariantConverter.Convert(sequence); sw1.Stop();
178
179                 var sw2 = Stopwatch.StartNew();
180                 var searchResults2 = sequences.GetAllMatchingSequences0(sequence); sw2.Stop();
181
182                 var sw3 = Stopwatch.StartNew();
183                 var searchResults3 = sequences.GetAllMatchingSequences1(sequence); sw3.Stop();
184
185                 // На количестве в 200 элементов это будет занимать вечность
186                 //var sw4 = Stopwatch.StartNew();
187                 //var searchResults4 = sequences.Each(sequence); sw4.Stop();
188
189                 Assert.True(searchResults2.Count == 1 && balancedVariant == searchResults2[0]);
190
191                 Assert.True(searchResults3.Count == 1 && balancedVariant ==
                    ↪ searchResults3.First());
192
193                 //Assert.True(sw1.Elapsed < sw2.Elapsed);
194
195                 for (var i = 0; i < sequenceLength; i++)
196                 {
197                     links.Delete(sequence[i]);
198                 }
199             }
200         }
201
202         [Fact]
203         public static void AllPartialVariantsSearchTest()
204         {
205             const long sequenceLength = 8;
206
207             using (var scope = new TempLinksTestScope(useSequences: true))
208             {
209                 var links = scope.Links;
210                 var sequences = scope.Sequences;
211
212                 var sequence = new ulong[sequenceLength];
213                 for (var i = 0; i < sequenceLength; i++)
214                 {
215                     sequence[i] = links.Create();
216                 }
217
218                 var createResults = sequences.CreateAllVariants2(sequence);
219
220                 //var createResultsStrings = createResults.Select(x => x + ": " +
                    ↪ sequences.FormatSequence(x)).ToList();
221                 //Global.Trash = createResultsStrings;
222
```

```
223                 var partialSequence = new ulong[sequenceLength - 2];
224
225                 Array.Copy(sequence, 1, partialSequence, 0, (int)sequenceLength - 2);
226
227                 var sw1 = Stopwatch.StartNew();
228                 var searchResults1 =
                    ↪ sequences.GetAllPartiallyMatchingSequences0(partialSequence); sw1.Stop();
229
230                 var sw2 = Stopwatch.StartNew();
231                 var searchResults2 =
                    ↪ sequences.GetAllPartiallyMatchingSequences1(partialSequence); sw2.Stop();
232
233                 //var sw3 = Stopwatch.StartNew();
234                 //var searchResults3 =
                    ↪ sequences.GetAllPartiallyMatchingSequences2(partialSequence); sw3.Stop();
235
236                 var sw4 = Stopwatch.StartNew();
237                 var searchResults4 =
                    ↪ sequences.GetAllPartiallyMatchingSequences3(partialSequence); sw4.Stop();
238
239                 //Global.Trash = searchResults3;
240
241                 //var searchResults1Strings = searchResults1.Select(x => x + ": " +
                    ↪ sequences.FormatSequence(x)).ToList();
242                 //Global.Trash = searchResults1Strings;
243
244                 var intersection1 = createResults.Intersect(searchResults1).ToList();
245                 Assert.True(intersection1.Count == createResults.Length);
246
247                 var intersection2 = createResults.Intersect(searchResults2).ToList();
248                 Assert.True(intersection2.Count == createResults.Length);
249
250                 var intersection4 = createResults.Intersect(searchResults4).ToList();
251                 Assert.True(intersection4.Count == createResults.Length);
252
253                 for (var i = 0; i < sequenceLength; i++)
254                 {
255                     links.Delete(sequence[i]);
256                 }
257             }
258         }
259
260         [Fact]
261         public static void BalancedPartialVariantsSearchTest()
262         {
263             const long sequenceLength = 200;
264
265             using (var scope = new TempLinksTestScope(useSequences: true))
266             {
267                 var links = scope.Links;
268                 var sequences = scope.Sequences;
269
270                 var sequence = new ulong[sequenceLength];
271                 for (var i = 0; i < sequenceLength; i++)
272                 {
273                     sequence[i] = links.Create();
274                 }
275
276                 var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
277
278                 var balancedVariant = balancedVariantConverter.Convert(sequence);
279
280                 var partialSequence = new ulong[sequenceLength - 2];
281
282                 Array.Copy(sequence, 1, partialSequence, 0, (int)sequenceLength - 2);
283
284                 var sw1 = Stopwatch.StartNew();
285                 var searchResults1 =
                    ↪ sequences.GetAllPartiallyMatchingSequences0(partialSequence); sw1.Stop();
286
287                 var sw2 = Stopwatch.StartNew();
288                 var searchResults2 =
                    ↪ sequences.GetAllPartiallyMatchingSequences1(partialSequence); sw2.Stop();
289
290                 Assert.True(searchResults1.Count == 1 && balancedVariant == searchResults1[0]);
291
292                 Assert.True(searchResults2.Count == 1 && balancedVariant ==
                    ↪ searchResults2.First());
293
294                 for (var i = 0; i < sequenceLength; i++)
```

```
            {
                links.Delete(sequence[i]);
            }
        }
    }

    [Fact(Skip = "Correct implementation is pending")]
    public static void PatternMatchTest()
    {
        var zeroOrMany = Sequences.Sequences.ZeroOrMany;

        using (var scope = new TempLinksTestScope(useSequences: true))
        {
            var links = scope.Links;
            var sequences = scope.Sequences;

            var e1 = links.Create();
            var e2 = links.Create();

            var sequence = new[]
            {
                e1, e2, e1, e2 // mama / papa
            };

            var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);

            var balancedVariant = balancedVariantConverter.Convert(sequence);

            // 1: [1]
            // 2: [2]
            // 3: [1,2]
            // 4: [1,2,1,2]

            var doublet = links.GetSource(balancedVariant);

            var matchedSequences1 = sequences.MatchPattern(e2, e1, zeroOrMany);

            Assert.True(matchedSequences1.Count == 0);

            var matchedSequences2 = sequences.MatchPattern(zeroOrMany, e2, e1);

            Assert.True(matchedSequences2.Count == 0);

            var matchedSequences3 = sequences.MatchPattern(e1, zeroOrMany, e1);

            Assert.True(matchedSequences3.Count == 0);

            var matchedSequences4 = sequences.MatchPattern(e1, zeroOrMany, e2);

            Assert.Contains(doublet, matchedSequences4);
            Assert.Contains(balancedVariant, matchedSequences4);

            for (var i = 0; i < sequence.Length; i++)
            {
                links.Delete(sequence[i]);
            }
        }
    }

    [Fact]
    public static void IndexTest()
    {
        using (var scope = new TempLinksTestScope(new SequencesOptions<ulong> { UseIndex =
        ↪  true }, useSequences: true))
        {
            var links = scope.Links;
            var sequences = scope.Sequences;
            var index = sequences.Options.Index;

            var e1 = links.Create();
            var e2 = links.Create();

            var sequence = new[]
            {
                e1, e2, e1, e2 // mama / papa
            };

            Assert.False(index.MightContain(sequence));

            index.Add(sequence);
```

```
                Assert.True(index.MightContain(sequence));
            }
        }

        /// <summary>Imported from https://raw.githubusercontent.com/wiki/Konard/LinksPlatform/%D0%9E-%D1%82%D0%BE%D0%BC%2C-%D0%BA%D0%B0%D0%BA-%D0%B2%D1%81%D1%91-%D0%BD%D0%B0%D1%87%D0%B8%D0%BD%D0%B0%D0%BB%D0%BE%D1%81%D1%8C.md</summary>
        private static readonly string _exampleText =
            @"([english version](https://github.com/Konard/LinksPlatform/wiki/About-the-beginning))

Обозначение пустоты, какое оно? Темнота ли это? Там где отсутствие света, отсутствие фотонов (носителей света)? Или это то, что полностью отражает свет? Пустой белый лист бумаги? Там где есть место для нового начала? Разве пустота это не характеристика пространства? Пространство это то, что можно чем-то наполнить?

[![чёрное пространство, белое пространство](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/1.png ""чёрное пространство, белое пространство"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/1.png)

Что может быть минимальным рисунком, образом, графикой? Может быть это точка? Это ли простейшая форма? Но есть ли у точки размер? Цвет? Масса? Координаты? Время существования?

[![чёрное пространство, чёрная точка](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/2.png ""чёрное пространство, чёрная точка"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/2.png)

А что если повторить? Сделать копию? Создать дубликат? Из одного сделать два? Может это быть так? Инверсия? Отражение? Сумма?

[![белая точка, чёрная точка](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/3.png ""белая точка, чёрная точка"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/3.png)

А что если мы вообразим движение? Нужно ли время? Каким самым коротким будет путь? Что будет если этот путь зафиксировать? Запомнить след? Как две точки становятся линией? Чертой? Гранью? Разделителем? Единицей?

[![две белые точки, чёрная вертикальная линия](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/4.png ""две белые точки, чёрная вертикальная линия"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/4.png)

Можно ли замкнуть движение? Может ли это быть кругом? Можно ли замкнуть время? Или остаётся только спираль? Но что если замкнуть предел? Создать ограничение, разделение? Получится замкнутая область? Полностью отделённая от всего остального? Но что это всё остальное? Что можно делить? В каком направлении? Ничего или всё? Пустота или полнота? Начало или конец? Или может быть это единица и ноль? Дуальность? Противоположность? А что будет с кругом если у него нет размера? Будет ли круг точкой? Точка состоящая из точек?

[![белая вертикальная линия, чёрный круг](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/5.png ""белая вертикальная линия, чёрный круг"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/5.png)

Как ещё можно использовать грань, черту, линию? А что если она может что-то соединять, может тогда её нужно повернуть? Почему то, что перпендикулярно вертикальному горизонтально? Горизонт? Инвертирует ли это смысл? Что такое смысл? Из чего состоит смысл? Существует ли элементарная единица смысла?

[![белый круг, чёрная горизонтальная линия](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/6.png ""белый круг, чёрная горизонтальная линия"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/6.png)

Соединять, допустим, а какой смысл в этом есть ещё? Что если помимо смысла ""соединить, связать"", есть ещё и смысл направления ""от начала к концу""? От предка к потомку? От родителя к ребёнку? От общего к частному?

[![белая горизонтальная линия, чёрная горизонтальная стрелка](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/7.png ""белая горизонтальная линия, чёрная горизонтальная стрелка"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/7.png)
```

```
Шаг назад. Возьмём опять отделённую область, которая лишь та же замкнутая линия, что ещё она может представлять собой? Объект? Но в чём его суть? Разве не в том, что у него есть граница, разделяющая внутреннее и внешнее? Допустим связь, стрелка, линия соединяет два объекта, как бы это выглядело?

[![белая связь, чёрная направленная связь](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/8.png ""белая связь, чёрная направленная связь"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/8.png)

Допустим у нас есть смысл ""связать"" и смысл ""направления"", много ли это нам даёт? Много ли вариантов интерпретации? А что если уточнить, каким именно образом выполнена связь? Что если можно задать ей чёткий, конкретный смысл? Что это будет? Тип? Глагол? Связка? Действие? Трансформация? Переход из состояния в состояние? Или всё это и есть объект, суть которого в его конечном состоянии, если конечно конец определён направлением?

[![белая обычная и направленная связи, чёрная типизированная связь](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/9.png ""белая обычная и направленная связи, чёрная типизированная связь"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/9.png)

А что если всё это время, мы смотрели на суть как бы снаружи? Можно ли взглянуть на это изнутри? Что будет внутри объектов? Объекты ли это? Или это связи? Может ли эта структура описать сама себя? Но что тогда получится, разве это не рекурсия? Может это фрактал?

[![белая обычная и направленная связи с рекурсивной внутренней структурой, чёрная типизированная связь с рекурсивной внутренней структурой](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/10.png ""белая обычная и направленная связи с рекурсивной внутренней структурой, чёрная типизированная связь с рекурсивной внутренней структурой"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/10.png)

На один уровень внутрь (вниз)? Или на один уровень во вне (вверх)? Или это можно назвать шагом рекурсии или фрактала?

[![белая обычная и направленная связи с двойной рекурсивной внутренней структурой, чёрная типизированная связь с двойной рекурсивной внутренней структурой](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/11.png ""белая обычная и направленная связи с двойной рекурсивной внутренней структурой, чёрная типизированная связь с двойной рекурсивной внутренней структурой"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/11.png)

Последовательность? Массив? Список? Множество? Объект? Таблица? Элементы? Цвета? Символы? Буквы? Слово? Цифры? Число? Алфавит? Дерево? Сеть? Граф? Гиперграф?

[![белая обычная и направленная связи со структурой из 8 цветных элементов последовательности, чёрная типизированная связь со структурой из 8 цветных элементов последовательности](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/12.png ""белая обычная и направленная связи со структурой из 8 цветных элементов последовательности, чёрная типизированная связь со структурой из 8 цветных элементов последовательности"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/12.png)

...

[![анимация](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/intro-animation-500.gif ""анимация"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/intro-animation-500.gif)";

        private static readonly string _exampleLoremIpsumText =
            @"Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.";

        [Fact]
        public static void CompressionTest()
        {
            using (var scope = new TempLinksTestScope(useSequences: true))
            {
                var links = scope.Links;
                var sequences = scope.Sequences;

                var e1 = links.Create();
                var e2 = links.Create();

                var sequence = new[]
                {
                    e1, e2, e1, e2 // mama / papa / template [(m/p), a] { [1] [2] [1] [2] }
```

```
453                 };
454
455                 var balancedVariantConverter = new BalancedVariantConverter<ulong>(links.Unsync);
456                 var totalSequenceSymbolFrequencyCounter = new
                    ↪  TotalSequenceSymbolFrequencyCounter<ulong>(links.Unsync);
457                 var doubletFrequenciesCache = new LinkFrequenciesCache<ulong>(links.Unsync,
                    ↪  totalSequenceSymbolFrequencyCounter);
458                 var compressingConverter = new CompressingConverter<ulong>(links.Unsync,
                    ↪  balancedVariantConverter, doubletFrequenciesCache);
459
460                 var compressedVariant = compressingConverter.Convert(sequence);
461
462                 // 1: [1]       (1->1) point
463                 // 2: [2]       (2->2) point
464                 // 3: [1,2]     (1->2) doublet
465                 // 4: [1,2,1,2] (3->3) doublet
466
467                 Assert.True(links.GetSource(links.GetSource(compressedVariant)) == sequence[0]);
468                 Assert.True(links.GetTarget(links.GetSource(compressedVariant)) == sequence[1]);
469                 Assert.True(links.GetSource(links.GetTarget(compressedVariant)) == sequence[2]);
470                 Assert.True(links.GetTarget(links.GetTarget(compressedVariant)) == sequence[3]);
471
472                 var source = _constants.SourcePart;
473                 var target = _constants.TargetPart;
474
475                 Assert.True(links.GetByKeys(compressedVariant, source, source) == sequence[0]);
476                 Assert.True(links.GetByKeys(compressedVariant, source, target) == sequence[1]);
477                 Assert.True(links.GetByKeys(compressedVariant, target, source) == sequence[2]);
478                 Assert.True(links.GetByKeys(compressedVariant, target, target) == sequence[3]);
479
480                 // 4 - length of sequence
481                 Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 0)
                    ↪  == sequence[0]);
482                 Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 1)
                    ↪  == sequence[1]);
483                 Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 2)
                    ↪  == sequence[2]);
484                 Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 3)
                    ↪  == sequence[3]);
485             }
486         }
487
488         [Fact]
489         public static void CompressionEfficiencyTest()
490         {
491             var strings = _exampleLoremIpsumText.Split(new[] { '\n', '\r' },
                ↪  StringSplitOptions.RemoveEmptyEntries);
492             var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
493             var totalCharacters = arrays.Select(x => x.Length).Sum();
494
495             using (var scope1 = new TempLinksTestScope(useSequences: true))
496             using (var scope2 = new TempLinksTestScope(useSequences: true))
497             using (var scope3 = new TempLinksTestScope(useSequences: true))
498             {
499                 scope1.Links.Unsync.UseUnicode();
500                 scope2.Links.Unsync.UseUnicode();
501                 scope3.Links.Unsync.UseUnicode();
502
503                 var balancedVariantConverter1 = new
                    ↪  BalancedVariantConverter<ulong>(scope1.Links.Unsync);
504                 var totalSequenceSymbolFrequencyCounter = new
                    ↪  TotalSequenceSymbolFrequencyCounter<ulong>(scope1.Links.Unsync);
505                 var linkFrequenciesCache1 = new LinkFrequenciesCache<ulong>(scope1.Links.Unsync,
                    ↪  totalSequenceSymbolFrequencyCounter);
506                 var compressor1 = new CompressingConverter<ulong>(scope1.Links.Unsync,
                    ↪  balancedVariantConverter1, linkFrequenciesCache1,
                    ↪  doInitialFrequenciesIncrement: false);
507
508                 //var compressor2 = scope2.Sequences;
509                 var compressor3 = scope3.Sequences;
510
511                 var constants = Default<LinksConstants<ulong>>.Instance;
512
513                 var sequences = compressor3;
514                 //var meaningRoot = links.CreatePoint();
515                 //var unaryOne = links.CreateAndUpdate(meaningRoot, constants.Itself);
516                 //var frequencyMarker = links.CreateAndUpdate(meaningRoot, constants.Itself);
```

```
517                 //var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot,
                    ↪  constants.Itself);
518
519                 //var unaryNumberToAddressConverter = new
                    ↪  UnaryNumberToAddressAddOperationConverter<ulong>(links, unaryOne);
520                 //var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links,
                    ↪  unaryOne);
521                 //var frequencyIncrementer = new FrequencyIncrementer<ulong>(links,
                    ↪  frequencyMarker, unaryOne, unaryNumberIncrementer);
522                 //var frequencyPropertyOperator = new FrequencyPropertyOperator<ulong>(links,
                    ↪  frequencyPropertyMarker, frequencyMarker);
523                 //var linkFrequencyIncrementer = new LinkFrequencyIncrementer<ulong>(links,
                    ↪  frequencyPropertyOperator, frequencyIncrementer);
524                 //var linkToItsFrequencyNumberConverter = new
                    ↪  LinkToItsFrequencyNumberConveter<ulong>(links, frequencyPropertyOperator,
                    ↪  unaryNumberToAddressConverter);
525
526                 var linkFrequenciesCache3 = new LinkFrequenciesCache<ulong>(scope3.Links.Unsync,
                    ↪  totalSequenceSymbolFrequencyCounter);
527
528                 var linkToItsFrequencyNumberConverter = new FrequenciesCacheBasedLinkToItsFreque
                    ↪  ncyNumberConverter<ulong>(linkFrequenciesCache3);
529
530                 var sequenceToItsLocalElementLevelsConverter = new
                    ↪  SequenceToItsLocalElementLevelsConverter<ulong>(scope3.Links.Unsync,
                    ↪  linkToItsFrequencyNumberConverter);
531                 var optimalVariantConverter = new
                    ↪  OptimalVariantConverter<ulong>(scope3.Links.Unsync,
                    ↪  sequenceToItsLocalElementLevelsConverter);
532
533                 var compressed1 = new ulong[arrays.Length];
534                 var compressed2 = new ulong[arrays.Length];
535                 var compressed3 = new ulong[arrays.Length];
536
537                 var START = 0;
538                 var END = arrays.Length;
539
540                 //for (int i = START; i < END; i++)
541                 //    linkFrequenciesCache1.IncrementFrequencies(arrays[i]);
542
543                 var initialCount1 = scope2.Links.Unsync.Count();
544
545                 var sw1 = Stopwatch.StartNew();
546
547                 for (int i = START; i < END; i++)
548                 {
549                     linkFrequenciesCache1.IncrementFrequencies(arrays[i]);
550                     compressed1[i] = compressor1.Convert(arrays[i]);
551                 }
552
553                 var elapsed1 = sw1.Elapsed;
554
555                 var balancedVariantConverter2 = new
                    ↪  BalancedVariantConverter<ulong>(scope2.Links.Unsync);
556
557                 var initialCount2 = scope2.Links.Unsync.Count();
558
559                 var sw2 = Stopwatch.StartNew();
560
561                 for (int i = START; i < END; i++)
562                 {
563                     compressed2[i] = balancedVariantConverter2.Convert(arrays[i]);
564                 }
565
566                 var elapsed2 = sw2.Elapsed;
567
568                 for (int i = START; i < END; i++)
569                 {
570                     linkFrequenciesCache3.IncrementFrequencies(arrays[i]);
571                 }
572
573                 var initialCount3 = scope3.Links.Unsync.Count();
574
575                 var sw3 = Stopwatch.StartNew();
576
577                 for (int i = START; i < END; i++)
578                 {
579                     //linkFrequenciesCache3.IncrementFrequencies(arrays[i]);
580                     compressed3[i] = optimalVariantConverter.Convert(arrays[i]);
```

```
                }

                var elapsed3 = sw3.Elapsed;

                Console.WriteLine($"Compressor: {elapsed1}, Balanced variant: {elapsed2},
                ↪  Optimal variant: {elapsed3}");

                // Assert.True(elapsed1 > elapsed2);

                // Checks
                for (int i = START; i < END; i++)
                {
                    var sequence1 = compressed1[i];
                    var sequence2 = compressed2[i];
                    var sequence3 = compressed3[i];

                    var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
                    ↪  scope1.Links.Unsync);

                    var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
                    ↪  scope2.Links.Unsync);

                    var decompress3 = UnicodeMap.FromSequenceLinkToString(sequence3,
                    ↪  scope3.Links.Unsync);

                    var structure1 = scope1.Links.Unsync.FormatStructure(sequence1, link =>
                    ↪  link.IsPartialPoint());
                    var structure2 = scope2.Links.Unsync.FormatStructure(sequence2, link =>
                    ↪  link.IsPartialPoint());
                    var structure3 = scope3.Links.Unsync.FormatStructure(sequence3, link =>
                    ↪  link.IsPartialPoint());

                    //if (sequence1 != Constants.Null && sequence2 != Constants.Null &&
                    ↪  arrays[i].Length > 3)
                    //    Assert.False(structure1 == structure2);
                    //if (sequence3 != Constants.Null && sequence2 != Constants.Null &&
                    ↪  arrays[i].Length > 3)
                    //    Assert.False(structure3 == structure2);

                    Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
                    Assert.True(strings[i] == decompress3 && decompress3 == decompress2);
                }

                Assert.True((int)(scope1.Links.Unsync.Count() - initialCount1) <
                ↪  totalCharacters);
                Assert.True((int)(scope2.Links.Unsync.Count() - initialCount2) <
                ↪  totalCharacters);
                Assert.True((int)(scope3.Links.Unsync.Count() - initialCount3) <
                ↪  totalCharacters);

                Console.WriteLine($"{(double)(scope1.Links.Unsync.Count() - initialCount1) /
                ↪  totalCharacters} | {(double)(scope2.Links.Unsync.Count() - initialCount2) /
                ↪  totalCharacters} | {(double)(scope3.Links.Unsync.Count() - initialCount3) /
                ↪  totalCharacters}");

                Assert.True(scope1.Links.Unsync.Count() - initialCount1 <
                ↪  scope2.Links.Unsync.Count() - initialCount2);
                Assert.True(scope3.Links.Unsync.Count() - initialCount3 <
                ↪  scope2.Links.Unsync.Count() - initialCount2);

                var duplicateProvider1 = new
                ↪  DuplicateSegmentsProvider<ulong>(scope1.Links.Unsync, scope1.Sequences);
                var duplicateProvider2 = new
                ↪  DuplicateSegmentsProvider<ulong>(scope2.Links.Unsync, scope2.Sequences);
                var duplicateProvider3 = new
                ↪  DuplicateSegmentsProvider<ulong>(scope3.Links.Unsync, scope3.Sequences);

                var duplicateCounter1 = new DuplicateSegmentsCounter<ulong>(duplicateProvider1);
                var duplicateCounter2 = new DuplicateSegmentsCounter<ulong>(duplicateProvider2);
                var duplicateCounter3 = new DuplicateSegmentsCounter<ulong>(duplicateProvider3);

                var duplicates1 = duplicateCounter1.Count();

                ConsoleHelpers.Debug("------");

                var duplicates2 = duplicateCounter2.Count();

                ConsoleHelpers.Debug("------");
```

```
639
640                 var duplicates3 = duplicateCounter3.Count();
641
642                 Console.WriteLine($"{duplicates1} | {duplicates2} | {duplicates3}");
643
644                 linkFrequenciesCache1.ValidateFrequencies();
645                 linkFrequenciesCache3.ValidateFrequencies();
646             }
647         }
648
649         [Fact]
650         public static void CompressionStabilityTest()
651         {
652             // TODO: Fix bug (do a separate test)
653             //const ulong minNumbers = 0;
654             //const ulong maxNumbers = 1000;
655
656             const ulong minNumbers = 10000;
657             const ulong maxNumbers = 12500;
658
659             var strings = new List<string>();
660
661             for (ulong i = minNumbers; i < maxNumbers; i++)
662             {
663                 strings.Add(i.ToString());
664             }
665
666             var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
667             var totalCharacters = arrays.Select(x => x.Length).Sum();
668
669             using (var scope1 = new TempLinksTestScope(useSequences: true, sequencesOptions: new
                 ↪ SequencesOptions<ulong> { UseCompression = true,
                 ↪ EnforceSingleSequenceVersionOnWriteBasedOnExisting = true }))
670             using (var scope2 = new TempLinksTestScope(useSequences: true))
671             {
672                 scope1.Links.UseUnicode();
673                 scope2.Links.UseUnicode();
674
675                 //var compressor1 = new Compressor(scope1.Links.Unsync, scope1.Sequences);
676                 var compressor1 = scope1.Sequences;
677                 var compressor2 = scope2.Sequences;
678
679                 var compressed1 = new ulong[arrays.Length];
680                 var compressed2 = new ulong[arrays.Length];
681
682                 var sw1 = Stopwatch.StartNew();
683
684                 var START = 0;
685                 var END = arrays.Length;
686
687                 // Collisions proved (cannot be solved by max doublet comparison, no stable rule)
688                 // Stability issue starts at 10001 or 11000
689                 //for (int i = START; i < END; i++)
690                 //{
691                 //    var first = compressor1.Compress(arrays[i]);
692                 //    var second = compressor1.Compress(arrays[i]);
693
694                 //    if (first == second)
695                 //        compressed1[i] = first;
696                 //    else
697                 //    {
698                 //        // TODO: Find a solution for this case
699                 //    }
700                 //}
701
702                 for (int i = START; i < END; i++)
703                 {
704                     var first = compressor1.Create(arrays[i].ShiftRight());
705                     var second = compressor1.Create(arrays[i].ShiftRight());
706
707                     if (first == second)
708                     {
709                         compressed1[i] = first;
710                     }
711                     else
712                     {
713                         // TODO: Find a solution for this case
714                     }
715                 }
```

```
716
717                 var elapsed1 = sw1.Elapsed;
718
719                 var balancedVariantConverter = new BalancedVariantConverter<ulong>(scope2.Links);
720
721                 var sw2 = Stopwatch.StartNew();
722
723                 for (int i = START; i < END; i++)
724                 {
725                     var first = balancedVariantConverter.Convert(arrays[i]);
726                     var second = balancedVariantConverter.Convert(arrays[i]);
727
728                     if (first == second)
729                     {
730                         compressed2[i] = first;
731                     }
732                 }
733
734                 var elapsed2 = sw2.Elapsed;
735
736                 Debug.WriteLine($"Compressor: {elapsed1}, Balanced sequence creator:
                    {elapsed2}");
737
738                 Assert.True(elapsed1 > elapsed2);
739
740                 // Checks
741                 for (int i = START; i < END; i++)
742                 {
743                     var sequence1 = compressed1[i];
744                     var sequence2 = compressed2[i];
745
746                     if (sequence1 != _constants.Null && sequence2 != _constants.Null)
747                     {
748                         var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
                            scope1.Links);
749
750                         var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
                            scope2.Links);
751
752                         //var structure1 = scope1.Links.FormatStructure(sequence1, link =>
                            link.IsPartialPoint());
753                         //var structure2 = scope2.Links.FormatStructure(sequence2, link =>
                            link.IsPartialPoint());
754
755                         //if (sequence1 != Constants.Null && sequence2 != Constants.Null &&
                            arrays[i].Length > 3)
756                         //    Assert.False(structure1 == structure2);
757
758                         Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
759                     }
760                 }
761
762                 Assert.True((int)(scope1.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
763                 Assert.True((int)(scope2.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
764
765                 Debug.WriteLine($"{(double)(scope1.Links.Count() - UnicodeMap.MapSize) /
                    totalCharacters} | {(double)(scope2.Links.Count() - UnicodeMap.MapSize) /
                    totalCharacters}");
766
767                 Assert.True(scope1.Links.Count() <= scope2.Links.Count());
768
769                 //compressor1.ValidateFrequencies();
770             }
771         }
772
773         [Fact]
774         public static void RundomNumbersCompressionQualityTest()
775         {
776             const ulong N = 500;
777
778             //const ulong minNumbers = 10000;
779             //const ulong maxNumbers = 20000;
780
781             //var strings = new List<string>();
782
783             //for (ulong i = 0; i < N; i++)
784             //    strings.Add(RandomHelpers.DefaultFactory.NextUInt64(minNumbers,
                    maxNumbers).ToString());
785
```

```
            var strings = new List<string>();

            for (ulong i = 0; i < N; i++)
            {
                strings.Add(RandomHelpers.Default.NextUInt64().ToString());
            }

            strings = strings.Distinct().ToList();

            var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
            var totalCharacters = arrays.Select(x => x.Length).Sum();

            using (var scope1 = new TempLinksTestScope(useSequences: true, sequencesOptions: new
            ↪  SequencesOptions<ulong> { UseCompression = true,
            ↪  EnforceSingleSequenceVersionOnWriteBasedOnExisting = true }))
            using (var scope2 = new TempLinksTestScope(useSequences: true))
            {
                scope1.Links.UseUnicode();
                scope2.Links.UseUnicode();

                var compressor1 = scope1.Sequences;
                var compressor2 = scope2.Sequences;

                var compressed1 = new ulong[arrays.Length];
                var compressed2 = new ulong[arrays.Length];

                var sw1 = Stopwatch.StartNew();

                var START = 0;
                var END = arrays.Length;

                for (int i = START; i < END; i++)
                {
                    compressed1[i] = compressor1.Create(arrays[i].ShiftRight());
                }

                var elapsed1 = sw1.Elapsed;

                var balancedVariantConverter = new BalancedVariantConverter<ulong>(scope2.Links);

                var sw2 = Stopwatch.StartNew();

                for (int i = START; i < END; i++)
                {
                    compressed2[i] = balancedVariantConverter.Convert(arrays[i]);
                }

                var elapsed2 = sw2.Elapsed;

                Debug.WriteLine($"Compressor: {elapsed1}, Balanced sequence creator:
                ↪  {elapsed2}");

                Assert.True(elapsed1 > elapsed2);

                // Checks
                for (int i = START; i < END; i++)
                {
                    var sequence1 = compressed1[i];
                    var sequence2 = compressed2[i];

                    if (sequence1 != _constants.Null && sequence2 != _constants.Null)
                    {
                        var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
                        ↪  scope1.Links);

                        var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
                        ↪  scope2.Links);

                        Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
                    }
                }

                Assert.True((int)(scope1.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
                Assert.True((int)(scope2.Links.Count() - UnicodeMap.MapSize) < totalCharacters);

                Debug.WriteLine($"{(double)(scope1.Links.Count() - UnicodeMap.MapSize) /
                ↪  totalCharacters} | {(double)(scope2.Links.Count() - UnicodeMap.MapSize) /
                ↪  totalCharacters}");

```

```
                // Can be worse than balanced variant
                //Assert.True(scope1.Links.Count() <= scope2.Links.Count());

                //compressor1.ValidateFrequencies();
            }
        }

        [Fact]
        public static void AllTreeBreakDownAtSequencesCreationBugTest()
        {
            // Made out of AllPossibleConnectionsTest test.

            //const long sequenceLength = 5; //100% bug
            const long sequenceLength = 4; //100% bug
            //const long sequenceLength = 3; //100% _no_bug (ok)

            using (var scope = new TempLinksTestScope(useSequences: true))
            {
                var links = scope.Links;
                var sequences = scope.Sequences;

                var sequence = new ulong[sequenceLength];
                for (var i = 0; i < sequenceLength; i++)
                {
                    sequence[i] = links.Create();
                }

                var createResults = sequences.CreateAllVariants2(sequence);

                Global.Trash = createResults;

                for (var i = 0; i < sequenceLength; i++)
                {
                    links.Delete(sequence[i]);
                }
            }
        }

        [Fact]
        public static void AllPossibleConnectionsTest()
        {
            const long sequenceLength = 5;

            using (var scope = new TempLinksTestScope(useSequences: true))
            {
                var links = scope.Links;
                var sequences = scope.Sequences;

                var sequence = new ulong[sequenceLength];
                for (var i = 0; i < sequenceLength; i++)
                {
                    sequence[i] = links.Create();
                }

                var createResults = sequences.CreateAllVariants2(sequence);
                var reverseResults = sequences.CreateAllVariants2(sequence.Reverse().ToArray());

                for (var i = 0; i < 1; i++)
                {
                    var sw1 = Stopwatch.StartNew();
                    var searchResults1 = sequences.GetAllConnections(sequence); sw1.Stop();

                    var sw2 = Stopwatch.StartNew();
                    var searchResults2 = sequences.GetAllConnections1(sequence); sw2.Stop();

                    var sw3 = Stopwatch.StartNew();
                    var searchResults3 = sequences.GetAllConnections2(sequence); sw3.Stop();

                    var sw4 = Stopwatch.StartNew();
                    var searchResults4 = sequences.GetAllConnections3(sequence); sw4.Stop();

                    Global.Trash = searchResults3;
                    Global.Trash = searchResults4; //-V3008

                    var intersection1 = createResults.Intersect(searchResults1).ToList();
                    Assert.True(intersection1.Count == createResults.Length);

                    var intersection2 = reverseResults.Intersect(searchResults1).ToList();
                    Assert.True(intersection2.Count == reverseResults.Length);

```

```
                    var intersection0 = searchResults1.Intersect(searchResults2).ToList();
                    Assert.True(intersection0.Count == searchResults2.Count);

                    var intersection3 = searchResults2.Intersect(searchResults3).ToList();
                    Assert.True(intersection3.Count == searchResults3.Count);

                    var intersection4 = searchResults3.Intersect(searchResults4).ToList();
                    Assert.True(intersection4.Count == searchResults4.Count);
                }

                for (var i = 0; i < sequenceLength; i++)
                {
                    links.Delete(sequence[i]);
                }
            }
        }

        [Fact(Skip = "Correct implementation is pending")]
        public static void CalculateAllUsagesTest()
        {
            const long sequenceLength = 3;

            using (var scope = new TempLinksTestScope(useSequences: true))
            {
                var links = scope.Links;
                var sequences = scope.Sequences;

                var sequence = new ulong[sequenceLength];
                for (var i = 0; i < sequenceLength; i++)
                {
                    sequence[i] = links.Create();
                }

                var createResults = sequences.CreateAllVariants2(sequence);

                //var reverseResults =
                ↪  sequences.CreateAllVariants2(sequence.Reverse().ToArray());

                for (var i = 0; i < 1; i++)
                {
                    var linksTotalUsages1 = new ulong[links.Count() + 1];

                    sequences.CalculateAllUsages(linksTotalUsages1);

                    var linksTotalUsages2 = new ulong[links.Count() + 1];

                    sequences.CalculateAllUsages2(linksTotalUsages2);

                    var intersection1 = linksTotalUsages1.Intersect(linksTotalUsages2).ToList();
                    Assert.True(intersection1.Count == linksTotalUsages2.Length);
                }

                for (var i = 0; i < sequenceLength; i++)
                {
                    links.Delete(sequence[i]);
                }
            }
        }
    }
}
```

1.111 ./Platform.Data.Doublets.Tests/TempLinksTestScope.cs

```
using System.IO;
using Platform.Disposables;
using Platform.Data.Doublets.Sequences;
using Platform.Data.Doublets.Decorators;
using Platform.Data.Doublets.ResizableDirectMemory.Specific;

namespace Platform.Data.Doublets.Tests
{
    public class TempLinksTestScope : DisposableBase
    {
        public ILinks<ulong> MemoryAdapter { get; }
        public SynchronizedLinks<ulong> Links { get; }
        public Sequences.Sequences Sequences { get; }
        public string TempFilename { get; }
        public string TempTransactionLogFilename { get; }
        private readonly bool _deleteFiles;

```

```
        public TempLinksTestScope(bool deleteFiles = true, bool useSequences = false, bool
        ↪  useLog = false) : this(new SequencesOptions<ulong>(), deleteFiles, useSequences,
        ↪  useLog) { }

        public TempLinksTestScope(SequencesOptions<ulong> sequencesOptions, bool deleteFiles =
        ↪  true, bool useSequences = false, bool useLog = false)
        {
            _deleteFiles = deleteFiles;
            TempFilename = Path.GetTempFileName();
            TempTransactionLogFilename = Path.GetTempFileName();
            var coreMemoryAdapter = new UInt64ResizableDirectMemoryLinks(TempFilename);
            MemoryAdapter = useLog ? (ILinks<ulong>)new
            ↪  UInt64LinksTransactionsLayer(coreMemoryAdapter, TempTransactionLogFilename) :
            ↪  coreMemoryAdapter;
            Links = new SynchronizedLinks<ulong>(new UInt64Links(MemoryAdapter));
            if (useSequences)
            {
                Sequences = new Sequences.Sequences(Links, sequencesOptions);
            }
        }

        protected override void Dispose(bool manual, bool wasDisposed)
        {
            if (!wasDisposed)
            {
                Links.Unsync.DisposeIfPossible();
                if (_deleteFiles)
                {
                    DeleteFiles();
                }
            }
        }

        public void DeleteFiles()
        {
            File.Delete(TempFilename);
            File.Delete(TempTransactionLogFilename);
        }
    }
}
```

1.112 ./Platform.Data.Doublets.Tests/TestExtensions.cs

```
using System.Collections.Generic;
using Xunit;
using Platform.Ranges;
using Platform.Numbers;
using Platform.Random;
using Platform.Setters;
using Platform.Converters;

namespace Platform.Data.Doublets.Tests
{
    public static class TestExtensions
    {
        public static void TestCRUDOperations<T>(this ILinks<T> links)
        {
            var constants = links.Constants;

            var equalityComparer = EqualityComparer<T>.Default;

            var zero = default(T);
            var one = Arithmetic.Increment(zero);

            // Create Link
            Assert.True(equalityComparer.Equals(links.Count(), zero));

            var setter = new Setter<T>(constants.Null);
            links.Each(constants.Any, constants.Any, setter.SetAndReturnTrue);

            Assert.True(equalityComparer.Equals(setter.Result, constants.Null));

            var linkAddress = links.Create();

            var link = new Link<T>(links.GetLink(linkAddress));

            Assert.True(link.Count == 3);
            Assert.True(equalityComparer.Equals(link.Index, linkAddress));
            Assert.True(equalityComparer.Equals(link.Source, constants.Null));
            Assert.True(equalityComparer.Equals(link.Target, constants.Null));

```

```
            Assert.True(equalityComparer.Equals(links.Count(), one));

            // Get first link
            setter = new Setter<T>(constants.Null);
            links.Each(constants.Any, constants.Any, setter.SetAndReturnFalse);

            Assert.True(equalityComparer.Equals(setter.Result, linkAddress));

            // Update link to reference itself
            links.Update(linkAddress, linkAddress, linkAddress);

            link = new Link<T>(links.GetLink(linkAddress));

            Assert.True(equalityComparer.Equals(link.Source, linkAddress));
            Assert.True(equalityComparer.Equals(link.Target, linkAddress));

            // Update link to reference null (prepare for delete)
            var updated = links.Update(linkAddress, constants.Null, constants.Null);

            Assert.True(equalityComparer.Equals(updated, linkAddress));

            link = new Link<T>(links.GetLink(linkAddress));

            Assert.True(equalityComparer.Equals(link.Source, constants.Null));
            Assert.True(equalityComparer.Equals(link.Target, constants.Null));

            // Delete link
            links.Delete(linkAddress);

            Assert.True(equalityComparer.Equals(links.Count(), zero));

            setter = new Setter<T>(constants.Null);
            links.Each(constants.Any, constants.Any, setter.SetAndReturnTrue);

            Assert.True(equalityComparer.Equals(setter.Result, constants.Null));
        }

        public static void TestRawNumbersCRUDOperations<T>(this ILinks<T> links)
        {
            // Constants
            var constants = links.Constants;
            var equalityComparer = EqualityComparer<T>.Default;

            var zero = default(T);
            var one = Arithmetic.Increment(zero);
            var two = Arithmetic.Increment(one);

            var h106E = new Hybrid<T>(106L, isExternal: true);
            var h107E = new Hybrid<T>(-char.ConvertFromUtf32(107)[0]);
            var h108E = new Hybrid<T>(-108L);

            Assert.Equal(106L, h106E.AbsoluteValue);
            Assert.Equal(107L, h107E.AbsoluteValue);
            Assert.Equal(108L, h108E.AbsoluteValue);

            // Create Link (External -> External)
            var linkAddress1 = links.Create();

            links.Update(linkAddress1, h106E, h108E);

            var link1 = new Link<T>(links.GetLink(linkAddress1));

            Assert.True(equalityComparer.Equals(link1.Source, h106E));
            Assert.True(equalityComparer.Equals(link1.Target, h108E));

            // Create Link (Internal -> External)
            var linkAddress2 = links.Create();

            links.Update(linkAddress2, linkAddress1, h108E);

            var link2 = new Link<T>(links.GetLink(linkAddress2));

            Assert.True(equalityComparer.Equals(link2.Source, linkAddress1));
            Assert.True(equalityComparer.Equals(link2.Target, h108E));

            // Create Link (Internal -> Internal)
            var linkAddress3 = links.Create();

            links.Update(linkAddress3, linkAddress1, linkAddress2);

```

```
119             var link3 = new Link<T>(links.GetLink(linkAddress3));
120
121             Assert.True(equalityComparer.Equals(link3.Source, linkAddress1));
122             Assert.True(equalityComparer.Equals(link3.Target, linkAddress2));
123
124             // Search for created link
125             var setter1 = new Setter<T>(constants.Null);
126             links.Each(h106E, h108E, setter1.SetAndReturnFalse);
127
128             Assert.True(equalityComparer.Equals(setter1.Result, linkAddress1));
129
130             // Search for nonexistent link
131             var setter2 = new Setter<T>(constants.Null);
132             links.Each(h106E, h107E, setter2.SetAndReturnFalse);
133
134             Assert.True(equalityComparer.Equals(setter2.Result, constants.Null));
135
136             // Update link to reference null (prepare for delete)
137             var updated = links.Update(linkAddress3, constants.Null, constants.Null);
138
139             Assert.True(equalityComparer.Equals(updated, linkAddress3));
140
141             link3 = new Link<T>(links.GetLink(linkAddress3));
142
143             Assert.True(equalityComparer.Equals(link3.Source, constants.Null));
144             Assert.True(equalityComparer.Equals(link3.Target, constants.Null));
145
146             // Delete link
147             links.Delete(linkAddress3);
148
149             Assert.True(equalityComparer.Equals(links.Count(), two));
150
151             var setter3 = new Setter<T>(constants.Null);
152             links.Each(constants.Any, constants.Any, setter3.SetAndReturnTrue);
153
154             Assert.True(equalityComparer.Equals(setter3.Result, linkAddress2));
155         }
156
157         public static void TestMultipleRandomCreationsAndDeletions<TLink>(this ILinks<TLink>
            ↪ links, int maximumOperationsPerCycle)
158         {
159             var comparer = Comparer<TLink>.Default;
160             var addressToUInt64Converter = CheckedConverter<TLink, ulong>.Default;
161             var uInt64ToAddressConverter = CheckedConverter<ulong, TLink>.Default;
162             for (var N = 1; N < maximumOperationsPerCycle; N++)
163             {
164                 var random = new System.Random(N);
165                 var created = 0UL;
166                 var deleted = 0UL;
167                 for (var i = 0; i < N; i++)
168                 {
169                     var linksCount = addressToUInt64Converter.Convert(links.Count());
170                     var createPoint = random.NextBoolean();
171                     if (linksCount > 2 && createPoint)
172                     {
173                         var linksAddressRange = new Range<ulong>(1, linksCount);
174                         TLink source = uInt64ToAddressConverter.Convert(random.NextUInt64(linksA⌋
                            ↪ ddressRange));
175                         TLink target = uInt64ToAddressConverter.Convert(random.NextUInt64(linksA⌋
                            ↪ ddressRange));
                            ↪ //-V3086
176                         var resultLink = links.GetOrCreate(source, target);
177                         if (comparer.Compare(resultLink,
                            ↪ uInt64ToAddressConverter.Convert(linksCount)) > 0)
178                         {
179                             created++;
180                         }
181                     }
182                     else
183                     {
184                         links.Create();
185                         created++;
186                     }
187                 }
188                 Assert.True(created == addressToUInt64Converter.Convert(links.Count()));
189                 for (var i = 0; i < N; i++)
190                 {
191                     TLink link = uInt64ToAddressConverter.Convert((ulong)i + 1UL);
192                     if (links.Exists(link))
```

```
                    {
                        links.Delete(link);
                        deleted++;
                    }
                }
                Assert.True(addressToUInt64Converter.Convert(links.Count()) == 0L);
            }
        }
    }
}
```

1.113 ./Platform.Data.Doublets.Tests/UInt64LinksTests.cs

```
using System;
using System.Collections.Generic;
using System.Diagnostics;
using System.IO;
using System.Text;
using System.Threading;
using System.Threading.Tasks;
using Xunit;
using Platform.Disposables;
using Platform.Ranges;
using Platform.Random;
using Platform.Timestamps;
using Platform.Reflection;
using Platform.Singletons;
using Platform.Scopes;
using Platform.Counters;
using Platform.Diagnostics;
using Platform.IO;
using Platform.Memory;
using Platform.Data.Doublets.Decorators;
using Platform.Data.Doublets.ResizableDirectMemory.Specific;

namespace Platform.Data.Doublets.Tests
{
    public static class UInt64LinksTests
    {
        private static readonly LinksConstants<ulong> _constants =
        ↪  Default<LinksConstants<ulong>>.Instance;

        private const long Iterations = 10 * 1024;

        #region Concept

        [Fact]
        public static void MultipleCreateAndDeleteTest()
        {
            using (var scope = new Scope<Types<HeapResizableDirectMemory,
            ↪  UInt64ResizableDirectMemoryLinks>>())
            {
                new UInt64Links(scope.Use<ILinks<ulong>>()).TestMultipleRandomCreationsAndDeleti⌋
                ↪  ons(100);
            }
        }

        [Fact]
        public static void CascadeUpdateTest()
        {
            var itself = _constants.Itself;
            using (var scope = new TempLinksTestScope(useLog: true))
            {
                var links = scope.Links;

                var l1 = links.Create();
                var l2 = links.Create();

                l2 = links.Update(l2, l2, l1, l2);

                links.CreateAndUpdate(l2, itself);
                links.CreateAndUpdate(l2, itself);

                l2 = links.Update(l2, l1);

                links.Delete(l2);

                Global.Trash = links.Count();

                links.Unsync.DisposeIfPossible(); // Close links to access log

```

```
66                  Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(scop
                    ↪  e.TempTransactionLogFilename);
67              }
68          }
69
70          [Fact]
71          public static void BasicTransactionLogTest()
72          {
73              using (var scope = new TempLinksTestScope(useLog: true))
74              {
75                  var links = scope.Links;
76                  var l1 = links.Create();
77                  var l2 = links.Create();
78
79                  Global.Trash = links.Update(l2, l2, l1, l2);
80
81                  links.Delete(l1);
82
83                  links.Unsync.DisposeIfPossible(); // Close links to access log
84
85                  Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(scop
                    ↪  e.TempTransactionLogFilename);
86              }
87          }
88
89          [Fact]
90          public static void TransactionAutoRevertedTest()
91          {
92              // Auto Reverted (Because no commit at transaction)
93              using (var scope = new TempLinksTestScope(useLog: true))
94              {
95                  var links = scope.Links;
96                  var transactionsLayer = (UInt64LinksTransactionsLayer)scope.MemoryAdapter;
97                  using (var transaction = transactionsLayer.BeginTransaction())
98                  {
99                      var l1 = links.Create();
100                     var l2 = links.Create();
101
102                     links.Update(l2, l2, l1, l2);
103                 }
104
105                 Assert.Equal(0UL, links.Count());
106
107                 links.Unsync.DisposeIfPossible();
108
109                 var transitions = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(s
                    ↪  cope.TempTransactionLogFilename);
110                 Assert.Single(transitions);
111             }
112         }
113
114         [Fact]
115         public static void TransactionUserCodeErrorNoDataSavedTest()
116         {
117             // User Code Error (Autoreverted), no data saved
118             var itself = _constants.Itself;
119
120             TempLinksTestScope lastScope = null;
121             try
122             {
123                 using (var scope = lastScope = new TempLinksTestScope(deleteFiles: false,
                    ↪  useLog: true))
124                 {
125                     var links = scope.Links;
126                     var transactionsLayer = (UInt64LinksTransactionsLayer)((LinksDisposableDecor
                        ↪  atorBase<ulong>)links.Unsync).Links;
127                     using (var transaction = transactionsLayer.BeginTransaction())
128                     {
129                         var l1 = links.CreateAndUpdate(itself, itself);
130                         var l2 = links.CreateAndUpdate(itself, itself);
131
132                         l2 = links.Update(l2, l2, l1, l2);
133
134                         links.CreateAndUpdate(l2, itself);
135                         links.CreateAndUpdate(l2, itself);
136
137                         //Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transi
                            ↪  tion>(scope.TempTransactionLogFilename);
138
```

```
                    l2 = links.Update(l2, l1);

                    links.Delete(l2);

                    ExceptionThrower();

                    transaction.Commit();
                }

                Global.Trash = links.Count();
            }
        }
        catch
        {
            Assert.False(lastScope == null);

            var transitions = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(lastScope.TempTransactionLogFilename);

            Assert.True(transitions.Length == 1 && transitions[0].Before.IsNull() && transitions[0].After.IsNull());

            lastScope.DeleteFiles();
        }
    }

    [Fact]
    public static void TransactionUserCodeErrorSomeDataSavedTest()
    {
        // User Code Error (Autoreverted), some data saved
        var itself = _constants.Itself;

        TempLinksTestScope lastScope = null;
        try
        {
            ulong l1;
            ulong l2;

            using (var scope = new TempLinksTestScope(useLog: true))
            {
                var links = scope.Links;
                l1 = links.CreateAndUpdate(itself, itself);
                l2 = links.CreateAndUpdate(itself, itself);

                l2 = links.Update(l2, l2, l1, l2);

                links.CreateAndUpdate(l2, itself);
                links.CreateAndUpdate(l2, itself);

                links.Unsync.DisposeIfPossible();

                Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(scope.TempTransactionLogFilename);
            }

            using (var scope = lastScope = new TempLinksTestScope(deleteFiles: false, useLog: true))
            {
                var links = scope.Links;
                var transactionsLayer = (UInt64LinksTransactionsLayer)links.Unsync;
                using (var transaction = transactionsLayer.BeginTransaction())
                {
                    l2 = links.Update(l2, l1);

                    links.Delete(l2);

                    ExceptionThrower();

                    transaction.Commit();
                }

                Global.Trash = links.Count();
            }
        }
        catch
        {
            Assert.False(lastScope == null);

            Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(lastScope.TempTransactionLogFilename);
```

```
214
215                 lastScope.DeleteFiles();
216             }
217         }
218
219         [Fact]
220         public static void TransactionCommit()
221         {
222             var itself = _constants.Itself;
223
224             var tempDatabaseFilename = Path.GetTempFileName();
225             var tempTransactionLogFilename = Path.GetTempFileName();
226
227             // Commit
228             using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
                ↪  UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
                ↪  tempTransactionLogFilename))
229             using (var links = new UInt64Links(memoryAdapter))
230             {
231                 using (var transaction = memoryAdapter.BeginTransaction())
232                 {
233                     var l1 = links.CreateAndUpdate(itself, itself);
234                     var l2 = links.CreateAndUpdate(itself, itself);
235
236                     Global.Trash = links.Update(l2, l2, l1, l2);
237
238                     links.Delete(l1);
239
240                     transaction.Commit();
241                 }
242
243                 Global.Trash = links.Count();
244             }
245
246             Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran
                ↪  sactionLogFilename);
247         }
248
249         [Fact]
250         public static void TransactionDamage()
251         {
252             var itself = _constants.Itself;
253
254             var tempDatabaseFilename = Path.GetTempFileName();
255             var tempTransactionLogFilename = Path.GetTempFileName();
256
257             // Commit
258             using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
                ↪  UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
                ↪  tempTransactionLogFilename))
259             using (var links = new UInt64Links(memoryAdapter))
260             {
261                 using (var transaction = memoryAdapter.BeginTransaction())
262                 {
263                     var l1 = links.CreateAndUpdate(itself, itself);
264                     var l2 = links.CreateAndUpdate(itself, itself);
265
266                     Global.Trash = links.Update(l2, l2, l1, l2);
267
268                     links.Delete(l1);
269
270                     transaction.Commit();
271                 }
272
273                 Global.Trash = links.Count();
274             }
275
276             Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran
                ↪  sactionLogFilename);
277
278             // Damage database
279
280             FileHelpers.WriteFirst(tempTransactionLogFilename, new
                ↪  UInt64LinksTransactionsLayer.Transition(new UniqueTimestampFactory(), 555));
281
282             // Try load damaged database
283             try
284             {
285                 // TODO: Fix
```

```
286                 using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
                    ↪  UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
                    ↪  tempTransactionLogFilename))
287                 using (var links = new UInt64Links(memoryAdapter))
288                 {
289                     Global.Trash = links.Count();
290                 }
291             }
292             catch (NotSupportedException ex)
293             {
294                 Assert.True(ex.Message == "Database is damaged, autorecovery is not supported
                    ↪  yet.");
295             }
296 
297             Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran
                ↪  sactionLogFilename);
298 
299             File.Delete(tempDatabaseFilename);
300             File.Delete(tempTransactionLogFilename);
301         }
302 
303         [Fact]
304         public static void Bug1Test()
305         {
306             var tempDatabaseFilename = Path.GetTempFileName();
307             var tempTransactionLogFilename = Path.GetTempFileName();
308 
309             var itself = _constants.Itself;
310 
311             // User Code Error (Autoreverted), some data saved
312             try
313             {
314                 ulong l1;
315                 ulong l2;
316 
317                 using (var memory = new UInt64ResizableDirectMemoryLinks(tempDatabaseFilename))
318                 using (var memoryAdapter = new UInt64LinksTransactionsLayer(memory,
                    ↪  tempTransactionLogFilename))
319                 using (var links = new UInt64Links(memoryAdapter))
320                 {
321                     l1 = links.CreateAndUpdate(itself, itself);
322                     l2 = links.CreateAndUpdate(itself, itself);
323 
324                     l2 = links.Update(l2, l2, l1, l2);
325 
326                     links.CreateAndUpdate(l2, itself);
327                     links.CreateAndUpdate(l2, itself);
328                 }
329 
330                 Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(temp
                    ↪  TransactionLogFilename);
331 
332                 using (var memory = new UInt64ResizableDirectMemoryLinks(tempDatabaseFilename))
333                 using (var memoryAdapter = new UInt64LinksTransactionsLayer(memory,
                    ↪  tempTransactionLogFilename))
334                 using (var links = new UInt64Links(memoryAdapter))
335                 {
336                     using (var transaction = memoryAdapter.BeginTransaction())
337                     {
338                         l2 = links.Update(l2, l1);
339 
340                         links.Delete(l2);
341 
342                         ExceptionThrower();
343 
344                         transaction.Commit();
345                     }
346 
347                     Global.Trash = links.Count();
348                 }
349             }
350             catch
351             {
352                 Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(temp
                    ↪  TransactionLogFilename);
353             }
354 
355             File.Delete(tempDatabaseFilename);
356             File.Delete(tempTransactionLogFilename);
```

```
357         }
358
359         private static void ExceptionThrower() => throw new InvalidOperationException();
360
361         [Fact]
362         public static void PathsTest()
363         {
364             var source = _constants.SourcePart;
365             var target = _constants.TargetPart;
366
367             using (var scope = new TempLinksTestScope())
368             {
369                 var links = scope.Links;
370                 var l1 = links.CreatePoint();
371                 var l2 = links.CreatePoint();
372
373                 var r1 = links.GetByKeys(l1, source, target, source);
374                 var r2 = links.CheckPathExistance(l2, l2, l2, l2);
375             }
376         }
377
378         [Fact]
379         public static void RecursiveStringFormattingTest()
380         {
381             using (var scope = new TempLinksTestScope(useSequences: true))
382             {
383                 var links = scope.Links;
384                 var sequences = scope.Sequences; // TODO: Auto use sequences on Sequences getter.
385
386                 var a = links.CreatePoint();
387                 var b = links.CreatePoint();
388                 var c = links.CreatePoint();
389
390                 var ab = links.GetOrCreate(a, b);
391                 var cb = links.GetOrCreate(c, b);
392                 var ac = links.GetOrCreate(a, c);
393
394                 a = links.Update(a, c, b);
395                 b = links.Update(b, a, c);
396                 c = links.Update(c, a, b);
397
398                 Debug.WriteLine(links.FormatStructure(ab, link => link.IsFullPoint(), true));
399                 Debug.WriteLine(links.FormatStructure(cb, link => link.IsFullPoint(), true));
400                 Debug.WriteLine(links.FormatStructure(ac, link => link.IsFullPoint(), true));
401
402                 Assert.True(links.FormatStructure(cb, link => link.IsFullPoint(), true) ==
                    ↪  "(5:(4:5 (6:5 4)) 6)");
403                 Assert.True(links.FormatStructure(ac, link => link.IsFullPoint(), true) ==
                    ↪  "(6:(5:(4:5 6) 6) 4)");
404                 Assert.True(links.FormatStructure(ab, link => link.IsFullPoint(), true) ==
                    ↪  "(4:(5:4 (6:5 4)) 6)");
405
406                 // TODO: Think how to build balanced syntax tree while formatting structure (eg.
                    ↪  "(4:(5:4 6) (6:5 4)") instead of "(4:(5:4 (6:5 4)) 6)"
407
408                 Assert.True(sequences.SafeFormatSequence(cb, DefaultFormatter, false) ==
                    ↪  "{{5}{5}{4}{6}}");
409                 Assert.True(sequences.SafeFormatSequence(ac, DefaultFormatter, false) ==
                    ↪  "{{5}{6}{6}{4}}");
410                 Assert.True(sequences.SafeFormatSequence(ab, DefaultFormatter, false) ==
                    ↪  "{{4}{5}{4}{6}}");
411             }
412         }
413
414         private static void DefaultFormatter(StringBuilder sb, ulong link)
415         {
416             sb.Append(link.ToString());
417         }
418
419         #endregion
420
421         #region Performance
422
423         /*
424         public static void RunAllPerformanceTests()
425         {
426             try
427             {
428                 links.TestLinksInSteps();
```

```
            }
            catch (Exception ex)
            {
                ex.WriteToConsole();
            }

            return;

            try
            {
                //ThreadPool.SetMaxThreads(2, 2);

                // Запускаем все тесты дважды, чтобы первоначальная инициализация не повлияла на
↪  результат
                // Также это дополнительно помогает в отладке
                // Увеличивает вероятность попадания информации в кэши
                for (var i = 0; i < 10; i++)
                {
                    //0 - 10 ГБ
                    //Каждые 100 МБ срез цифр

                    //links.TestGetSourceFunction();
                    //links.TestGetSourceFunctionInParallel();
                    //links.TestGetTargetFunction();
                    //links.TestGetTargetFunctionInParallel();
                    links.Create64BillionLinks();

                    links.TestRandomSearchFixed();
                    //links.Create64BillionLinksInParallel();
                    links.TestEachFunction();
                    //links.TestForeach();
                    //links.TestParallelForeach();
                }

                links.TestDeletionOfAllLinks();

            }
            catch (Exception ex)
            {
                ex.WriteToConsole();
            }
        }*/

         /*
        public static void TestLinksInSteps()
        {
            const long gibibyte = 1024 * 1024 * 1024;
            const long mebibyte = 1024 * 1024;

            var totalLinksToCreate = gibibyte /
↪  Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;
            var linksStep = 102 * mebibyte /
↪  Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;

            var creationMeasurements = new List<TimeSpan>();
            var searchMeasuremets = new List<TimeSpan>();
            var deletionMeasurements = new List<TimeSpan>();

            GetBaseRandomLoopOverhead(linksStep);
            GetBaseRandomLoopOverhead(linksStep);

            var stepLoopOverhead = GetBaseRandomLoopOverhead(linksStep);

            ConsoleHelpers.Debug("Step loop overhead: {0}.", stepLoopOverhead);

            var loops = totalLinksToCreate / linksStep;

            for (int i = 0; i < loops; i++)
            {
                creationMeasurements.Add(Measure(() => links.RunRandomCreations(linksStep)));
                searchMeasuremets.Add(Measure(() => links.RunRandomSearches(linksStep)));

                Console.Write("\rC + S {0}/{1}", i + 1, loops);
            }

            ConsoleHelpers.Debug();

            for (int i = 0; i < loops; i++)
            {
                deletionMeasurements.Add(Measure(() => links.RunRandomDeletions(linksStep)));
```

```
506
507                 Console.Write("\rD {0}/{1}", i + 1, loops);
508             }
509
510             ConsoleHelpers.Debug();
511
512             ConsoleHelpers.Debug("C S D");
513
514             for (int i = 0; i < loops; i++)
515             {
516                 ConsoleHelpers.Debug("{0} {1} {2}", creationMeasurements[i],
    ↪  searchMeasuremets[i], deletionMeasurements[i]);
517             }
518
519             ConsoleHelpers.Debug("C S D (no overhead)");
520
521             for (int i = 0; i < loops; i++)
522             {
523                 ConsoleHelpers.Debug("{0} {1} {2}", creationMeasurements[i] - stepLoopOverhead,
    ↪  searchMeasuremets[i] - stepLoopOverhead, deletionMeasurements[i] - stepLoopOverhead);
524             }
525
526             ConsoleHelpers.Debug("All tests done. Total links left in database: {0}.",
    ↪  links.Total);
527         }
528
529         private static void CreatePoints(this Platform.Links.Data.Core.Doublets.Links links, long
    ↪  amountToCreate)
530         {
531             for (long i = 0; i < amountToCreate; i++)
532                 links.Create(0, 0);
533         }
534
535          private static TimeSpan GetBaseRandomLoopOverhead(long loops)
536          {
537              return Measure(() =>
538              {
539                  ulong maxValue = RandomHelpers.DefaultFactory.NextUInt64();
540                  ulong result = 0;
541                  for (long i = 0; i < loops; i++)
542                  {
543                      var source = RandomHelpers.DefaultFactory.NextUInt64(maxValue);
544                      var target = RandomHelpers.DefaultFactory.NextUInt64(maxValue);
545
546                      result += maxValue + source + target;
547                  }
548                  Global.Trash = result;
549              });
550          }
551           */
552
553          [Fact(Skip = "performance test")]
554          public static void GetSourceTest()
555          {
556              using (var scope = new TempLinksTestScope())
557              {
558                  var links = scope.Links;
559                  ConsoleHelpers.Debug("Testing GetSource function with {0} Iterations.",
                     ↪  Iterations);
560
561                  ulong counter = 0;
562
563                  //var firstLink = links.First();
564                  // Создаём одну связь, из которой будет производить считывание
565                  var firstLink = links.Create();
566
567                  var sw = Stopwatch.StartNew();
568
569                  // Тестируем саму функцию
570                  for (ulong i = 0; i < Iterations; i++)
571                  {
572                      counter += links.GetSource(firstLink);
573                  }
574
575                  var elapsedTime = sw.Elapsed;
576
577                  var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
578
579                  // Удаляем связь, из которой производилось считывание
```

```
580                 links.Delete(firstLink);
581
582                 ConsoleHelpers.Debug(
583                     "{0} Iterations of GetSource function done in {1} ({2} Iterations per
                        ↪  second), counter result: {3}",
584                     Iterations, elapsedTime, (long)iterationsPerSecond, counter);
585             }
586         }
587
588         [Fact(Skip = "performance test")]
589         public static void GetSourceInParallel()
590         {
591             using (var scope = new TempLinksTestScope())
592             {
593                 var links = scope.Links;
594                 ConsoleHelpers.Debug("Testing GetSource function with {0} Iterations in
                    ↪  parallel.", Iterations);
595
596                 long counter = 0;
597
598                 //var firstLink = links.First();
599                 var firstLink = links.Create();
600
601                 var sw = Stopwatch.StartNew();
602
603                 // Тестируем саму функцию
604                 Parallel.For(0, Iterations, x =>
605                 {
606                     Interlocked.Add(ref counter, (long)links.GetSource(firstLink));
607                     //Interlocked.Increment(ref counter);
608                 });
609
610                 var elapsedTime = sw.Elapsed;
611
612                 var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
613
614                 links.Delete(firstLink);
615
616                 ConsoleHelpers.Debug(
617                     "{0} Iterations of GetSource function done in {1} ({2} Iterations per
                        ↪  second), counter result: {3}",
618                     Iterations, elapsedTime, (long)iterationsPerSecond, counter);
619             }
620         }
621
622         [Fact(Skip = "performance test")]
623         public static void TestGetTarget()
624         {
625             using (var scope = new TempLinksTestScope())
626             {
627                 var links = scope.Links;
628                 ConsoleHelpers.Debug("Testing GetTarget function with {0} Iterations.",
                    ↪  Iterations);
629
630                 ulong counter = 0;
631
632                 //var firstLink = links.First();
633                 var firstLink = links.Create();
634
635                 var sw = Stopwatch.StartNew();
636
637                 for (ulong i = 0; i < Iterations; i++)
638                 {
639                     counter += links.GetTarget(firstLink);
640                 }
641
642                 var elapsedTime = sw.Elapsed;
643
644                 var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
645
646                 links.Delete(firstLink);
647
648                 ConsoleHelpers.Debug(
649                     "{0} Iterations of GetTarget function done in {1} ({2} Iterations per
                        ↪  second), counter result: {3}",
650                     Iterations, elapsedTime, (long)iterationsPerSecond, counter);
651             }
652         }
653
```

```
654         [Fact(Skip = "performance test")]
655         public static void TestGetTargetInParallel()
656         {
657             using (var scope = new TempLinksTestScope())
658             {
659                 var links = scope.Links;
660                 ConsoleHelpers.Debug("Testing GetTarget function with {0} Iterations in
                    ↪  parallel.", Iterations);
661 
662                 long counter = 0;
663 
664                 //var firstLink = links.First();
665                 var firstLink = links.Create();
666 
667                 var sw = Stopwatch.StartNew();
668 
669                 Parallel.For(0, Iterations, x =>
670                 {
671                     Interlocked.Add(ref counter, (long)links.GetTarget(firstLink));
672                     //Interlocked.Increment(ref counter);
673                 });
674 
675                 var elapsedTime = sw.Elapsed;
676 
677                 var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
678 
679                 links.Delete(firstLink);
680 
681                 ConsoleHelpers.Debug(
682                     "{0} Iterations of GetTarget function done in {1} ({2} Iterations per
                        ↪  second), counter result: {3}",
683                     Iterations, elapsedTime, (long)iterationsPerSecond, counter);
684             }
685         }
686 
687         // TODO: Заполнить базу данных перед тестом
688         /*
689         [Fact]
690         public void TestRandomSearchFixed()
691         {
692             var tempFilename = Path.GetTempFileName();
693 
694             using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
    ↪  DefaultLinksSizeStep))
695             {
696                 long iterations = 64 * 1024 * 1024 /
    ↪  Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;
697 
698                 ulong counter = 0;
699                 var maxLink = links.Total;
700 
701                 ConsoleHelpers.Debug("Testing Random Search with {0} Iterations.", iterations);
702 
703                 var sw = Stopwatch.StartNew();
704 
705                 for (var i = iterations; i > 0; i--)
706                 {
707                     var source =
    ↪  RandomHelpers.DefaultFactory.NextUInt64(LinksConstants.MinPossibleIndex, maxLink);
708                     var target =
    ↪  RandomHelpers.DefaultFactory.NextUInt64(LinksConstants.MinPossibleIndex, maxLink);
709 
710                     counter += links.Search(source, target);
711                 }
712 
713                 var elapsedTime = sw.Elapsed;
714 
715                 var iterationsPerSecond = iterations / elapsedTime.TotalSeconds;
716 
717                 ConsoleHelpers.Debug("{0} Iterations of Random Search done in {1} ({2}
    ↪  Iterations per second), c: {3}", iterations, elapsedTime, (long)iterationsPerSecond,
    ↪  counter);
718             }
719 
720             File.Delete(tempFilename);
721         }*/
722 
723         [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
724         public static void TestRandomSearchAll()
```

```
725         {
726             using (var scope = new TempLinksTestScope())
727             {
728                 var links = scope.Links;
729                 ulong counter = 0;
730 
731                 var maxLink = links.Count();
732 
733                 var iterations = links.Count();
734 
735                 ConsoleHelpers.Debug("Testing Random Search with {0} Iterations.",
                    ↪  links.Count());
736 
737                 var sw = Stopwatch.StartNew();
738 
739                 for (var i = iterations; i > 0; i--)
740                 {
741                     var linksAddressRange = new
                        ↪  Range<ulong>(_constants.InternalReferencesRange.Minimum, maxLink);
742 
743                     var source = RandomHelpers.Default.NextUInt64(linksAddressRange);
744                     var target = RandomHelpers.Default.NextUInt64(linksAddressRange);
745 
746                     counter += links.SearchOrDefault(source, target);
747                 }
748 
749                 var elapsedTime = sw.Elapsed;
750 
751                 var iterationsPerSecond = iterations / elapsedTime.TotalSeconds;
752 
753                 ConsoleHelpers.Debug("{0} Iterations of Random Search done in {1} ({2}
                    ↪  Iterations per second), c: {3}",
754                      iterations, elapsedTime, (long)iterationsPerSecond, counter);
755             }
756         }
757 
758         [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
759         public static void TestEach()
760         {
761             using (var scope = new TempLinksTestScope())
762             {
763                 var links = scope.Links;
764 
765                 var counter = new Counter<IList<ulong>, ulong>(links.Constants.Continue);
766 
767                 ConsoleHelpers.Debug("Testing Each function.");
768 
769                 var sw = Stopwatch.StartNew();
770 
771                 links.Each(counter.IncrementAndReturnTrue);
772 
773                 var elapsedTime = sw.Elapsed;
774 
775                 var linksPerSecond = counter.Count / elapsedTime.TotalSeconds;
776 
777                 ConsoleHelpers.Debug("{0} Iterations of Each's handler function done in {1} ({2}
                    ↪  links per second)",
778                     counter, elapsedTime, (long)linksPerSecond);
779             }
780         }
781 
782         /*
783         [Fact]
784         public static void TestForeach()
785         {
786             var tempFilename = Path.GetTempFileName();
787 
788             using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
    ↪  DefaultLinksSizeStep))
789             {
790                 ulong counter = 0;
791 
792                 ConsoleHelpers.Debug("Testing foreach through links.");
793 
794                 var sw = Stopwatch.StartNew();
795 
796                 //foreach (var link in links)
797                 //{
798                 //    counter++;
799                 //}
```

```
800
801                 var elapsedTime = sw.Elapsed;
802
803                 var linksPerSecond = (double)counter / elapsedTime.TotalSeconds;
804
805                 ConsoleHelpers.Debug("{0} Iterations of Foreach's handler block done in {1} ({2}
    ↪  links per second)", counter, elapsedTime, (long)linksPerSecond);
806             }
807
808             File.Delete(tempFilename);
809         }
810         */
811
812         /*
813         [Fact]
814         public static void TestParallelForeach()
815         {
816             var tempFilename = Path.GetTempFileName();
817
818             using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
    ↪  DefaultLinksSizeStep))
819             {
820
821                 long counter = 0;
822
823                 ConsoleHelpers.Debug("Testing parallel foreach through links.");
824
825                 var sw = Stopwatch.StartNew();
826
827                 //Parallel.ForEach((IEnumerable<ulong>)links, x =>
828                 //{
829                 //    Interlocked.Increment(ref counter);
830                 //});
831
832                 var elapsedTime = sw.Elapsed;
833
834                 var linksPerSecond = (double)counter / elapsedTime.TotalSeconds;
835
836                 ConsoleHelpers.Debug("{0} Iterations of Parallel Foreach's handler block done in
    ↪  {1} ({2} links per second)", counter, elapsedTime, (long)linksPerSecond);
837             }
838
839             File.Delete(tempFilename);
840         }
841         */
842
843         [Fact(Skip = "performance test")]
844         public static void Create64BillionLinks()
845         {
846             using (var scope = new TempLinksTestScope())
847             {
848                 var links = scope.Links;
849                 var linksBeforeTest = links.Count();
850
851                 long linksToCreate = 64 * 1024 * 1024 /
                     ↪  UInt64ResizableDirectMemoryLinks.LinkSizeInBytes;
852
853                 ConsoleHelpers.Debug("Creating {0} links.", linksToCreate);
854
855                 var elapsedTime = Performance.Measure(() =>
856                 {
857                     for (long i = 0; i < linksToCreate; i++)
858                     {
859                         links.Create();
860                     }
861                 });
862
863                 var linksCreated = links.Count() - linksBeforeTest;
864                 var linksPerSecond = linksCreated / elapsedTime.TotalSeconds;
865
866                 ConsoleHelpers.Debug("Current links count: {0}.", links.Count());
867
868                 ConsoleHelpers.Debug("{0} links created in {1} ({2} links per second)",
                     ↪  linksCreated, elapsedTime,
869                     (long)linksPerSecond);
870             }
871         }
872
873         [Fact(Skip = "performance test")]
```

```
874         public static void Create64BillionLinksInParallel()
875         {
876             using (var scope = new TempLinksTestScope())
877             {
878                 var links = scope.Links;
879                 var linksBeforeTest = links.Count();
880 
881                 var sw = Stopwatch.StartNew();
882 
883                 long linksToCreate = 64 * 1024 * 1024 /
                    ↪  UInt64ResizableDirectMemoryLinks.LinkSizeInBytes;
884 
885                 ConsoleHelpers.Debug("Creating {0} links in parallel.", linksToCreate);
886 
887                 Parallel.For(0, linksToCreate, x => links.Create());
888 
889                 var elapsedTime = sw.Elapsed;
890 
891                 var linksCreated = links.Count() - linksBeforeTest;
892                 var linksPerSecond = linksCreated / elapsedTime.TotalSeconds;
893 
894                 ConsoleHelpers.Debug("{0} links created in {1} ({2} links per second)",
                    ↪  linksCreated, elapsedTime,
895                     (long)linksPerSecond);
896             }
897         }
898 
899         [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
900         public static void TestDeletionOfAllLinks()
901         {
902             using (var scope = new TempLinksTestScope())
903             {
904                 var links = scope.Links;
905                 var linksBeforeTest = links.Count();
906 
907                 ConsoleHelpers.Debug("Deleting all links");
908 
909                 var elapsedTime = Performance.Measure(links.DeleteAll);
910 
911                 var linksDeleted = linksBeforeTest - links.Count();
912                 var linksPerSecond = linksDeleted / elapsedTime.TotalSeconds;
913 
914                 ConsoleHelpers.Debug("{0} links deleted in {1} ({2} links per second)",
                    ↪  linksDeleted, elapsedTime,
915                     (long)linksPerSecond);
916             }
917         }
918 
919         #endregion
920     }
921 }
```

1.114 ./Platform.Data.Doublets.Tests/UnaryNumberConvertersTests.cs

```
1  using Xunit;
2  using Platform.Random;
3  using Platform.Data.Doublets.Numbers.Unary;
4 
5  namespace Platform.Data.Doublets.Tests
6  {
7      public static class UnaryNumberConvertersTests
8      {
9          [Fact]
10         public static void ConvertersTest()
11         {
12             using (var scope = new TempLinksTestScope())
13             {
14                 const int N = 10;
15                 var links = scope.Links;
16                 var meaningRoot = links.CreatePoint();
17                 var one = links.CreateAndUpdate(meaningRoot, links.Constants.Itself);
18                 var powerOf2ToUnaryNumberConverter = new
                    ↪  PowerOf2ToUnaryNumberConverter<ulong>(links, one);
19                 var toUnaryNumberConverter = new AddressToUnaryNumberConverter<ulong>(links,
                    ↪  powerOf2ToUnaryNumberConverter);
20                 var random = new System.Random(0);
21                 ulong[] numbers = new ulong[N];
22                 ulong[] unaryNumbers = new ulong[N];
23                 for (int i = 0; i < N; i++)
24                 {
25                     numbers[i] = random.NextUInt64();
```

```
                    unaryNumbers[i] = toUnaryNumberConverter.Convert(numbers[i]);
                }
                var fromUnaryNumberConverterUsingOrOperation = new
                ↪  UnaryNumberToAddressOrOperationConverter<ulong>(links,
                ↪  powerOf2ToUnaryNumberConverter);
                var fromUnaryNumberConverterUsingAddOperation = new
                ↪  UnaryNumberToAddressAddOperationConverter<ulong>(links, one);
                for (int i = 0; i < N; i++)
                {
                    Assert.Equal(numbers[i],
                    ↪  fromUnaryNumberConverterUsingOrOperation.Convert(unaryNumbers[i]));
                    Assert.Equal(numbers[i],
                    ↪  fromUnaryNumberConverterUsingAddOperation.Convert(unaryNumbers[i]));
                }
            }
        }
    }
}
```

1.115 ./Platform.Data.Doublets.Tests/UnicodeConvertersTests.cs

```
using Xunit;
using Platform.Converters;
using Platform.Memory;
using Platform.Reflection;
using Platform.Scopes;
using Platform.Data.Numbers.Raw;
using Platform.Data.Doublets.Incrementers;
using Platform.Data.Doublets.Numbers.Unary;
using Platform.Data.Doublets.PropertyOperators;
using Platform.Data.Doublets.Sequences.Converters;
using Platform.Data.Doublets.Sequences.Indexes;
using Platform.Data.Doublets.Sequences.Walkers;
using Platform.Data.Doublets.Unicode;
using Platform.Data.Doublets.ResizableDirectMemory.Generic;

namespace Platform.Data.Doublets.Tests
{
    public static class UnicodeConvertersTests
    {
        [Fact]
        public static void CharAndUnaryNumberUnicodeSymbolConvertersTest()
        {
            using (var scope = new TempLinksTestScope())
            {
                var links = scope.Links;
                var meaningRoot = links.CreatePoint();
                var one = links.CreateAndUpdate(meaningRoot, links.Constants.Itself);
                var powerOf2ToUnaryNumberConverter = new
                ↪  PowerOf2ToUnaryNumberConverter<ulong>(links, one);
                var addressToUnaryNumberConverter = new
                ↪  AddressToUnaryNumberConverter<ulong>(links, powerOf2ToUnaryNumberConverter);
                var unaryNumberToAddressConverter = new
                ↪  UnaryNumberToAddressOrOperationConverter<ulong>(links,
                ↪  powerOf2ToUnaryNumberConverter);
                TestCharAndUnicodeSymbolConverters(links, meaningRoot,
                ↪  addressToUnaryNumberConverter, unaryNumberToAddressConverter);
            }
        }

        [Fact]
        public static void CharAndRawNumberUnicodeSymbolConvertersTest()
        {
            using (var scope = new Scope<Types<HeapResizableDirectMemory,
            ↪  ResizableDirectMemoryLinks<ulong>>>())
            {
                var links = scope.Use<ILinks<ulong>>();
                var meaningRoot = links.CreatePoint();
                var addressToRawNumberConverter = new AddressToRawNumberConverter<ulong>();
                var rawNumberToAddressConverter = new RawNumberToAddressConverter<ulong>();
                TestCharAndUnicodeSymbolConverters(links, meaningRoot,
                ↪  addressToRawNumberConverter, rawNumberToAddressConverter);
            }
        }

        private static void TestCharAndUnicodeSymbolConverters(ILinks<ulong> links, ulong
        ↪  meaningRoot, IConverter<ulong> addressToNumberConverter, IConverter<ulong>
        ↪  numberToAddressConverter)
        {
            var unicodeSymbolMarker = links.CreateAndUpdate(meaningRoot, links.Constants.Itself);
```

```
51              var charToUnicodeSymbolConverter = new CharToUnicodeSymbolConverter<ulong>(links,
                ↪  addressToNumberConverter, unicodeSymbolMarker);
52              var originalCharacter = 'H';
53              var characterLink = charToUnicodeSymbolConverter.Convert(originalCharacter);
54              var unicodeSymbolCriterionMatcher = new UnicodeSymbolCriterionMatcher<ulong>(links,
                ↪  unicodeSymbolMarker);
55              var unicodeSymbolToCharConverter = new UnicodeSymbolToCharConverter<ulong>(links,
                ↪  numberToAddressConverter, unicodeSymbolCriterionMatcher);
56              var resultingCharacter = unicodeSymbolToCharConverter.Convert(characterLink);
57              Assert.Equal(originalCharacter, resultingCharacter);
58          }
59
60          [Fact]
61          public static void StringAndUnicodeSequenceConvertersTest()
62          {
63              using (var scope = new TempLinksTestScope())
64              {
65                  var links = scope.Links;
66
67                  var itself = links.Constants.Itself;
68
69                  var meaningRoot = links.CreatePoint();
70                  var unaryOne = links.CreateAndUpdate(meaningRoot, itself);
71                  var unicodeSymbolMarker = links.CreateAndUpdate(meaningRoot, itself);
72                  var unicodeSequenceMarker = links.CreateAndUpdate(meaningRoot, itself);
73                  var frequencyMarker = links.CreateAndUpdate(meaningRoot, itself);
74                  var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot, itself);
75
76                  var powerOf2ToUnaryNumberConverter = new
                    ↪  PowerOf2ToUnaryNumberConverter<ulong>(links, unaryOne);
77                  var addressToUnaryNumberConverter = new
                    ↪  AddressToUnaryNumberConverter<ulong>(links, powerOf2ToUnaryNumberConverter);
78                  var charToUnicodeSymbolConverter = new
                    ↪  CharToUnicodeSymbolConverter<ulong>(links, addressToUnaryNumberConverter,
                    ↪  unicodeSymbolMarker);
79
80                  var unaryNumberToAddressConverter = new
                    ↪  UnaryNumberToAddressOrOperationConverter<ulong>(links,
                    ↪  powerOf2ToUnaryNumberConverter);
81                  var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links, unaryOne);
82                  var frequencyIncrementer = new FrequencyIncrementer<ulong>(links,
                    ↪  frequencyMarker, unaryOne, unaryNumberIncrementer);
83                  var frequencyPropertyOperator = new PropertyOperator<ulong>(links,
                    ↪  frequencyPropertyMarker, frequencyMarker);
84                  var index = new FrequencyIncrementingSequenceIndex<ulong>(links,
                    ↪  frequencyPropertyOperator, frequencyIncrementer);
85                  var linkToItsFrequencyNumberConverter = new
                    ↪  LinkToItsFrequencyNumberConveter<ulong>(links, frequencyPropertyOperator,
                    ↪  unaryNumberToAddressConverter);
86                  var sequenceToItsLocalElementLevelsConverter = new
                    ↪  SequenceToItsLocalElementLevelsConverter<ulong>(links,
                    ↪  linkToItsFrequencyNumberConverter);
87                  var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
                    ↪  sequenceToItsLocalElementLevelsConverter);
88
89                  var stringToUnicodeSequenceConverter = new
                    ↪  StringToUnicodeSequenceConverter<ulong>(links, charToUnicodeSymbolConverter,
                    ↪  index, optimalVariantConverter, unicodeSequenceMarker);
90
91                  var originalString = "Hello";
92
93                  var unicodeSequenceLink =
                    ↪  stringToUnicodeSequenceConverter.Convert(originalString);
94
95                  var unicodeSymbolCriterionMatcher = new
                    ↪  UnicodeSymbolCriterionMatcher<ulong>(links, unicodeSymbolMarker);
96                  var unicodeSymbolToCharConverter = new
                    ↪  UnicodeSymbolToCharConverter<ulong>(links, unaryNumberToAddressConverter,
                    ↪  unicodeSymbolCriterionMatcher);
97
98                  var unicodeSequenceCriterionMatcher = new
                    ↪  UnicodeSequenceCriterionMatcher<ulong>(links, unicodeSequenceMarker);
99
100                 var sequenceWalker = new LeveledSequenceWalker<ulong>(links,
                    ↪  unicodeSymbolCriterionMatcher.IsMatched);
101
```

```
                    var unicodeSequenceToStringConverter = new
                    ↪  UnicodeSequenceToStringConverter<ulong>(links,
                    ↪  unicodeSequenceCriterionMatcher, sequenceWalker,
                    ↪  unicodeSymbolToCharConverter);

                    var resultingString =
                    ↪  unicodeSequenceToStringConverter.Convert(unicodeSequenceLink);

                    Assert.Equal(originalString, resultingString);
                }
            }
        }
    }
```

Index