

# LinksPlatform's Platform.Data.Doublets Class Library

## ./Platform.Data.Doublets/Decorators/LinksCascadeUniquenessAndUsagesResolver.cs

```

1  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
2
3  namespace Platform.Data.Doublets.Decorators
4  {
5      public class LinksCascadeUniquenessAndUsagesResolver<TLink> : LinksUniquenessResolver<TLink>
6      {
7          public LinksCascadeUniquenessAndUsagesResolver(ILinks<TLink> links) : base(links) { }
8
9          protected override TLink ResolveAddressChangeConflict(TLink oldLinkAddress, TLink
10             ↪ newLinkAddress)
11          {
12              // Use Facade (the last decorator) to ensure recursion working correctly
13              Facade.MergeUsages(oldLinkAddress, newLinkAddress);
14              return base.ResolveAddressChangeConflict(oldLinkAddress, newLinkAddress);
15          }
16      }

```

## ./Platform.Data.Doublets/Decorators/LinksCascadeUsagesResolver.cs

```

1  using System.Collections.Generic;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Data.Doublets.Decorators
6  {
7      /// <remarks>
8      /// <para>Must be used in conjunction with NonNullContentsLinkDeletionResolver.</para>
9      /// <para>Должен использоваться вместе с NonNullContentsLinkDeletionResolver.</para>
10     /// </remarks>
11     public class LinksCascadeUsagesResolver<TLink> : LinksDecoratorBase<TLink>
12     {
13         public LinksCascadeUsagesResolver(ILinks<TLink> links) : base(links) { }
14
15         public override void Delete(IList<TLink> restrictions)
16         {
17             var linkIndex = restrictions[Constants.IndexPart];
18             // Use Facade (the last decorator) to ensure recursion working correctly
19             Facade.DeleteAllUsages(linkIndex);
20             Links.Delete(linkIndex);
21         }
22     }
23 }

```

## ./Platform.Data.Doublets/Decorators/LinksDecoratorBase.cs

```

1  using System;
2  using System.Collections.Generic;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Decorators
7  {
8      public abstract class LinksDecoratorBase<TLink> : LinksOperatorBase<TLink>, ILinks<TLink>
9      {
10         public LinksConstants<TLink> Constants { get; }
11
12         public ILinks<TLink> _facade;
13
14         public ILinks<TLink> Facade
15         {
16             get => _facade;
17             private set
18             {
19                 _facade = value;
20                 if (Links is LinksDecoratorBase<TLink> decorator)
21                 {
22                     decorator.Facade = value;
23                 }
24             }
25         }
26
27         protected LinksDecoratorBase(ILinks<TLink> links) : base(links)
28         {
29             Constants = links.Constants;
30             Facade = this;
31         }
32
33         public virtual TLink Count(IList<TLink> restrictions) => Links.Count(restrictions);

```

```

34
35     public virtual TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
        => Links.Each(handler, restrictions);
36
37     public virtual TLink Create(IList<TLink> restrictions) => Links.Create(restrictions);
38
39     public virtual TLink Update(IList<TLink> restrictions, IList<TLink> substitution) =>
        Links.Update(restrictions, substitution);
40
41     public virtual void Delete(IList<TLink> restrictions) => Links.Delete(restrictions);
42 }
43 }

```

./Platform.Data.Doublets/Decorators/LinksDisposableDecoratorBase.cs

```

1  using System;
2  using System.Collections.Generic;
3  using Platform.Disposables;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Decorators
8  {
9      public abstract class LinksDisposableDecoratorBase<TLink> : DisposableBase, ILinks<TLink>
10     {
11         public LinksConstants<TLink> Constants { get; }
12
13         public ILinks<TLink> Links { get; }
14
15         protected LinksDisposableDecoratorBase(ILinks<TLink> links)
16         {
17             Links = links;
18             Constants = links.Constants;
19         }
20
21         public virtual TLink Count(IList<TLink> restrictions) => Links.Count(restrictions);
22
23         public virtual TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
            => Links.Each(handler, restrictions);
24
25         public virtual TLink Create(IList<TLink> restrictions) => Links.Create(restrictions);
26
27         public virtual TLink Update(IList<TLink> restrictions, IList<TLink> substitution) =>
            Links.Update(restrictions, substitution);
28
29         public virtual void Delete(IList<TLink> restrictions) => Links.Delete(restrictions);
30
31         protected override bool AllowMultipleDisposeCalls => true;
32
33         protected override void Dispose(bool manual, bool wasDisposed)
34         {
35             if (!wasDisposed)
36             {
37                 Links.DisposeIfPossible();
38             }
39         }
40     }
41 }

```

./Platform.Data.Doublets/Decorators/LinksInnerReferenceExistenceValidator.cs

```

1  using System;
2  using System.Collections.Generic;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Decorators
7  {
8      // TODO: Make LinksExternalReferenceValidator. A layer that checks each link to exist or to
9      // be external (hybrid link's raw number).
10     public class LinksInnerReferenceExistenceValidator<TLink> : LinksDecoratorBase<TLink>
11     {
12         public LinksInnerReferenceExistenceValidator(ILinks<TLink> links) : base(links) { }
13
14         public override TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
15         {
16             Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
17             return Links.Each(handler, restrictions);
18         }
19
20         public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)

```

```

20     {
21         // TODO: Possible values: null, ExistentLink or NonExistentHybrid(ExternalReference)
22         Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
23         Links.EnsureInnerReferenceExists(substitution, nameof(substitution));
24         return Links.Update(restrictions, substitution);
25     }
26
27     public override void Delete(IList<TLink> restrictions)
28     {
29         var link = restrictions[Constants.IndexPart];
30         Links.EnsureLinkExists(link, nameof(link));
31         Links.Delete(link);
32     }
33 }
34 }

```

./Platform.Data.Doublets/Decorators/LinksItselfConstantToSelfReferenceResolver.cs

```

1  using System;
2  using System.Collections.Generic;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Decorators
7  {
8      public class LinksItselfConstantToSelfReferenceResolver<TLink> : LinksDecoratorBase<TLink>
9      {
10         private static readonly EqualityComparer<TLink> _equalityComparer =
11             ↳ EqualityComparer<TLink>.Default;
12
13         public LinksItselfConstantToSelfReferenceResolver(ILinks<TLink> links) : base(links) { }
14
15         public override TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
16         {
17             var constants = Constants;
18             var itselfConstant = constants.Itself;
19             var indexPartConstant = constants.IndexPart;
20             var sourcePartConstant = constants.SourcePart;
21             var targetPartConstant = constants.TargetPart;
22             var restrictionsCount = restrictions.Count;
23             if (!_equalityComparer.Equals(constants.Any, itselfConstant)
24                 && ((restrictionsCount > indexPartConstant) &&
25                     ↳ _equalityComparer.Equals(restrictions[indexPartConstant], itselfConstant))
26                 || ((restrictionsCount > sourcePartConstant) &&
27                     ↳ _equalityComparer.Equals(restrictions[sourcePartConstant], itselfConstant))
28                 || ((restrictionsCount > targetPartConstant) &&
29                     ↳ _equalityComparer.Equals(restrictions[targetPartConstant], itselfConstant))))
30             {
31                 // Itself constant is not supported for Each method right now, skipping execution
32                 return constants.Continue;
33             }
34             return Links.Each(handler, restrictions);
35
36         public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution) =>
37             ↳ Links.Update(restrictions, Links.ResolveConstantAsSelfReference(Constants.Itself,
38                 ↳ restrictions, substitution));
39     }
40 }

```

./Platform.Data.Doublets/Decorators/LinksNonExistentDependenciesCreator.cs

```

1  using System.Collections.Generic;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Data.Doublets.Decorators
6  {
7      /// <remarks>
8      /// Not practical if newSource and newTarget are too big.
9      /// To be able to use practical version we should allow to create link at any specific
10         ↳ location inside ResizableDirectMemoryLinks.
11         ↳ This in turn will require to implement not a list of empty links, but a list of ranges
12         ↳ to store it more efficiently.
13         /// </remarks>
14     public class LinksNonExistentDependenciesCreator<TLink> : LinksDecoratorBase<TLink>
15     {
16         public LinksNonExistentDependenciesCreator(ILinks<TLink> links) : base(links) { }
17
18         public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
19         {

```

```

18         var constants = Constants;
19         Links.EnsureCreated(substitution[constants.SourcePart],
20             ↳ substitution[constants.TargetPart]);
21         return Links.Update(restrictions, substitution);
22     }
23 }

```

./Platform.Data.Doublets/Decorators/LinksNullConstantToSelfReferenceResolver.cs

```

1 using System.Collections.Generic;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Decorators
6 {
7     public class LinksNullConstantToSelfReferenceResolver<TLink> : LinksDecoratorBase<TLink>
8     {
9         public LinksNullConstantToSelfReferenceResolver(ILinks<TLink> links) : base(links) { }
10
11         public override TLink Create(IList<TLink> restrictions)
12         {
13             var link = Links.Create();
14             return Links.Update(link, link, link);
15         }
16
17         public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution) =>
18             ↳ Links.Update(restrictions, Links.ResolveConstantAsSelfReference(Constants.Null,
19             ↳ restrictions, substitution));
20     }
21 }

```

./Platform.Data.Doublets/Decorators/LinksUniquenessResolver.cs

```

1 using System.Collections.Generic;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Decorators
6 {
7     public class LinksUniquenessResolver<TLink> : LinksDecoratorBase<TLink>
8     {
9         private static readonly EqualityComparer<TLink> _equalityComparer =
10             ↳ EqualityComparer<TLink>.Default;
11
12         public LinksUniquenessResolver(ILinks<TLink> links) : base(links) { }
13
14         public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
15         {
16             var newLinkAddress = Links.SearchOrDefault(substitution[Constants.SourcePart],
17             ↳ substitution[Constants.TargetPart]);
18             if (_equalityComparer.Equals(newLinkAddress, default))
19             {
20                 return Links.Update(restrictions, substitution);
21             }
22             return ResolveAddressChangeConflict(restrictions[Constants.IndexPart],
23             ↳ newLinkAddress);
24         }
25
26         protected virtual TLink ResolveAddressChangeConflict(TLink oldLinkAddress, TLink
27             ↳ newLinkAddress)
28         {
29             if (!_equalityComparer.Equals(oldLinkAddress, newLinkAddress) &&
30             ↳ Links.Exists(oldLinkAddress))
31             {
32                 Facade.Delete(oldLinkAddress);
33             }
34             return newLinkAddress;
35         }
36     }
37 }

```

./Platform.Data.Doublets/Decorators/LinksUniquenessValidator.cs

```

1 using System.Collections.Generic;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Decorators
6 {
7     public class LinksUniquenessValidator<TLink> : LinksDecoratorBase<TLink>

```

```

8     {
9         public LinksUniquenessValidator(ILinks<TLink> links) : base(links) { }
10
11        public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
12        {
13            Links.EnsureDoesNotExists(substitution[Constants.SourcePart],
14                ↳ substitution[Constants.TargetPart]);
15            return Links.Update(restrictions, substitution);
16        }
17    }

```

./Platform.Data.Doublets/Decorators/LinksUsagesValidator.cs

```

1  using System.Collections.Generic;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Data.Doublets.Decorators
6  {
7      public class LinksUsagesValidator<TLink> : LinksDecoratorBase<TLink>
8      {
9          public LinksUsagesValidator(ILinks<TLink> links) : base(links) { }
10
11         public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
12         {
13             Links.EnsureNoUsages(restrictions[Constants.IndexPart]);
14             return Links.Update(restrictions, substitution);
15         }
16
17         public override void Delete(IList<TLink> restrictions)
18         {
19             var link = restrictions[Constants.IndexPart];
20             Links.EnsureNoUsages(link);
21             Links.Delete(link);
22         }
23     }
24 }

```

./Platform.Data.Doublets/Decorators/NonNullContentsLinkDeletionResolver.cs

```

1  using System.Collections.Generic;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Data.Doublets.Decorators
6  {
7      public class NonNullContentsLinkDeletionResolver<TLink> : LinksDecoratorBase<TLink>
8      {
9          public NonNullContentsLinkDeletionResolver(ILinks<TLink> links) : base(links) { }
10
11         public override void Delete(IList<TLink> restrictions)
12         {
13             var linkIndex = restrictions[Constants.IndexPart];
14             Links.EnforceResetValues(linkIndex);
15             Links.Delete(linkIndex);
16         }
17     }
18 }

```

./Platform.Data.Doublets/Decorators/UInt64Links.cs

```

1  using System;
2  using System.Collections.Generic;
3  using Platform.Collections;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Decorators
8  {
9      /// <summary>
10     /// Представляет объект для работы с базой данных (файлом) в формате Links (массива связей).
11     /// </summary>
12     /// <remarks>
13     /// Возможные оптимизации:
14     /// Объединение в одном поле Source и Target с уменьшением до 32 бит.
15     ///     + меньше объём БД
16     ///     - меньше производительность
17     ///     - больше ограничение на количество связей в БД)
18     /// Ленивое хранение размеров поддеревьев (расчитываемое по мере использования БД)
19     ///     + меньше объём БД
20     ///     - больше сложность

```

```

21 ///
22 /// Текущее теоретическое ограничение на индекс связи, из-за использования 5 бит в размере
    ↳ поддеревьев для AVL баланса и флагов нитей: 2 в степени(64 минус 5 равно 59 ) равно 576
    ↳ 460 752 303 423 488
23 /// Желательно реализовать поддержку переключения между деревьями и битовыми индексами
    ↳ (битовыми строками) - вариант матрицы (выстраиваемой лениво).
24 ///
25 /// Решить отключать ли проверки при компиляции под Release. Т.е. исключения будут
    ↳ выбрасываться только при #if DEBUG
26 /// </remarks>
27 public class UInt64Links : LinksDisposableDecoratorBase<ulong>
28 {
29     public UInt64Links(ILinks<ulong> links) : base(links) { }
30
31     public override ulong Each(Func<IList<ulong>, ulong> handler, IList<ulong> restrictions)
32     {
33         this.EnsureLinkIsAnyOrExists(restrictions);
34         return Links.Each(handler, restrictions);
35     }
36
37     public override ulong Create(IList<ulong> restrictions) => Links.CreatePoint();
38
39     public override ulong Update(IList<ulong> restrictions, IList<ulong> substitution)
40     {
41         var constants = Constants;
42         var nullConstant = constants.Null;
43         if (restrictions.IsNullOrEmpty())
44         {
45             return nullConstant;
46         }
47         // TODO: Looks like this is a common type of exceptions linked with restrictions
48         ↳ support
49         if (substitution.Count != 3)
50         {
51             throw new NotSupportedException();
52         }
53         var indexPartConstant = constants.IndexPart;
54         var updatedLink = restrictions[indexPartConstant];
55         this.EnsureLinkExists(updatedLink,
56             ↳ $"{nameof(restrictions)}[{nameof(indexPartConstant)}]");
57         var sourcePartConstant = constants.SourcePart;
58         var newSource = substitution[sourcePartConstant];
59         this.EnsureLinkIsItselfOrExists(newSource,
60             ↳ $"{nameof(substitution)}[{nameof(sourcePartConstant)}]");
61         var targetPartConstant = constants.TargetPart;
62         var newTarget = substitution[targetPartConstant];
63         this.EnsureLinkIsItselfOrExists(newTarget,
64             ↳ $"{nameof(substitution)}[{nameof(targetPartConstant)}]");
65         var existedLink = nullConstant;
66         var itselfConstant = constants.Itself;
67         if (newSource != itselfConstant && newTarget != itselfConstant)
68         {
69             existedLink = this.SearchOrDefault(newSource, newTarget);
70         }
71         if (existedLink == nullConstant)
72         {
73             var before = Links.GetLink(updatedLink);
74             if (before[sourcePartConstant] != newSource || before[targetPartConstant] !=
75                 ↳ newTarget)
76             {
77                 Links.Update(updatedLink, newSource == itselfConstant ? updatedLink :
78                     ↳ newSource,
79                             newTarget == itselfConstant ? updatedLink :
80                                 ↳ newTarget);
81             }
82             return updatedLink;
83         }
84         else
85         {
86             return this.MergeAndDelete(updatedLink, existedLink);
87         }
88     }
89
90     public override void Delete(IList<ulong> restrictions)
91     {
92         var linkIndex = restrictions[Constants.IndexPart];
93         Links.EnsureLinkExists(linkIndex);
94         Links.EnforceResetValues(linkIndex);
95     }
96 }

```

```

88         this.DeleteAllUsages(linkIndex);
89         Links.Delete(linkIndex);
90     }
91 }
92 }

```

# ./Platform.Data.Doublets/Decorators/UniLinks.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Linq;
4  using Platform.Collections;
5  using Platform.Collections.Arrays;
6  using Platform.Collections.Lists;
7  using Platform.Data.Universal;
8
9  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
10
11 namespace Platform.Data.Doublets.Decorators
12 {
13     /// <remarks>
14     /// What does empty pattern (for condition or substitution) mean? Nothing or Everything?
15     /// Now we go with nothing. And nothing is something one, but empty, and cannot be changed
16     /// ↪ by itself. But can cause creation (update from nothing) or deletion (update to nothing).
17     ///
18     /// TODO: Decide to change to IDoubletLinks or not to change. (Better to create
19     /// ↪ DefaultUniLinksBase, that contains logic itself and can be implemented using both
20     /// ↪ IDoubletLinks and ILinks.)
21     /// </remarks>
22     internal class UniLinks<TLink> : LinksDecoratorBase<TLink>, IUniLinks<TLink>
23     {
24         private static readonly EqualityComparer<TLink> _equalityComparer =
25             ↪ EqualityComparer<TLink>.Default;
26
27         public UniLinks(ILinks<TLink> links) : base(links) { }
28
29         private struct Transition
30         {
31             public IList<TLink> Before;
32             public IList<TLink> After;
33
34             public Transition(IList<TLink> before, IList<TLink> after)
35             {
36                 Before = before;
37                 After = after;
38             }
39         }
40
41         //public static readonly TLink NullConstant = Use<LinksConstants<TLink>>.Single.Null;
42         //public static readonly IReadOnlyList<TLink> NullLink = new
43         ↪ ReadOnlyCollection<TLink>(new List<TLink> { NullConstant, NullConstant, NullConstant
44         ↪ });
45
46         // TODO: Подумать о том, как реализовать древовидный Restriction и Substitution
47         ↪ (Links-Expression)
48         public TLink Trigger(IList<TLink> restriction, Func<IList<TLink>, IList<TLink>, TLink>
49         ↪ matchedHandler, IList<TLink> substitution, Func<IList<TLink>, IList<TLink>, TLink>
50         ↪ substitutedHandler)
51         {
52             ///List<Transition> transitions = null;
53             ///if (!restriction.IsNullOrEmpty())
54             ///{
55             ///    // Есть причина делать проход (чтение)
56             ///    if (matchedHandler != null)
57             ///    {
58             ///        if (!substitution.IsNullOrEmpty())
59             ///        {
60             ///            // restriction => { 0, 0, 0 } | { 0 } // Create
61             ///            // substitution => { itself, 0, 0 } | { itself, itself, itself } //
62             ↪ Create / Update
63             ///            // substitution => { 0, 0, 0 } | { 0 } // Delete
64             ///            transitions = new List<Transition>();
65             ///            if (Equals(substitution[Constants.IndexPart], Constants.Null))
66             ///            {
67             ///                // If index is Null, that means we always ignore every other
68             ↪ value (they are also Null by definition)
69             ///            var matchDecision = matchedHandler(, NullLink);
70             ///            if (Equals(matchDecision, Constants.Break))
71             ///                return false;
72             ///            if (!Equals(matchDecision, Constants.Skip))

```

```

62         transitions.Add(new Transition(matchedLink, newValue));
63     }
64     else
65     {
66         Func<T, bool> handler;
67         handler = link =>
68         {
69             var matchedLink = Memory.GetLinkValue(link);
70             var newValue = Memory.GetLinkValue(link);
71             newValue[Constants.IndexPart] = Constants.Itself;
72             newValue[Constants.SourcePart] =
↳ Equals(substitution[Constants.SourcePart], Constants.Itself) ?
↳ matchedLink[Constants.IndexPart] : substitution[Constants.SourcePart];
73             newValue[Constants.TargetPart] =
↳ Equals(substitution[Constants.TargetPart], Constants.Itself) ?
↳ matchedLink[Constants.IndexPart] : substitution[Constants.TargetPart];
74             var matchDecision = matchedHandler(matchedLink, newValue);
75             if (Equals(matchDecision, Constants.Break))
76                 return false;
77             if (!Equals(matchDecision, Constants.Skip))
78                 transitions.Add(new Transition(matchedLink, newValue));
79             return true;
80         };
81         if (!Memory.Each(handler, restriction))
82             return Constants.Break;
83     }
84 }
85 else
86 {
87     Func<T, bool> handler = link =>
88     {
89         var matchedLink = Memory.GetLinkValue(link);
90         var matchDecision = matchedHandler(matchedLink, matchedLink);
91         return !Equals(matchDecision, Constants.Break);
92     };
93     if (!Memory.Each(handler, restriction))
94         return Constants.Break;
95 }
96 }
97 else
98 {
99     if (substitution != null)
100     {
101         transitions = new List<IList<T>>();
102         Func<T, bool> handler = link =>
103         {
104             var matchedLink = Memory.GetLinkValue(link);
105             transitions.Add(matchedLink);
106             return true;
107         };
108         if (!Memory.Each(handler, restriction))
109             return Constants.Break;
110     }
111     else
112     {
113         return Constants.Continue;
114     }
115 }
116 }
117 if (substitution != null)
118 {
119     // Есть причина делать замену (запись)
120     if (substitutedHandler != null)
121     {
122     }
123     else
124     {
125     }
126 }
127 return Constants.Continue;
128
129 //if (restriction.IsNullOrEmpty()) // Create
130 //{
131 //    substitution[Constants.IndexPart] = Memory.AllocateLink();
132 //    Memory.SetLinkValue(substitution);
133 //}
134 //else if (substitution.IsNullOrEmpty()) // Delete

```



```

135     //{
136     //     Memory.FreeLink(restriction[Constants.IndexPart]);
137     //}
138     //else if (restriction.EqualTo(substitution)) // Read or ("repeat" the state) // Each
139     //{
140     //     // No need to collect links to list
141     //     // Skip == Continue
142     //     // No need to check substitutedHandler
143     //     if (!Memory.Each(link => !Equals(matchedHandler(Memory.GetLinkValue(link)),
144     ↪ Constants.Break), restriction))
145     //         return Constants.Break;
146     //}
147     //else // Update
148     //{
149     //     //List<ILink<T>> matchedLinks = null;
150     //     if (matchedHandler != null)
151     //     {
152     //         matchedLinks = new List<ILink<T>>();
153     //         Func<T, bool> handler = link =>
154     //         {
155     //             var matchedLink = Memory.GetLinkValue(link);
156     //             var matchDecision = matchedHandler(matchedLink);
157     //             if (Equals(matchDecision, Constants.Break))
158     //                 return false;
159     //             if (!Equals(matchDecision, Constants.Skip))
160     //                 matchedLinks.Add(matchedLink);
161     //             return true;
162     //         };
163     //         if (!Memory.Each(handler, restriction))
164     //             return Constants.Break;
165     //     }
166     //     if (!matchedLinks.IsNullOrEmpty())
167     //     {
168     //         var totalMatchedLinks = matchedLinks.Count;
169     //         for (var i = 0; i < totalMatchedLinks; i++)
170     //         {
171     //             var matchedLink = matchedLinks[i];
172     //             if (substitutedHandler != null)
173     //             {
174     //                 var newValue = new List<T>(); // TODO: Prepare value to update here
175     //                 // TODO: Decide is it actually needed to use Before and After
176     ↪ substitution handling.
177     //                 var substitutedDecision = substitutedHandler(matchedLink,
178     ↪ newValue);
179     //                 if (Equals(substitutedDecision, Constants.Break))
180     //                     return Constants.Break;
181     //                 if (Equals(substitutedDecision, Constants.Continue))
182     //                 {
183     //                     // Actual update here
184     //                     Memory.SetLinkValue(newValue);
185     //                 }
186     //                 if (Equals(substitutedDecision, Constants.Skip))
187     //                 {
188     //                     // Cancel the update. TODO: decide use separate Cancel
189     ↪ constant or Skip is enough?
190     //                 }
191     //             }
192     //         }
193     //     }
194     // }
195     //}
196     return Constants.Continue;
197 }
198
199 public TLink Trigger(ILink<TLink> patternOrCondition, Func<ILink<TLink>, TLink>
200 ↪ matchHandler, ILink<TLink> substitution, Func<ILink<TLink>, ILink<TLink>, TLink>
201 ↪ substitutionHandler)
202 {
203     if (patternOrCondition.IsNullOrEmpty() && substitution.IsNullOrEmpty())
204     {
205         return Constants.Continue;
206     }
207     else if (patternOrCondition.EqualTo(substitution)) // Should be Each here TODO:
208     ↪ Check if it is a correct condition
209     {
210         // Or it only applies to trigger without matchHandler.
211         throw new NotImplementedException();
212     }
213     else if (!substitution.IsNullOrEmpty()) // Creation

```

```

206 {
207     var before = ArrayPool<TLink>.Empty;
208     // Что должно означать False здесь? Остановиться (перестать идти) или пропустить
209     → (пройти мимо) или пустить (взять)?
210     if (matchHandler != null && _equalityComparer.Equals(matchHandler(before),
211     → Constants.Break))
212     {
213         return Constants.Break;
214     }
215     var after = (IList<TLink>)substitution.ToArray();
216     if (_equalityComparer.Equals(after[0], default))
217     {
218         var newLink = Links.Create();
219         after[0] = newLink;
220     }
221     if (substitution.Count == 1)
222     {
223         after = Links.GetLink(substitution[0]);
224     }
225     else if (substitution.Count == 3)
226     {
227         //Links.Create(after);
228     }
229     else
230     {
231         throw new NotSupportedException();
232     }
233     if (matchHandler != null)
234     {
235         return substitutionHandler(before, after);
236     }
237     return Constants.Continue;
238 }
239 else if (!patternOrCondition.IsNullOrEmpty()) // Deletion
240 {
241     if (patternOrCondition.Count == 1)
242     {
243         var linkToDelete = patternOrCondition[0];
244         var before = Links.GetLink(linkToDelete);
245         if (matchHandler != null && _equalityComparer.Equals(matchHandler(before),
246         → Constants.Break))
247         {
248             return Constants.Break;
249         }
250         var after = ArrayPool<TLink>.Empty;
251         Links.Update(linkToDelete, Constants.Null, Constants.Null);
252         Links.Delete(linkToDelete);
253         if (matchHandler != null)
254         {
255             return substitutionHandler(before, after);
256         }
257         return Constants.Continue;
258     }
259     else
260     {
261         throw new NotSupportedException();
262     }
263 }
264 else // Replace / Update
265 {
266     if (patternOrCondition.Count == 1) //-V3125
267     {
268         var linkToUpdate = patternOrCondition[0];
269         var before = Links.GetLink(linkToUpdate);
270         if (matchHandler != null && _equalityComparer.Equals(matchHandler(before),
271         → Constants.Break))
272         {
273             return Constants.Break;
274         }
275         var after = (IList<TLink>)substitution.ToArray(); //-V3125
276         if (_equalityComparer.Equals(after[0], default))
277         {
278             after[0] = linkToUpdate;
279         }
280         if (substitution.Count == 1)
281         {
282             if (!_equalityComparer.Equals(substitution[0], linkToUpdate))
283             {

```



./Platform.Data.Doubles/Douplet.cs

```
1 using System;
2 using System.Collections.Generic;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doubles
7 {
8     public struct Douplet<T> : IEquatable<Douplet<T>>
9     {
10         private static readonly EqualityComparer<T> _equalityComparer =
11             ↳ EqualityComparer<T>.Default;
12
13         public T Source { get; set; }
14         public T Target { get; set; }
15
16         public Douplet(T source, T target)
17         {
18             Source = source;
19             Target = target;
20         }
21
22         public override string ToString() => $"{Source}->{Target}";
23
24         public bool Equals(Douplet<T> other) => _equalityComparer.Equals(Source, other.Source)
25             ↳ && _equalityComparer.Equals(Target, other.Target);
26
27         public override bool Equals(object obj) => obj is Douplet<T> doublet ?
28             ↳ base.Equals(doublet) : false;
29
30         public override int GetHashCode() => (Source, Target).GetHashCode();
31     }
32 }
```

./Platform.Data.Doubles/Hybrid.cs

```
1 using System;
2 using System.Reflection;
3 using System.Reflection.Emit;
4 using Platform.Reflection;
5 using Platform.Converters;
6 using Platform.Exceptions;
7
8 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10 namespace Platform.Data.Doubles
11 {
12     public class Hybrid<T>
13     {
14         private static readonly Func<object, T> _absAndConvert;
15         private static readonly Func<object, T> _absAndNegateAndConvert;
16
17         static Hybrid()
18         {
19             _absAndConvert = DelegateHelpers.Compile<Func<object, T>>(emitter =>
20             {
21                 Ensure.Always.IsUnsignedInteger<T>();
22                 emitter.LoadArgument(0);
23                 var signedVersion = NumericType<T>.SignedVersion;
24                 var signedVersionField =
25                     ↳ typeof(NumericType<T>).GetTypeInfo().GetField("SignedVersion",
26                     ↳ BindingFlags.Static | BindingFlags.Public);
27                 //emitter.LoadField(signedVersionField);
28                 emitter.Emit(OpCodes.Ldsfld, signedVersionField);
29                 var changeTypeMethod = typeof(Convert).GetTypeInfo().GetMethod("ChangeType",
30                     ↳ Types<object, Type>.Array);
31                 emitter.Call(changeTypeMethod);
32                 emitter.UnboxValue(signedVersion);
33                 var absMethod = typeof(Math).GetTypeInfo().GetMethod("Abs", new[] {
34                     ↳ signedVersion });
35                 emitter.Call(absMethod);
36                 var unsignedMethod = typeof(To).GetTypeInfo().GetMethod("Unsigned", new[] {
37                     ↳ signedVersion });
38                 emitter.Call(unsignedMethod);
39                 emitter.Return();
40             });
41             _absAndNegateAndConvert = DelegateHelpers.Compile<Func<object, T>>(emitter =>
42             {
43                 Ensure.Always.IsUnsignedInteger<T>();
44                 emitter.LoadArgument(0);
45             });
46         }
47     }
48 }
```

```

var signedVersion = NumericType<T>.SignedVersion;
var signedVersionField =
    ↳ typeof(NumericType<T>).GetTypeInfo().GetField("SignedVersion",
    ↳ BindingFlags.Static | BindingFlags.Public);
//emitter.LoadField(signedVersionField);
emitter.Emit(OpCodes.Ldsfld, signedVersionField);
var changeTypeMethod = typeof(Convert).GetTypeInfo().GetMethod("ChangeType",
    ↳ Types<object, Type>.Array);
emitter.Call(changeTypeMethod);
emitter.UnboxValue(signedVersion);
var absMethod = typeof(Math).GetTypeInfo().GetMethod("Abs", new[] {
    ↳ signedVersion });
emitter.Call(absMethod);
var negateMethod = typeof(Platform.Numbers.Math).GetTypeInfo().GetMethod("Negate",
    ↳ ").MakeGenericMethod(signedVersion);
emitter.Call(negateMethod);
var unsignedMethod = typeof(To).GetTypeInfo().GetMethod("Unsigned", new[] {
    ↳ signedVersion });
emitter.Call(unsignedMethod);
emitter.Return();
});
}

public readonly T Value;
public bool IsNothing => Convert.ToInt64(To.Signed(Value)) == 0;
public bool IsInternal => Convert.ToInt64(To.Signed(Value)) > 0;
public bool IsExternal => Convert.ToInt64(To.Signed(Value)) < 0;
public long AbsoluteValue =>
    ↳ Platform.Numbers.Math.Abs(Convert.ToInt64(To.Signed(Value)));

public Hybrid(T value)
{
    Ensure.OnDebug.IsUnsignedInteger<T>();
    Value = value;
}

public Hybrid(object value) => Value = To.UnsignedAs<T>(Convert.ChangeType(value,
    ↳ NumericType<T>.SignedVersion));

public Hybrid(object value, bool isExternal)
{
    //var signedType = Type<T>.SignedVersion;
    //var signedValue = Convert.ChangeType(value, signedType);
    //var abs = typeof(Platform.Numbers.Math).GetTypeInfo().GetMethod("Abs").MakeGeneric
    ↳ Method(signedType);
    //var negate = typeof(Platform.Numbers.Math).GetTypeInfo().GetMethod("Negate").MakeG
    ↳ enericMethod(signedType);
    //var absoluteValue = abs.Invoke(null, new[] { signedValue });
    //var resultValue = isExternal ? negate.Invoke(null, new[] { absoluteValue }) :
    ↳ absoluteValue;
    //Value = To.UnsignedAs<T>(resultValue);
    if (isExternal)
    {
        Value = _absAndNegateAndConvert(value);
    }
    else
    {
        Value = _absAndConvert(value);
    }
}

public static implicit operator Hybrid<T>(T integer) => new Hybrid<T>(integer);
public static explicit operator Hybrid<T>(ulong integer) => new Hybrid<T>(integer);
public static explicit operator Hybrid<T>(long integer) => new Hybrid<T>(integer);
public static explicit operator Hybrid<T>(uint integer) => new Hybrid<T>(integer);
public static explicit operator Hybrid<T>(int integer) => new Hybrid<T>(integer);
public static explicit operator Hybrid<T>(ushort integer) => new Hybrid<T>(integer);
public static explicit operator Hybrid<T>(short integer) => new Hybrid<T>(integer);
public static explicit operator Hybrid<T>(byte integer) => new Hybrid<T>(integer);
public static explicit operator Hybrid<T>(sbyte integer) => new Hybrid<T>(integer);

```

```

107     public static implicit operator T(Hybrid<T> hybrid) => hybrid.Value;
108
109     public static explicit operator ulong(Hybrid<T> hybrid) =>
110         ↪ Convert.ToUInt64(hybrid.Value);
111
112     public static explicit operator long(Hybrid<T> hybrid) => hybrid.AbsoluteValue;
113
114     public static explicit operator uint(Hybrid<T> hybrid) => Convert.ToUInt32(hybrid.Value);
115
116     public static explicit operator int(Hybrid<T> hybrid) =>
117         ↪ Convert.ToInt32(hybrid.AbsoluteValue);
118
119     public static explicit operator ushort(Hybrid<T> hybrid) =>
120         ↪ Convert.ToUInt16(hybrid.Value);
121
122     public static explicit operator short(Hybrid<T> hybrid) =>
123         ↪ Convert.ToInt16(hybrid.AbsoluteValue);
124
125     public static explicit operator byte(Hybrid<T> hybrid) => Convert.ToByte(hybrid.Value);
126
127     public static explicit operator sbyte(Hybrid<T> hybrid) =>
128         ↪ Convert.ToSByte(hybrid.AbsoluteValue);
129
130     public override string ToString() => IsNothing ? default(T) == null ? "Nothing" :
131         ↪ default(T).ToString() : IsExternal ? $"{<AbsoluteValue>}" : Value.ToString();
132 }

```

./Platform.Data.Doublets/ILinks.cs

```

1  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
2
3  using System.Collections.Generic;
4
5  namespace Platform.Data.Doublets
6  {
7      public interface ILinks<TLink> : ILinks<TLink, LinksConstants<TLink>>
8      {
9      }
10 }

```

./Platform.Data.Doublets/ILinksExtensions.cs

```

1  using System;
2  using System.Collections;
3  using System.Collections.Generic;
4  using System.Linq;
5  using System.Runtime.CompilerServices;
6  using Platform.Ranges;
7  using Platform.Collections.Arrays;
8  using Platform.Numbers;
9  using Platform.Random;
10 using Platform.Setters;
11 using Platform.Data.Exceptions;
12 using Platform.Data.Doublets.Decorators;
13
14 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
15
16 namespace Platform.Data.Doublets
17 {
18     public static class ILinksExtensions
19     {
20         public static void RunRandomCreations<TLink>(this ILinks<TLink> links, long
21             ↪ amountOfCreations)
22         {
23             for (long i = 0; i < amountOfCreations; i++)
24             {
25                 var linksAddressRange = new Range<ulong>(0, (Integer<TLink>)links.Count());
26                 Integer<TLink> source = RandomHelpers.Default.NextUInt64(linksAddressRange);
27                 Integer<TLink> target = RandomHelpers.Default.NextUInt64(linksAddressRange);
28                 links.CreateAndUpdate(source, target);
29             }
30
31         public static void RunRandomSearches<TLink>(this ILinks<TLink> links, long
32             ↪ amountOfSearches)
33         {
34             for (long i = 0; i < amountOfSearches; i++)
35             {
36                 var linkAddressRange = new Range<ulong>(1, (Integer<TLink>)links.Count());

```

```

36         Integer<TLink> source = RandomHelpers.Default.NextUInt64(linkAddressRange);
37         Integer<TLink> target = RandomHelpers.Default.NextUInt64(linkAddressRange);
38         links.SearchOrDefault(source, target);
39     }
40 }
41
42 public static void RunRandomDeletions<TLink>(this ILinks<TLink> links, long
↳ amountOfDeletions)
43 {
44     var min = (ulong)amountOfDeletions > (Integer<TLink>)links.Count() ? 1 :
↳ (Integer<TLink>)links.Count() - (ulong)amountOfDeletions;
45     for (long i = 0; i < amountOfDeletions; i++)
46     {
47         var linksAddressRange = new Range<ulong>(min, (Integer<TLink>)links.Count());
48         Integer<TLink> link = RandomHelpers.Default.NextUInt64(linksAddressRange);
49         links.Delete(link);
50         if ((Integer<TLink>)links.Count() < min)
51         {
52             break;
53         }
54     }
55 }
56
57 public static void Delete<TLink>(this ILinks<TLink> links, TLink linkToDelete) =>
↳ links.Delete(new LinkAddress<TLink>(linkToDelete));
58
59 /// <remarks>
60 /// TODO: Возможно есть очень простой способ это сделать.
61 /// (Например просто удалить файл, или изменить его размер таким образом,
62 /// чтобы удалился весь контент)
63 /// Например через _header->AllocatedLinks в ResizableDirectMemoryLinks
64 /// </remarks>
65 public static void DeleteAll<TLink>(this ILinks<TLink> links)
66 {
67     var equalityComparer = EqualityComparer<TLink>.Default;
68     var comparer = Comparer<TLink>.Default;
69     for (var i = links.Count(); comparer.Compare(i, default) > 0; i =
↳ Arithmetic.Decrement(i))
70     {
71         links.Delete(i);
72         if (!equalityComparer.Equals(links.Count(), Arithmetic.Decrement(i)))
73         {
74             i = links.Count();
75         }
76     }
77 }
78
79 public static TLink First<TLink>(this ILinks<TLink> links)
80 {
81     TLink firstLink = default;
82     var equalityComparer = EqualityComparer<TLink>.Default;
83     if (equalityComparer.Equals(links.Count(), default))
84     {
85         throw new InvalidOperationException("В хранилище нет связей.");
86     }
87     links.Each(links.Constants.Any, links.Constants.Any, link =>
88     {
89         firstLink = link[links.Constants.IndexPart];
90         return links.Constants.Break;
91     });
92     if (equalityComparer.Equals(firstLink, default))
93     {
94         throw new InvalidOperationException("В процессе поиска по хранилищу не было
↳ найдено связей.");
95     }
96     return firstLink;
97 }
98
99 #region Paths
100
101 /// <remarks>
102 /// TODO: Как так? Как то что ниже может быть корректно?
103 /// Скорее всего практически не применимо
104 /// Предполагалось, что можно было конвертировать формируемый в проходе через
↳ SequenceWalker
105 /// Stack в конкретный путь из Source, Target до связи, но это не всегда так.
106 /// TODO: Возможно нужен метод, который именно выбрасывает исключения (EnsurePathExists)
107 /// </remarks>

```

```

108 public static bool CheckPathExistance<TLink>(this ILinks<TLink> links, params TLink[]
109     ↪ path)
110 {
111     var current = path[0];
112     //EnsureLinkExists(current, "path");
113     if (!links.Exists(current))
114     {
115         return false;
116     }
117     var equalityComparer = EqualityComparer<TLink>.Default;
118     var constants = links.Constants;
119     for (var i = 1; i < path.Length; i++)
120     {
121         var next = path[i];
122         var values = links.GetLink(current);
123         var source = values[constants.SourcePart];
124         var target = values[constants.TargetPart];
125         if (equalityComparer.Equals(source, target) && equalityComparer.Equals(source,
126             ↪ next))
127         {
128             //throw new InvalidOperationException(string.Format("Невозможно выбрать
129             ↪ путь, так как и Source и Target совпадают с элементом пути {0}.", next));
130             return false;
131         }
132         if (!equalityComparer.Equals(next, source) && !equalityComparer.Equals(next,
133             ↪ target))
134         {
135             //throw new InvalidOperationException(string.Format("Невозможно продолжить
136             ↪ путь через элемент пути {0}", next));
137             return false;
138         }
139         current = next;
140     }
141     return true;
142 }
143
144 /// <remarks>
145 /// Может потребовать дополнительного стека для PathElement's при использовании
146 ↪ SequenceWalker.
147 /// </remarks>
148 public static TLink GetByKeyes<TLink>(this ILinks<TLink> links, TLink root, params int[]
149     ↪ path)
150 {
151     links.EnsureLinkExists(root, "root");
152     var currentLink = root;
153     for (var i = 0; i < path.Length; i++)
154     {
155         currentLink = links.GetLink(currentLink)[path[i]];
156     }
157     return currentLink;
158 }
159
160 public static TLink GetSquareMatrixSequenceElementByIndex<TLink>(this ILinks<TLink>
161     ↪ links, TLink root, ulong size, ulong index)
162 {
163     var constants = links.Constants;
164     var source = constants.SourcePart;
165     var target = constants.TargetPart;
166     if (!Platform.Numbers.Math.IsPowerOfTwo(size))
167     {
168         throw new ArgumentOutOfRangeException(nameof(size), "Sequences with sizes other
169         ↪ than powers of two are not supported.");
170     }
171     var path = new BitArray(BitConverter.GetBytes(index));
172     var length = Bit.GetLowestPosition(size);
173     links.EnsureLinkExists(root, "root");
174     var currentLink = root;
175     for (var i = length - 1; i >= 0; i--)
176     {
177         currentLink = links.GetLink(currentLink)[path[i] ? target : source];
178     }
179     return currentLink;
180 }
181
182 #endregion
183
184 /// <summary>
185 /// Возвращает индекс указанной связи.

```



```

177     /// </summary>
178     /// <param name="links">Хранилище связей.</param>
179     /// <param name="link">Связь представленная списком, состоящим из её адреса и
    ↳ содержимого.</param>
180     /// <returns>Индекс начальной связи для указанной связи.</returns>
181     [MethodImpl(MethodImplOptions.AggressiveInlining)]
182     public static TLink GetIndex<TLink>(this ILinks<TLink> links, IList<TLink> link) =>
    ↳ link[links.Constants.IndexPart];
183
184     /// <summary>
185     /// Возвращает индекс начальной (Source) связи для указанной связи.
186     /// </summary>
187     /// <param name="links">Хранилище связей.</param>
188     /// <param name="link">Индекс связи.</param>
189     /// <returns>Индекс начальной связи для указанной связи.</returns>
190     [MethodImpl(MethodImplOptions.AggressiveInlining)]
191     public static TLink GetSource<TLink>(this ILinks<TLink> links, TLink link) =>
    ↳ links.GetLink(link)[links.Constants.SourcePart];
192
193     /// <summary>
194     /// Возвращает индекс начальной (Source) связи для указанной связи.
195     /// </summary>
196     /// <param name="links">Хранилище связей.</param>
197     /// <param name="link">Связь представленная списком, состоящим из её адреса и
    ↳ содержимого.</param>
198     /// <returns>Индекс начальной связи для указанной связи.</returns>
199     [MethodImpl(MethodImplOptions.AggressiveInlining)]
200     public static TLink GetSource<TLink>(this ILinks<TLink> links, IList<TLink> link) =>
    ↳ link[links.Constants.SourcePart];
201
202     /// <summary>
203     /// Возвращает индекс конечной (Target) связи для указанной связи.
204     /// </summary>
205     /// <param name="links">Хранилище связей.</param>
206     /// <param name="link">Индекс связи.</param>
207     /// <returns>Индекс конечной связи для указанной связи.</returns>
208     [MethodImpl(MethodImplOptions.AggressiveInlining)]
209     public static TLink GetTarget<TLink>(this ILinks<TLink> links, TLink link) =>
    ↳ links.GetLink(link)[links.Constants.TargetPart];
210
211     /// <summary>
212     /// Возвращает индекс конечной (Target) связи для указанной связи.
213     /// </summary>
214     /// <param name="links">Хранилище связей.</param>
215     /// <param name="link">Связь представленная списком, состоящим из её адреса и
    ↳ содержимого.</param>
216     /// <returns>Индекс конечной связи для указанной связи.</returns>
217     [MethodImpl(MethodImplOptions.AggressiveInlining)]
218     public static TLink GetTarget<TLink>(this ILinks<TLink> links, IList<TLink> link) =>
    ↳ link[links.Constants.TargetPart];
219
220     /// <summary>
221     /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
    ↳ (handler) для каждой подходящей связи.
222     /// </summary>
223     /// <param name="links">Хранилище связей.</param>
224     /// <param name="handler">Обработчик каждой подходящей связи.</param>
225     /// <param name="restrictions">Ограничения на содержимое связей. Каждое ограничение
    ↳ может иметь значения: Constants.Null - 0-я связь, обозначающая ссылку на пустоту,
    ↳ Any - отсутствие ограничения, 1..∞ конкретный адрес связи.</param>
226     /// <returns>True, в случае если проход по связям не был прерван и False в обратном
    ↳ случае.</returns>
227     [MethodImpl(MethodImplOptions.AggressiveInlining)]
228     public static bool Each<TLink>(this ILinks<TLink> links, Func<IList<TLink>, TLink>
    ↳ handler, params TLink[] restrictions)
229     => EqualityComparer<TLink>.Default.Equals(links.Each(handler, restrictions),
    ↳ links.Constants.Continue);
230
231     /// <summary>
232     /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
    ↳ (handler) для каждой подходящей связи.
233     /// </summary>
234     /// <param name="links">Хранилище связей.</param>
235     /// <param name="source">Значение, определяющее соответствующие шаблону связи.
    ↳ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве начала,
    ↳ Constants.Any - любое начало, 1..∞ конкретное начало)</param>

```

```

236 /// <param name="target">Значение, определяющее соответствующие шаблону связи.
237   ↳ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве конца,
238   ↳ Constants.Any - любой конец, 1..∞ конкретный конец)</param>
239 /// <param name="handler">Обработчик каждой подходящей связи.</param>
240 /// <returns>True, в случае если проход по связям не был прерван и False в обратном
241   ↳ случае.</returns>
242 [MethodImpl(MethodImplOptions.AggressiveInlining)]
243 public static bool Each<TLink>(this ILinks<TLink> links, TLink source, TLink target,
244   ↳ Func<TLink, bool> handler)
245 {
246     var constants = links.Constants;
247     return links.Each(link => handler(link[constants.IndexPart]) ? constants.Continue :
248       ↳ constants.Break, constants.Any, source, target);
249 }
250
251 /// <summary>
252 /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
253   ↳ (handler) для каждой подходящей связи.
254 /// </summary>
255 /// <param name="links">Хранилище связей.</param>
256 /// <param name="source">Значение, определяющее соответствующие шаблону связи.
257   ↳ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве начала,
258   ↳ Constants.Any - любое начало, 1..∞ конкретное начало)</param>
259 /// <param name="target">Значение, определяющее соответствующие шаблону связи.
260   ↳ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве конца,
261   ↳ Constants.Any - любой конец, 1..∞ конкретный конец)</param>
262 /// <param name="handler">Обработчик каждой подходящей связи.</param>
263 /// <returns>True, в случае если проход по связям не был прерван и False в обратном
264   ↳ случае.</returns>
265 [MethodImpl(MethodImplOptions.AggressiveInlining)]
266 public static bool Each<TLink>(this ILinks<TLink> links, TLink source, TLink target,
267   ↳ Func<IList<TLink>, TLink> handler)
268 {
269     var constants = links.Constants;
270     return links.Each(handler, constants.Any, source, target);
271 }
272
273 [MethodImpl(MethodImplOptions.AggressiveInlining)]
274 public static IList<IList<TLink>> All<TLink>(this ILinks<TLink> links, params TLink[]
275   ↳ restrictions)
276 {
277     long arraySize = (Integer<TLink>)links.Count(restrictions);
278     var array = new IList<TLink>[arraySize];
279     if (arraySize > 0)
280     {
281         var filler = new ArrayFiller<IList<TLink>, TLink>(array,
282           ↳ links.Constants.Continue);
283         links.Each(filler.AddAndReturnConstant, restrictions);
284     }
285     return array;
286 }
287
288 [MethodImpl(MethodImplOptions.AggressiveInlining)]
289 public static IList<TLink> AllIndices<TLink>(this ILinks<TLink> links, params TLink[]
290   ↳ restrictions)
291 {
292     long arraySize = (Integer<TLink>)links.Count(restrictions);
293     var array = new TLink[arraySize];
294     if (arraySize > 0)
295     {
296         var filler = new ArrayFiller<TLink, TLink>(array, links.Constants.Continue);
297         links.Each(filler.AddFirstAndReturnConstant, restrictions);
298     }
299     return array;
300 }
301
302 /// <summary>
303 /// Возвращает значение, определяющее существует ли связь с указанными началом и концом
304   ↳ в хранилище связей.
305 /// </summary>
306 /// <param name="links">Хранилище связей.</param>
307 /// <param name="source">Начало связи.</param>
308 /// <param name="target">Конец связи.</param>
309 /// <returns>Значение, определяющее существует ли связь.</returns>
310 [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

295 public static bool Exists<TLink>(this ILinks<TLink> links, TLink source, TLink target)
296     => Comparer<TLink>.Default.Compare(links.Count(links.Constants.Any, source, target),
297     => default) > 0;
298
299 #region Ensure
300 // TODO: May be move to EnsureExtensions or make it both there and here
301 [MethodImpl(MethodImplOptions.AggressiveInlining)]
302 public static void EnsureInnerReferenceExists<TLink>(this ILinks<TLink> links, TLink
303     => reference, string argumentName)
304 {
305     if (links.Constants.IsInnerReference(reference) && !links.Exists(reference))
306     {
307         throw new ArgumentLinkDoesNotExistsException<TLink>(reference, argumentName);
308     }
309 }
310 [MethodImpl(MethodImplOptions.AggressiveInlining)]
311 public static void EnsureInnerReferenceExists<TLink>(this ILinks<TLink> links,
312     => IList<TLink> restrictions, string argumentName)
313 {
314     for (int i = 0; i < restrictions.Count; i++)
315     {
316         links.EnsureInnerReferenceExists(restrictions[i], argumentName);
317     }
318 }
319 [MethodImpl(MethodImplOptions.AggressiveInlining)]
320 public static void EnsureLinkIsAnyOrExists<TLink>(this ILinks<TLink> links, IList<TLink>
321     => restrictions)
322 {
323     for (int i = 0; i < restrictions.Count; i++)
324     {
325         links.EnsureLinkIsAnyOrExists(restrictions[i], nameof(restrictions));
326     }
327 }
328 [MethodImpl(MethodImplOptions.AggressiveInlining)]
329 public static void EnsureLinkIsAnyOrExists<TLink>(this ILinks<TLink> links, TLink link,
330     => string argumentName)
331 {
332     var equalityComparer = EqualityComparer<TLink>.Default;
333     if (!equalityComparer.Equals(link, links.Constants.Any) && !links.Exists(link))
334     {
335         throw new ArgumentLinkDoesNotExistsException<TLink>(link, argumentName);
336     }
337 }
338 [MethodImpl(MethodImplOptions.AggressiveInlining)]
339 public static void EnsureLinkIsItselfOrExists<TLink>(this ILinks<TLink> links, TLink
340     => link, string argumentName)
341 {
342     var equalityComparer = EqualityComparer<TLink>.Default;
343     if (!equalityComparer.Equals(link, links.Constants.Itself) && !links.Exists(link))
344     {
345         throw new ArgumentLinkDoesNotExistsException<TLink>(link, argumentName);
346     }
347 }
348
349 /// <param name="links">Хранилище связей.</param>
350 [MethodImpl(MethodImplOptions.AggressiveInlining)]
351 public static void EnsureDoesNotExists<TLink>(this ILinks<TLink> links, TLink source,
352     => TLink target)
353 {
354     if (links.Exists(source, target))
355     {
356         throw new LinkWithSameValueAlreadyExistsException();
357     }
358 }
359
360 /// <param name="links">Хранилище связей.</param>
361 public static void EnsureNoUsages<TLink>(this ILinks<TLink> links, TLink link)
362 {
363     if (links.HasUsages(link))
364     {
365         throw new ArgumentLinkHasDependenciesException<TLink>(link);
366     }
367 }

```

```

365
366 /// <param name="links">Хранилище связей.</param>
367 public static void EnsureCreated<TLink>(this ILinks<TLink> links, params TLink[]
    ↳ addresses) => links.EnsureCreated(links.Create, addresses);
368
369 /// <param name="links">Хранилище связей.</param>
370 public static void EnsurePointsCreated<TLink>(this ILinks<TLink> links, params TLink[]
    ↳ addresses) => links.EnsureCreated(links.CreatePoint, addresses);
371
372 /// <param name="links">Хранилище связей.</param>
373 public static void EnsureCreated<TLink>(this ILinks<TLink> links, Func<TLink> creator,
    ↳ params TLink[] addresses)
374 {
375     var constants = links.Constants;
376
377     var nonExistentAddresses = new HashSet<TLink>(addresses.Where(x =>
    ↳ !links.Exists(x)));
378     if (nonExistentAddresses.Count > 0)
379     {
380         var max = nonExistentAddresses.Max();
381         max = (Integer<TLink>)System.Math.Min((ulong)(Integer<TLink>)max,
    ↳ (ulong)(Integer<TLink>)constants.PossibleInnerReferencesRange.Maximum);
382         var createdLinks = new List<TLink>();
383         var equalityComparer = EqualityComparer<TLink>.Default;
384         TLink createdLink = creator();
385         while (!equalityComparer.Equals(createdLink, max))
386         {
387             createdLinks.Add(createdLink);
388         }
389         for (var i = 0; i < createdLinks.Count; i++)
390         {
391             if (!nonExistentAddresses.Contains(createdLinks[i]))
392             {
393                 links.Delete(createdLinks[i]);
394             }
395         }
396     }
397 }
398
399 #endregion
400
401 /// <param name="links">Хранилище связей.</param>
402 public static TLink CountUsages<TLink>(this ILinks<TLink> links, TLink link)
403 {
404     var constants = links.Constants;
405     var values = links.GetLink(link);
406     TLink usagesAsSource = links.Count(new Link<TLink>(constants.Any, link,
    ↳ constants.Any));
407     var equalityComparer = EqualityComparer<TLink>.Default;
408     if (equalityComparer.Equals(values[constants.SourcePart], link))
409     {
410         usagesAsSource = Arithmetic<TLink>.Decrement(usagesAsSource);
411     }
412     TLink usagesAsTarget = links.Count(new Link<TLink>(constants.Any, constants.Any,
    ↳ link));
413     if (equalityComparer.Equals(values[constants.TargetPart], link))
414     {
415         usagesAsTarget = Arithmetic<TLink>.Decrement(usagesAsTarget);
416     }
417     return Arithmetic<TLink>.Add(usagesAsSource, usagesAsTarget);
418 }
419
420 /// <param name="links">Хранилище связей.</param>
421 [MethodImpl(MethodImplOptions.AggressiveInlining)]
422 public static bool HasUsages<TLink>(this ILinks<TLink> links, TLink link) =>
    ↳ Comparer<TLink>.Default.Compare(links.CountUsages(link), Integer<TLink>.Zero) > 0;
423
424 /// <param name="links">Хранилище связей.</param>
425 [MethodImpl(MethodImplOptions.AggressiveInlining)]
426 public static bool Equals<TLink>(this ILinks<TLink> links, TLink link, TLink source,
    ↳ TLink target)
427 {
428     var constants = links.Constants;
429     var values = links.GetLink(link);
430     var equalityComparer = EqualityComparer<TLink>.Default;
431     return equalityComparer.Equals(values[constants.SourcePart], source) &&
    ↳ equalityComparer.Equals(values[constants.TargetPart], target);
432 }

```

```

433 /// <summary>
434 /// Выполняет поиск связи с указанными Source (началом) и Target (концом).
435 /// </summary>
436 /// <param name="links">Хранилище связей.</param>
437 /// <param name="source">Индекс связи, которая является началом для искомой
438   ↳ связи.</param>
439 /// <param name="target">Индекс связи, которая является концом для искомой связи.</param>
440 /// <returns>Индекс искомой связи с указанными Source (началом) и Target
441   ↳ (концом).</returns>
442 [MethodImpl(MethodImplOptions.AggressiveInlining)]
443 public static TLink SearchOrDefault<TLink>(this ILinks<TLink> links, TLink source, TLink
444   ↳ target)
445 {
446     var constants = links.Constants;
447     var setter = new Setter<TLink, TLink>(constants.Continue, constants.Break, default);
448     links.Each(setter.SetFirstAndReturnFalse, constants.Any, source, target);
449     return setter.Result;
450 }
451
452 /// <param name="links">Хранилище связей.</param>
453 [MethodImpl(MethodImplOptions.AggressiveInlining)]
454 public static TLink Create<TLink>(this ILinks<TLink> links) => links.Create(null);
455
456 /// <param name="links">Хранилище связей.</param>
457 [MethodImpl(MethodImplOptions.AggressiveInlining)]
458 public static TLink CreatePoint<TLink>(this ILinks<TLink> links)
459 {
460     var link = links.Create();
461     return links.Update(link, link, link);
462 }
463
464 /// <param name="links">Хранилище связей.</param>
465 [MethodImpl(MethodImplOptions.AggressiveInlining)]
466 public static TLink CreateAndUpdate<TLink>(this ILinks<TLink> links, TLink source, TLink
467   ↳ target) => links.Update(links.Create(), source, target);
468
469 /// <summary>
470 /// Обновляет связь с указанными началом (Source) и концом (Target)
471 /// на связь с указанными началом (NewSource) и концом (NewTarget).
472 /// </summary>
473 /// <param name="links">Хранилище связей.</param>
474 /// <param name="link">Индекс обновляемой связи.</param>
475 /// <param name="newSource">Индекс связи, которая является началом связи, на которую
476   ↳ выполняется обновление.</param>
477 /// <param name="newTarget">Индекс связи, которая является концом связи, на которую
478   ↳ выполняется обновление.</param>
479 /// <returns>Индекс обновлённой связи.</returns>
480 [MethodImpl(MethodImplOptions.AggressiveInlining)]
481 public static TLink Update<TLink>(this ILinks<TLink> links, TLink link, TLink newSource,
482   ↳ TLink newTarget) => links.Update(new LinkAddress<TLink>(link), new Link<TLink>(link,
483   ↳ newSource, newTarget));
484
485 /// <summary>
486 /// Обновляет связь с указанными началом (Source) и концом (Target)
487 /// на связь с указанными началом (NewSource) и концом (NewTarget).
488 /// </summary>
489 /// <param name="links">Хранилище связей.</param>
490 /// <param name="restrictions">Ограничения на содержимое связей. Каждое ограничение
491   ↳ может иметь значения: Constants.Null - 0-я связь, обозначающая ссылку на пустоту,
492   ↳ Itself - требование установить ссылку на себя, 1..∞ конкретный адрес другой
493   ↳ связи.</param>
494 /// <returns>Индекс обновлённой связи.</returns>
495 [MethodImpl(MethodImplOptions.AggressiveInlining)]
496 public static TLink Update<TLink>(this ILinks<TLink> links, params TLink[] restrictions)
497 {
498     if (restrictions.Length == 2)
499     {
500         return links.MergeAndDelete(restrictions[0], restrictions[1]);
501     }
502     if (restrictions.Length == 4)
503     {
504         return links.UpdateOrCreateOrGet(restrictions[0], restrictions[1],
505           ↳ restrictions[2], restrictions[3]);
506     }
507     else
508     {
509

```

```

498         return links.Update(new LinkAddress<TLink>(restrictions[0]), restrictions);
499     }
500 }
501
502 [MethodImpl(MethodImplOptions.AggressiveInlining)]
503 public static IList<TLink> ResolveConstantAsSelfReference<TLink>(this ILinks<TLink>
    ↳ links, TLink constant, IList<TLink> restrictions, IList<TLink> substitution)
504 {
505     var equalityComparer = EqualityComparer<TLink>.Default;
506     var constants = links.Constants;
507     var restrictionsIndex = restrictions[constants.IndexPart];
508     var substitutionIndex = substitution[constants.IndexPart];
509     if (equalityComparer.Equals(substitutionIndex, default))
510     {
511         substitutionIndex = restrictionsIndex;
512     }
513     var source = substitution[constants.SourcePart];
514     var target = substitution[constants.TargetPart];
515     source = equalityComparer.Equals(source, constant) ? substitutionIndex : source;
516     target = equalityComparer.Equals(target, constant) ? substitutionIndex : target;
517     return new Link<TLink>(substitutionIndex, source, target);
518 }
519
520 /// <summary>
521 /// Создаёт связь (если она не существовала), либо возвращает индекс существующей связи
    ↳ с указанными Source (началом) и Target (концом).
522 /// </summary>
523 /// <param name="links">Хранилище связей.</param>
524 /// <param name="source">Индекс связи, которая является началом на создаваемой
    ↳ связи.</param>
525 /// <param name="target">Индекс связи, которая является концом для создаваемой
    ↳ связи.</param>
526 /// <returns>Индекс связи, с указанным Source (началом) и Target (концом)</returns>
527 [MethodImpl(MethodImplOptions.AggressiveInlining)]
528 public static TLink GetOrCreate<TLink>(this ILinks<TLink> links, TLink source, TLink
    ↳ target)
529 {
530     var link = links.SearchOrDefault(source, target);
531     if (EqualityComparer<TLink>.Default.Equals(link, default))
532     {
533         link = links.CreateAndUpdate(source, target);
534     }
535     return link;
536 }
537
538 /// <summary>
539 /// Обновляет связь с указанными началом (Source) и концом (Target)
    ↳ на связь с указанными началом (NewSource) и концом (NewTarget).
540 /// </summary>
541 /// <param name="links">Хранилище связей.</param>
542 /// <param name="source">Индекс связи, которая является началом обновляемой
    ↳ связи.</param>
543 /// <param name="target">Индекс связи, которая является концом обновляемой связи.</param>
544 /// <param name="newSource">Индекс связи, которая является началом связи, на которую
    ↳ выполняется обновление.</param>
545 /// <param name="newTarget">Индекс связи, которая является концом связи, на которую
    ↳ выполняется обновление.</param>
546 /// <returns>Индекс обновлённой связи.</returns>
547 [MethodImpl(MethodImplOptions.AggressiveInlining)]
548 public static TLink UpdateOrCreateOrGet<TLink>(this ILinks<TLink> links, TLink source,
    ↳ TLink target, TLink newSource, TLink newTarget)
549 {
550     var equalityComparer = EqualityComparer<TLink>.Default;
551     var link = links.SearchOrDefault(source, target);
552     if (equalityComparer.Equals(link, default))
553     {
554         return links.CreateAndUpdate(newSource, newTarget);
555     }
556     if (equalityComparer.Equals(newSource, source) && equalityComparer.Equals(newTarget,
    ↳ target))
557     {
558         return link;
559     }
560     return links.Update(link, newSource, newTarget);
561 }
562
563 /// <summary>Удаляет связь с указанными началом (Source) и концом (Target).</summary>
564

```

```

565 /// <param name="links">Хранилище связей.</param>
566 /// <param name="source">Индекс связи, которая является началом удаляемой связи.</param>
567 /// <param name="target">Индекс связи, которая является концом удаляемой связи.</param>
568 [MethodImpl(MethodImplOptions.AggressiveInlining)]
569 public static TLink DeleteIfExists<TLink>(this ILinks<TLink> links, TLink source, TLink
    ↪ target)
570 {
571     var link = links.SearchOrDefault(source, target);
572     if (!EqualityComparer<TLink>.Default.Equals(link, default))
573     {
574         links.Delete(link);
575         return link;
576     }
577     return default;
578 }
579
580 /// <summary>Удаляет несколько связей.</summary>
581 /// <param name="links">Хранилище связей.</param>
582 /// <param name="deletedLinks">Список адресов связей к удалению.</param>
583 [MethodImpl(MethodImplOptions.AggressiveInlining)]
584 public static void DeleteMany<TLink>(this ILinks<TLink> links, IList<TLink> deletedLinks)
585 {
586     for (int i = 0; i < deletedLinks.Count; i++)
587     {
588         links.Delete(deletedLinks[i]);
589     }
590 }
591
592 /// <remarks>Before execution of this method ensure that deleted link is detached (all
    ↪ values - source and target are reset to null) or it might enter into infinite
    ↪ recursion.</remarks>
593 public static void DeleteAllUsages<TLink>(this ILinks<TLink> links, TLink linkIndex)
594 {
595     var anyConstant = links.Constants.Any;
596     var usagesAsSourceQuery = new Link<TLink>(anyConstant, linkIndex, anyConstant);
597     links.DeleteByQuery(usagesAsSourceQuery);
598     var usagesAsTargetQuery = new Link<TLink>(anyConstant, linkIndex, anyConstant);
599     links.DeleteByQuery(usagesAsTargetQuery);
600 }
601
602 public static void DeleteByQuery<TLink>(this ILinks<TLink> links, Link<TLink> query)
603 {
604     var count = (Integer<TLink>)links.Count(query);
605     if (count > 0)
606     {
607         var queryResult = new TLink[count];
608         var queryResultFiller = new ArrayFiller<TLink, TLink>(queryResult,
            ↪ links.Constants.Continue);
609         links.Each(queryResultFiller.AddFirstAndReturnConstant, query);
610         for (var i = (long)count - 1; i >= 0; i--)
611         {
612             links.Delete(queryResult[i]);
613         }
614     }
615 }
616
617 // TODO: Move to Platform.Data
618 public static bool AreValuesReset<TLink>(this ILinks<TLink> links, TLink linkIndex)
619 {
620     var nullConstant = links.Constants.Null;
621     var equalityComparer = EqualityComparer<TLink>.Default;
622     var link = links.GetLink(linkIndex);
623     for (int i = 1; i < link.Count; i++)
624     {
625         if (!equalityComparer.Equals(link[i], nullConstant))
626         {
627             return false;
628         }
629     }
630     return true;
631 }
632
633 // TODO: Create a universal version of this method in Platform.Data (with using of for
    ↪ loop)
634 public static void ResetValues<TLink>(this ILinks<TLink> links, TLink linkIndex)
635 {
636     var nullConstant = links.Constants.Null;
637     var updateRequest = new Link<TLink>(linkIndex, nullConstant, nullConstant);

```

```

638     links.Update(updateRequest);
639 }
640
641 // TODO: Create a universal version of this method in Platform.Data (with using of for
642 → loop)
643 public static void EnforceResetValues<TLink>(this ILinks<TLink> links, TLink linkIndex)
644 {
645     if (!links.AreValuesReset(linkIndex))
646     {
647         links.ResetValues(linkIndex);
648     }
649 }
650
651 /// <summary>
652 /// Merging two usages graphs, all children of old link moved to be children of new link
653 → or deleted.
654 /// </summary>
655 public static TLink MergeUsages<TLink>(this ILinks<TLink> links, TLink oldLinkIndex,
656 → TLink newLinkIndex)
657 {
658     var equalityComparer = EqualityComparer<TLink>.Default;
659     if (!equalityComparer.Equals(oldLinkIndex, newLinkIndex))
660     {
661         var constants = links.Constants;
662         var usagesAsSourceQuery = new Link<TLink>(constants.Any, oldLinkIndex,
663 → constants.Any);
664         long usagesAsSourceCount = (Integer<TLink>)links.Count(usagesAsSourceQuery);
665         var usagesAsTargetQuery = new Link<TLink>(constants.Any, constants.Any,
666 → oldLinkIndex);
667         long usagesAsTargetCount = (Integer<TLink>)links.Count(usagesAsTargetQuery);
668         var isStandalonePoint = Point<TLink>.IsFullPoint(links.GetLink(oldLinkIndex)) &&
669 → usagesAsSourceCount == 1 && usagesAsTargetCount == 1;
670         if (!isStandalonePoint)
671         {
672             var totalUsages = usagesAsSourceCount + usagesAsTargetCount;
673             if (totalUsages > 0)
674             {
675                 var usages = ArrayPool.Allocate<TLink>(totalUsages);
676                 var usagesFiller = new ArrayFiller<TLink, TLink>(usages,
677 → links.Constants.Continue);
678                 var i = 0L;
679                 if (usagesAsSourceCount > 0)
680                 {
681                     links.Each(usagesFiller.AddFirstAndReturnConstant,
682 → usagesAsSourceQuery);
683                     for (; i < usagesAsSourceCount; i++)
684                     {
685                         var usage = usages[i];
686                         if (!equalityComparer.Equals(usage, oldLinkIndex))
687                         {
688                             links.Update(usage, newLinkIndex, links.GetTarget(usage));
689                         }
690                     }
691                 }
692                 if (usagesAsTargetCount > 0)
693                 {
694                     links.Each(usagesFiller.AddFirstAndReturnConstant,
695 → usagesAsTargetQuery);
696                     for (; i < usages.Length; i++)
697                     {
698                         var usage = usages[i];
699                         if (!equalityComparer.Equals(usage, oldLinkIndex))
700                         {
701                             links.Update(usage, links.GetSource(usage), newLinkIndex);
702                         }
703                     }
704                 }
705                 ArrayPool.Free(usages);
706             }
707         }
708     }
709     return newLinkIndex;
710 }
711
712 /// <summary>
713 /// Replace one link with another (replaced link is deleted, children are updated or
714 → deleted).

```



```

705     /// </summary>
706     [MethodImpl(MethodImplOptions.AggressiveInlining)]
707     public static TLink MergeAndDelete<TLink>(this ILinks<TLink> links, TLink oldLinkIndex,
708     ↪ TLink newLinkIndex)
709     {
710         var equalityComparer = EqualityComparer<TLink>.Default;
711         if (!equalityComparer.Equals(oldLinkIndex, newLinkIndex))
712         {
713             links.MergeUsages(oldLinkIndex, newLinkIndex);
714             links.Delete(oldLinkIndex);
715         }
716         return newLinkIndex;
717     }
718     public static ILinks<TLink>
719     ↪ DecorateWithAutomaticUniquenessAndUsagesResolution<TLink>(this ILinks<TLink> links)
720     {
721         links = new LinksCascadeUsagesResolver<TLink>(links);
722         links = new NonNullContentsLinkDeletionResolver<TLink>(links);
723         links = new LinksCascadeUniquenessAndUsagesResolver<TLink>(links);
724         return links;
725     }
726 }

```

./Platform.Data.Doublets/Incrementers/FrequencyIncrementer.cs

```

1  using System.Collections.Generic;
2  using Platform.Interfaces;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Incrementers
7  {
8      public class FrequencyIncrementer<TLink> : LinksOperatorBase<TLink>, IIncrementer<TLink>
9      {
10         private static readonly EqualityComparer<TLink> _equalityComparer =
11         ↪ EqualityComparer<TLink>.Default;
12
13         private readonly TLink _frequencyMarker;
14         private readonly TLink _unaryOne;
15         private readonly IIncrementer<TLink> _unaryNumberIncrementer;
16
17         public FrequencyIncrementer(ILinks<TLink> links, TLink frequencyMarker, TLink unaryOne,
18         ↪ IIncrementer<TLink> unaryNumberIncrementer)
19         : base(links)
20         {
21             _frequencyMarker = frequencyMarker;
22             _unaryOne = unaryOne;
23             _unaryNumberIncrementer = unaryNumberIncrementer;
24         }
25
26         public TLink Increment(TLink frequency)
27         {
28             if (_equalityComparer.Equals(frequency, default))
29             {
30                 return Links.GetOrCreate(_unaryOne, _frequencyMarker);
31             }
32             var source = Links.GetSource(frequency);
33             var incrementedSource = _unaryNumberIncrementer.Increment(source);
34             return Links.GetOrCreate(incrementedSource, _frequencyMarker);
35         }
36     }
37 }

```

./Platform.Data.Doublets/Incrementers/UnaryNumberIncrementer.cs

```

1  using System.Collections.Generic;
2  using Platform.Interfaces;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Incrementers
7  {
8      public class UnaryNumberIncrementer<TLink> : LinksOperatorBase<TLink>, IIncrementer<TLink>
9      {
10         private static readonly EqualityComparer<TLink> _equalityComparer =
11         ↪ EqualityComparer<TLink>.Default;
12
13         private readonly TLink _unaryOne;

```

```

14     public UnaryNumberIncrementer(ILinks<TLink> links, TLink unaryOne) : base(links) =>
15         ↪ _unaryOne = unaryOne;
16
17     public TLink Increment(TLink unaryNumber)
18     {
19         if (_equalityComparer.Equals(unaryNumber, _unaryOne))
20         {
21             return Links.GetOrCreate(_unaryOne, _unaryOne);
22         }
23         var source = Links.GetSource(unaryNumber);
24         var target = Links.GetTarget(unaryNumber);
25         if (_equalityComparer.Equals(source, target))
26         {
27             return Links.GetOrCreate(unaryNumber, _unaryOne);
28         }
29         else
30         {
31             return Links.GetOrCreate(source, Increment(target));
32         }
33     }
34 }

```

./Platform.Data.Doublets/ISynchronizedLinks.cs

```

1  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
2
3  namespace Platform.Data.Doublets
4  {
5      public interface ISynchronizedLinks<TLink> : ISynchronizedLinks<TLink, ILinks<TLink>,
6          ↪ LinksConstants<TLink>>, ILinks<TLink>
7      {
8      }
9  }

```

./Platform.Data.Doublets/Link.cs

```

1  using System;
2  using System.Collections;
3  using System.Collections.Generic;
4  using Platform.Exceptions;
5  using Platform.Ranges;
6  using Platform.Singletons;
7  using Platform.Collections.Lists;
8
9  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
10
11 namespace Platform.Data.Doublets
12 {
13     /// <summary>
14     /// Структура описывающая уникальную связь.
15     /// </summary>
16     public struct Link<TLink> : IEquatable<Link<TLink>>, IReadOnlyList<TLink>, IList<TLink>
17     {
18         public static readonly Link<TLink> Null = new Link<TLink>();
19
20         private static readonly LinksConstants<TLink> _constants =
21             ↪ Default<LinksConstants<TLink>>.Instance;
22         private static readonly EqualityComparer<TLink> _equalityComparer =
23             ↪ EqualityComparer<TLink>.Default;
24
25         private const int Length = 3;
26
27         public readonly TLink Index;
28         public readonly TLink Source;
29         public readonly TLink Target;
30
31         public Link(params TLink[] values)
32         {
33             Index = values.Length > _constants.IndexPart ? values[_constants.IndexPart] :
34                 ↪ _constants.Null;
35             Source = values.Length > _constants.SourcePart ? values[_constants.SourcePart] :
36                 ↪ _constants.Null;
37             Target = values.Length > _constants.TargetPart ? values[_constants.TargetPart] :
38                 ↪ _constants.Null;
39         }
40
41         public Link(IList<TLink> values)
42         {
43             Index = values.Count > _constants.IndexPart ? values[_constants.IndexPart] :
44                 ↪ _constants.Null;

```

```

39         Source = values.Count > _constants.SourcePart ? values[_constants.SourcePart] :
        ↪ _constants.Null;
40         Target = values.Count > _constants.TargetPart ? values[_constants.TargetPart] :
        ↪ _constants.Null;
41     }
42
43     public Link(TLink index, TLink source, TLink target)
44     {
45         Index = index;
46         Source = source;
47         Target = target;
48     }
49
50     public Link(TLink source, TLink target)
51         : this(_constants.Null, source, target)
52     {
53         Source = source;
54         Target = target;
55     }
56
57     public static Link<TLink> Create(TLink source, TLink target) => new Link<TLink>(source,
        ↪ target);
58
59     public override int GetHashCode() => (Index, Source, Target).GetHashCode();
60
61     public bool IsNull() => _equalityComparer.Equals(Index, _constants.Null)
62         && _equalityComparer.Equals(Source, _constants.Null)
63         && _equalityComparer.Equals(Target, _constants.Null);
64
65     public override bool Equals(object other) => other is Link<TLink> &&
        ↪ Equals((Link<TLink>)other);
66
67     public bool Equals(Link<TLink> other) => _equalityComparer.Equals(Index, other.Index)
68         && _equalityComparer.Equals(Source, other.Source)
69         && _equalityComparer.Equals(Target, other.Target);
70
71     public static string ToString(TLink index, TLink source, TLink target) => $"({index}:
        ↪ {source}->{target})";
72
73     public static string ToString(TLink source, TLink target) => $"({source}->{target})";
74
75     public static implicit operator TLink[] (Link<TLink> link) => link.ToArray();
76
77     public static implicit operator Link<TLink>(TLink[] linkArray) => new
        ↪ Link<TLink>(linkArray);
78
79     public override string ToString() => _equalityComparer.Equals(Index, _constants.Null) ?
        ↪ ToString(Source, Target) : ToString(Index, Source, Target);
80
81     #region IList
82
83     public int Count => Length;
84
85     public bool IsReadOnly => true;
86
87     public TLink this[int index]
88     {
89         get
90         {
91             Ensure.OnDebug.ArgumentInRange(index, new Range<int>(0, Length - 1),
                ↪ nameof(index));
92             if (index == _constants.IndexPart)
93             {
94                 return Index;
95             }
96             if (index == _constants.SourcePart)
97             {
98                 return Source;
99             }
100             if (index == _constants.TargetPart)
101             {
102                 return Target;
103             }
104             throw new NotSupportedException(); // Impossible path due to
                ↪ Ensure.ArgumentInRange
105         }
106         set => throw new NotSupportedException();
107     }
108

```

```

109     IEnumerator IEnumerable.GetEnumerator() => GetEnumerator();
110
111     public IEnumerator<TLink> GetEnumerator()
112     {
113         yield return Index;
114         yield return Source;
115         yield return Target;
116     }
117
118     public void Add(TLink item) => throw new NotSupportedException();
119
120     public void Clear() => throw new NotSupportedException();
121
122     public bool Contains(TLink item) => IndexOf(item) >= 0;
123
124     public void CopyTo(TLink[] array, int arrayIndex)
125     {
126         Ensure.OnDebug.ArgumentNotNull(array, nameof(array));
127         Ensure.OnDebug.ArgumentInRange(arrayIndex, new Range<int>(0, array.Length - 1),
128             ↪ nameof(arrayIndex));
129         if (arrayIndex + Length > array.Length)
130         {
131             throw new InvalidOperationException();
132         }
133         array[arrayIndex++] = Index;
134         array[arrayIndex++] = Source;
135         array[arrayIndex] = Target;
136     }
137
138     public bool Remove(TLink item) => Throw.A.NotSupportedExceptionAndReturn<bool>();
139
140     public int IndexOf(TLink item)
141     {
142         if (_equalityComparer.Equals(Index, item))
143         {
144             return _constants.IndexPart;
145         }
146         if (_equalityComparer.Equals(Source, item))
147         {
148             return _constants.SourcePart;
149         }
150         if (_equalityComparer.Equals(Target, item))
151         {
152             return _constants.TargetPart;
153         }
154         return -1;
155     }
156
157     public void Insert(int index, TLink item) => throw new NotSupportedException();
158
159     public void RemoveAt(int index) => throw new NotSupportedException();
160
161     #endregion
162 }

```

./Platform.Data.Doublets/LinkExtensions.cs

```

1  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
2
3  namespace Platform.Data.Doublets
4  {
5      public static class LinkExtensions
6      {
7          public static bool IsFullPoint<TLink>(this Link<TLink> link) =>
8              ↪ Point<TLink>.IsFullPoint(link);
9          public static bool IsPartialPoint<TLink>(this Link<TLink> link) =>
10             ↪ Point<TLink>.IsPartialPoint(link);
11     }
12 }

```

./Platform.Data.Doublets/LinksOperatorBase.cs

```

1  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
2
3  namespace Platform.Data.Doublets
4  {
5      public abstract class LinksOperatorBase<TLink>
6      {
7          public ILinks<TLink> Links { get; }
8          protected LinksOperatorBase(ILinks<TLink> links) => Links = links;
9      }
10 }

```

```
9     }
10 }
```

./Platform.Data.Doublets/Numbers/Raw/AddressToRawNumberConverter.cs

```
1 using Platform.Interfaces;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Numbers.Raw
6 {
7     public class AddressToRawNumberConverter<TLink> : IConverter<TLink>
8     {
9         public TLink Convert(TLink source) => new Hybrid<TLink>(source, isExternal: true);
10     }
11 }
```

./Platform.Data.Doublets/Numbers/Raw/RawNumberToAddressConverter.cs

```
1 using Platform.Interfaces;
2 using Platform.Numbers;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Numbers.Raw
7 {
8     public class RawNumberToAddressConverter<TLink> : IConverter<TLink>
9     {
10         public TLink Convert(TLink source) => (Integer<TLink>)new
11             ↪ Hybrid<TLink>(source).AbsoluteValue;
12     }
13 }
```

./Platform.Data.Doublets/Numbers/Unary/AddressToUnaryNumberConverter.cs

```
1 using System.Collections.Generic;
2 using Platform.Interfaces;
3 using Platform.Reflection;
4 using Platform.Numbers;
5
6 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8 namespace Platform.Data.Doublets.Numbers.Unary
9 {
10     public class AddressToUnaryNumberConverter<TLink> : LinksOperatorBase<TLink>,
11         ↪ IConverter<TLink>
12     {
13         private static readonly EqualityComparer<TLink> _equalityComparer =
14             ↪ EqualityComparer<TLink>.Default;
15
16         private readonly IConverter<int, TLink> _powerOf2ToUnaryNumberConverter;
17
18         public AddressToUnaryNumberConverter(ILinks<TLink> links, IConverter<int, TLink>
19             ↪ powerOf2ToUnaryNumberConverter) : base(links) => _powerOf2ToUnaryNumberConverter =
20             ↪ powerOf2ToUnaryNumberConverter;
21
22         public TLink Convert(TLink sourceAddress)
23         {
24             var number = sourceAddress;
25             var nullConstant = Links.Constants.Null;
26             var one = Integer<TLink>.One;
27             var target = nullConstant;
28             for (int i = 0; !_equalityComparer.Equals(number, default) && i <
29                 ↪ NumericType<TLink>.BitsLength; i++)
30             {
31                 if (_equalityComparer.Equals(Bit.And(number, one), one))
32                 {
33                     target = _equalityComparer.Equals(target, nullConstant)
34                         ? _powerOf2ToUnaryNumberConverter.Convert(i)
35                         : Links.GetOrCreate(_powerOf2ToUnaryNumberConverter.Convert(i), target);
36                 }
37                 number = (Integer<TLink>)((ulong)(Integer<TLink>)number >> 1); // Should be
38                 ↪ Bit.ShiftRight(number, 1)
39             }
40             return target;
41         }
42     }
43 }
```

./Platform.Data.Doublets/Numbers/Unary/LinkToItsFrequencyNumberConverter.cs

```
1 using System;
2 using System.Collections.Generic;
3 using Platform.Interfaces;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Numbers.Unary
8 {
9     public class LinkToItsFrequencyNumberConverter<TLink> : LinksOperatorBase<TLink>,
10     ↪ IConverter<Doublet<TLink>, TLink>
11     {
12         private static readonly EqualityComparer<TLink> _equalityComparer =
13         ↪ EqualityComparer<TLink>.Default;
14
15         private readonly IPropertyOperator<TLink, TLink> _frequencyPropertyOperator;
16         private readonly IConverter<TLink> _unaryNumberToAddressConverter;
17
18         public LinkToItsFrequencyNumberConverter(
19             ILinks<TLink> links,
20             IPropertyOperator<TLink, TLink> frequencyPropertyOperator,
21             IConverter<TLink> unaryNumberToAddressConverter)
22             : base(links)
23         {
24             _frequencyPropertyOperator = frequencyPropertyOperator;
25             _unaryNumberToAddressConverter = unaryNumberToAddressConverter;
26         }
27
28         public TLink Convert(Doublet<TLink> doublet)
29         {
30             var link = Links.SearchOrDefault(doublet.Source, doublet.Target);
31             if (_equalityComparer.Equals(link, default))
32             {
33                 throw new ArgumentException($"Link ({doublet}) not found.", nameof(doublet));
34             }
35             var frequency = _frequencyPropertyOperator.Get(link);
36             if (_equalityComparer.Equals(frequency, default))
37             {
38                 return default;
39             }
40             var frequencyNumber = Links.GetSource(frequency);
41             return _unaryNumberToAddressConverter.Convert(frequencyNumber);
42         }
43     }
44 }
```

./Platform.Data.Doublets/Numbers/Unary/PowerOf2ToUnaryNumberConverter.cs

```
1 using System.Collections.Generic;
2 using Platform.Exceptions;
3 using Platform.Interfaces;
4 using Platform.Ranges;
5
6 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8 namespace Platform.Data.Doublets.Numbers.Unary
9 {
10     public class PowerOf2ToUnaryNumberConverter<TLink> : LinksOperatorBase<TLink>,
11     ↪ IConverter<int, TLink>
12     {
13         private static readonly EqualityComparer<TLink> _equalityComparer =
14         ↪ EqualityComparer<TLink>.Default;
15
16         private readonly TLink[] _unaryNumberPowersOf2;
17
18         public PowerOf2ToUnaryNumberConverter(ILinks<TLink> links, TLink one) : base(links)
19         {
20             _unaryNumberPowersOf2 = new TLink[64];
21             _unaryNumberPowersOf2[0] = one;
22         }
23
24         public TLink Convert(int power)
25         {
26             Ensure.Always.ArgumentInRange(power, new Range<int>(0, _unaryNumberPowersOf2.Length
27             ↪ - 1), nameof(power));
28             if (!_equalityComparer.Equals(_unaryNumberPowersOf2[power], default))
29             {
30                 return _unaryNumberPowersOf2[power];
31             }
32             var previousPowerOf2 = Convert(power - 1);
33             var powerOf2 = Links.GetOrCreate(previousPowerOf2, previousPowerOf2);
34         }
35     }
36 }
```

```

31         _unaryNumberPowersOf2[power] = powerOf2;
32         return powerOf2;
33     }
34 }
35 }

```

./Platform.Data.Doublets/Numbers/Unary/UnaryNumberToAddressAddOperationConverter.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3  using Platform.Interfaces;
4  using Platform.Numbers;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data.Doublets.Numbers.Unary
9  {
10     public class UnaryNumberToAddressAddOperationConverter<TLink> : LinksOperatorBase<TLink>,
11         ⇨ IConverter<TLink>
12     {
13         private static readonly EqualityComparer<TLink> _equalityComparer =
14             ⇨ EqualityComparer<TLink>.Default;
15
16         private Dictionary<TLink, TLink> _unaryToUInt64;
17         private readonly TLink _unaryOne;
18
19         public UnaryNumberToAddressAddOperationConverter(ILinks<TLink> links, TLink unaryOne)
20             : base(links)
21         {
22             _unaryOne = unaryOne;
23             InitUnaryToUInt64();
24         }
25
26         private void InitUnaryToUInt64()
27         {
28             var one = Integer<TLink>.One;
29             _unaryToUInt64 = new Dictionary<TLink, TLink>
30             {
31                 { _unaryOne, one }
32             };
33             var unary = _unaryOne;
34             var number = one;
35             for (var i = 1; i < 64; i++)
36             {
37                 unary = Links.GetOrCreate(unary, unary);
38                 number = Double(number);
39                 _unaryToUInt64.Add(unary, number);
40             }
41         }
42
43         public TLink Convert(TLink unaryNumber)
44         {
45             if (_equalityComparer.Equals(unaryNumber, default))
46             {
47                 return default;
48             }
49             if (_equalityComparer.Equals(unaryNumber, _unaryOne))
50             {
51                 return Integer<TLink>.One;
52             }
53             var source = Links.GetSource(unaryNumber);
54             var target = Links.GetTarget(unaryNumber);
55             if (_equalityComparer.Equals(source, target))
56             {
57                 return _unaryToUInt64[unaryNumber];
58             }
59             else
60             {
61                 var result = _unaryToUInt64[source];
62                 TLink lastValue;
63                 while (!_unaryToUInt64.TryGetValue(target, out lastValue))
64                 {
65                     source = Links.GetSource(target);
66                     result = Arithmetic<TLink>.Add(result, _unaryToUInt64[source]);
67                     target = Links.GetTarget(target);
68                 }
69                 result = Arithmetic<TLink>.Add(result, lastValue);
70                 return result;
71             }
72         }
73     }
74 }

```

```

72     [MethodImpl(MethodImplOptions.AggressiveInlining)]
73     private static TLink Double(TLink number) => (Integer<TLink>)((Integer<TLink>)number *
    ↪ 2UL);
74 }
75 }

```

# ./Platform.Data.Doublets/Numbers/Unary/UnaryNumberToAddressOrOperationConverter.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3  using Platform.Interfaces;
4  using Platform.Reflection;
5  using Platform.Numbers;
6
7  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9  namespace Platform.Data.Doublets.Numbers.Unary
10 {
11     public class UnaryNumberToAddressOrOperationConverter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<TLink>
12     {
13         private static readonly EqualityComparer<TLink> _equalityComparer =
    ↪ EqualityComparer<TLink>.Default;
14
15         private readonly IDictionary<TLink, int> _unaryNumberPowerOf2Indicies;
16
17         public UnaryNumberToAddressOrOperationConverter(ILinks<TLink> links, IConverter<int,
    ↪ TLink> powerOf2ToUnaryNumberConverter)
    : base(links)
18         {
19             _unaryNumberPowerOf2Indicies = new Dictionary<TLink, int>();
20             for (int i = 0; i < NumericType<TLink>.BitsLength; i++)
21             {
22                 _unaryNumberPowerOf2Indicies.Add(powerOf2ToUnaryNumberConverter.Convert(i), i);
23             }
24         }
25
26         public TLink Convert(TLink sourceNumber)
27         {
28             var nullConstant = Links.Constants.Null;
29             var source = sourceNumber;
30             var target = nullConstant;
31             if (!_equalityComparer.Equals(source, nullConstant))
32             {
33                 while (true)
34                 {
35                     if (_unaryNumberPowerOf2Indicies.TryGetValue(source, out int powerOf2Index))
36                     {
37                         SetBit(ref target, powerOf2Index);
38                         break;
39                     }
40                     else
41                     {
42                         powerOf2Index = _unaryNumberPowerOf2Indicies[Links.GetSource(source)];
43                         SetBit(ref target, powerOf2Index);
44                         source = Links.GetTarget(source);
45                     }
46                 }
47             }
48             return target;
49         }
50     }
51
52     [MethodImpl(MethodImplOptions.AggressiveInlining)]
53     private static void SetBit(ref TLink target, int powerOf2Index) => target =
    ↪ (Integer<TLink>)((Integer<TLink>)target | 1UL << powerOf2Index); // Should be
    ↪ Math.Or(target, Math.ShiftLeft(One, powerOf2Index))
54 }
55 }

```

# ./Platform.Data.Doublets/PropertyOperators/PropertiesOperator.cs

```

1  using System.Linq;
2  using System.Collections.Generic;
3  using Platform.Interfaces;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.PropertyOperators
8  {
9      public class PropertiesOperator<TLink> : LinksOperatorBase<TLink>,
    ↪ IPropertiesOperator<TLink, TLink, TLink>

```



```

10 {
11     private static readonly EqualityComparer<TLink> _equalityComparer =
12         ↪ EqualityComparer<TLink>.Default;
13
14     public PropertiesOperator(ILinks<TLink> links) : base(links) { }
15
16     public TLink GetValue(TLink @object, TLink property)
17     {
18         var objectProperty = Links.SearchOrDefault(@object, property);
19         if (_equalityComparer.Equals(objectProperty, default))
20         {
21             return default;
22         }
23         var valueLink = Links.All(Links.Constants.Any, objectProperty).SingleOrDefault();
24         if (valueLink == null)
25         {
26             return default;
27         }
28         return Links.GetTarget(valueLink[Links.Constants.IndexPart]);
29     }
30
31     public void SetValue(TLink @object, TLink property, TLink value)
32     {
33         var objectProperty = Links.GetOrCreate(@object, property);
34         Links.DeleteMany(Links.AllIndices(Links.Constants.Any, objectProperty));
35         Links.GetOrCreate(objectProperty, value);
36     }
37 }

```

./Platform.Data.Doublets/PropertyOperators/PropertyOperator.cs

```

1 using System.Collections.Generic;
2 using Platform.Interfaces;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.PropertyOperators
7 {
8     public class PropertyOperator<TLink> : LinksOperatorBase<TLink>, IPropertyOperator<TLink,
9         ↪ TLink>
10     {
11         private static readonly EqualityComparer<TLink> _equalityComparer =
12             ↪ EqualityComparer<TLink>.Default;
13
14         private readonly TLink _propertyMarker;
15         private readonly TLink _propertyValueMarker;
16
17         public PropertyOperator(ILinks<TLink> links, TLink propertyMarker, TLink
18             ↪ propertyValueMarker) : base(links)
19         {
20             _propertyMarker = propertyMarker;
21             _propertyValueMarker = propertyValueMarker;
22         }
23
24         public TLink Get(TLink link)
25         {
26             var property = Links.SearchOrDefault(link, _propertyMarker);
27             var container = GetContainer(property);
28             var value = GetValue(container);
29             return value;
30         }
31
32         private TLink GetContainer(TLink property)
33         {
34             var valueContainer = default(TLink);
35             if (_equalityComparer.Equals(property, default))
36             {
37                 return valueContainer;
38             }
39             var constants = Links.Constants;
40             var countinueConstant = constants.Continue;
41             var breakConstant = constants.Break;
42             var anyConstant = constants.Any;
43             var query = new Link<TLink>(anyConstant, property, anyConstant);
44             Links.Each(candidate =>
45             {
46                 var candidateTarget = Links.GetTarget(candidate);
47                 var valueTarget = Links.GetTarget(candidateTarget);
48                 if (_equalityComparer.Equals(valueTarget, _propertyValueMarker))

```

```

47         valueContainer = Links.GetIndex(candidate);
48         return breakConstant;
49     }
50     return countinueConstant;
51 }, query);
52 return valueContainer;
53 }
54
55 private TLink GetValue(TLink container) => _equalityComparer.Equals(container, default)
    ↪ ? default : Links.GetTarget(container);
56
57 public void Set(TLink link, TLink value)
58 {
59     var property = Links.GetOrCreate(link, _propertyMarker);
60     var container = GetContainer(property);
61     if (_equalityComparer.Equals(container, default))
62     {
63         Links.GetOrCreate(property, value);
64     }
65     else
66     {
67         Links.Update(container, property, value);
68     }
69 }
70 }
71 }

```

./Platform.Data.Doublets/ResizableDirectMemory/ResizableDirectMemoryLinks.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using System.Runtime.InteropServices;
5  using Platform.Disposables;
6  using Platform.Singletons;
7  using Platform.Collections.Arrays;
8  using Platform.Numbers;
9  using Platform.Unsafe;
10 using Platform.Memory;
11 using Platform.Data.Exceptions;
12 using static Platform.Numbers.Arithmetic;
13
14 #pragma warning disable 0649
15 #pragma warning disable 169
16 #pragma warning disable 618
17 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
18
19 // ReSharper disable StaticMemberInGenericType
20 // ReSharper disable BuiltInTypeReferenceStyle
21 // ReSharper disable MemberCanBePrivate.Local
22 // ReSharper disable UnusedMember.Local
23
24 namespace Platform.Data.Doublets.ResizableDirectMemory
25 {
26     public partial class ResizableDirectMemoryLinks<TLink> : DisposableBase, ILinks<TLink>
27     {
28         private static readonly EqualityComparer<TLink> _equalityComparer =
29             ↪ EqualityComparer<TLink>.Default;
30         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
31
32         /// <summary>Возвращает размер одной связи в байтах.</summary>
33         public static readonly int LinkSizeInBytes = Structure<Link>.Size;
34
35         public static readonly int LinkHeaderSizeInBytes = Structure<LinkHeader>.Size;
36
37         public static readonly long DefaultLinksSizeStep = LinkSizeInBytes * 1024 * 1024;
38
39         private struct Link
40         {
41             public static readonly int SourceOffset = Marshal.OffsetOf(typeof(Link),
42                 ↪ nameof(Source)).ToInt32();
43             public static readonly int TargetOffset = Marshal.OffsetOf(typeof(Link),
44                 ↪ nameof(Target)).ToInt32();
45             public static readonly int LeftAsSourceOffset = Marshal.OffsetOf(typeof(Link),
46                 ↪ nameof(LeftAsSource)).ToInt32();
47             public static readonly int RightAsSourceOffset = Marshal.OffsetOf(typeof(Link),
48                 ↪ nameof(RightAsSource)).ToInt32();
49             public static readonly int SizeAsSourceOffset = Marshal.OffsetOf(typeof(Link),
50                 ↪ nameof(SizeAsSource)).ToInt32();
51             public static readonly int LeftAsTargetOffset = Marshal.OffsetOf(typeof(Link),
52                 ↪ nameof(LeftAsTarget)).ToInt32();

```

```

46     public static readonly int RightAsTargetOffset = Marshal.OffsetOf(typeof(Link),
47         ↳ nameof(RightAsTarget)).ToInt32();
48     public static readonly int SizeAsTargetOffset = Marshal.OffsetOf(typeof(Link),
49         ↳ nameof(SizeAsTarget)).ToInt32();
50
51     public TLink Source;
52     public TLink Target;
53     public TLink LeftAsSource;
54     public TLink RightAsSource;
55     public TLink SizeAsSource;
56     public TLink LeftAsTarget;
57     public TLink RightAsTarget;
58     public TLink SizeAsTarget;
59
60     [MethodImpl(MethodImplOptions.AggressiveInlining)]
61     public static TLink GetSource(IntPtr pointer) => (pointer +
62         ↳ SourceOffset).GetValue<TLink>();
63     [MethodImpl(MethodImplOptions.AggressiveInlining)]
64     public static TLink GetTarget(IntPtr pointer) => (pointer +
65         ↳ TargetOffset).GetValue<TLink>();
66     [MethodImpl(MethodImplOptions.AggressiveInlining)]
67     public static TLink GetLeftAsSource(IntPtr pointer) => (pointer +
68         ↳ LeftAsSourceOffset).GetValue<TLink>();
69     [MethodImpl(MethodImplOptions.AggressiveInlining)]
70     public static TLink GetRightAsSource(IntPtr pointer) => (pointer +
71         ↳ RightAsSourceOffset).GetValue<TLink>();
72     [MethodImpl(MethodImplOptions.AggressiveInlining)]
73     public static TLink GetSizeAsSource(IntPtr pointer) => (pointer +
74         ↳ SizeAsSourceOffset).GetValue<TLink>();
75     [MethodImpl(MethodImplOptions.AggressiveInlining)]
76     public static TLink GetLeftAsTarget(IntPtr pointer) => (pointer +
77         ↳ LeftAsTargetOffset).GetValue<TLink>();
78     [MethodImpl(MethodImplOptions.AggressiveInlining)]
79     public static TLink GetRightAsTarget(IntPtr pointer) => (pointer +
80         ↳ RightAsTargetOffset).GetValue<TLink>();
81     [MethodImpl(MethodImplOptions.AggressiveInlining)]
82     public static TLink GetSizeAsTarget(IntPtr pointer) => (pointer +
83         ↳ SizeAsTargetOffset).GetValue<TLink>();
84
85     [MethodImpl(MethodImplOptions.AggressiveInlining)]
86     public static void SetSource(IntPtr pointer, TLink value) => (pointer +
87         ↳ SourceOffset).SetValue(value);
88     [MethodImpl(MethodImplOptions.AggressiveInlining)]
89     public static void SetTarget(IntPtr pointer, TLink value) => (pointer +
90         ↳ TargetOffset).SetValue(value);
91     [MethodImpl(MethodImplOptions.AggressiveInlining)]
92     public static void SetLeftAsSource(IntPtr pointer, TLink value) => (pointer +
93         ↳ LeftAsSourceOffset).SetValue(value);
94     [MethodImpl(MethodImplOptions.AggressiveInlining)]
95     public static void SetRightAsSource(IntPtr pointer, TLink value) => (pointer +
96         ↳ RightAsSourceOffset).SetValue(value);
97     [MethodImpl(MethodImplOptions.AggressiveInlining)]
98     public static void SetSizeAsSource(IntPtr pointer, TLink value) => (pointer +
99         ↳ SizeAsSourceOffset).SetValue(value);
100    [MethodImpl(MethodImplOptions.AggressiveInlining)]
101    public static void SetLeftAsTarget(IntPtr pointer, TLink value) => (pointer +
102        ↳ LeftAsTargetOffset).SetValue(value);
103    [MethodImpl(MethodImplOptions.AggressiveInlining)]
104    public static void SetRightAsTarget(IntPtr pointer, TLink value) => (pointer +
105        ↳ RightAsTargetOffset).SetValue(value);
106    [MethodImpl(MethodImplOptions.AggressiveInlining)]
107    public static void SetSizeAsTarget(IntPtr pointer, TLink value) => (pointer +
108        ↳ SizeAsTargetOffset).SetValue(value);
109
110    }
111
112    private struct LinksHeader
113    {
114        public static readonly int AllocatedLinksOffset =
115            ↳ Marshal.OffsetOf(typeof(LinksHeader), nameof(AllocatedLinks)).ToInt32();
116        public static readonly int ReservedLinksOffset =
117            ↳ Marshal.OffsetOf(typeof(LinksHeader), nameof(ReservedLinks)).ToInt32();
118        public static readonly int FreeLinksOffset = Marshal.OffsetOf(typeof(LinksHeader),
119            ↳ nameof(FreeLinks)).ToInt32();
120        public static readonly int FirstFreeLinkOffset =
121            ↳ Marshal.OffsetOf(typeof(LinksHeader), nameof(FirstFreeLink)).ToInt32();
122        public static readonly int FirstAsSourceOffset =
123            ↳ Marshal.OffsetOf(typeof(LinksHeader), nameof(FirstAsSource)).ToInt32();
124    }

```

```

100     public static readonly int FirstAsTargetOffset =
101         ↳ Marshal.OffsetOf(typeof(LinksHeader), nameof(FirstAsTarget)).ToInt32();
102     public static readonly int LastFreeLinkOffset =
103         ↳ Marshal.OffsetOf(typeof(LinksHeader), nameof(LastFreeLink)).ToInt32();
104
105     public TLink AllocatedLinks;
106     public TLink ReservedLinks;
107     public TLink FreeLinks;
108     public TLink FirstFreeLink;
109     public TLink FirstAsSource;
110     public TLink FirstAsTarget;
111     public TLink LastFreeLink;
112     public TLink Reserved8;
113
114     [MethodImpl(MethodImplOptions.AggressiveInlining)]
115     public static TLink GetAllocatedLinks(IntPtr pointer) => (pointer +
116         ↳ AllocatedLinksOffset).GetValue<TLink>();
117     [MethodImpl(MethodImplOptions.AggressiveInlining)]
118     public static TLink GetReservedLinks(IntPtr pointer) => (pointer +
119         ↳ ReservedLinksOffset).GetValue<TLink>();
120     [MethodImpl(MethodImplOptions.AggressiveInlining)]
121     public static TLink GetFreeLinks(IntPtr pointer) => (pointer +
122         ↳ FreeLinksOffset).GetValue<TLink>();
123     [MethodImpl(MethodImplOptions.AggressiveInlining)]
124     public static TLink GetFirstFreeLink(IntPtr pointer) => (pointer +
125         ↳ FirstFreeLinkOffset).GetValue<TLink>();
126     [MethodImpl(MethodImplOptions.AggressiveInlining)]
127     public static TLink GetFirstAsSource(IntPtr pointer) => (pointer +
128         ↳ FirstAsSourceOffset).GetValue<TLink>();
129     [MethodImpl(MethodImplOptions.AggressiveInlining)]
130     public static TLink GetFirstAsTarget(IntPtr pointer) => (pointer +
131         ↳ FirstAsTargetOffset).GetValue<TLink>();
132     [MethodImpl(MethodImplOptions.AggressiveInlining)]
133     public static TLink GetLastFreeLink(IntPtr pointer) => (pointer +
134         ↳ LastFreeLinkOffset).GetValue<TLink>();
135
136     [MethodImpl(MethodImplOptions.AggressiveInlining)]
137     public static IntPtr GetFirstAsSourcePointer(IntPtr pointer) => pointer +
138         ↳ FirstAsSourceOffset;
139     [MethodImpl(MethodImplOptions.AggressiveInlining)]
140     public static IntPtr GetFirstAsTargetPointer(IntPtr pointer) => pointer +
141         ↳ FirstAsTargetOffset;
142
143     [MethodImpl(MethodImplOptions.AggressiveInlining)]
144     public static void SetAllocatedLinks(IntPtr pointer, TLink value) => (pointer +
145         ↳ AllocatedLinksOffset).SetValue(value);
146     [MethodImpl(MethodImplOptions.AggressiveInlining)]
147     public static void SetReservedLinks(IntPtr pointer, TLink value) => (pointer +
148         ↳ ReservedLinksOffset).SetValue(value);
149     [MethodImpl(MethodImplOptions.AggressiveInlining)]
150     public static void SetFreeLinks(IntPtr pointer, TLink value) => (pointer +
151         ↳ FreeLinksOffset).SetValue(value);
152     [MethodImpl(MethodImplOptions.AggressiveInlining)]
153     public static void SetFirstFreeLink(IntPtr pointer, TLink value) => (pointer +
154         ↳ FirstFreeLinkOffset).SetValue(value);
155     [MethodImpl(MethodImplOptions.AggressiveInlining)]
156     public static void SetFirstAsSource(IntPtr pointer, TLink value) => (pointer +
157         ↳ FirstAsSourceOffset).SetValue(value);
158     [MethodImpl(MethodImplOptions.AggressiveInlining)]
159     public static void SetFirstAsTarget(IntPtr pointer, TLink value) => (pointer +
160         ↳ FirstAsTargetOffset).SetValue(value);
161     [MethodImpl(MethodImplOptions.AggressiveInlining)]
162     public static void SetLastFreeLink(IntPtr pointer, TLink value) => (pointer +
163         ↳ LastFreeLinkOffset).SetValue(value);
164 }
165
166 private readonly long _memoryReservationStep;
167
168 private readonly IResizableDirectMemory _memory;
169 private IntPtr _header;
170 private IntPtr _links;
171
172 private LinksTargetsTreeMethods _targetsTreeMethods;
173 private LinksSourcesTreeMethods _sourcesTreeMethods;
174
175 // TODO: Возможно чтобы гарантированно проверять на то, является ли связь удалённой,
176 ↳ нужно использовать не список а дерево, так как так можно быстрее проверить на
177 ↳ наличие связи внутри

```

```

158 private UnusedLinksListMethods _unusedLinksListMethods;
159
160 /// <summary>
161 /// Возвращает общее число связей находящихся в хранилище.
162 /// </summary>
163 private TLink Total => Subtract(LinksHeader.GetAllocatedLinks(_header),
    ↳ LinksHeader.GetFreeLinks(_header));
164
165 public LinksConstants<TLink> Constants { get; }
166
167 public ResizableDirectMemoryLinks(string address)
168     : this(address, DefaultLinksSizeStep)
169 {
170 }
171
172 /// <summary>
173 /// Создаёт экземпляр базы данных Links в файле по указанному адресу, с указанным
    ↳ минимальным шагом расширения базы данных.
174 /// </summary>
175 /// <param name="address">Полный путь к файлу базы данных.</param>
176 /// <param name="memoryReservationStep">Минимальный шаг расширения базы данных в
    ↳ байтах.</param>
177 public ResizableDirectMemoryLinks(string address, long memoryReservationStep)
178     : this(new FileMappedResizableDirectMemory(address, memoryReservationStep),
    ↳ memoryReservationStep)
179 {
180 }
181
182 public ResizableDirectMemoryLinks(IResizableDirectMemory memory)
183     : this(memory, DefaultLinksSizeStep)
184 {
185 }
186
187 public ResizableDirectMemoryLinks(IResizableDirectMemory memory, long
    ↳ memoryReservationStep)
188 {
189     Constants = Default<LinksConstants<TLink>>.Instance;
190     _memory = memory;
191     _memoryReservationStep = memoryReservationStep;
192     if (memory.ReservedCapacity < memoryReservationStep)
193     {
194         memory.ReservedCapacity = memoryReservationStep;
195     }
196     SetPointers(_memory);
197     // Гарантия корректности _memory.UsedCapacity относительно _header->AllocatedLinks
198     _memory.UsedCapacity = ((long)(Integer<TLink>)LinksHeader.GetAllocatedLinks(_header)
    ↳ * LinkSizeInBytes) + LinkHeaderSizeInBytes;
199     // Гарантия корректности _header->ReservedLinks относительно _memory.ReservedCapacity
200     LinksHeader.SetReservedLinks(_header, (Integer<TLink>)((_memory.ReservedCapacity -
    ↳ LinkHeaderSizeInBytes) / LinkSizeInBytes));
201 }
202
203 [MethodImpl(MethodImplOptions.AggressiveInlining)]
204 public TLink Count(IList<TLink> restrictions)
205 {
206     // Если нет ограничений, тогда возвращаем общее число связей находящихся в хранилище.
207     if (restrictions.Count == 0)
208     {
209         return Total;
210     }
211     if (restrictions.Count == 1)
212     {
213         var index = restrictions[Constants.IndexPart];
214         if (_equalityComparer.Equals(index, Constants.Any))
215         {
216             return Total;
217         }
218         return Exists(index) ? Integer<TLink>.One : Integer<TLink>.Zero;
219     }
220     if (restrictions.Count == 2)
221     {
222         var index = restrictions[Constants.IndexPart];
223         var value = restrictions[1];
224         if (_equalityComparer.Equals(index, Constants.Any))
225         {
226             if (_equalityComparer.Equals(value, Constants.Any))
227             {
228                 return Total; // Any - как отсутствие ограничения

```

```

229     }
230     return Add(_sourcesTreeMethods.CountUsages(value),
        ↪ _targetsTreeMethods.CountUsages(value));
231 }
232 else
233 {
234     if (!Exists(index))
235     {
236         return Integer<TLink>.Zero;
237     }
238     if (_equalityComparer.Equals(value, Constants.Any))
239     {
240         return Integer<TLink>.One;
241     }
242     var storedLinkValue = GetLinkUnsafe(index);
243     if (_equalityComparer.Equals(Link.GetSource(storedLinkValue), value) ||
244         _equalityComparer.Equals(Link.GetTarget(storedLinkValue), value))
245     {
246         return Integer<TLink>.One;
247     }
248     return Integer<TLink>.Zero;
249 }
250 }
251 if (restrictions.Count == 3)
252 {
253     var index = restrictions[Constants.IndexPart];
254     var source = restrictions[Constants.SourcePart];
255     var target = restrictions[Constants.TargetPart];
256
257     if (_equalityComparer.Equals(index, Constants.Any))
258     {
259         if (_equalityComparer.Equals(source, Constants.Any) &&
260             ↪ _equalityComparer.Equals(target, Constants.Any))
261         {
262             return Total;
263         }
264         else if (_equalityComparer.Equals(source, Constants.Any))
265         {
266             return _targetsTreeMethods.CountUsages(target);
267         }
268         else if (_equalityComparer.Equals(target, Constants.Any))
269         {
270             return _sourcesTreeMethods.CountUsages(source);
271         }
272         else //if(source != Any && target != Any)
273         {
274             // Эквивалент Exists(source, target) => Count(Any, source, target) > 0
275             var link = _sourcesTreeMethods.Search(source, target);
276             return _equalityComparer.Equals(link, Constants.Null) ?
277                 ↪ Integer<TLink>.Zero : Integer<TLink>.One;
278         }
279     }
280     else
281     {
282         if (!Exists(index))
283         {
284             return Integer<TLink>.Zero;
285         }
286         if (_equalityComparer.Equals(source, Constants.Any) &&
287             ↪ _equalityComparer.Equals(target, Constants.Any))
288         {
289             return Integer<TLink>.One;
290         }
291         var storedLinkValue = GetLinkUnsafe(index);
292         if (!_equalityComparer.Equals(source, Constants.Any) &&
293             ↪ !_equalityComparer.Equals(target, Constants.Any))
294         {
295             if (_equalityComparer.Equals(Link.GetSource(storedLinkValue), source) &&
296                 _equalityComparer.Equals(Link.GetTarget(storedLinkValue), target))
297             {
298                 return Integer<TLink>.One;
299             }
300             return Integer<TLink>.Zero;
301         }
302         var value = default(TLink);
303         if (_equalityComparer.Equals(source, Constants.Any))
304         {
305             value = target;

```

```

302     }
303     if (_equalityComparer.Equals(target, Constants.Any))
304     {
305         value = source;
306     }
307     if (_equalityComparer.Equals(Link.GetSource(storedLinkValue), value) ||
308         _equalityComparer.Equals(Link.GetTarget(storedLinkValue), value))
309     {
310         return Integer<TLink>.One;
311     }
312     return Integer<TLink>.Zero;
313 }
314 }
315 throw new NotSupportedException("Другие размеры и способы ограничений не
    ↳ поддерживаются.");
316 }
317
318 [MethodImpl(MethodImplOptions.AggressiveInlining)]
319 public TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
320 {
321     if (restrictions.Count == 0)
322     {
323         for (TLink link = Integer<TLink>.One; _comparer.Compare(link,
    ↳ (Integer<TLink>)LinksHeader.GetAllocatedLinks(_header)) <= 0; link =
    ↳ Increment(link))
324         {
325             if (Exists(link) && _equalityComparer.Equals(handler(GetLinkStruct(link)),
    ↳ Constants.Break))
326             {
327                 return Constants.Break;
328             }
329         }
330
331         return Constants.Continue;
332     }
333     if (restrictions.Count == 1)
334     {
335         var index = restrictions[Constants.IndexPart];
336         if (_equalityComparer.Equals(index, Constants.Any))
337         {
338             return Each(handler, ArrayPool<TLink>.Empty);
339         }
340         if (!Exists(index))
341         {
342             return Constants.Continue;
343         }
344         return handler(GetLinkStruct(index));
345     }
346     if (restrictions.Count == 2)
347     {
348         var index = restrictions[Constants.IndexPart];
349         var value = restrictions[1];
350         if (_equalityComparer.Equals(index, Constants.Any))
351         {
352             if (_equalityComparer.Equals(value, Constants.Any))
353             {
354                 return Each(handler, ArrayPool<TLink>.Empty);
355             }
356             if (_equalityComparer.Equals(Each(handler, new[] { index, value,
    ↳ Constants.Any }), Constants.Break))
357             {
358                 return Constants.Break;
359             }
360             return Each(handler, new[] { index, Constants.Any, value });
361         }
362         else
363         {
364             if (!Exists(index))
365             {
366                 return Constants.Continue;
367             }
368             if (_equalityComparer.Equals(value, Constants.Any))
369             {
370                 return handler(GetLinkStruct(index));
371             }
372             var storedLinkValue = GetLinkUnsafe(index);
373             if (_equalityComparer.Equals(Link.GetSource(storedLinkValue), value) ||
    ↳ _equalityComparer.Equals(Link.GetTarget(storedLinkValue), value))
374

```

```

375         {
376             return handler(GetLinkStruct(index));
377         }
378         return Constants.Continue;
379     }
380 }
381 if (restrictions.Count == 3)
382 {
383     var index = restrictions[Constants.IndexPart];
384     var source = restrictions[Constants.SourcePart];
385     var target = restrictions[Constants.TargetPart];
386     if (_equalityComparer.Equals(index, Constants.Any))
387     {
388         if (_equalityComparer.Equals(source, Constants.Any) &&
389             ↪ _equalityComparer.Equals(target, Constants.Any))
390         {
391             return Each(handler, ArrayPool<TLink>.Empty);
392         }
393         else if (_equalityComparer.Equals(source, Constants.Any))
394         {
395             return _targetsTreeMethods.EachUsage(target, handler);
396         }
397         else if (_equalityComparer.Equals(target, Constants.Any))
398         {
399             return _sourcesTreeMethods.EachUsage(source, handler);
400         }
401         else //if(source != Any && target != Any)
402         {
403             var link = _sourcesTreeMethods.Search(source, target);
404             return _equalityComparer.Equals(link, Constants.Null) ?
405                 ↪ Constants.Continue : handler(GetLinkStruct(link));
406         }
407     }
408     else
409     {
410         if (!Exists(index))
411         {
412             return Constants.Continue;
413         }
414         if (_equalityComparer.Equals(source, Constants.Any) &&
415             ↪ _equalityComparer.Equals(target, Constants.Any))
416         {
417             return handler(GetLinkStruct(index));
418         }
419         var storedLinkValue = GetLinkUnsafe(index);
420         if (!_equalityComparer.Equals(source, Constants.Any) &&
421             ↪ !_equalityComparer.Equals(target, Constants.Any))
422         {
423             if (_equalityComparer.Equals(Link.GetSource(storedLinkValue), source) &&
424                 ↪ _equalityComparer.Equals(Link.GetTarget(storedLinkValue), target))
425             {
426                 return handler(GetLinkStruct(index));
427             }
428             return Constants.Continue;
429         }
430         var value = default(TLink);
431         if (_equalityComparer.Equals(source, Constants.Any))
432         {
433             value = target;
434         }
435         if (_equalityComparer.Equals(target, Constants.Any))
436         {
437             value = source;
438         }
439         if (_equalityComparer.Equals(Link.GetSource(storedLinkValue), value) ||
440             ↪ _equalityComparer.Equals(Link.GetTarget(storedLinkValue), value))
441         {
442             return handler(GetLinkStruct(index));
443         }
444         return Constants.Continue;
445     }
446 }
447 throw new NotSupportedException("Другие размеры и способы ограничений не
448     ↪ поддерживаются.");
449 }
450 /// <remarks>

```



```

447  /// TODO: Возможно можно перемещать значения, если указан индекс, но значение существует
448  ↪ в другом месте (но не в менеджере памяти, а в логике Links)
449  /// </remarks>
450  [MethodImpl(MethodImplOptions.AggressiveInlining)]
451  public TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
452  {
453      var linkIndex = restrictions[Constants.IndexPart];
454      var link = GetLinkUnsafe(linkIndex);
455      // Будет корректно работать только в том случае, если пространство выделенной связи
456      ↪ предварительно заполнено нулями
457      if (!_equalityComparer.Equals(Link.GetSource(link), Constants.Null))
458      {
459          _sourcesTreeMethods.Detach(LinksHeader.GetFirstAsSourcePointer(_header),
460          ↪ linkIndex);
461      }
462      if (!_equalityComparer.Equals(Link.GetTarget(link), Constants.Null))
463      {
464          _targetsTreeMethods.Detach(LinksHeader.GetFirstAsTargetPointer(_header),
465          ↪ linkIndex);
466      }
467      Link.SetSource(link, substitution[Constants.SourcePart]);
468      Link.SetTarget(link, substitution[Constants.TargetPart]);
469      if (!_equalityComparer.Equals(Link.GetSource(link), Constants.Null))
470      {
471          _sourcesTreeMethods.Attach(LinksHeader.GetFirstAsSourcePointer(_header),
472          ↪ linkIndex);
473      }
474      if (!_equalityComparer.Equals(Link.GetTarget(link), Constants.Null))
475      {
476          _targetsTreeMethods.Attach(LinksHeader.GetFirstAsTargetPointer(_header),
477          ↪ linkIndex);
478      }
479      return linkIndex;
480  }
481
482  [MethodImpl(MethodImplOptions.AggressiveInlining)]
483  public Link<TLink> GetLinkStruct(TLink linkIndex)
484  {
485      var link = GetLinkUnsafe(linkIndex);
486      return new Link<TLink>(linkIndex, Link.GetSource(link), Link.GetTarget(link));
487  }
488
489  [MethodImpl(MethodImplOptions.AggressiveInlining)]
490  private IntPtr GetLinkUnsafe(TLink linkIndex) => _links.GetElement(LinkSizeInBytes,
491  ↪ linkIndex);
492
493  /// <remarks>
494  /// TODO: Возможно нужно будет заполнение нулями, если внешнее API ими не заполняет
495  ↪ пространство
496  /// </remarks>
497  public TLink Create(IList<TLink> restrictions)
498  {
499      var freeLink = LinksHeader.GetFirstFreeLink(_header);
500      if (!_equalityComparer.Equals(freeLink, Constants.Null))
501      {
502          _unusedLinksListMethods.Detach(freeLink);
503      }
504      else
505      {
506          var maximumPossibleInnerReference =
507          ↪ Constants.PossibleInnerReferencesRange.Maximum;
508          if (_comparer.Compare(LinksHeader.GetAllocatedLinks(_header),
509          ↪ maximumPossibleInnerReference) > 0)
510          {
511              throw new LinksLimitReachedException<TLink>(maximumPossibleInnerReference);
512          }
513          if (_comparer.Compare(LinksHeader.GetAllocatedLinks(_header),
514          ↪ Decrement(LinksHeader.GetReservedLinks(_header))) >= 0)
515          {
516              _memory.ReservedCapacity += _memory.ReservationStep;
517              SetPointers(_memory);
518              LinksHeader.SetReservedLinks(_header,
519              ↪ (Integer<TLink>)(_memory.ReservedCapacity / LinkSizeInBytes));
520          }
521          LinksHeader.SetAllocatedLinks(_header,
522          ↪ Increment(LinksHeader.GetAllocatedLinks(_header)));
523          _memory.UsedCapacity += LinkSizeInBytes;
524      }
525  }

```

```

511         freeLink = LinksHeader.GetAllocatedLinks(_header);
512     }
513     return freeLink;
514 }
515
516 public void Delete(IList<TLink> restrictions)
517 {
518     var link = restrictions[Constants.IndexPart];
519     if (_comparer.Compare(link, LinksHeader.GetAllocatedLinks(_header)) < 0)
520     {
521         _unusedLinksListMethods.AttachAsFirst(link);
522     }
523     else if (_equalityComparer.Equals(link, LinksHeader.GetAllocatedLinks(_header)))
524     {
525         LinksHeader.SetAllocatedLinks(_header,
526             ↪ Decrement(LinksHeader.GetAllocatedLinks(_header)));
527         _memory.UsedCapacity -= LinkSizeInBytes;
528         // Убираем все связи, находящиеся в списке свободных в конце файла, до тех пор,
529         // пока не дойдём до первой существующей связи
530         // Позволяет оптимизировать количество выделенных связей (AllocatedLinks)
531         while ((_comparer.Compare(LinksHeader.GetAllocatedLinks(_header),
532             ↪ Integer<TLink>.Zero) > 0) &&
533             ↪ IsUnusedLink(LinksHeader.GetAllocatedLinks(_header)))
534         {
535             _unusedLinksListMethods.Detach(LinksHeader.GetAllocatedLinks(_header));
536             LinksHeader.SetAllocatedLinks(_header,
537                 ↪ Decrement(LinksHeader.GetAllocatedLinks(_header)));
538             _memory.UsedCapacity -= LinkSizeInBytes;
539         }
540     }
541 }
542
543 /// <remarks>
544 /// TODO: Возможно это должно быть событием, вызываемым из IMemory, в том случае, если
545 /// ↪ адрес реально поменялся
546 ///
547 /// Указатель this.links может быть в том же месте,
548 /// так как 0-я связь не используется и имеет такой же размер как Header,
549 /// поэтому header размещается в том же месте, что и 0-я связь
550 /// </remarks>
551 private void SetPointers(IDirectMemory memory)
552 {
553     if (memory == null)
554     {
555         _links = IntPtr.Zero;
556         _header = _links;
557         _unusedLinksListMethods = null;
558         _targetsTreeMethods = null;
559         _unusedLinksListMethods = null;
560     }
561     else
562     {
563         _links = memory.Pointer;
564         _header = _links;
565         _sourcesTreeMethods = new LinksSourcesTreeMethods(this);
566         _targetsTreeMethods = new LinksTargetsTreeMethods(this);
567         _unusedLinksListMethods = new UnusedLinksListMethods(_links, _header);
568     }
569 }
570
571 [MethodImpl(MethodImplOptions.AggressiveInlining)]
572 private bool Exists(TLink link)
573 => (_comparer.Compare(link, Constants.PossibleInnerReferencesRange.Minimum) >= 0)
574     && (_comparer.Compare(link, LinksHeader.GetAllocatedLinks(_header)) <= 0)
575     && !IsUnusedLink(link);
576
577 [MethodImpl(MethodImplOptions.AggressiveInlining)]
578 private bool IsUnusedLink(TLink link)
579 => _equalityComparer.Equals(LinksHeader.GetFirstFreeLink(_header), link)
580     || (_equalityComparer.Equals(Link.GetSizeAsSource(GetLinkUnsafe(link)),
581         ↪ Constants.Null)
582         && !_equalityComparer.Equals(Link.GetSource(GetLinkUnsafe(link)), Constants.Null));
583
584 #region DisposableBase
585
586 protected override bool AllowMultipleDisposeCalls => true;
587
588 protected override void Dispose(bool manual, bool wasDisposed)
589 {

```

```

583         if (!wasDisposed)
584         {
585             SetPointers(null);
586             _memory.DisposeIfPossible();
587         }
588     }
589
590     #endregion
591 }
592 }

```

./Platform.Data.Doublets/ResizableDirectMemory/ResizableDirectMemoryLinks.ListMethods.cs

```

1  using System;
2  using Platform.Unsafe;
3  using Platform.Collections.Methods.Lists;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.ResizableDirectMemory
8  {
9      partial class ResizableDirectMemoryLinks<TLink>
10     {
11         private class UnusedLinksListMethods : CircularDoublyLinkedListMethods<TLink>
12         {
13             private readonly IntPtr _links;
14             private readonly IntPtr _header;
15
16             public UnusedLinksListMethods(IntPtr links, IntPtr header)
17             {
18                 _links = links;
19                 _header = header;
20             }
21
22             protected override TLink GetFirst() => (_header +
23                 ↳ LinksHeader.FirstFreeLinkOffset).GetValue<TLink>();
24
25             protected override TLink GetLast() => (_header +
26                 ↳ LinksHeader.LastFreeLinkOffset).GetValue<TLink>();
27
28             protected override TLink GetPrevious(TLink element) =>
29                 ↳ (_links.GetElement(LinkSizeInBytes, element) +
30                 ↳ Link.SourceOffset).GetValue<TLink>();
31
32             protected override TLink GetNext(TLink element) =>
33                 ↳ (_links.GetElement(LinkSizeInBytes, element) +
34                 ↳ Link.TargetOffset).GetValue<TLink>();
35
36             protected override TLink GetSize() => (_header +
37                 ↳ LinksHeader.FreeLinksOffset).GetValue<TLink>();
38
39             protected override void SetFirst(TLink element) => (_header +
40                 ↳ LinksHeader.FirstFreeLinkOffset).SetValue(element);
41
42             protected override void SetLast(TLink element) => (_header +
43                 ↳ LinksHeader.LastFreeLinkOffset).SetValue(element);
44
45             protected override void SetPrevious(TLink element, TLink previous) =>
46                 ↳ (_links.GetElement(LinkSizeInBytes, element) +
47                 ↳ Link.SourceOffset).SetValue(previous);
48
49             protected override void SetNext(TLink element, TLink next) =>
50                 ↳ (_links.GetElement(LinkSizeInBytes, element) + Link.TargetOffset).SetValue(next);
51
52             protected override void SetSize(TLink size) => (_header +
53                 ↳ LinksHeader.FreeLinksOffset).SetValue(size);
54         }
55     }
56 }

```

./Platform.Data.Doublets/ResizableDirectMemory/ResizableDirectMemoryLinks.TreeMethods.cs

```

1  using System;
2  using System.Text;
3  using System.Collections.Generic;
4  using System.Runtime.CompilerServices;
5  using Platform.Numbers;
6  using Platform.Unsafe;
7  using Platform.Collections.Methods.Trees;
8
9  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

```

```

10
11 namespace Platform.Data.Doublets.ResizableDirectMemory
12 {
13     partial class ResizableDirectMemoryLinks<TLink>
14     {
15         private abstract class LinksTreeMethodsBase :
16             ↳ SizedAndThreadedAVLBalancedTreeMethods<TLink>
17         {
18             private static readonly EqualityComparer<TLink> _equalityComparer =
19                 ↳ EqualityComparer<TLink>.Default;
20
21             private readonly ResizableDirectMemoryLinks<TLink> _memory;
22             private readonly LinksConstants<TLink> _constants;
23             protected readonly IntPtr Links;
24             protected readonly IntPtr Header;
25
26             protected LinksTreeMethodsBase(ResizableDirectMemoryLinks<TLink> memory)
27             {
28                 Links = memory._links;
29                 Header = memory._header;
30                 _memory = memory;
31                 _constants = memory.Constants;
32             }
33
34             [MethodImpl(MethodImplOptions.AggressiveInlining)]
35             protected abstract TLink GetTreeRoot();
36
37             [MethodImpl(MethodImplOptions.AggressiveInlining)]
38             protected abstract TLink GetBasePartValue(TLink link);
39
40             public TLink this[TLink index]
41             {
42                 get
43                 {
44                     var root = GetTreeRoot();
45                     if (GreaterOrEqualThan(index, GetSize(root)))
46                     {
47                         return GetZero();
48                     }
49                     while (!EqualToZero(root))
50                     {
51                         var left = GetLeftOrDefault(root);
52                         var leftSize = GetSizeOrZero(left);
53                         if (LessThan(index, leftSize))
54                         {
55                             root = left;
56                             continue;
57                         }
58                         if (IsEquals(index, leftSize))
59                         {
60                             return root;
61                         }
62                         root = GetRightOrDefault(root);
63                         index = Subtract(index, Increment(leftSize));
64                     }
65                     return GetZero(); // TODO: Impossible situation exception (only if tree
66                                     ↳ structure broken)
67                 }
68             }
69
70             // TODO: Return indices range instead of references count
71             public TLink CountUsages(TLink link)
72             {
73                 var root = GetTreeRoot();
74                 var total = GetSize(root);
75                 var totalRightIgnore = GetZero();
76                 while (!EqualToZero(root))
77                 {
78                     var @base = GetBasePartValue(root);
79                     if (LessOrEqualThan(@base, link))
80                     {
81                         root = GetRightOrDefault(root);
82                     }
83                     else
84                     {
85                         totalRightIgnore = Add(totalRightIgnore, Increment(GetRightSize(root)));
86                         root = GetLeftOrDefault(root);
87                     }
88                 }
89             }
90         }
91     }
92 }

```

```

86     root = GetTreeRoot();
87     var totalLeftIgnore = GetZero();
88     while (!EqualToZero(root))
89     {
90         var @base = GetBasePartValue(root);
91         if (GreaterOrEqualThan(@base, link))
92         {
93             root = GetLeftOrDefault(root);
94         }
95         else
96         {
97             totalLeftIgnore = Add(totalLeftIgnore, Increment(GetLeftSize(root)));
98             root = GetRightOrDefault(root);
99         }
100     }
101     return Subtract(Subtract(total, totalRightIgnore), totalLeftIgnore);
102 }
103
104 public TLink EachUsage(TLink link, Func<IList<TLink>, TLink> handler)
105 {
106     var root = GetTreeRoot();
107     if (EqualToZero(root))
108     {
109         return _constants.Continue;
110     }
111     TLink first = GetZero(), current = root;
112     while (!EqualToZero(current))
113     {
114         var @base = GetBasePartValue(current);
115         if (GreaterOrEqualThan(@base, link))
116         {
117             if (IsEquals(@base, link))
118             {
119                 first = current;
120             }
121             current = GetLeftOrDefault(current);
122         }
123         else
124         {
125             current = GetRightOrDefault(current);
126         }
127     }
128     if (!EqualToZero(first))
129     {
130         current = first;
131         while (true)
132         {
133             if (IsEquals(handler(_memory.GetLinkStruct(current)), _constants.Break))
134             {
135                 return _constants.Break;
136             }
137             current = GetNext(current);
138             if (EqualToZero(current) || !IsEquals(GetBasePartValue(current), link))
139             {
140                 break;
141             }
142         }
143     }
144     return _constants.Continue;
145 }
146
147 protected override void PrintNodeValue(TLink node, StringBuilder sb)
148 {
149     sb.Append(' ');
150     sb.Append((Links.GetElement(LinkSizeInBytes, node) +
151         ↵ Link.SourceOffset).GetValue<TLink>());
152     sb.Append('-');
153     sb.Append('>');
154     sb.Append((Links.GetElement(LinkSizeInBytes, node) +
155         ↵ Link.TargetOffset).GetValue<TLink>());
156 }
157
158 private class LinksSourcesTreeMethods : LinksTreeMethodsBase
159 {
160     public LinksSourcesTreeMethods(ResizableDirectMemoryLinks<TLink> memory)
161         : base(memory)

```

```

162 {
163 }
164
165 protected override IntPtr GetLeftPointer(TLink node) =>
166     ↳ Links.GetElement(LinkSizeInBytes, node) + Link.LeftAsSourceOffset;
167
168 protected override IntPtr GetRightPointer(TLink node) =>
169     ↳ Links.GetElement(LinkSizeInBytes, node) + Link.RightAsSourceOffset;
170
171 protected override TLink GetLeftValue(TLink node) =>
172     ↳ (Links.GetElement(LinkSizeInBytes, node) +
173     ↳ Link.LeftAsSourceOffset).GetValue<TLink>();
174
175 protected override TLink GetRightValue(TLink node) =>
176     ↳ (Links.GetElement(LinkSizeInBytes, node) +
177     ↳ Link.RightAsSourceOffset).GetValue<TLink>();
178
179 protected override TLink GetSize(TLink node)
180 {
181     var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
182     ↳ Link.SizeAsSourceOffset).GetValue<TLink>();
183     return Bit<TLink>.PartialRead(previousValue, 5, -5);
184 }
185
186 protected override void SetLeft(TLink node, TLink left) =>
187     ↳ (Links.GetElement(LinkSizeInBytes, node) +
188     ↳ Link.LeftAsSourceOffset).SetValue(left);
189
190 protected override void SetRight(TLink node, TLink right) =>
191     ↳ (Links.GetElement(LinkSizeInBytes, node) +
192     ↳ Link.RightAsSourceOffset).SetValue(right);
193
194 protected override void SetSize(TLink node, TLink size)
195 {
196     var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
197     ↳ Link.SizeAsSourceOffset).GetValue<TLink>();
198     (Links.GetElement(LinkSizeInBytes, node) +
199     ↳ Link.SizeAsSourceOffset).SetValue(Bit<TLink>.PartialWrite(previousValue,
200     ↳ size, 5, -5));
201 }
202
203 protected override bool GetLeftIsChild(TLink node)
204 {
205     var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
206     ↳ Link.SizeAsSourceOffset).GetValue<TLink>();
207     //return (Integer<TLink>)Bit<TLink>.PartialRead(previousValue, 4, 1);
208     return !_equalityComparer.Equals(Bit<TLink>.PartialRead(previousValue, 4, 1),
209     ↳ default);
210 }
211
212 protected override void SetLeftIsChild(TLink node, bool value)
213 {
214     var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
215     ↳ Link.SizeAsSourceOffset).GetValue<TLink>();
216     var modified = Bit<TLink>.PartialWrite(previousValue, (Integer<TLink>)value, 4,
217     ↳ 1);
218     (Links.GetElement(LinkSizeInBytes, node) +
219     ↳ Link.SizeAsSourceOffset).SetValue(modified);
220 }
221
222 protected override bool GetRightIsChild(TLink node)
223 {
224     var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
225     ↳ Link.SizeAsSourceOffset).GetValue<TLink>();
226     //return (Integer<TLink>)Bit<TLink>.PartialRead(previousValue, 3, 1);
227     return !_equalityComparer.Equals(Bit<TLink>.PartialRead(previousValue, 3, 1),
228     ↳ default);
229 }
230
231 protected override void SetRightIsChild(TLink node, bool value)
232 {
233     var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
234     ↳ Link.SizeAsSourceOffset).GetValue<TLink>();
235     var modified = Bit<TLink>.PartialWrite(previousValue, (Integer<TLink>)value, 3,
236     ↳ 1);
237     (Links.GetElement(LinkSizeInBytes, node) +
238     ↳ Link.SizeAsSourceOffset).SetValue(modified);
239 }

```

```

215 }
216
217 protected override sbyte GetBalance(TLink node)
218 {
219     var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
220         ↪ Link.SizeAsSourceOffset).GetValue<TLink>();
221     var value = (ulong)(Integer<TLink>)Bit<TLink>.PartialRead(previousValue, 0, 3);
222     var unpackedValue = (sbyte)((value & 4) > 0 ? ((value & 4) << 5) | value & 3 |
223         ↪ 124 : value & 3);
224     return unpackedValue;
225 }
226
227 protected override void SetBalance(TLink node, sbyte value)
228 {
229     var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
230         ↪ Link.SizeAsSourceOffset).GetValue<TLink>();
231     var packagedValue = (TLink)(Integer<TLink>)(((byte)value >> 5) & 4) | value &
232         ↪ 3);
233     var modified = Bit<TLink>.PartialWrite(previousValue, packagedValue, 0, 3);
234     (Links.GetElement(LinkSizeInBytes, node) +
235         ↪ Link.SizeAsSourceOffset).SetValue(modified);
236 }
237
238 protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
239 {
240     var firstSource = (Links.GetElement(LinkSizeInBytes, first) +
241         ↪ Link.SourceOffset).GetValue<TLink>();
242     var secondSource = (Links.GetElement(LinkSizeInBytes, second) +
243         ↪ Link.SourceOffset).GetValue<TLink>();
244     return LessThan(firstSource, secondSource) ||
245         (IsEquals(firstSource, secondSource) &&
246         ↪ LessThan((Links.GetElement(LinkSizeInBytes, first) +
247             ↪ Link.TargetOffset).GetValue<TLink>(),
248             ↪ (Links.GetElement(LinkSizeInBytes, second) +
249             ↪ Link.TargetOffset).GetValue<TLink>()));
250 }
251
252 protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
253 {
254     var firstSource = (Links.GetElement(LinkSizeInBytes, first) +
255         ↪ Link.SourceOffset).GetValue<TLink>();
256     var secondSource = (Links.GetElement(LinkSizeInBytes, second) +
257         ↪ Link.SourceOffset).GetValue<TLink>();
258     return GreaterThan(firstSource, secondSource) ||
259         (IsEquals(firstSource, secondSource) &&
260         ↪ GreaterThan((Links.GetElement(LinkSizeInBytes, first) +
261             ↪ Link.TargetOffset).GetValue<TLink>(),
262             ↪ (Links.GetElement(LinkSizeInBytes, second) +
263             ↪ Link.TargetOffset).GetValue<TLink>()));
264 }
265
266 protected override TLink GetTreeRoot() => (Header +
267     ↪ LinksHeader.FirstAsSourceOffset).GetValue<TLink>();
268
269 protected override TLink GetBasePartValue(TLink link) =>
270     (Links.GetElement(LinkSizeInBytes, link) + Link.SourceOffset).GetValue<TLink>();
271
272 /// <summary>
273 /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
274     ↪ (концом)
275 /// по дереву (индексу) связей, отсортированному по Source, а затем по Target.
276 /// </summary>
277 /// <param name="source">Индекс связи, которая является началом на искомой
278     ↪ связи.</param>
279 /// <param name="target">Индекс связи, которая является концом на искомой
280     ↪ связи.</param>
281 /// <returns>Индекс искомой связи.</returns>
282 public TLink Search(TLink source, TLink target)
283 {
284     var root = GetTreeRoot();
285     while (!EqualToZero(root))
286     {
287         var rootSource = (Links.GetElement(LinkSizeInBytes, root) +
288             ↪ Link.SourceOffset).GetValue<TLink>();
289         var rootTarget = (Links.GetElement(LinkSizeInBytes, root) +
290             ↪ Link.TargetOffset).GetValue<TLink>();
291     }
292 }

```

```

267         if (FirstIsToTheLeftOfSecond(source, target, rootSource, rootTarget)) //
268             ↪ node.Key < root.Key
269         {
270             root = GetLeftOrDefault(root);
271         }
272         else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget))
273             ↪ // node.Key > root.Key
274         {
275             root = GetRightOrDefault(root);
276         }
277         else // node.Key == root.Key
278         {
279             return root;
280         }
281     }
282     return GetZero();
283 }
284
285 [MethodImpl(MethodImplOptions.AggressiveInlining)]
286 private bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget, TLink
287     ↪ secondSource, TLink secondTarget) => LessThan(firstSource, secondSource) ||
288     ↪ (IsEquals(firstSource, secondSource) && LessThan(firstTarget, secondTarget));
289
290 [MethodImpl(MethodImplOptions.AggressiveInlining)]
291 private bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget, TLink
292     ↪ secondSource, TLink secondTarget) => GreaterThan(firstSource, secondSource) ||
293     ↪ (IsEquals(firstSource, secondSource) && GreaterThan(firstTarget, secondTarget));
294 }
295
296 private class LinksTargetsTreeMethods : LinksTreeMethodsBase
297 {
298     public LinksTargetsTreeMethods(ResizableDirectMemoryLinks<TLink> memory)
299         : base(memory)
300     {
301     }
302
303     protected override IntPtr GetLeftPointer(TLink node) =>
304         ↪ Links.GetElement(LinkSizeInBytes, node) + Link.LeftAsTargetOffset;
305
306     protected override IntPtr GetRightPointer(TLink node) =>
307         ↪ Links.GetElement(LinkSizeInBytes, node) + Link.RightAsTargetOffset;
308
309     protected override TLink GetLeftValue(TLink node) =>
310         ↪ (Links.GetElement(LinkSizeInBytes, node) +
311         ↪ Link.LeftAsTargetOffset).GetValue<TLink>();
312
313     protected override TLink GetRightValue(TLink node) =>
314         ↪ (Links.GetElement(LinkSizeInBytes, node) +
315         ↪ Link.RightAsTargetOffset).GetValue<TLink>();
316
317     protected override TLink GetSize(TLink node)
318     {
319         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
320             ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
321         return Bit<TLink>.PartialRead(previousValue, 5, -5);
322     }
323
324     protected override void SetLeft(TLink node, TLink left) =>
325         ↪ (Links.GetElement(LinkSizeInBytes, node) +
326         ↪ Link.LeftAsTargetOffset).SetValue(left);
327
328     protected override void SetRight(TLink node, TLink right) =>
329         ↪ (Links.GetElement(LinkSizeInBytes, node) +
330         ↪ Link.RightAsTargetOffset).SetValue(right);
331
332     protected override void SetSize(TLink node, TLink size)
333     {
334         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
335             ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
336         (Links.GetElement(LinkSizeInBytes, node) +
337             ↪ Link.SizeAsTargetOffset).SetValue(Bit<TLink>.PartialWrite(previousValue,
338             ↪ size, 5, -5));
339     }
340
341     protected override bool GetLeftIsChild(TLink node)
342     {

```



```

323     var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
324         ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
325     //return (Integer<TLink>)Bit<TLink>.PartialRead(previousValue, 4, 1);
326     return !_equalityComparer.Equals(Bit<TLink>.PartialRead(previousValue, 4, 1),
327         ↪ default);
328 }
329
330 protected override void SetLeftIsChild(TLink node, bool value)
331 {
332     var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
333         ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
334     var modified = Bit<TLink>.PartialWrite(previousValue, (Integer<TLink>)value, 4,
335         ↪ 1);
336     (Links.GetElement(LinkSizeInBytes, node) +
337         ↪ Link.SizeAsTargetOffset).SetValue(modified);
338 }
339
340 protected override bool GetRightIsChild(TLink node)
341 {
342     var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
343         ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
344     //return (Integer<TLink>)Bit<TLink>.PartialRead(previousValue, 3, 1);
345     return !_equalityComparer.Equals(Bit<TLink>.PartialRead(previousValue, 3, 1),
346         ↪ default);
347 }
348
349 protected override void SetRightIsChild(TLink node, bool value)
350 {
351     var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
352         ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
353     var modified = Bit<TLink>.PartialWrite(previousValue, (Integer<TLink>)value, 3,
354         ↪ 1);
355     (Links.GetElement(LinkSizeInBytes, node) +
356         ↪ Link.SizeAsTargetOffset).SetValue(modified);
357 }
358
359 protected override sbyte GetBalance(TLink node)
360 {
361     var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
362         ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
363     var value = (ulong)(Integer<TLink>)Bit<TLink>.PartialRead(previousValue, 0, 3);
364     var unpackedValue = (sbyte)((value & 4) > 0 ? ((value & 4) << 5) | value & 3 |
365         ↪ 124 : value & 3);
366     return unpackedValue;
367 }
368
369 protected override void SetBalance(TLink node, sbyte value)
370 {
371     var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
372         ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
373     var packagedValue = (TLink)(Integer<TLink>)((((byte)value >> 5) & 4) | value &
374         ↪ 3);
375     var modified = Bit<TLink>.PartialWrite(previousValue, packagedValue, 0, 3);
376     (Links.GetElement(LinkSizeInBytes, node) +
377         ↪ Link.SizeAsTargetOffset).SetValue(modified);
378 }
379
380 protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
381 {
382     var firstTarget = (Links.GetElement(LinkSizeInBytes, first) +
383         ↪ Link.TargetOffset).GetValue<TLink>();
384     var secondTarget = (Links.GetElement(LinkSizeInBytes, second) +
385         ↪ Link.TargetOffset).GetValue<TLink>();
386     return LessThan(firstTarget, secondTarget) ||
387         (IsEquals(firstTarget, secondTarget) &&
388         ↪ LessThan((Links.GetElement(LinkSizeInBytes, first) +
389         ↪ Link.SourceOffset).GetValue<TLink>(),
390         ↪ (Links.GetElement(LinkSizeInBytes, second) +
391         ↪ Link.SourceOffset).GetValue<TLink>()));
392 }
393
394 protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
395 {
396     var firstTarget = (Links.GetElement(LinkSizeInBytes, first) +
397         ↪ Link.TargetOffset).GetValue<TLink>();
398     var secondTarget = (Links.GetElement(LinkSizeInBytes, second) +
399         ↪ Link.TargetOffset).GetValue<TLink>();

```

```

377         return GreaterThan(firstTarget, secondTarget) ||
378             (IsEquals(firstTarget, secondTarget) &&
                 ↪ GreaterThan((Links.GetElement(LinkSizeInBytes, first) +
                 ↪ Link.SourceOffset).GetValue<TLink>(),
                 ↪ (Links.GetElement(LinkSizeInBytes, second) +
                 ↪ Link.SourceOffset).GetValue<TLink>()));
379     }
380
381     protected override TLink GetTreeRoot() => (Header +
        ↪ LinksHeader.FirstAsTargetOffset).GetValue<TLink>();
382
383     protected override TLink GetBasePartValue(TLink link) =>
        ↪ (Links.GetElement(LinkSizeInBytes, link) + Link.TargetOffset).GetValue<TLink>();
384 }
385 }
386 }

```

./Platform.Data.Doublets/ResizableDirectMemory/UInt64ResizableDirectMemoryLinks.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Disposables;
5  using Platform.Collections.Arrays;
6  using Platform.Singletons;
7  using Platform.Memory;
8  using Platform.Data.Exceptions;
9
10 #pragma warning disable 0649
11 #pragma warning disable 169
12 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
13
14 // ReSharper disable BuiltInTypeReferenceStyle
15
16 // #define ENABLE_TREE_AUTO_DEBUG_AND_VALIDATION
17
18 namespace Platform.Data.Doublets.ResizableDirectMemory
19 {
20     using id = UInt64;
21
22     public unsafe partial class UInt64ResizableDirectMemoryLinks : DisposableBase, ILinks<id>
23     {
24         /// <summary>Возвращает размер одной связи в байтах.</summary>
25         /// <remarks>
26         /// Используется только во вне класса, не рекомендуется использовать внутри.
27         /// Так как во вне не обязательно будет доступен unsafe C#.
28         /// </remarks>
29         public static readonly int LinkSizeInBytes = sizeof(Link);
30
31         public static readonly long DefaultLinksSizeStep = LinkSizeInBytes * 1024 * 1024;
32
33         private struct Link
34         {
35             public id Source;
36             public id Target;
37             public id LeftAsSource;
38             public id RightAsSource;
39             public id SizeAsSource;
40             public id LeftAsTarget;
41             public id RightAsTarget;
42             public id SizeAsTarget;
43         }
44
45         private struct LinksHeader
46         {
47             public id AllocatedLinks;
48             public id ReservedLinks;
49             public id FreeLinks;
50             public id FirstFreeLink;
51             public id FirstAsSource;
52             public id FirstAsTarget;
53             public id LastFreeLink;
54             public id Reserved8;
55         }
56
57         private readonly long _memoryReservationStep;
58
59         private readonly IResizableDirectMemory _memory;
60         private LinksHeader* _header;
61         private Link* _links;
62
63         private LinksTargetsTreeMethods _targetsTreeMethods;
64         private LinksSourcesTreeMethods _sourcesTreeMethods;

```

```

65 // TODO: Возможно чтобы гарантированно проверять на то, является ли связь удалённой,
66 ↪ нужно использовать не список а дерево, так как так можно быстрее проверить на
67 ↪ наличие связи внутри
68 private UnusedLinksListMethods _unusedLinksListMethods;
69
70 /// <summary>
71 /// Возвращает общее число связей находящихся в хранилище.
72 /// </summary>
73 private id Total => _header->AllocatedLinks - _header->FreeLinks;
74
75 // TODO: Дать возможность переопределять в конструкторе
76 public LinksConstants<id> Constants { get; }
77
78 public UInt64ResizableDirectMemoryLinks(string address) : this(address,
79 ↪ DefaultLinksSizeStep) { }
80
81 /// <summary>
82 /// Создаёт экземпляр базы данных Links в файле по указанному адресу, с указанным
83 ↪ минимальным шагом расширения базы данных.
84 /// </summary>
85 /// <param name="address">Полный путь к файлу базы данных.</param>
86 /// <param name="memoryReservationStep">Минимальный шаг расширения базы данных в
87 ↪ байтах.</param>
88 public UInt64ResizableDirectMemoryLinks(string address, long memoryReservationStep) :
89 ↪ this(new FileMappedResizableDirectMemory(address, memoryReservationStep),
90 ↪ memoryReservationStep) { }
91
92 public UInt64ResizableDirectMemoryLinks(IResizableDirectMemory memory) : this(memory,
93 ↪ DefaultLinksSizeStep) { }
94
95 public UInt64ResizableDirectMemoryLinks(IResizableDirectMemory memory, long
96 ↪ memoryReservationStep)
97 {
98     Constants = Default<LinksConstants<id>>.Instance;
99     _memory = memory;
100     _memoryReservationStep = memoryReservationStep;
101     if (memory.ReservedCapacity < memoryReservationStep)
102     {
103         memory.ReservedCapacity = memoryReservationStep;
104     }
105     SetPointers(_memory);
106     // Гарантия корректности _memory.UsedCapacity относительно _header->AllocatedLinks
107     _memory.UsedCapacity = ((long)_header->AllocatedLinks * sizeof(Link)) +
108 ↪ sizeof(LinksHeader);
109     // Гарантия корректности _header->ReservedLinks относительно _memory.ReservedCapacity
110     _header->ReservedLinks = (id)((_memory.ReservedCapacity - sizeof(LinksHeader)) /
111 ↪ sizeof(Link));
112 }
113
114 [MethodImpl(MethodImplOptions.AggressiveInlining)]
115 public id Count(IList<id> restrictions)
116 {
117     // Если нет ограничений, тогда возвращаем общее число связей находящихся в хранилище.
118     if (restrictions.Count == 0)
119     {
120         return Total;
121     }
122     if (restrictions.Count == 1)
123     {
124         var index = restrictions[Constants.IndexPart];
125         if (index == Constants.Any)
126         {
127             return Total;
128         }
129         return Exists(index) ? 1UL : 0UL;
130     }
131     if (restrictions.Count == 2)
132     {
133         var index = restrictions[Constants.IndexPart];
134         var value = restrictions[1];
135         if (index == Constants.Any)
136         {
137             if (value == Constants.Any)
138             {
139                 return Total; // Any - как отсутствие ограничения
140             }
141             return _sourcesTreeMethods.CountUsages(value)

```

```

132         + _targetsTreeMethods.CountUsages(value);
133     }
134     else
135     {
136         if (!Exists(index))
137         {
138             return 0;
139         }
140         if (value == Constants.Any)
141         {
142             return 1;
143         }
144         var storedLinkValue = GetLinkUnsafe(index);
145         if (storedLinkValue->Source == value ||
146             storedLinkValue->Target == value)
147         {
148             return 1;
149         }
150         return 0;
151     }
152 }
153 if (restrictions.Count == 3)
154 {
155     var index = restrictions[Constants.IndexPart];
156     var source = restrictions[Constants.SourcePart];
157     var target = restrictions[Constants.TargetPart];
158     if (index == Constants.Any)
159     {
160         if (source == Constants.Any && target == Constants.Any)
161         {
162             return Total;
163         }
164         else if (source == Constants.Any)
165         {
166             return _targetsTreeMethods.CountUsages(target);
167         }
168         else if (target == Constants.Any)
169         {
170             return _sourcesTreeMethods.CountUsages(source);
171         }
172         else //if(source != Any && target != Any)
173         {
174             // Эквивалент Exists(source, target) => Count(Any, source, target) > 0
175             var link = _sourcesTreeMethods.Search(source, target);
176             return link == Constants.Null ? OUL : 1UL;
177         }
178     }
179     else
180     {
181         if (!Exists(index))
182         {
183             return 0;
184         }
185         if (source == Constants.Any && target == Constants.Any)
186         {
187             return 1;
188         }
189         var storedLinkValue = GetLinkUnsafe(index);
190         if (source != Constants.Any && target != Constants.Any)
191         {
192             if (storedLinkValue->Source == source &&
193                 storedLinkValue->Target == target)
194             {
195                 return 1;
196             }
197             return 0;
198         }
199         var value = default(id);
200         if (source == Constants.Any)
201         {
202             value = target;
203         }
204         if (target == Constants.Any)
205         {
206             value = source;
207         }
208         if (storedLinkValue->Source == value ||
209             storedLinkValue->Target == value)
210         {

```

```

211         return 1;
212     }
213     return 0;
214 }
215 }
216 throw new NotSupportedException("Другие размеры и способы ограничений не
    ↳ поддерживаются.");
217 }
218
219 [MethodImpl(MethodImplOptions.AggressiveInlining)]
220 public id Each(Func<IList<id>, id> handler, IList<id> restrictions)
221 {
222     if (restrictions.Count == 0)
223     {
224         for (id link = 1; link <= _header->AllocatedLinks; link++)
225         {
226             if (Exists(link))
227             {
228                 if (handler(GetLinkStruct(link)) == Constants.Break)
229                 {
230                     return Constants.Break;
231                 }
232             }
233         }
234         return Constants.Continue;
235     }
236     if (restrictions.Count == 1)
237     {
238         var index = restrictions[Constants.IndexPart];
239         if (index == Constants.Any)
240         {
241             return Each(handler, ArrayPool<ulong>.Empty);
242         }
243         if (!Exists(index))
244         {
245             return Constants.Continue;
246         }
247         return handler(GetLinkStruct(index));
248     }
249     if (restrictions.Count == 2)
250     {
251         var index = restrictions[Constants.IndexPart];
252         var value = restrictions[1];
253         if (index == Constants.Any)
254         {
255             if (value == Constants.Any)
256             {
257                 return Each(handler, ArrayPool<ulong>.Empty);
258             }
259             if (Each(handler, new[] { index, value, Constants.Any }) == Constants.Break)
260             {
261                 return Constants.Break;
262             }
263             return Each(handler, new[] { index, Constants.Any, value });
264         }
265         else
266         {
267             if (!Exists(index))
268             {
269                 return Constants.Continue;
270             }
271             if (value == Constants.Any)
272             {
273                 return handler(GetLinkStruct(index));
274             }
275             var storedLinkValue = GetLinkUnsafe(index);
276             if (storedLinkValue->Source == value ||
277                 storedLinkValue->Target == value)
278             {
279                 return handler(GetLinkStruct(index));
280             }
281             return Constants.Continue;
282         }
283     }
284     if (restrictions.Count == 3)
285     {
286         var index = restrictions[Constants.IndexPart];
287         var source = restrictions[Constants.SourcePart];

```

```

288     var target = restrictions[Constants.TargetPart];
289     if (index == Constants.Any)
290     {
291         if (source == Constants.Any && target == Constants.Any)
292         {
293             return Each(handler, ArrayPool<ulong>.Empty);
294         }
295         else if (source == Constants.Any)
296         {
297             return _targetsTreeMethods.EachReference(target, handler);
298         }
299         else if (target == Constants.Any)
300         {
301             return _sourcesTreeMethods.EachReference(source, handler);
302         }
303         else //if(source != Any && target != Any)
304         {
305             var link = _sourcesTreeMethods.Search(source, target);
306             return link == Constants.Null ? Constants.Continue :
307                 ↪ handler(GetLinkStruct(link));
308         }
309     }
310     else
311     {
312         if (!Exists(index))
313         {
314             return Constants.Continue;
315         }
316         if (source == Constants.Any && target == Constants.Any)
317         {
318             return handler(GetLinkStruct(index));
319         }
320         var storedLinkValue = GetLinkUnsafe(index);
321         if (source != Constants.Any && target != Constants.Any)
322         {
323             if (storedLinkValue->Source == source &&
324                 storedLinkValue->Target == target)
325             {
326                 return handler(GetLinkStruct(index));
327             }
328             return Constants.Continue;
329         }
330         var value = default(id);
331         if (source == Constants.Any)
332         {
333             value = target;
334         }
335         if (target == Constants.Any)
336         {
337             value = source;
338         }
339         if (storedLinkValue->Source == value ||
340             storedLinkValue->Target == value)
341         {
342             return handler(GetLinkStruct(index));
343         }
344         return Constants.Continue;
345     }
346     }
347     throw new NotSupportedException("Другие размеры и способы ограничений не
348     ↪ поддерживаются.");
349 }
350
351 /// <remarks>
352 /// TODO: Возможно можно перемещать значения, если указан индекс, но значение существует
353 ↪ в другом месте (но не в менеджере памяти, а в логике Links)
354 /// </remarks>
355 [MethodImpl(MethodImplOptions.AggressiveInlining)]
356 public id Update(IList<id> restrictions, IList<id> substitution)
357 {
358     var linkIndex = restrictions[Constants.IndexPart];
359     var link = GetLinkUnsafe(linkIndex);
360     // Будет корректно работать только в том случае, если пространство выделенной связи
361     ↪ предварительно заполнено нулями
362     if (link->Source != Constants.Null)
363     {
364         _sourcesTreeMethods.Detach(new IntPtr(&_header->FirstAsSource), linkIndex);
365     }
366 }

```

```

362         if (link->Target != Constants.Null)
363         {
364             _targetsTreeMethods.Detach(new IntPtr(&_header->FirstAsTarget), linkIndex);
365         }
366 #if ENABLE_TREE_AUTO_DEBUG_AND_VALIDATION
367         var leftTreeSize = _sourcesTreeMethods.GetSize(new IntPtr(&_header->FirstAsSource));
368         var rightTreeSize = _targetsTreeMethods.GetSize(new IntPtr(&_header->FirstAsTarget));
369         if (leftTreeSize != rightTreeSize)
370         {
371             throw new Exception("One of the trees is broken.");
372         }
373 #endif
374         link->Source = substitution[Constants.SourcePart];
375         link->Target = substitution[Constants.TargetPart];
376         if (link->Source != Constants.Null)
377         {
378             _sourcesTreeMethods.Attach(new IntPtr(&_header->FirstAsSource), linkIndex);
379         }
380         if (link->Target != Constants.Null)
381         {
382             _targetsTreeMethods.Attach(new IntPtr(&_header->FirstAsTarget), linkIndex);
383         }
384 #if ENABLE_TREE_AUTO_DEBUG_AND_VALIDATION
385         leftTreeSize = _sourcesTreeMethods.GetSize(new IntPtr(&_header->FirstAsSource));
386         rightTreeSize = _targetsTreeMethods.GetSize(new IntPtr(&_header->FirstAsTarget));
387         if (leftTreeSize != rightTreeSize)
388         {
389             throw new Exception("One of the trees is broken.");
390         }
391 #endif
392         return linkIndex;
393     }
394
395     [MethodImpl(MethodImplOptions.AggressiveInlining)]
396     private IList<id> GetLinkStruct(id linkIndex)
397     {
398         var link = GetLinkUnsafe(linkIndex);
399         return new UInt64Link(linkIndex, link->Source, link->Target);
400     }
401
402     [MethodImpl(MethodImplOptions.AggressiveInlining)]
403     private Link* GetLinkUnsafe(id linkIndex) => &_amp;links[linkIndex];
404
405     /// <remarks>
406     /// TODO: Возможно нужно будет заполнение нулями, если внешнее API ими не заполняет
407     ///        пространство
408     /// </remarks>
409     public id Create(IList<id> restrictions)
410     {
411         var freeLink = _header->FirstFreeLink;
412         if (freeLink != Constants.Null)
413         {
414             _unusedLinksListMethods.Detach(freeLink);
415         }
416         else
417         {
418             var maximumPossibleInnerReference =
419                 ↳ Constants.PossibleInnerReferencesRange.Maximum;
420             if (_header->AllocatedLinks > maximumPossibleInnerReference)
421             {
422                 throw new LinksLimitReachedException<id>(maximumPossibleInnerReference);
423             }
424             if (_header->AllocatedLinks >= _header->ReservedLinks - 1)
425             {
426                 _memory.ReservedCapacity += _memory.ReservationStep;
427                 SetPointers(_memory);
428                 _header->ReservedLinks = (id)(_memory.ReservedCapacity / sizeof(Link));
429             }
430             _header->AllocatedLinks++;
431             _memory.UsedCapacity += sizeof(Link);
432             freeLink = _header->AllocatedLinks;
433         }
434         return freeLink;
435     }
436
437     public void Delete(IList<id> restrictions)
438     {
439         var link = restrictions[Constants.IndexPart];
440         if (link < _header->AllocatedLinks)

```

```

439     {
440         _unusedLinksListMethods.AttachAsFirst(link);
441     }
442     else if (link == _header->AllocatedLinks)
443     {
444         _header->AllocatedLinks--;
445         _memory.UsedCapacity -= sizeof(Link);
446         // Убираем все связи, находящиеся в списке свободных в конце файла, до тех пор,
447         //   ↳ пока не дойдём до первой существующей связи
448         // Позволяет оптимизировать количество выделенных связей (AllocatedLinks)
449         while (_header->AllocatedLinks > 0 && IsUnusedLink(_header->AllocatedLinks))
450         {
451             _unusedLinksListMethods.Detach(_header->AllocatedLinks);
452             _header->AllocatedLinks--;
453             _memory.UsedCapacity -= sizeof(Link);
454         }
455     }
456 }
457
458 /// <remarks>
459 /// TODO: Возможно это должно быть событием, вызываемым из IMemory, в том случае, если
460 ///   ↳ адрес реально поменялся
461 ///
462 /// Указатель this.links может быть в том же месте,
463 /// так как 0-я связь не используется и имеет такой же размер как Header,
464 /// поэтому header размещается в том же месте, что и 0-я связь
465 /// </remarks>
466 private void SetPointers(IResizableDirectMemory memory)
467 {
468     if (memory == null)
469     {
470         _header = null;
471         _links = null;
472         _unusedLinksListMethods = null;
473         _targetsTreeMethods = null;
474         _unusedLinksListMethods = null;
475     }
476     else
477     {
478         _header = (LinksHeader*)(void*)memory.Pointer;
479         _links = (Link*)(void*)memory.Pointer;
480         _sourcesTreeMethods = new LinksSourcesTreeMethods(this);
481         _targetsTreeMethods = new LinksTargetsTreeMethods(this);
482         _unusedLinksListMethods = new UnusedLinksListMethods(_links, _header);
483     }
484 }
485
486 [MethodImpl(MethodImplOptions.AggressiveInlining)]
487 private bool Exists(id link) => link >= Constants.PossibleInnerReferencesRange.Minimum
488     ↳ && link <= _header->AllocatedLinks && !IsUnusedLink(link);
489
490 [MethodImpl(MethodImplOptions.AggressiveInlining)]
491 private bool IsUnusedLink(id link) => _header->FirstFreeLink == link
492     || (_links[link].SizeAsSource == Constants.Null &&
493         ↳ _links[link].Source != Constants.Null);
494
495 #region Disposable
496
497 protected override bool AllowMultipleDisposeCalls => true;
498
499 protected override void Dispose(bool manual, bool wasDisposed)
500 {
501     if (!wasDisposed)
502     {
503         SetPointers(null);
504         _memory.DisposeIfPossible();
505     }
506 }
507
508 #endregion
509 }

```

```

./Platform.Data.Doublets/ResizableDirectMemory/UInt64ResizableDirectMemoryLinks.ListMethods.cs
1 using Platform.Collections.Methods.Lists;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.ResizableDirectMemory

```



```

6 {
7     unsafe partial class UInt64ResizableDirectMemoryLinks
8     {
9         private class UnusedLinksListMethods : CircularDoublyLinkedListMethods<ulong>
10        {
11            private readonly Link* _links;
12            private readonly LinksHeader* _header;
13
14            public UnusedLinksListMethods(Link* links, LinksHeader* header)
15            {
16                _links = links;
17                _header = header;
18            }
19
20            protected override ulong GetFirst() => _header->FirstFreeLink;
21
22            protected override ulong GetLast() => _header->LastFreeLink;
23
24            protected override ulong GetPrevious(ulong element) => _links[element].Source;
25
26            protected override ulong GetNext(ulong element) => _links[element].Target;
27
28            protected override ulong GetSize() => _header->FreeLinks;
29
30            protected override void SetFirst(ulong element) => _header->FirstFreeLink = element;
31
32            protected override void SetLast(ulong element) => _header->LastFreeLink = element;
33
34            protected override void SetPrevious(ulong element, ulong previous) =>
35                ↪ _links[element].Source = previous;
36
37            protected override void SetNext(ulong element, ulong next) => _links[element].Target
38                ↪ = next;
39
40            protected override void SetSize(ulong size) => _header->FreeLinks = size;
41        }
42    }
43 }

```

./Platform.Data.Doublets/ResizableDirectMemory/UInt64ResizableDirectMemoryLinks.TreeMethods.cs

```

1 using System;
2 using System.Collections.Generic;
3 using System.Runtime.CompilerServices;
4 using System.Text;
5 using Platform.Collections.Methods.Trees;
6
7 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9 namespace Platform.Data.Doublets.ResizableDirectMemory
10 {
11     unsafe partial class UInt64ResizableDirectMemoryLinks
12     {
13         private abstract class LinksTreeMethodsBase :
14             ↪ SizedAndThreadedAVLBalancedTreeMethods<ulong>
15         {
16             private readonly UInt64ResizableDirectMemoryLinks _memory;
17             private readonly LinksConstants<ulong> _constants;
18             protected readonly Link* Links;
19             protected readonly LinksHeader* Header;
20
21             protected LinksTreeMethodsBase(UInt64ResizableDirectMemoryLinks memory)
22             {
23                 Links = memory._links;
24                 Header = memory._header;
25                 _memory = memory;
26                 _constants = memory.Constants;
27             }
28
29             [MethodImpl(MethodImplOptions.AggressiveInlining)]
30             protected abstract ulong GetTreeRoot();
31
32             [MethodImpl(MethodImplOptions.AggressiveInlining)]
33             protected abstract ulong GetBasePartValue(ulong link);
34
35             public ulong this[ulong index]
36             {
37                 get
38                 {
39                     var root = GetTreeRoot();
40                     if (index >= GetSize(root))
41                     {

```

```

41         return 0;
42     }
43     while (root != 0)
44     {
45         var left = GetLeftOrDefault(root);
46         var leftSize = GetSizeOrZero(left);
47         if (index < leftSize)
48         {
49             root = left;
50             continue;
51         }
52         if (index == leftSize)
53         {
54             return root;
55         }
56         root = GetRightOrDefault(root);
57         index -= leftSize + 1;
58     }
59     return 0; // TODO: Impossible situation exception (only if tree structure
60     ↪ broken)
61 }
62
63 // TODO: Return indices range instead of references count
64 public ulong CountUsages(ulong link)
65 {
66     var root = GetTreeRoot();
67     var total = GetSize(root);
68     var totalRightIgnore = 0UL;
69     while (root != 0)
70     {
71         var @base = GetBasePartValue(root);
72         if (@base <= link)
73         {
74             root = GetRightOrDefault(root);
75         }
76         else
77         {
78             totalRightIgnore += GetRightSize(root) + 1;
79             root = GetLeftOrDefault(root);
80         }
81     }
82     root = GetTreeRoot();
83     var totalLeftIgnore = 0UL;
84     while (root != 0)
85     {
86         var @base = GetBasePartValue(root);
87         if (@base >= link)
88         {
89             root = GetLeftOrDefault(root);
90         }
91         else
92         {
93             totalLeftIgnore += GetLeftSize(root) + 1;
94             root = GetRightOrDefault(root);
95         }
96     }
97     return total - totalRightIgnore - totalLeftIgnore;
98 }
99
100 public ulong EachReference(ulong link, Func<IList<ulong>, ulong> handler)
101 {
102     var root = GetTreeRoot();
103     if (root == 0)
104     {
105         return _constants.Continue;
106     }
107     ulong first = 0, current = root;
108     while (current != 0)
109     {
110         var @base = GetBasePartValue(current);
111         if (@base >= link)
112         {
113             if (@base == link)
114             {
115                 first = current;
116             }
117             current = GetLeftOrDefault(current);
118         }

```

```

119         else
120         {
121             current = GetRightOrDefault(current);
122         }
123     }
124     if (first != 0)
125     {
126         current = first;
127         while (true)
128         {
129             if (handler(_memory.GetLinkStruct(current)) == _constants.Break)
130             {
131                 return _constants.Break;
132             }
133             current = GetNext(current);
134             if (current == 0 || GetBasePartValue(current) != link)
135             {
136                 break;
137             }
138         }
139     }
140     return _constants.Continue;
141 }
142
143 protected override void PrintNodeValue(ulong node, StringBuilder sb)
144 {
145     sb.Append(' ');
146     sb.Append(Links[node].Source);
147     sb.Append('-');
148     sb.Append('>');
149     sb.Append(Links[node].Target);
150 }
151
152 private class LinksSourcesTreeMethods : LinksTreeMethodsBase
153 {
154     public LinksSourcesTreeMethods(UInt64ResizableDirectMemoryLinks memory)
155         : base(memory)
156     {
157     }
158
159     protected override IntPtr GetLeftPointer(ulong node) => new
160         ↳ IntPtr(&Links[node].LeftAsSource);
161
162     protected override IntPtr GetRightPointer(ulong node) => new
163         ↳ IntPtr(&Links[node].RightAsSource);
164
165     protected override ulong GetLeftValue(ulong node) => Links[node].LeftAsSource;
166     protected override ulong GetRightValue(ulong node) => Links[node].RightAsSource;
167
168     protected override ulong GetSize(ulong node)
169     {
170         var previousValue = Links[node].SizeAsSource;
171         //return Math.PartialRead(previousValue, 5, -5);
172         return (previousValue & 4294967264) >> 5;
173     }
174
175     protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsSource
176         ↳ = left;
177
178     protected override void SetRight(ulong node, ulong right) =>
179         ↳ Links[node].RightAsSource = right;
180
181     protected override void SetSize(ulong node, ulong size)
182     {
183         var previousValue = Links[node].SizeAsSource;
184         //var modified = Math.PartialWrite(previousValue, size, 5, -5);
185         var modified = (previousValue & 31) | ((size & 134217727) << 5);
186         Links[node].SizeAsSource = modified;
187     }
188
189     protected override bool GetLeftIsChild(ulong node)
190     {
191         var previousValue = Links[node].SizeAsSource;
192         //return (Integer)Math.PartialRead(previousValue, 4, 1);
193         return (previousValue & 16) >> 4 == 1UL;

```

```

194 protected override void SetLeftIsChild(ulong node, bool value)
195 {
196     var previousValue = Links[node].SizeAsSource;
197     //var modified = Math.PartialWrite(previousValue, (ulong)(Integer)value, 4, 1);
198     var modified = (previousValue & 4294967279) | ((value ? 1UL : 0UL) << 4);
199     Links[node].SizeAsSource = modified;
200 }
201
202 protected override bool GetRightIsChild(ulong node)
203 {
204     var previousValue = Links[node].SizeAsSource;
205     //return (Integer)Math.PartialRead(previousValue, 3, 1);
206     return (previousValue & 8) >> 3 == 1UL;
207 }
208
209 protected override void SetRightIsChild(ulong node, bool value)
210 {
211     var previousValue = Links[node].SizeAsSource;
212     //var modified = Math.PartialWrite(previousValue, (ulong)(Integer)value, 3, 1);
213     var modified = (previousValue & 4294967287) | ((value ? 1UL : 0UL) << 3);
214     Links[node].SizeAsSource = modified;
215 }
216
217 protected override sbyte GetBalance(ulong node)
218 {
219     var previousValue = Links[node].SizeAsSource;
220     //var value = Math.PartialRead(previousValue, 0, 3);
221     var value = previousValue & 7;
222     var unpackedValue = (sbyte)((value & 4) > 0 ? ((value & 4) << 5) | value & 3 |
        ↪ 124 : value & 3);
223     return unpackedValue;
224 }
225
226 protected override void SetBalance(ulong node, sbyte value)
227 {
228     var previousValue = Links[node].SizeAsSource;
229     var packagedValue = (ulong)((((byte)value >> 5) & 4) | value & 3);
230     //var modified = Math.PartialWrite(previousValue, packagedValue, 0, 3);
231     var modified = (previousValue & 4294967288) | (packagedValue & 7);
232     Links[node].SizeAsSource = modified;
233 }
234
235 protected override bool FirstIsToTheLeftOfSecond(ulong first, ulong second)
236 => Links[first].Source < Links[second].Source ||
237     (Links[first].Source == Links[second].Source && Links[first].Target <
        ↪ Links[second].Target);
238
239 protected override bool FirstIsToTheRightOfSecond(ulong first, ulong second)
240 => Links[first].Source > Links[second].Source ||
241     (Links[first].Source == Links[second].Source && Links[first].Target >
        ↪ Links[second].Target);
242
243 protected override ulong GetTreeRoot() => Header->FirstAsSource;
244
245 protected override ulong GetBasePartValue(ulong link) => Links[link].Source;
246
247 /// <summary>
248 /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
249 ↪ (концом)
250 /// по дереву (индексу) связей, отсортированному по Source, а затем по Target.
251 /// </summary>
252 /// <param name="source">Индекс связи, которая является началом на искомой
253 ↪ связи.</param>
254 /// <param name="target">Индекс связи, которая является концом на искомой
255 ↪ связи.</param>
256 /// <returns>Индекс искомой связи.</returns>
257 public ulong Search(ulong source, ulong target)
258 {
259     var root = Header->FirstAsSource;
260     while (root != 0)
261     {
262         var rootSource = Links[root].Source;
263         var rootTarget = Links[root].Target;
264         if (FirstIsToTheLeftOfSecond(source, target, rootSource, rootTarget)) //
            ↪ node.Key < root.Key
        {
            root = GetLeftOrDefault(root);
        }
    }
}

```

```

265         else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget))
266             ↪ // node.Key > root.Key
267         {
268             root = GetRightOrDefault(root);
269         }
270         else // node.Key == root.Key
271         {
272             return root;
273         }
274     }
275     return 0;
276 }
277
278 [MethodImpl(MethodImplOptions.AggressiveInlining)]
279 private static bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
280 ↪     ulong secondSource, ulong secondTarget)
281     => firstSource < secondSource || (firstSource == secondSource && firstTarget <
282     ↪     secondTarget);
283
284 [MethodImpl(MethodImplOptions.AggressiveInlining)]
285 private static bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
286 ↪     ulong secondSource, ulong secondTarget)
287     => firstSource > secondSource || (firstSource == secondSource && firstTarget >
288     ↪     secondTarget);
289
290 [MethodImpl(MethodImplOptions.AggressiveInlining)]
291 protected override void ClearNode(ulong node)
292 {
293     Links[node].LeftAsSource = OUL;
294     Links[node].RightAsSource = OUL;
295     Links[node].SizeAsSource = OUL;
296 }
297
298 [MethodImpl(MethodImplOptions.AggressiveInlining)]
299 protected override ulong GetZero() => OUL;
300
301 [MethodImpl(MethodImplOptions.AggressiveInlining)]
302 protected override ulong GetOne() => 1UL;
303
304 [MethodImpl(MethodImplOptions.AggressiveInlining)]
305 protected override ulong GetTwo() => 2UL;
306
307 [MethodImpl(MethodImplOptions.AggressiveInlining)]
308 protected override bool ValueEqualToZero(IntPtr pointer) =>
309     ↪ *(ulong*)pointer.ToPointer() == OUL;
310
311 [MethodImpl(MethodImplOptions.AggressiveInlining)]
312 protected override bool EqualToZero(ulong value) => value == OUL;
313
314 [MethodImpl(MethodImplOptions.AggressiveInlining)]
315 protected override bool IsEquals(ulong first, ulong second) => first == second;
316
317 [MethodImpl(MethodImplOptions.AggressiveInlining)]
318 protected override bool GreaterThanZero(ulong value) => value > OUL;
319
320 [MethodImpl(MethodImplOptions.AggressiveInlining)]
321 protected override bool GreaterThan(ulong first, ulong second) => first > second;
322
323 [MethodImpl(MethodImplOptions.AggressiveInlining)]
324 protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >=
325     ↪ second;
326
327 [MethodImpl(MethodImplOptions.AggressiveInlining)]
328 protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0
329     ↪ is always true for ulong
330
331 [MethodImpl(MethodImplOptions.AggressiveInlining)]
332 protected override bool LessOrEqualThanZero(ulong value) => value == 0; // value is
333     ↪ always >= 0 for ulong
334
335 [MethodImpl(MethodImplOptions.AggressiveInlining)]
336 protected override bool LessOrEqualThan(ulong first, ulong second) => first <=
337     ↪ second;
338
339 [MethodImpl(MethodImplOptions.AggressiveInlining)]
340 protected override bool LessThanZero(ulong value) => false; // value < 0 is always
341     ↪ false for ulong
342
343 [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

333     protected override bool LessThan(ulong first, ulong second) => first < second;
334
335     [MethodImpl(MethodImplOptions.AggressiveInlining)]
336     protected override ulong Increment(ulong value) => ++value;
337
338     [MethodImpl(MethodImplOptions.AggressiveInlining)]
339     protected override ulong Decrement(ulong value) => --value;
340
341     [MethodImpl(MethodImplOptions.AggressiveInlining)]
342     protected override ulong Add(ulong first, ulong second) => first + second;
343
344     [MethodImpl(MethodImplOptions.AggressiveInlining)]
345     protected override ulong Subtract(ulong first, ulong second) => first - second;
346 }
347
348 private class LinksTargetsTreeMethods : LinksTreeMethodsBase
349 {
350     public LinksTargetsTreeMethods(UInt64ResizableDirectMemoryLinks memory)
351         : base(memory)
352     {
353     }
354
355     //protected override IntPtr GetLeft(ulong node) => new
356     ↪ IntPtr(&Links[node].LeftAsTarget);
357
358     //protected override IntPtr GetRight(ulong node) => new
359     ↪ IntPtr(&Links[node].RightAsTarget);
360
361     //protected override ulong GetSize(ulong node) => Links[node].SizeAsTarget;
362
363     //protected override void SetLeft(ulong node, ulong left) =>
364     ↪ Links[node].LeftAsTarget = left;
365
366     //protected override void SetRight(ulong node, ulong right) =>
367     ↪ Links[node].RightAsTarget = right;
368
369     //protected override void SetSize(ulong node, ulong size) =>
370     ↪ Links[node].SizeAsTarget = size;
371
372     protected override IntPtr GetLeftPointer(ulong node) => new
373     ↪ IntPtr(&Links[node].LeftAsTarget);
374
375     protected override IntPtr GetRightPointer(ulong node) => new
376     ↪ IntPtr(&Links[node].RightAsTarget);
377
378     protected override ulong GetLeftValue(ulong node) => Links[node].LeftAsTarget;
379
380     protected override ulong GetRightValue(ulong node) => Links[node].RightAsTarget;
381
382     protected override ulong GetSize(ulong node)
383     {
384         var previousValue = Links[node].SizeAsTarget;
385         //return Math.PartialRead(previousValue, 5, -5);
386         return (previousValue & 4294967264) >> 5;
387     }
388
389     protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsTarget
390     ↪ = left;
391
392     protected override void SetRight(ulong node, ulong right) =>
393     ↪ Links[node].RightAsTarget = right;
394
395     protected override void SetSize(ulong node, ulong size)
396     {
397         var previousValue = Links[node].SizeAsTarget;
398         //var modified = Math.PartialWrite(previousValue, size, 5, -5);
399         var modified = (previousValue & 31) | ((size & 134217727) << 5);
400         Links[node].SizeAsTarget = modified;
401     }
402
403     protected override bool GetLeftIsChild(ulong node)
404     {
405         var previousValue = Links[node].SizeAsTarget;
406         //return (Integer)Math.PartialRead(previousValue, 4, 1);
407         return (previousValue & 16) >> 4 == 1UL;
408         // TODO: Check if this is possible to use
409         //var nodeSize = GetSize(node);
410         //var left = GetLeftValue(node);
411         //var leftSize = GetSizeOrZero(left);

```

```

403         //return leftSize > 0 && nodeSize > leftSize;
404     }
405
406     protected override void SetLeftIsChild(ulong node, bool value)
407     {
408         var previousValue = Links[node].SizeAsTarget;
409         //var modified = Math.PartialWrite(previousValue, (ulong)(Integer)value, 4, 1);
410         var modified = (previousValue & 4294967279) | ((value ? 1UL : 0UL) << 4);
411         Links[node].SizeAsTarget = modified;
412     }
413
414     protected override bool GetRightIsChild(ulong node)
415     {
416         var previousValue = Links[node].SizeAsTarget;
417         //return (Integer)Math.PartialRead(previousValue, 3, 1);
418         return (previousValue & 8) >> 3 == 1UL;
419         // TODO: Check if this is possible to use
420         //var nodeSize = GetSize(node);
421         //var right = GetRightValue(node);
422         //var rightSize = GetSizeOrZero(right);
423         //return rightSize > 0 && nodeSize > rightSize;
424     }
425
426     protected override void SetRightIsChild(ulong node, bool value)
427     {
428         var previousValue = Links[node].SizeAsTarget;
429         //var modified = Math.PartialWrite(previousValue, (ulong)(Integer)value, 3, 1);
430         var modified = (previousValue & 4294967287) | ((value ? 1UL : 0UL) << 3);
431         Links[node].SizeAsTarget = modified;
432     }
433
434     protected override sbyte GetBalance(ulong node)
435     {
436         var previousValue = Links[node].SizeAsTarget;
437         //var value = Math.PartialRead(previousValue, 0, 3);
438         var value = previousValue & 7;
439         var unpackedValue = (sbyte)((value & 4) > 0 ? ((value & 4) << 5) | value & 3 |
440             ↪ 124 : value & 3);
441         return unpackedValue;
442     }
443
444     protected override void SetBalance(ulong node, sbyte value)
445     {
446         var previousValue = Links[node].SizeAsTarget;
447         var packagedValue = (ulong)((((byte)value >> 5) & 4) | value & 3);
448         //var modified = Math.PartialWrite(previousValue, packagedValue, 0, 3);
449         var modified = (previousValue & 4294967288) | (packagedValue & 7);
450         Links[node].SizeAsTarget = modified;
451     }
452
453     protected override bool FirstIsToTheLeftOfSecond(ulong first, ulong second)
454     => Links[first].Target < Links[second].Target ||
455         (Links[first].Target == Links[second].Target && Links[first].Source <
456             ↪ Links[second].Source);
457
458     protected override bool FirstIsToTheRightOfSecond(ulong first, ulong second)
459     => Links[first].Target > Links[second].Target ||
460         (Links[first].Target == Links[second].Target && Links[first].Source >
461             ↪ Links[second].Source);
462
463     protected override ulong GetTreeRoot() => Header->FirstAsTarget;
464
465     protected override ulong GetBasePartValue(ulong link) => Links[link].Target;
466
467     [MethodImpl(MethodImplOptions.AggressiveInlining)]
468     protected override void ClearNode(ulong node)
469     {
470         Links[node].LeftAsTarget = 0UL;
471         Links[node].RightAsTarget = 0UL;
472         Links[node].SizeAsTarget = 0UL;
473     }
474 }
475 }

```

./Platform.Data.Doublets/Sequences/ArrayExtensions.cs

```

1 using System;
2 using System.Collections.Generic;
3

```

```

4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Sequences
7  {
8      public static class ArrayExtensions
9      {
10         public static IList<TLink> ConvertToRestrictionsValues<TLink>(this TLink[] array)
11         {
12             var restrictions = new TLink[array.Length + 1];
13             Array.Copy(array, 0, restrictions, 1, array.Length);
14             return restrictions;
15         }
16     }
17 }

```

./Platform.Data.Doublets/Sequences/Converters/BalancedVariantConverter.cs

```

1  using System.Collections.Generic;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Data.Doublets.Sequences.Converters
6  {
7      public class BalancedVariantConverter<TLink> : LinksListToSequenceConverterBase<TLink>
8      {
9          public BalancedVariantConverter(ILinks<TLink> links) : base(links) { }
10
11         public override TLink Convert(IList<TLink> sequence)
12         {
13             var length = sequence.Count;
14             if (length < 1)
15             {
16                 return default;
17             }
18             if (length == 1)
19             {
20                 return sequence[0];
21             }
22             // Make copy of next layer
23             if (length > 2)
24             {
25                 // TODO: Try to use stackalloc (which at the moment is not working with
26                 // ↪ generics) but will be possible with Sigil
27                 var halvedSequence = new TLink[(length / 2) + (length % 2)];
28                 HalveSequence(halvedSequence, sequence, length);
29                 sequence = halvedSequence;
30                 length = halvedSequence.Length;
31             }
32             // Keep creating layer after layer
33             while (length > 2)
34             {
35                 HalveSequence(sequence, sequence, length);
36                 length = (length / 2) + (length % 2);
37             }
38             return Links.GetOrCreate(sequence[0], sequence[1]);
39
40         private void HalveSequence(IList<TLink> destination, IList<TLink> source, int length)
41         {
42             var loopedLength = length - (length % 2);
43             for (var i = 0; i < loopedLength; i += 2)
44             {
45                 destination[i / 2] = Links.GetOrCreate(source[i], source[i + 1]);
46             }
47             if (length > loopedLength)
48             {
49                 destination[length / 2] = source[length - 1];
50             }
51         }
52     }
53 }

```

./Platform.Data.Doublets/Sequences/Converters/CompressingConverter.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Interfaces;
5  using Platform.Collections;
6  using Platform.Singletons;
7  using Platform.Numbers;

```



```

8 using Platform.Data.Doublets.Sequences.Frequencies.Cache;
9
10 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
11
12 namespace Platform.Data.Doublets.Sequences.Converters
13 {
14     /// <remarks>
15     /// TODO: Возможно будет лучше если алгоритм будет выполняться полностью изолированно от
16     ///     ↳ Links на этапе сжатия.
17     ///     А именно будет создаваться временный список пар необходимых для выполнения сжатия, в
18     ///     ↳ таком случае тип значения элемента массива может быть любым, как char так и ulong.
19     ///     Как только список/словарь пар был выявлен можно разом выполнить создание всех этих
20     ///     ↳ пар, а так же разом выполнить замену.
21     /// </remarks>
22     public class CompressingConverter<TLink> : LinksListToSequenceConverterBase<TLink>
23     {
24         private static readonly LinksConstants<TLink> _constants =
25             ↳ Default<LinksConstants<TLink>>.Instance;
26         private static readonly EqualityComparer<TLink> _equalityComparer =
27             ↳ EqualityComparer<TLink>.Default;
28         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
29
30         private readonly IConverter<IList<TLink>, TLink> _baseConverter;
31         private readonly LinkFrequenciesCache<TLink> _doubletFrequenciesCache;
32         private readonly TLink _minFrequencyToCompress;
33         private readonly bool _doInitialFrequenciesIncrement;
34         private Doublet<TLink> _maxDoublet;
35         private LinkFrequency<TLink> _maxDoubletData;
36
37         private struct HalfDoublet
38         {
39             public TLink Element;
40             public LinkFrequency<TLink> DoubletData;
41
42             public HalfDoublet(TLink element, LinkFrequency<TLink> doubletData)
43             {
44                 Element = element;
45                 DoubletData = doubletData;
46             }
47
48             public override string ToString() => $"{Element}: ({DoubletData})";
49         }
50
51         public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
52             ↳ baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache)
53             : this(links, baseConverter, doubletFrequenciesCache, Integer<TLink>.One, true)
54         {
55         }
56
57         public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
58             ↳ baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache, bool
59             ↳ doInitialFrequenciesIncrement)
60             : this(links, baseConverter, doubletFrequenciesCache, Integer<TLink>.One,
61                 ↳ doInitialFrequenciesIncrement)
62         {
63         }
64
65         public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
66             ↳ baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache, TLink
67             ↳ minFrequencyToCompress, bool doInitialFrequenciesIncrement)
68             : base(links)
69         {
70             _baseConverter = baseConverter;
71             _doubletFrequenciesCache = doubletFrequenciesCache;
72             if (_comparer.Compare(minFrequencyToCompress, Integer<TLink>.One) < 0)
73             {
74                 minFrequencyToCompress = Integer<TLink>.One;
75             }
76             _minFrequencyToCompress = minFrequencyToCompress;
77             _doInitialFrequenciesIncrement = doInitialFrequenciesIncrement;
78             ResetMaxDoublet();
79         }
80
81         public override TLink Convert(IList<TLink> source) =>
82             ↳ _baseConverter.Convert(Compress(source));
83
84         /// <remarks>
85         /// Original algorithm idea: https://en.wikipedia.org/wiki/Byte\_pair\_encoding .
86         /// Faster version (doublets' frequencies dictionary is not recreated).
87         /// </remarks>
88     }
89 }

```

```

76 private IList<TLink> Compress(IList<TLink> sequence)
77 {
78     if (sequence.IsNullOrEmpty())
79     {
80         return null;
81     }
82     if (sequence.Count == 1)
83     {
84         return sequence;
85     }
86     if (sequence.Count == 2)
87     {
88         return new[] { Links.GetOrCreate(sequence[0], sequence[1]) };
89     }
90     // TODO: arraypool with min size (to improve cache locality) or stackalloc with Sigil
91     var copy = new HalfDoublet[sequence.Count];
92     Doublet<TLink> doublet = default;
93     for (var i = 1; i < sequence.Count; i++)
94     {
95         doublet.Source = sequence[i - 1];
96         doublet.Target = sequence[i];
97         LinkFrequency<TLink> data;
98         if (_doInitialFrequenciesIncrement)
99         {
100             data = _doubletFrequenciesCache.IncrementFrequency(ref doublet);
101         }
102         else
103         {
104             data = _doubletFrequenciesCache.GetFrequency(ref doublet);
105             if (data == null)
106             {
107                 throw new NotSupportedException("If you ask not to increment
108                     ↪ frequencies, it is expected that all frequencies for the sequence
109                     ↪ are prepared.");
110             }
111             copy[i - 1].Element = sequence[i - 1];
112             copy[i - 1].DoubletData = data;
113             UpdateMaxDoublet(ref doublet, data);
114         }
115         copy[sequence.Count - 1].Element = sequence[sequence.Count - 1];
116         copy[sequence.Count - 1].DoubletData = new LinkFrequency<TLink>();
117         if (_comparer.Compare(_maxDoubletData.Frequency, default) > 0)
118         {
119             var newLength = ReplaceDoublets(copy);
120             sequence = new TLink[newLength];
121             for (int i = 0; i < newLength; i++)
122             {
123                 sequence[i] = copy[i].Element;
124             }
125         }
126         return sequence;
127     }
128     /// <remarks>
129     /// Original algorithm idea: https://en.wikipedia.org/wiki/Byte\_pair\_encoding
130     /// </remarks>
131     private int ReplaceDoublets(HalfDoublet[] copy)
132     {
133         var oldLength = copy.Length;
134         var newLength = copy.Length;
135         while (_comparer.Compare(_maxDoubletData.Frequency, default) > 0)
136         {
137             var maxDoubletSource = _maxDoublet.Source;
138             var maxDoubletTarget = _maxDoublet.Target;
139             if (_equalityComparer.Equals(_maxDoubletData.Link, _constants.Null))
140             {
141                 _maxDoubletData.Link = Links.GetOrCreate(maxDoubletSource, maxDoubletTarget);
142             }
143             var maxDoubletReplacementLink = _maxDoubletData.Link;
144             oldLength--;
145             var oldLengthMinusTwo = oldLength - 1;
146             // Substitute all usages
147             int w = 0, r = 0; // (r == read, w == write)
148             for (; r < oldLength; r++)
149             {
150                 if (_equalityComparer.Equals(copy[r].Element, maxDoubletSource) &&
151                     ↪ _equalityComparer.Equals(copy[r + 1].Element, maxDoubletTarget))
152                 {

```

```

152         if (r > 0)
153         {
154             var previous = copy[w - 1].Element;
155             copy[w - 1].DoubletData.DecrementFrequency();
156             copy[w - 1].DoubletData =
157                 ↪ _doubletFrequenciesCache.IncrementFrequency(previous,
158                 ↪ maxDoubletReplacementLink);
159         }
160         if (r < oldLengthMinusTwo)
161         {
162             var next = copy[r + 2].Element;
163             copy[r + 1].DoubletData.DecrementFrequency();
164             copy[w].DoubletData = _doubletFrequenciesCache.IncrementFrequency(maxDoubletReplacementLink,
165             ↪ next);
166         }
167         copy[w++].Element = maxDoubletReplacementLink;
168         r++;
169         newLength--;
170     }
171     else
172     {
173         copy[w++] = copy[r];
174     }
175 }
176 if (w < newLength)
177 {
178     copy[w] = copy[r];
179 }
180 oldLength = newLength;
181 ResetMaxDoublet();
182 UpdateMaxDoublet(copy, newLength);
183 }
184 return newLength;
185 }
186
187 [MethodImpl(MethodImplOptions.AggressiveInlining)]
188 private void ResetMaxDoublet()
189 {
190     _maxDoublet = new Doublet<TLink>();
191     _maxDoubletData = new LinkFrequency<TLink>();
192 }
193
194 [MethodImpl(MethodImplOptions.AggressiveInlining)]
195 private void UpdateMaxDoublet(HalfDoublet[] copy, int length)
196 {
197     Doublet<TLink> doublet = default;
198     for (var i = 1; i < length; i++)
199     {
200         doublet.Source = copy[i - 1].Element;
201         doublet.Target = copy[i].Element;
202         UpdateMaxDoublet(ref doublet, copy[i - 1].DoubletData);
203     }
204 }
205
206 [MethodImpl(MethodImplOptions.AggressiveInlining)]
207 private void UpdateMaxDoublet(ref Doublet<TLink> doublet, LinkFrequency<TLink> data)
208 {
209     var frequency = data.Frequency;
210     var maxFrequency = _maxDoubletData.Frequency;
211     //if (frequency > _minFrequencyToCompress && (maxFrequency < frequency ||
212     ↪ (maxFrequency == frequency && doublet.Source + doublet.Target < /* gives better
213     ↪ compression string data (and gives collisions quickly) */ _maxDoublet.Source +
214     ↪ _maxDoublet.Target)))
215     if (_comparer.Compare(frequency, _minFrequencyToCompress) > 0 &&
216     ↪ (_comparer.Compare(maxFrequency, frequency) < 0 ||
217     ↪ (_equalityComparer.Equals(maxFrequency, frequency) &&
218     ↪ _comparer.Compare(Arithmetic.Add(doublet.Source, doublet.Target),
219     ↪ Arithmetic.Add(_maxDoublet.Source, _maxDoublet.Target)) > 0))) /* gives
220     ↪ better stability and better compression on sequent data and even on random
221     ↪ numbers data (but gives collisions anyway) */
222     {
223         _maxDoublet = doublet;
224         _maxDoubletData = data;
225     }
226 }
227 }

```

./Platform.Data.Doublets/Sequences/Converters/LinksListToSequenceConverterBase.cs

```
1 using System.Collections.Generic;
2 using Platform.Interfaces;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Sequences.Converters
7 {
8     public abstract class LinksListToSequenceConverterBase<TLink> : IConverter<IList<TLink>,
9         ↪ TLink>
10     {
11         protected readonly ILinks<TLink> Links;
12         public LinksListToSequenceConverterBase(ILinks<TLink> links) => Links = links;
13         public abstract TLink Convert(IList<TLink> source);
14     }
```

./Platform.Data.Doublets/Sequences/Converters/OptimalVariantConverter.cs

```
1 using System.Collections.Generic;
2 using System.Linq;
3 using Platform.Interfaces;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Sequences.Converters
8 {
9     public class OptimalVariantConverter<TLink> : LinksListToSequenceConverterBase<TLink>
10     {
11         private static readonly EqualityComparer<TLink> _equalityComparer =
12             ↪ EqualityComparer<TLink>.Default;
13         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
14
15         private readonly IConverter<IList<TLink>> _sequenceToItsLocalElementLevelsConverter;
16
17         public OptimalVariantConverter(ILinks<TLink> links, IConverter<IList<TLink>>
18             ↪ sequenceToItsLocalElementLevelsConverter) : base(links)
19             => _sequenceToItsLocalElementLevelsConverter =
20                 ↪ sequenceToItsLocalElementLevelsConverter;
21
22         public override TLink Convert(IList<TLink> sequence)
23         {
24             var length = sequence.Count;
25             if (length == 1)
26             {
27                 return sequence[0];
28             }
29             var links = Links;
30             if (length == 2)
31             {
32                 return links.GetOrCreate(sequence[0], sequence[1]);
33             }
34             sequence = sequence.ToArray();
35             var levels = _sequenceToItsLocalElementLevelsConverter.Convert(sequence);
36             while (length > 2)
37             {
38                 var levelRepeat = 1;
39                 var currentLevel = levels[0];
40                 var previousLevel = levels[0];
41                 var skipOnce = false;
42                 var w = 0;
43                 for (var i = 1; i < length; i++)
44                 {
45                     if (_equalityComparer.Equals(currentLevel, levels[i]))
46                     {
47                         levelRepeat++;
48                         skipOnce = false;
49                         if (levelRepeat == 2)
50                         {
51                             sequence[w] = links.GetOrCreate(sequence[i - 1], sequence[i]);
52                             var newLevel = i >= length - 1 ?
53                                 GetPreviousLowerThanCurrentOrCurrent(previousLevel,
54                                     ↪ currentLevel) :
55                                 i < 2 ?
56                                     GetNextLowerThanCurrentOrCurrent(currentLevel, levels[i + 1]) :
57                                     GetGreatestNeighbourLowerThanCurrentOrCurrent(previousLevel,
58                                         ↪ currentLevel, levels[i + 1]);
59                             levels[w] = newLevel;
60                             previousLevel = currentLevel;
61                             w++;
62                             levelRepeat = 0;
63                         }
64                     }
65                 }
66             }
67         }
```

```

58         skipOnce = true;
59     }
60     else if (i == length - 1)
61     {
62         sequence[w] = sequence[i];
63         levels[w] = levels[i];
64         w++;
65     }
66 }
67 else
68 {
69     currentLevel = levels[i];
70     levelRepeat = 1;
71     if (skipOnce)
72     {
73         skipOnce = false;
74     }
75     else
76     {
77         sequence[w] = sequence[i - 1];
78         levels[w] = levels[i - 1];
79         previousLevel = levels[w];
80         w++;
81     }
82     if (i == length - 1)
83     {
84         sequence[w] = sequence[i];
85         levels[w] = levels[i];
86         w++;
87     }
88 }
89 }
90 length = w;
91 }
92 return links.GetOrCreate(sequence[0], sequence[1]);
93 }
94
95 private static TLink GetGreatestNeighbourLowerThanCurrentOrCurrent(TLink previous, TLink
↪ current, TLink next)
96 {
97     return _comparer.Compare(previous, next) > 0
98         ? _comparer.Compare(previous, current) < 0 ? previous : current
99         : _comparer.Compare(next, current) < 0 ? next : current;
100 }
101
102 private static TLink GetNextLowerThanCurrentOrCurrent(TLink current, TLink next) =>
↪ _comparer.Compare(next, current) < 0 ? next : current;
103
104 private static TLink GetPreviousLowerThanCurrentOrCurrent(TLink previous, TLink current)
↪ => _comparer.Compare(previous, current) < 0 ? previous : current;
105 }
106 }

```

./Platform.Data.Doublets/Sequences/Converters/SequenceToItsLocalElementLevelsConverter.cs

```

1 using System.Collections.Generic;
2 using Platform.Interfaces;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Sequences.Converters
7 {
8     public class SequenceToItsLocalElementLevelsConverter<TLink> : LinksOperatorBase<TLink>,
↪ IConverter<IList<TLink>>
9     {
10         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
11
12         private readonly IConverter<Doublet<TLink>, TLink> _linkToItsFrequencyToNumberConveter;
13
14         public SequenceToItsLocalElementLevelsConverter(IList<TLink> links,
↪ IConverter<Doublet<TLink>, TLink> linkToItsFrequencyToNumberConveter) : base(links)
↪ => _linkToItsFrequencyToNumberConveter = linkToItsFrequencyToNumberConveter;
15
16         public IList<TLink> Convert(IList<TLink> sequence)
17         {
18             var levels = new TLink[sequence.Count];
19             levels[0] = GetFrequencyNumber(sequence[0], sequence[1]);
20             for (var i = 1; i < sequence.Count - 1; i++)
21             {
22                 var previous = GetFrequencyNumber(sequence[i - 1], sequence[i]);

```

```

23         var next = GetFrequencyNumber(sequence[i], sequence[i + 1]);
24         levels[i] = _comparer.Compare(previous, next) > 0 ? previous : next;
25     }
26     levels[levels.Length - 1] = GetFrequencyNumber(sequence[sequence.Count - 2],
27         ↪ sequence[sequence.Count - 1]);
28     return levels;
29 }
30 public TLink GetFrequencyNumber(TLink source, TLink target) =>
31     ↪ _linkToItsFrequencyToNumberConveter.Convert(new Doublet<TLink>(source, target));
32 }

```

#### ./Platform.Data.Doublets/Sequences/CreteriaMatchers/DefaultSequenceElementCriterionMatcher.cs

```

1 using Platform.Interfaces;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Sequences.CreteriaMatchers
6 {
7     public class DefaultSequenceElementCriterionMatcher<TLink> : LinksOperatorBase<TLink>,
8         ↪ ICriterionMatcher<TLink>
9     {
10         public DefaultSequenceElementCriterionMatcher(ILinks<TLink> links) : base(links) { }
11         public bool IsMatched(TLink argument) => Links.IsPartialPoint(argument);
12     }
13 }

```

#### ./Platform.Data.Doublets/Sequences/CreteriaMatchers/MarkedSequenceCriterionMatcher.cs

```

1 using System.Collections.Generic;
2 using Platform.Interfaces;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Sequences.CreteriaMatchers
7 {
8     public class MarkedSequenceCriterionMatcher<TLink> : ICriterionMatcher<TLink>
9     {
10         private static readonly EqualityComparer<TLink> _equalityComparer =
11             ↪ EqualityComparer<TLink>.Default;
12
13         private readonly ILinks<TLink> _links;
14         private readonly TLink _sequenceMarkerLink;
15
16         public MarkedSequenceCriterionMatcher(ILinks<TLink> links, TLink sequenceMarkerLink)
17         {
18             _links = links;
19             _sequenceMarkerLink = sequenceMarkerLink;
20         }
21
22         public bool IsMatched(TLink sequenceCandidate)
23             => _equalityComparer.Equals(_links.GetSource(sequenceCandidate), _sequenceMarkerLink)
24             || !_equalityComparer.Equals(_links.SearchOrDefault(_sequenceMarkerLink,
25                 ↪ sequenceCandidate), _links.Constants.Null);
26     }
27 }

```

#### ./Platform.Data.Doublets/Sequences/DefaultSequenceAppender.cs

```

1 using System.Collections.Generic;
2 using Platform.Collections.Stacks;
3 using Platform.Data.Doublets.Sequences.HeightProviders;
4 using Platform.Data.Sequences;
5
6 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8 namespace Platform.Data.Doublets.Sequences
9 {
10     public class DefaultSequenceAppender<TLink> : LinksOperatorBase<TLink>,
11         ↪ ISequenceAppender<TLink>
12     {
13         private static readonly EqualityComparer<TLink> _equalityComparer =
14             ↪ EqualityComparer<TLink>.Default;
15
16         private readonly IStack<TLink> _stack;
17         private readonly ISequenceHeightProvider<TLink> _heightProvider;
18
19         public DefaultSequenceAppender(ILinks<TLink> links, IStack<TLink> stack,
20             ↪ ISequenceHeightProvider<TLink> heightProvider)
21             : base(links)
22         { }
23     }
24 }

```

```

19     {
20         _stack = stack;
21         _heightProvider = heightProvider;
22     }
23
24     public TLink Append(TLink sequence, TLink appendant)
25     {
26         var cursor = sequence;
27         while (!_equalityComparer.Equals(_heightProvider.Get(cursor), default))
28         {
29             var source = Links.GetSource(cursor);
30             var target = Links.GetTarget(cursor);
31             if (_equalityComparer.Equals(_heightProvider.Get(source),
32                 ↪ _heightProvider.Get(target)))
33             {
34                 break;
35             }
36             else
37             {
38                 _stack.Push(source);
39                 cursor = target;
40             }
41         }
42         var left = cursor;
43         var right = appendant;
44         while (!_equalityComparer.Equals(cursor = _stack.Pop(), Links.Constants.Null))
45         {
46             right = Links.GetOrCreate(left, right);
47             left = cursor;
48         }
49         return Links.GetOrCreate(left, right);
50     }
51 }

```

#### ./Platform.Data.Doublets/Sequences/DuplicateSegmentsCounter.cs

```

1  using System.Collections.Generic;
2  using System.Linq;
3  using Platform.Interfaces;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Sequences
8  {
9      public class DuplicateSegmentsCounter<TLink> : ICounter<int>
10     {
11         private readonly IProvider<IList<KeyValuePair<IList<TLink>, IList<TLink>>>>
12             ↪ _duplicateFragmentsProvider;
13         public DuplicateSegmentsCounter(IProvider<IList<KeyValuePair<IList<TLink>,
14             ↪ IList<TLink>>>> duplicateFragmentsProvider) => _duplicateFragmentsProvider =
15             ↪ duplicateFragmentsProvider;
16         public int Count() => _duplicateFragmentsProvider.Get().Sum(x => x.Value.Count);
17     }
18 }

```

#### ./Platform.Data.Doublets/Sequences/DuplicateSegmentsProvider.cs

```

1  using System;
2  using System.Linq;
3  using System.Collections.Generic;
4  using Platform.Interfaces;
5  using Platform.Collections;
6  using Platform.Collections.Lists;
7  using Platform.Collections.Segments;
8  using Platform.Collections.Segments.Walkers;
9  using Platform.Singletons;
10 using Platform.Numbers;
11 using Platform.Data.Doublets.Unicode;
12
13 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
14
15 namespace Platform.Data.Doublets.Sequences
16 {
17     public class DuplicateSegmentsProvider<TLink> :
18         ↪ DictionaryBasedDuplicateSegmentsWalkerBase<TLink>,
19         ↪ IProvider<IList<KeyValuePair<IList<TLink>, IList<TLink>>>>
20     {
21         private readonly ILinks<TLink> _links;
22         private readonly ILinks<TLink> _sequences;
23         private HashSet<KeyValuePair<IList<TLink>, IList<TLink>>> _groups;
24         private BitString _visited;
25     }
26 }

```

```

24 private class ItemEquilityComparer : IEqualityComparer<KeyValuePair<IList<TLink>,
    ↳ IList<TLink>>>
25 {
26     private readonly IListEqualityComparer<TLink> _listComparer;
27     public ItemEquilityComparer() => _listComparer =
    ↳ Default<IListEqualityComparer<TLink>>.Instance;
28     public bool Equals(KeyValuePair<IList<TLink>, IList<TLink>> left,
    ↳ KeyValuePair<IList<TLink>, IList<TLink>> right) =>
    ↳ _listComparer.Equals(left.Key, right.Key) && _listComparer.Equals(left.Value,
    ↳ right.Value);
29     public int GetHashCode(KeyValuePair<IList<TLink>, IList<TLink>> pair) =>
    ↳ (_listComparer.GetHashCode(pair.Key),
    ↳ _listComparer.GetHashCode(pair.Value)).GetHashCode();
30 }
31
32 private class ItemComparer : IComparer<KeyValuePair<IList<TLink>, IList<TLink>>>
33 {
34     private readonly IListComparer<TLink> _listComparer;
35
36     public ItemComparer() => _listComparer = Default<IListComparer<TLink>>.Instance;
37
38     public int Compare(KeyValuePair<IList<TLink>, IList<TLink>> left,
    ↳ KeyValuePair<IList<TLink>, IList<TLink>> right)
39     {
40         var intermediateResult = _listComparer.Compare(left.Key, right.Key);
41         if (intermediateResult == 0)
42         {
43             intermediateResult = _listComparer.Compare(left.Value, right.Value);
44         }
45         return intermediateResult;
46     }
47 }
48
49 public DuplicateSegmentsProvider(ILinks<TLink> links, ILinks<TLink> sequences)
50 : base(minimumStringSegmentLength: 2)
51 {
52     _links = links;
53     _sequences = sequences;
54 }
55
56 public IList<KeyValuePair<IList<TLink>, IList<TLink>>> Get()
57 {
58     _groups = new HashSet<KeyValuePair<IList<TLink>,
    ↳ IList<TLink>>>(Default<ItemEquilityComparer>.Instance);
59     var count = _links.Count();
60     _visited = new BitString((long)(Integer<TLink>)count + 1);
61     _links.Each(link =>
62     {
63         var linkIndex = _links.GetIndex(link);
64         var linkBitIndex = (long)(Integer<TLink>)linkIndex;
65         if (!_visited.Get(linkBitIndex))
66         {
67             var sequenceElements = new List<TLink>();
68             var filler = new ListFiller<TLink, TLink>(sequenceElements,
    ↳ _sequences.Constants.Break);
69             _sequences.Each(filler.AddAllValuesAndReturnConstant, new
    ↳ LinkAddress<TLink>(linkIndex));
70             if (sequenceElements.Count > 2)
71             {
72                 WalkAll(sequenceElements);
73             }
74         }
75         return _links.Constants.Continue;
76     });
77     var resultList = _groups.ToList();
78     var comparer = Default<ItemComparer>.Instance;
79     resultList.Sort(comparer);
80     #if DEBUG
81     foreach (var item in resultList)
82     {
83         PrintDuplicates(item);
84     }
85     #endif
86     return resultList;
87 }
88
89 protected override Segment<TLink> CreateSegment(IList<TLink> elements, int offset, int
    ↳ length) => new Segment<TLink>(elements, offset, length);

```



```

90
91 protected override void OnDuplicateFound(Segment<TLink> segment)
92 {
93     var duplicates = CollectDuplicatesForSegment(segment);
94     if (duplicates.Count > 1)
95     {
96         _groups.Add(new KeyValuePair<IList<TLink>, IList<TLink>>(segment.ToArray(),
97             ↪ duplicates));
98     }
99 }
100 private List<TLink> CollectDuplicatesForSegment(Segment<TLink> segment)
101 {
102     var duplicates = new List<TLink>();
103     var readAsElement = new HashSet<TLink>();
104     var restrictions = segment.ConvertToRestrictionsValues();
105     restrictions[0] = _sequences.Constants.Any;
106     _sequences.Each(sequence =>
107     {
108         var sequenceIndex = sequence[_sequences.Constants.IndexPart];
109         duplicates.Add(sequenceIndex);
110         readAsElement.Add(sequenceIndex);
111         return _sequences.Constants.Continue;
112     }, restrictions);
113     if (duplicates.Any(x => _visited.Get((Integer<TLink>)x)))
114     {
115         return new List<TLink>();
116     }
117     foreach (var duplicate in duplicates)
118     {
119         var duplicateBitIndex = (long)(Integer<TLink>)duplicate;
120         _visited.Set(duplicateBitIndex);
121     }
122     if (_sequences is Sequences sequencesExperiments)
123     {
124         var partiallyMatched = sequencesExperiments.GetAllPartiallyMatchingSequences4((H
125             ↪ ashSet<ulong>)(object)readAsElement,
126             ↪ (IList<ulong>)segment);
127         foreach (var partiallyMatchedSequence in partiallyMatched)
128         {
129             TLink sequenceIndex = (Integer<TLink>)partiallyMatchedSequence;
130             duplicates.Add(sequenceIndex);
131         }
132     }
133     duplicates.Sort();
134     return duplicates;
135 }
136 private void PrintDuplicates(KeyValuePair<IList<TLink>, IList<TLink>> duplicatesItem)
137 {
138     if (!(_links is ILinks<ulong> ulongLinks))
139     {
140         return;
141     }
142     var duplicatesKey = duplicatesItem.Key;
143     var keyString = UnicodeMap.FromLinksToString((IList<ulong>)duplicatesKey);
144     Console.WriteLine($"> {keyString} ({string.Join(", ", duplicatesKey)}");
145     var duplicatesList = duplicatesItem.Value;
146     for (int i = 0; i < duplicatesList.Count; i++)
147     {
148         ulong sequenceIndex = (Integer<TLink>)duplicatesList[i];
149         var formattedSequenceStructure = ulongLinks.FormatStructure(sequenceIndex, x =>
150             ↪ Point<ulong>.IsPartialPoint(x), (sb, link) => _ =
151             ↪ UnicodeMap.IsCharLink(link.Index) ?
152             ↪ sb.Append(UnicodeMap.FromLinkToChar(link.Index)) : sb.Append(link.Index));
153         Console.WriteLine(formattedSequenceStructure);
154         var sequenceString = UnicodeMap.FromSequenceLinkToString(sequenceIndex,
155             ↪ ulongLinks);
156         Console.WriteLine(sequenceString);
157     }
158     Console.WriteLine();
159 }
160 }

```

```

3 using System.Runtime.CompilerServices;
4 using Platform.Interfaces;
5 using Platform.Numbers;
6
7 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9 namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
10 {
11     /// <remarks>
12     /// Can be used to operate with many CompressingConverters (to keep global frequencies data
13     /// ↪ between them).
14     /// TODO: Extract interface to implement frequencies storage inside Links storage
15     /// </remarks>
16     public class LinkFrequenciesCache<TLink> : LinksOperatorBase<TLink>
17     {
18         private static readonly EqualityComparer<TLink> _equalityComparer =
19             ↪ EqualityComparer<TLink>.Default;
20         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
21
22         private readonly Dictionary<Doublet<TLink>, LinkFrequency<TLink>> _doubletsCache;
23         private readonly ICounter<TLink, TLink> _frequencyCounter;
24
25         public LinkFrequenciesCache(ILinks<TLink> links, ICounter<TLink, TLink> frequencyCounter)
26             : base(links)
27         {
28             _doubletsCache = new Dictionary<Doublet<TLink>, LinkFrequency<TLink>>(4096,
29                 ↪ DoubletComparer<TLink>.Default);
30             _frequencyCounter = frequencyCounter;
31         }
32
33         [MethodImpl(MethodImplOptions.AggressiveInlining)]
34         public LinkFrequency<TLink> GetFrequency(TLink source, TLink target)
35         {
36             var doublet = new Doublet<TLink>(source, target);
37             return GetFrequency(ref doublet);
38         }
39
40         [MethodImpl(MethodImplOptions.AggressiveInlining)]
41         public LinkFrequency<TLink> GetFrequency(ref Doublet<TLink> doublet)
42         {
43             _doubletsCache.TryGetValue(doublet, out LinkFrequency<TLink> data);
44             return data;
45         }
46
47         public void IncrementFrequencies(IList<TLink> sequence)
48         {
49             for (var i = 1; i < sequence.Count; i++)
50             {
51                 IncrementFrequency(sequence[i - 1], sequence[i]);
52             }
53         }
54
55         [MethodImpl(MethodImplOptions.AggressiveInlining)]
56         public LinkFrequency<TLink> IncrementFrequency(TLink source, TLink target)
57         {
58             var doublet = new Doublet<TLink>(source, target);
59             return IncrementFrequency(ref doublet);
60         }
61
62         public void PrintFrequencies(IList<TLink> sequence)
63         {
64             for (var i = 1; i < sequence.Count; i++)
65             {
66                 PrintFrequency(sequence[i - 1], sequence[i]);
67             }
68         }
69
70         public void PrintFrequency(TLink source, TLink target)
71         {
72             var number = GetFrequency(source, target).Frequency;
73             Console.WriteLine("{0},{1}) - {2}", source, target, number);
74         }
75
76         [MethodImpl(MethodImplOptions.AggressiveInlining)]
77         public LinkFrequency<TLink> IncrementFrequency(ref Doublet<TLink> doublet)
78         {
79             if (_doubletsCache.TryGetValue(doublet, out LinkFrequency<TLink> data))
80             {
81                 data.IncrementFrequency();
82             }
83         }
84     }
85 }

```

```

79     }
80     else
81     {
82         var link = Links.SearchOrDefault(doublet.Source, doublet.Target);
83         data = new LinkFrequency<TLink>(Integer<TLink>.One, link);
84         if (!_equalityComparer.Equals(link, default))
85         {
86             data.Frequency = Arithmetic.Add(data.Frequency,
87                 ↪ _frequencyCounter.Count(link));
88         }
89         _doubletsCache.Add(doublet, data);
90     }
91     return data;
92 }
93 public void ValidateFrequencies()
94 {
95     foreach (var entry in _doubletsCache)
96     {
97         var value = entry.Value;
98         var linkIndex = value.Link;
99         if (!_equalityComparer.Equals(linkIndex, default))
100         {
101             var frequency = value.Frequency;
102             var count = _frequencyCounter.Count(linkIndex);
103             // TODO: Why `frequency` always greater than `count` by 1?
104             if (((_comparer.Compare(frequency, count) > 0) &&
105                 ↪ (_comparer.Compare(Arithmetic.Subtract(frequency, count),
106                 ↪ Integer<TLink>.One) > 0))
107                 || ((_comparer.Compare(count, frequency) > 0) &&
108                 ↪ (_comparer.Compare(Arithmetic.Subtract(count, frequency),
109                 ↪ Integer<TLink>.One) > 0)))
110             {
111                 throw new InvalidOperationException("Frequencies validation failed.");
112             }
113             //else
114             //{
115             //    if (value.Frequency > 0)
116             //    {
117             //        var frequency = value.Frequency;
118             //        linkIndex = _createLink(entry.Key.Source, entry.Key.Target);
119             //        var count = _countLinkFrequency(linkIndex);
120             //        if ((frequency > count && frequency - count > 1) || (count > frequency
121             //            ↪ && count - frequency > 1))
122             //            throw new Exception("Frequencies validation failed.");
123             //    }
124             //}
125         }
126     }
127 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequency.cs

```

1  using System.Runtime.CompilerServices;
2  using Platform.Numbers;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
7  {
8      public class LinkFrequency<TLink>
9      {
10         public TLink Frequency { get; set; }
11         public TLink Link { get; set; }
12
13         public LinkFrequency(TLink frequency, TLink link)
14         {
15             Frequency = frequency;
16             Link = link;
17         }
18
19         public LinkFrequency() { }
20
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         public void IncrementFrequency() => Frequency = Arithmetic<TLink>.Increment(Frequency);
23
24         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

25         public void DecrementFrequency() => Frequency = Arithmetic<TLink>.Decrement(Frequency);
26
27         public override string ToString() => $"F: {Frequency}, L: {Link}";
28     }
29 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkToItsFrequencyValueConverter.cs

```

1  using Platform.Interfaces;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
6  {
7      public class FrequenciesCacheBasedLinkToItsFrequencyNumberConverter<TLink> :
8          ⇨ IConverter<Doublet<TLink>, TLink>
9      {
10         private readonly LinkFrequenciesCache<TLink> _cache;
11         public
12             ⇨ FrequenciesCacheBasedLinkToItsFrequencyNumberConverter(LinkFrequenciesCache<TLink>
13             ⇨ cache) => _cache = cache;
14         public TLink Convert(Doublet<TLink> source) => _cache.GetFrequency(ref source).Frequency;
15     }
16 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Counters/MarkedSequenceSymbolFrequencyOneOffCounter.cs

```

1  using Platform.Interfaces;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
6  {
7      public class MarkedSequenceSymbolFrequencyOneOffCounter<TLink> :
8          ⇨ SequenceSymbolFrequencyOneOffCounter<TLink>
9      {
10         private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;
11
12         public MarkedSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links,
13             ⇨ ICriterionMatcher<TLink> markedSequenceMatcher, TLink sequenceLink, TLink symbol)
14             : base(links, sequenceLink, symbol)
15             => _markedSequenceMatcher = markedSequenceMatcher;
16
17         public override TLink Count()
18         {
19             if (!_markedSequenceMatcher.IsMatched(_sequenceLink))
20             {
21                 return default;
22             }
23             return base.Count();
24         }
25     }
26 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Counters/SequenceSymbolFrequencyOneOffCounter.cs

```

1  using System.Collections.Generic;
2  using Platform.Interfaces;
3  using Platform.Numbers;
4  using Platform.Data.Sequences;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
9  {
10     public class SequenceSymbolFrequencyOneOffCounter<TLink> : ICounter<TLink>
11     {
12         private static readonly EqualityComparer<TLink> _equalityComparer =
13             ⇨ EqualityComparer<TLink>.Default;
14         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
15
16         protected readonly ILinks<TLink> _links;
17         protected readonly TLink _sequenceLink;
18         protected readonly TLink _symbol;
19         protected TLink _total;
20
21         public SequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links, TLink sequenceLink,
22             ⇨ TLink symbol)
23         {
24             _links = links;
25             _sequenceLink = sequenceLink;
26             _symbol = symbol;
27             _total = default;
28         }
29     }
30 }

```

```

26     }
27
28     public virtual TLink Count()
29     {
30         if (_comparer.Compare(_total, default) > 0)
31         {
32             return _total;
33         }
34         StopableSequenceWalker.WalkRight(_sequenceLink, _links.GetSource, _links.GetTarget,
35             ↪ IsElement, VisitElement);
36         return _total;
37     }
38
39     private bool IsElement(TLink x) => _equalityComparer.Equals(x, _symbol) ||
40     ↪ _links.IsPartialPoint(x); // TODO: Use SequenceElementCriteriaMatcher instead of
41     ↪ IsPartialPoint
42
43     private bool VisitElement(TLink element)
44     {
45         if (_equalityComparer.Equals(element, _symbol))
46         {
47             _total = Arithmetic.Increment(_total);
48         }
49         return true;
50     }
51 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequencyCounter.cs

```

1  using Platform.Interfaces;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
6  {
7      public class TotalMarkedSequenceSymbolFrequencyCounter<TLink> : ICounter<TLink, TLink>
8      {
9          private readonly ILinks<TLink> _links;
10         private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;
11
12         public TotalMarkedSequenceSymbolFrequencyCounter(ILinks<TLink> links,
13             ↪ ICriterionMatcher<TLink> markedSequenceMatcher)
14         {
15             _links = links;
16             _markedSequenceMatcher = markedSequenceMatcher;
17         }
18
19         public TLink Count(TLink argument) => new
20         ↪ TotalMarkedSequenceSymbolFrequencyOneOffCounter<TLink>(_links,
21         ↪ _markedSequenceMatcher, argument).Count();
22     }
23 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequencyOneOffCounter

```

1  using Platform.Interfaces;
2  using Platform.Numbers;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
7  {
8      public class TotalMarkedSequenceSymbolFrequencyOneOffCounter<TLink> :
9      ↪ TotalSequenceSymbolFrequencyOneOffCounter<TLink>
10     {
11         private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;
12
13         public TotalMarkedSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links,
14             ↪ ICriterionMatcher<TLink> markedSequenceMatcher, TLink symbol)
15             : base(links, symbol)
16             => _markedSequenceMatcher = markedSequenceMatcher;
17
18         protected override void CountSequenceSymbolFrequency(TLink link)
19         {
20             var symbolFrequencyCounter = new
21             ↪ MarkedSequenceSymbolFrequencyOneOffCounter<TLink>(_links,
22             ↪ _markedSequenceMatcher, link, _symbol);
23             _total = Arithmetic.Add(_total, symbolFrequencyCounter.Count());
24         }
25     }
26 }

```

```

./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyCounter.cs
1  using Platform.Interfaces;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
6  {
7      public class TotalSequenceSymbolFrequencyCounter<TLink> : ICounter<TLink, TLink>
8      {
9          private readonly ILinks<TLink> _links;
10         public TotalSequenceSymbolFrequencyCounter(ILinks<TLink> links) => _links = links;
11         public TLink Count(TLink symbol) => new
12             ↳ TotalSequenceSymbolFrequencyOneOffCounter<TLink>(_links, symbol).Count();
13     }

```

```

./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyOneOffCounter.cs
1  using System.Collections.Generic;
2  using Platform.Interfaces;
3  using Platform.Numbers;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
8  {
9      public class TotalSequenceSymbolFrequencyOneOffCounter<TLink> : ICounter<TLink>
10     {
11         private static readonly EqualityComparer<TLink> _equalityComparer =
12             ↳ EqualityComparer<TLink>.Default;
13         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
14
15         protected readonly ILinks<TLink> _links;
16         protected readonly TLink _symbol;
17         protected readonly HashSet<TLink> _visits;
18         protected TLink _total;
19
20         public TotalSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links, TLink symbol)
21         {
22             _links = links;
23             _symbol = symbol;
24             _visits = new HashSet<TLink>();
25             _total = default;
26         }
27
28         public TLink Count()
29         {
30             if (_comparer.Compare(_total, default) > 0 || _visits.Count > 0)
31             {
32                 return _total;
33             }
34             CountCore(_symbol);
35             return _total;
36         }
37
38         private void CountCore(TLink link)
39         {
40             var any = _links.Constants.Any;
41             if (_equalityComparer.Equals(_links.Count(any, link), default))
42             {
43                 CountSequenceSymbolFrequency(link);
44             }
45             else
46             {
47                 _links.Each(EachElementHandler, any, link);
48             }
49         }
50
51         protected virtual void CountSequenceSymbolFrequency(TLink link)
52         {
53             var symbolFrequencyCounter = new SequenceSymbolFrequencyOneOffCounter<TLink>(_links,
54                 ↳ link, _symbol);
55             _total = Arithmetic.Add(_total, symbolFrequencyCounter.Count());
56         }
57
58         private TLink EachElementHandler(IList<TLink> doublet)
59         {
60             var constants = _links.Constants;
61             var doubletIndex = doublet[constants.IndexPart];
62             if (_visits.Add(doubletIndex))
63             {

```

```

62         CountCore(doupletIndex);
63     }
64     return constants.Continue;
65 }
66 }
67 }

```

./Platform.Data.Doublets/Sequences/HeightProviders/CachedSequenceHeightProvider.cs

```

1  using System.Collections.Generic;
2  using Platform.Interfaces;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Sequences.HeightProviders
7  {
8      public class CachedSequenceHeightProvider<TLink> : LinksOperatorBase<TLink>,
9          ↳ ISequenceHeightProvider<TLink>
10     {
11         private static readonly EqualityComparer<TLink> _equalityComparer =
12             ↳ EqualityComparer<TLink>.Default;
13
14         private readonly TLink _heightPropertyMarker;
15         private readonly ISequenceHeightProvider<TLink> _baseHeightProvider;
16         private readonly IConverter<TLink> _addressToUnaryNumberConverter;
17         private readonly IConverter<TLink> _unaryNumberToAddressConverter;
18         private readonly IPropertiesOperator<TLink, TLink, TLink> _propertyOperator;
19
20         public CachedSequenceHeightProvider(
21             ILinks<TLink> links,
22             ISequenceHeightProvider<TLink> baseHeightProvider,
23             IConverter<TLink> addressToUnaryNumberConverter,
24             IConverter<TLink> unaryNumberToAddressConverter,
25             TLink heightPropertyMarker,
26             IPropertiesOperator<TLink, TLink, TLink> propertyOperator)
27             : base(links)
28         {
29             _heightPropertyMarker = heightPropertyMarker;
30             _baseHeightProvider = baseHeightProvider;
31             _addressToUnaryNumberConverter = addressToUnaryNumberConverter;
32             _unaryNumberToAddressConverter = unaryNumberToAddressConverter;
33             _propertyOperator = propertyOperator;
34         }
35
36         public TLink Get(TLink sequence)
37         {
38             TLink height;
39             var heightValue = _propertyOperator.GetValue(sequence, _heightPropertyMarker);
40             if (_equalityComparer.Equals(heightValue, default))
41             {
42                 height = _baseHeightProvider.Get(sequence);
43                 heightValue = _addressToUnaryNumberConverter.Convert(height);
44                 _propertyOperator.SetValue(sequence, _heightPropertyMarker, heightValue);
45             }
46             else
47             {
48                 height = _unaryNumberToAddressConverter.Convert(heightValue);
49             }
50             return height;
51         }
52     }
53 }

```

./Platform.Data.Doublets/Sequences/HeightProviders/DefaultSequenceRightHeightProvider.cs

```

1  using Platform.Interfaces;
2  using Platform.Numbers;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Sequences.HeightProviders
7  {
8      public class DefaultSequenceRightHeightProvider<TLink> : LinksOperatorBase<TLink>,
9          ↳ ISequenceHeightProvider<TLink>
10     {
11         private readonly ICriterionMatcher<TLink> _elementMatcher;
12
13         public DefaultSequenceRightHeightProvider(ILinks<TLink> links, ICriterionMatcher<TLink>
14             ↳ elementMatcher) : base(links) => _elementMatcher = elementMatcher;
15
16         public TLink Get(TLink sequence)
17         {
18
19         }
20     }
21 }

```

```

16         var height = default(TLink);
17         var pairOrElement = sequence;
18         while (!_elementMatcher.IsMatched(pairOrElement))
19         {
20             pairOrElement = Links.GetTarget(pairOrElement);
21             height = Arithmetic.Increment(height);
22         }
23         return height;
24     }
25 }
26 }

```

./Platform.Data.Doublets/Sequences/HeightProviders/ISequenceHeightProvider.cs

```

1 using Platform.Interfaces;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Sequences.HeightProviders
6 {
7     public interface ISequenceHeightProvider<TLink> : IProvider<TLink, TLink>
8     {
9     }
10 }

```

./Platform.Data.Doublets/Sequences/IListExtensions.cs

```

1 using Platform.Collections;
2 using System.Collections.Generic;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Sequences
7 {
8     public static class IListExtensions
9     {
10         public static TLink[] ExtractValues<TLink>(this IList<TLink> restrictions)
11         {
12             if(restrictions.IsNullOrEmpty() || restrictions.Count == 1)
13             {
14                 return new TLink[0];
15             }
16             var values = new TLink[restrictions.Count - 1];
17             for (int i = 1, j = 0; i < restrictions.Count; i++, j++)
18             {
19                 values[j] = restrictions[i];
20             }
21             return values;
22         }
23
24         public static IList<TLink> ConvertToRestrictionsValues<TLink>(this IList<TLink> list)
25         {
26             var restrictions = new TLink[list.Count + 1];
27             for (int i = 0, j = 1; i < list.Count; i++, j++)
28             {
29                 restrictions[j] = list[i];
30             }
31             return restrictions;
32         }
33     }
34 }

```

./Platform.Data.Doublets/Sequences/Indexes/CachedFrequencyIncrementingSequenceIndex.cs

```

1 using System.Collections.Generic;
2 using Platform.Data.Doublets.Sequences.Frequencies.Cache;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Sequences.Indexes
7 {
8     public class CachedFrequencyIncrementingSequenceIndex<TLink> : ISequenceIndex<TLink>
9     {
10         private static readonly EqualityComparer<TLink> _equalityComparer =
11             ⇨ EqualityComparer<TLink>.Default;
12
13         private readonly LinkFrequenciesCache<TLink> _cache;
14
15         public CachedFrequencyIncrementingSequenceIndex(LinkFrequenciesCache<TLink> cache) =>
16             ⇨ _cache = cache;
17
18         public bool Add(IList<TLink> sequence)
19         {
20             // Implementation
21         }
22     }
23 }

```



```

17     {
18         var indexed = true;
19         var i = sequence.Count;
20         while (--i >= 1 && (indexed = IsIndexedWithIncrement(sequence[i - 1], sequence[i])))
21             ↳ { }
22         for (; i >= 1; i--)
23         {
24             _cache.IncrementFrequency(sequence[i - 1], sequence[i]);
25         }
26         return indexed;
27     }
28     private bool IsIndexedWithIncrement(TLink source, TLink target)
29     {
30         var frequency = _cache.GetFrequency(source, target);
31         if (frequency == null)
32         {
33             return false;
34         }
35         var indexed = !_equalityComparer.Equals(frequency.Frequency, default);
36         if (indexed)
37         {
38             _cache.IncrementFrequency(source, target);
39         }
40         return indexed;
41     }
42     public bool MightContain(ICollection<TLink> sequence)
43     {
44         var indexed = true;
45         var i = sequence.Count;
46         while (--i >= 1 && (indexed = IsIndexed(sequence[i - 1], sequence[i]))) { }
47         return indexed;
48     }
49     private bool IsIndexed(TLink source, TLink target)
50     {
51         var frequency = _cache.GetFrequency(source, target);
52         if (frequency == null)
53         {
54             return false;
55         }
56         return !_equalityComparer.Equals(frequency.Frequency, default);
57     }
58     }
59 }
60 }
61 }

```

./Platform.Data.Doublets/Sequences/Indexes/FrequencyIncrementingSequenceIndex.cs

```

1  using Platform.Interfaces;
2  using System.Collections.Generic;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Sequences.Indexes
7  {
8      public class FrequencyIncrementingSequenceIndex<TLink> : SequenceIndex<TLink>,
9          ↳ ISequenceIndex<TLink>
10     {
11         private static readonly EqualityComparer<TLink> _equalityComparer =
12             ↳ EqualityComparer<TLink>.Default;
13
14         private readonly IPropertyOperator<TLink, TLink> _frequencyPropertyOperator;
15         private readonly IIncrementer<TLink> _frequencyIncrementer;
16
17         public FrequencyIncrementingSequenceIndex(ICollection<TLink> links, IPropertyOperator<TLink,
18             ↳ TLink> frequencyPropertyOperator, IIncrementer<TLink> frequencyIncrementer)
19             : base(links)
20         {
21             _frequencyPropertyOperator = frequencyPropertyOperator;
22             _frequencyIncrementer = frequencyIncrementer;
23         }
24
25         public override bool Add(ICollection<TLink> sequence)
26         {
27             var indexed = true;
28             var i = sequence.Count;
29             while (--i >= 1 && (indexed = IsIndexedWithIncrement(sequence[i - 1], sequence[i])))
30                 ↳ { }
31             for (; i >= 1; i--)
32             {

```

```

29         Increment(Links.GetOrCreate(sequence[i - 1], sequence[i]));
30     }
31     return indexed;
32 }
33
34 private bool IsIndexedWithIncrement(TLink source, TLink target)
35 {
36     var link = Links.SearchOrCreate(source, target);
37     var indexed = !_equalityComparer.Equals(link, default);
38     if (indexed)
39     {
40         Increment(link);
41     }
42     return indexed;
43 }
44
45 private void Increment(TLink link)
46 {
47     var previousFrequency = _frequencyPropertyOperator.Get(link);
48     var frequency = _frequencyIncrementer.Increment(previousFrequency);
49     _frequencyPropertyOperator.Set(link, frequency);
50 }
51 }
52 }

```

./Platform.Data.Doublets/Sequences/Indexes/ISequenceIndex.cs

```

1 using System.Collections.Generic;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Sequences.Indexes
6 {
7     public interface ISequenceIndex<TLink>
8     {
9         /// <summary>
10         /// Индексирует последовательность глобально, и возвращает значение,
11         /// определяющие была ли запрошенная последовательность проиндексирована ранее.
12         /// </summary>
13         /// <param name="sequence">Последовательность для индексации.</param>
14         bool Add(IList<TLink> sequence);
15
16         bool MightContain(IList<TLink> sequence);
17     }
18 }

```

./Platform.Data.Doublets/Sequences/Indexes/SequenceIndex.cs

```

1 using System.Collections.Generic;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Sequences.Indexes
6 {
7     public class SequenceIndex<TLink> : LinksOperatorBase<TLink>, ISequenceIndex<TLink>
8     {
9         private static readonly EqualityComparer<TLink> _equalityComparer =
10             ↪ EqualityComparer<TLink>.Default;
11
12         public SequenceIndex(ILinks<TLink> links) : base(links) { }
13
14         public virtual bool Add(IList<TLink> sequence)
15         {
16             var indexed = true;
17             var i = sequence.Count;
18             while (--i >= 1 && (indexed =
19                 ↪ !_equalityComparer.Equals(Links.SearchOrCreate(sequence[i - 1], sequence[i]),
20                 ↪ default))) { }
21             for (; i >= 1; i--)
22             {
23                 Links.GetOrCreate(sequence[i - 1], sequence[i]);
24             }
25             return indexed;
26         }
27
28         public virtual bool MightContain(IList<TLink> sequence)
29         {
30             var indexed = true;
31             var i = sequence.Count;
32             while (--i >= 1 && (indexed =
33                 ↪ !_equalityComparer.Equals(Links.SearchOrCreate(sequence[i - 1], sequence[i]),
34                 ↪ default))) { }

```

```

30         return indexed;
31     }
32 }
33 }

```

./Platform.Data.Doublets/Sequences/Indexes/SynchronizedSequenceIndex.cs

```

1  using System.Collections.Generic;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Data.Doublets.Sequences.Indexes
6  {
7      public class SynchronizedSequenceIndex<TLink> : ISequenceIndex<TLink>
8      {
9          private static readonly EqualityComparer<TLink> _equalityComparer =
10             ↳ EqualityComparer<TLink>.Default;
11
12          private readonly ISynchronizedLinks<TLink> _links;
13
14          public SynchronizedSequenceIndex(ISynchronizedLinks<TLink> links) => _links = links;
15
16          public bool Add(ICollection<TLink> sequence)
17          {
18              var indexed = true;
19              var i = sequence.Count;
20              var links = _links.Unsync;
21              _links.SyncRoot.ExecuteReadOperation(() =>
22              {
23                  while (--i >= 1 && (indexed =
24                      ↳ !_equalityComparer.Equals(links.SearchOrDefault(sequence[i - 1],
25                      ↳ sequence[i]), default))) { }
26              });
27              if (!indexed)
28              {
29                  _links.SyncRoot.ExecuteWriteOperation(() =>
30                  {
31                      for (; i >= 1; i--)
32                      {
33                          links.GetOrCreate(sequence[i - 1], sequence[i]);
34                      }
35                  });
36              }
37              return indexed;
38          }
39
40          public bool MightContain(ICollection<TLink> sequence)
41          {
42              var links = _links.Unsync;
43              return _links.SyncRoot.ExecuteReadOperation(() =>
44              {
45                  var indexed = true;
46                  var i = sequence.Count;
47                  while (--i >= 1 && (indexed =
48                      ↳ !_equalityComparer.Equals(links.SearchOrDefault(sequence[i - 1],
49                      ↳ sequence[i]), default))) { }
50                  return indexed;
51              });
52          }
53      }
54 }

```

./Platform.Data.Doublets/Sequences/ListFiller.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Sequences
7  {
8      public class ListFiller<TElement, TReturnConstant>
9      {
10          protected readonly List<TElement> _list;
11          protected readonly TReturnConstant _returnConstant;
12
13          public ListFiller(List<TElement> list, TReturnConstant returnConstant)
14          {
15              _list = list;
16              _returnConstant = returnConstant;
17          }
18

```

```

19     public ListFiller(List<TElement> list) : this(list, default) { }
20
21     [MethodImpl(MethodImplOptions.AggressiveInlining)]
22     public void Add(TElement element) => _list.Add(element);
23
24     [MethodImpl(MethodImplOptions.AggressiveInlining)]
25     public bool AddAndReturnTrue(TElement element)
26     {
27         _list.Add(element);
28         return true;
29     }
30
31     [MethodImpl(MethodImplOptions.AggressiveInlining)]
32     public bool AddFirstAndReturnTrue(ICollection<TElement> collection)
33     {
34         _list.Add(collection[0]);
35         return true;
36     }
37
38     [MethodImpl(MethodImplOptions.AggressiveInlining)]
39     public TReturnConstant AddAndReturnConstant(TElement element)
40     {
41         _list.Add(element);
42         return _returnConstant;
43     }
44
45     [MethodImpl(MethodImplOptions.AggressiveInlining)]
46     public TReturnConstant AddFirstAndReturnConstant(ICollection<TElement> collection)
47     {
48         _list.Add(collection[0]);
49         return _returnConstant;
50     }
51
52     [MethodImpl(MethodImplOptions.AggressiveInlining)]
53     public TReturnConstant AddAllValuesAndReturnConstant(ICollection<TElement> collection)
54     {
55         for (int i = 1; i < collection.Count; i++)
56         {
57             _list.Add(collection[i]);
58         }
59         return _returnConstant;
60     }
61 }
62 }

```

# ./Platform.Data.Doublets/Sequences/Sequences.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Linq;
4  using System.Runtime.CompilerServices;
5  using Platform.Collections;
6  using Platform.Collections.Lists;
7  using Platform.Threading.Synchronization;
8  using Platform.Singletons;
9  using LinkIndex = System.UInt64;
10 using Platform.Data.Doublets.Sequences.Walkers;
11 using Platform.Collections.Stacks;
12 using Platform.Collections.Arrays;
13
14 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
15
16 namespace Platform.Data.Doublets.Sequences
17 {
18     /// <summary>
19     /// Представляет коллекцию последовательностей связей.
20     /// </summary>
21     /// <remarks>
22     /// Обязательно реализовать атомарность каждого публичного метода.
23     ///
24     /// TODO:
25     ///
26     /// !!! Повышение вероятности повторного использования групп (подпоследовательностей),
27     /// через естественную группировку по unicode типам, все whitespace вместе, все символы
28     /// вместе, все числа вместе и т.п.
29     /// + использовать ровно сбалансированный вариант, чтобы уменьшать вложенность (глубину
30     /// графа)
31     ///
32     /// х*у - найти все связи между, в последовательностях любой формы, если не стоит
33     /// ограничитель на то, что является последовательностью, а что нет,

```

```

31  /// то находятся любые структуры связей, которые содержат эти элементы именно в таком
32  ↪ порядке.
33  ///
34  /// Рост последовательности слева и справа.
35  /// Поиск со звёздочкой.
36  /// URL, PURL - реестр используемых во вне ссылок на ресурсы,
37  /// так же проблема может быть решена при реализации дистанционных триггеров.
38  /// Нужны ли уникальные указатели вообще?
39  /// Что если обращение к информации будет происходить через содержимое всегда?
40  ///
41  /// Писать тесты.
42  ///
43  /// Можно убрать зависимость от конкретной реализации Links,
44  ↪ на зависимость от абстрактного элемента, который может быть представлен несколькими
45  ↪ способами.
46  ///
47  /// Можно ли как-то сделать один общий интерфейс
48  ///
49  /// Блокчейн и/или гит для распределённой записи транзакций.
50  ///
51  </remarks>
52  public partial class Sequences : ILinks<LinkIndex> // IList<string>, IList<LinkIndex[]>
53  ↪ (после завершения реализации Sequences)
54  {
55  /// <summary>Возвращает значение LinkIndex, обозначающее любое количество
56  ↪ связей.</summary>
57  public const LinkIndex ZeroOrMany = LinkIndex.MaxValue;
58
59  public SequencesOptions<LinkIndex> Options { get; }
60  public SynchronizedLinks<LinkIndex> Links { get; }
61  private readonly ISynchronization _sync;
62
63  public LinksConstants<LinkIndex> Constants { get; }
64
65  public Sequences(SynchronizedLinks<LinkIndex> links, SequencesOptions<LinkIndex> options)
66  {
67  Links = links;
68  _sync = links.SyncRoot;
69  Options = options;
70  Options.ValidateOptions();
71  Options.InitOptions(Links);
72  Constants = Default<LinksConstants<LinkIndex>>.Instance;
73  }
74
75  public Sequences(SynchronizedLinks<LinkIndex> links)
76  : this(links, new SequencesOptions<LinkIndex>())
77  {
78  }
79
80  public bool IsSequence(LinkIndex sequence)
81  {
82  return _sync.ExecuteReadOperation(() =>
83  {
84  if (Options.UseSequenceMarker)
85  {
86  return Options.MarkedSequenceMatcher.IsMatched(sequence);
87  }
88  return !Links.Unsync.IsPartialPoint(sequence);
89  });
90  }
91
92  [MethodImpl(MethodImplOptions.AggressiveInlining)]
93  private LinkIndex GetSequenceByElements(LinkIndex sequence)
94  {
95  if (Options.UseSequenceMarker)
96  {
97  return Links.SearchOrDefault(Options.SequenceMarkerLink, sequence);
98  }
99  return sequence;
100  }
101
102  private LinkIndex GetSequenceElements(LinkIndex sequence)
103  {
104  if (Options.UseSequenceMarker)
105  {
106  var linkContents = new UInt64Link(Links.GetLink(sequence));
107  if (linkContents.Source == Options.SequenceMarkerLink)

```

```

106         {
107             return linkContents.Target;
108         }
109         if (linkContents.Target == Options.SequenceMarkerLink)
110         {
111             return linkContents.Source;
112         }
113     }
114     return sequence;
115 }
116
117 #region Count
118
119 public LinkIndex Count(IList<LinkIndex> restrictions)
120 {
121     if (restrictions.IsNullOrEmpty())
122     {
123         return Links.Count(Constants.Any, Options.SequenceMarkerLink, Constants.Any);
124     }
125     if (restrictions.Count == 1) // Первая связь это адрес
126     {
127         var sequenceIndex = restrictions[0];
128         if (sequenceIndex == Constants.Null)
129         {
130             return 0;
131         }
132         if (sequenceIndex == Constants.Any)
133         {
134             return Count(null);
135         }
136         if (Options.UseSequenceMarker)
137         {
138             return Links.Count(Constants.Any, Options.SequenceMarkerLink, sequenceIndex);
139         }
140         return Links.Exists(sequenceIndex) ? 1UL : 0;
141     }
142     throw new NotImplementedException();
143 }
144
145 private LinkIndex CountUsages(params LinkIndex[] restrictions)
146 {
147     if (restrictions.Length == 0)
148     {
149         return 0;
150     }
151     if (restrictions.Length == 1) // Первая связь это адрес
152     {
153         if (restrictions[0] == Constants.Null)
154         {
155             return 0;
156         }
157         if (Options.UseSequenceMarker)
158         {
159             var elementsLink = GetSequenceElements(restrictions[0]);
160             var sequenceLink = GetSequenceByElements(elementsLink);
161             if (sequenceLink != Constants.Null)
162             {
163                 return Links.Count(sequenceLink) + Links.Count(elementsLink) - 1;
164             }
165             return Links.Count(elementsLink);
166         }
167         return Links.Count(restrictions[0]);
168     }
169     throw new NotImplementedException();
170 }
171
172 #endregion
173
174 #region Create
175
176 public LinkIndex Create(IList<LinkIndex> restrictions)
177 {
178     return _sync.ExecuteWriteOperation(() =>
179     {
180         if (restrictions.IsNullOrEmpty())
181         {
182             return Constants.Null;
183         }
184         Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));

```

```

185         return CreateCore(restrictions);
186     });
187 }
188
189 private LinkIndex CreateCore(ICollection<LinkIndex> restrictions)
190 {
191     LinkIndex[] sequence = restrictions.ExtractValues();
192     if (Options.UseIndex)
193     {
194         Options.Index.Add(sequence);
195     }
196     var sequenceRoot = default(LinkIndex);
197     if (Options.EnforceSingleSequenceVersionOnWriteBasedOnExisting)
198     {
199         var matches = Each(restrictions);
200         if (matches.Count > 0)
201         {
202             sequenceRoot = matches[0];
203         }
204     }
205     else if (Options.EnforceSingleSequenceVersionOnWriteBasedOnNew)
206     {
207         return CompactCore(sequence);
208     }
209     if (sequenceRoot == default)
210     {
211         sequenceRoot = Options.LinksToSequenceConverter.Convert(sequence);
212     }
213     if (Options.UseSequenceMarker)
214     {
215         Links.Unsync.CreateAndUpdate(Options.SequenceMarkerLink, sequenceRoot);
216     }
217     return sequenceRoot; // Возвращаем корень последовательности (т.е. сами элементы)
218 }
219
220 #endregion
221
222 #region Each
223
224 public List<LinkIndex> Each(ICollection<LinkIndex> sequence)
225 {
226     var results = new List<LinkIndex>();
227     var filler = new ListFiller<LinkIndex, LinkIndex>(results, Constants.Continue);
228     Each(filler.AddFirstAndReturnConstant, sequence);
229     return results;
230 }
231
232 public LinkIndex Each(Func<ICollection<LinkIndex>, LinkIndex> handler, ICollection<LinkIndex>
    ↪ restrictions)
233 {
234     return _sync.ExecuteReadOperation(() =>
235     {
236         if (restrictions.IsNullOrEmpty())
237         {
238             return Constants.Continue;
239         }
240         Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
241         if (restrictions.Count == 1)
242         {
243             var link = restrictions[0];
244             var any = Constants.Any;
245             if (link == any)
246             {
247                 if (Options.UseSequenceMarker)
248                 {
249                     return Links.Unsync.Each(handler, new Link<LinkIndex>(any,
250                         ↪ Options.SequenceMarkerLink, any));
251                 }
252                 else
253                 {
254                     return Links.Unsync.Each(handler, new Link<LinkIndex>(any, any,
255                         ↪ any));
256                 }
257             }
258             var sequence =
259                 ↪ Options.Walker.Walk(link).ToArray().ConvertToRestrictionsValues();
260             sequence[0] = link;
261             return handler(sequence);
262         }
263     });
264 }

```

```

259     }
260     else if (restrictions.Count == 2)
261     {
262         throw new NotImplementedException();
263     }
264     else if (restrictions.Count == 3)
265     {
266         return Links.Unsync.Each(handler, restrictions);
267     }
268     else
269     {
270         var sequence = restrictions.ExtractValues();
271         if (Options.UseIndex && !Options.Index.MightContain(sequence))
272         {
273             return Constants.Break;
274         }
275         return EachCore(handler, sequence);
276     }
277 });
278 }
279
280
281 private LinkIndex EachCore(Func<IList<LinkIndex>, LinkIndex> handler, IList<LinkIndex>
    ↪ values)
282 {
283     var matcher = new Matcher(this, values, new HashSet<LinkIndex>(), handler);
284     // TODO: Find out why matcher.HandleFullMatched executed twice for the same sequence
    ↪ Id.
285     Func<IList<LinkIndex>, LinkIndex> innerHandler = Options.UseSequenceMarker ?
    ↪ (Func<IList<LinkIndex>, LinkIndex>)matcher.HandleFullMatchedSequence :
    ↪ matcher.HandleFullMatched;
286     //if (sequence.Length >= 2)
287     if (StepRight(innerHandler, values[0], values[1]) != Constants.Continue)
288     {
289         return Constants.Break;
290     }
291     var last = values.Count - 2;
292     for (var i = 1; i < last; i++)
293     {
294         if (PartialStepRight(innerHandler, values[i], values[i + 1]) !=
    ↪ Constants.Continue)
295         {
296             return Constants.Break;
297         }
298     }
299     if (values.Count >= 3)
300     {
301         if (StepLeft(innerHandler, values[values.Count - 2], values[values.Count - 1])
    ↪ != Constants.Continue)
302         {
303             return Constants.Break;
304         }
305     }
306     return Constants.Continue;
307 }
308
309 private LinkIndex PartialStepRight(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex
    ↪ left, LinkIndex right)
310 {
311     return Links.Unsync.Each(doublet =>
312     {
313         var doubletIndex = doublet[Constants.IndexPart];
314         if (StepRight(handler, doubletIndex, right) != Constants.Continue)
315         {
316             return Constants.Break;
317         }
318         if (left != doubletIndex)
319         {
320             return PartialStepRight(handler, doubletIndex, right);
321         }
322         return Constants.Continue;
323     }, new Link<LinkIndex>(Constants.Any, Constants.Any, left));
324 }
325
326 private LinkIndex StepRight(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex left,
    ↪ LinkIndex right) => Links.Unsync.Each(rightStep => TryStepRightUp(handler, right,
    ↪ rightStep[Constants.IndexPart]), new Link<LinkIndex>(Constants.Any, left,
    ↪ Constants.Any));

```



```

327 private LinkIndex TryStepRightUp(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex
328     ↪ right, LinkIndex stepFrom)
329 {
330     var upStep = stepFrom;
331     var firstSource = Links.Unsync.GetTarget(upStep);
332     while (firstSource != right && firstSource != upStep)
333     {
334         upStep = firstSource;
335         firstSource = Links.Unsync.GetSource(upStep);
336     }
337     if (firstSource == right)
338     {
339         return handler(new LinkAddress<LinkIndex>(stepFrom));
340     }
341     return Constants.Continue;
342 }
343
344 private LinkIndex StepLeft(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex left,
    ↪ LinkIndex right) => Links.Unsync.Each(leftStep => TryStepLeftUp(handler, left,
    ↪ leftStep[Constants.IndexPart]), new Link<LinkIndex>(Constants.Any, Constants.Any,
    ↪ right));
345
346 private LinkIndex TryStepLeftUp(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex
    ↪ left, LinkIndex stepFrom)
347 {
348     var upStep = stepFrom;
349     var firstTarget = Links.Unsync.GetSource(upStep);
350     while (firstTarget != left && firstTarget != upStep)
351     {
352         upStep = firstTarget;
353         firstTarget = Links.Unsync.GetTarget(upStep);
354     }
355     if (firstTarget == left)
356     {
357         return handler(new LinkAddress<LinkIndex>(stepFrom));
358     }
359     return Constants.Continue;
360 }
361
362 #endregion
363
364 #region Update
365
366 public LinkIndex Update(IList<LinkIndex> restrictions, IList<LinkIndex> substitution)
367 {
368     var sequence = restrictions.ExtractValues();
369     var newSequence = substitution.ExtractValues();
370
371     if (sequence.IsNullOrEmpty() && newSequence.IsNullOrEmpty())
372     {
373         return Constants.Null;
374     }
375     if (sequence.IsNullOrEmpty())
376     {
377         return Create(substitution);
378     }
379     if (newSequence.IsNullOrEmpty())
380     {
381         Delete(restrictions);
382         return Constants.Null;
383     }
384     return _sync.ExecuteWriteOperation(() =>
385     {
386         Links.EnsureEachLinkIsAnyOrExists(sequence);
387         Links.EnsureEachLinkExists(newSequence);
388         return UpdateCore(sequence, newSequence);
389     });
390 }
391
392 private LinkIndex UpdateCore(LinkIndex[] sequence, LinkIndex[] newSequence)
393 {
394     LinkIndex bestVariant;
395     if (Options.EnforceSingleSequenceVersionOnWriteBasedOnNew &&
    ↪ !sequence.EqualTo(newSequence))
396     {
397         bestVariant = CompactCore(newSequence);
398     }
399     else

```

```

400     {
401         bestVariant = CreateCore(newSequence);
402     }
403     // TODO: Check all options only ones before loop execution
404     // Возможно нужно две версии Each, возвращающий фактические последовательности и с
405     ↪ маркером,
406     // или возможно даже возвращать и тот и тот вариант. С другой стороны все варианты
407     ↪ можно получить имея только фактические последовательности.
408     foreach (var variant in Each(sequence))
409     {
410         if (variant != bestVariant)
411         {
412             UpdateOneCore(variant, bestVariant);
413         }
414     }
415     return bestVariant;
416 }
417
418 private void UpdateOneCore(LinkIndex sequence, LinkIndex newSequence)
419 {
420     if (Options.UseGarbageCollection)
421     {
422         var sequenceElements = GetSequenceElements(sequence);
423         var sequenceElementsContents = new UInt64Link(Links.GetLink(sequenceElements));
424         var sequenceLink = GetSequenceByElements(sequenceElements);
425         var newSequenceElements = GetSequenceElements(newSequence);
426         var newSequenceLink = GetSequenceByElements(newSequenceElements);
427         if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
428         {
429             if (sequenceLink != Constants.Null)
430             {
431                 Links.Unsync.MergeUsages(sequenceLink, newSequenceLink);
432             }
433             Links.Unsync.MergeUsages(sequenceElements, newSequenceElements);
434         }
435         ClearGarbage(sequenceElementsContents.Source);
436         ClearGarbage(sequenceElementsContents.Target);
437     }
438     else
439     {
440         if (Options.UseSequenceMarker)
441         {
442             var sequenceElements = GetSequenceElements(sequence);
443             var sequenceLink = GetSequenceByElements(sequenceElements);
444             var newSequenceElements = GetSequenceElements(newSequence);
445             var newSequenceLink = GetSequenceByElements(newSequenceElements);
446             if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
447             {
448                 if (sequenceLink != Constants.Null)
449                 {
450                     Links.Unsync.MergeUsages(sequenceLink, newSequenceLink);
451                 }
452                 Links.Unsync.MergeUsages(sequenceElements, newSequenceElements);
453             }
454         }
455         else
456         {
457             if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
458             {
459                 Links.Unsync.MergeUsages(sequence, newSequence);
460             }
461         }
462     }
463 }
464
465 #endregion
466
467 #region Delete
468
469 public void Delete(IList<LinkIndex> restrictions)
470 {
471     _sync.ExecuteWriteOperation(() =>
472     {
473         var sequence = restrictions.ExtractValues();
474         // TODO: Check all options only ones before loop execution
475         foreach (var linkToDelete in Each(sequence))
476         {
477             DeleteOneCore(linkToDelete);
478         }
479     });
480 }

```

```

476     }
477     });
478 }
479
480 private void DeleteOneCore(LinkIndex link)
481 {
482     if (Options.UseGarbageCollection)
483     {
484         var sequenceElements = GetSequenceElements(link);
485         var sequenceElementsContents = new UInt64Link(Links.GetLink(sequenceElements));
486         var sequenceLink = GetSequenceByElements(sequenceElements);
487         if (Options.UseCascadeDelete || CountUsages(link) == 0)
488         {
489             if (sequenceLink != Constants.Null)
490             {
491                 Links.Unsync.Delete(sequenceLink);
492             }
493             Links.Unsync.Delete(link);
494         }
495         ClearGarbage(sequenceElementsContents.Source);
496         ClearGarbage(sequenceElementsContents.Target);
497     }
498     else
499     {
500         if (Options.UseSequenceMarker)
501         {
502             var sequenceElements = GetSequenceElements(link);
503             var sequenceLink = GetSequenceByElements(sequenceElements);
504             if (Options.UseCascadeDelete || CountUsages(link) == 0)
505             {
506                 if (sequenceLink != Constants.Null)
507                 {
508                     Links.Unsync.Delete(sequenceLink);
509                 }
510                 Links.Unsync.Delete(link);
511             }
512         }
513         else
514         {
515             if (Options.UseCascadeDelete || CountUsages(link) == 0)
516             {
517                 Links.Unsync.Delete(link);
518             }
519         }
520     }
521 }
522
523 #endregion
524
525 #region Compactification
526
527 /// <remarks>
528 /// bestVariant можно выбирать по максимальному числу использований,
529 /// но балансированный позволяет гарантировать уникальность (если есть возможность,
530 /// гарантировать его использование в других местах).
531 ///
532 /// Получается этот метод должен игнорировать Options.EnforceSingleSequenceVersionOnWrite
533 /// </remarks>
534 public LinkIndex Compact(params LinkIndex[] sequence)
535 {
536     return _sync.ExecuteWriteOperation(() =>
537     {
538         if (sequence.IsNullOrEmpty())
539         {
540             return Constants.Null;
541         }
542         Links.EnsureEachLinkExists(sequence);
543         return CompactCore(sequence);
544     });
545 }
546
547 [MethodImpl(MethodImplOptions.AggressiveInlining)]
548 private LinkIndex CompactCore(params LinkIndex[] sequence) => UpdateCore(sequence,
549     ↪ sequence);
550
551 #endregion
552
553 #region Garbage Collection

```

```

554 /// <remarks>
555 /// TODO: Добавить дополнительный обработчик / событие CanBeDeleted которое можно
556   ↳ определить извне или в унаследованном классе
557 /// </remarks>
558 [MethodImpl(MethodImplOptions.AggressiveInlining)]
559 private bool IsGarbage(LinkIndex link) => link != Options.SequenceMarkerLink &&
560   ↳ !Links.Unsync.IsPartialPoint(link) && Links.Count(link) == 0;
561
562 private void ClearGarbage(LinkIndex link)
563 {
564     if (IsGarbage(link))
565     {
566         var contents = new UInt64Link(Links.GetLink(link));
567         Links.Unsync.Delete(link);
568         ClearGarbage(contents.Source);
569         ClearGarbage(contents.Target);
570     }
571 }
572
573 #endregion
574
575 #region Walkers
576
577 public bool EachPart(Func<LinkIndex, bool> handler, LinkIndex sequence)
578 {
579     return _sync.ExecuteReadOperation(() =>
580     {
581         var links = Links.Unsync;
582         foreach (var part in Options.Walker.Walk(sequence))
583         {
584             if (!handler(part))
585             {
586                 return false;
587             }
588         }
589         return true;
590     });
591 }
592
593 public class Matcher : RightSequenceWalker<LinkIndex>
594 {
595     private readonly Sequences _sequences;
596     private readonly IList<LinkIndex> _patternSequence;
597     private readonly HashSet<LinkIndex> _linksInSequence;
598     private readonly HashSet<LinkIndex> _results;
599     private readonly Func<IList<LinkIndex>, LinkIndex> _stopableHandler;
600     private readonly HashSet<LinkIndex> _readAsElements;
601     private int _filterPosition;
602
603     public Matcher(Sequences sequences, IList<LinkIndex> patternSequence,
604   ↳ HashSet<LinkIndex> results, Func<IList<LinkIndex>, LinkIndex> stopableHandler,
605   ↳ HashSet<LinkIndex> readAsElements = null)
606       : base(sequences.Links.Unsync, new DefaultStack<LinkIndex>())
607     {
608         _sequences = sequences;
609         _patternSequence = patternSequence;
610         _linksInSequence = new HashSet<LinkIndex>(patternSequence.Where(x => x !=
611   ↳ Links.Constants.Any && x != ZeroOrMany));
612         _results = results;
613         _stopableHandler = stopableHandler;
614         _readAsElements = readAsElements;
615     }
616
617     protected override bool IsElement(LinkIndex link) => base.IsElement(link) ||
618   ↳ (_readAsElements != null && _readAsElements.Contains(link)) ||
619   ↳ _linksInSequence.Contains(link);
620
621     public bool FullMatch(LinkIndex sequenceToMatch)
622     {
623         _filterPosition = 0;
624         foreach (var part in Walk(sequenceToMatch))
625         {
626             if (!FullMatchCore(part))
627             {
628                 break;
629             }
630         }
631         return _filterPosition == _patternSequence.Count;
632     }
633 }

```

```

627 private bool FullMatchCore(LinkIndex element)
628 {
629     if (_filterPosition == _patternSequence.Count)
630     {
631         _filterPosition = -2; // Длиннее чем нужно
632         return false;
633     }
634     if (_patternSequence[_filterPosition] != Links.Constants.Any
635         && element != _patternSequence[_filterPosition])
636     {
637         _filterPosition = -1;
638         return false; // Начинается/Продолжается иначе
639     }
640     _filterPosition++;
641     return true;
642 }
643
644 public void AddFullMatchedToResults(IList<LinkIndex> restrictions)
645 {
646     var sequenceToMatch = restrictions[Links.Constants.IndexPart];
647     if (FullMatch(sequenceToMatch))
648     {
649         _results.Add(sequenceToMatch);
650     }
651 }
652
653 public LinkIndex HandleFullMatched(IList<LinkIndex> restrictions)
654 {
655     var sequenceToMatch = restrictions[Links.Constants.IndexPart];
656     if (FullMatch(sequenceToMatch) && _results.Add(sequenceToMatch))
657     {
658         return _stopableHandler(new LinkAddress<LinkIndex>(sequenceToMatch));
659     }
660     return Links.Constants.Continue;
661 }
662
663 public LinkIndex HandleFullMatchedSequence(IList<LinkIndex> restrictions)
664 {
665     var sequenceToMatch = restrictions[Links.Constants.IndexPart];
666     var sequence = _sequences.GetSequenceByElements(sequenceToMatch);
667     if (sequence != Links.Constants.Null && FullMatch(sequenceToMatch) &&
668         ↪ _results.Add(sequenceToMatch))
669     {
670         return _stopableHandler(new LinkAddress<LinkIndex>(sequence));
671     }
672     return Links.Constants.Continue;
673 }
674
675 /// <remarks>
676 /// TODO: Add support for LinksConstants.Any
677 /// </remarks>
678 public bool PartialMatch(LinkIndex sequenceToMatch)
679 {
680     _filterPosition = -1;
681     foreach (var part in Walk(sequenceToMatch))
682     {
683         if (!PartialMatchCore(part))
684         {
685             break;
686         }
687     }
688     return _filterPosition == _patternSequence.Count - 1;
689 }
690
691 private bool PartialMatchCore(LinkIndex element)
692 {
693     if (_filterPosition == (_patternSequence.Count - 1))
694     {
695         return false; // Нашлось
696     }
697     if (_filterPosition >= 0)
698     {
699         if (element == _patternSequence[_filterPosition + 1])
700         {
701             _filterPosition++;
702         }
703         else
704         {
705             _filterPosition = -1;
706         }
707     }
708 }

```

```

705     }
706 }
707 if (_filterPosition < 0)
708 {
709     if (element == _patternSequence[0])
710     {
711         _filterPosition = 0;
712     }
713 }
714 return true; // Ищем дальше
715 }
716
717 public void AddPartialMatchedToResults(LinkIndex sequenceToMatch)
718 {
719     if (PartialMatch(sequenceToMatch))
720     {
721         _results.Add(sequenceToMatch);
722     }
723 }
724
725 public LinkIndex HandlePartialMatched(ICollection<LinkIndex> restrictions)
726 {
727     var sequenceToMatch = restrictions[Links.Constants.IndexPart];
728     if (PartialMatch(sequenceToMatch))
729     {
730         return _stopableHandler(new LinkAddress<LinkIndex>(sequenceToMatch));
731     }
732     return Links.Constants.Continue;
733 }
734
735 public void AddAllPartialMatchedToResults(IEnumerable<LinkIndex> sequencesToMatch)
736 {
737     foreach (var sequenceToMatch in sequencesToMatch)
738     {
739         if (PartialMatch(sequenceToMatch))
740         {
741             _results.Add(sequenceToMatch);
742         }
743     }
744 }
745
746 public void AddAllPartialMatchedToResultsAndReadAsElements(IEnumerable<LinkIndex>
↵ sequencesToMatch)
747 {
748     foreach (var sequenceToMatch in sequencesToMatch)
749     {
750         if (PartialMatch(sequenceToMatch))
751         {
752             _readAsElements.Add(sequenceToMatch);
753             _results.Add(sequenceToMatch);
754         }
755     }
756 }
757 }
758
759 #endregion
760 }
761 }

```

./Platform.Data.Doublets/Sequences/Sequences.Experiments.cs

```

1  using System;
2  using LinkIndex = System.UInt64;
3  using System.Collections.Generic;
4  using Stack = System.Collections.Generic.Stack<ulong>;
5  using System.Linq;
6  using System.Text;
7  using Platform.Collections;
8  using Platform.Data.Exceptions;
9  using Platform.Data.Sequences;
10 using Platform.Data.Doublets.Sequences.Frequencies.Counters;
11 using Platform.Data.Doublets.Sequences.Walkers;
12 using Platform.Collections.Stacks;
13
14 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
15
16 namespace Platform.Data.Doublets.Sequences
17 {
18     partial class Sequences
19     {
20         #region Create All Variants (Not Practical)

```

```

21
22 /// <remarks>
23 /// Number of links that is needed to generate all variants for
24 /// sequence of length N corresponds to https://oeis.org/A014143/list sequence.
25 /// </remarks>
26 public ulong[] CreateAllVariants2(ulong[] sequence)
27 {
28     return _sync.ExecuteWriteOperation(() =>
29     {
30         if (sequence.IsNullOrEmpty())
31         {
32             return new ulong[0];
33         }
34         Links.EnsureEachLinkExists(sequence);
35         if (sequence.Length == 1)
36         {
37             return sequence;
38         }
39         return CreateAllVariants2Core(sequence, 0, sequence.Length - 1);
40     });
41 }
42
43 private ulong[] CreateAllVariants2Core(ulong[] sequence, long startAt, long stopAt)
44 {
45     #if DEBUG
46         if ((stopAt - startAt) < 0)
47         {
48             throw new ArgumentOutOfRangeException(nameof(startAt), "startAt должен быть
49                 ↪ меньше или равен stopAt");
50         }
51         #endif
52         if ((stopAt - startAt) == 0)
53         {
54             return new[] { sequence[startAt] };
55         }
56         if ((stopAt - startAt) == 1)
57         {
58             return new[] { Links.Unsync.CreateAndUpdate(sequence[startAt], sequence[stopAt])
59                 ↪ };
60         }
61         var variants = new ulong[(ulong)Platform.Numbers.Math.Catalan(stopAt - startAt)];
62         var last = 0;
63         for (var splitter = startAt; splitter < stopAt; splitter++)
64         {
65             var left = CreateAllVariants2Core(sequence, startAt, splitter);
66             var right = CreateAllVariants2Core(sequence, splitter + 1, stopAt);
67             for (var i = 0; i < left.Length; i++)
68             {
69                 for (var j = 0; j < right.Length; j++)
70                 {
71                     var variant = Links.Unsync.CreateAndUpdate(left[i], right[j]);
72                     if (variant == Constants.Null)
73                     {
74                         throw new NotImplementedException("Creation cancellation is not
75                             ↪ implemented.");
76                     }
77                     variants[last++] = variant;
78                 }
79             }
80         }
81         return variants;
82     }
83 }
84
85 public List<ulong> CreateAllVariants1(params ulong[] sequence)
86 {
87     return _sync.ExecuteWriteOperation(() =>
88     {
89         if (sequence.IsNullOrEmpty())
90         {
91             return new List<ulong>();
92         }
93         Links.Unsync.EnsureEachLinkExists(sequence);
94         if (sequence.Length == 1)
95         {
96             return new List<ulong> { sequence[0] };
97         }
98         var results = new
99             ↪ List<ulong>((int)Platform.Numbers.Math.Catalan(sequence.Length));

```

```

95         return CreateAllVariants1Core(sequence, results);
96     });
97 }
98
99 private List<ulong> CreateAllVariants1Core(ulong[] sequence, List<ulong> results)
100 {
101     if (sequence.Length == 2)
102     {
103         var link = Links.Unsync.CreateAndUpdate(sequence[0], sequence[1]);
104         if (link == Constants.Null)
105         {
106             throw new NotImplementedException("Creation cancellation is not
107                 ↳ implemented.");
108         }
109         results.Add(link);
110         return results;
111     }
112     var innerSequenceLength = sequence.Length - 1;
113     var innerSequence = new ulong[innerSequenceLength];
114     for (var li = 0; li < innerSequenceLength; li++)
115     {
116         var link = Links.Unsync.CreateAndUpdate(sequence[li], sequence[li + 1]);
117         if (link == Constants.Null)
118         {
119             throw new NotImplementedException("Creation cancellation is not
120                 ↳ implemented.");
121         }
122         for (var isi = 0; isi < li; isi++)
123         {
124             innerSequence[isi] = sequence[isi];
125         }
126         innerSequence[li] = link;
127         for (var isi = li + 1; isi < innerSequenceLength; isi++)
128         {
129             innerSequence[isi] = sequence[isi + 1];
130         }
131         CreateAllVariants1Core(innerSequence, results);
132     }
133     return results;
134 }
135
136 #endregion
137
138 public HashSet<ulong> Each1(params ulong[] sequence)
139 {
140     var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
141     Each1(link =>
142     {
143         if (!visitedLinks.Contains(link))
144         {
145             visitedLinks.Add(link); // изучить почему случаются повторы
146         }
147         return true;
148     }, sequence);
149     return visitedLinks;
150 }
151
152 private void Each1(Func<ulong, bool> handler, params ulong[] sequence)
153 {
154     if (sequence.Length == 2)
155     {
156         Links.Unsync.Each(sequence[0], sequence[1], handler);
157     }
158     else
159     {
160         var innerSequenceLength = sequence.Length - 1;
161         for (var li = 0; li < innerSequenceLength; li++)
162         {
163             var left = sequence[li];
164             var right = sequence[li + 1];
165             if (left == 0 && right == 0)
166             {
167                 continue;
168             }
169             var linkIndex = li;
170             ulong[] innerSequence = null;
171             Links.Unsync.Each(doublet =>
172             {
173                 if (innerSequence == null)

```



```

172         {
173             innerSequence = new ulong[innerSequenceLength];
174             for (var isi = 0; isi < linkIndex; isi++)
175             {
176                 innerSequence[isi] = sequence[isi];
177             }
178             for (var isi = linkIndex + 1; isi < innerSequenceLength; isi++)
179             {
180                 innerSequence[isi] = sequence[isi + 1];
181             }
182         }
183         innerSequence[linkIndex] = doublet[Constants.IndexPart];
184         Each1(handler, innerSequence);
185         return Constants.Continue;
186     }, Constants.Any, left, right);
187 }
188 }
189 }
190
191 public HashSet<ulong> EachPart(params ulong[] sequence)
192 {
193     var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
194     EachPartCore(link =>
195     {
196         var linkIndex = link[Constants.IndexPart];
197         if (!visitedLinks.Contains(linkIndex))
198         {
199             visitedLinks.Add(linkIndex); // изучить почему случаются повторы
200         }
201         return Constants.Continue;
202     }, sequence);
203     return visitedLinks;
204 }
205
206 public void EachPart(Func<IList<LinkIndex>, LinkIndex> handler, params ulong[] sequence)
207 {
208     var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
209     EachPartCore(link =>
210     {
211         var linkIndex = link[Constants.IndexPart];
212         if (!visitedLinks.Contains(linkIndex))
213         {
214             visitedLinks.Add(linkIndex); // изучить почему случаются повторы
215             return handler(new LinkAddress<LinkIndex>(linkIndex));
216         }
217         return Constants.Continue;
218     }, sequence);
219 }
220
221 private void EachPartCore(Func<IList<LinkIndex>, LinkIndex> handler, params ulong[]
222 ↪ sequence)
223 {
224     if (sequence.IsNullOrEmpty())
225     {
226         return;
227     }
228     Links.EnsureEachLinkIsAnyOrExists(sequence);
229     if (sequence.Length == 1)
230     {
231         var link = sequence[0];
232         if (link > 0)
233         {
234             handler(new LinkAddress<LinkIndex>(link));
235         }
236         else
237         {
238             Links.Each(Constants.Any, Constants.Any, handler);
239         }
240     }
241     else if (sequence.Length == 2)
242     {
243         //_links.Each(sequence[0], sequence[1], handler);
244         //  o_|      x_o ...
245         // x_|      |___|
246         Links.Each(sequence[1], Constants.Any, doublet =>
247         {
248             var match = Links.SearchOrDefault(sequence[0], doublet);
249             if (match != Constants.Null)

```

```

249         {
250             handler(new LinkAddress<LinkIndex>(match));
251         }
252         return true;
253     });
254     // |_x      ... x_o
255     // |_o      |___|
256     Links.Unsync.Each(Constants.Any, sequence[0], doublet =>
257     {
258         var match = Links.SearchOrDefault(doublet, sequence[1]);
259         if (match != 0)
260         {
261             handler(new LinkAddress<LinkIndex>(match));
262         }
263         return true;
264     });
265     //      .x o_
266     //      |___|
267     PartialStepRight(x => handler(x), sequence[0], sequence[1]);
268 }
269 else
270 {
271     throw new NotImplementedException();
272 }
273 }
274
275 private void PartialStepRight(Action<IList<LinkIndex>> handler, ulong left, ulong right)
276 {
277     Links.Unsync.Each(Constants.Any, left, doublet =>
278     {
279         StepRight(handler, doublet, right);
280         if (left != doublet)
281         {
282             PartialStepRight(handler, doublet, right);
283         }
284         return true;
285     });
286 }
287
288 private void StepRight(Action<IList<LinkIndex>> handler, ulong left, ulong right)
289 {
290     Links.Unsync.Each(left, Constants.Any, rightStep =>
291     {
292         TryStepRightUp(handler, right, rightStep);
293         return true;
294     });
295 }
296
297 private void TryStepRightUp(Action<IList<LinkIndex>> handler, ulong right, ulong
↪ stepFrom)
298 {
299     var upStep = stepFrom;
300     var firstSource = Links.Unsync.GetTarget(upStep);
301     while (firstSource != right && firstSource != upStep)
302     {
303         upStep = firstSource;
304         firstSource = Links.Unsync.GetSource(upStep);
305     }
306     if (firstSource == right)
307     {
308         handler(new LinkAddress<LinkIndex>(stepFrom));
309     }
310 }
311
312 // TODO: Test
313 private void PartialStepLeft(Action<IList<LinkIndex>> handler, ulong left, ulong right)
314 {
315     Links.Unsync.Each(right, Constants.Any, doublet =>
316     {
317         StepLeft(handler, left, doublet);
318         if (right != doublet)
319         {
320             PartialStepLeft(handler, left, doublet);
321         }
322         return true;
323     });
324 }
325
326 private void StepLeft(Action<IList<LinkIndex>> handler, ulong left, ulong right)

```

```

327 {
328     Links.Unsync.Each(Constants.Any, right, leftStep =>
329     {
330         TryStepLeftUp(handler, left, leftStep);
331         return true;
332     });
333 }
334
335 private void TryStepLeftUp(Action<IList<LinkIndex>> handler, ulong left, ulong stepFrom)
336 {
337     var upStep = stepFrom;
338     var firstTarget = Links.Unsync.GetSource(upStep);
339     while (firstTarget != left && firstTarget != upStep)
340     {
341         upStep = firstTarget;
342         firstTarget = Links.Unsync.GetTarget(upStep);
343     }
344     if (firstTarget == left)
345     {
346         handler(new LinkAddress<LinkIndex>(stepFrom));
347     }
348 }
349
350 private bool StartsWith(ulong sequence, ulong link)
351 {
352     var upStep = sequence;
353     var firstSource = Links.Unsync.GetSource(upStep);
354     while (firstSource != link && firstSource != upStep)
355     {
356         upStep = firstSource;
357         firstSource = Links.Unsync.GetSource(upStep);
358     }
359     return firstSource == link;
360 }
361
362 private bool EndsWith(ulong sequence, ulong link)
363 {
364     var upStep = sequence;
365     var lastTarget = Links.Unsync.GetTarget(upStep);
366     while (lastTarget != link && lastTarget != upStep)
367     {
368         upStep = lastTarget;
369         lastTarget = Links.Unsync.GetTarget(upStep);
370     }
371     return lastTarget == link;
372 }
373
374 public List<ulong> GetAllMatchingSequences0(params ulong[] sequence)
375 {
376     return _sync.ExecuteReadOperation(() =>
377     {
378         var results = new List<ulong>();
379         if (sequence.Length > 0)
380         {
381             Links.EnsureEachLinkExists(sequence);
382             var firstElement = sequence[0];
383             if (sequence.Length == 1)
384             {
385                 results.Add(firstElement);
386                 return results;
387             }
388             if (sequence.Length == 2)
389             {
390                 var doublet = Links.SearchOrDefault(firstElement, sequence[1]);
391                 if (doublet != Constants.Null)
392                 {
393                     results.Add(doublet);
394                 }
395                 return results;
396             }
397             var linksInSequence = new HashSet<ulong>(sequence);
398             void handler(IList<LinkIndex> result)
399             {
400                 var resultIndex = result[Links.Constants.IndexPart];
401                 var filterPosition = 0;
402                 StopableSequenceWalker.WalkRight(resultIndex, Links.Unsync.GetSource,
403                     ↪ Links.Unsync.GetTarget,
404                     ↪ x => linksInSequence.Contains(x) || Links.Unsync.GetTarget(x) == x,
405                     ↪ x =>

```

```

404     {
405         if (filterPosition == sequence.Length)
406         {
407             filterPosition = -2; // Длиннее чем нужно
408             return false;
409         }
410         if (x != sequence[filterPosition])
411         {
412             filterPosition = -1;
413             return false; // Начинается иначе
414         }
415         filterPosition++;
416     }
417     return true;
418 });
419 if (filterPosition == sequence.Length)
420 {
421     results.Add(resultIndex);
422 }
423 }
424 if (sequence.Length >= 2)
425 {
426     StepRight(handler, sequence[0], sequence[1]);
427 }
428 var last = sequence.Length - 2;
429 for (var i = 1; i < last; i++)
430 {
431     PartialStepRight(handler, sequence[i], sequence[i + 1]);
432 }
433 if (sequence.Length >= 3)
434 {
435     StepLeft(handler, sequence[sequence.Length - 2],
436         ↪ sequence[sequence.Length - 1]);
437 }
438 return results;
439 });
440 }
441
442 public HashSet<ulong> GetAllMatchingSequences1(params ulong[] sequence)
443 {
444     return _sync.ExecuteReadOperation(() =>
445     {
446         var results = new HashSet<ulong>();
447         if (sequence.Length > 0)
448         {
449             Links.EnsureEachLinkExists(sequence);
450             var firstElement = sequence[0];
451             if (sequence.Length == 1)
452             {
453                 results.Add(firstElement);
454                 return results;
455             }
456             if (sequence.Length == 2)
457             {
458                 var doublet = Links.SearchOrDefault(firstElement, sequence[1]);
459                 if (doublet != Constants.Null)
460                 {
461                     results.Add(doublet);
462                 }
463                 return results;
464             }
465             var matcher = new Matcher(this, sequence, results, null);
466             if (sequence.Length >= 2)
467             {
468                 StepRight(matcher.AddFullMatchedToResults, sequence[0], sequence[1]);
469             }
470             var last = sequence.Length - 2;
471             for (var i = 1; i < last; i++)
472             {
473                 PartialStepRight(matcher.AddFullMatchedToResults, sequence[i],
474                     ↪ sequence[i + 1]);
475             }
476             if (sequence.Length >= 3)
477             {
478                 StepLeft(matcher.AddFullMatchedToResults, sequence[sequence.Length - 2],
479                     ↪ sequence[sequence.Length - 1]);
480             }
481         }
482     });
483 }

```

```

    }
    return results;
});
}

public const int MaxSequenceFormatSize = 200;

public string FormatSequence(LinkIndex sequenceLink, params LinkIndex[] knownElements)
    => FormatSequence(sequenceLink, (sb, x) => sb.Append(x), true, knownElements);

public string FormatSequence(LinkIndex sequenceLink, Action<StringBuilder, LinkIndex>
    elementToString, bool insertComma, params LinkIndex[] knownElements) =>
    Links.SyncRoot.ExecuteReadOperation(() => FormatSequence(Links.Unsync, sequenceLink,
    elementToString, insertComma, knownElements));

private string FormatSequence(ILinks<LinkIndex> links, LinkIndex sequenceLink,
    Action<StringBuilder, LinkIndex> elementToString, bool insertComma, params
    LinkIndex[] knownElements)
{
    var linksInSequence = new HashSet<ulong>(knownElements);
    //var entered = new HashSet<ulong>();
    var sb = new StringBuilder();
    sb.Append('{');
    if (links.Exists(sequenceLink))
    {
        StopableSequenceWalker.WalkRight(sequenceLink, links.GetSource, links.GetTarget,
            x => linksInSequence.Contains(x) || links.IsPartialPoint(x), element => //
            entered.AddAndReturnVoid, x => { }, entered.DoNotContains
        {
            if (insertComma && sb.Length > 1)
            {
                sb.Append(',');
            }
            //if (entered.Contains(element))
            //{
            //    sb.Append('{');
            //    elementToString(sb, element);
            //    sb.Append('}');
            //}
            //else
            elementToString(sb, element);
            if (sb.Length < MaxSequenceFormatSize)
            {
                return true;
            }
            sb.Append(insertComma ? ", ..." : "...");
            return false;
        });
    }
    sb.Append('}');
    return sb.ToString();
}

public string SafeFormatSequence(LinkIndex sequenceLink, params LinkIndex[]
    knownElements) => SafeFormatSequence(sequenceLink, (sb, x) => sb.Append(x), true,
    knownElements);

public string SafeFormatSequence(LinkIndex sequenceLink, Action<StringBuilder,
    LinkIndex> elementToString, bool insertComma, params LinkIndex[] knownElements) =>
    Links.SyncRoot.ExecuteReadOperation(() => SafeFormatSequence(Links.Unsync,
    sequenceLink, elementToString, insertComma, knownElements));

private string SafeFormatSequence(ILinks<LinkIndex> links, LinkIndex sequenceLink,
    Action<StringBuilder, LinkIndex> elementToString, bool insertComma, params
    LinkIndex[] knownElements)
{
    var linksInSequence = new HashSet<ulong>(knownElements);
    var entered = new HashSet<ulong>();
    var sb = new StringBuilder();
    sb.Append('{');
    if (links.Exists(sequenceLink))
    {
        StopableSequenceWalker.WalkRight(sequenceLink, links.GetSource, links.GetTarget,
            x => linksInSequence.Contains(x) || links.IsFullPoint(x),
            entered.AddAndReturnVoid, x => { }, entered.DoNotContains, element =>
        {
            if (insertComma && sb.Length > 1)
            {

```

```

542         sb.Append(',');
543     }
544     if (entered.Contains(element))
545     {
546         sb.Append('{');
547         elementToString(sb, element);
548         sb.Append('}');
549     }
550     else
551     {
552         elementToString(sb, element);
553     }
554     if (sb.Length < MaxSequenceFormatSize)
555     {
556         return true;
557     }
558     sb.Append(insertComma ? ", ..." : "...");
559     return false;
560 });
561 }
562 sb.Append('}');
563 return sb.ToString();
564 }
565
566 public List<ulong> GetAllPartiallyMatchingSequences0(params ulong[] sequence)
567 {
568     return _sync.ExecuteReadOperation(() =>
569     {
570         if (sequence.Length > 0)
571         {
572             Links.EnsureEachLinkExists(sequence);
573             var results = new HashSet<ulong>();
574             for (var i = 0; i < sequence.Length; i++)
575             {
576                 AllUsagesCore(sequence[i], results);
577             }
578             var filteredResults = new List<ulong>();
579             var linksInSequence = new HashSet<ulong>(sequence);
580             foreach (var result in results)
581             {
582                 var filterPosition = -1;
583                 StopableSequenceWalker.WalkRight(result, Links.Unsync.GetSource,
584                     ↪ Links.Unsync.GetTarget,
585                     ↪ x => linksInSequence.Contains(x) || Links.Unsync.GetTarget(x) == x,
586                     ↪ x =>
587                     {
588                         if (filterPosition == (sequence.Length - 1))
589                         {
590                             return false;
591                         }
592                         if (filterPosition >= 0)
593                         {
594                             if (x == sequence[filterPosition + 1])
595                             {
596                                 filterPosition++;
597                             }
598                             else
599                             {
600                                 return false;
601                             }
602                         }
603                         if (filterPosition < 0)
604                         {
605                             if (x == sequence[0])
606                             {
607                                 filterPosition = 0;
608                             }
609                         }
610                         return true;
611                     }
612                 );
613                 if (filterPosition == (sequence.Length - 1))
614                 {
615                     filteredResults.Add(result);
616                 }
617             }
618             return filteredResults;
619         }
620         return new List<ulong>();
621     });
622 }

```

```

619     }
620
621     public HashSet<ulong> GetAllPartiallyMatchingSequences1(params ulong[] sequence)
622     {
623         return _sync.ExecuteReadOperation(() =>
624         {
625             if (sequence.Length > 0)
626             {
627                 Links.EnsureEachLinkExists(sequence);
628                 var results = new HashSet<ulong>();
629                 for (var i = 0; i < sequence.Length; i++)
630                 {
631                     AllUsagesCore(sequence[i], results);
632                 }
633                 var filteredResults = new HashSet<ulong>();
634                 var matcher = new Matcher(this, sequence, filteredResults, null);
635                 matcher.AddAllPartialMatchedToResults(results);
636                 return filteredResults;
637             }
638             return new HashSet<ulong>();
639         });
640     }
641
642     public bool GetAllPartiallyMatchingSequences2(Func<IList<LinkIndex>, LinkIndex> handler,
643     ↪ params ulong[] sequence)
644     {
645         return _sync.ExecuteReadOperation(() =>
646         {
647             if (sequence.Length > 0)
648             {
649                 Links.EnsureEachLinkExists(sequence);
650
651                 var results = new HashSet<ulong>();
652                 var filteredResults = new HashSet<ulong>();
653                 var matcher = new Matcher(this, sequence, filteredResults, handler);
654                 for (var i = 0; i < sequence.Length; i++)
655                 {
656                     if (!AllUsagesCore1(sequence[i], results, matcher.HandlePartialMatched))
657                     {
658                         return false;
659                     }
660                     return true;
661                 }
662                 return true;
663             }
664             return false;
665         });
666     }
667
668     //public HashSet<ulong> GetAllPartiallyMatchingSequences3(params ulong[] sequence)
669     //{
670     //    return Sync.ExecuteReadOperation(() =>
671     //    {
672     //        if (sequence.Length > 0)
673     //        {
674     //            _links.EnsureEachLinkIsAnyOrExists(sequence);
675
676     //            var firstResults = new HashSet<ulong>();
677     //            var lastResults = new HashSet<ulong>();
678
679     //            var first = sequence.First(x => x != LinksConstants.Any);
680     //            var last = sequence.Last(x => x != LinksConstants.Any);
681
682     //            AllUsagesCore(first, firstResults);
683     //            AllUsagesCore(last, lastResults);
684
685     //            firstResults.IntersectWith(lastResults);
686
687     //            //for (var i = 0; i < sequence.Length; i++)
688     //            //    AllUsagesCore(sequence[i], results);
689
690     //            var filteredResults = new HashSet<ulong>();
691     //            var matcher = new Matcher(this, sequence, filteredResults, null);
692     //            matcher.AddAllPartialMatchedToResults(firstResults);
693     //            return filteredResults;
694     //        }
695     //    });
696     //    return new HashSet<ulong>();
697     //}

```

```

697
698 public HashSet<ulong> GetAllPartiallyMatchingSequences3(params ulong[] sequence)
699 {
700     return _sync.ExecuteReadOperation(() =>
701     {
702         if (sequence.Length > 0)
703         {
704             Links.EnsureEachLinkIsAnyOrExists(sequence);
705             var firstResults = new HashSet<ulong>();
706             var lastResults = new HashSet<ulong>();
707             var first = sequence.First(x => x != Constants.Any);
708             var last = sequence.Last(x => x != Constants.Any);
709             AllUsagesCore(first, firstResults);
710             AllUsagesCore(last, lastResults);
711             firstResults.IntersectWith(lastResults);
712             //for (var i = 0; i < sequence.Length; i++)
713             //    AllUsagesCore(sequence[i], results);
714             var filteredResults = new HashSet<ulong>();
715             var matcher = new Matcher(this, sequence, filteredResults, null);
716             matcher.AddAllPartialMatchedToResults(firstResults);
717             return filteredResults;
718         }
719         return new HashSet<ulong>();
720     });
721 }
722
723 public HashSet<ulong> GetAllPartiallyMatchingSequences4(HashSet<ulong> readAsElements,
724 ↪ IList<ulong> sequence)
725 {
726     return _sync.ExecuteReadOperation(() =>
727     {
728         if (sequence.Count > 0)
729         {
730             Links.EnsureEachLinkExists(sequence);
731             var results = new HashSet<LinkIndex>();
732             //var nextResults = new HashSet<ulong>();
733             //for (var i = 0; i < sequence.Length; i++)
734             //{
735             //    AllUsagesCore(sequence[i], nextResults);
736             //    if (results.IsNullOrEmpty())
737             //    {
738             //        results = nextResults;
739             //        nextResults = new HashSet<ulong>();
740             //    }
741             //    else
742             //    {
743             //        results.IntersectWith(nextResults);
744             //        nextResults.Clear();
745             //    }
746             //}
747             var collector1 = new AllUsagesCollector1(Links.Unsync, results);
748             collector1.Collect(Links.Unsync.GetLink(sequence[0]));
749             var next = new HashSet<ulong>();
750             for (var i = 1; i < sequence.Count; i++)
751             {
752                 var collector = new AllUsagesCollector1(Links.Unsync, next);
753                 collector.Collect(Links.Unsync.GetLink(sequence[i]));
754
755                 results.IntersectWith(next);
756                 next.Clear();
757             }
758             var filteredResults = new HashSet<ulong>();
759             var matcher = new Matcher(this, sequence, filteredResults, null,
760 ↪ readAsElements);
761             matcher.AddAllPartialMatchedToResultsAndReadAsElements(results.OrderBy(x =>
762 ↪ x)); // OrderBy is a Hack
763             return filteredResults;
764         }
765         return new HashSet<ulong>();
766     });
767 }
768
769 // Does not work
770 //public HashSet<ulong> GetAllPartiallyMatchingSequences5(HashSet<ulong> readAsElements,
771 ↪ params ulong[] sequence)
772 //{
773 //    var visited = new HashSet<ulong>();
774 //    var results = new HashSet<ulong>();

```



```

771 //     var matcher = new Matcher(this, sequence, visited, x => { results.Add(x); return
772 //         true; }, readAsElements);
773 //     var last = sequence.Length - 1;
774 //     for (var i = 0; i < last; i++)
775 //     {
776 //         PartialStepRight(matcher.PartialMatch, sequence[i], sequence[i + 1]);
777 //     }
778 //     return results;
779 // }
780 public List<ulong> GetAllPartiallyMatchingSequences(params ulong[] sequence)
781 {
782     return _sync.ExecuteReadOperation(() =>
783     {
784         if (sequence.Length > 0)
785         {
786             Links.EnsureEachLinkExists(sequence);
787             //var firstElement = sequence[0];
788             //if (sequence.Length == 1)
789             //{
790             //    //results.Add(firstElement);
791             //    return results;
792             //}
793             //if (sequence.Length == 2)
794             //{
795             //    //var doublet = _links.SearchCore(firstElement, sequence[1]);
796             //    //if (doublet != Doublets.Links.Null)
797             //    //    results.Add(doublet);
798             //    return results;
799             //}
800             //var lastElement = sequence[sequence.Length - 1];
801             //Func<ulong, bool> handler = x =>
802             //{
803             //    if (StartsWith(x, firstElement) && EndsWith(x, lastElement))
804             //        results.Add(x);
805             //    return true;
806             //};
807             //if (sequence.Length >= 2)
808             //    StepRight(handler, sequence[0], sequence[1]);
809             //var last = sequence.Length - 2;
810             //for (var i = 1; i < last; i++)
811             //    PartialStepRight(handler, sequence[i], sequence[i + 1]);
812             //if (sequence.Length >= 3)
813             //    StepLeft(handler, sequence[sequence.Length - 2],
814             //        sequence[sequence.Length - 1]);
815             //if (sequence.Length == 1)
816             //{
817             //    throw new NotImplementedException(); // all sequences, containing
818             //        this element?
819             //}
820             //if (sequence.Length == 2)
821             //{
822             //    var results = new List<ulong>();
823             //    PartialStepRight(results.Add, sequence[0], sequence[1]);
824             //    return results;
825             //}
826             //var matches = new List<List<ulong>>();
827             //var last = sequence.Length - 1;
828             //for (var i = 0; i < last; i++)
829             //{
830             //    var results = new List<ulong>();
831             //    //StepRight(results.Add, sequence[i], sequence[i + 1]);
832             //    PartialStepRight(results.Add, sequence[i], sequence[i + 1]);
833             //    if (results.Count > 0)
834             //        matches.Add(results);
835             //    else
836             //        return results;
837             //    if (matches.Count == 2)
838             //    {
839             //        var merged = new List<ulong>();
840             //        for (var j = 0; j < matches[0].Count; j++)
841             //            for (var k = 0; k < matches[1].Count; k++)
842             //                CloseInnerConnections(merged.Add, matches[0][j],

```

```

843         return new List<ulong>();
844     }
845 }
846 //if (matches.Count > 0)
847 //{
848     var usages = new HashSet<ulong>();
849     for (int i = 0; i < sequence.Length; i++)
850     {
851         AllUsagesCore(sequence[i], usages);
852     }
853     //for (int i = 0; i < matches[0].Count; i++)
854     //    AllUsagesCore(matches[0][i], usages);
855     //usages.UnionWith(matches[0]);
856     return usages.ToList();
857 }
858 var firstLinkUsages = new HashSet<ulong>();
859 AllUsagesCore(sequence[0], firstLinkUsages);
860 firstLinkUsages.Add(sequence[0]);
861 //var previousMatchings = firstLinkUsages.ToList(); //new List<ulong>() {
862 //    sequence[0] }; // or all sequences, containing this element?
863 //return GetAllPartiallyMatchingSequencesCore(sequence, firstLinkUsages,
864 //    1).ToList();
865 var results = new HashSet<ulong>();
866 foreach (var match in GetAllPartiallyMatchingSequencesCore(sequence,
867     firstLinkUsages, 1))
868 {
869     AllUsagesCore(match, results);
870 }
871 return results.ToList();
872 }
873 return new List<ulong>();
874 });
875 }
876
877 /// <remarks>
878 /// TODO: Может потребоваться ограничение на уровень глубины рекурсии
879 /// </remarks>
880 public HashSet<ulong> AllUsages(ulong link)
881 {
882     return _sync.ExecuteReadOperation(() =>
883     {
884         var usages = new HashSet<ulong>();
885         AllUsagesCore(link, usages);
886         return usages;
887     });
888 }
889
890 // При сборе всех использований (последовательностей) можно сохранять обратный путь к
891 // той связи с которой начинался поиск (STTTSSSTT),
892 // причём достаточно одного бита для хранения перехода влево или вправо
893 private void AllUsagesCore(ulong link, HashSet<ulong> usages)
894 {
895     bool handler(ulong doublet)
896     {
897         if (usages.Add(doublet))
898         {
899             AllUsagesCore(doublet, usages);
900         }
901         return true;
902     }
903     Links.Unsync.Each(link, Constants.Any, handler);
904     Links.Unsync.Each(Constants.Any, link, handler);
905 }
906
907 public HashSet<ulong> AllBottomUsages(ulong link)
908 {
909     return _sync.ExecuteReadOperation(() =>
910     {
911         var visits = new HashSet<ulong>();
912         var usages = new HashSet<ulong>();
913         AllBottomUsagesCore(link, visits, usages);
914         return usages;
915     });
916 }
917
918 private void AllBottomUsagesCore(ulong link, HashSet<ulong> visits, HashSet<ulong>
919     usages)
920 {

```

```

916     bool handler(ulong doublet)
917     {
918         if (visits.Add(doublet))
919         {
920             AllBottomUsagesCore(doublet, visits, usages);
921         }
922         return true;
923     }
924     if (Links.Unsync.Count(Constants.Any, link) == 0)
925     {
926         usages.Add(link);
927     }
928     else
929     {
930         Links.Unsync.Each(link, Constants.Any, handler);
931         Links.Unsync.Each(Constants.Any, link, handler);
932     }
933 }
934
935 public ulong CalculateTotalSymbolFrequencyCore(ulong symbol)
936 {
937     if (Options.UseSequenceMarker)
938     {
939         var counter = new TotalMarkedSequenceSymbolFrequencyOneOffCounter<ulong>(Links,
940             ↪ Options.MarkedSequenceMatcher, symbol);
941         return counter.Count();
942     }
943     else
944     {
945         var counter = new TotalSequenceSymbolFrequencyOneOffCounter<ulong>(Links,
946             ↪ symbol);
947         return counter.Count();
948     }
949 }
950
951 private bool AllUsagesCore1(ulong link, HashSet<ulong> usages, Func<IList<LinkIndex>,
952     ↪ LinkIndex> outerHandler)
953 {
954     bool handler(ulong doublet)
955     {
956         if (usages.Add(doublet))
957         {
958             if (outerHandler(new LinkAddress<LinkIndex>(doublet)) != Constants.Continue)
959             {
960                 return false;
961             }
962             if (!AllUsagesCore1(doublet, usages, outerHandler))
963             {
964                 return false;
965             }
966         }
967         return true;
968     }
969     return Links.Unsync.Each(link, Constants.Any, handler)
970         && Links.Unsync.Each(Constants.Any, link, handler);
971 }
972
973 public void CalculateAllUsages(ulong[] totals)
974 {
975     var calculator = new AllUsagesCalculator(Links, totals);
976     calculator.Calculate();
977 }
978
979 public void CalculateAllUsages2(ulong[] totals)
980 {
981     var calculator = new AllUsagesCalculator2(Links, totals);
982     calculator.Calculate();
983 }
984
985 private class AllUsagesCalculator
986 {
987     private readonly SynchronizedLinks<ulong> _links;
988     private readonly ulong[] _totals;
989
990     public AllUsagesCalculator(SynchronizedLinks<ulong> links, ulong[] totals)
991     {
992         _links = links;
993         _totals = totals;
994     }
995 }

```

```

992 public void Calculate() => _links.Each(_links.Constants.Any, _links.Constants.Any,
993     ↪ CalculateCore);
994
995 private bool CalculateCore(ulong link)
996 {
997     if (_totals[link] == 0)
998     {
999         var total = 1UL;
1000         _totals[link] = total;
1001         var visitedChildren = new HashSet<ulong>();
1002         bool linkCalculator(ulong child)
1003         {
1004             if (link != child && visitedChildren.Add(child))
1005             {
1006                 total += _totals[child] == 0 ? 1 : _totals[child];
1007             }
1008             return true;
1009         }
1010         _links.Unsync.Each(link, _links.Constants.Any, linkCalculator);
1011         _links.Unsync.Each(_links.Constants.Any, link, linkCalculator);
1012         _totals[link] = total;
1013     }
1014     return true;
1015 }
1016
1017 private class AllUsagesCalculator2
1018 {
1019     private readonly SynchronizedLinks<ulong> _links;
1020     private readonly ulong[] _totals;
1021
1022     public AllUsagesCalculator2(SynchronizedLinks<ulong> links, ulong[] totals)
1023     {
1024         _links = links;
1025         _totals = totals;
1026     }
1027
1028     public void Calculate() => _links.Each(_links.Constants.Any, _links.Constants.Any,
1029         ↪ CalculateCore);
1030
1031     private bool IsElement(ulong link)
1032     {
1033         // _linksInSequence.Contains(link) ||
1034         return _links.Unsync.GetTarget(link) == link || _links.Unsync.GetSource(link) ==
            ↪ link;
1035     }
1036
1037     private bool CalculateCore(ulong link)
1038     {
1039         // TODO: Проработать защиту от заикливания
1040         // Основано на SequenceWalker.WalkLeft
1041         Func<ulong, ulong> getSource = _links.Unsync.GetSource;
1042         Func<ulong, ulong> getTarget = _links.Unsync.GetTarget;
1043         Func<ulong, bool> isElement = IsElement;
1044         void visitLeaf(ulong parent)
1045         {
1046             if (link != parent)
1047             {
1048                 _totals[parent]++;
1049             }
1050         }
1051         void visitNode(ulong parent)
1052         {
1053             if (link != parent)
1054             {
1055                 _totals[parent]++;
1056             }
1057         }
1058         var stack = new Stack();
1059         var element = link;
1060         if (isElement(element))
1061         {
1062             visitLeaf(element);
1063         }
1064         else
1065         {
1066             while (true)
1067             {

```

```

1068         if (isElement(element))
1069         {
1070             if (stack.Count == 0)
1071             {
1072                 break;
1073             }
1074             element = stack.Pop();
1075             var source = getSource(element);
1076             var target = getTarget(element);
1077             // Обработка элемента
1078             if (isElement(target))
1079             {
1080                 visitLeaf(target);
1081             }
1082             if (isElement(source))
1083             {
1084                 visitLeaf(source);
1085             }
1086             element = source;
1087         }
1088         else
1089         {
1090             stack.Push(element);
1091             visitNode(element);
1092             element = getTarget(element);
1093         }
1094     }
1095 }
1096 _totals[link]++;
1097 return true;
1098 }
1099 }
1100
1101 private class AllUsagesCollector
1102 {
1103     private readonly ILinks<ulong> _links;
1104     private readonly HashSet<ulong> _usages;
1105
1106     public AllUsagesCollector(ILinks<ulong> links, HashSet<ulong> usages)
1107     {
1108         _links = links;
1109         _usages = usages;
1110     }
1111
1112     public bool Collect(ulong link)
1113     {
1114         if (_usages.Add(link))
1115         {
1116             _links.Each(link, _links.Constants.Any, Collect);
1117             _links.Each(_links.Constants.Any, link, Collect);
1118         }
1119         return true;
1120     }
1121 }
1122
1123 private class AllUsagesCollector1
1124 {
1125     private readonly ILinks<ulong> _links;
1126     private readonly HashSet<ulong> _usages;
1127     private readonly ulong _continue;
1128
1129     public AllUsagesCollector1(ILinks<ulong> links, HashSet<ulong> usages)
1130     {
1131         _links = links;
1132         _usages = usages;
1133         _continue = _links.Constants.Continue;
1134     }
1135
1136     public ulong Collect(IList<ulong> link)
1137     {
1138         var linkIndex = _links.GetIndex(link);
1139         if (_usages.Add(linkIndex))
1140         {
1141             _links.Each(Collect, _links.Constants.Any, linkIndex);
1142         }
1143         return _continue;
1144     }
1145 }
1146
1147 private class AllUsagesCollector2

```

```

1148 {
1149     private readonly ILinks<ulong> _links;
1150     private readonly BitString _usages;
1151
1152     public AllUsagesCollector2(ILinks<ulong> links, BitString usages)
1153     {
1154         _links = links;
1155         _usages = usages;
1156     }
1157
1158     public bool Collect(ulong link)
1159     {
1160         if (_usages.Add((long)link))
1161         {
1162             _links.Each(link, _links.Constants.Any, Collect);
1163             _links.Each(_links.Constants.Any, link, Collect);
1164         }
1165         return true;
1166     }
1167 }
1168
1169 private class AllUsagesIntersectingCollector
1170 {
1171     private readonly SynchronizedLinks<ulong> _links;
1172     private readonly HashSet<ulong> _intersectWith;
1173     private readonly HashSet<ulong> _usages;
1174     private readonly HashSet<ulong> _enter;
1175
1176     public AllUsagesIntersectingCollector(SynchronizedLinks<ulong> links, HashSet<ulong>
↪ intersectWith, HashSet<ulong> usages)
1177     {
1178         _links = links;
1179         _intersectWith = intersectWith;
1180         _usages = usages;
1181         _enter = new HashSet<ulong>(); // защита от зацикливания
1182     }
1183
1184     public bool Collect(ulong link)
1185     {
1186         if (_enter.Add(link))
1187         {
1188             if (_intersectWith.Contains(link))
1189             {
1190                 _usages.Add(link);
1191             }
1192             _links.Unsync.Each(link, _links.Constants.Any, Collect);
1193             _links.Unsync.Each(_links.Constants.Any, link, Collect);
1194         }
1195         return true;
1196     }
1197 }
1198
1199 private void CloseInnerConnections(Action<IList<LinkIndex>> handler, ulong left, ulong
↪ right)
1200 {
1201     TryStepLeftUp(handler, left, right);
1202     TryStepRightUp(handler, right, left);
1203 }
1204
1205 private void AllCloseConnections(Action<IList<LinkIndex>> handler, ulong left, ulong
↪ right)
1206 {
1207     // Direct
1208     if (left == right)
1209     {
1210         handler(new LinkAddress<LinkIndex>(left));
1211     }
1212     var doublet = Links.Unsync.SearchOrDefault(left, right);
1213     if (doublet != Constants.Null)
1214     {
1215         handler(new LinkAddress<LinkIndex>(doublet));
1216     }
1217     // Inner
1218     CloseInnerConnections(handler, left, right);
1219     // Outer
1220     StepLeft(handler, left, right);
1221     StepRight(handler, left, right);
1222     PartialStepRight(handler, left, right);
1223     PartialStepLeft(handler, left, right);

```

```

1224 }
1225
1226 private HashSet<ulong> GetAllPartiallyMatchingSequencesCore(ulong[] sequence,
    ↪ HashSet<ulong> previousMatchings, long startAt)
1227 {
1228     if (startAt >= sequence.Length) // ?
1229     {
1230         return previousMatchings;
1231     }
1232     var secondLinkUsages = new HashSet<ulong>();
1233     AllUsagesCore(sequence[startAt], secondLinkUsages);
1234     secondLinkUsages.Add(sequence[startAt]);
1235     var matchings = new HashSet<ulong>();
1236     var filler = new SetFiller<LinkIndex, LinkIndex>(matchings, Constants.Continue);
1237     //for (var i = 0; i < previousMatchings.Count; i++)
1238     foreach (var secondLinkUsage in secondLinkUsages)
1239     {
1240         foreach (var previousMatching in previousMatchings)
1241         {
1242             //AllCloseConnections(matchings.AddAndReturnVoid, previousMatching,
1243             ↪ secondLinkUsage);
1244             StepRight(filler.AddFirstAndReturnConstant, previousMatching,
1245             ↪ secondLinkUsage);
1246             TryStepRightUp(filler.AddFirstAndReturnConstant, secondLinkUsage,
1247             ↪ previousMatching);
1248             //PartialStepRight(matchings.AddAndReturnVoid, secondLinkUsage,
1249             ↪ sequence[startAt]); // почему-то эта ошибочная запись приводит к
1250             ↪ желаемым результатам.
1251             PartialStepRight(filler.AddFirstAndReturnConstant, previousMatching,
1252             ↪ secondLinkUsage);
1253         }
1254     }
1255     if (matchings.Count == 0)
1256     {
1257         return matchings;
1258     }
1259     return GetAllPartiallyMatchingSequencesCore(sequence, matchings, startAt + 1); // ??
1260 }
1261
1262 private static void EnsureEachLinkIsAnyOrZeroOrManyOrExists(SynchronizedLinks<ulong>
    ↪ links, params ulong[] sequence)
1263 {
1264     if (sequence == null)
1265     {
1266         return;
1267     }
1268     for (var i = 0; i < sequence.Length; i++)
1269     {
1270         if (sequence[i] != links.Constants.Any && sequence[i] != ZeroOrMany &&
1271         ↪ !links.Exists(sequence[i]))
1272         {
1273             throw new ArgumentLinkDoesNotExistsException<ulong>(sequence[i],
1274             ↪ $"patternSequence[{i}]");
1275         }
1276     }
1277 }
1278
1279 // Pattern Matching -> Key To Triggers
1280 public HashSet<ulong> MatchPattern(params ulong[] patternSequence)
1281 {
1282     return _sync.ExecuteReadOperation(() =>
1283     {
1284         patternSequence = Simplify(patternSequence);
1285         if (patternSequence.Length > 0)
1286         {
1287             EnsureEachLinkIsAnyOrZeroOrManyOrExists(Links, patternSequence);
1288             var uniqueSequenceElements = new HashSet<ulong>();
1289             for (var i = 0; i < patternSequence.Length; i++)
1290             {
1291                 if (patternSequence[i] != Constants.Any && patternSequence[i] !=
1292                 ↪ ZeroOrMany)
1293                 {
1294                     uniqueSequenceElements.Add(patternSequence[i]);
1295                 }
1296             }
1297             var results = new HashSet<ulong>();
1298             foreach (var uniqueSequenceElement in uniqueSequenceElements)

```

```

1290         {
1291             AllUsagesCore(uniqueSequenceElement, results);
1292         }
1293         var filteredResults = new HashSet<ulong>();
1294         var matcher = new PatternMatcher(this, patternSequence, filteredResults);
1295         matcher.AddAllPatternMatchedToResults(results);
1296         return filteredResults;
1297     }
1298     return new HashSet<ulong>();
1299 });
1300 }
1301
1302 // Найти все возможные связи между указанным списком связей.
1303 // Находит связи между всеми указанными связями в любом порядке.
1304 // TODO: решить что делать с повторами (когда одни и те же элементы встречаются
1305 //        несколько раз в последовательности)
1306 public HashSet<ulong> GetAllConnections(params ulong[] linksToConnect)
1307 {
1308     return _sync.ExecuteReadOperation(() =>
1309     {
1310         var results = new HashSet<ulong>();
1311         if (linksToConnect.Length > 0)
1312         {
1313             Links.EnsureEachLinkExists(linksToConnect);
1314             AllUsagesCore(linksToConnect[0], results);
1315             for (var i = 1; i < linksToConnect.Length; i++)
1316             {
1317                 var next = new HashSet<ulong>();
1318                 AllUsagesCore(linksToConnect[i], next);
1319                 results.IntersectWith(next);
1320             }
1321             return results;
1322         }
1323     });
1324 }
1325
1326 public HashSet<ulong> GetAllConnections1(params ulong[] linksToConnect)
1327 {
1328     return _sync.ExecuteReadOperation(() =>
1329     {
1330         var results = new HashSet<ulong>();
1331         if (linksToConnect.Length > 0)
1332         {
1333             Links.EnsureEachLinkExists(linksToConnect);
1334             var collector1 = new AllUsagesCollector(Links.Unsync, results);
1335             collector1.Collect(linksToConnect[0]);
1336             var next = new HashSet<ulong>();
1337             for (var i = 1; i < linksToConnect.Length; i++)
1338             {
1339                 var collector = new AllUsagesCollector(Links.Unsync, next);
1340                 collector.Collect(linksToConnect[i]);
1341                 results.IntersectWith(next);
1342                 next.Clear();
1343             }
1344             return results;
1345         }
1346     });
1347 }
1348
1349 public HashSet<ulong> GetAllConnections2(params ulong[] linksToConnect)
1350 {
1351     return _sync.ExecuteReadOperation(() =>
1352     {
1353         var results = new HashSet<ulong>();
1354         if (linksToConnect.Length > 0)
1355         {
1356             Links.EnsureEachLinkExists(linksToConnect);
1357             var collector1 = new AllUsagesCollector(Links, results);
1358             collector1.Collect(linksToConnect[0]);
1359             //AllUsagesCore(linksToConnect[0], results);
1360             for (var i = 1; i < linksToConnect.Length; i++)
1361             {
1362                 var next = new HashSet<ulong>();
1363                 var collector = new AllUsagesIntersectingCollector(Links, results, next);
1364                 collector.Collect(linksToConnect[i]);
1365                 //AllUsagesCore(linksToConnect[i], next);
1366                 //results.IntersectWith(next);
1367                 results = next;

```



```

1367     }
1368     }
1369     return results;
1370 });
1371 }
1372
1373 public List<ulong> GetAllConnections3(params ulong[] linksToConnect)
1374 {
1375     return _sync.ExecuteReadOperation(() =>
1376     {
1377         var results = new BitString((long)Links.Unsync.Count() + 1); // new
1378         ↪ BitArray((int)_links.Total + 1);
1379         if (linksToConnect.Length > 0)
1380         {
1381             Links.EnsureEachLinkExists(linksToConnect);
1382             var collector1 = new AllUsagesCollector2(Links.Unsync, results);
1383             collector1.Collect(linksToConnect[0]);
1384             for (var i = 1; i < linksToConnect.Length; i++)
1385             {
1386                 var next = new BitString((long)Links.Unsync.Count() + 1); //new
1387                 ↪ BitArray((int)_links.Total + 1);
1388                 var collector = new AllUsagesCollector2(Links.Unsync, next);
1389                 collector.Collect(linksToConnect[i]);
1390                 results = results.And(next);
1391             }
1392             return results.GetSetUInt64Indices();
1393         }
1394     });
1395 }
1396
1397 private static ulong[] Simplify(ulong[] sequence)
1398 {
1399     // Считаем новый размер последовательности
1400     long newLength = 0;
1401     var zeroOrManyStepped = false;
1402     for (var i = 0; i < sequence.Length; i++)
1403     {
1404         if (sequence[i] == ZeroOrMany)
1405         {
1406             if (zeroOrManyStepped)
1407             {
1408                 continue;
1409             }
1410             zeroOrManyStepped = true;
1411         }
1412         else
1413         {
1414             //if (zeroOrManyStepped) Is it efficient?
1415             zeroOrManyStepped = false;
1416             newLength++;
1417         }
1418     }
1419     // Строим новую последовательность
1420     zeroOrManyStepped = false;
1421     var newSequence = new ulong[newLength];
1422     long j = 0;
1423     for (var i = 0; i < sequence.Length; i++)
1424     {
1425         //var current = zeroOrManyStepped;
1426         //zeroOrManyStepped = patternSequence[i] == zeroOrMany;
1427         //if (current && zeroOrManyStepped)
1428         //    continue;
1429         //var newZeroOrManyStepped = patternSequence[i] == zeroOrMany;
1430         //if (zeroOrManyStepped && newZeroOrManyStepped)
1431         //    continue;
1432         //zeroOrManyStepped = newZeroOrManyStepped;
1433         if (sequence[i] == ZeroOrMany)
1434         {
1435             if (zeroOrManyStepped)
1436             {
1437                 continue;
1438             }
1439             zeroOrManyStepped = true;
1440         }
1441         else
1442         {
1443             //if (zeroOrManyStepped) Is it efficient?
1444             zeroOrManyStepped = false;
1445             newSequence[j] = sequence[i];
1446             j++;
1447         }
1448     }
1449     return newSequence;
1450 }

```

```

1444         newSequence[j++] = sequence[i];
1445     }
1446     return newSequence;
1447 }
1448
1449 public static void TestSimplify()
1450 {
1451     var sequence = new ulong[] { ZeroOrMany, ZeroOrMany, 2, 3, 4, ZeroOrMany,
        ↪ ZeroOrMany, ZeroOrMany, 4, ZeroOrMany, ZeroOrMany, ZeroOrMany };
1452     var simplifiedSequence = Simplify(sequence);
1453 }
1454
1455 public List<ulong> GetSimilarSequences() => new List<ulong>();
1456
1457 public void Prediction()
1458 {
1459     //_links
1460     //_sequences
1461 }
1462
1463 #region From Triplets
1464
1465 //public static void DeleteSequence(Link sequence)
1466 //{
1467 //}
1468
1469 public List<ulong> CollectMatchingSequences(ulong[] links)
1470 {
1471     if (links.Length == 1)
1472     {
1473         throw new Exception("Подпоследовательности с одним элементом не
        ↪ поддерживаются.");
1474     }
1475     var leftBound = 0;
1476     var rightBound = links.Length - 1;
1477     var left = links[leftBound++];
1478     var right = links[rightBound--];
1479     var results = new List<ulong>();
1480     CollectMatchingSequences(left, leftBound, links, right, rightBound, ref results);
1481     return results;
1482 }
1483
1484 private void CollectMatchingSequences(ulong leftLink, int leftBound, ulong[]
    ↪ middleLinks, ulong rightLink, int rightBound, ref List<ulong> results)
1485 {
1486     var leftLinkTotalReferers = Links.Unsync.Count(leftLink);
1487     var rightLinkTotalReferers = Links.Unsync.Count(rightLink);
1488     if (leftLinkTotalReferers <= rightLinkTotalReferers)
1489     {
1490         var nextLeftLink = middleLinks[leftBound];
1491         var elements = GetRightElements(leftLink, nextLeftLink);
1492         if (leftBound <= rightBound)
1493         {
1494             for (var i = elements.Length - 1; i >= 0; i--)
1495             {
1496                 var element = elements[i];
1497                 if (element != 0)
1498                 {
1499                     CollectMatchingSequences(element, leftBound + 1, middleLinks,
        ↪ rightLink, rightBound, ref results);
1500                 }
1501             }
1502         }
1503         else
1504         {
1505             for (var i = elements.Length - 1; i >= 0; i--)
1506             {
1507                 var element = elements[i];
1508                 if (element != 0)
1509                 {
1510                     results.Add(element);
1511                 }
1512             }
1513         }
1514     }
1515     else
1516     {
1517         var nextRightLink = middleLinks[rightBound];

```

```

1518     var elements = GetLeftElements(rightLink, nextRightLink);
1519     if (leftBound <= rightBound)
1520     {
1521         for (var i = elements.Length - 1; i >= 0; i--)
1522         {
1523             var element = elements[i];
1524             if (element != 0)
1525             {
1526                 CollectMatchingSequences(leftLink, leftBound, middleLinks,
1527                     ↪ elements[i], rightBound - 1, ref results);
1528             }
1529         }
1530     }
1531     else
1532     {
1533         for (var i = elements.Length - 1; i >= 0; i--)
1534         {
1535             var element = elements[i];
1536             if (element != 0)
1537             {
1538                 results.Add(element);
1539             }
1540         }
1541     }
1542 }
1543
1544 public ulong[] GetRightElements(ulong startLink, ulong rightLink)
1545 {
1546     var result = new ulong[5];
1547     TryStepRight(startLink, rightLink, result, 0);
1548     Links.Each(Constants.Any, startLink, couple =>
1549     {
1550         if (couple != startLink)
1551         {
1552             if (TryStepRight(couple, rightLink, result, 2))
1553             {
1554                 return false;
1555             }
1556         }
1557         return true;
1558     });
1559     if (Links.GetTarget(Links.GetTarget(startLink)) == rightLink)
1560     {
1561         result[4] = startLink;
1562     }
1563     return result;
1564 }
1565
1566 public bool TryStepRight(ulong startLink, ulong rightLink, ulong[] result, int offset)
1567 {
1568     var added = 0;
1569     Links.Each(startLink, Constants.Any, couple =>
1570     {
1571         if (couple != startLink)
1572         {
1573             var coupleTarget = Links.GetTarget(couple);
1574             if (coupleTarget == rightLink)
1575             {
1576                 result[offset] = couple;
1577                 if (++added == 2)
1578                 {
1579                     return false;
1580                 }
1581             }
1582             else if (Links.GetSource(coupleTarget) == rightLink) // coupleTarget.Linker
1583                 ↪ == Net.And &&
1584             {
1585                 result[offset + 1] = couple;
1586                 if (++added == 2)
1587                 {
1588                     return false;
1589                 }
1590             }
1591         }
1592     });
1593     return added > 0;

```

```

1594 }
1595
1596 public ulong[] GetLeftElements(ulong startLink, ulong leftLink)
1597 {
1598     var result = new ulong[5];
1599     TryStepLeft(startLink, leftLink, result, 0);
1600     Links.Each(startLink, Constants.Any, couple =>
1601     {
1602         if (couple != startLink)
1603         {
1604             if (TryStepLeft(couple, leftLink, result, 2))
1605             {
1606                 return false;
1607             }
1608         }
1609         return true;
1610     });
1611     if (Links.GetSource(Links.GetSource(leftLink)) == startLink)
1612     {
1613         result[4] = leftLink;
1614     }
1615     return result;
1616 }
1617
1618 public bool TryStepLeft(ulong startLink, ulong leftLink, ulong[] result, int offset)
1619 {
1620     var added = 0;
1621     Links.Each(Constants.Any, startLink, couple =>
1622     {
1623         if (couple != startLink)
1624         {
1625             var coupleSource = Links.GetSource(couple);
1626             if (coupleSource == leftLink)
1627             {
1628                 result[offset] = couple;
1629                 if (++added == 2)
1630                 {
1631                     return false;
1632                 }
1633             }
1634             else if (Links.GetTarget(coupleSource) == leftLink) // coupleSource.Linker
1635                 ↪ == Net.And &&
1636             {
1637                 result[offset + 1] = couple;
1638                 if (++added == 2)
1639                 {
1640                     return false;
1641                 }
1642             }
1643         }
1644         return true;
1645     });
1646     return added > 0;
1647 }
1648
1649 #endregion
1650
1651 #region Walkers
1652
1653 public class PatternMatcher : RightSequenceWalker<ulong>
1654 {
1655     private readonly Sequences _sequences;
1656     private readonly ulong[] _patternSequence;
1657     private readonly HashSet<LinkIndex> _linksInSequence;
1658     private readonly HashSet<LinkIndex> _results;
1659
1660     #region Pattern Match
1661
1662     enum PatternBlockType
1663     {
1664         Undefined,
1665         Gap,
1666         Elements
1667     }
1668
1669     struct PatternBlock
1670     {
1671         public PatternBlockType Type;
1672         public long Start;
1673         public long Stop;
1674     }
1675 
```

```

1673     }
1674
1675     private readonly List<PatternBlock> _pattern;
1676     private int _patternPosition;
1677     private long _sequencePosition;
1678
1679     #endregion
1680
1681     public PatternMatcher(Sequences sequences, LinkIndex[] patternSequence,
1682         ↳ HashSet<LinkIndex> results)
1683         : base(sequences.Links.Unsync, new DefaultStack<ulong>())
1684     {
1685         _sequences = sequences;
1686         _patternSequence = patternSequence;
1687         _linksInSequence = new HashSet<LinkIndex>(patternSequence.Where(x => x !=
1688             ↳ _sequences.Constants.Any && x != ZeroOrMany));
1689         _results = results;
1690         _pattern = CreateDetailedPattern();
1691     }
1692
1693     protected override bool IsElement(ulong link) => _linksInSequence.Contains(link) ||
1694         ↳ base.IsElement(link);
1695
1696     public bool PatternMatch(LinkIndex sequenceToMatch)
1697     {
1698         _patternPosition = 0;
1699         _sequencePosition = 0;
1700         foreach (var part in Walk(sequenceToMatch))
1701         {
1702             if (!PatternMatchCore(part))
1703             {
1704                 break;
1705             }
1706         }
1707         return _patternPosition == _pattern.Count || (_patternPosition == _pattern.Count
1708             ↳ - 1 && _pattern[_patternPosition].Start == 0);
1709     }
1710
1711     private List<PatternBlock> CreateDetailedPattern()
1712     {
1713         var pattern = new List<PatternBlock>();
1714         var patternBlock = new PatternBlock();
1715         for (var i = 0; i < _patternSequence.Length; i++)
1716         {
1717             if (patternBlock.Type == PatternBlockType.Undefined)
1718             {
1719                 if (_patternSequence[i] == _sequences.Constants.Any)
1720                 {
1721                     patternBlock.Type = PatternBlockType.Gap;
1722                     patternBlock.Start = 1;
1723                     patternBlock.Stop = 1;
1724                 }
1725                 else if (_patternSequence[i] == ZeroOrMany)
1726                 {
1727                     patternBlock.Type = PatternBlockType.Gap;
1728                     patternBlock.Start = 0;
1729                     patternBlock.Stop = long.MaxValue;
1730                 }
1731                 else
1732                 {
1733                     patternBlock.Type = PatternBlockType.Elements;
1734                     patternBlock.Start = i;
1735                     patternBlock.Stop = i;
1736                 }
1737             }
1738             else if (patternBlock.Type == PatternBlockType.Elements)
1739             {
1740                 if (_patternSequence[i] == _sequences.Constants.Any)
1741                 {
1742                     pattern.Add(patternBlock);
1743                     patternBlock = new PatternBlock
1744                     {
1745                         Type = PatternBlockType.Gap,
1746                         Start = 1,
1747                         Stop = 1
1748                     };
1749                 }
1750                 else if (_patternSequence[i] == ZeroOrMany)
1751                 {
1752                     pattern.Add(patternBlock);
1753                 }
1754             }
1755         }
1756     }

```

```

1749         patternBlock = new PatternBlock
1750         {
1751             Type = PatternBlockType.Gap,
1752             Start = 0,
1753             Stop = long.MaxValue
1754         };
1755     }
1756     else
1757     {
1758         patternBlock.Stop = i;
1759     }
1760 }
1761 else // patternBlock.Type == PatternBlockType.Gap
1762 {
1763     if (_patternSequence[i] == _sequences.Constants.Any)
1764     {
1765         patternBlock.Start++;
1766         if (patternBlock.Stop < patternBlock.Start)
1767         {
1768             patternBlock.Stop = patternBlock.Start;
1769         }
1770     }
1771     else if (_patternSequence[i] == ZeroOrMany)
1772     {
1773         patternBlock.Stop = long.MaxValue;
1774     }
1775     else
1776     {
1777         pattern.Add(patternBlock);
1778         patternBlock = new PatternBlock
1779         {
1780             Type = PatternBlockType.Elements,
1781             Start = i,
1782             Stop = i
1783         };
1784     }
1785 }
1786 }
1787 if (patternBlock.Type != PatternBlockType.Undefined)
1788 {
1789     pattern.Add(patternBlock);
1790 }
1791 return pattern;
1792 }
1793
1794 // match: search for regexp anywhere in text
1795 //int match(char* regexp, char* text)
1796 //{
1797 //    do
1798 //    {
1799 //    } while (*text++ != '\0');
1800 //    return 0;
1801 //}
1802
1803 // matchhere: search for regexp at beginning of text
1804 //int matchhere(char* regexp, char* text)
1805 //{
1806 //    if (regexp[0] == '\0')
1807 //        return 1;
1808 //    if (regexp[1] == '*')
1809 //        return matchstar(regexp[0], regexp + 2, text);
1810 //    if (regexp[0] == '$' && regexp[1] == '\0')
1811 //        return *text == '\0';
1812 //    if (*text != '\0' && (regexp[0] == '.' || regexp[0] == *text))
1813 //        return matchhere(regexp + 1, text + 1);
1814 //    return 0;
1815 //}
1816
1817 // matchstar: search for c*regexp at beginning of text
1818 //int matchstar(int c, char* regexp, char* text)
1819 //{
1820 //    do
1821 //    {
1822 //        /* a * matches zero or more instances */
1823 //        if (matchhere(regexp, text))
1824 //            return 1;
1825 //    } while (*text != '\0' && (*text++ == c || c == '.'));
1826 //    return 0;
1827 //}

```

```

1828 //private void GetNextPatternElement(out LinkIndex element, out long mininumGap, out
1829 ↪ long maximumGap)
1830 //{
1831 //    mininumGap = 0;
1832 //    maximumGap = 0;
1833 //    element = 0;
1834 //    for (; _patternPosition < _patternSequence.Length; _patternPosition++)
1835 //    {
1836 //        if (_patternSequence[_patternPosition] == Doublets.Links.Null)
1837 //            mininumGap++;
1838 //        else if (_patternSequence[_patternPosition] == ZeroOrMany)
1839 //            maximumGap = long.MaxValue;
1840 //        else
1841 //            break;
1842 //    }
1843 //    if (maximumGap < mininumGap)
1844 //        maximumGap = mininumGap;
1845 //}
1846
1847 private bool PatternMatchCore(LinkIndex element)
1848 {
1849     if (_patternPosition >= _pattern.Count)
1850     {
1851         _patternPosition = -2;
1852         return false;
1853     }
1854     var currentPatternBlock = _pattern[_patternPosition];
1855     if (currentPatternBlock.Type == PatternBlockType.Gap)
1856     {
1857         //var currentMatchingBlockLength = (_sequencePosition -
1858         ↪ _lastMatchedBlockPosition);
1859         if (_sequencePosition < currentPatternBlock.Start)
1860         {
1861             _sequencePosition++;
1862             return true; // Двигаемся дальше
1863         }
1864         // Это последний блок
1865         if (_pattern.Count == _patternPosition + 1)
1866         {
1867             _patternPosition++;
1868             _sequencePosition = 0;
1869             return false; // Полное соответствие
1870         }
1871         else
1872         {
1873             if (_sequencePosition > currentPatternBlock.Stop)
1874             {
1875                 return false; // Соответствие невозможно
1876             }
1877             var nextPatternBlock = _pattern[_patternPosition + 1];
1878             if (_patternSequence[nextPatternBlock.Start] == element)
1879             {
1880                 if (nextPatternBlock.Start < nextPatternBlock.Stop)
1881                 {
1882                     _patternPosition++;
1883                     _sequencePosition = 1;
1884                 }
1885                 else
1886                 {
1887                     _patternPosition += 2;
1888                     _sequencePosition = 0;
1889                 }
1890             }
1891         }
1892     }
1893     else // currentPatternBlock.Type == PatternBlockType.Elements
1894     {
1895         var patternElementPosition = currentPatternBlock.Start + _sequencePosition;
1896         if (_patternSequence[patternElementPosition] != element)
1897         {
1898             return false; // Соответствие невозможно
1899         }
1900         if (patternElementPosition == currentPatternBlock.Stop)
1901         {
1902             _patternPosition++;
1903             _sequencePosition = 0;
1904         }
1905         else

```

```

1905         {
1906             _sequencePosition++;
1907         }
1908     }
1909     return true;
1910     //if (_patternSequence[_patternPosition] != element)
1911     //    return false;
1912     //else
1913     //{
1914     //    _sequencePosition++;
1915     //    _patternPosition++;
1916     //    return true;
1917     //}
1918     ///////
1919     //if (_filterPosition == _patternSequence.Length)
1920     //{
1921     //    _filterPosition = -2; // Длиннее чем нужно
1922     //    return false;
1923     //}
1924     //if (element != _patternSequence[_filterPosition])
1925     //{
1926     //    _filterPosition = -1;
1927     //    return false; // Начинается иначе
1928     //}
1929     //_filterPosition++;
1930     //if (_filterPosition == (_patternSequence.Length - 1))
1931     //    return false;
1932     //if (_filterPosition >= 0)
1933     //{
1934     //    if (element == _patternSequence[_filterPosition + 1])
1935     //        _filterPosition++;
1936     //    else
1937     //        return false;
1938     //}
1939     //if (_filterPosition < 0)
1940     //{
1941     //    if (element == _patternSequence[0])
1942     //        _filterPosition = 0;
1943     //}
1944 }
1945
1946 public void AddAllPatternMatchedToResults(IEnumerable<ulong> sequencesToMatch)
1947 {
1948     foreach (var sequenceToMatch in sequencesToMatch)
1949     {
1950         if (PatternMatch(sequenceToMatch))
1951         {
1952             _results.Add(sequenceToMatch);
1953         }
1954     }
1955 }
1956
1957 #endregion
1958 }
1959
1960 }

```

./Platform.Data.Doublets/Sequences/SequencesExtensions.cs

```

1  using System;
2  using System.Collections.Generic;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Sequences
7  {
8      public static class SequencesExtensions
9      {
10         public static TLink Create<TLink>(this ILinks<TLink> sequences, IList<TLink[]>
            ↳ groupedSequence)
11         {
12             var finalSequence = new TLink[groupedSequence.Count];
13             for (var i = 0; i < finalSequence.Length; i++)
14             {
15                 var part = groupedSequence[i];
16                 finalSequence[i] = part.Length == 1 ? part[0] :
                    ↳ sequences.Create(part.ConvertToRestrictionsValues());
17             }
18             return sequences.Create(finalSequence.ConvertToRestrictionsValues());

```



```

19     }
20
21     public static IList<TLink> ToList<TLink>(this ILinks<TLink> sequences, TLink sequence)
22     {
23         var list = new List<TLink>();
24         var filler = new ListFiller<TLink, TLink>(list, sequences.Constants.Break);
25         sequences.Each(filler.AddAllValuesAndReturnConstant, new
26             ↪ LinkAddress<TLink>(sequence));
27         return list;
28     }
29 }

```

./Platform.Data.Doublets/Sequences/SequencesOptions.cs

```

1  using System;
2  using System.Collections.Generic;
3  using Platform.Interfaces;
4  using Platform.Collections.Stacks;
5  using Platform.Data.Doublets.Sequences.Frequencies.Cache;
6  using Platform.Data.Doublets.Sequences.Frequencies.Counters;
7  using Platform.Data.Doublets.Sequences.Converters;
8  using Platform.Data.Doublets.Sequences.CriteriaMatchers;
9  using Platform.Data.Doublets.Sequences.Walkers;
10 using Platform.Data.Doublets.Sequences.Indexes;
11
12 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
13
14 namespace Platform.Data.Doublets.Sequences
15 {
16     public class SequencesOptions<TLink> // TODO: To use type parameter <TLink> the
17     ↪ ILinks<TLink> must contain GetConstants function.
18     {
19         private static readonly EqualityComparer<TLink> _equalityComparer =
20         ↪ EqualityComparer<TLink>.Default;
21
22         public TLink SequenceMarkerLink { get; set; }
23         public bool UseCascadeUpdate { get; set; }
24         public bool UseCascadeDelete { get; set; }
25         public bool UseIndex { get; set; } // TODO: Update Index on sequence update/delete.
26         public bool UseSequenceMarker { get; set; }
27         public bool UseCompression { get; set; }
28         public bool UseGarbageCollection { get; set; }
29         public bool EnforceSingleSequenceVersionOnWriteBasedOnExisting { get; set; }
30         public bool EnforceSingleSequenceVersionOnWriteBasedOnNew { get; set; }
31
32         public MarkedSequenceCriterionMatcher<TLink> MarkedSequenceMatcher { get; set; }
33         public IConverter<IList<TLink>, TLink> LinksToSequenceConverter { get; set; }
34         public ISequenceIndex<TLink> Index { get; set; }
35         public ISequenceWalker<TLink> Walker { get; set; }
36         public bool ReadFullSequence { get; set; }
37
38         // TODO: Реализовать компактификацию при чтении
39         //public bool EnforceSingleSequenceVersionOnRead { get; set; }
40         //public bool UseRequestMarker { get; set; }
41         //public bool StoreRequestResults { get; set; }
42
43         public void InitOptions(ISynchronizedLinks<TLink> links)
44         {
45             if (UseSequenceMarker)
46             {
47                 if (_equalityComparer.Equals(SequenceMarkerLink, links.Constants.Null))
48                 {
49                     SequenceMarkerLink = links.CreatePoint();
50                 }
51                 else
52                 {
53                     if (!links.Exists(SequenceMarkerLink))
54                     {
55                         var link = links.CreatePoint();
56                         if (!_equalityComparer.Equals(link, SequenceMarkerLink))
57                         {
58                             throw new InvalidOperationException("Cannot recreate sequence marker
59                             ↪ link.");
60                         }
61                     }
62                 }
63             }
64             if (MarkedSequenceMatcher == null)
65             {
66                 MarkedSequenceMatcher = new MarkedSequenceCriterionMatcher<TLink>(links,
67                     ↪ SequenceMarkerLink);
68             }
69         }
70     }
71 }

```

```

63     }
64 }
65 var balancedVariantConverter = new BalancedVariantConverter<TLink>(links);
66 if (UseCompression)
67 {
68     if (LinksToSequenceConverter == null)
69     {
70         ICounter<TLink, TLink> totalSequenceSymbolFrequencyCounter;
71         if (UseSequenceMarker)
72         {
73             totalSequenceSymbolFrequencyCounter = new
74                 ↪ TotalMarkedSequenceSymbolFrequencyCounter<TLink>(links,
75                 ↪ MarkedSequenceMatcher);
76         }
77         else
78         {
79             totalSequenceSymbolFrequencyCounter = new
80                 ↪ TotalSequenceSymbolFrequencyCounter<TLink>(links);
81         }
82         var doubletFrequenciesCache = new LinkFrequenciesCache<TLink>(links,
83             ↪ totalSequenceSymbolFrequencyCounter);
84         var compressingConverter = new CompressingConverter<TLink>(links,
85             ↪ balancedVariantConverter, doubletFrequenciesCache);
86         LinksToSequenceConverter = compressingConverter;
87     }
88 }
89 else
90 {
91     if (LinksToSequenceConverter == null)
92     {
93         LinksToSequenceConverter = balancedVariantConverter;
94     }
95 }
96 if (UseIndex && Index == null)
97 {
98     Index = new SequenceIndex<TLink>(links);
99 }
100 if (Walker == null)
101 {
102     Walker = new RightSequenceWalker<TLink>(links, new DefaultStack<TLink>());
103 }
104 }
105
106 public void ValidateOptions()
107 {
108     if (UseGarbageCollection && !UseSequenceMarker)
109     {
110         throw new NotSupportedException("To use garbage collection UseSequenceMarker
111             ↪ option must be on.");
112     }
113 }
114 }
115 }

```

./Platform.Data.Doublets/Sequences/SetFiller.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Sequences
7 {
8     public class SetFiller<TElement, TReturnConstant>
9     {
10         protected readonly ISet<TElement> _set;
11         protected readonly TReturnConstant _returnConstant;
12
13         public SetFiller(ISet<TElement> set, TReturnConstant returnConstant)
14         {
15             _set = set;
16             _returnConstant = returnConstant;
17         }
18
19         public SetFiller(ISet<TElement> set) : this(set, default) { }
20
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         public void Add(TElement element) => _set.Add(element);
23
24         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

25     public bool AddAndReturnTrue(TElement element)
26     {
27         _set.Add(element);
28         return true;
29     }
30
31     [MethodImpl(MethodImplOptions.AggressiveInlining)]
32     public bool AddFirstAndReturnTrue(ICollection<TElement> collection)
33     {
34         _set.Add(collection[0]);
35         return true;
36     }
37
38     [MethodImpl(MethodImplOptions.AggressiveInlining)]
39     public TReturnConstant AddAndReturnConstant(TElement element)
40     {
41         _set.Add(element);
42         return _returnConstant;
43     }
44
45     [MethodImpl(MethodImplOptions.AggressiveInlining)]
46     public TReturnConstant AddFirstAndReturnConstant(ICollection<TElement> collection)
47     {
48         _set.Add(collection[0]);
49         return _returnConstant;
50     }
51 }
52 }

```

./Platform.Data.Doublets/Sequences/Walkers/ISequenceWalker.cs

```

1  using System.Collections.Generic;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Data.Doublets.Sequences.Walkers
6  {
7      public interface ISequenceWalker<TLink>
8      {
9          IEnumerable<TLink> Walk(TLink sequence);
10     }
11 }

```

./Platform.Data.Doublets/Sequences/Walkers/LeftSequenceWalker.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Collections.Stacks;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data.Doublets.Sequences.Walkers
9  {
10     public class LeftSequenceWalker<TLink> : SequenceWalkerBase<TLink>
11     {
12         public LeftSequenceWalker(ILinks<TLink> links, IStack<TLink> stack, Func<TLink, bool>
13             ↪ isElement) : base(links, stack, isElement) { }
14
15         public LeftSequenceWalker(ILinks<TLink> links, IStack<TLink> stack) : base(links, stack,
16             ↪ links.IsPartialPoint) { }
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         protected override TLink GetNextElementAfterPop(TLink element) =>
20             ↪ Links.GetSource(element);
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         protected override TLink GetNextElementAfterPush(TLink element) =>
24             ↪ Links.GetTarget(element);
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         protected override IEnumerable<TLink> WalkContents(TLink element)
28         {
29             var parts = Links.GetLink(element);
30             var start = Links.Constants.IndexPart + 1;
31             for (var i = parts.Count - 1; i >= start; i--)
32             {
33                 var part = parts[i];
34                 if (IsElement(part))
35                 {
36                     yield return part;
37                 }
38             }
39         }
40     }
41 }

```

```

33     }
34 }
35 }
36 }
37 }

```

./Platform.Data.Doublets/Sequences/Walkers/LeveledSequenceWalker.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  //#define USEARRAYPOOL
8  #if USEARRAYPOOL
9  using Platform.Collections;
10 #endif
11
12 namespace Platform.Data.Doublets.Sequences.Walkers
13 {
14     public class LeveledSequenceWalker<TLink> : LinksOperatorBase<TLink>, ISequenceWalker<TLink>
15     {
16         private static readonly EqualityComparer<TLink> _equalityComparer =
17             ↳ EqualityComparer<TLink>.Default;
18
19         private readonly Func<TLink, bool> _isElement;
20
21         public LeveledSequenceWalker(ILinks<TLink> links, Func<TLink, bool> isElement) :
22             ↳ base(links) => _isElement = isElement;
23
24         public LeveledSequenceWalker(ILinks<TLink> links) : base(links) => _isElement =
25             ↳ Links.IsPartialPoint;
26
27         public IEnumerable<TLink> Walk(TLink sequence) => ToArray(sequence);
28
29         public TLink[] ToArray(TLink sequence)
30         {
31             var length = 1;
32             var array = new TLink[length];
33             array[0] = sequence;
34             if (_isElement(sequence))
35             {
36                 return array;
37             }
38             bool hasElements;
39             do
40             {
41                 length *= 2;
42 #if USEARRAYPOOL
43                 var nextArray = ArrayPool.Allocate<ulong>(length);
44 #else
45                 var nextArray = new TLink[length];
46 #endif
47                 hasElements = false;
48                 for (var i = 0; i < array.Length; i++)
49                 {
50                     var candidate = array[i];
51                     if (_equalityComparer.Equals(array[i], default))
52                     {
53                         continue;
54                     }
55                     var doubletOffset = i * 2;
56                     if (_isElement(candidate))
57                     {
58                         nextArray[doubletOffset] = candidate;
59                     }
60                     else
61                     {
62                         var link = Links.GetLink(candidate);
63                         var linkSource = Links.GetSource(link);
64                         var linkTarget = Links.GetTarget(link);
65                         nextArray[doubletOffset] = linkSource;
66                         nextArray[doubletOffset + 1] = linkTarget;
67                         if (!hasElements)
68                         {
69                             hasElements = !(_isElement(linkSource) && _isElement(linkTarget));
70                         }
71                     }
72                 }
73             } while (length < array.Length);
74             return array;
75         }
76     }
77 #if USEARRAYPOOL
78 }
79 #endif

```

```

71         if (array.Length > 1)
72         {
73             ArrayPool.Free(array);
74         }
75 #endif
76         array = nextArray;
77     }
78     while (hasElements);
79     var filledElementsCount = CountFilledElements(array);
80     if (filledElementsCount == array.Length)
81     {
82         return array;
83     }
84     else
85     {
86         return CopyFilledElements(array, filledElementsCount);
87     }
88 }
89
90 [MethodImpl(MethodImplOptions.AggressiveInlining)]
91 private static TLink[] CopyFilledElements(TLink[] array, int filledElementsCount)
92 {
93     var finalArray = new TLink[filledElementsCount];
94     for (int i = 0, j = 0; i < array.Length; i++)
95     {
96         if (!_equalityComparer.Equals(array[i], default))
97         {
98             finalArray[j] = array[i];
99             j++;
100         }
101     }
102 #if USEARRAYPOOL
103     ArrayPool.Free(array);
104 #endif
105     return finalArray;
106 }
107
108 [MethodImpl(MethodImplOptions.AggressiveInlining)]
109 private static int CountFilledElements(TLink[] array)
110 {
111     var count = 0;
112     for (var i = 0; i < array.Length; i++)
113     {
114         if (!_equalityComparer.Equals(array[i], default))
115         {
116             count++;
117         }
118     }
119     return count;
120 }
121 }
122 }

```

./Platform.Data.Doublets/Sequences/Walkers/RightSequenceWalker.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Collections.Stacks;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data.Doublets.Sequences.Walkers
9  {
10     public class RightSequenceWalker<TLink> : SequenceWalkerBase<TLink>
11     {
12         public RightSequenceWalker(ILinks<TLink> links, IStack<TLink> stack, Func<TLink, bool>
13             ↪ isElement) : base(links, stack, isElement) { }
14
15         public RightSequenceWalker(ILinks<TLink> links, IStack<TLink> stack) : base(links,
16             ↪ stack, links.IsPartialPoint) { }
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         protected override TLink GetNextElementAfterPop(TLink element) =>
20             ↪ Links.GetTarget(element);
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         protected override TLink GetNextElementAfterPush(TLink element) =>
24             ↪ Links.GetSource(element);
25     }
26 }

```

```

22     [MethodImpl(MethodImplOptions.AggressiveInlining)]
23     protected override IEnumerable<TLink> WalkContents(TLink element)
24     {
25         var parts = Links.GetLink(element);
26         for (var i = Links.Constants.IndexPart + 1; i < parts.Count; i++)
27         {
28             var part = parts[i];
29             if (IsElement(part))
30             {
31                 yield return part;
32             }
33         }
34     }
35 }
36 }

```

./Platform.Data.Doublets/Sequences/Walkers/SequenceWalkerBase.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Collections.Stacks;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data.Doublets.Sequences.Walkers
9  {
10     public abstract class SequenceWalkerBase<TLink> : LinksOperatorBase<TLink>,
11         ↳ ISequenceWalker<TLink>
12     {
13         private readonly IStack<TLink> _stack;
14         private readonly Func<TLink, bool> _isElement;
15
16         protected SequenceWalkerBase(ILinks<TLink> links, IStack<TLink> stack, Func<TLink, bool>
17             ↳ isElement) : base(links)
18         {
19             _stack = stack;
20             _isElement = isElement;
21         }
22
23         protected SequenceWalkerBase(ILinks<TLink> links, IStack<TLink> stack) : this(links,
24             ↳ stack, links.IsPartialPoint)
25         {
26         }
27
28         public IEnumerable<TLink> Walk(TLink sequence)
29         {
30             _stack.Clear();
31             var element = sequence;
32             if (IsElement(element))
33             {
34                 yield return element;
35             }
36             else
37             {
38                 while (true)
39                 {
40                     if (IsElement(element))
41                     {
42                         if (_stack.IsEmpty)
43                         {
44                             break;
45                         }
46                         element = _stack.Pop();
47                         foreach (var output in WalkContents(element))
48                         {
49                             yield return output;
50                         }
51                         element = GetNextElementAfterPop(element);
52                     }
53                     else
54                     {
55                         _stack.Push(element);
56                         element = GetNextElementAfterPush(element);
57                     }
58                 }
59             }
60         }
61     }
62 }

```

[MethodImpl(MethodImplOptions.AggressiveInlining)]

```

60     protected virtual bool IsElement(TLink elementLink) => _isElement(elementLink);
61
62     [MethodImpl(MethodImplOptions.AggressiveInlining)]
63     protected abstract TLink GetNextElementAfterPop(TLink element);
64
65     [MethodImpl(MethodImplOptions.AggressiveInlining)]
66     protected abstract TLink GetNextElementAfterPush(TLink element);
67
68     [MethodImpl(MethodImplOptions.AggressiveInlining)]
69     protected abstract IEnumerable<TLink> WalkContents(TLink element);
70 }
71 }

```

./Platform.Data.Doublets/Stacks/Stack.cs

```

1  using System.Collections.Generic;
2  using Platform.Collections.Stacks;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Stacks
7  {
8      public class Stack<TLink> : IStack<TLink>
9      {
10         private static readonly EqualityComparer<TLink> _equalityComparer =
11             ↪ EqualityComparer<TLink>.Default;
12
13         private readonly ILinks<TLink> _links;
14         private readonly TLink _stack;
15
16         public bool IsEmpty => _equalityComparer.Equals(Peek(), _stack);
17
18         public Stack(ILinks<TLink> links, TLink stack)
19         {
20             _links = links;
21             _stack = stack;
22         }
23
24         private TLink GetStackMarker() => _links.GetSource(_stack);
25
26         private TLink GetTop() => _links.GetTarget(_stack);
27
28         public TLink Peek() => _links.GetTarget(GetTop());
29
30         public TLink Pop()
31         {
32             var element = Peek();
33             if (!_equalityComparer.Equals(element, _stack))
34             {
35                 var top = GetTop();
36                 var previousTop = _links.GetSource(top);
37                 _links.Update(_stack, GetStackMarker(), previousTop);
38                 _links.Delete(top);
39             }
40             return element;
41         }
42
43         public void Push(TLink element) => _links.Update(_stack, GetStackMarker(),
44             ↪ _links.GetOrCreate(GetTop(), element));
45     }
46 }

```

./Platform.Data.Doublets/Stacks/StackExtensions.cs

```

1  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
2
3  namespace Platform.Data.Doublets.Stacks
4  {
5      public static class StackExtensions
6      {
7         public static TLink CreateStack<TLink>(this ILinks<TLink> links, TLink stackMarker)
8         {
9             var stackPoint = links.CreatePoint();
10             var stack = links.Update(stackPoint, stackMarker, stackPoint);
11             return stack;
12         }
13     }
14 }

```

## ./Platform.Data.Doublets/SynchronizedLinks.cs

```
1 using System;
2 using System.Collections.Generic;
3 using Platform.Data.Doublets;
4 using Platform.Threading.Synchronization;
5
6 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8 namespace Platform.Data.Doublets
9 {
10     /// <remarks>
11     /// TODO: Autogeneration of synchronized wrapper (decorator).
12     /// TODO: Try to unfold code of each method using IL generation for performance improvements.
13     /// TODO: Or even to unfold multiple layers of implementations.
14     /// </remarks>
15     public class SynchronizedLinks<TLinkAddress> : ISynchronizedLinks<TLinkAddress>
16     {
17         public LinksConstants<TLinkAddress> Constants { get; }
18         public ISynchronization SyncRoot { get; }
19         public ILinks<TLinkAddress> Sync { get; }
20         public ILinks<TLinkAddress> Unsync { get; }
21
22         public SynchronizedLinks(ILinks<TLinkAddress> links) : this(new
            ↳ ReaderWriterLockSynchronization(), links) { }
23
24         public SynchronizedLinks(ISynchronization synchronization, ILinks<TLinkAddress> links)
25         {
26             SyncRoot = synchronization;
27             Sync = this;
28             Unsync = links;
29             Constants = links.Constants;
30         }
31
32         public TLinkAddress Count(IList<TLinkAddress> restriction) =>
            ↳ SyncRoot.ExecuteReadOperation(restriction, Unsync.Count);
33         public TLinkAddress Each(Func<IList<TLinkAddress>, TLinkAddress> handler,
            ↳ IList<TLinkAddress> restrictions) => SyncRoot.ExecuteReadOperation(handler,
            ↳ restrictions, (handler1, restrictions1) => Unsync.Each(handler1, restrictions1));
34         public TLinkAddress Create(IList<TLinkAddress> restrictions) =>
            ↳ SyncRoot.ExecuteWriteOperation(restrictions, Unsync.Create);
35         public TLinkAddress Update(IList<TLinkAddress> restrictions, IList<TLinkAddress>
            ↳ substitution) => SyncRoot.ExecuteWriteOperation(restrictions, substitution,
            ↳ Unsync.Update);
36         public void Delete(IList<TLinkAddress> restrictions) =>
            ↳ SyncRoot.ExecuteWriteOperation(restrictions, Unsync.Delete);
37
38         //public T Trigger(IList<T> restriction, Func<IList<T>, IList<T>, T> matchedHandler,
39         //↳ IList<T> substitution, Func<IList<T>, IList<T>, T> substitutedHandler)
40         //{
41         //    if (restriction != null && substitution != null &&
42         //        ↳ !substitution.EqualTo(restriction))
43         //        return SyncRoot.ExecuteWriteOperation(restriction, matchedHandler,
44         //        ↳ substitution, substitutedHandler, Unsync.Trigger);
45         //}
46     }
```

## ./Platform.Data.Doublets/UInt64Link.cs

```
1 using System;
2 using System.Collections;
3 using System.Collections.Generic;
4 using Platform.Exceptions;
5 using Platform.Ranges;
6 using Platform.Singletons;
7 using Platform.Collections.Lists;
8
9 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
10
11 namespace Platform.Data.Doublets
12 {
13     /// <summary>
14     /// Структура описывающая уникальную связь.
15     /// </summary>
16     public struct UInt64Link : IEquatable<UInt64Link>, IReadOnlyList<ulong>, IList<ulong>
17     {
```



```

18 private static readonly LinksConstants<ulong> _constants =
    ↳ Default<LinksConstants<ulong>>.Instance;
19
20 private const int Length = 3;
21
22 public readonly ulong Index;
23 public readonly ulong Source;
24 public readonly ulong Target;
25
26 public static readonly UInt64Link Null = new UInt64Link();
27
28 public UInt64Link(params ulong[] values)
29 {
30     Index = values.Length > _constants.IndexPart ? values[_constants.IndexPart] :
    ↳ _constants.Null;
31     Source = values.Length > _constants.SourcePart ? values[_constants.SourcePart] :
    ↳ _constants.Null;
32     Target = values.Length > _constants.TargetPart ? values[_constants.TargetPart] :
    ↳ _constants.Null;
33 }
34
35 public UInt64Link(IList<ulong> values)
36 {
37     Index = values.Count > _constants.IndexPart ? values[_constants.IndexPart] :
    ↳ _constants.Null;
38     Source = values.Count > _constants.SourcePart ? values[_constants.SourcePart] :
    ↳ _constants.Null;
39     Target = values.Count > _constants.TargetPart ? values[_constants.TargetPart] :
    ↳ _constants.Null;
40 }
41
42 public UInt64Link(ulong index, ulong source, ulong target)
43 {
44     Index = index;
45     Source = source;
46     Target = target;
47 }
48
49 public UInt64Link(ulong source, ulong target)
50 : this(_constants.Null, source, target)
51 {
52     Source = source;
53     Target = target;
54 }
55
56 public static UInt64Link Create(ulong source, ulong target) => new UInt64Link(source,
    ↳ target);
57
58 public override int GetHashCode() => (Index, Source, Target).GetHashCode();
59
60 public bool IsNull() => Index == _constants.Null
    && Source == _constants.Null
    && Target == _constants.Null;
61
62
63
64 public override bool Equals(object other) => other is UInt64Link &&
    ↳ Equals((UInt64Link)other);
65
66 public bool Equals(UInt64Link other) => Index == other.Index
    && Source == other.Source
    && Target == other.Target;
67
68
69
70 public static string ToString(ulong index, ulong source, ulong target) => $"({index}:
    ↳ {source}->{target})";
71
72 public static string ToString(ulong source, ulong target) => $"({source}->{target})";
73
74 public static implicit operator ulong[] (UInt64Link link) => link.ToArray();
75
76 public static implicit operator UInt64Link(ulong[] linkArray) => new
    ↳ UInt64Link(linkArray);
77
78 public override string ToString() => Index == _constants.Null ? ToString(Source, Target)
    ↳ : ToString(Index, Source, Target);
79
80 #region IList
81
82 public ulong this[int index]
83 {
84     get
85     {

```

```

86         Ensure.OnDebug.ArgumentInRange(index, new Range<int>(0, Length - 1),
87             ↳ nameof(index));
88         if (index == _constants.IndexPart)
89         {
90             return Index;
91         }
92         if (index == _constants.SourcePart)
93         {
94             return Source;
95         }
96         if (index == _constants.TargetPart)
97         {
98             return Target;
99         }
100         throw new NotSupportedException(); // Impossible path due to
101         ↳ Ensure.ArgumentInRange
102     }
103     set => throw new NotSupportedException();
104 }
105
106 public int Count => Length;
107
108 public bool IsReadOnly => true;
109
110 IEnumerator IEnumerable.GetEnumerator() => GetEnumerator();
111
112 public IEnumerator<ulong> GetEnumerator()
113 {
114     yield return Index;
115     yield return Source;
116     yield return Target;
117 }
118
119 public void Add(ulong item) => throw new NotSupportedException();
120
121 public void Clear() => throw new NotSupportedException();
122
123 public bool Contains(ulong item) => IndexOf(item) >= 0;
124
125 public void CopyTo(ulong[] array, int arrayIndex)
126 {
127     Ensure.OnDebug.ArgumentNotNull(array, nameof(array));
128     Ensure.OnDebug.ArgumentInRange(arrayIndex, new Range<int>(0, array.Length - 1),
129         ↳ nameof(arrayIndex));
130     if (arrayIndex + Length > array.Length)
131     {
132         throw new ArgumentException();
133     }
134     array[arrayIndex++] = Index;
135     array[arrayIndex++] = Source;
136     array[arrayIndex] = Target;
137 }
138
139 public bool Remove(ulong item) => Throw.A.NotSupportedExceptionAndReturn<bool>();
140
141 public int IndexOf(ulong item)
142 {
143     if (Index == item)
144     {
145         return _constants.IndexPart;
146     }
147     if (Source == item)
148     {
149         return _constants.SourcePart;
150     }
151     if (Target == item)
152     {
153         return _constants.TargetPart;
154     }
155     return -1;
156 }
157
158 public void Insert(int index, ulong item) => throw new NotSupportedException();
159
160 public void RemoveAt(int index) => throw new NotSupportedException();
161
162 #endregion
163 }

```

./Platform.Data.Doublets/UInt64LinkExtensions.cs

```
1  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
2
3  namespace Platform.Data.Doublets
4  {
5      public static class UInt64LinkExtensions
6      {
7          public static bool IsFullPoint(this UInt64Link link) => Point<ulong>.IsFullPoint(link);
8          public static bool IsPartialPoint(this UInt64Link link) =>
9              ↪ Point<ulong>.IsPartialPoint(link);
10     }
11 }
```

./Platform.Data.Doublets/UInt64LinksExtensions.cs

```
1  using System;
2  using System.Text;
3  using System.Collections.Generic;
4  using Platform.Singletons;
5  using Platform.Data.Exceptions;
6  using Platform.Data.Doublets.Unicode;
7
8  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10 namespace Platform.Data.Doublets
11 {
12     public static class UInt64LinksExtensions
13     {
14         public static readonly LinksConstants<ulong> Constants =
15             ↪ Default<LinksConstants<ulong>>.Instance;
16
17         public static void UseUnicode(this ILinks<ulong> links) => UnicodeMap.InitNew(links);
18
19         public static void EnsureEachLinkExists(this ILinks<ulong> links, IList<ulong> sequence)
20         {
21             if (sequence == null)
22             {
23                 return;
24             }
25             for (var i = 0; i < sequence.Count; i++)
26             {
27                 if (!links.Exists(sequence[i]))
28                 {
29                     throw new ArgumentLinkDoesNotExistsException<ulong>(sequence[i],
30                         ↪ $"sequence[{i}]");
31                 }
32             }
33
34         public static void EnsureEachLinkIsAnyOrExists(this ILinks<ulong> links, IList<ulong>
35             ↪ sequence)
36         {
37             if (sequence == null)
38             {
39                 return;
40             }
41             for (var i = 0; i < sequence.Count; i++)
42             {
43                 if (sequence[i] != Constants.Any && !links.Exists(sequence[i]))
44                 {
45                     throw new ArgumentLinkDoesNotExistsException<ulong>(sequence[i],
46                         ↪ $"sequence[{i}]");
47                 }
48             }
49
50         public static bool AnyLinkIsAny(this ILinks<ulong> links, params ulong[] sequence)
51         {
52             if (sequence == null)
53             {
54                 return false;
55             }
56             var constants = links.Constants;
57             for (var i = 0; i < sequence.Length; i++)
58             {
59                 if (sequence[i] == constants.Any)
60                 {
61                     return true;
62                 }
63             }
64         }
65     }
66 }
```

```

62     return false;
63 }
64
65 public static string FormatStructure(this ILinks<ulong> links, ulong linkIndex,
↳ Func<UInt64Link, bool> isElement, bool renderIndex = false, bool renderDebug = false)
66 {
67     var sb = new StringBuilder();
68     var visited = new HashSet<ulong>();
69     links.AppendStructure(sb, visited, linkIndex, isElement, (innerSb, link) =>
↳ innerSb.Append(link.Index), renderIndex, renderDebug);
70     return sb.ToString();
71 }
72
73 public static string FormatStructure(this ILinks<ulong> links, ulong linkIndex,
↳ Func<UInt64Link, bool> isElement, Action<StringBuilder, UInt64Link> appendElement,
↳ bool renderIndex = false, bool renderDebug = false)
74 {
75     var sb = new StringBuilder();
76     var visited = new HashSet<ulong>();
77     links.AppendStructure(sb, visited, linkIndex, isElement, appendElement, renderIndex,
↳ renderDebug);
78     return sb.ToString();
79 }
80
81 public static void AppendStructure(this ILinks<ulong> links, StringBuilder sb,
↳ HashSet<ulong> visited, ulong linkIndex, Func<UInt64Link, bool> isElement,
↳ Action<StringBuilder, UInt64Link> appendElement, bool renderIndex = false, bool
↳ renderDebug = false)
82 {
83     if (sb == null)
84     {
85         throw new ArgumentNullException(nameof(sb));
86     }
87     if (linkIndex == Constants.Null || linkIndex == Constants.Any || linkIndex ==
↳ Constants.Itself)
88     {
89         return;
90     }
91     if (links.Exists(linkIndex))
92     {
93         if (visited.Add(linkIndex))
94         {
95             sb.Append('(');
96             var link = new UInt64Link(links.GetLink(linkIndex));
97             if (renderIndex)
98             {
99                 sb.Append(link.Index);
100                 sb.Append(':');
101             }
102             if (link.Source == link.Index)
103             {
104                 sb.Append(link.Index);
105             }
106             else
107             {
108                 var source = new UInt64Link(links.GetLink(link.Source));
109                 if (isElement(source))
110                 {
111                     appendElement(sb, source);
112                 }
113                 else
114                 {
115                     links.AppendStructure(sb, visited, source.Index, isElement,
↳ appendElement, renderIndex);
116                 }
117             }
118             sb.Append(' ');
119             if (link.Target == link.Index)
120             {
121                 sb.Append(link.Index);
122             }
123             else
124             {
125                 var target = new UInt64Link(links.GetLink(link.Target));
126                 if (isElement(target))
127                 {
128                     appendElement(sb, target);
129                 }

```

```

130         else
131         {
132             links.AppendStructure(sb, visited, target.Index, isElement,
133                                     ↪ appendElement, renderIndex);
134         }
135         sb.Append(' ');
136     }
137     else
138     {
139         if (renderDebug)
140         {
141             sb.Append('*');
142         }
143         sb.Append(linkIndex);
144     }
145 }
146 else
147 {
148     if (renderDebug)
149     {
150         sb.Append('~');
151     }
152     sb.Append(linkIndex);
153 }
154 }
155 }
156 }

```

./Platform.Data.Doublets/UInt64LinksTransactionsLayer.cs

```

1  using System;
2  using System.Linq;
3  using System.Collections.Generic;
4  using System.IO;
5  using System.Runtime.CompilerServices;
6  using System.Threading;
7  using System.Threading.Tasks;
8  using Platform.Disposables;
9  using Platform.Timestamps;
10 using Platform.Unsafe;
11 using Platform.IO;
12 using Platform.Data.Doublets.Decorators;
13
14 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
15
16 namespace Platform.Data.Doublets
17 {
18     public class UInt64LinksTransactionsLayer : LinksDisposableDecoratorBase<ulong> //-V3073
19     {
20         /// <remarks>
21         /// Альтернативные варианты хранения трансформации (элемента транзакции):
22         ///
23         /// private enum TransitionType
24         /// {
25         ///     Creation,
26         ///     UpdateOf,
27         ///     UpdateTo,
28         ///     Deletion
29         /// }
30         ///
31         /// private struct Transition
32         /// {
33         ///     public ulong TransactionId;
34         ///     public UniqueTimestamp Timestamp;
35         ///     public TransactionItemType Type;
36         ///     public Link Source;
37         ///     public Link Linker;
38         ///     public Link Target;
39         /// }
40         ///
41         /// Или
42         ///
43         /// public struct TransitionHeader
44         /// {
45         ///     public ulong TransactionIdCombined;
46         ///     public ulong TimestampCombined;
47         ///
48         ///     public ulong TransactionId
49         ///     {

```

```

50     ///         get
51     ///         {
52     ///             return (ulong) mask & TransactionIdCombined;
53     ///         }
54     ///     }
55     ///
56     ///     public UniqueTimestamp Timestamp
57     ///     {
58     ///         get
59     ///         {
60     ///             return (UniqueTimestamp)mask & TransactionIdCombined;
61     ///         }
62     ///     }
63     ///
64     ///     public TransactionItemType Type
65     ///     {
66     ///         get
67     ///         {
68     ///             // Использовать по одному биту из TransactionId и Timestamp,
69     ///             // для значения в 2 бита, которое представляет тип операции
70     ///             throw new NotImplementedException();
71     ///         }
72     ///     }
73     /// }
74     ///
75     /// private struct Transition
76     /// {
77     ///     public TransitionHeader Header;
78     ///     public Link Source;
79     ///     public Link Linker;
80     ///     public Link Target;
81     /// }
82     ///
83     /// </remarks>
84     public struct Transition
85     {
86         public static readonly long Size = Structure<Transition>.Size;
87
88         public readonly ulong TransactionId;
89         public readonly UInt64Link Before;
90         public readonly UInt64Link After;
91         public readonly Timestamp Timestamp;
92
93         public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong
94             ↪ transactionId, UInt64Link before, UInt64Link after)
95         {
96             TransactionId = transactionId;
97             Before = before;
98             After = after;
99             Timestamp = uniqueTimestampFactory.Create();
100         }
101
102         public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong
103             ↪ transactionId, UInt64Link before)
104             : this(uniqueTimestampFactory, transactionId, before, default)
105         {
106         }
107
108         public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong transactionId
109             : this(uniqueTimestampFactory, transactionId, default, default)
110         {
111         }
112
113         public override string ToString() => $"{Timestamp} {TransactionId}: {Before} =>
114             ↪ {After}";
115     }
116
117     /// <remarks>
118     /// Другие варианты реализации транзакций (атомарности):
119     /// 1. Разделение хранения значения связи ((Source Target) или (Source Linker
120     ///    ↪ Target)) и индексов.
121     /// 2. Хранение трансформаций/операций в отдельном хранилище Links, но дополнительно
122     ///    ↪ потребуется решить вопрос
123     ///    со ссылками на внешние идентификаторы, или как-то иначе решить вопрос с
124     ///    ↪ пересечениями идентификаторов.
125     ///
126     /// Где хранить промежуточный список транзакций?
127     ///

```

```

122  /// В оперативной памяти:
123  /// Минусы:
124  /// 1. Может усложнить систему, если она будет функционировать самостоятельно,
125  /// так как нужно отдельно выделять память под список трансформаций.
126  /// 2. Выделенной оперативной памяти может не хватить, в том случае,
127  /// если транзакция использует слишком много трансформаций.
128  /// -> Можно использовать жёсткий диск для слишком длинных транзакций.
129  /// -> Максимальный размер списка трансформаций можно ограничить / задать
    → константой.
130  /// 3. При подтверждении транзакции (Commit) все трансформации записываются разом
    → создавая задержку.
131  ///
132  /// На жёстком диске:
133  /// Минусы:
134  /// 1. Длительный отклик, на запись каждой трансформации.
135  /// 2. Лог транзакций дополнительно наполняется отменёнными транзакциями.
136  /// -> Это может решаться упаковкой/исключением дублирующих операций.
137  /// -> Также это может решаться тем, что короткие транзакции вообще
138  /// не будут записываться в случае отката.
139  /// 3. Перед тем как выполнять отмену операций транзакции нужно дождаться пока все
    → операции (трансформации)
    → будут записаны в лог.
140  ///
141  /// </remarks>
142  public class Transaction : DisposableBase
143  {
144      private readonly Queue<Transition> _transitions;
145      private readonly UInt64LinksTransactionsLayer _layer;
146      public bool IsCommitted { get; private set; }
147      public bool IsReverted { get; private set; }
148
149      public Transaction(UInt64LinksTransactionsLayer layer)
150      {
151          _layer = layer;
152          if (_layer._currentTransactionId != 0)
153          {
154              throw new NotSupportedException("Nested transactions not supported.");
155          }
156          IsCommitted = false;
157          IsReverted = false;
158          _transitions = new Queue<Transition>();
159          SetCurrentTransaction(layer, this);
160      }
161
162      public void Commit()
163      {
164          EnsureTransactionAllowsWriteOperations(this);
165          while (_transitions.Count > 0)
166          {
167              var transition = _transitions.Dequeue();
168              _layer._transitions.Enqueue(transition);
169          }
170          _layer._lastCommittedTransactionId = _layer._currentTransactionId;
171          IsCommitted = true;
172      }
173
174      private void Revert()
175      {
176          EnsureTransactionAllowsWriteOperations(this);
177          var transitionsToRevert = new Transition[_transitions.Count];
178          _transitions.CopyTo(transitionsToRevert, 0);
179          for (var i = transitionsToRevert.Length - 1; i >= 0; i--)
180          {
181              _layer.RevertTransition(transitionsToRevert[i]);
182          }
183          IsReverted = true;
184      }
185
186      public static void SetCurrentTransaction(UInt64LinksTransactionsLayer layer,
    → Transaction transaction)
187      {
188          layer._currentTransactionId = layer._lastCommittedTransactionId + 1;
189          layer._currentTransactionTransitions = transaction._transitions;
190          layer._currentTransaction = transaction;
191      }
192
193      public static void EnsureTransactionAllowsWriteOperations(Transaction transaction)
194      {
195          if (transaction.IsReverted)
196

```

```

197         {
198             throw new InvalidOperationException("Transation is reverted.");
199         }
200         if (transaction.IsCommitted)
201         {
202             throw new InvalidOperationException("Transation is committed.");
203         }
204     }
205
206     protected override void Dispose(bool manual, bool wasDisposed)
207     {
208         if (!wasDisposed && _layer != null && !_layer.IsDisposed)
209         {
210             if (!IsCommitted && !IsReverted)
211             {
212                 Revert();
213             }
214             _layer.ResetCurrentTransation();
215         }
216     }
217 }
218
219 public static readonly TimeSpan DefaultPushDelay = TimeSpan.FromSeconds(0.1);
220
221 private readonly string _logAddress;
222 private readonly FileStream _log;
223 private readonly Queue<Transition> _transitions;
224 private readonly UniqueTimestampFactory _uniqueTimestampFactory;
225 private Task _transitionsPusher;
226 private Transition _lastCommittedTransition;
227 private ulong _currentTransactionId;
228 private Queue<Transition> _currentTransactionTransitions;
229 private Transaction _currentTransaction;
230 private ulong _lastCommittedTransactionId;
231
232 public UInt64LinksTransactionsLayer(ILinks<ulong> links, string logAddress)
233     : base(links)
234 {
235     if (string.IsNullOrEmpty(logAddress))
236     {
237         throw new ArgumentNullException(nameof(logAddress));
238     }
239     // В первой строке файла хранится последняя законченную транзакцию.
240     // При запуске это используется для проверки удачного закрытия файла лога.
241     // In the first line of the file the last committed transaction is stored.
242     // On startup, this is used to check that the log file is successfully closed.
243     var lastCommittedTransition = FileHelpers.ReadFirstOrDefault<Transition>(logAddress);
244     var lastWrittenTransition = FileHelpers.ReadLastOrDefault<Transition>(logAddress);
245     if (!lastCommittedTransition.Equals(lastWrittenTransition))
246     {
247         Dispose();
248         throw new NotSupportedException("Database is damaged, autorecovery is not
249             ↳ supported yet.");
250     }
251     if (lastCommittedTransition.Equals(default(Transition)))
252     {
253         FileHelpers.WriteFirst(logAddress, lastCommittedTransition);
254     }
255     _lastCommittedTransition = lastCommittedTransition;
256     // TODO: Think about a better way to calculate or store this value
257     var allTransitions = FileHelpers.ReadAll<Transition>(logAddress);
258     _lastCommittedTransactionId = allTransitions.Max(x => x.TransactionId);
259     _uniqueTimestampFactory = new UniqueTimestampFactory();
260     _logAddress = logAddress;
261     _log = FileHelpers.Append(logAddress);
262     _transitions = new Queue<Transition>();
263     _transitionsPusher = new Task(TransitionsPusher);
264     _transitionsPusher.Start();
265 }
266
267 public IList<ulong> GetLinkValue(ulong link) => Links.GetLink(link);
268
269 public override ulong Create(IList<ulong> restrictions)
270 {
271     var createdLinkIndex = Links.Create();
272     var createdLink = new UInt64Link(Links.GetLink(createdLinkIndex));
273     CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
274         ↳ default, createdLink));
275     return createdLinkIndex;

```



```

274 }
275
276 public override ulong Update(IList<ulong> restrictions, IList<ulong> substitution)
277 {
278     var linkIndex = restrictions[Constants.IndexPart];
279     var beforeLink = new UInt64Link(Links.GetLink(linkIndex));
280     linkIndex = Links.Update(restrictions, substitution);
281     var afterLink = new UInt64Link(Links.GetLink(linkIndex));
282     CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
283         ↪ beforeLink, afterLink));
284     return linkIndex;
285 }
286
287 public override void Delete(IList<ulong> restrictions)
288 {
289     var link = restrictions[Constants.IndexPart];
290     var deletedLink = new UInt64Link(Links.GetLink(link));
291     Links.Delete(link);
292     CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
293         ↪ deletedLink, default));
294 }
295
296 [MethodImpl(MethodImplOptions.AggressiveInlining)]
297 private Queue<Transition> GetCurrentTransitions() => _currentTransactionTransitions ??
298     ↪ _transitions;
299
300 private void CommitTransition(Transition transition)
301 {
302     if (_currentTransaction != null)
303     {
304         Transaction.EnsureTransactionAllowsWriteOperations(_currentTransaction);
305     }
306     var transitions = GetCurrentTransitions();
307     transitions.Enqueue(transition);
308 }
309
310 private void RevertTransition(Transition transition)
311 {
312     if (transition.After.IsNull()) // Revert Deletion with Creation
313     {
314         Links.Create();
315     }
316     else if (transition.Before.IsNull()) // Revert Creation with Deletion
317     {
318         Links.Delete(transition.After.Index);
319     }
320     else // Revert Update
321     {
322         Links.Update(new[] { transition.After.Index, transition.Before.Source,
323             ↪ transition.Before.Target });
324     }
325 }
326
327 private void ResetCurrentTransation()
328 {
329     _currentTransactionId = 0;
330     _currentTransactionTransitions = null;
331     _currentTransaction = null;
332 }
333
334 private void PushTransitions()
335 {
336     if (_log == null || _transitions == null)
337     {
338         return;
339     }
340     for (var i = 0; i < _transitions.Count; i++)
341     {
342         var transition = _transitions.Dequeue();
343
344         _log.Write(transition);
345         _lastCommittedTransition = transition;
346     }
347 }
348
349 private void TransitionsPusher()
350 {
351     while (!IsDisposed && _transitionsPusher != null)
352     {

```

```

349         Thread.Sleep(DefaultPushDelay);
350         PushTransitions();
351     }
352 }
353
354 public Transaction BeginTransaction() => new Transaction(this);
355
356 private void DisposeTransitions()
357 {
358     try
359     {
360         var pusher = _transitionsPusher;
361         if (pusher != null)
362         {
363             _transitionsPusher = null;
364             pusher.Wait();
365         }
366         if (_transitions != null)
367         {
368             PushTransitions();
369         }
370         _log.DisposeIfPossible();
371         FileHelpers.WriteFirst(_logAddress, _lastCommittedTransition);
372     }
373     catch
374     {
375     }
376 }
377
378 #region DisposalBase
379
380 protected override void Dispose(bool manual, bool wasDisposed)
381 {
382     if (!wasDisposed)
383     {
384         DisposeTransitions();
385     }
386     base.Dispose(manual, wasDisposed);
387 }
388
389 #endregion
390 }
391 }

```

./Platform.Data.Doublets/Unicode/CharToUnicodeSymbolConverter.cs

```

1 using Platform.Interfaces;
2 using Platform.Numbers;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Unicode
7 {
8     public class CharToUnicodeSymbolConverter<TLink> : LinksOperatorBase<TLink>,
9     ↪ IConverter<char, TLink>
10     {
11         private readonly IConverter<TLink> _addressToNumberConverter;
12         private readonly TLink _unicodeSymbolMarker;
13
14         public CharToUnicodeSymbolConverter(ILinks<TLink> links, IConverter<TLink>
15         ↪ addressToNumberConverter, TLink unicodeSymbolMarker) : base(links)
16         {
17             _addressToNumberConverter = addressToNumberConverter;
18             _unicodeSymbolMarker = unicodeSymbolMarker;
19         }
20
21         public TLink Convert(char source)
22         {
23             var unaryNumber = _addressToNumberConverter.Convert((Integer<TLink>)source);
24             return Links.GetOrCreate(unaryNumber, _unicodeSymbolMarker);
25         }
26     }
27 }

```

./Platform.Data.Doublets/Unicode/StringToUnicodeSequenceConverter.cs

```

1 using Platform.Data.Doublets.Sequences.Indexes;
2 using Platform.Interfaces;
3 using System.Collections.Generic;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6

```

```

7 namespace Platform.Data.Doublets.Unicode
8 {
9     public class StringToUnicodeSequenceConverter<TLink> : LinksOperatorBase<TLink>,
        ↳ IConverter<string, TLink>
10     {
11         private readonly IConverter<char, TLink> _charToUnicodeSymbolConverter;
12         private readonly ISequenceIndex<TLink> _index;
13         private readonly IConverter<IList<TLink>, TLink> _listToSequenceLinkConverter;
14         private readonly TLink _unicodeSequenceMarker;
15
16         public StringToUnicodeSequenceConverter(ILinks<TLink> links, IConverter<char, TLink>
        ↳ charToUnicodeSymbolConverter, ISequenceIndex<TLink> index, IConverter<IList<TLink>,
        ↳ TLink> listToSequenceLinkConverter, TLink unicodeSequenceMarker) : base(links)
17         {
18             _charToUnicodeSymbolConverter = charToUnicodeSymbolConverter;
19             _index = index;
20             _listToSequenceLinkConverter = listToSequenceLinkConverter;
21             _unicodeSequenceMarker = unicodeSequenceMarker;
22         }
23
24         public TLink Convert(string source)
25         {
26             var elements = new List<TLink>();
27             for (int i = 0; i < source.Length; i++)
28             {
29                 elements.Add(_charToUnicodeSymbolConverter.Convert(source[i]));
30             }
31             _index.Add(elements);
32             var sequence = _listToSequenceLinkConverter.Convert(elements);
33             return Links.GetOrCreate(sequence, _unicodeSequenceMarker);
34         }
35     }
36 }

```

./Platform.Data.Doublets/Unicode/UnicodeMap.cs

```

1 using System;
2 using System.Collections.Generic;
3 using System.Globalization;
4 using System.Runtime.CompilerServices;
5 using System.Text;
6 using Platform.Data.Sequences;
7
8 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10 namespace Platform.Data.Doublets.Unicode
11 {
12     public class UnicodeMap
13     {
14         public static readonly ulong FirstCharLink = 1;
15         public static readonly ulong LastCharLink = FirstCharLink + char.MaxValue;
16         public static readonly ulong MapSize = 1 + char.MaxValue;
17
18         private readonly ILinks<ulong> _links;
19         private bool _initialized;
20
21         public UnicodeMap(ILinks<ulong> links) => _links = links;
22
23         public static UnicodeMap InitNew(ILinks<ulong> links)
24         {
25             var map = new UnicodeMap(links);
26             map.Init();
27             return map;
28         }
29
30         public void Init()
31         {
32             if (_initialized)
33             {
34                 return;
35             }
36             _initialized = true;
37             var firstLink = _links.CreatePoint();
38             if (firstLink != FirstCharLink)
39             {
40                 _links.Delete(firstLink);
41             }
42             else
43             {
44                 for (var i = FirstCharLink + 1; i <= LastCharLink; i++)
45                 {

```

```

46         // From NIL to It (NIL -> Character) transformation meaning, (or infinite
47         ↪ amount of NIL characters before actual Character)
48     var createdLink = _links.CreatePoint();
49     _links.Update(createdLink, firstLink, createdLink);
50     if (createdLink != i)
51     {
52         throw new InvalidOperationException("Unable to initialize UTF 16
53         ↪ table.");
54     }
55 }
56
57 // 0 - null link
58 // 1 - nil character (0 character)
59 // ...
60 // 65536 (0(1) + 65535 = 65536 possible values)
61
62 [MethodImpl(MethodImplOptions.AggressiveInlining)]
63 public static ulong FromCharToLink(char character) => (ulong)character + 1;
64
65 [MethodImpl(MethodImplOptions.AggressiveInlining)]
66 public static char FromLinkToChar(ulong link) => (char)(link - 1);
67
68 [MethodImpl(MethodImplOptions.AggressiveInlining)]
69 public static bool IsCharLink(ulong link) => link <= MapSize;
70
71 public static string FromLinksToString(IList<ulong> linksList)
72 {
73     var sb = new StringBuilder();
74     for (int i = 0; i < linksList.Count; i++)
75     {
76         sb.Append(FromLinkToChar(linksList[i]));
77     }
78     return sb.ToString();
79 }
80
81 public static string FromSequenceLinkToString(ulong link, ILinks<ulong> links)
82 {
83     var sb = new StringBuilder();
84     if (links.Exists(link))
85     {
86         StopableSequenceWalker.WalkRight(link, links.GetSource, links.GetTarget,
87         ↪ x => x <= MapSize || links.GetSource(x) == x || links.GetTarget(x) == x,
88         ↪ element =>
89         {
90             sb.Append(FromLinkToChar(element));
91             return true;
92         });
93     }
94     return sb.ToString();
95 }
96
97 public static ulong[] FromCharsToLinkArray(char[] chars) => FromCharsToLinkArray(chars,
98 ↪ chars.Length);
99
100 public static ulong[] FromCharsToLinkArray(char[] chars, int count)
101 {
102     // char array to ulong array
103     var linksSequence = new ulong[count];
104     for (var i = 0; i < count; i++)
105     {
106         linksSequence[i] = FromCharToLink(chars[i]);
107     }
108     return linksSequence;
109 }
110
111 public static ulong[] FromStringToLinkArray(string sequence)
112 {
113     // char array to ulong array
114     var linksSequence = new ulong[sequence.Length];
115     for (var i = 0; i < sequence.Length; i++)
116     {
117         linksSequence[i] = FromCharToLink(sequence[i]);
118     }
119     return linksSequence;
120 }

```

```

120 public static List<ulong[]> FromStringToLinkArrayGroups(string sequence)
121 {
122     var result = new List<ulong[]>();
123     var offset = 0;
124     while (offset < sequence.Length)
125     {
126         var currentCategory = CharUnicodeInfo.GetUnicodeCategory(sequence[offset]);
127         var relativeLength = 1;
128         var absoluteLength = offset + relativeLength;
129         while (absoluteLength < sequence.Length &&
130             currentCategory ==
131                 CharUnicodeInfo.GetUnicodeCategory(sequence[absoluteLength]))
132         {
133             relativeLength++;
134             absoluteLength++;
135         }
136         // char array to ulong array
137         var innerSequence = new ulong[relativeLength];
138         var maxLength = offset + relativeLength;
139         for (var i = offset; i < maxLength; i++)
140         {
141             innerSequence[i - offset] = FromCharToLink(sequence[i]);
142         }
143         result.Add(innerSequence);
144         offset += relativeLength;
145     }
146     return result;
147 }
148
149 public static List<ulong[]> FromLinkArrayToLinkArrayGroups(ulong[] array)
150 {
151     var result = new List<ulong[]>();
152     var offset = 0;
153     while (offset < array.Length)
154     {
155         var relativeLength = 1;
156         if (array[offset] <= LastCharLink)
157         {
158             var currentCategory =
159                 CharUnicodeInfo.GetUnicodeCategory(FromLinkToChar(array[offset]));
160             var absoluteLength = offset + relativeLength;
161             while (absoluteLength < array.Length &&
162                 array[absoluteLength] <= LastCharLink &&
163                 currentCategory == CharUnicodeInfo.GetUnicodeCategory(FromLinkToChar(
164                     array[absoluteLength])))
165             {
166                 relativeLength++;
167                 absoluteLength++;
168             }
169         }
170         else
171         {
172             var absoluteLength = offset + relativeLength;
173             while (absoluteLength < array.Length && array[absoluteLength] > LastCharLink)
174             {
175                 relativeLength++;
176                 absoluteLength++;
177             }
178         }
179         // copy array
180         var innerSequence = new ulong[relativeLength];
181         var maxLength = offset + relativeLength;
182         for (var i = offset; i < maxLength; i++)
183         {
184             innerSequence[i - offset] = array[i];
185         }
186         result.Add(innerSequence);
187         offset += relativeLength;
188     }
189     return result;
190 }
191 }

```

./Platform.Data.Doublets/Unicode/UnicodeSequenceCriterionMatcher.cs

```

1 using Platform.Interfaces;
2 using System.Collections.Generic;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5

```

```

6 namespace Platform.Data.Doublets.Unicode
7 {
8     public class UnicodeSequenceCriterionMatcher<TLink> : LinksOperatorBase<TLink>,
9         ↳ ICriterionMatcher<TLink>
10    {
11        private static readonly EqualityComparer<TLink> _equalityComparer =
12            ↳ EqualityComparer<TLink>.Default;
13        private readonly TLink _unicodeSequenceMarker;
14        public UnicodeSequenceCriterionMatcher(ILinks<TLink> links, TLink unicodeSequenceMarker)
15            ↳ : base(links) => _unicodeSequenceMarker = unicodeSequenceMarker;
16        public bool IsMatched(TLink link) => _equalityComparer.Equals(Links.GetTarget(link),
17            ↳ _unicodeSequenceMarker);
18    }
19 }

```

./Platform.Data.Doublets/Unicode/UnicodeSequenceToStringConverter.cs

```

1 using System;
2 using System.Linq;
3 using Platform.Data.Doublets.Sequences.Walkers;
4 using Platform.Interfaces;
5
6 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8 namespace Platform.Data.Doublets.Unicode
9 {
10    public class UnicodeSequenceToStringConverter<TLink> : LinksOperatorBase<TLink>,
11        ↳ IConverter<TLink, string>
12    {
13        private readonly ICriterionMatcher<TLink> _unicodeSequenceCriterionMatcher;
14        private readonly ISequenceWalker<TLink> _sequenceWalker;
15        private readonly IConverter<TLink, char> _unicodeSymbolToCharConverter;
16
17        public UnicodeSequenceToStringConverter(ILinks<TLink> links, ICriterionMatcher<TLink>
18            ↳ unicodeSequenceCriterionMatcher, ISequenceWalker<TLink> sequenceWalker,
19            ↳ IConverter<TLink, char> unicodeSymbolToCharConverter) : base(links)
20        {
21            _unicodeSequenceCriterionMatcher = unicodeSequenceCriterionMatcher;
22            _sequenceWalker = sequenceWalker;
23            _unicodeSymbolToCharConverter = unicodeSymbolToCharConverter;
24        }
25
26        public string Convert(TLink source)
27        {
28            if(!_unicodeSequenceCriterionMatcher.IsMatched(source))
29            {
30                throw new ArgumentOutOfRangeException(nameof(source), source, "Specified link is
31                    ↳ not a unicode sequence.");
32            }
33            var sequence = Links.GetSource(source);
34            var charArray = _sequenceWalker.Walk(sequence).Select(_unicodeSymbolToCharConverter.
35                ↳ Convert).ToArray();
36            return new string(charArray);
37        }
38    }
39 }

```

./Platform.Data.Doublets/Unicode/UnicodeSymbolCriterionMatcher.cs

```

1 using Platform.Interfaces;
2 using System.Collections.Generic;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Unicode
7 {
8     public class UnicodeSymbolCriterionMatcher<TLink> : LinksOperatorBase<TLink>,
9         ↳ ICriterionMatcher<TLink>
10    {
11        private static readonly EqualityComparer<TLink> _equalityComparer =
12            ↳ EqualityComparer<TLink>.Default;
13        private readonly TLink _unicodeSymbolMarker;
14        public UnicodeSymbolCriterionMatcher(ILinks<TLink> links, TLink unicodeSymbolMarker) :
15            ↳ base(links) => _unicodeSymbolMarker = unicodeSymbolMarker;
16        public bool IsMatched(TLink link) => _equalityComparer.Equals(Links.GetTarget(link),
17            ↳ _unicodeSymbolMarker);
18    }
19 }

```

./Platform.Data.Doublets/Unicode/UnicodeSymbolToCharConverter.cs

```
1 using System;
2 using Platform.Interfaces;
3 using Platform.Numbers;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Unicode
8 {
9     public class UnicodeSymbolToCharConverter<TLink> : LinksOperatorBase<TLink>,
10     ↪ IConverter<TLink, char>
11     {
12         private readonly IConverter<TLink> _numberToAddressConverter;
13         private readonly ICriterionMatcher<TLink> _unicodeSymbolCriterionMatcher;
14
15         public UnicodeSymbolToCharConverter(ILinks<TLink> links, IConverter<TLink>
16         ↪ numberToAddressConverter, ICriterionMatcher<TLink> unicodeSymbolCriterionMatcher) :
17         ↪ base(links)
18         {
19             _numberToAddressConverter = numberToAddressConverter;
20             _unicodeSymbolCriterionMatcher = unicodeSymbolCriterionMatcher;
21
22         public char Convert(TLink source)
23         {
24             if (!_unicodeSymbolCriterionMatcher.IsMatched(source))
25             {
26                 throw new ArgumentOutOfRangeException(nameof(source), source, "Specified link is
27                 ↪ not a unicode symbol.");
28             }
29             return (char)(ushort)(Integer<TLink>)_numberToAddressConverter.Convert(Links.GetSour
30             ↪ ce(source));
31         }
32     }
33 }
```

./Platform.Data.Doublets.Tests/ComparisonTests.cs

```
1 using System;
2 using System.Collections.Generic;
3 using Xunit;
4 using Platform.Diagnostics;
5
6 namespace Platform.Data.Doublets.Tests
7 {
8     public static class ComparisonTests
9     {
10         protected class UInt64Comparer : IComparer<ulong>
11         {
12             public int Compare(ulong x, ulong y) => x.CompareTo(y);
13         }
14
15         private static int Compare(ulong x, ulong y) => x.CompareTo(y);
16
17         [Fact]
18         public static void GreaterOrEqualPerfomanceTest()
19         {
20             const int N = 1000000;
21
22             ulong x = 10;
23             ulong y = 500;
24
25             bool result = false;
26
27             var ts1 = Performance.Measure(() =>
28             {
29                 for (int i = 0; i < N; i++)
30                 {
31                     result = Compare(x, y) >= 0;
32                 }
33             });
34
35             var comparer1 = Comparer<ulong>.Default;
36
37             var ts2 = Performance.Measure(() =>
38             {
39                 for (int i = 0; i < N; i++)
40                 {
41                     result = comparer1.Compare(x, y) >= 0;
42                 }
43             });
44         }
45     }
46 }
```

```

44
45     Func<ulong, ulong, int> compareReference = comparer1.Compare;
46
47     var ts3 = Performance.Measure(() =>
48     {
49         for (int i = 0; i < N; i++)
50         {
51             result = compareReference(x, y) >= 0;
52         }
53     });
54
55     var comparer2 = new UInt64Comparer();
56
57     var ts4 = Performance.Measure(() =>
58     {
59         for (int i = 0; i < N; i++)
60         {
61             result = comparer2.Compare(x, y) >= 0;
62         }
63     });
64
65     Console.WriteLine($"{ts1} {ts2} {ts3} {ts4} {result}");
66 }
67 }
68 }

```

./Platform.Data.Doublets.Tests/EqualityTests.cs

```

1  using System;
2  using System.Collections.Generic;
3  using Xunit;
4  using Platform.Diagnostics;
5
6  namespace Platform.Data.Doublets.Tests
7  {
8      public static class EqualityTests
9      {
10         protected class UInt64EqualityComparer : IEqualityComparer<ulong>
11         {
12             public bool Equals(ulong x, ulong y) => x == y;
13
14             public int GetHashCode(ulong obj) => obj.GetHashCode();
15         }
16
17         private static bool Equals1<T>(T x, T y) => Equals(x, y);
18
19         private static bool Equals2<T>(T x, T y) => x.Equals(y);
20
21         private static bool Equals3(ulong x, ulong y) => x == y;
22
23         [Fact]
24         public static void EqualsPerfomanceTest()
25         {
26             const int N = 1000000;
27
28             ulong x = 10;
29             ulong y = 500;
30
31             bool result = false;
32
33             var ts1 = Performance.Measure(() =>
34             {
35                 for (int i = 0; i < N; i++)
36                 {
37                     result = Equals1(x, y);
38                 }
39             });
40
41             var ts2 = Performance.Measure(() =>
42             {
43                 for (int i = 0; i < N; i++)
44                 {
45                     result = Equals2(x, y);
46                 }
47             });
48
49             var ts3 = Performance.Measure(() =>
50             {
51                 for (int i = 0; i < N; i++)
52                 {
53                     result = Equals3(x, y);

```



```

54     }
55 });
56
57 var equalityComparer1 = EqualityComparer<ulong>.Default;
58
59 var ts4 = Performance.Measure(() =>
60 {
61     for (int i = 0; i < N; i++)
62     {
63         result = equalityComparer1.Equals(x, y);
64     }
65 });
66
67 var equalityComparer2 = new UInt64EqualityComparer();
68
69 var ts5 = Performance.Measure(() =>
70 {
71     for (int i = 0; i < N; i++)
72     {
73         result = equalityComparer2.Equals(x, y);
74     }
75 });
76
77 Func<ulong, ulong, bool> equalityComparer3 = equalityComparer2.Equals;
78
79 var ts6 = Performance.Measure(() =>
80 {
81     for (int i = 0; i < N; i++)
82     {
83         result = equalityComparer3(x, y);
84     }
85 });
86
87 var comparer = Comparer<ulong>.Default;
88
89 var ts7 = Performance.Measure(() =>
90 {
91     for (int i = 0; i < N; i++)
92     {
93         result = comparer.Compare(x, y) == 0;
94     }
95 });
96
97 Assert.True(ts2 < ts1);
98 Assert.True(ts3 < ts2);
99 Assert.True(ts5 < ts4);
100 Assert.True(ts5 < ts6);
101
102 Console.WriteLine($"{ts1} {ts2} {ts3} {ts4} {ts5} {ts6} {ts7} {result}");
103 }
104 }
105 }

```

./Platform.Data.Doublets.Tests/GenericLinksTests.cs

```

1 using System;
2 using Xunit;
3 using Platform.Reflection;
4 using Platform.Memory;
5 using Platform.Scopes;
6 using Platform.Data.Doublets.ResizableDirectMemory;
7
8 namespace Platform.Data.Doublets.Tests
9 {
10     public unsafe static class GenericLinksTests
11     {
12         [Fact]
13         public static void CRUDTest()
14         {
15             Using<byte>(links => links.TestCRUDOperations());
16             Using<ushort>(links => links.TestCRUDOperations());
17             Using<uint>(links => links.TestCRUDOperations());
18             Using<ulong>(links => links.TestCRUDOperations());
19         }
20
21         [Fact]
22         public static void RawNumbersCRUDTest()
23         {
24             Using<byte>(links => links.TestRawNumbersCRUDOperations());
25             Using<ushort>(links => links.TestRawNumbersCRUDOperations());
26             Using<uint>(links => links.TestRawNumbersCRUDOperations());

```

```

27         Using<ulong>(links => links.TestRawNumbersCRUDOperations());
28     }
29
30     [Fact]
31     public static void MultipleRandomCreationsAndDeletionsTest()
32     {
33         //if (!RuntimeInformation.IsOSPlatform(OSPlatform.Linux))
34         //{
35             //    Using<byte>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution(
36                 ↪ ).TestMultipleRandomCreationsAndDeletions(16)); // Cannot use more because
37                 ↪ current implementation of tree cuts out 5 bits from the address space.
38             //    Using<ushort>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolutio
39                 ↪ n().TestMultipleRandomCreationsAndDeletions(100));
40             //    Using<uint>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution(
41                 ↪ ).TestMultipleRandomCreationsAndDeletions(100));
42             //}
43         Using<ulong>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Tes
44             ↪ tMultipleRandomCreationsAndDeletions(100));
45     }
46
47     private static void Using<TLink>(Action<ILinks<TLink>> action)
48     {
49         //using (var scope = new Scope<Types<HeapResizableDirectMemory,
50             ↪ ResizableDirectMemoryLinks<TLink>>>())
51         //{
52             //    action(scope.Use<ILinks<TLink>>());
53             //}
54         using (var memory = new HeapResizableDirectMemory())
55         {
56             Unsafe.MemoryBlock.Zero((void*)memory.Pointer, memory.ReservedCapacity); // Bug
57             ↪ workaround
58             using (var links = new ResizableDirectMemoryLinks<TLink>(memory))
59             {
60                 action(links);
61             }
62         }
63     }
64 }
65
66 }
67
68 }

```

./Platform.Data.Doublets.Tests/OptimalVariantSequenceTests.cs

```

1  using System;
2  using System.Linq;
3  using System.Collections.Generic;
4  using Xunit;
5  using Platform.Data.Doublets.Sequences;
6  using Platform.Data.Doublets.Sequences.Frequencies.Cache;
7  using Platform.Data.Doublets.Sequences.Frequencies.Counters;
8  using Platform.Data.Doublets.Sequences.Converters;
9  using Platform.Data.Doublets.PropertyOperators;
10 using Platform.Data.Doublets.Incrementers;
11 using Platform.Data.Doublets.Sequences.Walkers;
12 using Platform.Data.Doublets.Sequences.Indexes;
13 using Platform.Data.Doublets.Unicode;
14 using Platform.Data.Doublets.Numbers.Unary;
15
16 namespace Platform.Data.Doublets.Tests
17 {
18     public static class OptimalVariantSequenceTests
19     {
20         private const string SequenceExample = "зеленела зелёная зелень";
21
22         [Fact]
23         public static void LinksBasedFrequencyStoredOptimalVariantSequenceTest()
24         {
25             using (var scope = new TempLinksTestScope(useSequences: false))
26             {
27                 var links = scope.Links;
28                 var constants = links.Constants;
29
30                 links.UseUnicode();
31
32                 var sequence = UnicodeMap.FromStringToLinkArray(SequenceExample);
33
34                 var meaningRoot = links.CreatePoint();
35                 var unaryOne = links.CreateAndUpdate(meaningRoot, constants.Itself);
36                 var frequencyMarker = links.CreateAndUpdate(meaningRoot, constants.Itself);
37                 var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot,
38                     ↪ constants.Itself);
39             }
40         }
41     }
42 }

```

```

39     var unaryNumberToAddressConverter = new
    ↪     UnaryNumberToAddressAddOperationConverter<ulong>(links, unaryOne);
40     var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links, unaryOne);
41     var frequencyIncrementer = new FrequencyIncrementer<ulong>(links,
    ↪     frequencyMarker, unaryOne, unaryNumberIncrementer);
42     var frequencyPropertyOperator = new PropertyOperator<ulong>(links,
    ↪     frequencyPropertyMarker, frequencyMarker);
43     var index = new FrequencyIncrementingSequenceIndex<ulong>(links,
    ↪     frequencyPropertyOperator, frequencyIncrementer);
44     var linkToItsFrequencyNumberConverter = new
    ↪     LinkToItsFrequencyNumberConverter<ulong>(links, frequencyPropertyOperator,
    ↪     unaryNumberToAddressConverter);
45     var sequenceToItsLocalElementLevelsConverter = new
    ↪     SequenceToItsLocalElementLevelsConverter<ulong>(links,
    ↪     linkToItsFrequencyNumberConverter);
46     var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
    ↪     sequenceToItsLocalElementLevelsConverter);

47
48     var sequences = new Sequences.Sequences(links, new SequencesOptions<ulong>() {
    ↪     Walker = new LeveledSequenceWalker<ulong>(links) });
49
50     ExecuteTest(sequences, sequence, sequenceToItsLocalElementLevelsConverter,
    ↪     index, optimalVariantConverter);
51 }
52 }
53
54 [Fact]
55 public static void DictionaryBasedFrequencyStoredOptimalVariantSequenceTest()
56 {
57     using (var scope = new TempLinksTestScope(useSequences: false))
58     {
59         var links = scope.Links;
60
61         links.UseUnicode();
62
63         var sequence = UnicodeMap.FromStringToLinkArray(SequenceExample);
64
65         var linksToFrequencies = new Dictionary<ulong, ulong>();
66
67         var totalSequenceSymbolFrequencyCounter = new
    ↪     TotalSequenceSymbolFrequencyCounter<ulong>(links);
68
69         var linkFrequenciesCache = new LinkFrequenciesCache<ulong>(links,
    ↪     totalSequenceSymbolFrequencyCounter);
70
71         var index = new
    ↪     CachedFrequencyIncrementingSequenceIndex<ulong>(linkFrequenciesCache);
72         var linkToItsFrequencyNumberConverter = new FrequenciesCacheBasedLinkToItsFrequencyNumberConverter<ulong>(linkFrequenciesCache);
73
74         var sequenceToItsLocalElementLevelsConverter = new
    ↪     SequenceToItsLocalElementLevelsConverter<ulong>(links,
    ↪     linkToItsFrequencyNumberConverter);
75         var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
    ↪     sequenceToItsLocalElementLevelsConverter);
76
77         var sequences = new Sequences.Sequences(links, new SequencesOptions<ulong>() {
    ↪     Walker = new LeveledSequenceWalker<ulong>(links) });
78
79         ExecuteTest(sequences, sequence, sequenceToItsLocalElementLevelsConverter,
    ↪     index, optimalVariantConverter);
80     }
81 }
82
83 private static void ExecuteTest(Sequences.Sequences sequences, ulong[] sequence,
    ↪     SequenceToItsLocalElementLevelsConverter<ulong>
    ↪     sequenceToItsLocalElementLevelsConverter, ISequenceIndex<ulong> index,
    ↪     OptimalVariantConverter<ulong> optimalVariantConverter)
84 {
85     index.Add(sequence);
86
87     var optimalVariant = optimalVariantConverter.Convert(sequence);
88
89     var readSequence1 = sequences.ToList(optimalVariant);
90
91     Assert.True(sequence.SequenceEqual(readSequence1));
92 }
93 }

```

```
94 }
```

```
./Platform.Data.Doublets.Tests/ReadSequenceTests.cs
```

```
1 using System;
2 using System.Collections.Generic;
3 using System.Diagnostics;
4 using System.Linq;
5 using Xunit;
6 using Platform.Data.Sequences;
7 using Platform.Data.Doublets.Sequences.Converters;
8 using Platform.Data.Doublets.Sequences.Walkers;
9 using Platform.Data.Doublets.Sequences;
10
11 namespace Platform.Data.Doublets.Tests
12 {
13     public static class ReadSequenceTests
14     {
15         [Fact]
16         public static void ReadSequenceTest()
17         {
18             const long sequenceLength = 2000;
19
20             using (var scope = new TempLinksTestScope(useSequences: false))
21             {
22                 var links = scope.Links;
23                 var sequences = new Sequences.Sequences(links, new SequencesOptions() {
24                     ↪ Walker = new LeveledSequenceWalker(links) });
25
26                 var sequence = new ulong[sequenceLength];
27                 for (var i = 0; i < sequenceLength; i++)
28                 {
29                     sequence[i] = links.Create();
30                 }
31
32                 var balancedVariantConverter = new BalancedVariantConverter(links);
33
34                 var sw1 = Stopwatch.StartNew();
35                 var balancedVariant = balancedVariantConverter.Convert(sequence); sw1.Stop();
36
37                 var sw2 = Stopwatch.StartNew();
38                 var readSequence1 = sequences.ToList(balancedVariant); sw2.Stop();
39
40                 var sw3 = Stopwatch.StartNew();
41                 var readSequence2 = new List();
42                 SequenceWalker.WalkRight(balancedVariant,
43                                         links.GetSource,
44                                         links.GetTarget,
45                                         links.IsPartialPoint,
46                                         readSequence2.Add);
47                 sw3.Stop();
48
49                 Assert.True(sequence.SequenceEqual(readSequence1));
50                 Assert.True(sequence.SequenceEqual(readSequence2));
51
52                 // Assert.True(sw2.Elapsed < sw3.Elapsed);
53
54                 Console.WriteLine($"Stack-based walker: {sw3.Elapsed}, Level-based reader:
55                     ↪ {sw2.Elapsed}");
56
57                 for (var i = 0; i < sequenceLength; i++)
58                 {
59                     links.Delete(sequence[i]);
60                 }
61             }
62         }
63     }
64 }
```

```
./Platform.Data.Doublets.Tests/ResizableDirectMemoryLinksTests.cs
```

```
1 using System.IO;
2 using Xunit;
3 using Platform.Singletons;
4 using Platform.Memory;
5 using Platform.Data.Doublets.ResizableDirectMemory;
6
7 namespace Platform.Data.Doublets.Tests
8 {
9     public static class ResizableDirectMemoryLinksTests
10     {
11     }
```

```

11     private static readonly LinksConstants<ulong> _constants =
12         ↳ Default<LinksConstants<ulong>>.Instance;
13
14     [Fact]
15     public static void BasicFileMappedMemoryTest()
16     {
17         var tempFilename = Path.GetTempFileName();
18         using (var memoryAdapter = new UInt64ResizableDirectMemoryLinks(tempFilename))
19         {
20             memoryAdapter.TestBasicMemoryOperations();
21         }
22         File.Delete(tempFilename);
23     }
24
25     [Fact]
26     public static void BasicHeapMemoryTest()
27     {
28         using (var memory = new
29             ↳ HeapResizableDirectMemory(UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
30         using (var memoryAdapter = new UInt64ResizableDirectMemoryLinks(memory,
31             ↳ UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
32         {
33             memoryAdapter.TestBasicMemoryOperations();
34         }
35     }
36
37     private static void TestBasicMemoryOperations(this ILinks<ulong> memoryAdapter)
38     {
39         var link = memoryAdapter.Create();
40         memoryAdapter.Delete(link);
41     }
42
43     [Fact]
44     public static void NonexistentReferencesHeapMemoryTest()
45     {
46         using (var memory = new
47             ↳ HeapResizableDirectMemory(UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
48         using (var memoryAdapter = new UInt64ResizableDirectMemoryLinks(memory,
49             ↳ UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
50         {
51             memoryAdapter.TestNonexistentReferences();
52         }
53     }
54
55     private static void TestNonexistentReferences(this ILinks<ulong> memoryAdapter)
56     {
57         var link = memoryAdapter.Create();
58         memoryAdapter.Update(link, ulong.MaxValue, ulong.MaxValue);
59         var resultLink = _constants.Null;
60         memoryAdapter.Each(foundLink =>
61         {
62             resultLink = foundLink[_constants.IndexPart];
63             return _constants.Break;
64         }, _constants.Any, ulong.MaxValue, ulong.MaxValue);
65         Assert.True(resultLink == link);
66         Assert.True(memoryAdapter.Count(ulong.MaxValue) == 0);
67         memoryAdapter.Delete(link);
68     }
69 }

```

./Platform.Data.Doublets.Tests/ScopeTests.cs

```

1  using Xunit;
2  using Platform.Scopes;
3  using Platform.Memory;
4  using Platform.Data.Doublets.ResizableDirectMemory;
5  using Platform.Data.Doublets.Decorators;
6  using Platform.Reflection;
7
8  namespace Platform.Data.Doublets.Tests
9  {
10     public static class ScopeTests
11     {
12         [Fact]
13         public static void SingleDependencyTest()
14         {
15             using (var scope = new Scope())
16             {
17                 scope.IncludeAssemblyOf<IMemory>();

```

```

18         var instance = scope.Use<IDirectMemory>();
19         Assert.IsType<HeapResizableDirectMemory>(instance);
20     }
21 }
22
23 [Fact]
24 public static void CascadeDependencyTest()
25 {
26     using (var scope = new Scope())
27     {
28         scope.Include<TemporaryFileMappedResizableDirectMemory>();
29         scope.Include<UInt64ResizableDirectMemoryLinks>();
30         var instance = scope.Use<ILinks<ulong>>();
31         Assert.IsType<UInt64ResizableDirectMemoryLinks>(instance);
32     }
33 }
34
35 [Fact]
36 public static void FullAutoResolutionTest()
37 {
38     using (var scope = new Scope(autoInclude: true, autoExplore: true))
39     {
40         var instance = scope.Use<UInt64Links>();
41         Assert.IsType<UInt64Links>(instance);
42     }
43 }
44
45 [Fact]
46 public static void TypeParametersTest()
47 {
48     using (var scope = new Scope<Types<HeapResizableDirectMemory,
49 ↪ ResizableDirectMemoryLinks<ulong>>>())
50     {
51         var links = scope.Use<ILinks<ulong>>();
52         Assert.IsType<ResizableDirectMemoryLinks<ulong>>(links);
53     }
54 }
55 }

```

## ./Platform.Data.Doublets.Tests/SequencesTests.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Diagnostics;
4  using System.Linq;
5  using Xunit;
6  using Platform.Collections;
7  using Platform.Random;
8  using Platform.IO;
9  using Platform.Singletons;
10 using Platform.Data.Doublets.Sequences;
11 using Platform.Data.Doublets.Sequences.Frequencies.Cache;
12 using Platform.Data.Doublets.Sequences.Frequencies.Counters;
13 using Platform.Data.Doublets.Sequences.Converters;
14 using Platform.Data.Doublets.Unicode;
15
16 namespace Platform.Data.Doublets.Tests
17 {
18     public static class SequencesTests
19     {
20         private static readonly LinksConstants<ulong> _constants =
21             ↪ Default<LinksConstants<ulong>>.Instance;
22
23         static SequencesTests()
24         {
25             // Trigger static constructor to not mess with performance measurements
26             _ = BitString.GetBitMaskFromIndex(1);
27         }
28
29         [Fact]
30         public static void CreateAllVariantsTest()
31         {
32             const long sequenceLength = 8;
33
34             using (var scope = new TempLinksTestScope(useSequences: true))
35             {
36                 var links = scope.Links;
37                 var sequences = scope.Sequences;
38
39                 var sequence = new ulong[sequenceLength];

```

```

39     for (var i = 0; i < sequenceLength; i++)
40     {
41         sequence[i] = links.Create();
42     }
43
44     var sw1 = Stopwatch.StartNew();
45     var results1 = sequences.CreateAllVariants1(sequence); sw1.Stop();
46
47     var sw2 = Stopwatch.StartNew();
48     var results2 = sequences.CreateAllVariants2(sequence); sw2.Stop();
49
50     Assert.True(results1.Count > results2.Length);
51     Assert.True(sw1.Elapsed > sw2.Elapsed);
52
53     for (var i = 0; i < sequenceLength; i++)
54     {
55         links.Delete(sequence[i]);
56     }
57
58     Assert.True(links.Count() == 0);
59 }
60
61
62 // [Fact]
63 // public void CUDTest()
64 // {
65 //     var tempFilename = Path.GetTempFileName();
66 //
67 //     const long sequenceLength = 8;
68 //
69 //     const ulong itself = LinksConstants.Itself;
70 //
71 //     using (var memoryAdapter = new ResizableDirectMemoryLinks(tempFilename,
72 // ↪ DefaultLinksSizeStep))
73 //     using (var links = new Links(memoryAdapter))
74 //     {
75 //         var sequence = new ulong[sequenceLength];
76 //         for (var i = 0; i < sequenceLength; i++)
77 //             sequence[i] = links.Create(itself, itself);
78 //
79 //         SequencesOptions o = new SequencesOptions();
80 //         // TODO: Из числа в bool значения o.UseSequenceMarker = ((value & 1) != 0)
81 //         o.
82 //
83 //         var sequences = new Sequences(links);
84 //
85 //         var sw1 = Stopwatch.StartNew();
86 //         var results1 = sequences.CreateAllVariants1(sequence); sw1.Stop();
87 //
88 //         var sw2 = Stopwatch.StartNew();
89 //         var results2 = sequences.CreateAllVariants2(sequence); sw2.Stop();
90 //
91 //         Assert.True(results1.Count > results2.Length);
92 //         Assert.True(sw1.Elapsed > sw2.Elapsed);
93 //
94 //         for (var i = 0; i < sequenceLength; i++)
95 //             links.Delete(sequence[i]);
96 //     }
97 //
98 //     File.Delete(tempFilename);
99 // }
100
101 [Fact]
102 public static void AllVariantsSearchTest()
103 {
104     const long sequenceLength = 8;
105
106     using (var scope = new TempLinksTestScope(useSequences: true))
107     {
108         var links = scope.Links;
109         var sequences = scope.Sequences;
110
111         var sequence = new ulong[sequenceLength];
112         for (var i = 0; i < sequenceLength; i++)
113         {
114             sequence[i] = links.Create();
115         }
116
117         var createResults = sequences.CreateAllVariants2(sequence).Distinct().ToArray();

```

```

118
119 //for (int i = 0; i < createResults.Length; i++)
120 //    sequences.Create(createResults[i]);
121
122 var sw0 = Stopwatch.StartNew();
123 var searchResults0 = sequences.GetAllMatchingSequences0(sequence); sw0.Stop();
124
125 var sw1 = Stopwatch.StartNew();
126 var searchResults1 = sequences.GetAllMatchingSequences1(sequence); sw1.Stop();
127
128 var sw2 = Stopwatch.StartNew();
129 var searchResults2 = sequences.Each1(sequence); sw2.Stop();
130
131 var sw3 = Stopwatch.StartNew();
132 var searchResults3 = sequences.Each(sequence.ConvertToRestrictionsValues());
133     ↪ sw3.Stop();
134
135 var intersection0 = createResults.Intersect(searchResults0).ToList();
136 Assert.True(intersection0.Count == searchResults0.Count);
137 Assert.True(intersection0.Count == createResults.Length);
138
139 var intersection1 = createResults.Intersect(searchResults1).ToList();
140 Assert.True(intersection1.Count == searchResults1.Count);
141 Assert.True(intersection1.Count == createResults.Length);
142
143 var intersection2 = createResults.Intersect(searchResults2).ToList();
144 Assert.True(intersection2.Count == searchResults2.Count);
145 Assert.True(intersection2.Count == createResults.Length);
146
147 var intersection3 = createResults.Intersect(searchResults3).ToList();
148 Assert.True(intersection3.Count == searchResults3.Count);
149 Assert.True(intersection3.Count == createResults.Length);
150
151 for (var i = 0; i < sequenceLength; i++)
152 {
153     links.Delete(sequence[i]);
154 }
155 }
156
157 [Fact]
158 public static void BalancedVariantSearchTest()
159 {
160     const long sequenceLength = 200;
161
162     using (var scope = new TempLinksTestScope(useSequences: true))
163     {
164         var links = scope.Links;
165         var sequences = scope.Sequences;
166
167         var sequence = new ulong[sequenceLength];
168         for (var i = 0; i < sequenceLength; i++)
169         {
170             sequence[i] = links.Create();
171         }
172
173         var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
174
175         var sw1 = Stopwatch.StartNew();
176         var balancedVariant = balancedVariantConverter.Convert(sequence); sw1.Stop();
177
178         var sw2 = Stopwatch.StartNew();
179         var searchResults2 = sequences.GetAllMatchingSequences0(sequence); sw2.Stop();
180
181         var sw3 = Stopwatch.StartNew();
182         var searchResults3 = sequences.GetAllMatchingSequences1(sequence); sw3.Stop();
183
184         // На количестве в 200 элементов это будет занимать вечность
185         //var sw4 = Stopwatch.StartNew();
186         //var searchResults4 = sequences.Each(sequence); sw4.Stop();
187
188         Assert.True(searchResults2.Count == 1 && balancedVariant == searchResults2[0]);
189
190         Assert.True(searchResults3.Count == 1 && balancedVariant ==
191             ↪ searchResults3.First());
192
193         //Assert.True(sw1.Elapsed < sw2.Elapsed);
194
195         for (var i = 0; i < sequenceLength; i++)

```



```

195         {
196             links.Delete(sequence[i]);
197         }
198     }
199 }
200
201 [Fact]
202 public static void AllPartialVariantsSearchTest()
203 {
204     const long sequenceLength = 8;
205
206     using (var scope = new TempLinksTestScope(useSequences: true))
207     {
208         var links = scope.Links;
209         var sequences = scope.Sequences;
210
211         var sequence = new ulong[sequenceLength];
212         for (var i = 0; i < sequenceLength; i++)
213         {
214             sequence[i] = links.Create();
215         }
216
217         var createResults = sequences.CreateAllVariants2(sequence);
218
219         //var createResultsStrings = createResults.Select(x => x + ": " +
220         ↪ sequences.FormatSequence(x)).ToList();
221         //Global.Trash = createResultsStrings;
222
223         var partialSequence = new ulong[sequenceLength - 2];
224
225         Array.Copy(sequence, 1, partialSequence, 0, (int)sequenceLength - 2);
226
227         var sw1 = Stopwatch.StartNew();
228         var searchResults1 =
229         ↪ sequences.GetAllPartiallyMatchingSequences0(partialSequence); sw1.Stop();
230
231         var sw2 = Stopwatch.StartNew();
232         var searchResults2 =
233         ↪ sequences.GetAllPartiallyMatchingSequences1(partialSequence); sw2.Stop();
234
235         //var sw3 = Stopwatch.StartNew();
236         //var searchResults3 =
237         ↪ sequences.GetAllPartiallyMatchingSequences2(partialSequence); sw3.Stop();
238
239         var sw4 = Stopwatch.StartNew();
240         var searchResults4 =
241         ↪ sequences.GetAllPartiallyMatchingSequences3(partialSequence); sw4.Stop();
242
243         //Global.Trash = searchResults3;
244
245         //var searchResults1Strings = searchResults1.Select(x => x + ": " +
246         ↪ sequences.FormatSequence(x)).ToList();
247         //Global.Trash = searchResults1Strings;
248
249         var intersection1 = createResults.Intersect(searchResults1).ToList();
250         Assert.True(intersection1.Count == createResults.Length);
251
252         var intersection2 = createResults.Intersect(searchResults2).ToList();
253         Assert.True(intersection2.Count == createResults.Length);
254
255         var intersection4 = createResults.Intersect(searchResults4).ToList();
256         Assert.True(intersection4.Count == createResults.Length);
257
258         for (var i = 0; i < sequenceLength; i++)
259         {
260             links.Delete(sequence[i]);
261         }
262     }
263 }
264
265 [Fact]
266 public static void BalancedPartialVariantsSearchTest()
267 {
268     const long sequenceLength = 200;
269
270     using (var scope = new TempLinksTestScope(useSequences: true))
271     {
272         var links = scope.Links;
273         var sequences = scope.Sequences;

```

```

269     var sequence = new ulong[sequenceLength];
270     for (var i = 0; i < sequenceLength; i++)
271     {
272         sequence[i] = links.Create();
273     }
274
275     var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
276
277     var balancedVariant = balancedVariantConverter.Convert(sequence);
278
279     var partialSequence = new ulong[sequenceLength - 2];
280
281     Array.Copy(sequence, 1, partialSequence, 0, (int)sequenceLength - 2);
282
283     var sw1 = Stopwatch.StartNew();
284     var searchResults1 =
285         ↪ sequences.GetAllPartiallyMatchingSequences0(partialSequence); sw1.Stop();
286
287     var sw2 = Stopwatch.StartNew();
288     var searchResults2 =
289         ↪ sequences.GetAllPartiallyMatchingSequences1(partialSequence); sw2.Stop();
290
291     Assert.True(searchResults1.Count == 1 && balancedVariant == searchResults1[0]);
292
293     Assert.True(searchResults2.Count == 1 && balancedVariant ==
294         ↪ searchResults2.First());
295
296     for (var i = 0; i < sequenceLength; i++)
297     {
298         links.Delete(sequence[i]);
299     }
300 }
301
302 [Fact(Skip = "Correct implementation is pending")]
303 public static void PatternMatchTest()
304 {
305     var zeroOrMany = Sequences.Sequences.ZeroOrMany;
306
307     using (var scope = new TempLinksTestScope(useSequences: true))
308     {
309         var links = scope.Links;
310         var sequences = scope.Sequences;
311
312         var e1 = links.Create();
313         var e2 = links.Create();
314
315         var sequence = new[]
316         {
317             e1, e2, e1, e2 // mama / papa
318         };
319
320         var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
321
322         var balancedVariant = balancedVariantConverter.Convert(sequence);
323
324         // 1: [1]
325         // 2: [2]
326         // 3: [1,2]
327         // 4: [1,2,1,2]
328
329         var doublet = links.GetSource(balancedVariant);
330
331         var matchedSequences1 = sequences.MatchPattern(e2, e1, zeroOrMany);
332
333         Assert.True(matchedSequences1.Count == 0);
334
335         var matchedSequences2 = sequences.MatchPattern(zeroOrMany, e2, e1);
336
337         Assert.True(matchedSequences2.Count == 0);
338
339         var matchedSequences3 = sequences.MatchPattern(e1, zeroOrMany, e1);
340
341         Assert.True(matchedSequences3.Count == 0);
342
343         var matchedSequences4 = sequences.MatchPattern(e1, zeroOrMany, e2);
344
345         Assert.Contains(doublet, matchedSequences4);
346         Assert.Contains(balancedVariant, matchedSequences4);
347     }
348 }

```

```

346         for (var i = 0; i < sequence.Length; i++)
347         {
348             links.Delete(sequence[i]);
349         }
350     }
351 }
352
353 [Fact]
354 public static void IndexTest()
355 {
356     using (var scope = new TempLinksTestScope(new SequencesOptions<ulong> { UseIndex =
↪ true }, useSequences: true))
357     {
358         var links = scope.Links;
359         var sequences = scope.Sequences;
360         var index = sequences.Options.Index;
361
362         var e1 = links.Create();
363         var e2 = links.Create();
364
365         var sequence = new[]
366         {
367             e1, e2, e1, e2 // mama / papa
368         };
369
370         Assert.False(index.MightContain(sequence));
371
372         index.Add(sequence);
373
374         Assert.True(index.MightContain(sequence));
375     }
376 }
377
378 /// <summary>Imported from https://raw.githubusercontent.com/Konard/LinksPlatform/%
↪ D0%9E-%D1%82%D0%BE%D0%BC%2C-%D0%BA%D0%B0%D0%BA-%D0%B2%D1%81%D1%91-%D0%BD%D0%B0%D1%87
↪ %D0%B8%D0%BD%D0%B0%D0%BB%D0%BE%D1%81%D1%8C.md</summary>
379 private static readonly string _exampleText =
380     @"([english
↪ version](https://github.com/Konard/LinksPlatform/wiki/About-the-beginning))

```

Обозначение пустоты, какое оно? Темнота ли это? Там где отсутствие света, отсутствие фотонов  
↪ (носителей света)? Или это то, что полностью отражает свет? Пустой белый лист бумаги? Там  
↪ где есть место для нового начала? Разве пустота это не характеристика пространства?  
↪ Пространство это то, что можно чем-то наполнить?

![чёрное пространство, белое  
↪ пространство](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/1.png  
↪ "чёрное пространство, белое пространство")](https://raw.githubusercontent.com/Konard/Links  
↪ Platform/master/doc/Intro/1.png)

Что может быть минимальным рисунком, образом, графикой? Может быть это точка? Это ли простейшая  
↪ форма? Но есть ли у точки размер? Цвет? Масса? Координаты? Время существования?

![чёрное пространство, чёрная  
↪ точка](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/2.png  
↪ "чёрное пространство, чёрная  
↪ точка")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/2.png)

А что если повторить? Сделать копию? Создать дубликат? Из одного сделать два? Может это быть  
↪ так? Инверсия? Отражение? Сумма?

![белая точка, чёрная  
↪ точка](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/3.png "белая  
↪ точка, чёрная  
↪ точка")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/3.png)

А что если мы вообразим движение? Нужно ли время? Каким самым коротким будет путь? Что будет  
↪ если этот путь зафиксировать? Запомнить след? Как две точки становятся линией? Чертой?  
↪ Гранью? Разделителем? Единицей?

![две белые точки, чёрная вертикальная  
↪ линия](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/4.png "две  
↪ белые точки, чёрная вертикальная  
↪ линия")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/4.png)

398 Можно ли замкнуть движение? Может ли это быть кругом? Можно ли замкнуть время? Или остаётся  
→ только спираль? Но что если замкнуть предел? Создать ограничение, разделение? Получится  
→ замкнутая область? Полностью отделённая от всего остального? Но что это всё остальное? Что  
→ можно делить? В каком направлении? Ничего или всё? Пустота или полнота? Начало или конец?  
→ Или может быть это единица и ноль? Дуальность? Противоположность? А что будет с кругом если  
→ у него нет размера? Будет ли круг точкой? Точка состоящая из точек?

399

400 [![белая вертикальная линия, чёрный  
→ круг](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/5.png "белая  
→ вертикальная линия, чёрный  
→ круг")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/5.png)

401

402 Как ещё можно использовать грань, черту, линию? А что если она может что-то соединять, может  
→ тогда её нужно повернуть? Почему то, что перпендикулярно вертикальному горизонтально?  
→ Горизонт? Инвертирует ли это смысл? Что такое смысл? Из чего состоит смысл? Существует ли  
→ элементарная единица смысла?

403

404 [![белый круг, чёрная горизонтальная  
→ линия](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/6.png "белый  
→ круг, чёрная горизонтальная  
→ линия")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/6.png)

405

406 Соединять, допустим, а какой смысл в этом есть ещё? Что если помимо смысла "соединить,  
→ связать", есть ещё и смысл направления "от начала к концу"? От предка к потомку? От  
→ родителя к ребёнку? От общего к частному?

407

408 [![белая горизонтальная линия, чёрная горизонтальная  
→ стрелка](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/7.png  
→ "белая горизонтальная линия, чёрная горизонтальная  
→ стрелка")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/7.png)

409

410 Шаг назад. Возьмём опять отделённую область, которая лишь та же замкнутая линия, что ещё она  
→ может представлять собой? Объект? Но в чём его суть? Разве не в том, что у него есть  
→ граница, разделяющая внутреннее и внешнее? Допустим связь, стрелка, линия соединяет два  
→ объекта, как бы это выглядело?

411

412 [![белая связь, чёрная направленная  
→ связь](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/8.png "белая  
→ связь, чёрная направленная  
→ связь")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/8.png)

413

414 Допустим у нас есть смысл "связать" и смысл "направления", много ли это нам даёт? Много ли  
→ вариантов интерпретаций? А что если уточнить, каким именно образом выполнена связь? Что если  
→ можно задать ей чёткий, конкретный смысл? Что это будет? Тип? Глагол? Связка? Действие?  
→ Трансформация? Переход из состояния в состояние? Или всё это и есть объект, суть которого в  
→ его конечном состоянии, если конечно конец определён направлением?

415

416 [![белая обычная и направленная связи, чёрная типизированная  
→ связь](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/9.png "белая  
→ обычная и направленная связи, чёрная типизированная  
→ связь")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/9.png)

417

418 А что если всё это время, мы смотрели на суть как бы снаружи? Можно ли взглянуть на это изнутри?  
→ Что будет внутри объектов? Объекты ли это? Или это связи? Может ли эта структура описать  
→ сама себя? Но что тогда получится, разве это не рекурсия? Может это фрактал?

419

420 [![белая обычная и направленная связи с рекурсивной внутренней структурой, чёрная типизированная  
→ связь с рекурсивной внутренней  
→ структурой](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/10.png  
→ "белая обычная и направленная связи с рекурсивной внутренней структурой, чёрная  
→ типизированная связь с рекурсивной внутренней структурой")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/10.png)

421

422 На один уровень внутрь (вниз)? Или на один уровень во вне (вверх)? Или это можно назвать шагом  
→ рекурсии или фрактала?

423

424 [![белая обычная и направленная связи с двойной рекурсивной внутренней структурой, чёрная  
→ типизированная связь с двойной рекурсивной внутренней  
→ структурой](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/11.png  
→ "белая обычная и направленная связи с двойной рекурсивной внутренней структурой, чёрная  
→ типизированная связь с двойной рекурсивной внутренней структурой")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/11.png)

425

426 Последовательность? Массив? Список? Множество? Объект? Таблица? Элементы? Цвета? Символы? Буквы?  
→ Слово? Цифры? Число? Алфавит? Дерево? Сеть? Граф? Гиперграф?

427

```

428  [![белая обычная и направленная связи со структурой из 8 цветных элементов последовательности,
      ↳ чёрная типизированная связь со структурой из 8 цветных элементов последовательности](https://
      ↳ /raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/12.png "белая обычная и
      ↳ направленная связи со структурой из 8 цветных элементов последовательности, чёрная
      ↳ типизированная связь со структурой из 8 цветных элементов последовательности")](https://raw
      ↳ .githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/12.png)
429
430  ...
431
432  [![анимация](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/intro-anima
      ↳ tion-500.gif
      ↳ "анимация")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/intro
      ↳ -animation-500.gif)";
433
434      private static readonly string _exampleLoremIpsumText =
435          @"Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor
      ↳ incididunt ut labore et dolore magna aliqua.
436  Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo
      ↳ consequat.";
437
438  [Fact]
439  public static void CompressionTest()
440  {
441      using (var scope = new TempLinksTestScope(useSequences: true))
442      {
443          var links = scope.Links;
444          var sequences = scope.Sequences;
445
446          var e1 = links.Create();
447          var e2 = links.Create();
448
449          var sequence = new[]
450          {
451              e1, e2, e1, e2 // mama / papa / template [(m/p), a] { [1] [2] [1] [2] }
452          };
453
454          var balancedVariantConverter = new BalancedVariantConverter<ulong>(links.Unsync);
455          var totalSequenceSymbolFrequencyCounter = new
      ↳ TotalSequenceSymbolFrequencyCounter<ulong>(links.Unsync);
456          var doubletFrequenciesCache = new LinkFrequenciesCache<ulong>(links.Unsync,
      ↳ totalSequenceSymbolFrequencyCounter);
457          var compressingConverter = new CompressingConverter<ulong>(links.Unsync,
      ↳ balancedVariantConverter, doubletFrequenciesCache);
458
459          var compressedVariant = compressingConverter.Convert(sequence);
460
461          // 1: [1]          (1->1) point
462          // 2: [2]          (2->2) point
463          // 3: [1,2]        (1->2) doublet
464          // 4: [1,2,1,2]    (3->3) doublet
465
466          Assert.True(links.GetSource(links.GetSource(compressedVariant)) == sequence[0]);
467          Assert.True(links.GetTarget(links.GetSource(compressedVariant)) == sequence[1]);
468          Assert.True(links.GetSource(links.GetTarget(compressedVariant)) == sequence[2]);
469          Assert.True(links.GetTarget(links.GetTarget(compressedVariant)) == sequence[3]);
470
471          var source = _constants.SourcePart;
472          var target = _constants.TargetPart;
473
474          Assert.True(links.GetByKeys(compressedVariant, source, source) == sequence[0]);
475          Assert.True(links.GetByKeys(compressedVariant, source, target) == sequence[1]);
476          Assert.True(links.GetByKeys(compressedVariant, target, source) == sequence[2]);
477          Assert.True(links.GetByKeys(compressedVariant, target, target) == sequence[3]);
478
479          // 4 - length of sequence
480          Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 0)
      ↳ == sequence[0]);
481          Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 1)
      ↳ == sequence[1]);
482          Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 2)
      ↳ == sequence[2]);
483          Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 3)
      ↳ == sequence[3]);
484      }
485  }
486
487  [Fact]
488  public static void CompressionEfficiencyTest()

```

```

489 {
490     var strings = _exampleLoremIpsumText.Split(new[] { '\n', '\r' },
        ↳ StringSplitOptions.RemoveEmptyEntries);
491     var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
492     var totalCharacters = arrays.Select(x => x.Length).Sum();
493
494     using (var scope1 = new TempLinksTestScope(useSequences: true))
495     using (var scope2 = new TempLinksTestScope(useSequences: true))
496     using (var scope3 = new TempLinksTestScope(useSequences: true))
497     {
498         scope1.Links.Unsync.UseUnicode();
499         scope2.Links.Unsync.UseUnicode();
500         scope3.Links.Unsync.UseUnicode();
501
502         var balancedVariantConverter1 = new
        ↳ BalancedVariantConverter<ulong>(scope1.Links.Unsync);
503         var totalSequenceSymbolFrequencyCounter = new
        ↳ TotalSequenceSymbolFrequencyCounter<ulong>(scope1.Links.Unsync);
504         var linkFrequenciesCache1 = new LinkFrequenciesCache<ulong>(scope1.Links.Unsync,
        ↳ totalSequenceSymbolFrequencyCounter);
505         var compressor1 = new CompressingConverter<ulong>(scope1.Links.Unsync,
        ↳ balancedVariantConverter1, linkFrequenciesCache1,
        ↳ doInitialFrequenciesIncrement: false);
506
507         var compressor2 = scope2.Sequences;
508         var compressor3 = scope3.Sequences;
509
510         var constants = Default<LinksConstants<ulong>>.Instance;
511
512         var sequences = compressor3;
513         //var meaningRoot = links.CreatePoint();
514         //var unaryOne = links.CreateAndUpdate(meaningRoot, constants.Itself);
515         //var frequencyMarker = links.CreateAndUpdate(meaningRoot, constants.Itself);
516         //var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot,
        ↳ constants.Itself);
517
518         //var unaryNumberToAddressConverter = new
        ↳ UnaryNumberToAddressAddOperationConverter<ulong>(links, unaryOne);
519         //var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links,
        ↳ unaryOne);
520         //var frequencyIncrementer = new FrequencyIncrementer<ulong>(links,
        ↳ frequencyMarker, unaryOne, unaryNumberIncrementer);
521         //var frequencyPropertyOperator = new FrequencyPropertyOperator<ulong>(links,
        ↳ frequencyPropertyMarker, frequencyMarker);
522         //var linkFrequencyIncrementer = new LinkFrequencyIncrementer<ulong>(links,
        ↳ frequencyPropertyOperator, frequencyIncrementer);
523         //var linkToItsFrequencyNumberConverter = new
        ↳ LinkToItsFrequencyNumberConveter<ulong>(links, frequencyPropertyOperator,
        ↳ unaryNumberToAddressConverter);
524
525         var linkFrequenciesCache3 = new LinkFrequenciesCache<ulong>(scope3.Links.Unsync,
        ↳ totalSequenceSymbolFrequencyCounter);
526
527         var linkToItsFrequencyNumberConverter = new FrequenciesCacheBasedLinkToItsFreque
        ↳ ncyNumberConverter<ulong>(linkFrequenciesCache3);
528
529         var sequenceToItsLocalElementLevelsConverter = new
        ↳ SequenceToItsLocalElementLevelsConverter<ulong>(scope3.Links.Unsync,
        ↳ linkToItsFrequencyNumberConverter);
530         var optimalVariantConverter = new
        ↳ OptimalVariantConverter<ulong>(scope3.Links.Unsync,
        ↳ sequenceToItsLocalElementLevelsConverter);
531
532         var compressed1 = new ulong[arrays.Length];
533         var compressed2 = new ulong[arrays.Length];
534         var compressed3 = new ulong[arrays.Length];
535
536         var START = 0;
537         var END = arrays.Length;
538
539         //for (int i = START; i < END; i++)
540         //    linkFrequenciesCache1.IncrementFrequencies(arrays[i]);
541
542         var initialCount1 = scope2.Links.Unsync.Count();
543
544         var sw1 = Stopwatch.StartNew();
545
546         for (int i = START; i < END; i++)

```

```

547     {
548         linkFrequenciesCache1.IncrementFrequencies(arrays[i]);
549         compressed1[i] = compressor1.Convert(arrays[i]);
550     }
551
552     var elapsed1 = sw1.Elapsed;
553
554     var balancedVariantConverter2 = new
555     ↪ BalancedVariantConverter<ulong>(scope2.Links.Unsync);
556
557     var initialCount2 = scope2.Links.Unsync.Count();
558
559     var sw2 = Stopwatch.StartNew();
560
561     for (int i = START; i < END; i++)
562     {
563         compressed2[i] = balancedVariantConverter2.Convert(arrays[i]);
564     }
565
566     var elapsed2 = sw2.Elapsed;
567
568     for (int i = START; i < END; i++)
569     {
570         linkFrequenciesCache3.IncrementFrequencies(arrays[i]);
571     }
572
573     var initialCount3 = scope3.Links.Unsync.Count();
574
575     var sw3 = Stopwatch.StartNew();
576
577     for (int i = START; i < END; i++)
578     {
579         //linkFrequenciesCache3.IncrementFrequencies(arrays[i]);
580         compressed3[i] = optimalVariantConverter.Convert(arrays[i]);
581     }
582
583     var elapsed3 = sw3.Elapsed;
584
585     Console.WriteLine($"Compressor: {elapsed1}, Balanced variant: {elapsed2},
586     ↪ Optimal variant: {elapsed3}");
587
588     // Assert.True(elapsed1 > elapsed2);
589
590     // Checks
591     for (int i = START; i < END; i++)
592     {
593         var sequence1 = compressed1[i];
594         var sequence2 = compressed2[i];
595         var sequence3 = compressed3[i];
596
597         var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
598         ↪ scope1.Links.Unsync);
599
600         var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
601         ↪ scope2.Links.Unsync);
602
603         var decompress3 = UnicodeMap.FromSequenceLinkToString(sequence3,
604         ↪ scope3.Links.Unsync);
605
606         var structure1 = scope1.Links.Unsync.FormatStructure(sequence1, link =>
607         ↪ link.IsPartialPoint());
608         var structure2 = scope2.Links.Unsync.FormatStructure(sequence2, link =>
609         ↪ link.IsPartialPoint());
610         var structure3 = scope3.Links.Unsync.FormatStructure(sequence3, link =>
611         ↪ link.IsPartialPoint());
612
613         //if (sequence1 != Constants.Null && sequence2 != Constants.Null &&
614         ↪ arrays[i].Length > 3)
615         //    Assert.False(structure1 == structure2);
616         //if (sequence3 != Constants.Null && sequence2 != Constants.Null &&
617         ↪ arrays[i].Length > 3)
618         //    Assert.False(structure3 == structure2);
619
620         Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
621         Assert.True(strings[i] == decompress3 && decompress3 == decompress2);
622     }
623
624     Assert.True((int)(scope1.Links.Unsync.Count() - initialCount1) <
625     ↪ totalCharacters);

```

```

615     Assert.True((int)(scope2.Links.Unsync.Count() - initialCount2) <
        ↳ totalCharacters);
616     Assert.True((int)(scope3.Links.Unsync.Count() - initialCount3) <
        ↳ totalCharacters);
617
618     Console.WriteLine($"{(double)(scope1.Links.Unsync.Count() - initialCount1) /
        ↳ totalCharacters} | {(double)(scope2.Links.Unsync.Count() - initialCount2) /
        ↳ totalCharacters} | {(double)(scope3.Links.Unsync.Count() - initialCount3) /
        ↳ totalCharacters}");
619
620     Assert.True(scope1.Links.Unsync.Count() - initialCount1 <
        ↳ scope2.Links.Unsync.Count() - initialCount2);
621     Assert.True(scope3.Links.Unsync.Count() - initialCount3 <
        ↳ scope2.Links.Unsync.Count() - initialCount2);
622
623     var duplicateProvider1 = new
        ↳ DuplicateSegmentsProvider<ulong>(scope1.Links.Unsync, scope1.Sequences);
624     var duplicateProvider2 = new
        ↳ DuplicateSegmentsProvider<ulong>(scope2.Links.Unsync, scope2.Sequences);
625     var duplicateProvider3 = new
        ↳ DuplicateSegmentsProvider<ulong>(scope3.Links.Unsync, scope3.Sequences);
626
627     var duplicateCounter1 = new DuplicateSegmentsCounter<ulong>(duplicateProvider1);
628     var duplicateCounter2 = new DuplicateSegmentsCounter<ulong>(duplicateProvider2);
629     var duplicateCounter3 = new DuplicateSegmentsCounter<ulong>(duplicateProvider3);
630
631     var duplicates1 = duplicateCounter1.Count();
632
633     ConsoleHelpers.Debug("-----");
634
635     var duplicates2 = duplicateCounter2.Count();
636
637     ConsoleHelpers.Debug("-----");
638
639     var duplicates3 = duplicateCounter3.Count();
640
641     Console.WriteLine($"{duplicates1} | {duplicates2} | {duplicates3}");
642
643     linkFrequenciesCache1.ValidateFrequencies();
644     linkFrequenciesCache3.ValidateFrequencies();
645 }
646
647
648 [Fact]
649 public static void CompressionStabilityTest()
650 {
651     // TODO: Fix bug (do a separate test)
652     //const ulong minNumbers = 0;
653     //const ulong maxNumbers = 1000;
654
655     const ulong minNumbers = 10000;
656     const ulong maxNumbers = 12500;
657
658     var strings = new List<string>();
659
660     for (ulong i = minNumbers; i < maxNumbers; i++)
661     {
662         strings.Add(i.ToString());
663     }
664
665     var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
666     var totalCharacters = arrays.Select(x => x.Length).Sum();
667
668     using (var scope1 = new TempLinksTestScope(useSequences: true, sequencesOptions: new
        ↳ SequencesOptions<ulong> { UseCompression = true,
        ↳ EnforceSingleSequenceVersionOnWriteBasedOnExisting = true }))
669     using (var scope2 = new TempLinksTestScope(useSequences: true))
670     {
671         scope1.Links.UseUnicode();
672         scope2.Links.UseUnicode();
673
674         //var compressor1 = new Compressor(scope1.Links.Unsync, scope1.Sequences);
675         var compressor1 = scope1.Sequences;
676         var compressor2 = scope2.Sequences;
677
678         var compressed1 = new ulong[arrays.Length];
679         var compressed2 = new ulong[arrays.Length];
680
681         var sw1 = Stopwatch.StartNew();

```



```

682
683 var START = 0;
684 var END = arrays.Length;
685
686 // Collisions proved (cannot be solved by max doublet comparison, no stable rule)
687 // Stability issue starts at 10001 or 11000
688 //for (int i = START; i < END; i++)
689 //{
690 //    var first = compressor1.Compress(arrays[i]);
691 //    var second = compressor1.Compress(arrays[i]);
692
693 //    if (first == second)
694 //        compressed1[i] = first;
695 //    else
696 //    {
697 //        // TODO: Find a solution for this case
698 //    }
699 //}
700
701 for (int i = START; i < END; i++)
702 {
703     var first = compressor1.Create(arrays[i].ConvertToRestrictionsValues());
704     var second = compressor1.Create(arrays[i].ConvertToRestrictionsValues());
705
706     if (first == second)
707     {
708         compressed1[i] = first;
709     }
710     else
711     {
712         // TODO: Find a solution for this case
713     }
714 }
715
716 var elapsed1 = sw1.Elapsed;
717
718 var balancedVariantConverter = new BalancedVariantConverter<ulong>(scope2.Links);
719
720 var sw2 = Stopwatch.StartNew();
721
722 for (int i = START; i < END; i++)
723 {
724     var first = balancedVariantConverter.Convert(arrays[i]);
725     var second = balancedVariantConverter.Convert(arrays[i]);
726
727     if (first == second)
728     {
729         compressed2[i] = first;
730     }
731 }
732
733 var elapsed2 = sw2.Elapsed;
734
735 Debug.WriteLine($"Compressor: {elapsed1}, Balanced sequence creator:
736 ↪ {elapsed2}");
737
738 Assert.True(elapsed1 > elapsed2);
739
740 // Checks
741 for (int i = START; i < END; i++)
742 {
743     var sequence1 = compressed1[i];
744     var sequence2 = compressed2[i];
745
746     if (sequence1 != _constants.Null && sequence2 != _constants.Null)
747     {
748         var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
749 ↪ scope1.Links);
750
751         var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
752 ↪ scope2.Links);
753
754         //var structure1 = scope1.Links.FormatStructure(sequence1, link =>
755 ↪ link.IsPartialPoint());
756         //var structure2 = scope2.Links.FormatStructure(sequence2, link =>
757 ↪ link.IsPartialPoint());
758
759         //if (sequence1 != Constants.Null && sequence2 != Constants.Null &&
760 ↪ arrays[i].Length > 3)

```

```

755         // Assert.False(structure1 == structure2);
756
757         Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
758     }
759 }
760
761 Assert.True((int)(scope1.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
762 Assert.True((int)(scope2.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
763
764 Debug.WriteLine($"{(double)(scope1.Links.Count() - UnicodeMap.MapSize) /
    ↳ totalCharacters} | {(double)(scope2.Links.Count() - UnicodeMap.MapSize) /
    ↳ totalCharacters}");
765
766 Assert.True(scope1.Links.Count() <= scope2.Links.Count());
767
768 //compressor1.ValidateFrequencies();
769 }
770 }
771
772 [Fact]
773 public static void RandomNumbersCompressionQualityTest()
774 {
775     const ulong N = 500;
776
777     //const ulong minNumbers = 10000;
778     //const ulong maxNumbers = 20000;
779
780     //var strings = new List<string>();
781
782     //for (ulong i = 0; i < N; i++)
783     //    strings.Add(RandomHelpers.DefaultFactory.NextUInt64(minNumbers,
784     ↳ maxNumbers).ToString());
785
786     var strings = new List<string>();
787
788     for (ulong i = 0; i < N; i++)
789     {
790         strings.Add(RandomHelpers.Default.NextUInt64().ToString());
791     }
792
793     strings = strings.Distinct().ToList();
794
795     var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
796     var totalCharacters = arrays.Select(x => x.Length).Sum();
797
798     using (var scope1 = new TempLinksTestScope(useSequences: true, sequencesOptions: new
799     ↳ SequencesOptions<ulong> { UseCompression = true,
800     ↳ EnforceSingleSequenceVersionOnWriteBasedOnExisting = true }))
801     using (var scope2 = new TempLinksTestScope(useSequences: true))
802     {
803         scope1.Links.UseUnicode();
804         scope2.Links.UseUnicode();
805
806         var compressor1 = scope1.Sequences;
807         var compressor2 = scope2.Sequences;
808
809         var compressed1 = new ulong[arrays.Length];
810         var compressed2 = new ulong[arrays.Length];
811
812         var sw1 = Stopwatch.StartNew();
813
814         var START = 0;
815         var END = arrays.Length;
816
817         for (int i = START; i < END; i++)
818         {
819             compressed1[i] = compressor1.Create(arrays[i].ConvertToRestrictionsValues());
820         }
821
822         var elapsed1 = sw1.Elapsed;
823
824         var balancedVariantConverter = new BalancedVariantConverter<ulong>(scope2.Links);
825
826         var sw2 = Stopwatch.StartNew();
827
828         for (int i = START; i < END; i++)
829         {
830             compressed2[i] = balancedVariantConverter.Convert(arrays[i]);
831         }
832     }
833 }

```

```

830     var elapsed2 = sw2.Elapsed;
831
832     Debug.WriteLine($"Compressor: {elapsed1}, Balanced sequence creator:
833         ↳ {elapsed2}");
834
835     Assert.True(elapsed1 > elapsed2);
836
837     // Checks
838     for (int i = START; i < END; i++)
839     {
840         var sequence1 = compressed1[i];
841         var sequence2 = compressed2[i];
842
843         if (sequence1 != _constants.Null && sequence2 != _constants.Null)
844         {
845             var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
846                 ↳ scope1.Links);
847
848             var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
849                 ↳ scope2.Links);
850
851             Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
852         }
853     }
854
855     Assert.True((int)(scope1.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
856     Assert.True((int)(scope2.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
857
858     Debug.WriteLine($"{{(double)(scope1.Links.Count() - UnicodeMap.MapSize) /
859         ↳ totalCharacters}} | {{(double)(scope2.Links.Count() - UnicodeMap.MapSize) /
860         ↳ totalCharacters}}");
861
862     // Can be worse than balanced variant
863     //Assert.True(scope1.Links.Count() <= scope2.Links.Count());
864
865     //compressor1.ValidateFrequencies();
866 }
867
868 [Fact]
869 public static void AllTreeBreakDownAtSequencesCreationBugTest()
870 {
871     // Made out of AllPossibleConnectionsTest test.
872
873     //const long sequenceLength = 5; //100% bug
874     const long sequenceLength = 4; //100% bug
875     //const long sequenceLength = 3; //100% _no_bug (ok)
876
877     using (var scope = new TempLinksTestScope(useSequences: true))
878     {
879         var links = scope.Links;
880         var sequences = scope.Sequences;
881
882         var sequence = new ulong[sequenceLength];
883         for (var i = 0; i < sequenceLength; i++)
884         {
885             sequence[i] = links.Create();
886         }
887
888         var createResults = sequences.CreateAllVariants2(sequence);
889
890         Global.Trash = createResults;
891
892         for (var i = 0; i < sequenceLength; i++)
893         {
894             links.Delete(sequence[i]);
895         }
896     }
897 }
898
899 [Fact]
900 public static void AllPossibleConnectionsTest()
901 {
902     const long sequenceLength = 5;
903
904     using (var scope = new TempLinksTestScope(useSequences: true))
905     {
906         var links = scope.Links;
907         var sequences = scope.Sequences;

```

```

904
905     var sequence = new ulong[sequenceLength];
906     for (var i = 0; i < sequenceLength; i++)
907     {
908         sequence[i] = links.Create();
909     }
910
911     var createResults = sequences.CreateAllVariants2(sequence);
912     var reverseResults = sequences.CreateAllVariants2(sequence.Reverse().ToArray());
913
914     for (var i = 0; i < 1; i++)
915     {
916         var sw1 = Stopwatch.StartNew();
917         var searchResults1 = sequences.GetAllConnections(sequence); sw1.Stop();
918
919         var sw2 = Stopwatch.StartNew();
920         var searchResults2 = sequences.GetAllConnections1(sequence); sw2.Stop();
921
922         var sw3 = Stopwatch.StartNew();
923         var searchResults3 = sequences.GetAllConnections2(sequence); sw3.Stop();
924
925         var sw4 = Stopwatch.StartNew();
926         var searchResults4 = sequences.GetAllConnections3(sequence); sw4.Stop();
927
928         Global.Trash = searchResults3;
929         Global.Trash = searchResults4; //-V3008
930
931         var intersection1 = createResults.Intersect(searchResults1).ToList();
932         Assert.True(intersection1.Count == createResults.Length);
933
934         var intersection2 = reverseResults.Intersect(searchResults1).ToList();
935         Assert.True(intersection2.Count == reverseResults.Length);
936
937         var intersection0 = searchResults1.Intersect(searchResults2).ToList();
938         Assert.True(intersection0.Count == searchResults2.Count);
939
940         var intersection3 = searchResults2.Intersect(searchResults3).ToList();
941         Assert.True(intersection3.Count == searchResults3.Count);
942
943         var intersection4 = searchResults3.Intersect(searchResults4).ToList();
944         Assert.True(intersection4.Count == searchResults4.Count);
945     }
946
947     for (var i = 0; i < sequenceLength; i++)
948     {
949         links.Delete(sequence[i]);
950     }
951 }
952
953 [Fact(Skip = "Correct implementation is pending")]
954 public static void CalculateAllUsagesTest()
955 {
956     const long sequenceLength = 3;
957
958     using (var scope = new TempLinksTestScope(useSequences: true))
959     {
960         var links = scope.Links;
961         var sequences = scope.Sequences;
962
963         var sequence = new ulong[sequenceLength];
964         for (var i = 0; i < sequenceLength; i++)
965         {
966             sequence[i] = links.Create();
967         }
968
969         var createResults = sequences.CreateAllVariants2(sequence);
970
971         //var reverseResults =
972         ↪ sequences.CreateAllVariants2(sequence.Reverse().ToArray());
973
974         for (var i = 0; i < 1; i++)
975         {
976             var linksTotalUsages1 = new ulong[links.Count() + 1];
977
978             sequences.CalculateAllUsages(linksTotalUsages1);
979
980             var linksTotalUsages2 = new ulong[links.Count() + 1];
981
982             sequences.CalculateAllUsages2(linksTotalUsages2);

```

```

983         var intersection1 = linksTotalUsages1.Intersect(linksTotalUsages2).ToList();
984         Assert.True(intersection1.Count == linksTotalUsages2.Length);
985     }
986 }
987
988 for (var i = 0; i < sequenceLength; i++)
989 {
990     links.Delete(sequence[i]);
991 }
992 }
993 }
994 }
995 }

```

./Platform.Data.Doublets.Tests/TempLinksTestScope.cs

```

1  using System.IO;
2  using Platform.Disposables;
3  using Platform.Data.Doublets.ResizableDirectMemory;
4  using Platform.Data.Doublets.Sequences;
5  using Platform.Data.Doublets.Decorators;
6
7  namespace Platform.Data.Doublets.Tests
8  {
9      public class TempLinksTestScope : DisposableBase
10     {
11         public readonly ILinks<ulong> MemoryAdapter;
12         public readonly SynchronizedLinks<ulong> Links;
13         public readonly Sequences.Sequences Sequences;
14         public readonly string TempFilename;
15         public readonly string TempTransactionLogFilename;
16         private readonly bool _deleteFiles;
17
18         public TempLinksTestScope(bool deleteFiles = true, bool useSequences = false, bool
19             ↪ useLog = false)
20             : this(new SequencesOptions<ulong>(), deleteFiles, useSequences, useLog)
21         {
22         }
23
24         public TempLinksTestScope(SequencesOptions<ulong> sequencesOptions, bool deleteFiles =
25             ↪ true, bool useSequences = false, bool useLog = false)
26         {
27             _deleteFiles = deleteFiles;
28             TempFilename = Path.GetTempFileName();
29             TempTransactionLogFilename = Path.GetTempFileName();
30
31             var coreMemoryAdapter = new UInt64ResizableDirectMemoryLinks(TempFilename);
32
33             MemoryAdapter = useLog ? (ILinks<ulong>)new
34                 ↪ UInt64LinksTransactionsLayer(coreMemoryAdapter, TempTransactionLogFilename) :
35                 ↪ coreMemoryAdapter;
36
37             Links = new SynchronizedLinks<ulong>(new UInt64Links(MemoryAdapter));
38             if (useSequences)
39             {
40                 Sequences = new Sequences.Sequences(Links, sequencesOptions);
41             }
42         }
43
44         protected override void Dispose(bool manual, bool wasDisposed)
45         {
46             if (!wasDisposed)
47             {
48                 Links.Unsync.DisposeIfPossible();
49                 if (_deleteFiles)
50                 {
51                     DeleteFiles();
52                 }
53             }
54         }
55
56         public void DeleteFiles()
57         {
58             File.Delete(TempFilename);
59             File.Delete(TempTransactionLogFilename);
60         }
61     }
62 }

```

./Platform.Data.Doublets.Tests/TestExtensions.cs

```
1  using System.Collections.Generic;
2  using Xunit;
3  using Platform.Ranges;
4  using Platform.Numbers;
5  using Platform.Random;
6  using Platform.Setters;
7
8  namespace Platform.Data.Doublets.Tests
9  {
10     public static class TestExtensions
11     {
12         public static void TestCRUDOperations<T>(this ILinks<T> links)
13         {
14             var constants = links.Constants;
15
16             var equalityComparer = EqualityComparer<T>.Default;
17
18             // Create Link
19             Assert.True(equalityComparer.Equals(links.Count(), Integer<T>.Zero));
20
21             var setter = new Setter<T>(constants.Null);
22             links.Each(constants.Any, constants.Any, setter.SetAndReturnTrue);
23
24             Assert.True(equalityComparer.Equals(setter.Result, constants.Null));
25
26             var linkAddress = links.Create();
27
28             var link = new Link<T>(links.GetLink(linkAddress));
29
30             Assert.True(link.Count == 3);
31             Assert.True(equalityComparer.Equals(link.Index, linkAddress));
32             Assert.True(equalityComparer.Equals(link.Source, constants.Null));
33             Assert.True(equalityComparer.Equals(link.Target, constants.Null));
34
35             Assert.True(equalityComparer.Equals(links.Count(), Integer<T>.One));
36
37             // Get first link
38             setter = new Setter<T>(constants.Null);
39             links.Each(constants.Any, constants.Any, setter.SetAndReturnFalse);
40
41             Assert.True(equalityComparer.Equals(setter.Result, linkAddress));
42
43             // Update link to reference itself
44             links.Update(linkAddress, linkAddress, linkAddress);
45
46             link = new Link<T>(links.GetLink(linkAddress));
47
48             Assert.True(equalityComparer.Equals(link.Source, linkAddress));
49             Assert.True(equalityComparer.Equals(link.Target, linkAddress));
50
51             // Update link to reference null (prepare for delete)
52             var updated = links.Update(linkAddress, constants.Null, constants.Null);
53
54             Assert.True(equalityComparer.Equals(updated, linkAddress));
55
56             link = new Link<T>(links.GetLink(linkAddress));
57
58             Assert.True(equalityComparer.Equals(link.Source, constants.Null));
59             Assert.True(equalityComparer.Equals(link.Target, constants.Null));
60
61             // Delete link
62             links.Delete(linkAddress);
63
64             Assert.True(equalityComparer.Equals(links.Count(), Integer<T>.Zero));
65
66             setter = new Setter<T>(constants.Null);
67             links.Each(constants.Any, constants.Any, setter.SetAndReturnTrue);
68
69             Assert.True(equalityComparer.Equals(setter.Result, constants.Null));
70         }
71
72         public static void TestRawNumbersCRUDOperations<T>(this ILinks<T> links)
73         {
74             // Constants
75             var constants = links.Constants;
76             var equalityComparer = EqualityComparer<T>.Default;
77
78             var h106E = new Hybrid<T>(106L, isExternal: true);
79             var h107E = new Hybrid<T>(-char.ConvertFromUtf32(107)[0]);
80             var h108E = new Hybrid<T>(-108L);
```

```

81
82     Assert.Equal(106L, h106E.AbsoluteValue);
83     Assert.Equal(107L, h107E.AbsoluteValue);
84     Assert.Equal(108L, h108E.AbsoluteValue);
85
86     // Create Link (External -> External)
87     var linkAddress1 = links.Create();
88
89     links.Update(linkAddress1, h106E, h108E);
90
91     var link1 = new Link<T>(links.GetLink(linkAddress1));
92
93     Assert.True(equalityComparer.Equals(link1.Source, h106E));
94     Assert.True(equalityComparer.Equals(link1.Target, h108E));
95
96     // Create Link (Internal -> External)
97     var linkAddress2 = links.Create();
98
99     links.Update(linkAddress2, linkAddress1, h108E);
100
101     var link2 = new Link<T>(links.GetLink(linkAddress2));
102
103     Assert.True(equalityComparer.Equals(link2.Source, linkAddress1));
104     Assert.True(equalityComparer.Equals(link2.Target, h108E));
105
106     // Create Link (Internal -> Internal)
107     var linkAddress3 = links.Create();
108
109     links.Update(linkAddress3, linkAddress1, linkAddress2);
110
111     var link3 = new Link<T>(links.GetLink(linkAddress3));
112
113     Assert.True(equalityComparer.Equals(link3.Source, linkAddress1));
114     Assert.True(equalityComparer.Equals(link3.Target, linkAddress2));
115
116     // Search for created link
117     var setter1 = new Setter<T>(constants.Null);
118     links.Each(h106E, h108E, setter1.SetAndReturnFalse);
119
120     Assert.True(equalityComparer.Equals(setter1.Result, linkAddress1));
121
122     // Search for nonexistent link
123     var setter2 = new Setter<T>(constants.Null);
124     links.Each(h106E, h107E, setter2.SetAndReturnFalse);
125
126     Assert.True(equalityComparer.Equals(setter2.Result, constants.Null));
127
128     // Update link to reference null (prepare for delete)
129     var updated = links.Update(linkAddress3, constants.Null, constants.Null);
130
131     Assert.True(equalityComparer.Equals(updated, linkAddress3));
132
133     link3 = new Link<T>(links.GetLink(linkAddress3));
134
135     Assert.True(equalityComparer.Equals(link3.Source, constants.Null));
136     Assert.True(equalityComparer.Equals(link3.Target, constants.Null));
137
138     // Delete link
139     links.Delete(linkAddress3);
140
141     Assert.True(equalityComparer.Equals(links.Count(), Integer<T>.Two));
142
143     var setter3 = new Setter<T>(constants.Null);
144     links.Each(constants.Any, constants.Any, setter3.SetAndReturnTrue);
145
146     Assert.True(equalityComparer.Equals(setter3.Result, linkAddress2));
147 }
148
149 public static void TestMultipleRandomCreationsAndDeletions<TLink>(this ILinks<TLink>
↪ links, int maximumOperationsPerCycle)
150 {
151     var comparer = Comparer<TLink>.Default;
152     for (var N = 1; N < maximumOperationsPerCycle; N++)
153     {
154         var random = new System.Random(N);
155         var created = 0;
156         var deleted = 0;
157         for (var i = 0; i < N; i++)
158         {
159             long linksCount = (Integer<TLink>)links.Count();

```

```

160         var createPoint = random.NextBoolean();
161         if (linksCount > 2 && createPoint)
162         {
163             var linksAddressRange = new Range<ulong>(1, (ulong)linksCount);
164             TLink source = (Integer<TLink>)random.NextUInt64(linksAddressRange);
165             TLink target = (Integer<TLink>)random.NextUInt64(linksAddressRange);
166             ↪ //-V3086
167             var resultLink = links.CreateAndUpdate(source, target);
168             if (comparer.Compare(resultLink, (Integer<TLink>)linksCount) > 0)
169             {
170                 created++;
171             }
172         }
173         else
174         {
175             links.Create();
176             created++;
177         }
178     }
179     Assert.True(created == (Integer<TLink>)links.Count());
180     for (var i = 0; i < N; i++)
181     {
182         TLink link = (Integer<TLink>)(i + 1);
183         if (links.Exists(link))
184         {
185             links.Delete(link);
186             deleted++;
187         }
188     }
189     Assert.True((Integer<TLink>)links.Count() == 0);
190 }
191 }
192 }

```

#### ./Platform.Data.Doublets.Tests/UInt64LinksTests.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Diagnostics;
4  using System.IO;
5  using System.Text;
6  using System.Threading;
7  using System.Threading.Tasks;
8  using Xunit;
9  using Platform.Disposables;
10 using Platform.IO;
11 using Platform.Ranges;
12 using Platform.Random;
13 using Platform.Timestamps;
14 using Platform.Singletons;
15 using Platform.Counters;
16 using Platform.Diagnostics;
17 using Platform.Data.Doublets.ResizableDirectMemory;
18 using Platform.Data.Doublets.Decorators;
19
20 namespace Platform.Data.Doublets.Tests
21 {
22     public static class UInt64LinksTests
23     {
24         private static readonly LinksConstants<ulong> _constants =
25             ↪ Default<LinksConstants<ulong>>.Instance;
26
27         private const long Iterations = 10 * 1024;
28
29         #region Concept
30
31         [Fact]
32         public static void MultipleCreateAndDeleteTest()
33         {
34             using (var scope = new TempLinksTestScope())
35             {
36                 scope.Links.TestMultipleRandomCreationsAndDeletions(100);
37             }
38         }
39
40         [Fact]
41         public static void CascadeUpdateTest()
42         {
43             var itself = _constants.Itself;
44             using (var scope = new TempLinksTestScope(useLog: true))

```



```

45     {
46         var links = scope.Links;
47
48         var l1 = links.Create();
49         var l2 = links.Create();
50
51         l2 = links.Update(l2, l2, l1, l2);
52
53         links.CreateAndUpdate(l2, itself);
54         links.CreateAndUpdate(l2, itself);
55
56         l2 = links.Update(l2, l1);
57
58         links.Delete(l2);
59
60         Global.Trash = links.Count();
61
62         links.Unsync.DisposeIfPossible(); // Close links to access log
63
64         Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(scope
        ↪ e.TempTransactionLogFilename);
65     }
66 }
67
68 [Fact]
69 public static void BasicTransactionLogTest()
70 {
71     using (var scope = new TempLinksTestScope(useLog: true))
72     {
73         var links = scope.Links;
74         var l1 = links.Create();
75         var l2 = links.Create();
76
77         Global.Trash = links.Update(l2, l2, l1, l2);
78
79         links.Delete(l1);
80
81         links.Unsync.DisposeIfPossible(); // Close links to access log
82
83         Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(scope
        ↪ e.TempTransactionLogFilename);
84     }
85 }
86
87 [Fact]
88 public static void TransactionAutoRevertedTest()
89 {
90     // Auto Reverted (Because no commit at transaction)
91     using (var scope = new TempLinksTestScope(useLog: true))
92     {
93         var links = scope.Links;
94         var transactionsLayer = (UInt64LinksTransactionsLayer)scope.MemoryAdapter;
95         using (var transaction = transactionsLayer.BeginTransaction())
96         {
97             var l1 = links.Create();
98             var l2 = links.Create();
99
100             links.Update(l2, l2, l1, l2);
101         }
102
103         Assert.Equal(0UL, links.Count());
104
105         links.Unsync.DisposeIfPossible();
106
107         var transitions = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(scope
        ↪ e.TempTransactionLogFilename);
108         Assert.Single(transitions);
109     }
110 }
111
112 [Fact]
113 public static void TransactionUserCodeErrorNoDataSavedTest()
114 {
115     // User Code Error (Autoreverted), no data saved
116     var itself = _constants.Itself;
117
118     TempLinksTestScope lastScope = null;
119     try
120     {

```

```

121     using (var scope = lastScope = new TempLinksTestScope(deleteFiles: false,
122         ↪ useLog: true))
123     {
124         var links = scope.Links;
125         var transactionsLayer = (UInt64LinksTransactionsLayer)((LinksDisposableDecor_
126         ↪ atorBase<ulong>)links.Unsync).Links;
127         using (var transaction = transactionsLayer.BeginTransaction())
128         {
129             var l1 = links.CreateAndUpdate(itself, itself);
130             var l2 = links.CreateAndUpdate(itself, itself);
131
132             l2 = links.Update(l2, l2, l1, l2);
133
134             links.CreateAndUpdate(l2, itself);
135             links.CreateAndUpdate(l2, itself);
136
137             //Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transi_
138             ↪ tion>(scope.TempTransactionLogFilename);
139
140             l2 = links.Update(l2, l1);
141
142             links.Delete(l2);
143
144             ExceptionThrower();
145
146             transaction.Commit();
147         }
148         Global.Trash = links.Count();
149     }
150 }
151 catch
152 {
153     Assert.False(lastScope == null);
154
155     var transitions = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(l_
156     ↪ astScope.TempTransactionLogFilename);
157
158     Assert.True(transitions.Length == 1 && transitions[0].Before.IsNull() &&
159     ↪ transitions[0].After.IsNull());
160
161     lastScope.DeleteFiles();
162 }
163 }
164
165 [Fact]
166 public static void TransactionUserCodeErrorSomeDataSavedTest()
167 {
168     // User Code Error (Autoreverted), some data saved
169     var itself = _constants.Itself;
170
171     TempLinksTestScope lastScope = null;
172     try
173     {
174         ulong l1;
175         ulong l2;
176
177         using (var scope = new TempLinksTestScope(useLog: true))
178         {
179             var links = scope.Links;
180             l1 = links.CreateAndUpdate(itself, itself);
181             l2 = links.CreateAndUpdate(itself, itself);
182
183             l2 = links.Update(l2, l2, l1, l2);
184
185             links.CreateAndUpdate(l2, itself);
186             links.CreateAndUpdate(l2, itself);
187
188             links.Unsync.DisposeIfPossible();
189
190             Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(
191             ↪ scope.TempTransactionLogFilename);
192         }
193
194         using (var scope = lastScope = new TempLinksTestScope(deleteFiles: false,
195             ↪ useLog: true))
196         {
197             var links = scope.Links;
198             var transactionsLayer = (UInt64LinksTransactionsLayer)links.Unsync;

```

```

193         using (var transaction = transactionsLayer.BeginTransaction())
194         {
195             l2 = links.Update(l2, l1);
196
197             links.Delete(l2);
198
199             ExceptionThrower();
200
201             transaction.Commit();
202         }
203
204         Global.Trash = links.Count();
205     }
206 }
207 catch
208 {
209     Assert.False(lastScope == null);
210
211     Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(last
        ↳ Scope.TempTransactionLogFilename);
212
213     lastScope.DeleteFiles();
214 }
215 }
216
217 [Fact]
218 public static void TransactionCommit()
219 {
220     var itself = _constants.Itself;
221
222     var tempDatabaseFilename = Path.GetTempFileName();
223     var tempTransactionLogFilename = Path.GetTempFileName();
224
225     // Commit
226     using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
        ↳ UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
        ↳ tempTransactionLogFilename))
227     using (var links = new UInt64Links(memoryAdapter))
228     {
229         using (var transaction = memoryAdapter.BeginTransaction())
230         {
231             var l1 = links.CreateAndUpdate(itself, itself);
232             var l2 = links.CreateAndUpdate(itself, itself);
233
234             Global.Trash = links.Update(l2, l2, l1, l2);
235
236             links.Delete(l1);
237
238             transaction.Commit();
239         }
240
241         Global.Trash = links.Count();
242     }
243
244     Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran
        ↳ sactionLogFilename);
245 }
246
247 [Fact]
248 public static void TransactionDamage()
249 {
250     var itself = _constants.Itself;
251
252     var tempDatabaseFilename = Path.GetTempFileName();
253     var tempTransactionLogFilename = Path.GetTempFileName();
254
255     // Commit
256     using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
        ↳ UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
        ↳ tempTransactionLogFilename))
257     using (var links = new UInt64Links(memoryAdapter))
258     {
259         using (var transaction = memoryAdapter.BeginTransaction())
260         {
261             var l1 = links.CreateAndUpdate(itself, itself);
262             var l2 = links.CreateAndUpdate(itself, itself);
263
264             Global.Trash = links.Update(l2, l2, l1, l2);
265

```

```

266         links.Delete(l1);
267
268         transaction.Commit();
269     }
270
271     Global.Trash = links.Count();
272 }
273
274 Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran_
    ↪ sactionLogFilename);
275
276 // Damage database
277
278 FileHelpers.WriteFirst(tempTransactionLogFilename, new
    ↪ UInt64LinksTransactionsLayer.Transition(new UniqueTimestampFactory(), 555));
279
280 // Try load damaged database
281 try
282 {
283     // TODO: Fix
284     using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
        ↪ UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
        ↪ tempTransactionLogFilename))
285     using (var links = new UInt64Links(memoryAdapter))
286     {
287         Global.Trash = links.Count();
288     }
289 }
290 catch (NotSupportedException ex)
291 {
292     Assert.True(ex.Message == "Database is damaged, autorecovery is not supported
        ↪ yet.");
293 }
294
295 Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran_
    ↪ sactionLogFilename);
296
297 File.Delete(tempDatabaseFilename);
298 File.Delete(tempTransactionLogFilename);
299 }
300
301 [Fact]
302 public static void Bug1Test()
303 {
304     var tempDatabaseFilename = Path.GetTempFileName();
305     var tempTransactionLogFilename = Path.GetTempFileName();
306
307     var itself = _constants.Itself;
308
309     // User Code Error (Autoreverted), some data saved
310     try
311     {
312         ulong l1;
313         ulong l2;
314
315         using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
            ↪ UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
            ↪ tempTransactionLogFilename))
316         using (var links = new UInt64Links(memoryAdapter))
317         {
318             l1 = links.CreateAndUpdate(itself, itself);
319             l2 = links.CreateAndUpdate(itself, itself);
320
321             l2 = links.Update(l2, l2, l1, l2);
322
323             links.CreateAndUpdate(l2, itself);
324             links.CreateAndUpdate(l2, itself);
325         }
326
327         Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(temp_
            ↪ TransactionLogFilename);
328
329         using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
            ↪ UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
            ↪ tempTransactionLogFilename))
330         using (var links = new UInt64Links(memoryAdapter))
331         {
332             using (var transaction = memoryAdapter.BeginTransaction())

```

```

333         {
334             l2 = links.Update(l2, l1);
335
336             links.Delete(l2);
337
338             ExceptionThrower();
339
340             transaction.Commit();
341         }
342
343         Global.Trash = links.Count();
344     }
345 }
346 catch
347 {
348     Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(temp ↵
        ↵ TransactionLogFilename);
349 }
350
351 File.Delete(tempDatabaseFilename);
352 File.Delete(tempTransactionLogFilename);
353 }
354
355 private static void ExceptionThrower()
356 {
357     throw new Exception();
358 }
359
360 [Fact]
361 public static void PathsTest()
362 {
363     var source = _constants.SourcePart;
364     var target = _constants.TargetPart;
365
366     using (var scope = new TempLinksTestScope())
367     {
368         var links = scope.Links;
369         var l1 = links.CreatePoint();
370         var l2 = links.CreatePoint();
371
372         var r1 = links.GetByKeys(l1, source, target, source);
373         var r2 = links.CheckPathExistence(l2, l2, l2, l2);
374     }
375 }
376
377 [Fact]
378 public static void RecursiveStringFormattingTest()
379 {
380     using (var scope = new TempLinksTestScope(useSequences: true))
381     {
382         var links = scope.Links;
383         var sequences = scope.Sequences; // TODO: Auto use sequences on Sequences getter.
384
385         var a = links.CreatePoint();
386         var b = links.CreatePoint();
387         var c = links.CreatePoint();
388
389         var ab = links.CreateAndUpdate(a, b);
390         var cb = links.CreateAndUpdate(c, b);
391         var ac = links.CreateAndUpdate(a, c);
392
393         a = links.Update(a, c, b);
394         b = links.Update(b, a, c);
395         c = links.Update(c, a, b);
396
397         Debug.WriteLine(links.FormatStructure(ab, link => link.IsFullPoint(), true));
398         Debug.WriteLine(links.FormatStructure(cb, link => link.IsFullPoint(), true));
399         Debug.WriteLine(links.FormatStructure(ac, link => link.IsFullPoint(), true));
400
401         Assert.True(links.FormatStructure(cb, link => link.IsFullPoint(), true) ==
            ↵ "(5:(4:5 (6:5 4)) 6)");
402         Assert.True(links.FormatStructure(ac, link => link.IsFullPoint(), true) ==
            ↵ "(6:(5:(4:5 6) 6) 4)");
403         Assert.True(links.FormatStructure(ab, link => link.IsFullPoint(), true) ==
            ↵ "(4:(5:4 (6:5 4)) 6)");
404
405         // TODO: Think how to build balanced syntax tree while formatting structure (eg.
            ↵ "(4:(5:4 6) (6:5 4))" instead of "(4:(5:4 (6:5 4)) 6)"
406

```

```

407         Assert.True(sequences.SafeFormatSequence(cb, DefaultFormatter, false) ==
408             ↳ "{5}{5}{4}{6}");
409         Assert.True(sequences.SafeFormatSequence(ac, DefaultFormatter, false) ==
410             ↳ "{5}{6}{6}{4}");
411         Assert.True(sequences.SafeFormatSequence(ab, DefaultFormatter, false) ==
412             ↳ "{4}{5}{4}{6}");
413     }
414 }
415
416 private static void DefaultFormatter(StringBuilder sb, ulong link)
417 {
418     sb.Append(link.ToString());
419 }
420
421 #endregion
422
423 #region Performance
424
425 /*
426 public static void RunAllPerformanceTests()
427 {
428     try
429     {
430         links.TestLinksInSteps();
431     }
432     catch (Exception ex)
433     {
434         ex.WriteToConsole();
435     }
436
437     return;
438
439     try
440     {
441         //ThreadPool.SetMaxThreads(2, 2);
442         // Запускаем все тесты дважды, чтобы первоначальная инициализация не повлияла на
443         ↳ результат
444         // Также это дополнительно помогает в отладке
445         // Увеличивает вероятность попадания информации в кэши
446         for (var i = 0; i < 10; i++)
447         {
448             //0 - 10 ГБ
449             //Каждые 100 МБ срез цифр
450
451             //links.TestGetSourceFunction();
452             //links.TestGetSourceFunctionInParallel();
453             //links.TestGetTargetFunction();
454             //links.TestGetTargetFunctionInParallel();
455             links.Create64BillionLinks();
456
457             links.TestRandomSearchFixed();
458             //links.Create64BillionLinksInParallel();
459             links.TestEachFunction();
460             //links.TestForeach();
461             //links.TestParallelForeach();
462         }
463
464         links.TestDeletionOfAllLinks();
465
466     }
467     catch (Exception ex)
468     {
469         ex.WriteToConsole();
470     }
471 }*/
472
473 /*
474 public static void TestLinksInSteps()
475 {
476     const long gibibyte = 1024 * 1024 * 1024;
477     const long mebibyte = 1024 * 1024;
478
479     var totalLinksToCreate = gibibyte /
480     ↳ Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;
481     var linksStep = 102 * mebibyte /
482     ↳ Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;
483
484     var creationMeasurements = new List<TimeSpan>();

```

```

480     var searchMeasurements = new List<TimeSpan>();
481     var deletionMeasurements = new List<TimeSpan>();
482
483     GetBaseRandomLoopOverhead(linksStep);
484     GetBaseRandomLoopOverhead(linksStep);
485
486     var stepLoopOverhead = GetBaseRandomLoopOverhead(linksStep);
487
488     ConsoleHelpers.Debug("Step loop overhead: {0}.", stepLoopOverhead);
489
490     var loops = totalLinksToCreate / linksStep;
491
492     for (int i = 0; i < loops; i++)
493     {
494         creationMeasurements.Add(Measure(() => links.RunRandomCreations(linksStep)));
495         searchMeasurements.Add(Measure(() => links.RunRandomSearches(linksStep)));
496
497         Console.WriteLine("\rC + S {0}/{1}", i + 1, loops);
498     }
499
500     ConsoleHelpers.Debug();
501
502     for (int i = 0; i < loops; i++)
503     {
504         deletionMeasurements.Add(Measure(() => links.RunRandomDeletions(linksStep)));
505
506         Console.WriteLine("\rD {0}/{1}", i + 1, loops);
507     }
508
509     ConsoleHelpers.Debug();
510
511     ConsoleHelpers.Debug("C S D");
512
513     for (int i = 0; i < loops; i++)
514     {
515         ConsoleHelpers.Debug("{0} {1} {2}", creationMeasurements[i],
↪ searchMeasurements[i], deletionMeasurements[i]);
516     }
517
518     ConsoleHelpers.Debug("C S D (no overhead)");
519
520     for (int i = 0; i < loops; i++)
521     {
522         ConsoleHelpers.Debug("{0} {1} {2}", creationMeasurements[i] - stepLoopOverhead,
↪ searchMeasurements[i] - stepLoopOverhead, deletionMeasurements[i] - stepLoopOverhead);
523     }
524
525     ConsoleHelpers.Debug("All tests done. Total links left in database: {0}.",
↪ links.Total);
526 }
527
528 private static void CreatePoints(this Platform.Links.Data.Core.Doublets.Links links, long
↪ amountToCreate)
529 {
530     for (long i = 0; i < amountToCreate; i++)
531         links.Create(0, 0);
532 }
533
534 private static TimeSpan GetBaseRandomLoopOverhead(long loops)
535 {
536     return Measure(() =>
537     {
538         ulong maxValue = RandomHelpers.DefaultFactory.NextUInt64();
539         ulong result = 0;
540         for (long i = 0; i < loops; i++)
541         {
542             var source = RandomHelpers.DefaultFactory.NextUInt64(maxValue);
543             var target = RandomHelpers.DefaultFactory.NextUInt64(maxValue);
544
545             result += maxValue + source + target;
546         }
547         Global.Trash = result;
548     });
549 }
550 */
551
552 [Fact(Skip = "performance test")]
553 public static void GetSourceTest()
554 {

```

```

555 using (var scope = new TempLinksTestScope())
556 {
557     var links = scope.Links;
558     ConsoleHelpers.Debug("Testing GetSource function with {0} Iterations.",
        ↪ Iterations);
559
560     ulong counter = 0;
561
562     //var firstLink = links.First();
563     // Создаём одну связь, из которой будет производить считывание
564     var firstLink = links.Create();
565
566     var sw = Stopwatch.StartNew();
567
568     // Тестируем саму функцию
569     for (ulong i = 0; i < Iterations; i++)
570     {
571         counter += links.GetSource(firstLink);
572     }
573
574     var elapsedTime = sw.Elapsed;
575
576     var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
577
578     // Удаляем связь, из которой производилось считывание
579     links.Delete(firstLink);
580
581     ConsoleHelpers.Debug(
582         "{0} Iterations of GetSource function done in {1} ({2} Iterations per
        ↪ second), counter result: {3}",
        Iterations, elapsedTime, (long)iterationsPerSecond, counter);
583     }
584 }
585
586 [Fact(Skip = "performance test")]
587 public static void GetSourceInParallel()
588 {
589     using (var scope = new TempLinksTestScope())
590     {
591         var links = scope.Links;
592         ConsoleHelpers.Debug("Testing GetSource function with {0} Iterations in
593             ↪ parallel.", Iterations);
594
595         long counter = 0;
596
597         //var firstLink = links.First();
598         var firstLink = links.Create();
599
600         var sw = Stopwatch.StartNew();
601
602         // Тестируем саму функцию
603         Parallel.For(0, Iterations, x =>
604         {
605             Interlocked.Add(ref counter, (long)links.GetSource(firstLink));
606             //Interlocked.Increment(ref counter);
607         });
608
609         var elapsedTime = sw.Elapsed;
610
611         var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
612
613         links.Delete(firstLink);
614
615         ConsoleHelpers.Debug(
616             "{0} Iterations of GetSource function done in {1} ({2} Iterations per
        ↪ second), counter result: {3}",
        Iterations, elapsedTime, (long)iterationsPerSecond, counter);
617     }
618 }
619
620 [Fact(Skip = "performance test")]
621 public static void TestGetTarget()
622 {
623     using (var scope = new TempLinksTestScope())
624     {
625         var links = scope.Links;
626         ConsoleHelpers.Debug("Testing GetTarget function with {0} Iterations.",
627             ↪ Iterations);
628

```



```

629     ulong counter = 0;
630
631     //var firstLink = links.First();
632     var firstLink = links.Create();
633
634     var sw = Stopwatch.StartNew();
635
636     for (ulong i = 0; i < Iterations; i++)
637     {
638         counter += links.GetTarget(firstLink);
639     }
640
641     var elapsedTime = sw.Elapsed;
642
643     var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
644
645     links.Delete(firstLink);
646
647     ConsoleHelpers.Debug(
648         "{0} Iterations of GetTarget function done in {1} ({2} Iterations per
        ↳ second), counter result: {3}",
        Iterations, elapsedTime, (long)iterationsPerSecond, counter);
649     }
650 }
651
652 [Fact(Skip = "performance test")]
653 public static void TestGetTargetInParallel()
654 {
655     using (var scope = new TempLinksTestScope())
656     {
657         var links = scope.Links;
658         ConsoleHelpers.Debug("Testing GetTarget function with {0} Iterations in
        ↳ parallel.", Iterations);
659
660         long counter = 0;
661
662         //var firstLink = links.First();
663         var firstLink = links.Create();
664
665         var sw = Stopwatch.StartNew();
666
667         Parallel.For(0, Iterations, x =>
668         {
669             Interlocked.Add(ref counter, (long)links.GetTarget(firstLink));
670             //Interlocked.Increment(ref counter);
671         });
672
673         var elapsedTime = sw.Elapsed;
674
675         var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
676
677         links.Delete(firstLink);
678
679         ConsoleHelpers.Debug(
680             "{0} Iterations of GetTarget function done in {1} ({2} Iterations per
        ↳ second), counter result: {3}",
        Iterations, elapsedTime, (long)iterationsPerSecond, counter);
681     }
682 }
683
684 // TODO: Заполнить базу данных перед тестом
685 /*
686 [Fact]
687 public void TestRandomSearchFixed()
688 {
689     var tempFilename = Path.GetTempFileName();
690
691     using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
692 ↳ DefaultLinksSizeStep))
693     {
694         long iterations = 64 * 1024 * 1024 /
695 ↳ Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;
696
697         ulong counter = 0;
698         var maxLink = links.Total;
699
700         ConsoleHelpers.Debug("Testing Random Search with {0} Iterations.", iterations);
701
702         var sw = Stopwatch.StartNew();
703

```

```

704         for (var i = iterations; i > 0; i--)
705         {
706             var source =
↪ RandomHelpers.DefaultFactory.NextUInt64(LinksConstants.MinPossibleIndex, maxLink);
707             var target =
↪ RandomHelpers.DefaultFactory.NextUInt64(LinksConstants.MinPossibleIndex, maxLink);
708
709             counter += links.Search(source, target);
710         }
711
712         var elapsedTime = sw.Elapsed;
713
714         var iterationsPerSecond = iterations / elapsedTime.TotalSeconds;
715
716         ConsoleHelpers.Debug("{0} Iterations of Random Search done in {1} ({2}
↪ Iterations per second), c: {3}", iterations, elapsedTime, (long)iterationsPerSecond,
↪ counter);
717     }
718
719     File.Delete(tempFilename);
720 }*/
721
722 [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
723 public static void TestRandomSearchAll()
724 {
725     using (var scope = new TempLinksTestScope())
726     {
727         var links = scope.Links;
728         ulong counter = 0;
729
730         var maxLink = links.Count();
731
732         var iterations = links.Count();
733
734         ConsoleHelpers.Debug("Testing Random Search with {0} Iterations.",
↪ links.Count());
735
736         var sw = Stopwatch.StartNew();
737
738         for (var i = iterations; i > 0; i--)
739         {
740             var linksAddressRange = new
↪ Range<ulong>(_constants.PossibleInnerReferencesRange.Minimum, maxLink);
741
742             var source = RandomHelpers.Default.NextUInt64(linksAddressRange);
743             var target = RandomHelpers.Default.NextUInt64(linksAddressRange);
744
745             counter += links.SearchOrDefault(source, target);
746         }
747
748         var elapsedTime = sw.Elapsed;
749
750         var iterationsPerSecond = iterations / elapsedTime.TotalSeconds;
751
752         ConsoleHelpers.Debug("{0} Iterations of Random Search done in {1} ({2}
↪ Iterations per second), c: {3}",
↪ iterations, elapsedTime, (long)iterationsPerSecond, counter);
753     }
754 }
755
756 [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
757 public static void TestEach()
758 {
759     using (var scope = new TempLinksTestScope())
760     {
761         var links = scope.Links;
762
763         var counter = new Counter<IList<ulong>, ulong>(links.Constants.Continue);
764
765         ConsoleHelpers.Debug("Testing Each function.");
766
767         var sw = Stopwatch.StartNew();
768
769         links.Each(counter.IncrementAndReturnTrue);
770
771         var elapsedTime = sw.Elapsed;
772
773         var linksPerSecond = counter.Count / elapsedTime.TotalSeconds;
774
775

```

```

776         ConsoleHelpers.Debug("{0} Iterations of Each's handler function done in {1} ({2}
↪         links per second)",
777         counter, elapsedTime, (long)linksPerSecond);
778     }
779 }
780
781 /*
782 [Fact]
783 public static void TestForeach()
784 {
785     var tempFilename = Path.GetTempFileName();
786
787     using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
↪     DefaultLinksSizeStep))
788     {
789         ulong counter = 0;
790
791         ConsoleHelpers.Debug("Testing foreach through links.");
792
793         var sw = Stopwatch.StartNew();
794
795         //foreach (var link in links)
796         //{
797             counter++;
798         //}
799
800         var elapsedTime = sw.Elapsed;
801
802         var linksPerSecond = (double)counter / elapsedTime.TotalSeconds;
803
804         ConsoleHelpers.Debug("{0} Iterations of Foreach's handler block done in {1} ({2}
↪     links per second)", counter, elapsedTime, (long)linksPerSecond);
805     }
806
807     File.Delete(tempFilename);
808 }
809 */
810
811 /*
812 [Fact]
813 public static void TestParallelForeach()
814 {
815     var tempFilename = Path.GetTempFileName();
816
817     using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
↪     DefaultLinksSizeStep))
818     {
819         long counter = 0;
820
821         ConsoleHelpers.Debug("Testing parallel foreach through links.");
822
823         var sw = Stopwatch.StartNew();
824
825         //Parallel.ForEach((IEnumerable<ulong>)links, x =>
826         //{
827             // Interlocked.Increment(ref counter);
828         //});
829
830         var elapsedTime = sw.Elapsed;
831
832         var linksPerSecond = (double)counter / elapsedTime.TotalSeconds;
833
834         ConsoleHelpers.Debug("{0} Iterations of Parallel Foreach's handler block done in
↪     {1} ({2} links per second)", counter, elapsedTime, (long)linksPerSecond);
835     }
836
837     File.Delete(tempFilename);
838 }
839 */
840
841 [Fact(Skip = "performance test")]
842 public static void Create64BillionLinks()
843 {
844     using (var scope = new TempLinksTestScope())
845     {
846         var links = scope.Links;
847         var linksBeforeTest = links.Count();
848     }
849 }

```

```

850     long linksToCreate = 64 * 1024 * 1024 /
      ↳ UInt64ResizableDirectMemoryLinks.LinkSizeInBytes;
851
852     ConsoleHelpers.Debug("Creating {0} links.", linksToCreate);
853
854     var elapsedTime = Performance.Measure(() =>
855     {
856         for (long i = 0; i < linksToCreate; i++)
857         {
858             links.Create();
859         }
860     });
861
862     var linksCreated = links.Count() - linksBeforeTest;
863     var linksPerSecond = linksCreated / elapsedTime.TotalSeconds;
864
865     ConsoleHelpers.Debug("Current links count: {0}.", links.Count());
866
867     ConsoleHelpers.Debug("{0} links created in {1} ({2} links per second)",
      ↳ linksCreated, elapsedTime,
      ↳ (long)linksPerSecond);
868 }
869 }
870
871 [Fact(Skip = "performance test")]
872 public static void Create64BillionLinksInParallel()
873 {
874     using (var scope = new TempLinksTestScope())
875     {
876         var links = scope.Links;
877         var linksBeforeTest = links.Count();
878
879         var sw = Stopwatch.StartNew();
880
881         long linksToCreate = 64 * 1024 * 1024 /
882             ↳ UInt64ResizableDirectMemoryLinks.LinkSizeInBytes;
883
884         ConsoleHelpers.Debug("Creating {0} links in parallel.", linksToCreate);
885
886         Parallel.For(0, linksToCreate, x => links.Create());
887
888         var elapsedTime = sw.Elapsed;
889
890         var linksCreated = links.Count() - linksBeforeTest;
891         var linksPerSecond = linksCreated / elapsedTime.TotalSeconds;
892
893         ConsoleHelpers.Debug("{0} links created in {1} ({2} links per second)",
894             ↳ linksCreated, elapsedTime,
895             ↳ (long)linksPerSecond);
896     }
897 }
898 [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
899 public static void TestDeletionOfAllLinks()
900 {
901     using (var scope = new TempLinksTestScope())
902     {
903         var links = scope.Links;
904         var linksBeforeTest = links.Count();
905
906         ConsoleHelpers.Debug("Deleting all links");
907
908         var elapsedTime = Performance.Measure(links.DeleteAll);
909
910         var linksDeleted = linksBeforeTest - links.Count();
911         var linksPerSecond = linksDeleted / elapsedTime.TotalSeconds;
912
913         ConsoleHelpers.Debug("{0} links deleted in {1} ({2} links per second)",
914             ↳ linksDeleted, elapsedTime,
915             ↳ (long)linksPerSecond);
916     }
917 }
918 #endregion
919 }
920 }

```

./Platform.Data.Doublets.Tests/UnaryNumberConvertersTests.cs

```

1 using Xunit;
2 using Platform.Random;

```

```

3 using Platform.Data.Doublets.Numbers.Unary;
4
5 namespace Platform.Data.Doublets.Tests
6 {
7     public static class UnaryNumberConvertersTests
8     {
9         [Fact]
10        public static void ConvertersTest()
11        {
12            using (var scope = new TempLinksTestScope())
13            {
14                const int N = 10;
15                var links = scope.Links;
16                var meaningRoot = links.CreatePoint();
17                var one = links.CreateAndUpdate(meaningRoot, links.Constants.Itself);
18                var powerOf2ToUnaryNumberConverter = new
19                ↪ PowerOf2ToUnaryNumberConverter<ulong>(links, one);
20                var toUnaryNumberConverter = new AddressToUnaryNumberConverter<ulong>(links,
21                ↪ powerOf2ToUnaryNumberConverter);
22                var random = new System.Random(0);
23                ulong[] numbers = new ulong[N];
24                ulong[] unaryNumbers = new ulong[N];
25                for (int i = 0; i < N; i++)
26                {
27                    numbers[i] = random.NextUInt64();
28                    unaryNumbers[i] = toUnaryNumberConverter.Convert(numbers[i]);
29                }
30                var fromUnaryNumberConverterUsingOrOperation = new
31                ↪ UnaryNumberToAddressOrOperationConverter<ulong>(links,
32                ↪ powerOf2ToUnaryNumberConverter);
33                var fromUnaryNumberConverterUsingAddOperation = new
34                ↪ UnaryNumberToAddressAddOperationConverter<ulong>(links, one);
35                for (int i = 0; i < N; i++)
36                {
37                    Assert.Equal(numbers[i],
38                    ↪ fromUnaryNumberConverterUsingOrOperation.Convert(unaryNumbers[i]));
39                    Assert.Equal(numbers[i],
40                    ↪ fromUnaryNumberConverterUsingAddOperation.Convert(unaryNumbers[i]));
41                }
42            }
43        }
44    }
45 }

```

./Platform.Data.Doublets.Tests/UnicodeConvertersTests.cs

```

1 using Xunit;
2 using Platform.Interfaces;
3 using Platform.Memory;
4 using Platform.Reflection;
5 using Platform.Scopes;
6 using Platform.Data.Doublets.Incrementers;
7 using Platform.Data.Doublets.Numbers.Raw;
8 using Platform.Data.Doublets.Numbers.Unary;
9 using Platform.Data.Doublets.PropertyOperators;
10 using Platform.Data.Doublets.ResizableDirectMemory;
11 using Platform.Data.Doublets.Sequences.Converters;
12 using Platform.Data.Doublets.Sequences.Indexes;
13 using Platform.Data.Doublets.Sequences.Walkers;
14 using Platform.Data.Doublets.Unicode;
15
16 namespace Platform.Data.Doublets.Tests
17 {
18     public static class UnicodeConvertersTests
19     {
20         [Fact]
21        public static void CharAndUnaryNumberUnicodeSymbolConvertersTest()
22        {
23            using (var scope = new TempLinksTestScope())
24            {
25                var links = scope.Links;
26                var meaningRoot = links.CreatePoint();
27                var one = links.CreateAndUpdate(meaningRoot, links.Constants.Itself);
28                var powerOf2ToUnaryNumberConverter = new
29                ↪ PowerOf2ToUnaryNumberConverter<ulong>(links, one);
30                var addressToUnaryNumberConverter = new
31                ↪ AddressToUnaryNumberConverter<ulong>(links, powerOf2ToUnaryNumberConverter);
32                var unaryNumberToAddressConverter = new
33                ↪ UnaryNumberToAddressOrOperationConverter<ulong>(links,
34                ↪ powerOf2ToUnaryNumberConverter);

```

```

31         TestCharAndUnicodeSymbolConverters(links, meaningRoot,
32         ↪ addressToUnaryNumberConverter, unaryNumberToAddressConverter);
33     }
34 }
35 [Fact]
36 public static void CharAndRawNumberUnicodeSymbolConvertersTest()
37 {
38     using (var scope = new Scope<Types<HeapResizableDirectMemory,
39     ↪ ResizableDirectMemoryLinks<ulong>>>())
40     {
41         var links = scope.Use<ILinks<ulong>>>();
42         var meaningRoot = links.CreatePoint();
43         var addressToRawNumberConverter = new AddressToRawNumberConverter<ulong>();
44         var rawNumberToAddressConverter = new RawNumberToAddressConverter<ulong>();
45         TestCharAndUnicodeSymbolConverters(links, meaningRoot,
46         ↪ addressToRawNumberConverter, rawNumberToAddressConverter);
47     }
48 }
49 private static void TestCharAndUnicodeSymbolConverters(ILinks<ulong> links, ulong
50 ↪ meaningRoot, IConverter<ulong> addressToNumberConverter, IConverter<ulong>
51 ↪ numberToAddressConverter)
52 {
53     var unicodeSymbolMarker = links.CreateAndUpdate(meaningRoot, links.Constants.Itself);
54     var charToUnicodeSymbolConverter = new CharToUnicodeSymbolConverter<ulong>(links,
55     ↪ addressToNumberConverter, unicodeSymbolMarker);
56     var originalCharacter = 'H';
57     var characterLink = charToUnicodeSymbolConverter.Convert(originalCharacter);
58     var unicodeSymbolCriterionMatcher = new UnicodeSymbolCriterionMatcher<ulong>(links,
59     ↪ unicodeSymbolMarker);
60     var unicodeSymbolToCharConverter = new UnicodeSymbolToCharConverter<ulong>(links,
61     ↪ numberToAddressConverter, unicodeSymbolCriterionMatcher);
62     var resultingCharacter = unicodeSymbolToCharConverter.Convert(characterLink);
63     Assert.Equal(originalCharacter, resultingCharacter);
64 }
65 [Fact]
66 public static void StringAndUnicodeSequenceConvertersTest()
67 {
68     using (var scope = new TempLinksTestScope())
69     {
70         var links = scope.Links;
71         var itself = links.Constants.Itself;
72
73         var meaningRoot = links.CreatePoint();
74         var unaryOne = links.CreateAndUpdate(meaningRoot, itself);
75         var unicodeSymbolMarker = links.CreateAndUpdate(meaningRoot, itself);
76         var unicodeSequenceMarker = links.CreateAndUpdate(meaningRoot, itself);
77         var frequencyMarker = links.CreateAndUpdate(meaningRoot, itself);
78         var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot, itself);
79
80         var powerOf2ToUnaryNumberConverter = new
81         ↪ PowerOf2ToUnaryNumberConverter<ulong>(links, unaryOne);
82         var addressToUnaryNumberConverter = new
83         ↪ AddressToUnaryNumberConverter<ulong>(links, powerOf2ToUnaryNumberConverter);
84         var charToUnicodeSymbolConverter = new
85         ↪ CharToUnicodeSymbolConverter<ulong>(links, addressToUnaryNumberConverter,
86         ↪ unicodeSymbolMarker);
87
88         var unaryNumberToAddressConverter = new
89         ↪ UnaryNumberToAddressOrOperationConverter<ulong>(links,
90         ↪ powerOf2ToUnaryNumberConverter);
91         var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links, unaryOne);
92         var frequencyIncrementer = new FrequencyIncrementer<ulong>(links,
93         ↪ frequencyMarker, unaryOne, unaryNumberIncrementer);
94         var frequencyPropertyOperator = new PropertyOperator<ulong>(links,
95         ↪ frequencyPropertyMarker, frequencyIncrementer);
96         var index = new FrequencyIncrementingSequenceIndex<ulong>(links,
97         ↪ frequencyPropertyOperator, frequencyIncrementer);
98         var linkToItsFrequencyNumberConverter = new
99         ↪ LinkToItsFrequencyNumberConverter<ulong>(links, frequencyPropertyOperator,
100        ↪ unaryNumberToAddressConverter);
101         var sequenceToItsLocalElementLevelsConverter = new
102         ↪ SequenceToItsLocalElementLevelsConverter<ulong>(links,
103         ↪ linkToItsFrequencyNumberConverter);

```

```

87     var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
88         ↪ sequenceToItsLocalElementLevelsConverter);
89
90     var stringToUnicodeSymbolConverter = new
91         ↪ StringToUnicodeSequenceConverter<ulong>(links, charToUnicodeSymbolConverter,
92         ↪ index, optimalVariantConverter, unicodeSequenceMarker);
93
94     var originalString = "Hello";
95
96     var unicodeSequenceLink = stringToUnicodeSymbolConverter.Convert(originalString);
97
98     var unicodeSymbolCriterionMatcher = new
99         ↪ UnicodeSymbolCriterionMatcher<ulong>(links, unicodeSymbolMarker);
100    var unicodeSymbolToCharConverter = new
101        ↪ UnicodeSymbolToCharConverter<ulong>(links, unaryNumberToAddressConverter,
102        ↪ unicodeSymbolCriterionMatcher);
103
104    var unicodeSequenceCriterionMatcher = new
105        ↪ UnicodeSequenceCriterionMatcher<ulong>(links, unicodeSequenceMarker);
106
107    var sequenceWalker = new LeveledSequenceWalker<ulong>(links,
108        ↪ unicodeSymbolCriterionMatcher.IsMatched);
109
110    var unicodeSequenceToStringConverter = new
111        ↪ UnicodeSequenceToStringConverter<ulong>(links,
112        ↪ unicodeSequenceCriterionMatcher, sequenceWalker,
113        ↪ unicodeSymbolToCharConverter);
114
115    var resultingString =
116        ↪ unicodeSequenceToStringConverter.Convert(unicodeSequenceLink);
117
118    Assert.Equal(originalString, resultingString);
119
120    }
121
122    }
123
124    }
125
126    }
127
128    }
129
130    }
131
132    }
133
134    }
135
136    }
137
138    }
139
140    }
141
142    }
143
144    }
145
146    }
147
148    }
149
150    }
151
152    }
153
154    }
155
156    }
157
158    }
159
160    }
161
162    }
163
164    }
165
166    }
167
168    }
169
170    }
171
172    }
173
174    }
175
176    }
177
178    }
179
180    }
181
182    }
183
184    }
185
186    }
187
188    }
189
190    }
191
192    }
193
194    }
195
196    }
197
198    }
199
200    }
201
202    }
203
204    }
205
206    }
207
208    }
209
210    }
211
212    }
213
214    }
215
216    }
217
218    }
219
220    }
221
222    }
223
224    }
225
226    }
227
228    }
229
230    }
231
232    }
233
234    }
235
236    }
237
238    }
239
240    }
241
242    }
243
244    }
245
246    }
247
248    }
249
250    }
251
252    }
253
254    }
255
256    }
257
258    }
259
260    }
261
262    }
263
264    }
265
266    }
267
268    }
269
270    }
271
272    }
273
274    }
275
276    }
277
278    }
279
280    }
281
282    }
283
284    }
285
286    }
287
288    }
289
290    }
291
292    }
293
294    }
295
296    }
297
298    }
299
300    }
301
302    }
303
304    }
305
306    }
307
308    }
309
310    }
311
312    }
313
314    }
315
316    }
317
318    }
319
320    }
321
322    }
323
324    }
325
326    }
327
328    }
329
330    }
331
332    }
333
334    }
335
336    }
337
338    }
339
340    }
341
342    }
343
344    }
345
346    }
347
348    }
349
350    }
351
352    }
353
354    }
355
356    }
357
358    }
359
360    }
361
362    }
363
364    }
365
366    }
367
368    }
369
370    }
371
372    }
373
374    }
375
376    }
377
378    }
379
380    }
381
382    }
383
384    }
385
386    }
387
388    }
389
390    }
391
392    }
393
394    }
395
396    }
397
398    }
399
400    }
401
402    }
403
404    }
405
406    }
407
408    }
409
410    }
411
412    }
413
414    }
415
416    }
417
418    }
419
420    }
421
422    }
423
424    }
425
426    }
427
428    }
429
430    }
431
432    }
433
434    }
435
436    }
437
438    }
439
440    }
441
442    }
443
444    }
445
446    }
447
448    }
449
450    }
451
452    }
453
454    }
455
456    }
457
458    }
459
460    }
461
462    }
463
464    }
465
466    }
467
468    }
469
470    }
471
472    }
473
474    }
475
476    }
477
478    }
479
480    }
481
482    }
483
484    }
485
486    }
487
488    }
489
490    }
491
492    }
493
494    }
495
496    }
497
498    }
499
500    }
501
502    }
503
504    }
505
506    }
507
508    }
509
510    }
511
512    }
513
514    }
515
516    }
517
518    }
519
520    }
521
522    }
523
524    }
525
526    }
527
528    }
529
530    }
531
532    }
533
534    }
535
536    }
537
538    }
539
540    }
541
542    }
543
544    }
545
546    }
547
548    }
549
550    }
551
552    }
553
554    }
555
556    }
557
558    }
559
560    }
561
562    }
563
564    }
565
566    }
567
568    }
569
570    }
571
572    }
573
574    }
575
576    }
577
578    }
579
580    }
581
582    }
583
584    }
585
586    }
587
588    }
589
590    }
591
592    }
593
594    }
595
596    }
597
598    }
599
600    }
601
602    }
603
604    }
605
606    }
607
608    }
609
610    }
611
612    }
613
614    }
615
616    }
617
618    }
619
620    }
621
622    }
623
624    }
625
626    }
627
628    }
629
630    }
631
632    }
633
634    }
635
636    }
637
638    }
639
640    }
641
642    }
643
644    }
645
646    }
647
648    }
649
650    }
651
652    }
653
654    }
655
656    }
657
658    }
659
660    }
661
662    }
663
664    }
665
666    }
667
668    }
669
670    }
671
672    }
673
674    }
675
676    }
677
678    }
679
680    }
681
682    }
683
684    }
685
686    }
687
688    }
689
690    }
691
692    }
693
694    }
695
696    }
697
698    }
699
700    }
701
702    }
703
704    }
705
706    }
707
708    }
709
710    }
711
712    }
713
714    }
715
716    }
717
718    }
719
720    }
721
722    }
723
724    }
725
726    }
727
728    }
729
730    }
731
732    }
733
734    }
735
736    }
737
738    }
739
740    }
741
742    }
743
744    }
745
746    }
747
748    }
749
750    }
751
752    }
753
754    }
755
756    }
757
758    }
759
760    }
761
762    }
763
764    }
765
766    }
767
768    }
769
770    }
771
772    }
773
774    }
775
776    }
777
778    }
779
780    }
781
782    }
783
784    }
785
786    }
787
788    }
789
790    }
791
792    }
793
794    }
795
796    }
797
798    }
799
800    }
801
802    }
803
804    }
805
806    }
807
808    }
809
810    }
811
812    }
813
814    }
815
816    }
817
818    }
819
820    }
821
822    }
823
824    }
825
826    }
827
828    }
829
830    }
831
832    }
833
834    }
835
836    }
837
838    }
839
840    }
841
842    }
843
844    }
845
846    }
847
848    }
849
850    }
851
852    }
853
854    }
855
856    }
857
858    }
859
860    }
861
862    }
863
864    }
865
866    }
867
868    }
869
870    }
871
872    }
873
874    }
875
876    }
877
878    }
879
880    }
881
882    }
883
884    }
885
886    }
887
888    }
889
890    }
891
892    }
893
894    }
895
896    }
897
898    }
899
900    }
901
902    }
903
904    }
905
906    }
907
908    }
909
910    }
911
912    }
913
914    }
915
916    }
917
918    }
919
920    }
921
922    }
923
924    }
925
926    }
927
928    }
929
930    }
931
932    }
933
934    }
935
936    }
937
938    }
939
940    }
941
942    }
943
944    }
945
946    }
947
948    }
949
950    }
951
952    }
953
954    }
955
956    }
957
958    }
959
960    }
961
962    }
963
964    }
965
966    }
967
968    }
969
970    }
971
972    }
973
974    }
975
976    }
977
978    }
979
980    }
981
982    }
983
984    }
985
986    }
987
988    }
989
990    }
991
992    }
993
994    }
995
996    }
997
998    }
999
1000    }

```

## Index

./Platform.Data.Doublets.Tests/ComparisonTests.cs, 143  
./Platform.Data.Doublets.Tests/EqualityTests.cs, 144  
./Platform.Data.Doublets.Tests/GenericLinksTests.cs, 145  
./Platform.Data.Doublets.Tests/OptimalVariantSequenceTests.cs, 146  
./Platform.Data.Doublets.Tests/ReadSequenceTests.cs, 148  
./Platform.Data.Doublets.Tests/ResizableDirectMemoryLinksTests.cs, 148  
./Platform.Data.Doublets.Tests/ScopeTests.cs, 149  
./Platform.Data.Doublets.Tests/SequencesTests.cs, 150  
./Platform.Data.Doublets.Tests/TempLinksTestScope.cs, 165  
./Platform.Data.Doublets.Tests/TestExtensions.cs, 165  
./Platform.Data.Doublets.Tests/UInt64LinksTests.cs, 168  
./Platform.Data.Doublets.Tests/UnaryNumberConvertersTests.cs, 180  
./Platform.Data.Doublets.Tests/UnicodeConvertersTests.cs, 181  
./Platform.Data.Doublets/Decorators/LinksCascadeUniquenessAndUsagesResolver.cs, 1  
./Platform.Data.Doublets/Decorators/LinksCascadeUsagesResolver.cs, 1  
./Platform.Data.Doublets/Decorators/LinksDecoratorBase.cs, 1  
./Platform.Data.Doublets/Decorators/LinksDisposableDecoratorBase.cs, 2  
./Platform.Data.Doublets/Decorators/LinksInnerReferenceExistenceValidator.cs, 2  
./Platform.Data.Doublets/Decorators/LinksItselfConstantToSelfReferenceResolver.cs, 3  
./Platform.Data.Doublets/Decorators/LinksNonExistentDependenciesCreator.cs, 3  
./Platform.Data.Doublets/Decorators/LinksNullConstantToSelfReferenceResolver.cs, 4  
./Platform.Data.Doublets/Decorators/LinksUniquenessResolver.cs, 4  
./Platform.Data.Doublets/Decorators/LinksUniquenessValidator.cs, 4  
./Platform.Data.Doublets/Decorators/LinksUsagesValidator.cs, 5  
./Platform.Data.Doublets/Decorators/NonNullContentsLinkDeletionResolver.cs, 5  
./Platform.Data.Doublets/Decorators/UInt64Links.cs, 5  
./Platform.Data.Doublets/Decorators/UniLinks.cs, 7  
./Platform.Data.Doublets/Doublet.cs, 11  
./Platform.Data.Doublets/DoubletComparer.cs, 11  
./Platform.Data.Doublets/Hybrid.cs, 12  
./Platform.Data.Doublets/ILinks.cs, 14  
./Platform.Data.Doublets/ILinksExtensions.cs, 14  
./Platform.Data.Doublets/ISynchronizedLinks.cs, 26  
./Platform.Data.Doublets/Incrementers/FrequencyIncrementer.cs, 25  
./Platform.Data.Doublets/Incrementers/UnaryNumberIncrementer.cs, 25  
./Platform.Data.Doublets/Link.cs, 26  
./Platform.Data.Doublets/LinkExtensions.cs, 28  
./Platform.Data.Doublets/LinksOperatorBase.cs, 28  
./Platform.Data.Doublets/Numbers/Raw/AddressToRawNumberConverter.cs, 29  
./Platform.Data.Doublets/Numbers/Raw/RawNumberToAddressConverter.cs, 29  
./Platform.Data.Doublets/Numbers/Unary/AddressToUnaryNumberConverter.cs, 29  
./Platform.Data.Doublets/Numbers/Unary/LinkToItsFrequencyNumberConverter.cs, 29  
./Platform.Data.Doublets/Numbers/Unary/PowerOf2ToUnaryNumberConverter.cs, 30  
./Platform.Data.Doublets/Numbers/Unary/UnaryNumberToAddressAddOperationConverter.cs, 31  
./Platform.Data.Doublets/Numbers/Unary/UnaryNumberToAddressOrOperationConverter.cs, 32  
./Platform.Data.Doublets/PropertyOperators/PropertiesOperator.cs, 32  
./Platform.Data.Doublets/PropertyOperators/PropertyOperator.cs, 33  
./Platform.Data.Doublets/ResizableDirectMemory/ResizableDirectMemoryLinks.ListMethods.cs, 43  
./Platform.Data.Doublets/ResizableDirectMemory/ResizableDirectMemoryLinks.TreeMethods.cs, 43  
./Platform.Data.Doublets/ResizableDirectMemory/ResizableDirectMemoryLinks.cs, 34  
./Platform.Data.Doublets/ResizableDirectMemory/UInt64ResizableDirectMemoryLinks.ListMethods.cs, 56  
./Platform.Data.Doublets/ResizableDirectMemory/UInt64ResizableDirectMemoryLinks.TreeMethods.cs, 57  
./Platform.Data.Doublets/ResizableDirectMemory/UInt64ResizableDirectMemoryLinks.cs, 50  
./Platform.Data.Doublets/Sequences/ArrayExtensions.cs, 63  
./Platform.Data.Doublets/Sequences/Converters/BalancedVariantConverter.cs, 64  
./Platform.Data.Doublets/Sequences/Converters/CompressingConverter.cs, 64  
./Platform.Data.Doublets/Sequences/Converters/LinksListToSequenceConverterBase.cs, 68  
./Platform.Data.Doublets/Sequences/Converters/OptimalVariantConverter.cs, 68  
./Platform.Data.Doublets/Sequences/Converters/SequenceToItsLocalElementLevelsConverter.cs, 69  
./Platform.Data.Doublets/Sequences/CriteriaMatchers/DefaultSequenceElementCriterionMatcher.cs, 70  
./Platform.Data.Doublets/Sequences/CriteriaMatchers/MarkedSequenceCriterionMatcher.cs, 70  
./Platform.Data.Doublets/Sequences/DefaultSequenceAppender.cs, 70  
./Platform.Data.Doublets/Sequences/DuplicateSegmentsCounter.cs, 71  
./Platform.Data.Doublets/Sequences/DuplicateSegmentsProvider.cs, 71  
./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequenciesCache.cs, 73  
./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequency.cs, 75



./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkToItsFrequencyValueConverter.cs, 76  
./Platform.Data.Doublets/Sequences/Frequencies/Counters/MarkedSequenceSymbolFrequencyOneOffCounter.cs, 76  
./Platform.Data.Doublets/Sequences/Frequencies/Counters/SequenceSymbolFrequencyOneOffCounter.cs, 76  
./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequencyCounter.cs, 77  
./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequencyOneOffCounter.cs, 77  
./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyCounter.cs, 78  
./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyOneOffCounter.cs, 78  
./Platform.Data.Doublets/Sequences/HeightProviders/CachedSequenceHeightProvider.cs, 79  
./Platform.Data.Doublets/Sequences/HeightProviders/DefaultSequenceRightHeightProvider.cs, 79  
./Platform.Data.Doublets/Sequences/HeightProviders/ISequenceHeightProvider.cs, 80  
./Platform.Data.Doublets/Sequences/IListExtensions.cs, 80  
./Platform.Data.Doublets/Sequences/Indexes/CachedFrequencyIncrementingSequenceIndex.cs, 80  
./Platform.Data.Doublets/Sequences/Indexes/FrequencyIncrementingSequenceIndex.cs, 81  
./Platform.Data.Doublets/Sequences/Indexes/ISequenceIndex.cs, 82  
./Platform.Data.Doublets/Sequences/Indexes/SequenceIndex.cs, 82  
./Platform.Data.Doublets/Sequences/Indexes/SynchronizedSequenceIndex.cs, 83  
./Platform.Data.Doublets/Sequences/ListFiller.cs, 83  
./Platform.Data.Doublets/Sequences/Sequences.Experiments.cs, 94  
./Platform.Data.Doublets/Sequences/Sequences.cs, 84  
./Platform.Data.Doublets/Sequences/SequencesExtensions.cs, 120  
./Platform.Data.Doublets/Sequences/SequencesOptions.cs, 121  
./Platform.Data.Doublets/Sequences/SetFiller.cs, 122  
./Platform.Data.Doublets/Sequences/Walkers/ISequenceWalker.cs, 123  
./Platform.Data.Doublets/Sequences/Walkers/LeftSequenceWalker.cs, 123  
./Platform.Data.Doublets/Sequences/Walkers/LeveledSequenceWalker.cs, 124  
./Platform.Data.Doublets/Sequences/Walkers/RightSequenceWalker.cs, 125  
./Platform.Data.Doublets/Sequences/Walkers/SequenceWalkerBase.cs, 126  
./Platform.Data.Doublets/Stacks/Stack.cs, 127  
./Platform.Data.Doublets/Stacks/StackExtensions.cs, 127  
./Platform.Data.Doublets/SynchronizedLinks.cs, 127  
./Platform.Data.Doublets/UInt64Link.cs, 128  
./Platform.Data.Doublets/UInt64LinkExtensions.cs, 131  
./Platform.Data.Doublets/UInt64LinksExtensions.cs, 131  
./Platform.Data.Doublets/UInt64LinksTransactionsLayer.cs, 133  
./Platform.Data.Doublets/Unicode/CharToUnicodeSymbolConverter.cs, 138  
./Platform.Data.Doublets/Unicode/StringToUnicodeSequenceConverter.cs, 138  
./Platform.Data.Doublets/Unicode/UnicodeMap.cs, 139  
./Platform.Data.Doublets/Unicode/UnicodeSequenceCriterionMatcher.cs, 141  
./Platform.Data.Doublets/Unicode/UnicodeSequenceToStringConverter.cs, 142  
./Platform.Data.Doublets/Unicode/UnicodeSymbolCriterionMatcher.cs, 142  
./Platform.Data.Doublets/Unicode/UnicodeSymbolToCharConverter.cs, 142