

LinksPlatform's Platform.Data.Doublets Class Library

./Platform.Data.Doublets/Converters/AddressToUnaryNumberConverter.cs

```

1  using System.Collections.Generic;
2  using Platform.Interfaces;
3  using Platform.Reflection;
4  using Platform.Numbers;
5
6  namespace Platform.Data.Doublets.Converters
7  {
8      public class AddressToUnaryNumberConverter<TLink> : LinksOperatorBase<TLink>,
9          ⇩ IConverter<TLink>
10     {
11         private static readonly EqualityComparer<TLink> _equalityComparer =
12             ⇩ EqualityComparer<TLink>.Default;
13
14         private readonly IConverter<int, TLink> _powerOf2ToUnaryNumberConverter;
15
16         public AddressToUnaryNumberConverter(ILinks<TLink> links, IConverter<int, TLink>
17             ⇩ powerOf2ToUnaryNumberConverter) : base(links) => _powerOf2ToUnaryNumberConverter =
18             ⇩ powerOf2ToUnaryNumberConverter;
19
20         public TLink Convert(TLink sourceAddress)
21         {
22             var number = sourceAddress;
23             var nullConstant = Links.Constants.Null;
24             var one = Integer<TLink>.One;
25             var target = nullConstant;
26             for (int i = 0; !_equalityComparer.Equals(number, default) && i <
27                 ⇩ Type<TLink>.BitsLength; i++)
28             {
29                 if (_equalityComparer.Equals(Arithmetic.And(number, one), one))
30                 {
31                     target = _equalityComparer.Equals(target, nullConstant)
32                         ? _powerOf2ToUnaryNumberConverter.Convert(i)
33                         : Links.GetOrCreate(_powerOf2ToUnaryNumberConverter.Convert(i), target);
34                 }
35                 number = (Integer<TLink>)((ulong)(Integer<TLink>)number >> 1); // Should be
36                 ⇩ Bit.ShiftRight(number, 1)
37             }
38             return target;
39         }
40     }
41 }

```

./Platform.Data.Doublets/Converters/LinkToItsFrequencyNumberConveter.cs

```

1  using System;
2  using System.Collections.Generic;
3  using Platform.Interfaces;
4
5  namespace Platform.Data.Doublets.Converters
6  {
7      public class LinkToItsFrequencyNumberConveter<TLink> : LinksOperatorBase<TLink>,
8          ⇩ IConverter<Doublet<TLink>, TLink>
9     {
10         private static readonly EqualityComparer<TLink> _equalityComparer =
11             ⇩ EqualityComparer<TLink>.Default;
12
13         private readonly IPropertyOperator<TLink, TLink> _frequencyPropertyOperator;
14         private readonly IConverter<TLink> _unaryNumberToAddressConverter;
15
16         public LinkToItsFrequencyNumberConveter(
17             ILinks<TLink> links,
18             IPropertyOperator<TLink, TLink> frequencyPropertyOperator,
19             IConverter<TLink> unaryNumberToAddressConverter)
20             : base(links)
21         {
22             _frequencyPropertyOperator = frequencyPropertyOperator;
23             _unaryNumberToAddressConverter = unaryNumberToAddressConverter;
24         }
25
26         public TLink Convert(Doublet<TLink> doublet)
27         {
28             var link = Links.SearchOrDefault(doublet.Source, doublet.Target);
29             if (_equalityComparer.Equals(link, Links.Constants.Null))
30             {
31                 throw new ArgumentException($"Link ({doublet}) not found.", nameof(doublet));
32             }
33             var frequency = _frequencyPropertyOperator.Get(link);
34             if (_equalityComparer.Equals(frequency, default))
35             {

```

```

34         return default;
35     }
36     var frequencyNumber = Links.GetSource(frequency);
37     return _unaryNumberToAddressConverter.Convert(frequencyNumber);
38 }
39 }
40 }

```

./Platform.Data.Doublets/Converters/PowerOf2ToUnaryNumberConverter.cs

```

1  using System.Collections.Generic;
2  using Platform.Exceptions;
3  using Platform.Interfaces;
4  using Platform.Ranges;
5
6  namespace Platform.Data.Doublets.Converters
7  {
8      public class PowerOf2ToUnaryNumberConverter<TLink> : LinksOperatorBase<TLink>,
9          ⇨ IConverter<int, TLink>
10     {
11         private static readonly EqualityComparer<TLink> _equalityComparer =
12             ⇨ EqualityComparer<TLink>.Default;
13
14         private readonly TLink[] _unaryNumberPowersOf2;
15
16         public PowerOf2ToUnaryNumberConverter(ILinks<TLink> links, TLink one) : base(links)
17         {
18             _unaryNumberPowersOf2 = new TLink[64];
19             _unaryNumberPowersOf2[0] = one;
20         }
21
22         public TLink Convert(int power)
23         {
24             Ensure.Always.ArgumentInRange(power, new Range<int>(0, _unaryNumberPowersOf2.Length
25                 ⇨ - 1), nameof(power));
26             if (!_equalityComparer.Equals(_unaryNumberPowersOf2[power], default))
27             {
28                 return _unaryNumberPowersOf2[power];
29             }
30             var previousPowerOf2 = Convert(power - 1);
31             var powerOf2 = Links.GetOrCreate(previousPowerOf2, previousPowerOf2);
32             _unaryNumberPowersOf2[power] = powerOf2;
33             return powerOf2;
34         }
35     }
36 }

```

./Platform.Data.Doublets/Converters/UnaryNumberToAddressAddOperationConverter.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3  using Platform.Interfaces;
4  using Platform.Numbers;
5
6  namespace Platform.Data.Doublets.Converters
7  {
8      public class UnaryNumberToAddressAddOperationConverter<TLink> : LinksOperatorBase<TLink>,
9          ⇨ IConverter<TLink>
10     {
11         private static readonly EqualityComparer<TLink> _equalityComparer =
12             ⇨ EqualityComparer<TLink>.Default;
13
14         private Dictionary<TLink, TLink> _unaryToUInt64;
15         private readonly TLink _unaryOne;
16
17         public UnaryNumberToAddressAddOperationConverter(ILinks<TLink> links, TLink unaryOne)
18             : base(links)
19         {
20             _unaryOne = unaryOne;
21             InitUnaryToUInt64();
22         }
23
24         private void InitUnaryToUInt64()
25         {
26             var one = Integer<TLink>.One;
27             _unaryToUInt64 = new Dictionary<TLink, TLink>
28             {
29                 { _unaryOne, one }
30             };
31             var unary = _unaryOne;
32             var number = one;
33             for (var i = 1; i < 64; i++)

```

```

32     {
33         unary = Links.GetOrCreate(unary, unary);
34         number = Double(number);
35         _unaryToUInt64.Add(unary, number);
36     }
37 }
38
39 public TLink Convert(TLink unaryNumber)
40 {
41     if (_equalityComparer.Equals(unaryNumber, default))
42     {
43         return default;
44     }
45     if (_equalityComparer.Equals(unaryNumber, _unaryOne))
46     {
47         return Integer<TLink>.One;
48     }
49     var source = Links.GetSource(unaryNumber);
50     var target = Links.GetTarget(unaryNumber);
51     if (_equalityComparer.Equals(source, target))
52     {
53         return _unaryToUInt64[unaryNumber];
54     }
55     else
56     {
57         var result = _unaryToUInt64[source];
58         TLink lastValue;
59         while (!_unaryToUInt64.TryGetValue(target, out lastValue))
60         {
61             source = Links.GetSource(target);
62             result = Arithmetic<TLink>.Add(result, _unaryToUInt64[source]);
63             target = Links.GetTarget(target);
64         }
65         result = Arithmetic<TLink>.Add(result, lastValue);
66         return result;
67     }
68 }
69
70 [MethodImpl(MethodImplOptions.AggressiveInlining)]
71 private static TLink Double(TLink number) => (Integer<TLink>)((Integer<TLink>)number *
72     ↪ 2UL);
73 }

```

./Platform.Data.Doublets/Converters/UnaryNumberToAddressOrOperationConverter.cs

```

1  using System.Collections.Generic;
2  using Platform.Interfaces;
3  using Platform.Reflection;
4  using Platform.Numbers;
5  using System.Runtime.CompilerServices;
6
7  namespace Platform.Data.Doublets.Converters
8  {
9      public class UnaryNumberToAddressOrOperationConverter<TLink> : LinksOperatorBase<TLink>,
10         ↪ IConverter<TLink>
11     {
12         private static readonly EqualityComparer<TLink> _equalityComparer =
13             ↪ EqualityComparer<TLink>.Default;
14
15         private readonly IDictionary<TLink, int> _unaryNumberPowerOf2Indicies;
16
17         public UnaryNumberToAddressOrOperationConverter(ILinks<TLink> links, IConverter<int,
18             ↪ TLink> powerOf2ToUnaryNumberConverter)
19             : base(links)
20         {
21             _unaryNumberPowerOf2Indicies = new Dictionary<TLink, int>();
22             for (int i = 0; i < Type<TLink>.BitsLength; i++)
23             {
24                 _unaryNumberPowerOf2Indicies.Add(powerOf2ToUnaryNumberConverter.Convert(i), i);
25             }
26         }
27
28         public TLink Convert(TLink sourceNumber)
29         {
30             var nullConstant = Links.Constants.Null;
31             var source = sourceNumber;
32             var target = nullConstant;
33             if (!_equalityComparer.Equals(source, nullConstant))
34             {

```

```

32         while (true)
33         {
34             if (_unaryNumberPowerOf2Indicies.TryGetValue(source, out int powerOf2Index))
35             {
36                 SetBit(ref target, powerOf2Index);
37                 break;
38             }
39             else
40             {
41                 powerOf2Index = _unaryNumberPowerOf2Indicies[Links.GetSource(source)];
42                 SetBit(ref target, powerOf2Index);
43                 source = Links.GetTarget(source);
44             }
45         }
46     }
47     return target;
48 }
49
50 [MethodImpl(MethodImplOptions.AggressiveInlining)]
51 private static void SetBit(ref TLink target, int powerOf2Index) => target =
    ↪ (Integer<TLink>)((Integer<TLink>)target | 1UL << powerOf2Index); // Should be
    ↪ Math.Or(target, Math.ShiftLeft(One, powerOf2Index))
52 }
53 }

```

./Platform.Data.Doublets/Decorators/LinksCascadeUniquenessAndUsagesResolver.cs

```

1 namespace Platform.Data.Doublets.Decorators
2 {
3     public class LinksCascadeUniquenessAndUsagesResolver<TLink> : LinksUniquenessResolver<TLink>
4     {
5         public LinksCascadeUniquenessAndUsagesResolver(ILinks<TLink> links) : base(links) { }
6
7         protected override TLink ResolveAddressChangeConflict(TLink oldLinkAddress, TLink
            ↪ newLinkAddress)
8         {
9             Links.MergeUsages(oldLinkAddress, newLinkAddress);
10            return base.ResolveAddressChangeConflict(oldLinkAddress, newLinkAddress);
11        }
12    }
13 }

```

./Platform.Data.Doublets/Decorators/LinksCascadeUsagesResolver.cs

```

1 namespace Platform.Data.Doublets.Decorators
2 {
3     /// <remarks>
4     /// <para>Must be used in conjunction with NonNullContentsLinkDeletionResolver.</para>
5     /// <para>Должен использоваться вместе с NonNullContentsLinkDeletionResolver.</para>
6     /// </remarks>
7     public class LinksCascadeUsagesResolver<TLink> : LinksDecoratorBase<TLink>
8     {
9         public LinksCascadeUsagesResolver(ILinks<TLink> links) : base(links) { }
10
11         public override void Delete(TLink linkIndex)
12         {
13             this.DeleteAllUsages(linkIndex);
14             Links.Delete(linkIndex);
15         }
16     }
17 }

```

./Platform.Data.Doublets/Decorators/LinksDecoratorBase.cs

```

1 using System;
2 using System.Collections.Generic;
3 using Platform.Data.Constants;
4
5 namespace Platform.Data.Doublets.Decorators
6 {
7     public abstract class LinksDecoratorBase<T> : ILinks<T>
8     {
9         public LinksCombinedConstants<T, T, int> Constants { get; }
10
11         public ILinks<T> Links { get; }
12
13         protected LinksDecoratorBase(ILinks<T> links)
14         {
15             Links = links;
16             Constants = links.Constants;
17         }
18     }
19 }

```

```

18         public virtual T Count(IList<T> restriction) => Links.Count(restriction);
19
20         public virtual T Each(Func<IList<T>, T> handler, IList<T> restrictions) =>
21             ↳ Links.Each(handler, restrictions);
22
23         public virtual T Create() => Links.Create();
24
25         public virtual T Update(IList<T> restrictions) => Links.Update(restrictions);
26
27         public virtual void Delete(T link) => Links.Delete(link);
28     }
29 }

```

./Platform.Data.Doublets/Decorators/LinksDisposableDecoratorBase.cs

```

1  using System;
2  using System.Collections.Generic;
3  using Platform.Disposables;
4  using Platform.Data.Constants;
5
6  namespace Platform.Data.Doublets.Decorators
7  {
8      public abstract class LinksDisposableDecoratorBase<T> : DisposableBase, ILinks<T>
9      {
10         public LinksCombinedConstants<T, T, int> Constants { get; }
11
12         public ILinks<T> Links { get; }
13
14         protected LinksDisposableDecoratorBase(ILinks<T> links)
15         {
16             Links = links;
17             Constants = links.Constants;
18         }
19
20         public virtual T Count(IList<T> restriction) => Links.Count(restriction);
21
22         public virtual T Each(Func<IList<T>, T> handler, IList<T> restrictions) =>
23             ↳ Links.Each(handler, restrictions);
24
25         public virtual T Create() => Links.Create();
26
27         public virtual T Update(IList<T> restrictions) => Links.Update(restrictions);
28
29         public virtual void Delete(T link) => Links.Delete(link);
30
31         protected override bool AllowMultipleDisposeCalls => true;
32
33         protected override void Dispose(bool manual, bool wasDisposed)
34         {
35             if (!wasDisposed)
36             {
37                 Links.DisposeIfPossible();
38             }
39         }
40     }

```

./Platform.Data.Doublets/Decorators/LinksInnerReferenceExistenceValidator.cs

```

1  using System;
2  using System.Collections.Generic;
3
4  namespace Platform.Data.Doublets.Decorators
5  {
6      // TODO: Make LinksExternalReferenceValidator. A layer that checks each link to exist or to
7      ↳ be external (hybrid link's raw number).
8      public class LinksInnerReferenceExistenceValidator<TLink> : LinksDecoratorBase<TLink>
9      {
10         public LinksInnerReferenceExistenceValidator(ILinks<TLink> links) : base(links) { }
11
12         public override TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
13         {
14             Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
15             return Links.Each(handler, restrictions);
16         }
17
18         public override TLink Count(IList<TLink> restriction)
19         {
20             Links.EnsureInnerReferenceExists(restriction, nameof(restriction));
21             return Links.Count(restriction);
22         }

```

```

22
23     public override TLink Update(IList<TLink> restrictions)
24     {
25         // TODO: Possible values: null, ExistentLink or NonExistentHybrid(ExternalReference)
26         Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
27         return Links.Update(restrictions);
28     }
29
30     public override void Delete(TLink link)
31     {
32         Links.EnsureLinkExists(link, nameof(link));
33         Links.Delete(link);
34     }
35 }
36 }

```

./Platform.Data.Doublets/Decorators/LinksItselfConstantToSelfReferenceResolver.cs

```

1  using System;
2  using System.Collections.Generic;
3
4  namespace Platform.Data.Doublets.Decorators
5  {
6      public class LinksItselfConstantToSelfReferenceResolver<TLink> : LinksDecoratorBase<TLink>
7      {
8          private static readonly EqualityComparer<TLink> _equalityComparer =
9              ↳ EqualityComparer<TLink>.Default;
10
11          public LinksItselfConstantToSelfReferenceResolver(ILinks<TLink> links) : base(links) { }
12
13          public override TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
14          {
15              var constants = Constants;
16              var itselfConstant = constants.Itself;
17              var indexPartConstant = constants.IndexPart;
18              var sourcePartConstant = constants.SourcePart;
19              var targetPartConstant = constants.TargetPart;
20              var restrictionsCount = restrictions.Count;
21              if (!_equalityComparer.Equals(constants.Any, itselfConstant)
22                  && ((restrictionsCount > indexPartConstant) &&
23                      ↳ _equalityComparer.Equals(restrictions[indexPartConstant], itselfConstant))
24                  || ((restrictionsCount > sourcePartConstant) &&
25                      ↳ _equalityComparer.Equals(restrictions[sourcePartConstant], itselfConstant))
26                  || ((restrictionsCount > targetPartConstant) &&
27                      ↳ _equalityComparer.Equals(restrictions[targetPartConstant], itselfConstant))))
28              {
29                  // Itself constant is not supported for Each method right now, skipping execution
30                  return constants.Continue;
31              }
32              return Links.Each(handler, restrictions);
33          }
34
35          public override TLink Update(IList<TLink> restrictions) =>
36              ↳ Links.Update(Links.ResolveConstantAsSelfReference(Constants.Itself, restrictions));
37      }
38 }

```

./Platform.Data.Doublets/Decorators/LinksNonExistentDependenciesCreator.cs

```

1  using System.Collections.Generic;
2
3  namespace Platform.Data.Doublets.Decorators
4  {
5      /// <remarks>
6      /// Not practical if newSource and newTarget are too big.
7      /// To be able to use practical version we should allow to create link at any specific
8      ↳ location inside ResizableDirectMemoryLinks.
9      /// This in turn will require to implement not a list of empty links, but a list of ranges
10     ↳ to store it more efficiently.
11     /// </remarks>
12     public class LinksNonExistentDependenciesCreator<TLink> : LinksDecoratorBase<TLink>
13     {
14         public LinksNonExistentDependenciesCreator(ILinks<TLink> links) : base(links) { }
15
16         public override TLink Update(IList<TLink> restrictions)
17         {
18             var constants = Constants;
19             Links.EnsureCreated(restrictions[constants.SourcePart],
20                 ↳ restrictions[constants.TargetPart]);
21             return Links.Update(restrictions);
22         }
23     }
24 }

```

```

20     }
21 }

./Platform.Data.Doublets/Decorators/LinksNullConstantToSelfReferenceResolver.cs
1  using System.Collections.Generic;
2
3  namespace Platform.Data.Doublets.Decorators
4  {
5      public class LinksNullConstantToSelfReferenceResolver<TLink> : LinksDecoratorBase<TLink>
6      {
7          public LinksNullConstantToSelfReferenceResolver(ILinks<TLink> links) : base(links) { }
8
9          public override TLink Create()
10         {
11             var link = Links.Create();
12             return Links.Update(link, link, link);
13         }
14
15         public override TLink Update(IList<TLink> restrictions) =>
16             ↪ Links.Update(Links.ResolveConstantAsSelfReference(Constants.Null, restrictions));
17     }

```

```

./Platform.Data.Doublets/Decorators/LinksUniquenessResolver.cs
1  using System.Collections.Generic;
2
3  namespace Platform.Data.Doublets.Decorators
4  {
5      public class LinksUniquenessResolver<TLink> : LinksDecoratorBase<TLink>
6      {
7          private static readonly EqualityComparer<TLink> _equalityComparer =
8              ↪ EqualityComparer<TLink>.Default;
9
10         public LinksUniquenessResolver(ILinks<TLink> links) : base(links) { }
11
12         public override TLink Update(IList<TLink> restrictions)
13         {
14             var newLinkAddress = Links.SearchOrDefault(restrictions[Constants.SourcePart],
15                 ↪ restrictions[Constants.TargetPart]);
16             if (_equalityComparer.Equals(newLinkAddress, default))
17             {
18                 return Links.Update(restrictions);
19             }
20             return ResolveAddressChangeConflict(restrictions[Constants.IndexPart],
21                 ↪ newLinkAddress);
22         }
23
24         protected virtual TLink ResolveAddressChangeConflict(TLink oldLinkAddress, TLink
25             ↪ newLinkAddress)
26         {
27             if (!_equalityComparer.Equals(oldLinkAddress, newLinkAddress) &&
28                 ↪ Links.Exists(oldLinkAddress))
29             {
30                 Delete(oldLinkAddress);
31             }
32             return newLinkAddress;
33         }
34     }
35 }

```

```

./Platform.Data.Doublets/Decorators/LinksUniquenessValidator.cs
1  using System.Collections.Generic;
2
3  namespace Platform.Data.Doublets.Decorators
4  {
5      public class LinksUniquenessValidator<TLink> : LinksDecoratorBase<TLink>
6      {
7          public LinksUniquenessValidator(ILinks<TLink> links) : base(links) { }
8
9          public override TLink Update(IList<TLink> restrictions)
10         {
11             Links.EnsureDoesNotExists(restrictions[Constants.SourcePart],
12                 ↪ restrictions[Constants.TargetPart]);
13             return Links.Update(restrictions);
14         }
15     }

```

./Platform.Data.Doublets/Decorators/LinksUsagesValidator.cs

```
1 using System.Collections.Generic;
2
3 namespace Platform.Data.Doublets.Decorators
4 {
5     public class LinksUsagesValidator<TLink> : LinksDecoratorBase<TLink>
6     {
7         public LinksUsagesValidator(ILinks<TLink> links) : base(links) { }
8
9         public override TLink Update(IList<TLink> restrictions)
10        {
11            Links.EnsureNoUsages(restrictions[Constants.IndexPart]);
12            return Links.Update(restrictions);
13        }
14
15        public override void Delete(TLink link)
16        {
17            Links.EnsureNoUsages(link);
18            Links.Delete(link);
19        }
20    }
21 }
```

./Platform.Data.Doublets/Decorators/NonNullContentsLinkDeletionResolver.cs

```
1 namespace Platform.Data.Doublets.Decorators
2 {
3     public class NonNullContentsLinkDeletionResolver<TLink> : LinksDecoratorBase<TLink>
4     {
5         public NonNullContentsLinkDeletionResolver(ILinks<TLink> links) : base(links) { }
6
7         public override void Delete(TLink linkIndex)
8         {
9             Links.EnforceResetValues(linkIndex);
10            Links.Delete(linkIndex);
11        }
12    }
13 }
```

./Platform.Data.Doublets/Decorators/UInt64Links.cs

```
1 using System;
2 using System.Collections.Generic;
3 using Platform.Collections;
4
5 namespace Platform.Data.Doublets.Decorators
6 {
7     /// <summary>
8     /// Представляет объект для работы с базой данных (файлом) в формате Links (массива связей).
9     /// </summary>
10    /// <remarks>
11    /// Возможные оптимизации:
12    /// Объединение в одном поле Source и Target с уменьшением до 32 бит.
13    ///     + меньше объём БД
14    ///     - меньше производительность
15    ///     - больше ограничение на количество связей в БД)
16    /// Ленивое хранение размеров поддеревьев (расчитываемое по мере использования БД)
17    ///     + меньше объём БД
18    ///     - больше сложность
19    ///
20    /// Текущее теоретическое ограничение на индекс связи, из-за использования 5 бит в размере
21    ///     ↳ поддеревьев для AVL баланса и флагов нитей: 2 в степени(64 минус 5 равно 59 ) равно 576
22    ///     ↳ 460 752 303 423 488
23    /// Желательно реализовать поддержку переключения между деревьями и битовыми индексами
24    ///     ↳ (битовыми строками) - вариант матрицы (выстраиваемой лениво).
25    ///
26    /// Решить отключать ли проверки при компиляции под Release. Т.е. исключения будут
27    ///     ↳ выбрасываться только при #if DEBUG
28    /// </remarks>
29    public class UInt64Links : LinksDisposableDecoratorBase<ulong>
30    {
31        public UInt64Links(ILinks<ulong> links) : base(links) { }
32
33        public override ulong Each(Func<IList<ulong>, ulong> handler, IList<ulong> restrictions)
34        {
35            this.EnsureLinkIsAnyOrExists(restrictions);
36            return Links.Each(handler, restrictions);
37        }
38
39        public override ulong Create() => Links.CreatePoint();
40    }
41 }
```



```

37 public override ulong Update(ICollection<ulong> restrictions)
38 {
39     var constants = Constants;
40     var nullConstant = constants.Null;
41     if (restrictions.IsNullOrEmpty())
42     {
43         return nullConstant;
44     }
45     // TODO: Looks like this is a common type of exceptions linked with restrictions
46     ↪ support
47     if (restrictions.Count != 3)
48     {
49         throw new NotSupportedException();
50     }
51     var indexPartConstant = constants.IndexPart;
52     var updatedLink = restrictions[indexPartConstant];
53     this.EnsureLinkExists(updatedLink,
54         ↪ $"{nameof(restrictions)}[{nameof(indexPartConstant)}]");
55     var sourcePartConstant = constants.SourcePart;
56     var newSource = restrictions[sourcePartConstant];
57     this.EnsureLinkIsItselfOrExists(newSource,
58         ↪ $"{nameof(restrictions)}[{nameof(sourcePartConstant)}]");
59     var targetPartConstant = constants.TargetPart;
60     var newTarget = restrictions[targetPartConstant];
61     this.EnsureLinkIsItselfOrExists(newTarget,
62         ↪ $"{nameof(restrictions)}[{nameof(targetPartConstant)}]");
63     var existedLink = nullConstant;
64     var itselfConstant = constants.Itself;
65     if (newSource != itselfConstant && newTarget != itselfConstant)
66     {
67         existedLink = this.SearchOrDefault(newSource, newTarget);
68     }
69     if (existedLink == nullConstant)
70     {
71         var before = Links.GetLink(updatedLink);
72         if (before[sourcePartConstant] != newSource || before[targetPartConstant] !=
73             ↪ newTarget)
74         {
75             Links.Update(updatedLink, newSource == itselfConstant ? updatedLink :
76                 ↪ newSource,
77                 newTarget == itselfConstant ? updatedLink :
78                 ↪ newTarget);
79         }
80         return updatedLink;
81     }
82     else
83     {
84         return this.MergeAndDelete(updatedLink, existedLink);
85     }
86 }
87
88 public override void Delete(ulong linkIndex)
89 {
90     Links.EnsureLinkExists(linkIndex);
91     Links.EnforceResetValues(linkIndex);
92     this.DeleteAllUsages(linkIndex);
93     Links.Delete(linkIndex);
94 }
95 }

```

./Platform.Data.Doublets/Decorators/UniLinks.cs

```

1 using System;
2 using System.Collections.Generic;
3 using System.Linq;
4 using Platform.Collections;
5 using Platform.Collections.Arrays;
6 using Platform.Collections.Lists;
7 using Platform.Data.Universal;
8
9 namespace Platform.Data.Doublets.Decorators
10 {
11     /// <remarks>
12     /// What does empty pattern (for condition or substitution) mean? Nothing or Everything?
13     /// Now we go with nothing. And nothing is something one, but empty, and cannot be changed
14     ↪ by itself. But can cause creation (update from nothing) or deletion (update to nothing).
15     ///

```

```

15  /// TODO: Decide to change to IDoubletLinks or not to change. (Better to create
    ↳ DefaultUniLinksBase, that contains logic itself and can be implemented using both
    ↳ IDoubletLinks and ILinks.)
16  /// </remarks>
17  internal class UniLinks<TLink> : LinksDecoratorBase<TLink>, IUniLinks<TLink>
18  {
19      private static readonly EqualityComparer<TLink> _equalityComparer =
    ↳ EqualityComparer<TLink>.Default;

20
21      public UniLinks(ILinks<TLink> links) : base(links) { }
22
23      private struct Transition
24      {
25          public IList<TLink> Before;
26          public IList<TLink> After;
27
28          public Transition(IList<TLink> before, IList<TLink> after)
29          {
30              Before = before;
31              After = after;
32          }
33      }
34
35      //public static readonly TLink NullConstant = Use<LinksCombinedConstants<TLink, TLink,
    ↳ int>>.Single.Null;
36      //public static readonly IReadOnlyList<TLink> NullLink = new
    ↳ ReadOnlyCollection<TLink>(new List<TLink> { NullConstant, NullConstant, NullConstant
    ↳ });
37
38      // TODO: Подумать о том, как реализовать древовидный Restriction и Substitution
    ↳ (Links-Expression)
39      public TLink Trigger(IList<TLink> restriction, Func<IList<TLink>, IList<TLink>, TLink>
    ↳ matchedHandler, IList<TLink> substitution, Func<IList<TLink>, IList<TLink>, TLink>
    ↳ substitutedHandler)
40      {
41          ///List<Transition> transitions = null;
42          ///if (!restriction.IsNullOrEmpty())
43          ///{
44              ///    // Есть причина делать проход (чтение)
45              ///    if (matchedHandler != null)
46              ///    {
47                  ///        if (!substitution.IsNullOrEmpty())
48                  ///        {
49                      ///            // restriction => { 0, 0, 0 } | { 0 } // Create
50                      ///            // substitution => { itself, 0, 0 } | { itself, itself, itself } //
    ↳ Create / Update
51                      ///            // substitution => { 0, 0, 0 } | { 0 } // Delete
52                      ///            transitions = new List<Transition>();
53                      ///            if (Equals(substitution[Constants.IndexPart], Constants.Null))
54                      ///            {
55                          ///                // If index is Null, that means we always ignore every other
    ↳ value (they are also Null by definition)
56                          ///                var matchDecision = matchedHandler(, NullLink);
57                          ///                if (Equals(matchDecision, Constants.Break))
58                          ///                {
59                              ///                    return false;
60                              ///                }
61                          ///                if (!Equals(matchDecision, Constants.Skip))
62                          ///                {
63                              ///                    transitions.Add(new Transition(matchedLink, newValue));
64                          ///                }
65                          ///            }
66                          ///            else
67                          ///            {
68                  Func<T, bool> handler;
69                  handler = link =>
70                  {
71                      var matchedLink = Memory.GetLinkValue(link);
72                      var newValue = Memory.GetLinkValue(link);
73                      newValue[Constants.IndexPart] = Constants.Itself;
74                      newValue[Constants.SourcePart] =
    ↳ Equals(substitution[Constants.SourcePart], Constants.Itself) ?
    ↳ matchedLink[Constants.IndexPart] : substitution[Constants.SourcePart];
75                      newValue[Constants.TargetPart] =
    ↳ Equals(substitution[Constants.TargetPart], Constants.Itself) ?
    ↳ matchedLink[Constants.IndexPart] : substitution[Constants.TargetPart];
76                      var matchDecision = matchedHandler(matchedLink, newValue);
77                      if (Equals(matchDecision, Constants.Break))
    ↳ return false;
    ↳ if (!Equals(matchDecision, Constants.Skip))
    ↳ transitions.Add(new Transition(matchedLink, newValue));
    ↳ return true;

```

```

78         ///};
79         ///    if (!Memory.Each(handler, restriction))
80         ///        return Constants.Break;
81         ///    }
82         ///}
83         ///else
84         ///{
85         ///    Func<T, bool> handler = link =>
86         ///    {
87         ///        var matchedLink = Memory.GetLinkValue(link);
88         ///        var matchDecision = matchedHandler(matchedLink, matchedLink);
89         ///        return !Equals(matchDecision, Constants.Break);
90         ///    };
91         ///    if (!Memory.Each(handler, restriction))
92         ///        return Constants.Break;
93         ///    }
94         ///}
95         ///else
96         ///{
97         ///    if (substitution != null)
98         ///    {
99         ///        transitions = new List<IList<T>>>();
100        ///        Func<T, bool> handler = link =>
101        ///        {
102        ///            var matchedLink = Memory.GetLinkValue(link);
103        ///            transitions.Add(matchedLink);
104        ///            return true;
105        ///        };
106        ///        if (!Memory.Each(handler, restriction))
107        ///            return Constants.Break;
108        ///    }
109        ///    else
110        ///    {
111        ///        return Constants.Continue;
112        ///    }
113        ///}
114        ///}
115        ///if (substitution != null)
116        ///{
117        ///    // Есть причина делать замену (запись)
118        ///    if (substitutedHandler != null)
119        ///    {
120        ///    }
121        ///    else
122        ///    {
123        ///    }
124        ///}
125        ///return Constants.Continue;
126
127        ///if (restriction.IsNullOrEmpty()) // Create
128        ///{
129        ///    substitution[Constants.IndexPart] = Memory.AllocateLink();
130        ///    Memory.SetLinkValue(substitution);
131        ///}
132        ///else if (substitution.IsNullOrEmpty()) // Delete
133        ///{
134        ///    Memory.FreeLink(restriction[Constants.IndexPart]);
135        ///}
136        ///else if (restriction.EqualTo(substitution)) // Read or ("repeat" the state) // Each
137        ///{
138        ///    // No need to collect links to list
139        ///    // Skip == Continue
140        ///    // No need to check substitutedHandler
141        ///    if (!Memory.Each(link => !Equals(matchedHandler(Memory.GetLinkValue(link)),
142        ///        ↪ Constants.Break), restriction))
143        ///        return Constants.Break;
144        ///}
145        ///else // Update
146        ///{
147        ///    //List<IList<T>> matchedLinks = null;
148        ///    if (matchedHandler != null)
149        ///    {
150        ///        matchedLinks = new List<IList<T>>>();
151        ///        Func<T, bool> handler = link =>
152        ///        {
153        ///            var matchedLink = Memory.GetLinkValue(link);
154        ///            var matchDecision = matchedHandler(matchedLink);
155        ///            if (Equals(matchDecision, Constants.Break))

```

```

155         //         return false;
156         //         if (!Equals(matchDecision, Constants.Skip))
157         //             matchedLinks.Add(matchedLink);
158         //         return true;
159         //     };
160         //     if (!Memory.Each(handler, restriction))
161         //         return Constants.Break;
162         // }
163         // if (!matchedLinks.IsNullOrEmpty())
164         // {
165         //     var totalMatchedLinks = matchedLinks.Count;
166         //     for (var i = 0; i < totalMatchedLinks; i++)
167         //     {
168         //         var matchedLink = matchedLinks[i];
169         //         if (substitutedHandler != null)
170         //         {
171         //             var newValue = new List<T>(); // TODO: Prepare value to update here
172         //             // TODO: Decide is it actually needed to use Before and After
173         //             ↪ substitution handling.
174         //             var substitutedDecision = substitutedHandler(matchedLink,
175         //             ↪ newValue);
176         //             if (Equals(substitutedDecision, Constants.Break))
177         //                 return Constants.Break;
178         //             if (Equals(substitutedDecision, Constants.Continue))
179         //             {
180         //                 // Actual update here
181         //                 Memory.SetLinkValue(newValue);
182         //             }
183         //             if (Equals(substitutedDecision, Constants.Skip))
184         //             {
185         //                 // Cancel the update. TODO: decide use separate Cancel
186         //                 ↪ constant or Skip is enough?
187         //             }
188         //         }
189         //     }
190         // }
191         // }
192         // }
193         // }
194         // }
195         // }
196         // }
197         // }
198         // }
199         // }
200         // }
201         // }
202         // }
203         // }
204         // }
205         // }
206         // }
207         // }
208         // }
209         // }
210         // }
211         // }
212         // }
213         // }
214         // }
215         // }
216         // }
217         // }
218         // }
219         // }
220         // }
221         // }
222         // }
223         // }
224         // }
225         // }
226         // }
227         // }
228         // }
229         // }
230         // }
231         // }
232         // }
233         // }
234         // }
235         // }
236         // }
237         // }
238         // }
239         // }
240         // }
241         // }
242         // }
243         // }
244         // }
245         // }
246         // }
247         // }
248         // }
249         // }
250         // }
251         // }
252         // }
253         // }
254         // }
255         // }
256         // }
257         // }
258         // }
259         // }
260         // }
261         // }
262         // }
263         // }
264         // }
265         // }
266         // }
267         // }
268         // }
269         // }
270         // }
271         // }
272         // }
273         // }
274         // }
275         // }
276         // }
277         // }
278         // }
279         // }
280         // }
281         // }
282         // }
283         // }
284         // }
285         // }
286         // }
287         // }
288         // }
289         // }
290         // }
291         // }
292         // }
293         // }
294         // }
295         // }
296         // }
297         // }
298         // }
299         // }
300         // }
301         // }
302         // }
303         // }
304         // }
305         // }
306         // }
307         // }
308         // }
309         // }
310         // }
311         // }
312         // }
313         // }
314         // }
315         // }
316         // }
317         // }
318         // }
319         // }
320         // }
321         // }
322         // }
323         // }
324         // }
325         // }
326         // }
327         // }
328         // }
329         // }
330         // }
331         // }
332         // }
333         // }
334         // }
335         // }
336         // }
337         // }
338         // }
339         // }
340         // }
341         // }
342         // }
343         // }
344         // }
345         // }
346         // }
347         // }
348         // }
349         // }
350         // }
351         // }
352         // }
353         // }
354         // }
355         // }
356         // }
357         // }
358         // }
359         // }
360         // }
361         // }
362         // }
363         // }
364         // }
365         // }
366         // }
367         // }
368         // }
369         // }
370         // }
371         // }
372         // }
373         // }
374         // }
375         // }
376         // }
377         // }
378         // }
379         // }
380         // }
381         // }
382         // }
383         // }
384         // }
385         // }
386         // }
387         // }
388         // }
389         // }
390         // }
391         // }
392         // }
393         // }
394         // }
395         // }
396         // }
397         // }
398         // }
399         // }
400         // }
401         // }
402         // }
403         // }
404         // }
405         // }
406         // }
407         // }
408         // }
409         // }
410         // }
411         // }
412         // }
413         // }
414         // }
415         // }
416         // }
417         // }
418         // }
419         // }
420         // }
421         // }
422         // }
423         // }
424         // }
425         // }
426         // }
427         // }
428         // }
429         // }
430         // }
431         // }
432         // }
433         // }
434         // }
435         // }
436         // }
437         // }
438         // }
439         // }
440         // }
441         // }
442         // }
443         // }
444         // }
445         // }
446         // }
447         // }
448         // }
449         // }
450         // }
451         // }
452         // }
453         // }
454         // }
455         // }
456         // }
457         // }
458         // }
459         // }
460         // }
461         // }
462         // }
463         // }
464         // }
465         // }
466         // }
467         // }
468         // }
469         // }
470         // }
471         // }
472         // }
473         // }
474         // }
475         // }
476         // }
477         // }
478         // }
479         // }
480         // }
481         // }
482         // }
483         // }
484         // }
485         // }
486         // }
487         // }
488         // }
489         // }
490         // }
491         // }
492         // }
493         // }
494         // }
495         // }
496         // }
497         // }
498         // }
499         // }
500         // }
501         // }
502         // }
503         // }
504         // }
505         // }
506         // }
507         // }
508         // }
509         // }
510         // }
511         // }
512         // }
513         // }
514         // }
515         // }
516         // }
517         // }
518         // }
519         // }
520         // }
521         // }
522         // }
523         // }
524         // }
525         // }
526         // }
527         // }
528         // }
529         // }
530         // }
531         // }
532         // }
533         // }
534         // }
535         // }
536         // }
537         // }
538         // }
539         // }
540         // }
541         // }
542         // }
543         // }
544         // }
545         // }
546         // }
547         // }
548         // }
549         // }
550         // }
551         // }
552         // }
553         // }
554         // }
555         // }
556         // }
557         // }
558         // }
559         // }
560         // }
561         // }
562         // }
563         // }
564         // }
565         // }
566         // }
567         // }
568         // }
569         // }
570         // }
571         // }
572         // }
573         // }
574         // }
575         // }
576         // }
577         // }
578         // }
579         // }
580         // }
581         // }
582         // }
583         // }
584         // }
585         // }
586         // }
587         // }
588         // }
589         // }
590         // }
591         // }
592         // }
593         // }
594         // }
595         // }
596         // }
597         // }
598         // }
599         // }
600         // }
601         // }
602         // }
603         // }
604         // }
605         // }
606         // }
607         // }
608         // }
609         // }
610         // }
611         // }
612         // }
613         // }
614         // }
615         // }
616         // }
617         // }
618         // }
619         // }
620         // }
621         // }
622         // }
623         // }
624         // }
625         // }
626         // }
627         // }
628         // }
629         // }
630         // }
631         // }
632         // }
633         // }
634         // }
635         // }
636         // }
637         // }
638         // }
639         // }
640         // }
641         // }
642         // }
643         // }
644         // }
645         // }
646         // }
647         // }
648         // }
649         // }
650         // }
651         // }
652         // }
653         // }
654         // }
655         // }
656         // }
657         // }
658         // }
659         // }
660         // }
661         // }
662         // }
663         // }
664         // }
665         // }
666         // }
667         // }
668         // }
669         // }
670         // }
671         // }
672         // }
673         // }
674         // }
675         // }
676         // }
677         // }
678         // }
679         // }
680         // }
681         // }
682         // }
683         // }
684         // }
685         // }
686         // }
687         // }
688         // }
689         // }
690         // }
691         // }
692         // }
693         // }
694         // }
695         // }
696         // }
697         // }
698         // }
699         // }
700         // }
701         // }
702         // }
703         // }
704         // }
705         // }
706         // }
707         // }
708         // }
709         // }
710         // }
711         // }
712         // }
713         // }
714         // }
715         // }
716         // }
717         // }
718         // }
719         // }
720         // }
721         // }
722         // }
723         // }
724         // }
725         // }
726         // }
727         // }
728         // }
729         // }
730         // }
731         // }
732         // }
733         // }
734         // }
735         // }
736         // }
737         // }
738         // }
739         // }
740         // }
741         // }
742         // }
743         // }
744         // }
745         // }
746         // }
747         // }
748         // }
749         // }
750         // }
751         // }
752         // }
753         // }
754         // }
755         // }
756         // }
757         // }
758         // }
759         // }
760         // }
761         // }
762         // }
763         // }
764         // }
765         // }
766         // }
767         // }
768         // }
769         // }
770         // }
771         // }
772         // }
773         // }
774         // }
775         // }
776         // }
777         // }
778         // }
779         // }
780         // }
781         // }
782         // }
783         // }
784         // }
785         // }
786         // }
787         // }
788         // }
789         // }
790         // }
791         // }
792         // }
793         // }
794         // }
795         // }
796         // }
797         // }
798         // }
799         // }
800         // }
801         // }
802         // }
803         // }
804         // }
805         // }
806         // }
807         // }
808         // }
809         // }
810         // }
811         // }
812         // }
813         // }
814         // }
815         // }
816         // }
817         // }
818         // }
819         // }
820         // }
821         // }
822         // }
823         // }
824         // }
825         // }
826         // }
827         // }
828         // }
829         // }
830         // }
831         // }
832         // }
833         // }
834         // }
835         // }
836         // }
837         // }
838         // }
839         // }
840         // }
841         // }
842         // }
843         // }
844         // }
845         // }
846         // }
847         // }
848         // }
849         // }
850         // }
851         // }
852         // }
853         // }
854         // }
855         // }
856         // }
857         // }
858         // }
859         // }
860         // }
861         // }
862         // }
863         // }
864         // }
865         // }
866         // }
867         // }
868         // }
869         // }
870         // }
871         // }
872         // }
873         // }
874         // }
875         // }
876         // }
877         // }
878         // }
879         // }
880         // }
881         // }
882         // }
883         // }
884         // }
885         // }
886         // }
887         // }
888         // }
889         // }
890         // }
891         // }
892         // }
893         // }
894         // }
895         // }
896         // }
897         // }
898         // }
899         // }
900         // }
901         // }
902         // }
903         // }
904         // }
905         // }
906         // }
907         // }
908         // }
909         // }
910         // }
911         // }
912         // }
913         // }
914         // }
915         // }
916         // }
917         // }
918         // }
919         // }
920         // }
921         // }
922         // }
923         // }
924         // }
925         // }
926         // }
927         // }
928         // }
929         // }
930         // }
931         // }
932         // }
933         // }
934         // }
935         // }
936         // }
937         // }
938         // }
939         // }
940         // }
941         // }
942         // }
943         // }
944         // }
945         // }
946         // }
947         // }
948         // }
949         // }
950         // }
951         // }
952         // }
953         // }
954         // }
955         // }
956         // }
957         // }
958         // }
959         // }
960         // }
961         // }
962         // }
963         // }
964         // }
965         // }
966         // }
967         // }
968         // }
969         // }
970         // }
971         // }
972         // }
973         // }
974         // }
975         // }
976         // }
977         // }
978         // }
979         // }
980         // }
981         // }
982         // }
983         // }
984         // }
985         // }
986         // }
987         // }
988         // }
989         // }
990         // }
991         // }
992         // }
993         // }
994         // }
995         // }
996         // }
997         // }
998         // }
999         // }
1000        // }

```

```

225     else
226     {
227         throw new NotSupportedException();
228     }
229     if (matchHandler != null)
230     {
231         return substitutionHandler(before, after);
232     }
233     return Constants.Continue;
234 }
235 else if (!patternOrCondition.IsNullOrEmpty()) // Deletion
236 {
237     if (patternOrCondition.Count == 1)
238     {
239         var linkToDelete = patternOrCondition[0];
240         var before = Links.GetLink(linkToDelete);
241         if (matchHandler != null && _equalityComparer.Equals(matchHandler(before),
242             ↪ Constants.Break))
243         {
244             return Constants.Break;
245         }
246         var after = ArrayPool<TLink>.Empty;
247         Links.Update(linkToDelete, Constants.Null, Constants.Null);
248         Links.Delete(linkToDelete);
249         if (matchHandler != null)
250         {
251             return substitutionHandler(before, after);
252         }
253         return Constants.Continue;
254     }
255     else
256     {
257         throw new NotSupportedException();
258     }
259 }
260 else // Replace / Update
261 {
262     if (patternOrCondition.Count == 1) //-V3125
263     {
264         var linkToUpdate = patternOrCondition[0];
265         var before = Links.GetLink(linkToUpdate);
266         if (matchHandler != null && _equalityComparer.Equals(matchHandler(before),
267             ↪ Constants.Break))
268         {
269             return Constants.Break;
270         }
271         var after = (IList<TLink>)substitution.ToArray(); //-V3125
272         if (_equalityComparer.Equals(after[0], default))
273         {
274             after[0] = linkToUpdate;
275         }
276         if (substitution.Count == 1)
277         {
278             if (!_equalityComparer.Equals(substitution[0], linkToUpdate))
279             {
280                 after = Links.GetLink(substitution[0]);
281                 Links.Update(linkToUpdate, Constants.Null, Constants.Null);
282                 Links.Delete(linkToUpdate);
283             }
284         }
285         else if (substitution.Count == 3)
286         {
287             Links.Update(after);
288         }
289         else
290         {
291             throw new NotSupportedException();
292         }
293         if (matchHandler != null)
294         {
295             return substitutionHandler(before, after);
296         }
297         return Constants.Continue;
298     }
299     else
300     {
301         throw new NotSupportedException();
302     }
303 }

```

```

301     }
302 }
303
304 /// <remarks>
305 /// IList[IList[IList[T]]]
306 /// |         |         |         |
307 /// |         |         |         |
308 /// |         |         |         |
309 /// |         |         |         |
310 /// |         |         |         |
311 /// |         |         |         |
312 /// |         |         |         |
313 /// |         |         |         |
314 public IList<IList<IList<TLink>>> Trigger(IList<TLink> condition, IList<TLink>
    ↳ substitution)
315 {
316     var changes = new List<IList<IList<TLink>>>();
317     Trigger(condition, AlwaysContinue, substitution, (before, after) =>
318     {
319         var change = new[] { before, after };
320         changes.Add(change);
321         return Constants.Continue;
322     });
323     return changes;
324 }
325
326 private TLink AlwaysContinue(IList<TLink> linkToMatch) => Constants.Continue;
327 }
328 }

```

./Platform.Data.Doublets/DoubletComparer.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 namespace Platform.Data.Doublets
5 {
6     /// <remarks>
7     /// TODO: Может стоит попробовать ref во всех методах (IRefEqualityComparer)
8     /// 2x faster with comparer
9     /// </remarks>
10    public class DoubletComparer<T> : IEqualityComparer<Doublet<T>>
11    {
12        public static readonly DoubletComparer<T> Default = new DoubletComparer<T>();
13
14        [MethodImpl(MethodImplOptions.AggressiveInlining)]
15        public bool Equals(Doublet<T> x, Doublet<T> y) => x.Equals(y);
16
17        [MethodImpl(MethodImplOptions.AggressiveInlining)]
18        public int GetHashCode(Doublet<T> obj) => obj.GetHashCode();
19    }
20 }

```

./Platform.Data.Doublets/Doublet.cs

```

1 using System;
2 using System.Collections.Generic;
3
4 namespace Platform.Data.Doublets
5 {
6     public struct Doublet<T> : IEquatable<Doublet<T>>
7     {
8         private static readonly EqualityComparer<T> _equalityComparer =
9             ↳ EqualityComparer<T>.Default;
10
11         public T Source { get; set; }
12         public T Target { get; set; }
13
14         public Doublet(T source, T target)
15         {
16             Source = source;
17             Target = target;
18         }
19
20         public override string ToString() => $"{Source}->{Target}";
21
22         public bool Equals(Doublet<T> other) => _equalityComparer.Equals(Source, other.Source)
23             ↳ && _equalityComparer.Equals(Target, other.Target);
24
25         public override bool Equals(object obj) => obj is Doublet<T> doublet ?
26             ↳ base.Equals(doublet) : false;
27     }
28 }

```

```

24
25     public override int GetHashCode() => (Source, Target).GetHashCode();
26 }
27 }

```

./Platform.Data.Doublets/Hybrid.cs

```

1  using System;
2  using System.Reflection;
3  using Platform.Reflection;
4  using Platform.Converters;
5  using Platform.Exceptions;
6
7  namespace Platform.Data.Doublets
8  {
9      public class Hybrid<T>
10     {
11         public readonly T Value;
12         public bool IsNothing => Convert.ToInt64(To.Signed(Value)) == 0;
13         public bool IsInternal => Convert.ToInt64(To.Signed(Value)) > 0;
14         public bool IsExternal => Convert.ToInt64(To.Signed(Value)) < 0;
15         public long AbsoluteValue => Numbers.Math.Abs(Convert.ToInt64(To.Signed(Value)));
16
17         public Hybrid(T value)
18         {
19             Ensure.Always.IsUnsignedInteger<T>();
20             Value = value;
21         }
22
23         public Hybrid(object value) => Value = To.UnsignedAs<T>(Convert.ChangeType(value,
24             ↪ Type<T>.SignedVersion));
25
26         public Hybrid(object value, bool isExternal)
27         {
28             var signedType = Type<T>.SignedVersion;
29             var signedValue = Convert.ChangeType(value, signedType);
30             var abs = typeof(Numbers.Math).GetTypeInfo().GetMethod("Abs").MakeGenericMethod(signedType);
31             var negate = typeof(Numbers.Math).GetTypeInfo().GetMethod("Negate").MakeGenericMethod(signedType);
32             var absoluteValue = abs.Invoke(null, new[] { signedValue });
33             var resultValue = isExternal ? negate.Invoke(null, new[] { absoluteValue }) : absoluteValue;
34             Value = To.UnsignedAs<T>(resultValue);
35         }
36
37         public static implicit operator Hybrid<T>(T integer) => new Hybrid<T>(integer);
38         public static explicit operator Hybrid<T>(ulong integer) => new Hybrid<T>(integer);
39         public static explicit operator Hybrid<T>(long integer) => new Hybrid<T>(integer);
40         public static explicit operator Hybrid<T>(uint integer) => new Hybrid<T>(integer);
41         public static explicit operator Hybrid<T>(int integer) => new Hybrid<T>(integer);
42         public static explicit operator Hybrid<T>(ushort integer) => new Hybrid<T>(integer);
43         public static explicit operator Hybrid<T>(short integer) => new Hybrid<T>(integer);
44         public static explicit operator Hybrid<T>(byte integer) => new Hybrid<T>(integer);
45         public static explicit operator Hybrid<T>(sbyte integer) => new Hybrid<T>(integer);
46         public static implicit operator T(Hybrid<T> hybrid) => hybrid.Value;
47         public static explicit operator ulong(Hybrid<T> hybrid) =>
48             ↪ Convert.ToUInt64(hybrid.Value);
49         public static explicit operator long(Hybrid<T> hybrid) => hybrid.AbsoluteValue;
50         public static explicit operator uint(Hybrid<T> hybrid) => Convert.ToUInt32(hybrid.Value);
51         public static explicit operator int(Hybrid<T> hybrid) =>
52             ↪ Convert.ToInt32(hybrid.AbsoluteValue);
53         public static explicit operator ushort(Hybrid<T> hybrid) =>
54             ↪ Convert.ToUInt16(hybrid.Value);
55         public static explicit operator short(Hybrid<T> hybrid) =>
56             ↪ Convert.ToInt16(hybrid.AbsoluteValue);
57
58     }
59
60 }
61
62 }
63
64 }
65
66 }

```

```

67     public static explicit operator byte(Hybrid<T> hybrid) => Convert.ToByte(hybrid.Value);
68
69     public static explicit operator sbyte(Hybrid<T> hybrid) =>
70         ↪ Convert.ToSByte(hybrid.AbsoluteValue);
71
72     public override string ToString() => IsNothing ? default(T) == null ? "Nothing" :
73         ↪ default(T).ToString() : IsExternal ? $"{<AbsoluteValue>}" : Value.ToString();
74 }

```

./Platform.Data.Doublets/ILinks.cs

```

1  using Platform.Data.Constants;
2
3  namespace Platform.Data.Doublets
4  {
5      public interface ILinks<TLink> : ILinks<TLink, LinksCombinedConstants<TLink, TLink, int>>
6      {
7      }
8  }

```

./Platform.Data.Doublets/ILinksExtensions.cs

```

1  using System;
2  using System.Collections;
3  using System.Collections.Generic;
4  using System.Linq;
5  using System.Runtime.CompilerServices;
6  using Platform.Ranges;
7  using Platform.Collections.Arrays;
8  using Platform.Numbers;
9  using Platform.Random;
10 using Platform.Setters;
11 using Platform.Data.Exceptions;
12
13 namespace Platform.Data.Doublets
14 {
15     public static class ILinksExtensions
16     {
17         public static void RunRandomCreations<TLink>(this ILinks<TLink> links, long
18             ↪ amountOfCreations)
19         {
20             for (long i = 0; i < amountOfCreations; i++)
21             {
22                 var linksAddressRange = new Range<ulong>(0, (Integer<TLink>)links.Count());
23                 Integer<TLink> source = RandomHelpers.Default.NextUInt64(linksAddressRange);
24                 Integer<TLink> target = RandomHelpers.Default.NextUInt64(linksAddressRange);
25                 links.CreateAndUpdate(source, target);
26             }
27
28             public static void RunRandomSearches<TLink>(this ILinks<TLink> links, long
29                 ↪ amountOfSearches)
30             {
31                 for (long i = 0; i < amountOfSearches; i++)
32                 {
33                     var linkAddressRange = new Range<ulong>(1, (Integer<TLink>)links.Count());
34                     Integer<TLink> source = RandomHelpers.Default.NextUInt64(linkAddressRange);
35                     Integer<TLink> target = RandomHelpers.Default.NextUInt64(linkAddressRange);
36                     links.SearchOrDefault(source, target);
37                 }
38
39                 public static void RunRandomDeletions<TLink>(this ILinks<TLink> links, long
40                     ↪ amountOfDeletions)
41                 {
42                     var min = (ulong)amountOfDeletions > (Integer<TLink>)links.Count() ? 1 :
43                         ↪ (Integer<TLink>)links.Count() - (ulong)amountOfDeletions;
44                     for (long i = 0; i < amountOfDeletions; i++)
45                     {
46                         var linksAddressRange = new Range<ulong>(min, (Integer<TLink>)links.Count());
47                         Integer<TLink> link = RandomHelpers.Default.NextUInt64(linksAddressRange);
48                         links.Delete(link);
49                         if ((Integer<TLink>)links.Count() < min)
50                         {
51                             break;
52                         }
53                     }
54                 }
55             }
56         }
57     }
58 }

```



```

54  /// <remarks>
55  /// TODO: Возможно есть очень простой способ это сделать.
56  /// (Например просто удалить файл, или изменить его размер таким образом,
57  /// чтобы удалился весь контент)
58  /// Например через _header->AllocatedLinks в ResizableDirectMemoryLinks
59  /// </remarks>
60  public static void DeleteAll<TLink>(this ILinks<TLink> links)
61  {
62      var equalityComparer = EqualityComparer<TLink>.Default;
63      var comparer = Comparer<TLink>.Default;
64      for (var i = links.Count(); comparer.Compare(i, default) > 0; i =
        ↪ Arithmetic.Decrement(i))
65      {
66          links.Delete(i);
67          if (!equalityComparer.Equals(links.Count(), Arithmetic.Decrement(i)))
68          {
69              i = links.Count();
70          }
71      }
72  }
73
74  public static TLink First<TLink>(this ILinks<TLink> links)
75  {
76      TLink firstLink = default;
77      var equalityComparer = EqualityComparer<TLink>.Default;
78      if (equalityComparer.Equals(links.Count(), default))
79      {
80          throw new Exception("В хранилище нет связей.");
81      }
82      links.Each(links.Constants.Any, links.Constants.Any, link =>
83      {
84          firstLink = link[links.Constants.IndexPart];
85          return links.Constants.Break;
86      });
87      if (equalityComparer.Equals(firstLink, default))
88      {
89          throw new Exception("В процессе поиска по хранилищу не было найдено связей.");
90      }
91      return firstLink;
92  }
93
94  public static bool IsInnerReference<TLink>(this ILinks<TLink> links, TLink reference)
95  {
96      var constants = links.Constants;
97      var comparer = Comparer<TLink>.Default;
98      return comparer.Compare(constants.MinPossibleIndex, reference) >= 0 &&
        ↪ comparer.Compare(reference, constants.MaxPossibleIndex) <= 0;
99  }
100
101  #region Paths
102
103  /// <remarks>
104  /// TODO: Как так? Как то что ниже может быть корректно?
105  /// Скорее всего практически не применимо
106  /// Предполагалось, что можно было конвертировать формируемый в проходе через
        ↪ SequenceWalker
107  /// Stack в конкретный путь из Source, Target до связи, но это не всегда так.
108  /// TODO: Возможно нужен метод, который именно выбрасывает исключения (EnsurePathExists)
109  /// </remarks>
110  public static bool CheckPathExistance<TLink>(this ILinks<TLink> links, params TLink[]
        ↪ path)
111  {
112      var current = path[0];
113      //EnsureLinkExists(current, "path");
114      if (!links.Exists(current))
115      {
116          return false;
117      }
118      var equalityComparer = EqualityComparer<TLink>.Default;
119      var constants = links.Constants;
120      for (var i = 1; i < path.Length; i++)
121      {
122          var next = path[i];
123          var values = links.GetLink(current);
124          var source = values[constants.SourcePart];
125          var target = values[constants.TargetPart];
126          if (equalityComparer.Equals(source, target) && equalityComparer.Equals(source,
            ↪ next))
127          {

```

```

128         //throw new Exception(string.Format("Невозможно выбрать путь, так как и
129         ↪ Source и Target совпадают с элементом пути {0}.", next));
130         return false;
131     }
132     if (!equalityComparer.Equals(next, source) && !equalityComparer.Equals(next,
133     ↪ target))
134     {
135         //throw new Exception(string.Format("Невозможно продолжить путь через
136         ↪ элемент пути {0}", next));
137         return false;
138     }
139     current = next;
140 }
141 return true;
142 }
143
144 /// <remarks>
145 /// Может потребовать дополнительного стека для PathElement's при использовании
146 ↪ SequenceWalker.
147 /// </remarks>
148 public static TLink GetByKeyes<TLink>(this ILinks<TLink> links, TLink root, params int[]
149 ↪ path)
150 {
151     links.EnsureLinkExists(root, "root");
152     var currentLink = root;
153     for (var i = 0; i < path.Length; i++)
154     {
155         currentLink = links.GetLink(currentLink)[path[i]];
156     }
157     return currentLink;
158 }
159
160 public static TLink GetSquareMatrixSequenceElementByIndex<TLink>(this ILinks<TLink>
161 ↪ links, TLink root, ulong size, ulong index)
162 {
163     var constants = links.Constants;
164     var source = constants.SourcePart;
165     var target = constants.TargetPart;
166     if (!Numbers.Math.IsPowerOfTwo(size))
167     {
168         throw new ArgumentOutOfRangeException(nameof(size), "Sequences with sizes other
169         ↪ than powers of two are not supported.");
170     }
171     var path = new BitArray(BitConverter.GetBytes(index));
172     var length = Bit.GetLowestPosition(size);
173     links.EnsureLinkExists(root, "root");
174     var currentLink = root;
175     for (var i = length - 1; i >= 0; i--)
176     {
177         currentLink = links.GetLink(currentLink)[path[i] ? target : source];
178     }
179     return currentLink;
180 }
181
182 #endregion
183
184 /// <summary>
185 /// Возвращает индекс указанной связи.
186 /// </summary>
187 /// <param name="links">Хранилище связей.</param>
188 /// <param name="link">Связь представленная списком, состоящим из её адреса и
189 ↪ содержимого.</param>
190 /// <returns>Индекс начальной связи для указанной связи.</returns>
191 [MethodImpl(MethodImplOptions.AggressiveInlining)]
192 public static TLink GetIndex<TLink>(this ILinks<TLink> links, IList<TLink> link) =>
193 ↪ link[links.Constants.IndexPart];
194
195 /// <summary>
196 /// Возвращает индекс начальной (Source) связи для указанной связи.
197 /// </summary>
198 /// <param name="links">Хранилище связей.</param>
199 /// <param name="link">Индекс связи.</param>
200 /// <returns>Индекс начальной связи для указанной связи.</returns>
201 [MethodImpl(MethodImplOptions.AggressiveInlining)]
202 public static TLink GetSource<TLink>(this ILinks<TLink> links, TLink link) =>
203 ↪ links.GetLink(link)[links.Constants.SourcePart];
204
205 /// <summary>

```

```

196 /// Возвращает индекс начальной (Source) связи для указанной связи.
197 /// </summary>
198 /// <param name="links">Хранилище связей.</param>
199 /// <param name="link">Связь представленная списком, состоящим из её адреса и
    ↳ содержимого.</param>
200 /// <returns>Индекс начальной связи для указанной связи.</returns>
201 [MethodImpl(MethodImplOptions.AggressiveInlining)]
202 public static TLink GetSource<TLink>(this ILinks<TLink> links, IList<TLink> link) =>
    ↳ link[links.Constants.SourcePart];
203
204 /// <summary>
205 /// Возвращает индекс конечной (Target) связи для указанной связи.
206 /// </summary>
207 /// <param name="links">Хранилище связей.</param>
208 /// <param name="link">Индекс связи.</param>
209 /// <returns>Индекс конечной связи для указанной связи.</returns>
210 [MethodImpl(MethodImplOptions.AggressiveInlining)]
211 public static TLink GetTarget<TLink>(this ILinks<TLink> links, TLink link) =>
    ↳ links.GetLink(link)[links.Constants.TargetPart];
212
213 /// <summary>
214 /// Возвращает индекс конечной (Target) связи для указанной связи.
215 /// </summary>
216 /// <param name="links">Хранилище связей.</param>
217 /// <param name="link">Связь представленная списком, состоящим из её адреса и
    ↳ содержимого.</param>
218 /// <returns>Индекс конечной связи для указанной связи.</returns>
219 [MethodImpl(MethodImplOptions.AggressiveInlining)]
220 public static TLink GetTarget<TLink>(this ILinks<TLink> links, IList<TLink> link) =>
    ↳ link[links.Constants.TargetPart];
221
222 /// <summary>
223 /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
    ↳ (handler) для каждой подходящей связи.
224 /// </summary>
225 /// <param name="links">Хранилище связей.</param>
226 /// <param name="handler">Обработчик каждой подходящей связи.</param>
227 /// <param name="restrictions">Ограничения на содержимое связей. Каждое ограничение
    ↳ может иметь значения: Constants.Null - 0-я связь, обозначающая ссылку на пустоту,
    ↳ Any - отсутствие ограничения, 1..∞ конкретный адрес связи.</param>
228 /// <returns>True, в случае если проход по связям не был прерван и False в обратном
    ↳ случае.</returns>
229 [MethodImpl(MethodImplOptions.AggressiveInlining)]
230 public static bool Each<TLink>(this ILinks<TLink> links, Func<IList<TLink>, TLink>
    ↳ handler, params TLink[] restrictions)
231 => EqualityComparer<TLink>.Default.Equals(links.Each(handler, restrictions),
    ↳ links.Constants.Continue);
232
233 /// <summary>
234 /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
    ↳ (handler) для каждой подходящей связи.
235 /// </summary>
236 /// <param name="links">Хранилище связей.</param>
237 /// <param name="source">Значение, определяющее соответствующие шаблону связи.
    ↳ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве начала,
    ↳ Constants.Any - любое начало, 1..∞ конкретное начало)</param>
238 /// <param name="target">Значение, определяющее соответствующие шаблону связи.
    ↳ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве конца,
    ↳ Constants.Any - любой конец, 1..∞ конкретный конец)</param>
239 /// <param name="handler">Обработчик каждой подходящей связи.</param>
240 /// <returns>True, в случае если проход по связям не был прерван и False в обратном
    ↳ случае.</returns>
241 [MethodImpl(MethodImplOptions.AggressiveInlining)]
242 public static bool Each<TLink>(this ILinks<TLink> links, TLink source, TLink target,
    ↳ Func<TLink, bool> handler)
243 {
244     var constants = links.Constants;
245     return links.Each(link => handler(link[constants.IndexPart]) ? constants.Continue :
    ↳ constants.Break, constants.Any, source, target);
246 }
247
248 /// <summary>
249 /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
    ↳ (handler) для каждой подходящей связи.
250 /// </summary>
251 /// <param name="links">Хранилище связей.</param>

```

```

252 /// <param name="source">Значение, определяющее соответствующие шаблону связи.
253   → (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве начала,
254   → Constants.Any - любое начало, 1..∞ конкретное начало)</param>
255 /// <param name="target">Значение, определяющее соответствующие шаблону связи.
256   → (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве конца,
257   → Constants.Any - любой конец, 1..∞ конкретный конец)</param>
258 /// <param name="handler">Обработчик каждой подходящей связи.</param>
259 /// <returns>True, в случае если проход по связям не был прерван и False в обратном
260   → случае.</returns>
261 [MethodImpl(MethodImplOptions.AggressiveInlining)]
262 public static bool Each<TLink>(this ILinks<TLink> links, TLink source, TLink target,
263   → Func<IList<TLink>, TLink> handler)
264 {
265     var constants = links.Constants;
266     return links.Each(handler, constants.Any, source, target);
267 }
268
269 [MethodImpl(MethodImplOptions.AggressiveInlining)]
270 public static IList<IList<TLink>> All<TLink>(this ILinks<TLink> links, params TLink[]
271   → restrictions)
272 {
273     long arraySize = (Integer<TLink>)links.Count(restrictions);
274     var array = new IList<TLink>[arraySize];
275     if (arraySize > 0)
276     {
277         var filler = new ArrayFiller<IList<TLink>, TLink>(array,
278             → links.Constants.Continue);
279         links.Each(filler.AddAndReturnConstant, restrictions);
280     }
281     return array;
282 }
283
284 [MethodImpl(MethodImplOptions.AggressiveInlining)]
285 public static IList<TLink> AllIndices<TLink>(this ILinks<TLink> links, params TLink[]
286   → restrictions)
287 {
288     long arraySize = (Integer<TLink>)links.Count(restrictions);
289     var array = new TLink[arraySize];
290     if (arraySize > 0)
291     {
292         var filler = new ArrayFiller<TLink, TLink>(array, links.Constants.Continue);
293         links.Each(filler.AddFirstAndReturnConstant, restrictions);
294     }
295     return array;
296 }
297
298 /// <summary>
299 /// Возвращает значение, определяющее существует ли связь с указанными началом и концом
300   → в хранилище связей.
301 /// </summary>
302 /// <param name="links">Хранилище связей.</param>
303 /// <param name="source">Начало связи.</param>
304 /// <param name="target">Конец связи.</param>
305 /// <returns>Значение, определяющее существует ли связь.</returns>
306 [MethodImpl(MethodImplOptions.AggressiveInlining)]
307 public static bool Exists<TLink>(this ILinks<TLink> links, TLink source, TLink target)
308   → => Comparer<TLink>.Default.Compare(links.Count(links.Constants.Any, source, target),
309   → default) > 0;
310
311 #region Ensure
312 // TODO: May be move to EnsureExtensions or make it both there and here
313
314 [MethodImpl(MethodImplOptions.AggressiveInlining)]
315 public static void EnsureInnerReferenceExists<TLink>(this ILinks<TLink> links, TLink
316   → reference, string argumentName)
317 {
318     if (links.IsInnerReference(reference) && !links.Exists(reference))
319     {
320         throw new ArgumentLinkDoesNotExistsException<TLink>(reference, argumentName);
321     }
322 }
323
324 [MethodImpl(MethodImplOptions.AggressiveInlining)]
325 public static void EnsureInnerReferenceExists<TLink>(this ILinks<TLink> links,
326   → IList<TLink> restrictions, string argumentName)
327 {
328     for (int i = 0; i < restrictions.Count; i++)

```

```

315     {
316         links.EnsureInnerReferenceExists(restrictions[i], argumentName);
317     }
318 }
319
320 [MethodImpl(MethodImplOptions.AggressiveInlining)]
321 public static void EnsureLinkIsAnyOrExists<TLink>(this ILinks<TLink> links, IList<TLink>
    ↪ restrictions)
322 {
323     for (int i = 0; i < restrictions.Count; i++)
324     {
325         links.EnsureLinkIsAnyOrExists(restrictions[i], nameof(restrictions));
326     }
327 }
328
329 [MethodImpl(MethodImplOptions.AggressiveInlining)]
330 public static void EnsureLinkIsAnyOrExists<TLink>(this ILinks<TLink> links, TLink link,
    ↪ string argumentName)
331 {
332     var equalityComparer = EqualityComparer<TLink>.Default;
333     if (!equalityComparer.Equals(link, links.Constants.Any) && !links.Exists(link))
334     {
335         throw new ArgumentLinkDoesNotExistsException<TLink>(link, argumentName);
336     }
337 }
338
339 [MethodImpl(MethodImplOptions.AggressiveInlining)]
340 public static void EnsureLinkIsItselfOrExists<TLink>(this ILinks<TLink> links, TLink
    ↪ link, string argumentName)
341 {
342     var equalityComparer = EqualityComparer<TLink>.Default;
343     if (!equalityComparer.Equals(link, links.Constants.Itself) && !links.Exists(link))
344     {
345         throw new ArgumentLinkDoesNotExistsException<TLink>(link, argumentName);
346     }
347 }
348
349 /// <param name="links">Хранилище связей.</param>
350 [MethodImpl(MethodImplOptions.AggressiveInlining)]
351 public static void EnsureDoesNotExists<TLink>(this ILinks<TLink> links, TLink source,
    ↪ TLink target)
352 {
353     if (links.Exists(source, target))
354     {
355         throw new LinkWithSameValueAlreadyExistsException();
356     }
357 }
358
359 /// <param name="links">Хранилище связей.</param>
360 public static void EnsureNoUsages<TLink>(this ILinks<TLink> links, TLink link)
361 {
362     if (links.HasUsages(link))
363     {
364         throw new ArgumentLinkHasDependenciesException<TLink>(link);
365     }
366 }
367
368 /// <param name="links">Хранилище связей.</param>
369 public static void EnsureCreated<TLink>(this ILinks<TLink> links, params TLink[]
    ↪ addresses) => links.EnsureCreated(links.Create, addresses);
370
371 /// <param name="links">Хранилище связей.</param>
372 public static void EnsurePointsCreated<TLink>(this ILinks<TLink> links, params TLink[]
    ↪ addresses) => links.EnsureCreated(links.CreatePoint, addresses);
373
374 /// <param name="links">Хранилище связей.</param>
375 public static void EnsureCreated<TLink>(this ILinks<TLink> links, Func<TLink> creator,
    ↪ params TLink[] addresses)
376 {
377     var constants = links.Constants;
378     var nonExistentAddresses = new HashSet<ulong>(addresses.Where(x =>
    ↪ !links.Exists(x)).Select(x => (ulong)(Integer<TLink>)x));
379     if (nonExistentAddresses.Count > 0)
380     {
381         var max = nonExistentAddresses.Max();
382         // TODO: Эту верхнюю границу нужно разрешить переопределять (проверить
    ↪ применяется ли эта логика)
383         max = System.Math.Min(max, (Integer<TLink>)constants.MaxPossibleIndex);

```

```

384     var createdLinks = new List<TLink>();
385     var equalityComparer = EqualityComparer<TLink>.Default;
386     TLink createdLink = creator();
387     while (!equalityComparer.Equals(createdLink, (Integer<TLink>)max))
388     {
389         createdLinks.Add(createdLink);
390     }
391     for (var i = 0; i < createdLinks.Count; i++)
392     {
393         if (!nonExistentAddresses.Contains((Integer<TLink>)createdLinks[i]))
394         {
395             links.Delete(createdLinks[i]);
396         }
397     }
398 }
399
400 #endregion
401
402 /// <param name="links">Хранилище связей.</param>
403 public static ulong CountUsages<TLink>(this ILinks<TLink> links, TLink link)
404 {
405     var constants = links.Constants;
406     var values = links.GetLink(link);
407     ulong usagesAsSource = (Integer<TLink>)links.Count(new Link<TLink>(constants.Any,
408         ↪ link, constants.Any));
409     var equalityComparer = EqualityComparer<TLink>.Default;
410     if (equalityComparer.Equals(values[constants.SourcePart], link))
411     {
412         usagesAsSource--;
413     }
414     ulong usagesAsTarget = (Integer<TLink>)links.Count(new Link<TLink>(constants.Any,
415         ↪ constants.Any, link));
416     if (equalityComparer.Equals(values[constants.TargetPart], link))
417     {
418         usagesAsTarget--;
419     }
420     return usagesAsSource + usagesAsTarget;
421 }
422
423 /// <param name="links">Хранилище связей.</param>
424 [MethodImpl(MethodImplOptions.AggressiveInlining)]
425 public static bool HasUsages<TLink>(this ILinks<TLink> links, TLink link) =>
426     ↪ links.CountUsages(link) > 0;
427
428 /// <param name="links">Хранилище связей.</param>
429 [MethodImpl(MethodImplOptions.AggressiveInlining)]
430 public static bool Equals<TLink>(this ILinks<TLink> links, TLink link, TLink source,
431     ↪ TLink target)
432 {
433     var constants = links.Constants;
434     var values = links.GetLink(link);
435     var equalityComparer = EqualityComparer<TLink>.Default;
436     return equalityComparer.Equals(values[constants.SourcePart], source) &&
437         ↪ equalityComparer.Equals(values[constants.TargetPart], target);
438 }
439
440 /// <summary>
441 /// Выполняет поиск связи с указанными Source (началом) и Target (концом).
442 /// </summary>
443 /// <param name="links">Хранилище связей.</param>
444 /// <param name="source">Индекс связи, которая является началом для искомой
445     ↪ связи.</param>
446 /// <param name="target">Индекс связи, которая является концом для искомой связи.</param>
447 /// <returns>Индекс искомой связи с указанными Source (началом) и Target
448     ↪ (концом).</returns>
449 [MethodImpl(MethodImplOptions.AggressiveInlining)]
450 public static TLink SearchOrDefault<TLink>(this ILinks<TLink> links, TLink source, TLink
451     ↪ target)
452 {
453     var contants = links.Constants;
454     var setter = new Setter<TLink, TLink>(contants.Continue, contants.Break, default);
455     links.Each(setter.SetFirstAndReturnFalse, contants.Any, source, target);
456     return setter.Result;
457 }
458
459 /// <param name="links">Хранилище связей.</param>
460 [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

454 public static TLink CreatePoint<TLink>(this ILinks<TLink> links)
455 {
456     var link = links.Create();
457     return links.Update(link, link, link);
458 }
459
460 /// <param name="links">Хранилище связей.</param>
461 [MethodImpl(MethodImplOptions.AggressiveInlining)]
462 public static TLink CreateAndUpdate<TLink>(this ILinks<TLink> links, TLink source, TLink
    ↪ target) => links.Update(links.Create(), source, target);
463
464 /// <summary>
465 /// Обновляет связь с указанными началом (Source) и концом (Target)
466 /// на связь с указанными началом (NewSource) и концом (NewTarget).
467 /// </summary>
468 /// <param name="links">Хранилище связей.</param>
469 /// <param name="link">Индекс обновляемой связи.</param>
470 /// <param name="newSource">Индекс связи, которая является началом связи, на которую
    ↪ выполняется обновление.</param>
471 /// <param name="newTarget">Индекс связи, которая является концом связи, на которую
    ↪ выполняется обновление.</param>
472 /// <returns>Индекс обновлённой связи.</returns>
473 [MethodImpl(MethodImplOptions.AggressiveInlining)]
474 public static TLink Update<TLink>(this ILinks<TLink> links, TLink link, TLink newSource,
    ↪ TLink newTarget) => links.Update(new Link<TLink>(link, newSource, newTarget));
475
476 /// <summary>
477 /// Обновляет связь с указанными началом (Source) и концом (Target)
478 /// на связь с указанными началом (NewSource) и концом (NewTarget).
479 /// </summary>
480 /// <param name="links">Хранилище связей.</param>
481 /// <param name="restrictions">Ограничения на содержимое связей. Каждое ограничение
    ↪ может иметь значения: Constants.Null - 0-я связь, обозначающая ссылку на пустоту,
    ↪ Itself - требование установить ссылку на себя, 1.. $\infty$  конкретный адрес другой
    ↪ связи.</param>
482 /// <returns>Индекс обновлённой связи.</returns>
483 [MethodImpl(MethodImplOptions.AggressiveInlining)]
484 public static TLink Update<TLink>(this ILinks<TLink> links, params TLink[] restrictions)
485 {
486     if (restrictions.Length == 2)
487     {
488         return links.MergeAndDelete(restrictions[0], restrictions[1]);
489     }
490     if (restrictions.Length == 4)
491     {
492         return links.UpdateOrCreateOrGet(restrictions[0], restrictions[1],
            ↪ restrictions[2], restrictions[3]);
493     }
494     else
495     {
496         return links.Update(restrictions);
497     }
498 }
499
500 [MethodImpl(MethodImplOptions.AggressiveInlining)]
501 public static IList<TLink> ResolveConstantAsSelfReference<TLink>(this ILinks<TLink>
    ↪ links, TLink constant, IList<TLink> restrictions)
502 {
503     var equalityComparer = EqualityComparer<TLink>.Default;
504     var constants = links.Constants;
505     var index = restrictions[constants.IndexPart];
506     var source = restrictions[constants.SourcePart];
507     var target = restrictions[constants.TargetPart];
508     source = equalityComparer.Equals(source, constant) ? index : source;
509     target = equalityComparer.Equals(target, constant) ? index : target;
510     return new Link<TLink>(index, source, target);
511 }
512
513 /// <summary>
514 /// Создаёт связь (если она не существовала), либо возвращает индекс существующей связи
    ↪ с указанными Source (началом) и Target (концом).
515 /// </summary>
516 /// <param name="links">Хранилище связей.</param>
517 /// <param name="source">Индекс связи, которая является началом на создаваемой
    ↪ связи.</param>
518 /// <param name="target">Индекс связи, которая является концом для создаваемой
    ↪ связи.</param>

```

```

519 /// <returns>Индекс связи, с указанным Source (началом) и Target (концом)</returns>
520 [MethodImpl(MethodImplOptions.AggressiveInlining)]
521 public static TLink GetOrCreate<TLink>(this ILinks<TLink> links, TLink source, TLink
    ↳ target)
522 {
523     var link = links.SearchOrDefault(source, target);
524     if (EqualityComparer<TLink>.Default.Equals(link, default))
525     {
526         link = links.CreateAndUpdate(source, target);
527     }
528     return link;
529 }
530
531 /// <summary>
532 /// Обновляет связь с указанными началом (Source) и концом (Target)
533 /// на связь с указанными началом (NewSource) и концом (NewTarget).
534 /// </summary>
535 /// <param name="links">Хранилище связей.</param>
536 /// <param name="source">Индекс связи, которая является началом обновляемой
    ↳ связи.</param>
537 /// <param name="target">Индекс связи, которая является концом обновляемой связи.</param>
538 /// <param name="newSource">Индекс связи, которая является началом связи, на которую
    ↳ выполняется обновление.</param>
539 /// <param name="newTarget">Индекс связи, которая является концом связи, на которую
    ↳ выполняется обновление.</param>
540 /// <returns>Индекс обновлённой связи.</returns>
541 [MethodImpl(MethodImplOptions.AggressiveInlining)]
542 public static TLink UpdateOrCreateOrGet<TLink>(this ILinks<TLink> links, TLink source,
    ↳ TLink target, TLink newSource, TLink newTarget)
543 {
544     var equalityComparer = EqualityComparer<TLink>.Default;
545     var link = links.SearchOrDefault(source, target);
546     if (equalityComparer.Equals(link, default))
547     {
548         return links.CreateAndUpdate(newSource, newTarget);
549     }
550     if (equalityComparer.Equals(newSource, source) && equalityComparer.Equals(newTarget,
    ↳ target))
551     {
552         return link;
553     }
554     return links.Update(link, newSource, newTarget);
555 }
556
557 /// <summary>Удаляет связь с указанными началом (Source) и концом (Target).</summary>
558 /// <param name="links">Хранилище связей.</param>
559 /// <param name="source">Индекс связи, которая является началом удаляемой связи.</param>
560 /// <param name="target">Индекс связи, которая является концом удаляемой связи.</param>
561 [MethodImpl(MethodImplOptions.AggressiveInlining)]
562 public static TLink DeleteIfExists<TLink>(this ILinks<TLink> links, TLink source, TLink
    ↳ target)
563 {
564     var link = links.SearchOrDefault(source, target);
565     if (!EqualityComparer<TLink>.Default.Equals(link, default))
566     {
567         links.Delete(link);
568         return link;
569     }
570     return default;
571 }
572
573 /// <summary>Удаляет несколько связей.</summary>
574 /// <param name="links">Хранилище связей.</param>
575 /// <param name="deletedLinks">Список адресов связей к удалению.</param>
576 [MethodImpl(MethodImplOptions.AggressiveInlining)]
577 public static void DeleteMany<TLink>(this ILinks<TLink> links, IList<TLink> deletedLinks)
578 {
579     for (int i = 0; i < deletedLinks.Count; i++)
580     {
581         links.Delete(deletedLinks[i]);
582     }
583 }
584
585 /// <remarks>Before execution of this method ensure that deleted link is detached (all
    ↳ values - source and target are reset to null) or it might enter into infinite
    ↳ recursion.</remarks>
586 public static void DeleteAllUsages<TLink>(this ILinks<TLink> links, TLink linkIndex)
587 {

```



```

588     var anyConstant = links.Constants.Any;
589     var usagesAsSourceQuery = new Link<TLink>(anyConstant, linkIndex, anyConstant);
590     links.DeleteByQuery(usagesAsSourceQuery);
591     var usagesAsTargetQuery = new Link<TLink>(anyConstant, linkIndex, anyConstant);
592     links.DeleteByQuery(usagesAsTargetQuery);
593 }
594
595 public static void DeleteByQuery<TLink>(this ILinks<TLink> links, Link<TLink> query)
596 {
597     var count = (Integer<TLink>)links.Count(query);
598     if (count > 0)
599     {
600         var queryResult = new TLink[count];
601         var queryResultFiller = new ArrayFiller<TLink, TLink>(queryResult,
602             ↪ links.Constants.Continue);
603         links.Each(queryResultFiller.AddFirstAndReturnConstant, query);
604         for (var i = (long)count - 1; i >= 0; i--)
605         {
606             links.Delete(queryResult[i]);
607         }
608     }
609 }
610
611 // TODO: Move to Platform.Data
612 public static bool AreValuesReset<TLink>(this ILinks<TLink> links, TLink linkIndex)
613 {
614     var nullConstant = links.Constants.Null;
615     var equalityComparer = EqualityComparer<TLink>.Default;
616     var link = links.GetLink(linkIndex);
617     for (int i = 1; i < link.Count; i++)
618     {
619         if (!equalityComparer.Equals(link[i], nullConstant))
620         {
621             return false;
622         }
623     }
624     return true;
625 }
626
627 // TODO: Create a universal version of this method in Platform.Data (with using of for
628 ↪ loop)
629 public static void ResetValues<TLink>(this ILinks<TLink> links, TLink linkIndex)
630 {
631     var nullConstant = links.Constants.Null;
632     var updateRequest = new Link<TLink>(linkIndex, nullConstant, nullConstant);
633     links.Update(updateRequest);
634 }
635
636 // TODO: Create a universal version of this method in Platform.Data (with using of for
637 ↪ loop)
638 public static void EnforceResetValues<TLink>(this ILinks<TLink> links, TLink linkIndex)
639 {
640     if (!links.AreValuesReset(linkIndex))
641     {
642         links.ResetValues(linkIndex);
643     }
644 }
645
646 /// <summary>
647 /// Merging two usages graphs, all children of old link moved to be children of new link
648 ↪ or deleted.
649 /// </summary>
650 public static TLink MergeUsages<TLink>(this ILinks<TLink> links, TLink oldLinkIndex,
651 ↪ TLink newLinkIndex)
652 {
653     var equalityComparer = EqualityComparer<TLink>.Default;
654     if (!equalityComparer.Equals(oldLinkIndex, newLinkIndex))
655     {
656         var constants = links.Constants;
657         var usagesAsSourceQuery = new Link<TLink>(constants.Any, oldLinkIndex,
658             ↪ constants.Any);
659         long usagesAsSourceCount = (Integer<TLink>)links.Count(usagesAsSourceQuery);
660         var usagesAsTargetQuery = new Link<TLink>(constants.Any, constants.Any,
661             ↪ oldLinkIndex);
662         long usagesAsTargetCount = (Integer<TLink>)links.Count(usagesAsTargetQuery);
663         var isStandalonePoint = Point<TLink>.IsFullPoint(links.GetLink(oldLinkIndex)) &&
664             ↪ usagesAsSourceCount == 1 && usagesAsTargetCount == 1;
665         if (!isStandalonePoint)

```

```

658     {
659         var totalUsages = usagesAsSourceCount + usagesAsTargetCount;
660         if (totalUsages > 0)
661         {
662             var usages = ArrayPool.Allocate<TLink>(totalUsages);
663             var usagesFiller = new ArrayFiller<TLink, TLink>(usages,
664                 ↪ links.Constants.Continue);
665             var i = 0L;
666             if (usagesAsSourceCount > 0)
667             {
668                 links.Each(usagesFiller.AddFirstAndReturnConstant,
669                     ↪ usagesAsSourceQuery);
670                 for (; i < usagesAsSourceCount; i++)
671                 {
672                     var usage = usages[i];
673                     if (!equalityComparer.Equals(usage, oldLinkIndex))
674                     {
675                         links.Update(usage, newLinkIndex, links.GetTarget(usage));
676                     }
677                 }
678             }
679             if (usagesAsTargetCount > 0)
680             {
681                 links.Each(usagesFiller.AddFirstAndReturnConstant,
682                     ↪ usagesAsTargetQuery);
683                 for (; i < usages.Length; i++)
684                 {
685                     var usage = usages[i];
686                     if (!equalityComparer.Equals(usage, oldLinkIndex))
687                     {
688                         links.Update(usage, links.GetSource(usage), newLinkIndex);
689                     }
690                 }
691             }
692             ArrayPool.Free(usages);
693         }
694     }
695     return newLinkIndex;
696 }
697
698 /// <summary>
699 /// Replace one link with another (replaced link is deleted, children are updated or
700 /// ↪ deleted).
701 /// </summary>
702 [MethodImpl(MethodImplOptions.AggressiveInlining)]
703 public static TLink MergeAndDelete<TLink>(this ILinks<TLink> links, TLink oldLinkIndex,
704     ↪ TLink newLinkIndex)
705 {
706     var equalityComparer = EqualityComparer<TLink>.Default;
707     if (!equalityComparer.Equals(oldLinkIndex, newLinkIndex))
708     {
709         links.MergeUsages(oldLinkIndex, newLinkIndex);
710         links.Delete(oldLinkIndex);
711     }
712     return newLinkIndex;
713 }

```

./Platform.Data.Doublets/Incrementers/FrequencyIncrementer.cs

```

1  using System.Collections.Generic;
2  using Platform.Interfaces;
3
4  namespace Platform.Data.Doublets.Incrementers
5  {
6      public class FrequencyIncrementer<TLink> : LinksOperatorBase<TLink>, IIncrementer<TLink>
7      {
8          private static readonly EqualityComparer<TLink> _equalityComparer =
9              ↪ EqualityComparer<TLink>.Default;
10
11          private readonly TLink _frequencyMarker;
12          private readonly TLink _unaryOne;
13          private readonly IIncrementer<TLink> _unaryNumberIncrementer;
14
15          public FrequencyIncrementer(ILinks<TLink> links, TLink frequencyMarker, TLink unaryOne,
16              ↪ IIncrementer<TLink> unaryNumberIncrementer)
17              : base(links)
18          {

```

```

17         _frequencyMarker = frequencyMarker;
18         _unaryOne = unaryOne;
19         _unaryNumberIncrementer = unaryNumberIncrementer;
20     }
21
22     public TLink Increment(TLink frequency)
23     {
24         if (_equalityComparer.Equals(frequency, default))
25         {
26             return Links.GetOrCreate(_unaryOne, _frequencyMarker);
27         }
28         var source = Links.GetSource(frequency);
29         var incrementedSource = _unaryNumberIncrementer.Increment(source);
30         return Links.GetOrCreate(incrementedSource, _frequencyMarker);
31     }
32 }
33 }

```

./Platform.Data.Doublets/Incrementers/LinkFrequencyIncrementer.cs

```

1  using System.Collections.Generic;
2  using Platform.Interfaces;
3
4  namespace Platform.Data.Doublets.Incrementers
5  {
6      public class LinkFrequencyIncrementer<TLink> : LinksOperatorBase<TLink>,
7      ↪ IIncrementer<IList<TLink>>
8      {
9          private readonly IPropertyOperator<TLink, TLink> _frequencyPropertyOperator;
10         private readonly IIncrementer<TLink> _frequencyIncrementer;
11
12         public LinkFrequencyIncrementer(ILinks<TLink> links, IPropertyOperator<TLink, TLink>
13         ↪ frequencyPropertyOperator, IIncrementer<TLink> frequencyIncrementer)
14         : base(links)
15         {
16             _frequencyPropertyOperator = frequencyPropertyOperator;
17             _frequencyIncrementer = frequencyIncrementer;
18
19             /// <remarks>Sequence itseft is not changed, only frequency of its doublets is
20             ↪ incremented.</remarks>
21             public IList<TLink> Increment(IList<TLink> sequence) // TODO: May be move to
22             ↪ ILinksExtensions or make SequenceDoubletsFrequencyIncrementer
23             {
24                 for (var i = 1; i < sequence.Count; i++)
25                 {
26                     Increment(Links.GetOrCreate(sequence[i - 1], sequence[i]));
27                 }
28                 return sequence;
29             }
30
31             public void Increment(TLink link)
32             {
33                 var previousFrequency = _frequencyPropertyOperator.Get(link);
34                 var frequency = _frequencyIncrementer.Increment(previousFrequency);
35                 _frequencyPropertyOperator.Set(link, frequency);
36             }
37         }
38     }
39 }

```

./Platform.Data.Doublets/Incrementers/UnaryNumberIncrementer.cs

```

1  using System.Collections.Generic;
2  using Platform.Interfaces;
3
4  namespace Platform.Data.Doublets.Incrementers
5  {
6      public class UnaryNumberIncrementer<TLink> : LinksOperatorBase<TLink>, IIncrementer<TLink>
7      {
8          private static readonly EqualityComparer<TLink> _equalityComparer =
9          ↪ EqualityComparer<TLink>.Default;
10
11         private readonly TLink _unaryOne;
12
13         public UnaryNumberIncrementer(ILinks<TLink> links, TLink unaryOne) : base(links) =>
14         ↪ _unaryOne = unaryOne;
15
16         public TLink Increment(TLink unaryNumber)
17         {
18             if (_equalityComparer.Equals(unaryNumber, _unaryOne))
19             {

```

```

18         return Links.GetOrCreate(_unaryOne, _unaryOne);
19     }
20     var source = Links.GetSource(unaryNumber);
21     var target = Links.GetTarget(unaryNumber);
22     if (_equalityComparer.Equals(source, target))
23     {
24         return Links.GetOrCreate(unaryNumber, _unaryOne);
25     }
26     else
27     {
28         return Links.GetOrCreate(source, Increment(target));
29     }
30 }
31 }
32 }

```

./Platform.Data.Doublets/ISynchronizedLinks.cs

```

1 using Platform.Data.Constants;
2
3 namespace Platform.Data.Doublets
4 {
5     public interface ISynchronizedLinks<TLink> : ISynchronizedLinks<TLink, ILinks<TLink>,
        ↳ LinksCombinedConstants<TLink, TLink, int>>, ILinks<TLink>
6     {
7     }
8 }

```

./Platform.Data.Doublets/Link.cs

```

1 using System;
2 using System.Collections;
3 using System.Collections.Generic;
4 using Platform.Exceptions;
5 using Platform.Ranges;
6 using Platform.Singletons;
7 using Platform.Collections.Lists;
8 using Platform.Data.Constants;
9
10 namespace Platform.Data.Doublets
11 {
12     /// <summary>
13     /// Структура описывающая уникальную связь.
14     /// </summary>
15     public struct Link<TLink> : IEquatable<Link<TLink>>, IReadOnlyList<TLink>, IList<TLink>
16     {
17         public static readonly Link<TLink> Null = new Link<TLink>();
18
19         private static readonly LinksCombinedConstants<bool, TLink, int> _constants =
20             ↳ Default<LinksCombinedConstants<bool, TLink, int>>.Instance;
21         private static readonly EqualityComparer<TLink> _equalityComparer =
22             ↳ EqualityComparer<TLink>.Default;
23
24         private const int Length = 3;
25
26         public readonly TLink Index;
27         public readonly TLink Source;
28         public readonly TLink Target;
29
30         public Link(params TLink[] values)
31         {
32             Index = values.Length > _constants.IndexPart ? values[_constants.IndexPart] :
33                 ↳ _constants.Null;
34             Source = values.Length > _constants.SourcePart ? values[_constants.SourcePart] :
35                 ↳ _constants.Null;
36             Target = values.Length > _constants.TargetPart ? values[_constants.TargetPart] :
37                 ↳ _constants.Null;
38         }
39
40         public Link(IList<TLink> values)
41         {
42             Index = values.Count > _constants.IndexPart ? values[_constants.IndexPart] :
43                 ↳ _constants.Null;
44             Source = values.Count > _constants.SourcePart ? values[_constants.SourcePart] :
45                 ↳ _constants.Null;
46             Target = values.Count > _constants.TargetPart ? values[_constants.TargetPart] :
47                 ↳ _constants.Null;
48         }
49
50         public Link(TLink index, TLink source, TLink target)
51         {
52             Index = index;
53         }
54     }
55 }

```

```

45     Source = source;
46     Target = target;
47 }
48
49 public Link(TLink source, TLink target)
50     : this(_constants.Null, source, target)
51 {
52     Source = source;
53     Target = target;
54 }
55
56 public static Link<TLink> Create(TLink source, TLink target) => new Link<TLink>(source,
    ↪ target);
57
58 public override int GetHashCode() => (Index, Source, Target).GetHashCode();
59
60 public bool IsNull() => _equalityComparer.Equals(Index, _constants.Null)
61     && _equalityComparer.Equals(Source, _constants.Null)
62     && _equalityComparer.Equals(Target, _constants.Null);
63
64 public override bool Equals(object other) => other is Link<TLink> &&
    ↪ Equals((Link<TLink>)other);
65
66 public bool Equals(Link<TLink> other) => _equalityComparer.Equals(Index, other.Index)
67     && _equalityComparer.Equals(Source, other.Source)
68     && _equalityComparer.Equals(Target, other.Target);
69
70 public static string ToString(TLink index, TLink source, TLink target) => $"{index}:
    ↪ {source}->{target}";
71
72 public static string ToString(TLink source, TLink target) => $"{source}->{target}";
73
74 public static implicit operator TLink[] (Link<TLink> link) => link.ToArray();
75
76 public static implicit operator Link<TLink>(TLink[] linkArray) => new
    ↪ Link<TLink>(linkArray);
77
78 public override string ToString() => _equalityComparer.Equals(Index, _constants.Null) ?
    ↪ ToString(Source, Target) : ToString(Index, Source, Target);
79
80 #region IList
81
82 public int Count => Length;
83
84 public bool IsReadOnly => true;
85
86 public TLink this[int index]
87 {
88     get
89     {
90         Ensure.Always.ArgumentInRange(index, new Range<int>(0, Length - 1),
            ↪ nameof(index));
91         if (index == _constants.IndexPart)
92         {
93             return Index;
94         }
95         if (index == _constants.SourcePart)
96         {
97             return Source;
98         }
99         if (index == _constants.TargetPart)
100         {
101             return Target;
102         }
103         throw new NotSupportedException(); // Impossible path due to
            ↪ Ensure.ArgumentInRange
104     }
105     set => throw new NotSupportedException();
106 }
107
108 IEnumerator IEnumerable.GetEnumerator() => GetEnumerator();
109
110 public IEnumerator<TLink> GetEnumerator()
111 {
112     yield return Index;
113     yield return Source;
114     yield return Target;
115 }
116
117 public void Add(TLink item) => throw new NotSupportedException();

```

```

118     public void Clear() => throw new NotSupportedException();
119
120     public bool Contains(TLink item) => IndexOf(item) >= 0;
121
122     public void CopyTo(TLink[] array, int arrayIndex)
123     {
124         Ensure.Always.ArgumentNotNull(array, nameof(array));
125         Ensure.Always.ArgumentInRange(arrayIndex, new Range<int>(0, array.Length - 1),
126             ↪ nameof(arrayIndex));
127         if (arrayIndex + Length > array.Length)
128         {
129             throw new InvalidOperationException();
130         }
131         array[arrayIndex++] = Index;
132         array[arrayIndex++] = Source;
133         array[arrayIndex] = Target;
134     }
135
136     public bool Remove(TLink item) => Throw.A.NotSupportedExceptionAndReturn<bool>();
137
138     public int IndexOf(TLink item)
139     {
140         if (_equalityComparer.Equals(Index, item))
141         {
142             return _constants.IndexPart;
143         }
144         if (_equalityComparer.Equals(Source, item))
145         {
146             return _constants.SourcePart;
147         }
148         if (_equalityComparer.Equals(Target, item))
149         {
150             return _constants.TargetPart;
151         }
152         return -1;
153     }
154
155     public void Insert(int index, TLink item) => throw new NotSupportedException();
156
157     public void RemoveAt(int index) => throw new NotSupportedException();
158
159     #endregion
160 }
161 }

```

./Platform.Data.Doublets/LinkExtensions.cs

```

1 namespace Platform.Data.Doublets
2 {
3     public static class LinkExtensions
4     {
5         public static bool IsFullPoint<TLink>(this Link<TLink> link) =>
6             ↪ Point<TLink>.IsFullPoint(link);
7         public static bool IsPartialPoint<TLink>(this Link<TLink> link) =>
8             ↪ Point<TLink>.IsPartialPoint(link);
9     }
10 }

```

./Platform.Data.Doublets/LinksOperatorBase.cs

```

1 namespace Platform.Data.Doublets
2 {
3     public abstract class LinksOperatorBase<TLink>
4     {
5         public ILinks<TLink> Links { get; }
6         protected LinksOperatorBase(ILinks<TLink> links) => Links = links;
7     }
8 }

```

./Platform.Data.Doublets/PropertyOperators/PropertiesOperator.cs

```

1 using System.Linq;
2 using System.Collections.Generic;
3 using Platform.Interfaces;
4
5 namespace Platform.Data.Doublets.PropertyOperators
6 {
7     public class PropertiesOperator<TLink> : LinksOperatorBase<TLink>,
8         ↪ IPropertiesOperator<TLink, TLink, TLink>
9     {

```

```

9     private static readonly EqualityComparer<TLink> _equalityComparer =
    ↪     EqualityComparer<TLink>.Default;
10
11     public PropertiesOperator(ILinks<TLink> links) : base(links) { }
12
13     public TLink GetValue(TLink @object, TLink property)
14     {
15         var objectProperty = Links.SearchOrDefault(@object, property);
16         if (_equalityComparer.Equals(objectProperty, default))
17         {
18             return default;
19         }
20         var valueLink = Links.All(Links.Constants.Any, objectProperty).SingleOrDefault();
21         if (valueLink == null)
22         {
23             return default;
24         }
25         return Links.GetTarget(valueLink[Links.Constants.IndexPart]);
26     }
27
28     public void SetValue(TLink @object, TLink property, TLink value)
29     {
30         var objectProperty = Links.GetOrCreate(@object, property);
31         Links.DeleteMany(Links.AllIndices(Links.Constants.Any, objectProperty));
32         Links.GetOrCreate(objectProperty, value);
33     }
34 }
35 }

```

./Platform.Data.Doublets/PropertyOperators/PropertyOperator.cs

```

1  using System.Collections.Generic;
2  using Platform.Interfaces;
3
4  namespace Platform.Data.Doublets.PropertyOperators
5  {
6      public class PropertyOperator<TLink> : LinksOperatorBase<TLink>, IPropertyOperator<TLink,
    ↪     TLink>
7      {
8          private static readonly EqualityComparer<TLink> _equalityComparer =
    ↪     EqualityComparer<TLink>.Default;
9
10         private readonly TLink _propertyMarker;
11         private readonly TLink _propertyValueMarker;
12
13         public PropertyOperator(ILinks<TLink> links, TLink propertyMarker, TLink
    ↪     propertyValueMarker) : base(links)
14         {
15             _propertyMarker = propertyMarker;
16             _propertyValueMarker = propertyValueMarker;
17         }
18
19         public TLink Get(TLink link)
20         {
21             var property = Links.SearchOrDefault(link, _propertyMarker);
22             var container = GetContainer(property);
23             var value = GetValue(container);
24             return value;
25         }
26
27         private TLink GetContainer(TLink property)
28         {
29             var valueContainer = default(TLink);
30             if (_equalityComparer.Equals(property, default))
31             {
32                 return valueContainer;
33             }
34             var constants = Links.Constants;
35             var continueConstant = constants.Continue;
36             var breakConstant = constants.Break;
37             var anyConstant = constants.Any;
38             var query = new Link<TLink>(anyConstant, property, anyConstant);
39             Links.Each(candidate =>
40             {
41                 var candidateTarget = Links.GetTarget(candidate);
42                 var valueTarget = Links.GetTarget(candidateTarget);
43                 if (_equalityComparer.Equals(valueTarget, _propertyValueMarker))
44                 {
45                     valueContainer = Links.GetIndex(candidate);
46                     return breakConstant;
47                 }

```

```

48         return countinueConstant;
49     }, query);
50     return valueContainer;
51 }
52
53 private TLink GetValue(TLink container) => _equalityComparer.Equals(container, default)
54     ↪ ? default : Links.GetTarget(container);
55
56 public void Set(TLink link, TLink value)
57 {
58     var property = Links.GetOrCreate(link, _propertyMarker);
59     var container = GetContainer(property);
60     if (_equalityComparer.Equals(container, default))
61     {
62         Links.GetOrCreate(property, value);
63     }
64     else
65     {
66         Links.Update(container, property, value);
67     }
68 }
69 }

```

./Platform.Data.Doublets/ResizableDirectMemory/ResizableDirectMemoryLinks.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using System.Runtime.InteropServices;
5  using Platform.Disposables;
6  using Platform.Singletons;
7  using Platform.Collections.Arrays;
8  using Platform.Numbers;
9  using Platform.Unsafe;
10 using Platform.Memory;
11 using Platform.Data.Exceptions;
12 using Platform.Data.Constants;
13 using static Platform.Numbers.Arithmetic;
14
15 #pragma warning disable 0649
16 #pragma warning disable 169
17 #pragma warning disable 618
18
19 // ReSharper disable StaticMemberInGenericType
20 // ReSharper disable BuiltInTypeReferenceStyle
21 // ReSharper disable MemberCanBePrivate.Local
22 // ReSharper disable UnusedMember.Local
23
24 namespace Platform.Data.Doublets.ResizableDirectMemory
25 {
26     public partial class ResizableDirectMemoryLinks<TLink> : DisposableBase, ILinks<TLink>
27     {
28         private static readonly EqualityComparer<TLink> _equalityComparer =
29             ↪ EqualityComparer<TLink>.Default;
30         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
31
32         /// <summary>Возвращает размер одной связи в байтах.</summary>
33         public static readonly int LinkSizeInBytes = Structure<Link>.Size;
34
35         public static readonly int LinkHeaderSizeInBytes = Structure<LinksHeader>.Size;
36
37         public static readonly long DefaultLinksSizeStep = LinkSizeInBytes * 1024 * 1024;
38
39         private struct Link
40         {
41             public static readonly int SourceOffset = Marshal.OffsetOf(typeof(Link),
42                 ↪ nameof(Source)).ToInt32();
43             public static readonly int TargetOffset = Marshal.OffsetOf(typeof(Link),
44                 ↪ nameof(Target)).ToInt32();
45             public static readonly int LeftAsSourceOffset = Marshal.OffsetOf(typeof(Link),
46                 ↪ nameof(LeftAsSource)).ToInt32();
47             public static readonly int RightAsSourceOffset = Marshal.OffsetOf(typeof(Link),
48                 ↪ nameof(RightAsSource)).ToInt32();
49             public static readonly int SizeAsSourceOffset = Marshal.OffsetOf(typeof(Link),
50                 ↪ nameof(SizeAsSource)).ToInt32();
51             public static readonly int LeftAsTargetOffset = Marshal.OffsetOf(typeof(Link),
52                 ↪ nameof(LeftAsTarget)).ToInt32();
53             public static readonly int RightAsTargetOffset = Marshal.OffsetOf(typeof(Link),
54                 ↪ nameof(RightAsTarget)).ToInt32();
55         }
56     }
57 }

```



```

47     public static readonly int SizeAsTargetOffset = Marshal.OffsetOf(typeof(Link),
48         ↳ nameof(SizeAsTarget)).ToInt32();
49
50     public TLink Source;
51     public TLink Target;
52     public TLink LeftAsSource;
53     public TLink RightAsSource;
54     public TLink SizeAsSource;
55     public TLink LeftAsTarget;
56     public TLink RightAsTarget;
57     public TLink SizeAsTarget;
58
59     [MethodImpl(MethodImplOptions.AggressiveInlining)]
60     public static TLink GetSource(IntPtr pointer) => (pointer +
61         ↳ SourceOffset).GetValue<TLink>();
62     [MethodImpl(MethodImplOptions.AggressiveInlining)]
63     public static TLink GetTarget(IntPtr pointer) => (pointer +
64         ↳ TargetOffset).GetValue<TLink>();
65     [MethodImpl(MethodImplOptions.AggressiveInlining)]
66     public static TLink GetLeftAsSource(IntPtr pointer) => (pointer +
67         ↳ LeftAsSourceOffset).GetValue<TLink>();
68     [MethodImpl(MethodImplOptions.AggressiveInlining)]
69     public static TLink GetRightAsSource(IntPtr pointer) => (pointer +
70         ↳ RightAsSourceOffset).GetValue<TLink>();
71     [MethodImpl(MethodImplOptions.AggressiveInlining)]
72     public static TLink GetSizeAsSource(IntPtr pointer) => (pointer +
73         ↳ SizeAsSourceOffset).GetValue<TLink>();
74     [MethodImpl(MethodImplOptions.AggressiveInlining)]
75     public static TLink GetLeftAsTarget(IntPtr pointer) => (pointer +
76         ↳ LeftAsTargetOffset).GetValue<TLink>();
77     [MethodImpl(MethodImplOptions.AggressiveInlining)]
78     public static TLink GetRightAsTarget(IntPtr pointer) => (pointer +
79         ↳ RightAsTargetOffset).GetValue<TLink>();
80     [MethodImpl(MethodImplOptions.AggressiveInlining)]
81     public static TLink GetSizeAsTarget(IntPtr pointer) => (pointer +
82         ↳ SizeAsTargetOffset).GetValue<TLink>();
83
84     [MethodImpl(MethodImplOptions.AggressiveInlining)]
85     public static void SetSource(IntPtr pointer, TLink value) => (pointer +
86         ↳ SourceOffset).SetValue(value);
87     [MethodImpl(MethodImplOptions.AggressiveInlining)]
88     public static void SetTarget(IntPtr pointer, TLink value) => (pointer +
89         ↳ TargetOffset).SetValue(value);
90     [MethodImpl(MethodImplOptions.AggressiveInlining)]
91     public static void SetLeftAsSource(IntPtr pointer, TLink value) => (pointer +
92         ↳ LeftAsSourceOffset).SetValue(value);
93     [MethodImpl(MethodImplOptions.AggressiveInlining)]
94     public static void SetRightAsSource(IntPtr pointer, TLink value) => (pointer +
95         ↳ RightAsSourceOffset).SetValue(value);
96     [MethodImpl(MethodImplOptions.AggressiveInlining)]
97     public static void SetSizeAsSource(IntPtr pointer, TLink value) => (pointer +
98         ↳ SizeAsSourceOffset).SetValue(value);
99     [MethodImpl(MethodImplOptions.AggressiveInlining)]
100    public static void SetLeftAsTarget(IntPtr pointer, TLink value) => (pointer +
101        ↳ LeftAsTargetOffset).SetValue(value);
102    [MethodImpl(MethodImplOptions.AggressiveInlining)]
103    public static void SetRightAsTarget(IntPtr pointer, TLink value) => (pointer +
104        ↳ RightAsTargetOffset).SetValue(value);
105    [MethodImpl(MethodImplOptions.AggressiveInlining)]
106    public static void SetSizeAsTarget(IntPtr pointer, TLink value) => (pointer +
107        ↳ SizeAsTargetOffset).SetValue(value);
108
109 }
110
111 private struct LinksHeader
112 {
113     public static readonly int AllocatedLinksOffset =
114         ↳ Marshal.OffsetOf(typeof(LinksHeader), nameof(AllocatedLinks)).ToInt32();
115     public static readonly int ReservedLinksOffset =
116         ↳ Marshal.OffsetOf(typeof(LinksHeader), nameof(ReservedLinks)).ToInt32();
117     public static readonly int FreeLinksOffset = Marshal.OffsetOf(typeof(LinksHeader),
118         ↳ nameof(FreeLinks)).ToInt32();
119     public static readonly int FirstFreeLinkOffset =
120         ↳ Marshal.OffsetOf(typeof(LinksHeader), nameof(FirstFreeLink)).ToInt32();
121     public static readonly int FirstAsSourceOffset =
122         ↳ Marshal.OffsetOf(typeof(LinksHeader), nameof(FirstAsSource)).ToInt32();
123     public static readonly int FirstAsTargetOffset =
124         ↳ Marshal.OffsetOf(typeof(LinksHeader), nameof(FirstAsTarget)).ToInt32();

```

```

101     public static readonly int LastFreeLinkOffset =
102         ↳ Marshal.OffsetOf(typeof(LinksHeader), nameof(LastFreeLink)).ToInt32();
103
104     public TLink AllocatedLinks;
105     public TLink ReservedLinks;
106     public TLink FreeLinks;
107     public TLink FirstFreeLink;
108     public TLink FirstAsSource;
109     public TLink FirstAsTarget;
110     public TLink LastFreeLink;
111     public TLink Reserved8;
112
113     [MethodImpl(MethodImplOptions.AggressiveInlining)]
114     public static TLink GetAllocatedLinks(IntPtr pointer) => (pointer +
115         ↳ AllocatedLinksOffset).GetValue<TLink>();
116     [MethodImpl(MethodImplOptions.AggressiveInlining)]
117     public static TLink GetReservedLinks(IntPtr pointer) => (pointer +
118         ↳ ReservedLinksOffset).GetValue<TLink>();
119     [MethodImpl(MethodImplOptions.AggressiveInlining)]
120     public static TLink GetFreeLinks(IntPtr pointer) => (pointer +
121         ↳ FreeLinksOffset).GetValue<TLink>();
122     [MethodImpl(MethodImplOptions.AggressiveInlining)]
123     public static TLink GetFirstFreeLink(IntPtr pointer) => (pointer +
124         ↳ FirstFreeLinkOffset).GetValue<TLink>();
125     [MethodImpl(MethodImplOptions.AggressiveInlining)]
126     public static TLink GetFirstAsSource(IntPtr pointer) => (pointer +
127         ↳ FirstAsSourceOffset).GetValue<TLink>();
128     [MethodImpl(MethodImplOptions.AggressiveInlining)]
129     public static TLink GetFirstAsTarget(IntPtr pointer) => (pointer +
130         ↳ FirstAsTargetOffset).GetValue<TLink>();
131     [MethodImpl(MethodImplOptions.AggressiveInlining)]
132     public static TLink GetLastFreeLink(IntPtr pointer) => (pointer +
133         ↳ LastFreeLinkOffset).GetValue<TLink>();
134
135     [MethodImpl(MethodImplOptions.AggressiveInlining)]
136     public static IntPtr GetFirstAsSourcePointer(IntPtr pointer) => pointer +
137         ↳ FirstAsSourceOffset;
138     [MethodImpl(MethodImplOptions.AggressiveInlining)]
139     public static IntPtr GetFirstAsTargetPointer(IntPtr pointer) => pointer +
140         ↳ FirstAsTargetOffset;
141
142     [MethodImpl(MethodImplOptions.AggressiveInlining)]
143     public static void SetAllocatedLinks(IntPtr pointer, TLink value) => (pointer +
144         ↳ AllocatedLinksOffset).SetValue(value);
145     [MethodImpl(MethodImplOptions.AggressiveInlining)]
146     public static void SetReservedLinks(IntPtr pointer, TLink value) => (pointer +
147         ↳ ReservedLinksOffset).SetValue(value);
148     [MethodImpl(MethodImplOptions.AggressiveInlining)]
149     public static void SetFreeLinks(IntPtr pointer, TLink value) => (pointer +
150         ↳ FreeLinksOffset).SetValue(value);
151     [MethodImpl(MethodImplOptions.AggressiveInlining)]
152     public static void SetFirstFreeLink(IntPtr pointer, TLink value) => (pointer +
153         ↳ FirstFreeLinkOffset).SetValue(value);
154     [MethodImpl(MethodImplOptions.AggressiveInlining)]
155     public static void SetFirstAsSource(IntPtr pointer, TLink value) => (pointer +
156         ↳ FirstAsSourceOffset).SetValue(value);
157     [MethodImpl(MethodImplOptions.AggressiveInlining)]
158     public static void SetFirstAsTarget(IntPtr pointer, TLink value) => (pointer +
159         ↳ FirstAsTargetOffset).SetValue(value);
160     [MethodImpl(MethodImplOptions.AggressiveInlining)]
161     public static void SetLastFreeLink(IntPtr pointer, TLink value) => (pointer +
162         ↳ LastFreeLinkOffset).SetValue(value);
163 }
164
165 private readonly long _memoryReservationStep;
166
167 private readonly IResizableDirectMemory _memory;
168 private IntPtr _header;
169 private IntPtr _links;
170
171 private LinksTargetsTreeMethods _targetsTreeMethods;
172 private LinksSourcesTreeMethods _sourcesTreeMethods;
173
174 // TODO: Возможно чтобы гарантированно проверять на то, является ли связь удалённой,
175 ↳ нужно использовать не список а дерево, так как так можно быстрее проверить на
176 ↳ наличие связи внутри
177 private UnusedLinksListMethods _unusedLinksListMethods;

```

```

160     /// <summary>
161     /// Возвращает общее число связей находящихся в хранилище.
162     /// </summary>
163     private TLink Total => Subtract(LinksHeader.GetAllocatedLinks(_header),
        ↳ LinksHeader.GetFreeLinks(_header));

164
165     public LinksCombinedConstants<TLink, TLink, int> Constants { get; }
166
167     public ResizableDirectMemoryLinks(string address)
168         : this(address, DefaultLinksSizeStep)
169     {
170     }
171
172     /// <summary>
173     /// Создаёт экземпляр базы данных Links в файле по указанному адресу, с указанным
174     ↳ минимальным шагом расширения базы данных.
175     /// </summary>
176     /// <param name="address">Полный путь к файлу базы данных.</param>
177     /// <param name="memoryReservationStep">Минимальный шаг расширения базы данных в
178     ↳ байтах.</param>
179     public ResizableDirectMemoryLinks(string address, long memoryReservationStep)
180         : this(new FileMappedResizableDirectMemory(address, memoryReservationStep),
181             ↳ memoryReservationStep)
182     {
183     }
184
185     public ResizableDirectMemoryLinks(IResizableDirectMemory memory)
186         : this(memory, DefaultLinksSizeStep)
187     {
188     }
189
190     public ResizableDirectMemoryLinks(IResizableDirectMemory memory, long
191     ↳ memoryReservationStep)
192     {
193         Constants = Default<LinksCombinedConstants<TLink, TLink, int>>.Instance;
194         _memory = memory;
195         _memoryReservationStep = memoryReservationStep;
196         if (memory.ReservedCapacity < memoryReservationStep)
197         {
198             memory.ReservedCapacity = memoryReservationStep;
199         }
200         SetPointers(_memory);
201         // Гарантия корректности _memory.UsedCapacity относительно _header->AllocatedLinks
202         _memory.UsedCapacity = ((long)(Integer<TLink>)LinksHeader.GetAllocatedLinks(_header)
203             ↳ * LinkSizeInBytes) + LinkHeaderSizeInBytes;
204         // Гарантия корректности _header->ReservedLinks относительно _memory.ReservedCapacity
205         LinksHeader.SetReservedLinks(_header, (Integer<TLink>)((_memory.ReservedCapacity -
206             ↳ LinkHeaderSizeInBytes) / LinkSizeInBytes));
207     }
208
209     [MethodImpl(MethodImplOptions.AggressiveInlining)]
210     public TLink Count(IList<TLink> restrictions)
211     {
212         // Если нет ограничений, тогда возвращаем общее число связей находящихся в хранилище.
213         if (restrictions.Count == 0)
214         {
215             return Total;
216         }
217         if (restrictions.Count == 1)
218         {
219             var index = restrictions[Constants.IndexPart];
220             if (_equalityComparer.Equals(index, Constants.Any))
221             {
222                 return Total;
223             }
224             return Exists(index) ? Integer<TLink>.One : Integer<TLink>.Zero;
225         }
226         if (restrictions.Count == 2)
227         {
228             var index = restrictions[Constants.IndexPart];
229             var value = restrictions[1];
230             if (_equalityComparer.Equals(index, Constants.Any))
231             {
232                 if (_equalityComparer.Equals(value, Constants.Any))
233                 {
234                     return Total; // Any - как отсутствие ограничения
235                 }
236             }
237         }
238     }

```

```

230         return Add(_sourcesTreeMethods.CountUsages(value),
231             ↪ _targetsTreeMethods.CountUsages(value));
232     }
233     else
234     {
235         if (!Exists(index))
236         {
237             return Integer<TLink>.Zero;
238         }
239         if (_equalityComparer.Equals(value, Constants.Any))
240         {
241             return Integer<TLink>.One;
242         }
243         var storedLinkValue = GetLinkUnsafe(index);
244         if (_equalityComparer.Equals(Link.GetSource(storedLinkValue), value) ||
245             _equalityComparer.Equals(Link.GetTarget(storedLinkValue), value))
246         {
247             return Integer<TLink>.One;
248         }
249         return Integer<TLink>.Zero;
250     }
251     if (restrictions.Count == 3)
252     {
253         var index = restrictions[Constants.IndexPart];
254         var source = restrictions[Constants.SourcePart];
255         var target = restrictions[Constants.TargetPart];
256
257         if (_equalityComparer.Equals(index, Constants.Any))
258         {
259             if (_equalityComparer.Equals(source, Constants.Any) &&
260                 ↪ _equalityComparer.Equals(target, Constants.Any))
261             {
262                 return Total;
263             }
264             else if (_equalityComparer.Equals(source, Constants.Any))
265             {
266                 return _targetsTreeMethods.CountUsages(target);
267             }
268             else if (_equalityComparer.Equals(target, Constants.Any))
269             {
270                 return _sourcesTreeMethods.CountUsages(source);
271             }
272             else //if(source != Any && target != Any)
273             {
274                 // Эквивалент Exists(source, target) => Count(Any, source, target) > 0
275                 var link = _sourcesTreeMethods.Search(source, target);
276                 return _equalityComparer.Equals(link, Constants.Null) ?
277                     ↪ Integer<TLink>.Zero : Integer<TLink>.One;
278             }
279         }
280         else
281         {
282             if (!Exists(index))
283             {
284                 return Integer<TLink>.Zero;
285             }
286             if (_equalityComparer.Equals(source, Constants.Any) &&
287                 ↪ _equalityComparer.Equals(target, Constants.Any))
288             {
289                 return Integer<TLink>.One;
290             }
291             var storedLinkValue = GetLinkUnsafe(index);
292             if (!_equalityComparer.Equals(source, Constants.Any) &&
293                 ↪ !_equalityComparer.Equals(target, Constants.Any))
294             {
295                 if (_equalityComparer.Equals(Link.GetSource(storedLinkValue), source) &&
296                     _equalityComparer.Equals(Link.GetTarget(storedLinkValue), target))
297                 {
298                     return Integer<TLink>.One;
299                 }
300                 return Integer<TLink>.Zero;
301             }
302             var value = default(TLink);
303             if (_equalityComparer.Equals(source, Constants.Any))
304             {
305                 value = target;
306             }

```

```

303         if (_equalityComparer.Equals(target, Constants.Any))
304         {
305             value = source;
306         }
307         if (_equalityComparer.Equals(Link.GetSource(storedLinkValue), value) ||
308             _equalityComparer.Equals(Link.GetTarget(storedLinkValue), value))
309         {
310             return Integer<TLink>.One;
311         }
312         return Integer<TLink>.Zero;
313     }
314 }
315 throw new NotSupportedException("Другие размеры и способы ограничений не
    ↳ поддерживаются.");
316 }
317
318 [MethodImpl(MethodImplOptions.AggressiveInlining)]
319 public TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
320 {
321     if (restrictions.Count == 0)
322     {
323         for (TLink link = Integer<TLink>.One; _comparer.Compare(link,
    ↳ (Integer<TLink>)LinksHeader.GetAllocatedLinks(_header)) <= 0; link =
    ↳ Increment(link))
324         {
325             if (Exists(link) && _equalityComparer.Equals(handler(GetLinkStruct(link)),
    ↳ Constants.Break))
326             {
327                 return Constants.Break;
328             }
329         }
330         return Constants.Continue;
331     }
332     if (restrictions.Count == 1)
333     {
334         var index = restrictions[Constants.IndexPart];
335         if (_equalityComparer.Equals(index, Constants.Any))
336         {
337             return Each(handler, ArrayPool<TLink>.Empty);
338         }
339         if (!Exists(index))
340         {
341             return Constants.Continue;
342         }
343         return handler(GetLinkStruct(index));
344     }
345     if (restrictions.Count == 2)
346     {
347         var index = restrictions[Constants.IndexPart];
348         var value = restrictions[1];
349         if (_equalityComparer.Equals(index, Constants.Any))
350         {
351             if (_equalityComparer.Equals(value, Constants.Any))
352             {
353                 return Each(handler, ArrayPool<TLink>.Empty);
354             }
355             if (_equalityComparer.Equals(Each(handler, new[] { index, value,
    ↳ Constants.Any }), Constants.Break))
356             {
357                 return Constants.Break;
358             }
359             return Each(handler, new[] { index, Constants.Any, value });
360         }
361         else
362         {
363             if (!Exists(index))
364             {
365                 return Constants.Continue;
366             }
367             if (_equalityComparer.Equals(value, Constants.Any))
368             {
369                 return handler(GetLinkStruct(index));
370             }
371             var storedLinkValue = GetLinkUnsafe(index);
372             if (_equalityComparer.Equals(Link.GetSource(storedLinkValue), value) ||
373                 _equalityComparer.Equals(Link.GetTarget(storedLinkValue), value))
374             {
375

```

```

376         return handler(GetLinkStruct(index));
377     }
378     return Constants.Continue;
379 }
380 }
381 if (restrictions.Count == 3)
382 {
383     var index = restrictions[Constants.IndexPart];
384     var source = restrictions[Constants.SourcePart];
385     var target = restrictions[Constants.TargetPart];
386     if (_equalityComparer.Equals(index, Constants.Any))
387     {
388         if (_equalityComparer.Equals(source, Constants.Any) &&
389             ↪ _equalityComparer.Equals(target, Constants.Any))
390         {
391             return Each(handler, ArrayPool<TLink>.Empty);
392         }
393         else if (_equalityComparer.Equals(source, Constants.Any))
394         {
395             return _targetsTreeMethods.EachUsage(target, handler);
396         }
397         else if (_equalityComparer.Equals(target, Constants.Any))
398         {
399             return _sourcesTreeMethods.EachUsage(source, handler);
400         }
401         else //if(source != Any && target != Any)
402         {
403             var link = _sourcesTreeMethods.Search(source, target);
404             return _equalityComparer.Equals(link, Constants.Null) ?
405                 ↪ Constants.Continue : handler(GetLinkStruct(link));
406         }
407     }
408     else
409     {
410         if (!Exists(index))
411         {
412             return Constants.Continue;
413         }
414         if (_equalityComparer.Equals(source, Constants.Any) &&
415             ↪ _equalityComparer.Equals(target, Constants.Any))
416         {
417             return handler(GetLinkStruct(index));
418         }
419         var storedLinkValue = GetLinkUnsafe(index);
420         if (!_equalityComparer.Equals(source, Constants.Any) &&
421             ↪ !_equalityComparer.Equals(target, Constants.Any))
422         {
423             if (_equalityComparer.Equals(Link.GetSource(storedLinkValue), source) &&
424                 ↪ _equalityComparer.Equals(Link.GetTarget(storedLinkValue), target))
425             {
426                 return handler(GetLinkStruct(index));
427             }
428             return Constants.Continue;
429         }
430         var value = default(TLink);
431         if (_equalityComparer.Equals(source, Constants.Any))
432         {
433             value = target;
434         }
435         if (_equalityComparer.Equals(target, Constants.Any))
436         {
437             value = source;
438         }
439         if (_equalityComparer.Equals(Link.GetSource(storedLinkValue), value) ||
440             ↪ _equalityComparer.Equals(Link.GetTarget(storedLinkValue), value))
441         {
442             return handler(GetLinkStruct(index));
443         }
444         return Constants.Continue;
445     }
446 }
447 throw new NotSupportedException("Другие размеры и способы ограничений не
448     ↪ поддерживаются.");
449 }
450
451 /// <remarks>
452 /// TODO: Возможно можно перемещать значения, если указан индекс, но значение существует
453     ↪ в другом месте (но не в менеджере памяти, а в логике Links)

```

```

448 /// </remarks>
449 [MethodImpl(MethodImplOptions.AggressiveInlining)]
450 public TLink Update(ICollection<TLink> values)
451 {
452     var linkIndex = values[Constants.IndexPart];
453     var link = GetLinkUnsafe(linkIndex);
454     // Будет корректно работать только в том случае, если пространство выделенной связи
455     // ↳ предварительно заполнено нулями
456     if (!_equalityComparer.Equals(Link.GetSource(link), Constants.Null))
457     {
458         _sourcesTreeMethods.Detach(LinksHeader.GetFirstAsSourcePointer(_header),
459             ↳ linkIndex);
460     }
461     if (!_equalityComparer.Equals(Link.GetTarget(link), Constants.Null))
462     {
463         _targetsTreeMethods.Detach(LinksHeader.GetFirstAsTargetPointer(_header),
464             ↳ linkIndex);
465     }
466     Link.SetSource(link, values[Constants.SourcePart]);
467     Link.SetTarget(link, values[Constants.TargetPart]);
468     if (!_equalityComparer.Equals(Link.GetSource(link), Constants.Null))
469     {
470         _sourcesTreeMethods.Attach(LinksHeader.GetFirstAsSourcePointer(_header),
471             ↳ linkIndex);
472     }
473     if (!_equalityComparer.Equals(Link.GetTarget(link), Constants.Null))
474     {
475         _targetsTreeMethods.Attach(LinksHeader.GetFirstAsTargetPointer(_header),
476             ↳ linkIndex);
477     }
478     return linkIndex;
479 }
480
481 [MethodImpl(MethodImplOptions.AggressiveInlining)]
482 public Link<TLink> GetLinkStruct(TLink linkIndex)
483 {
484     var link = GetLinkUnsafe(linkIndex);
485     return new Link<TLink>(linkIndex, Link.GetSource(link), Link.GetTarget(link));
486 }
487
488 [MethodImpl(MethodImplOptions.AggressiveInlining)]
489 private IntPtr GetLinkUnsafe(TLink linkIndex) => _links.GetElement(LinkSizeInBytes,
490     ↳ linkIndex);
491
492 /// <remarks>
493 /// TODO: Возможно нужно будет заполнение нулями, если внешнее API ими не заполняет
494 /// ↳ пространство
495 /// </remarks>
496 public TLink Create()
497 {
498     var freeLink = LinksHeader.GetFirstFreeLink(_header);
499     if (!_equalityComparer.Equals(freeLink, Constants.Null))
500     {
501         _unusedLinksListMethods.Detach(freeLink);
502     }
503     else
504     {
505         if (_comparer.Compare(LinksHeader.GetAllocatedLinks(_header),
506             ↳ Constants.MaxPossibleIndex) > 0)
507         {
508             throw new
509                 ↳ LinksLimitReachedException((Integer<TLink>)Constants.MaxPossibleIndex);
510         }
511         if (_comparer.Compare(LinksHeader.GetAllocatedLinks(_header),
512             ↳ Decrement(LinksHeader.GetReservedLinks(_header))) >= 0)
513         {
514             _memory.ReservedCapacity += _memory.ReservationStep;
515             SetPointers(_memory);
516             LinksHeader.SetReservedLinks(_header,
517                 ↳ (Integer<TLink>)(_memory.ReservedCapacity / LinkSizeInBytes));
518         }
519         LinksHeader.SetAllocatedLinks(_header,
520             ↳ Increment(LinksHeader.GetAllocatedLinks(_header)));
521         _memory.UsedCapacity += LinkSizeInBytes;
522         freeLink = LinksHeader.GetAllocatedLinks(_header);
523     }
524     return freeLink;
525 }
526

```

```

514 public void Delete(TLink link)
515 {
516     if (_comparer.Compare(link, LinksHeader.GetAllocatedLinks(_header)) < 0)
517     {
518         _unusedLinksListMethods.AttachAsFirst(link);
519     }
520     else if (_equalityComparer.Equals(link, LinksHeader.GetAllocatedLinks(_header)))
521     {
522         LinksHeader.SetAllocatedLinks(_header,
523             ↪ Decrement(LinksHeader.GetAllocatedLinks(_header)));
524         _memory.UsedCapacity -= LinkSizeInBytes;
525         // Убираем все связи, находящиеся в списке свободных в конце файла, до тех пор,
526         ↪ пока не дойдём до первой существующей связи
527         // Позволяет оптимизировать количество выделенных связей (AllocatedLinks)
528         while ((_comparer.Compare(LinksHeader.GetAllocatedLinks(_header),
529             ↪ Integer<TLink>.Zero) > 0) &&
530             ↪ IsUnusedLink(LinksHeader.GetAllocatedLinks(_header)))
531         {
532             _unusedLinksListMethods.Detach(LinksHeader.GetAllocatedLinks(_header));
533             LinksHeader.SetAllocatedLinks(_header,
534                 ↪ Decrement(LinksHeader.GetAllocatedLinks(_header)));
535             _memory.UsedCapacity -= LinkSizeInBytes;
536         }
537     }
538 }
539
540 /// <remarks>
541 /// TODO: Возможно это должно быть событием, вызываемым из IMemory, в том случае, если
542 ↪ адрес реально поменялся
543 ///
544 /// Указатель this.links может быть в том же месте,
545 /// так как 0-я связь не используется и имеет такой же размер как Header,
546 /// поэтому header размещается в том же месте, что и 0-я связь
547 /// </remarks>
548 private void SetPointers(IDirectMemory memory)
549 {
550     if (memory == null)
551     {
552         _links = IntPtr.Zero;
553         _header = _links;
554         _unusedLinksListMethods = null;
555         _targetsTreeMethods = null;
556         _unusedLinksListMethods = null;
557     }
558     else
559     {
560         _links = memory.Pointer;
561         _header = _links;
562         _sourcesTreeMethods = new LinksSourcesTreeMethods(this);
563         _targetsTreeMethods = new LinksTargetsTreeMethods(this);
564         _unusedLinksListMethods = new UnusedLinksListMethods(_links, _header);
565     }
566 }
567
568 [MethodImpl(MethodImplOptions.AggressiveInlining)]
569 private bool Exists(TLink link)
570 => (_comparer.Compare(link, Constants.MinPossibleIndex) >= 0)
571     && (_comparer.Compare(link, LinksHeader.GetAllocatedLinks(_header)) <= 0)
572     && !IsUnusedLink(link);
573
574 [MethodImpl(MethodImplOptions.AggressiveInlining)]
575 private bool IsUnusedLink(TLink link)
576 => _equalityComparer.Equals(LinksHeader.GetFirstFreeLink(_header), link)
577     || (_equalityComparer.Equals(Link.GetSizeAsSource(GetLinkUnsafe(link)),
578         ↪ Constants.Null)
579         && !_equalityComparer.Equals(Link.GetSource(GetLinkUnsafe(link)), Constants.Null));
580
581 #region DisposableBase
582
583 protected override bool AllowMultipleDisposeCalls => true;
584
585 protected override void Dispose(bool manual, bool wasDisposed)
586 {
587     if (!wasDisposed)
588     {
589         SetPointers(null);
590         _memory.DisposeIfPossible();
591     }
592 }

```



```

586     }
587
588     #endregion
589 }
590 }

```

./Platform.Data.Doublets/ResizableDirectMemory/ResizableDirectMemoryLinks.ListMethods.cs

```

1  using System;
2  using Platform.Unsafe;
3  using Platform.Collections.Methods.Lists;
4
5  namespace Platform.Data.Doublets.ResizableDirectMemory
6  {
7      partial class ResizableDirectMemoryLinks<TLink>
8      {
9          private class UnusedLinksListMethods : CircularDoublyLinkedListMethods<TLink>
10         {
11             private readonly IntPtr _links;
12             private readonly IntPtr _header;
13
14             public UnusedLinksListMethods(IntPtr links, IntPtr header)
15             {
16                 _links = links;
17                 _header = header;
18             }
19
20             protected override TLink GetFirst() => (_header +
21                 ↳ LinksHeader.FirstFreeLinkOffset).GetValue<TLink>();
22
23             protected override TLink GetLast() => (_header +
24                 ↳ LinksHeader.LastFreeLinkOffset).GetValue<TLink>();
25
26             protected override TLink GetPrevious(TLink element) =>
27                 ↳ (_links.GetElement(LinkSizeInBytes, element) +
28                 ↳ Link.SourceOffset).GetValue<TLink>();
29
30             protected override TLink GetNext(TLink element) =>
31                 ↳ (_links.GetElement(LinkSizeInBytes, element) +
32                 ↳ Link.TargetOffset).GetValue<TLink>();
33
34             protected override TLink GetSize() => (_header +
35                 ↳ LinksHeader.FreeLinksOffset).GetValue<TLink>();
36
37             protected override void SetFirst(TLink element) => (_header +
38                 ↳ LinksHeader.FirstFreeLinkOffset).SetValue(element);
39
40             protected override void SetLast(TLink element) => (_header +
41                 ↳ LinksHeader.LastFreeLinkOffset).SetValue(element);
42
43             protected override void SetPrevious(TLink element, TLink previous) =>
44                 ↳ (_links.GetElement(LinkSizeInBytes, element) +
45                 ↳ Link.SourceOffset).SetValue(previous);
46
47             protected override void SetNext(TLink element, TLink next) =>
48                 ↳ (_links.GetElement(LinkSizeInBytes, element) + Link.TargetOffset).SetValue(next);
49
50             protected override void SetSize(TLink size) => (_header +
51                 ↳ LinksHeader.FreeLinksOffset).SetValue(size);
52         }
53     }
54 }

```

./Platform.Data.Doublets/ResizableDirectMemory/ResizableDirectMemoryLinks.TreeMethods.cs

```

1  using System;
2  using System.Text;
3  using System.Collections.Generic;
4  using System.Runtime.CompilerServices;
5  using Platform.Numbers;
6  using Platform.Unsafe;
7  using Platform.Collections.Methods.Trees;
8  using Platform.Data.Constants;
9
10 namespace Platform.Data.Doublets.ResizableDirectMemory
11 {
12     partial class ResizableDirectMemoryLinks<TLink>
13     {
14         private abstract class LinksTreeMethodsBase :
15             ↳ SizedAndThreadedAVLBalancedTreeMethods<TLink>
16         {
17
18         }
19     }
20 }

```

```

16 private readonly ResizableDirectMemoryLinks<TLink> _memory;
17 private readonly LinksCombinedConstants<TLink, TLink, int> _constants;
18 protected readonly IntPtr Links;
19 protected readonly IntPtr Header;
20
21 protected LinksTreeMethodsBase(ResizableDirectMemoryLinks<TLink> memory)
22 {
23     Links = memory._links;
24     Header = memory._header;
25     _memory = memory;
26     _constants = memory.Constants;
27 }
28
29 [MethodImpl(MethodImplOptions.AggressiveInlining)]
30 protected abstract TLink GetTreeRoot();
31
32 [MethodImpl(MethodImplOptions.AggressiveInlining)]
33 protected abstract TLink GetBasePartValue(TLink link);
34
35 public TLink this[TLink index]
36 {
37     get
38     {
39         var root = GetTreeRoot();
40         if (GreaterOrEqualThan(index, GetSize(root)))
41         {
42             return GetZero();
43         }
44         while (!EqualToZero(root))
45         {
46             var left = GetLeftOrDefault(root);
47             var leftSize = GetSizeOrZero(left);
48             if (LessThan(index, leftSize))
49             {
50                 root = left;
51                 continue;
52             }
53             if (IsEquals(index, leftSize))
54             {
55                 return root;
56             }
57             root = GetRightOrDefault(root);
58             index = Subtract(index, Increment(leftSize));
59         }
60         return GetZero(); // TODO: Impossible situation exception (only if tree
        ↪ structure broken)
61     }
62 }
63
64 // TODO: Return indices range instead of references count
65 public TLink CountUsages(TLink link)
66 {
67     var root = GetTreeRoot();
68     var total = GetSize(root);
69     var totalRightIgnore = GetZero();
70     while (!EqualToZero(root))
71     {
72         var @base = GetBasePartValue(root);
73         if (LessOrEqualThan(@base, link))
74         {
75             root = GetRightOrDefault(root);
76         }
77         else
78         {
79             totalRightIgnore = Add(totalRightIgnore, Increment(GetRightSize(root)));
80             root = GetLeftOrDefault(root);
81         }
82     }
83     root = GetTreeRoot();
84     var totalLeftIgnore = GetZero();
85     while (!EqualToZero(root))
86     {
87         var @base = GetBasePartValue(root);
88         if (GreaterOrEqualThan(@base, link))
89         {
90             root = GetLeftOrDefault(root);
91         }
92         else
93         {

```

```

94         totalLeftIgnore = Add(totalLeftIgnore, Increment(GetLeftSize(root)));
95
96         root = GetRightOrDefault(root);
97     }
98 }
99 return Subtract(Subtract(total, totalRightIgnore), totalLeftIgnore);
100 }
101
102 public TLink EachUsage(TLink link, Func<IList<TLink>, TLink> handler)
103 {
104     var root = GetTreeRoot();
105     if (EqualToZero(root))
106     {
107         return _constants.Continue;
108     }
109     TLink first = GetZero(), current = root;
110     while (!EqualToZero(current))
111     {
112         var @base = GetBasePartValue(current);
113         if (GreaterOrEqualThan(@base, link))
114         {
115             if (IsEquals(@base, link))
116             {
117                 first = current;
118             }
119             current = GetLeftOrDefault(current);
120         }
121         else
122         {
123             current = GetRightOrDefault(current);
124         }
125     }
126     if (!EqualToZero(first))
127     {
128         current = first;
129         while (true)
130         {
131             if (IsEquals(handler(_memory.GetLinkStruct(current)), _constants.Break))
132             {
133                 return _constants.Break;
134             }
135             current = GetNext(current);
136             if (EqualToZero(current) || !IsEquals(GetBasePartValue(current), link))
137             {
138                 break;
139             }
140         }
141     }
142     return _constants.Continue;
143 }
144
145 protected override void PrintNodeValue(TLink node, StringBuilder sb)
146 {
147     sb.Append(' ');
148     sb.Append((Links.GetElement(LinkSizeInBytes, node) +
149         ↪ Link.SourceOffset).GetValue<TLink>());
149     sb.Append('-');
150     sb.Append('>');
151     sb.Append((Links.GetElement(LinkSizeInBytes, node) +
152         ↪ Link.TargetOffset).GetValue<TLink>());
153 }
154
155 private class LinksSourcesTreeMethods : LinksTreeMethodsBase
156 {
157     public LinksSourcesTreeMethods(ResizableDirectMemoryLinks<TLink> memory)
158         : base(memory)
159     {
160     }
161
162     protected override IntPtr GetLeftPointer(TLink node) =>
163         ↪ Links.GetElement(LinkSizeInBytes, node) + Link.LeftAsSourceOffset;
164
165     protected override IntPtr GetRightPointer(TLink node) =>
166         ↪ Links.GetElement(LinkSizeInBytes, node) + Link.RightAsSourceOffset;
167
168     protected override TLink GetLeftValue(TLink node) =>
169         ↪ (Links.GetElement(LinkSizeInBytes, node) +
170         ↪ Link.LeftAsSourceOffset).GetValue<TLink>();

```

```

167     protected override TLink GetRightValue(TLink node) =>
168     ↪ (Links.GetElement(LinkSizeInBytes, node) +
169     ↪ Link.RightAsSourceOffset).GetValue<TLink>();

170     protected override TLink GetSize(TLink node)
171     {
172         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
173         ↪ Link.SizeAsSourceOffset).GetValue<TLink>();
174         return Bit.PartialRead(previousValue, 5, -5);
175     }

176     protected override void SetLeft(TLink node, TLink left) =>
177     ↪ (Links.GetElement(LinkSizeInBytes, node) +
178     ↪ Link.LeftAsSourceOffset).SetValue(left);

179     protected override void SetRight(TLink node, TLink right) =>
180     ↪ (Links.GetElement(LinkSizeInBytes, node) +
181     ↪ Link.RightAsSourceOffset).SetValue(right);

182     protected override void SetSize(TLink node, TLink size)
183     {
184         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
185         ↪ Link.SizeAsSourceOffset).GetValue<TLink>();
186         (Links.GetElement(LinkSizeInBytes, node) +
187         ↪ Link.SizeAsSourceOffset).SetValue(Bit.PartialWrite(previousValue, size, 5,
188         ↪ -5));
189     }

190     protected override bool GetLeftIsChild(TLink node)
191     {
192         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
193         ↪ Link.SizeAsSourceOffset).GetValue<TLink>();
194         return (Integer<TLink>)Bit.PartialRead(previousValue, 4, 1);
195     }

196     protected override void SetLeftIsChild(TLink node, bool value)
197     {
198         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
199         ↪ Link.SizeAsSourceOffset).GetValue<TLink>();
200         var modified = Bit.PartialWrite(previousValue, (TLink)(Integer<TLink>)value, 4,
201         ↪ 1);
202         (Links.GetElement(LinkSizeInBytes, node) +
203         ↪ Link.SizeAsSourceOffset).SetValue(modified);
204     }

205     protected override bool GetRightIsChild(TLink node)
206     {
207         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
208         ↪ Link.SizeAsSourceOffset).GetValue<TLink>();
209         return (Integer<TLink>)Bit.PartialRead(previousValue, 3, 1);
210     }

211     protected override void SetRightIsChild(TLink node, bool value)
212     {
213         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
214         ↪ Link.SizeAsSourceOffset).GetValue<TLink>();
215         var modified = Bit.PartialWrite(previousValue, (TLink)(Integer<TLink>)value, 3,
216         ↪ 1);
217         (Links.GetElement(LinkSizeInBytes, node) +
218         ↪ Link.SizeAsSourceOffset).SetValue(modified);
219     }

220     protected override sbyte GetBalance(TLink node)
221     {
222         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
223         ↪ Link.SizeAsSourceOffset).GetValue<TLink>();
224         var value = (ulong)(Integer<TLink>)Bit.PartialRead(previousValue, 0, 3);
225         var unpackedValue = (sbyte)((value & 4) > 0 ? ((value & 4) << 5) | value & 3 |
226         ↪ 124 : value & 3);
227         return unpackedValue;
228     }

229     protected override void SetBalance(TLink node, sbyte value)
230     {
231         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
232         ↪ Link.SizeAsSourceOffset).GetValue<TLink>();

```

```

223     var packagedValue = (TLink)(Integer<TLink>)((((byte)value >> 5) & 4) | value &
224         ↳ 3);
225     var modified = Bit.PartialWrite(previousValue, packagedValue, 0, 3);
226     (Links.GetElement(LinkSizeInBytes, node) +
227         ↳ Link.SizeAsSourceOffset).SetValue(modified);
228 }
229
230 protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
231 {
232     var firstSource = (Links.GetElement(LinkSizeInBytes, first) +
233         ↳ Link.SourceOffset).GetValue<TLink>();
234     var secondSource = (Links.GetElement(LinkSizeInBytes, second) +
235         ↳ Link.SourceOffset).GetValue<TLink>();
236     return LessThan(firstSource, secondSource) ||
237         (IsEquals(firstSource, secondSource) &&
238         ↳ LessThan((Links.GetElement(LinkSizeInBytes, first) +
239         ↳ Link.TargetOffset).GetValue<TLink>(),
240         ↳ (Links.GetElement(LinkSizeInBytes, second) +
241         ↳ Link.TargetOffset).GetValue<TLink>()));
242 }
243
244 protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
245 {
246     var firstSource = (Links.GetElement(LinkSizeInBytes, first) +
247         ↳ Link.SourceOffset).GetValue<TLink>();
248     var secondSource = (Links.GetElement(LinkSizeInBytes, second) +
249         ↳ Link.SourceOffset).GetValue<TLink>();
250     return GreaterThan(firstSource, secondSource) ||
251         (IsEquals(firstSource, secondSource) &&
252         ↳ GreaterThan((Links.GetElement(LinkSizeInBytes, first) +
253         ↳ Link.TargetOffset).GetValue<TLink>(),
254         ↳ (Links.GetElement(LinkSizeInBytes, second) +
255         ↳ Link.TargetOffset).GetValue<TLink>()));
256 }
257
258 protected override TLink GetTreeRoot() => (Header +
259     ↳ LinksHeader.FirstAsSourceOffset).GetValue<TLink>();
260
261 protected override TLink GetBasePartValue(TLink link) =>
262     ↳ (Links.GetElement(LinkSizeInBytes, link) + Link.SourceOffset).GetValue<TLink>();
263
264 /// <summary>
265 /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
266 /// (концом)
267 /// по дереву (индексу) связей, отсортированному по Source, а затем по Target.
268 /// </summary>
269 /// <param name="source">Индекс связи, которая является началом на искомой
270 /// связи.</param>
271 /// <param name="target">Индекс связи, которая является концом на искомой
272 /// связи.</param>
273 /// <returns>Индекс искомой связи.</returns>
274 public TLink Search(TLink source, TLink target)
275 {
276     var root = GetTreeRoot();
277     while (!EqualToZero(root))
278     {
279         var rootSource = (Links.GetElement(LinkSizeInBytes, root) +
280             ↳ Link.SourceOffset).GetValue<TLink>();
281         var rootTarget = (Links.GetElement(LinkSizeInBytes, root) +
282             ↳ Link.TargetOffset).GetValue<TLink>();
283         if (FirstIsToTheLeftOfSecond(source, target, rootSource, rootTarget)) //
284             ↳ node.Key < root.Key
285         {
286             root = GetLeftOrDefault(root);
287         }
288         else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget))
289             ↳ // node.Key > root.Key
290         {
291             root = GetRightOrDefault(root);
292         }
293         else // node.Key == root.Key
294         {
295             return root;
296         }
297     }
298     return GetZero();
299 }

```

```

276     }
277
278     [MethodImpl(MethodImplOptions.AggressiveInlining)]
279     private bool FirstIsToLeftOfSecond(TLink firstSource, TLink firstTarget, TLink
        ↳ secondSource, TLink secondTarget) => LessThan(firstSource, secondSource) ||
        ↳ (IsEquals(firstSource, secondSource) && LessThan(firstTarget, secondTarget));
280
281     [MethodImpl(MethodImplOptions.AggressiveInlining)]
282     private bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget, TLink
        ↳ secondSource, TLink secondTarget) => GreaterThan(firstSource, secondSource) ||
        ↳ (IsEquals(firstSource, secondSource) && GreaterThan(firstTarget, secondTarget));
283 }
284
285 private class LinksTargetsTreeMethods : LinksTreeMethodsBase
286 {
287     public LinksTargetsTreeMethods(ResizableDirectMemoryLinks<TLink> memory)
288         : base(memory)
289     {
290     }
291
292     protected override IntPtr GetLeftPointer(TLink node) =>
        ↳ Links.GetElement(LinkSizeInBytes, node) + Link.LeftAsTargetOffset;
293
294     protected override IntPtr GetRightPointer(TLink node) =>
        ↳ Links.GetElement(LinkSizeInBytes, node) + Link.RightAsTargetOffset;
295
296     protected override TLink GetLeftValue(TLink node) =>
        ↳ (Links.GetElement(LinkSizeInBytes, node) +
        ↳ Link.LeftAsTargetOffset).GetValue<TLink>();
297
298     protected override TLink GetRightValue(TLink node) =>
        ↳ (Links.GetElement(LinkSizeInBytes, node) +
        ↳ Link.RightAsTargetOffset).GetValue<TLink>();
299
300     protected override TLink GetSize(TLink node)
301     {
302         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
        ↳ Link.SizeAsTargetOffset).GetValue<TLink>();
303         return Bit.PartialRead(previousValue, 5, -5);
304     }
305
306     protected override void SetLeft(TLink node, TLink left) =>
        ↳ (Links.GetElement(LinkSizeInBytes, node) +
        ↳ Link.LeftAsTargetOffset).SetValue(left);
307
308     protected override void SetRight(TLink node, TLink right) =>
        ↳ (Links.GetElement(LinkSizeInBytes, node) +
        ↳ Link.RightAsTargetOffset).SetValue(right);
309
310     protected override void SetSize(TLink node, TLink size)
311     {
312         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
        ↳ Link.SizeAsTargetOffset).GetValue<TLink>();
313         (Links.GetElement(LinkSizeInBytes, node) +
        ↳ Link.SizeAsTargetOffset).SetValue(Bit.PartialWrite(previousValue, size, 5,
        ↳ -5));
314     }
315
316     protected override bool GetLeftIsChild(TLink node)
317     {
318         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
        ↳ Link.SizeAsTargetOffset).GetValue<TLink>();
319         return (Integer<TLink>)Bit.PartialRead(previousValue, 4, 1);
320     }
321
322     protected override void SetLeftIsChild(TLink node, bool value)
323     {
324         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
        ↳ Link.SizeAsTargetOffset).GetValue<TLink>();
325         var modified = Bit.PartialWrite(previousValue, (TLink)(Integer<TLink>)value, 4,
        ↳ 1);
326         (Links.GetElement(LinkSizeInBytes, node) +
        ↳ Link.SizeAsTargetOffset).SetValue(modified);
327     }
328
329     protected override bool GetRightIsChild(TLink node)
330     {

```

```

331         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
332             ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
333         return (Integer<TLink>)Bit.PartialRead(previousValue, 3, 1);
334     }
335     protected override void SetRightIsChild(TLink node, bool value)
336     {
337         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
338             ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
339         var modified = Bit.PartialWrite(previousValue, (TLink)(Integer<TLink>)value, 3,
340             ↪ 1);
341         (Links.GetElement(LinkSizeInBytes, node) +
342             ↪ Link.SizeAsTargetOffset).SetValue(modified);
343     }
344     protected override sbyte GetBalance(TLink node)
345     {
346         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
347             ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
348         var value = (ulong)(Integer<TLink>)Bit.PartialRead(previousValue, 0, 3);
349         var unpackedValue = (sbyte)((value & 4) > 0 ? ((value & 4) << 5) | value & 3 |
350             ↪ 124 : value & 3);
351         return unpackedValue;
352     }
353     protected override void SetBalance(TLink node, sbyte value)
354     {
355         var previousValue = (Links.GetElement(LinkSizeInBytes, node) +
356             ↪ Link.SizeAsTargetOffset).GetValue<TLink>();
357         var packagedValue = (TLink)(Integer<TLink>)((((byte)value >> 5) & 4) | value &
358             ↪ 3);
359         var modified = Bit.PartialWrite(previousValue, packagedValue, 0, 3);
360         (Links.GetElement(LinkSizeInBytes, node) +
361             ↪ Link.SizeAsTargetOffset).SetValue(modified);
362     }
363     protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
364     {
365         var firstTarget = (Links.GetElement(LinkSizeInBytes, first) +
366             ↪ Link.TargetOffset).GetValue<TLink>();
367         var secondTarget = (Links.GetElement(LinkSizeInBytes, second) +
368             ↪ Link.TargetOffset).GetValue<TLink>();
369         return LessThan(firstTarget, secondTarget) ||
370             (IsEquals(firstTarget, secondTarget) &&
371             ↪ LessThan((Links.GetElement(LinkSizeInBytes, first) +
372             ↪ Link.SourceOffset).GetValue<TLink>(),
373             ↪ (Links.GetElement(LinkSizeInBytes, second) +
374             ↪ Link.SourceOffset).GetValue<TLink>()));
375     }
376     protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
377     {
378         var firstTarget = (Links.GetElement(LinkSizeInBytes, first) +
379             ↪ Link.TargetOffset).GetValue<TLink>();
380         var secondTarget = (Links.GetElement(LinkSizeInBytes, second) +
381             ↪ Link.TargetOffset).GetValue<TLink>();
382         return GreaterThan(firstTarget, secondTarget) ||
383             (IsEquals(firstTarget, secondTarget) &&
384             ↪ GreaterThan((Links.GetElement(LinkSizeInBytes, first) +
385             ↪ Link.SourceOffset).GetValue<TLink>(),
386             ↪ (Links.GetElement(LinkSizeInBytes, second) +
387             ↪ Link.SourceOffset).GetValue<TLink>()));
388     }
389     protected override TLink GetTreeRoot() => (Header +
390         ↪ LinksHeader.FirstAsTargetOffset).GetValue<TLink>();
391     protected override TLink GetBasePartValue(TLink link) =>
392         ↪ (Links.GetElement(LinkSizeInBytes, link) + Link.TargetOffset).GetValue<TLink>();
393 }

```

./Platform.Data.Doublets/ResizableDirectMemory/UInt64ResizableDirectMemoryLinks.cs

```

1 using System;
2 using System.Collections.Generic;
3 using System.Runtime.CompilerServices;

```

```

4 using Platform.Disposables;
5 using Platform.Collections.Arrays;
6 using Platform.Singletons;
7 using Platform.Memory;
8 using Platform.Data.Exceptions;
9 using Platform.Data.Constants;
10
11 // #define ENABLE_TREE_AUTO_DEBUG_AND_VALIDATION
12
13 #pragma warning disable 0649
14 #pragma warning disable 169
15
16 // ReSharper disable BuiltInTypeReferenceStyle
17
18 namespace Platform.Data.Doublets.ResizableDirectMemory
19 {
20     using id = UInt64;
21
22     public unsafe partial class UInt64ResizableDirectMemoryLinks : DisposableBase, ILinks<id>
23     {
24         /// <summary>Возвращает размер одной связи в байтах.</summary>
25         /// <remarks>
26         ///     Используется только во вне класса, не рекомендуется использовать внутри.
27         ///     Так как во вне не обязательно будет доступен unsafe C#.
28         /// </remarks>
29         public static readonly int LinkSizeInBytes = sizeof(Link);
30
31         public static readonly long DefaultLinksSizeStep = LinkSizeInBytes * 1024 * 1024;
32
33         private struct Link
34         {
35             public id Source;
36             public id Target;
37             public id LeftAsSource;
38             public id RightAsSource;
39             public id SizeAsSource;
40             public id LeftAsTarget;
41             public id RightAsTarget;
42             public id SizeAsTarget;
43         }
44
45         private struct LinksHeader
46         {
47             public id AllocatedLinks;
48             public id ReservedLinks;
49             public id FreeLinks;
50             public id FirstFreeLink;
51             public id FirstAsSource;
52             public id FirstAsTarget;
53             public id LastFreeLink;
54             public id Reserved8;
55         }
56
57         private readonly long _memoryReservationStep;
58
59         private readonly IResizableDirectMemory _memory;
60         private LinksHeader* _header;
61         private Link* _links;
62
63         private LinksTargetsTreeMethods _targetsTreeMethods;
64         private LinksSourcesTreeMethods _sourcesTreeMethods;
65
66         // TODO: Возможно чтобы гарантированно проверять на то, является ли связь удалённой,
67         //      ↳ нужно использовать не список а дерево, так как так можно быстрее проверить на
68         //      ↳ наличие связи внутри
69         private UnusedLinksListMethods _unusedLinksListMethods;
70
71         /// <summary>
72         ///     Возвращает общее число связей находящихся в хранилище.
73         /// </summary>
74         private id Total => _header->AllocatedLinks - _header->FreeLinks;
75
76         // TODO: Дать возможность переопределять в конструкторе
77         public LinksCombinedConstants<id, id, int> Constants { get; }
78
79         public UInt64ResizableDirectMemoryLinks(string address) : this(address,
80             ↳ DefaultLinksSizeStep) { }
81
82         /// <summary>
83         ///     Создаёт экземпляр базы данных Links в файле по указанному адресу, с указанным
84         ///     ↳ минимальным шагом расширения базы данных.
85         /// </summary>

```



```

82  /// <param name="address">Полный путь к файлу базы данных.</param>
83  /// <param name="memoryReservationStep">Минимальный шаг расширения базы данных в
    ↳ байтах.</param>
84  public UInt64ResizableDirectMemoryLinks(string address, long memoryReservationStep) :
    ↳ this(new FileMappedResizableDirectMemory(address, memoryReservationStep),
    ↳ memoryReservationStep) { }
85
86  public UInt64ResizableDirectMemoryLinks(IResizableDirectMemory memory) : this(memory,
    ↳ DefaultLinksSizeStep) { }
87
88  public UInt64ResizableDirectMemoryLinks(IResizableDirectMemory memory, long
    ↳ memoryReservationStep)
89  {
90      Constants = Default<LinksCombinedConstants<id, id, int>>.Instance;
91      _memory = memory;
92      _memoryReservationStep = memoryReservationStep;
93      if (memory.ReservedCapacity < memoryReservationStep)
94      {
95          memory.ReservedCapacity = memoryReservationStep;
96      }
97      SetPointers(_memory);
98      // Гарантия корректности _memory.UsedCapacity относительно _header->AllocatedLinks
99      _memory.UsedCapacity = ((long)_header->AllocatedLinks * sizeof(Link)) +
    ↳ sizeof(LinksHeader);
100     // Гарантия корректности _header->ReservedLinks относительно _memory.ReservedCapacity
101     _header->ReservedLinks = (id)((_memory.ReservedCapacity - sizeof(LinksHeader)) /
    ↳ sizeof(Link));
102 }
103
104 [MethodImpl(MethodImplOptions.AggressiveInlining)]
105 public id Count(IList<id> restrictions)
106 {
107     // Если нет ограничений, тогда возвращаем общее число связей находящихся в хранилище.
108     if (restrictions.Count == 0)
109     {
110         return Total;
111     }
112     if (restrictions.Count == 1)
113     {
114         var index = restrictions[Constants.IndexPart];
115         if (index == Constants.Any)
116         {
117             return Total;
118         }
119         return Exists(index) ? 1UL : 0UL;
120     }
121     if (restrictions.Count == 2)
122     {
123         var index = restrictions[Constants.IndexPart];
124         var value = restrictions[1];
125         if (index == Constants.Any)
126         {
127             if (value == Constants.Any)
128             {
129                 return Total; // Any - как отсутствие ограничения
130             }
131             return _sourcesTreeMethods.CountUsages(value)
132                 + _targetsTreeMethods.CountUsages(value);
133         }
134         else
135         {
136             if (!Exists(index))
137             {
138                 return 0;
139             }
140             if (value == Constants.Any)
141             {
142                 return 1;
143             }
144             var storedLinkValue = GetLinkUnsafe(index);
145             if (storedLinkValue->Source == value ||
146                 storedLinkValue->Target == value)
147             {
148                 return 1;
149             }
150             return 0;
151         }
152     }
153 }

```

```

153 if (restrictions.Count == 3)
154 {
155     var index = restrictions[Constants.IndexPart];
156     var source = restrictions[Constants.SourcePart];
157     var target = restrictions[Constants.TargetPart];
158     if (index == Constants.Any)
159     {
160         if (source == Constants.Any && target == Constants.Any)
161         {
162             return Total;
163         }
164         else if (source == Constants.Any)
165         {
166             return _targetsTreeMethods.CountUsages(target);
167         }
168         else if (target == Constants.Any)
169         {
170             return _sourcesTreeMethods.CountUsages(source);
171         }
172         else //if(source != Any && target != Any)
173         {
174             // Эквивалент Exists(source, target) => Count(Any, source, target) > 0
175             var link = _sourcesTreeMethods.Search(source, target);
176             return link == Constants.Null ? OUL : 1UL;
177         }
178     }
179     else
180     {
181         if (!Exists(index))
182         {
183             return 0;
184         }
185         if (source == Constants.Any && target == Constants.Any)
186         {
187             return 1;
188         }
189         var storedLinkValue = GetLinkUnsafe(index);
190         if (source != Constants.Any && target != Constants.Any)
191         {
192             if (storedLinkValue->Source == source &&
193                 storedLinkValue->Target == target)
194             {
195                 return 1;
196             }
197             return 0;
198         }
199         var value = default(id);
200         if (source == Constants.Any)
201         {
202             value = target;
203         }
204         if (target == Constants.Any)
205         {
206             value = source;
207         }
208         if (storedLinkValue->Source == value ||
209             storedLinkValue->Target == value)
210         {
211             return 1;
212         }
213         return 0;
214     }
215 }
216 throw new NotSupportedException("Другие размеры и способы ограничений не
    ↳ поддерживаются.");
217 }
218
219 [MethodImpl(MethodImplOptions.AggressiveInlining)]
220 public id Each(Func<IList<id>, id> handler, IList<id> restrictions)
221 {
222     if (restrictions.Count == 0)
223     {
224         for (id link = 1; link <= _header->AllocatedLinks; link++)
225         {
226             if (Exists(link))
227             {
228                 if (handler(GetLinkStruct(link)) == Constants.Break)
229                 {
230                     return Constants.Break;
231                 }
232             }
233         }
234     }
235 }

```

```

231     }
232 }
233 }
234 return Constants.Continue;
235 }
236 if (restrictions.Count == 1)
237 {
238     var index = restrictions[Constants.IndexPart];
239     if (index == Constants.Any)
240     {
241         return Each(handler, ArrayPool<ulong>.Empty);
242     }
243     if (!Exists(index))
244     {
245         return Constants.Continue;
246     }
247     return handler(GetLinkStruct(index));
248 }
249 if (restrictions.Count == 2)
250 {
251     var index = restrictions[Constants.IndexPart];
252     var value = restrictions[1];
253     if (index == Constants.Any)
254     {
255         if (value == Constants.Any)
256         {
257             return Each(handler, ArrayPool<ulong>.Empty);
258         }
259         if (Each(handler, new[] { index, value, Constants.Any }) == Constants.Break)
260         {
261             return Constants.Break;
262         }
263         return Each(handler, new[] { index, Constants.Any, value });
264     }
265     else
266     {
267         if (!Exists(index))
268         {
269             return Constants.Continue;
270         }
271         if (value == Constants.Any)
272         {
273             return handler(GetLinkStruct(index));
274         }
275         var storedLinkValue = GetLinkUnsafe(index);
276         if (storedLinkValue->Source == value ||
277             storedLinkValue->Target == value)
278         {
279             return handler(GetLinkStruct(index));
280         }
281         return Constants.Continue;
282     }
283 }
284 if (restrictions.Count == 3)
285 {
286     var index = restrictions[Constants.IndexPart];
287     var source = restrictions[Constants.SourcePart];
288     var target = restrictions[Constants.TargetPart];
289     if (index == Constants.Any)
290     {
291         if (source == Constants.Any && target == Constants.Any)
292         {
293             return Each(handler, ArrayPool<ulong>.Empty);
294         }
295         else if (source == Constants.Any)
296         {
297             return _targetsTreeMethods.EachReference(target, handler);
298         }
299         else if (target == Constants.Any)
300         {
301             return _sourcesTreeMethods.EachReference(source, handler);
302         }
303         else //if(source != Any && target != Any)
304         {
305             var link = _sourcesTreeMethods.Search(source, target);
306             return link == Constants.Null ? Constants.Continue :
307                 ↪ handler(GetLinkStruct(link));
308         }
309     }
310 }

```

```

308     }
309     else
310     {
311         if (!Exists(index))
312         {
313             return Constants.Continue;
314         }
315         if (source == Constants.Any && target == Constants.Any)
316         {
317             return handler(GetLinkStruct(index));
318         }
319         var storedLinkValue = GetLinkUnsafe(index);
320         if (source != Constants.Any && target != Constants.Any)
321         {
322             if (storedLinkValue->Source == source &&
323                 storedLinkValue->Target == target)
324             {
325                 return handler(GetLinkStruct(index));
326             }
327             return Constants.Continue;
328         }
329         var value = default(id);
330         if (source == Constants.Any)
331         {
332             value = target;
333         }
334         if (target == Constants.Any)
335         {
336             value = source;
337         }
338         if (storedLinkValue->Source == value ||
339             storedLinkValue->Target == value)
340         {
341             return handler(GetLinkStruct(index));
342         }
343         return Constants.Continue;
344     }
345 }
346 throw new NotSupportedException("Другие размеры и способы ограничений не
    ↳ поддерживаются.");
347 }
348
349 /// <remarks>
350 /// TODO: Возможно можно перемещать значения, если указан индекс, но значение существует
351 /// ↳ в другом месте (но не в менеджере памяти, а в логике Links)
352 /// </remarks>
353 [MethodImpl(MethodImplOptions.AggressiveInlining)]
354 public id Update(IList<id> values)
355 {
356     var linkIndex = values[Constants.IndexPart];
357     var link = GetLinkUnsafe(linkIndex);
358     // Будет корректно работать только в том случае, если пространство выделенной связи
359     // ↳ предварительно заполнено нулями
360     if (link->Source != Constants.Null)
361     {
362         _sourcesTreeMethods.Detach(new IntPtr(&_header->FirstAsSource), linkIndex);
363     }
364     if (link->Target != Constants.Null)
365     {
366         _targetsTreeMethods.Detach(new IntPtr(&_header->FirstAsTarget), linkIndex);
367     }
368     #if ENABLE_TREE_AUTO_DEBUG_AND_VALIDATION
369     var leftTreeSize = _sourcesTreeMethods.GetSize(new IntPtr(&_header->FirstAsSource));
370     var rightTreeSize = _targetsTreeMethods.GetSize(new IntPtr(&_header->FirstAsTarget));
371     if (leftTreeSize != rightTreeSize)
372     {
373         throw new Exception("One of the trees is broken.");
374     }
375     #endif
376     link->Source = values[Constants.SourcePart];
377     link->Target = values[Constants.TargetPart];
378     if (link->Source != Constants.Null)
379     {
380         _sourcesTreeMethods.Attach(new IntPtr(&_header->FirstAsSource), linkIndex);
381     }
382     if (link->Target != Constants.Null)
383     {
384         _targetsTreeMethods.Attach(new IntPtr(&_header->FirstAsTarget), linkIndex);
385     }
386 }

```

```

383     }
384 #if ENABLE_TREE_AUTO_DEBUG_AND_VALIDATION
385     leftTreeSize = _sourcesTreeMethods.GetSize(new IntPtr(&_amp;header->FirstAsSource));
386     rightTreeSize = _targetsTreeMethods.GetSize(new IntPtr(&_amp;header->FirstAsTarget));
387     if (leftTreeSize != rightTreeSize)
388     {
389         throw new Exception("One of the trees is broken.");
390     }
391 #endif
392     return linkIndex;
393 }
394
395 [MethodImpl(MethodImplOptions.AggressiveInlining)]
396 private IList<id> GetLinkStruct(id linkIndex)
397 {
398     var link = GetLinkUnsafe(linkIndex);
399     return new UInt64Link(linkIndex, link->Source, link->Target);
400 }
401
402 [MethodImpl(MethodImplOptions.AggressiveInlining)]
403 private Link* GetLinkUnsafe(id linkIndex) => &_amp;links[linkIndex];
404
405 /// <remarks>
406 /// TODO: Возможно нужно будет заполнение нулями, если внешнее API ими не заполняет
407   ↳ пространство
408 /// </remarks>
409 public id Create()
410 {
411     var freeLink = _amp;header->FirstFreeLink;
412     if (freeLink != Constants.Null)
413     {
414         _unusedLinksListMethods.Detach(freeLink);
415     }
416     else
417     {
418         if (_amp;header->AllocatedLinks > Constants.MaxPossibleIndex)
419         {
420             throw new LinksLimitReachedException(Constants.MaxPossibleIndex);
421         }
422         if (_amp;header->AllocatedLinks >= _amp;header->ReservedLinks - 1)
423         {
424             _memory.ReservedCapacity += _memory.ReservationStep;
425             SetPointers(_memory);
426             _amp;header->ReservedLinks = (id)(_memory.ReservedCapacity / sizeof(Link));
427         }
428         _amp;header->AllocatedLinks++;
429         _memory.UsedCapacity += sizeof(Link);
430         freeLink = _amp;header->AllocatedLinks;
431     }
432     return freeLink;
433 }
434
435 public void Delete(id link)
436 {
437     if (link < _amp;header->AllocatedLinks)
438     {
439         _unusedLinksListMethods.AttachAsFirst(link);
440     }
441     else if (link == _amp;header->AllocatedLinks)
442     {
443         _amp;header->AllocatedLinks--;
444         _memory.UsedCapacity -= sizeof(Link);
445         // Убираем все связи, находящиеся в списке свободных в конце файла, до тех пор,
446         // пока не дойдём до первой существующей связи
447         // Позволяет оптимизировать количество выделенных связей (AllocatedLinks)
448         while (_amp;header->AllocatedLinks > 0 && IsUnusedLink(_amp;header->AllocatedLinks))
449         {
450             _unusedLinksListMethods.Detach(_amp;header->AllocatedLinks);
451             _amp;header->AllocatedLinks--;
452             _memory.UsedCapacity -= sizeof(Link);
453         }
454     }
455 }
456
457 /// <remarks>
458 /// TODO: Возможно это должно быть событием, вызываемым из IMemory, в том случае, если
459   ↳ адрес реально поменялся
460 ///
461 /// Указатель this.links может быть в том же месте,

```

```

459 /// так как 0-я связь не используется и имеет такой же размер как Header,
460 /// поэтому header размещается в том же месте, что и 0-я связь
461 /// </remarks>
462 private void SetPointers(IResizableDirectMemory memory)
463 {
464     if (memory == null)
465     {
466         _header = null;
467         _links = null;
468         _unusedLinksListMethods = null;
469         _targetsTreeMethods = null;
470         _unusedLinksListMethods = null;
471     }
472     else
473     {
474         _header = (LinksHeader*)(void*)memory.Pointer;
475         _links = (Link*)(void*)memory.Pointer;
476         _sourcesTreeMethods = new LinksSourcesTreeMethods(this);
477         _targetsTreeMethods = new LinksTargetsTreeMethods(this);
478         _unusedLinksListMethods = new UnusedLinksListMethods(_links, _header);
479     }
480 }
481
482 [MethodImpl(MethodImplOptions.AggressiveInlining)]
483 private bool Exists(id link) => link >= Constants.MinPossibleIndex && link <=
    ↳ _header->AllocatedLinks && !IsUnusedLink(link);
484
485 [MethodImpl(MethodImplOptions.AggressiveInlining)]
486 private bool IsUnusedLink(id link) => _header->FirstFreeLink == link
    || (_links[link].SizeAsSource == Constants.Null &&
    ↳ _links[link].Source != Constants.Null);
487
488 #region Disposable
489
490 protected override bool AllowMultipleDisposeCalls => true;
491
492 protected override void Dispose(bool manual, bool wasDisposed)
493 {
494     if (!wasDisposed)
495     {
496         SetPointers(null);
497         _memory.DisposeIfPossible();
498     }
499 }
500
501 #endregion
502 }
503
504 }

```

./Platform.Data.Doublets/ResizableDirectMemory/UInt64ResizableDirectMemoryLinks.ListMethods.cs

```

1 using Platform.Collections.Methods.Lists;
2
3 namespace Platform.Data.Doublets.ResizableDirectMemory
4 {
5     unsafe partial class UInt64ResizableDirectMemoryLinks
6     {
7         private class UnusedLinksListMethods : CircularDoublyLinkedListMethods<ulong>
8         {
9             private readonly Link* _links;
10             private readonly LinksHeader* _header;
11
12             public UnusedLinksListMethods(Link* links, LinksHeader* header)
13             {
14                 _links = links;
15                 _header = header;
16             }
17
18             protected override ulong GetFirst() => _header->FirstFreeLink;
19
20             protected override ulong GetLast() => _header->LastFreeLink;
21
22             protected override ulong GetPrevious(ulong element) => _links[element].Source;
23
24             protected override ulong GetNext(ulong element) => _links[element].Target;
25
26             protected override ulong GetSize() => _header->FreeLinks;
27
28             protected override void SetFirst(ulong element) => _header->FirstFreeLink = element;
29
30             protected override void SetLast(ulong element) => _header->LastFreeLink = element;

```

```

31
32     protected override void SetPrevious(ulong element, ulong previous) =>
33         ↪ _links[element].Source = previous;
34
35     protected override void SetNext(ulong element, ulong next) => _links[element].Target
36         ↪ = next;
37
38     protected override void SetSize(ulong size) => _header->FreeLinks = size;
39 }

```

./Platform.Data.Doublets/ResizableDirectMemory/UInt64ResizableDirectMemoryLinks.TreeMethods.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using System.Text;
5  using Platform.Collections.Methods.Trees;
6  using Platform.Data.Constants;
7
8  namespace Platform.Data.Doublets.ResizableDirectMemory
9  {
10     unsafe partial class UInt64ResizableDirectMemoryLinks
11     {
12         private abstract class LinksTreeMethodsBase :
13             ↪ SizedAndThreadedAVLBalancedTreeMethods<ulong>
14         {
15             private readonly UInt64ResizableDirectMemoryLinks _memory;
16             private readonly LinksCombinedConstants<ulong, ulong, int> _constants;
17             protected readonly Link* Links;
18             protected readonly LinksHeader* Header;
19
20             protected LinksTreeMethodsBase(UInt64ResizableDirectMemoryLinks memory)
21             {
22                 Links = memory._links;
23                 Header = memory._header;
24                 _memory = memory;
25                 _constants = memory.Constants;
26             }
27
28             [MethodImpl(MethodImplOptions.AggressiveInlining)]
29             protected abstract ulong GetTreeRoot();
30
31             [MethodImpl(MethodImplOptions.AggressiveInlining)]
32             protected abstract ulong GetBasePartValue(ulong link);
33
34             public ulong this[ulong index]
35             {
36                 get
37                 {
38                     var root = GetTreeRoot();
39                     if (index >= GetSize(root))
40                     {
41                         return 0;
42                     }
43                     while (root != 0)
44                     {
45                         var left = GetLeftOrDefault(root);
46                         var leftSize = GetSizeOrZero(left);
47                         if (index < leftSize)
48                         {
49                             root = left;
50                             continue;
51                         }
52                         if (index == leftSize)
53                         {
54                             return root;
55                         }
56                         root = GetRightOrDefault(root);
57                         index -= leftSize + 1;
58                     }
59                     return 0; // TODO: Impossible situation exception (only if tree structure
60                             ↪ broken)
61                 }
62             }
63
64             // TODO: Return indices range instead of references count
65             public ulong CountUsages(ulong link)
66             {
67                 var root = GetTreeRoot();

```

```

66     var total = GetSize(root);
67     var totalRightIgnore = OUL;
68     while (root != 0)
69     {
70         var @base = GetBasePartValue(root);
71         if (@base <= link)
72         {
73             root = GetRightOrDefault(root);
74         }
75         else
76         {
77             totalRightIgnore += GetRightSize(root) + 1;
78             root = GetLeftOrDefault(root);
79         }
80     }
81     root = GetTreeRoot();
82     var totalLeftIgnore = OUL;
83     while (root != 0)
84     {
85         var @base = GetBasePartValue(root);
86         if (@base >= link)
87         {
88             root = GetLeftOrDefault(root);
89         }
90         else
91         {
92             totalLeftIgnore += GetLeftSize(root) + 1;
93             root = GetRightOrDefault(root);
94         }
95     }
96     return total - totalRightIgnore - totalLeftIgnore;
97 }
98
99 public ulong EachReference(ulong link, Func<IList<ulong>, ulong> handler)
100 {
101     var root = GetTreeRoot();
102     if (root == 0)
103     {
104         return _constants.Continue;
105     }
106     ulong first = 0, current = root;
107     while (current != 0)
108     {
109         var @base = GetBasePartValue(current);
110         if (@base >= link)
111         {
112             if (@base == link)
113             {
114                 first = current;
115             }
116             current = GetLeftOrDefault(current);
117         }
118         else
119         {
120             current = GetRightOrDefault(current);
121         }
122     }
123     if (first != 0)
124     {
125         current = first;
126         while (true)
127         {
128             if (handler(_memory.GetLinkStruct(current)) == _constants.Break)
129             {
130                 return _constants.Break;
131             }
132             current = GetNext(current);
133             if (current == 0 || GetBasePartValue(current) != link)
134             {
135                 break;
136             }
137         }
138     }
139     return _constants.Continue;
140 }
141
142 protected override void PrintNodeValue(ulong node, StringBuilder sb)
143 {
144     sb.Append(' ');

```



```

145         sb.Append(Links[node].Source);
146         sb.Append('-');
147         sb.Append('>');
148         sb.Append(Links[node].Target);
149     }
150 }
151
152 private class LinksSourcesTreeMethods : LinksTreeMethodsBase
153 {
154     public LinksSourcesTreeMethods(UInt64ResizableDirectMemoryLinks memory)
155         : base(memory)
156     {
157     }
158
159     protected override IntPtr GetLeftPointer(ulong node) => new
160         ↳ IntPtr(&Links[node].LeftAsSource);
161
162     protected override IntPtr GetRightPointer(ulong node) => new
163         ↳ IntPtr(&Links[node].RightAsSource);
164
165     protected override ulong GetLeftValue(ulong node) => Links[node].LeftAsSource;
166
167     protected override ulong GetRightValue(ulong node) => Links[node].RightAsSource;
168
169     protected override ulong GetSize(ulong node)
170     {
171         var previousValue = Links[node].SizeAsSource;
172         //return Math.PartialRead(previousValue, 5, -5);
173         return (previousValue & 4294967264) >> 5;
174     }
175
176     protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsSource
177         ↳ = left;
178
179     protected override void SetRight(ulong node, ulong right) =>
180         ↳ Links[node].RightAsSource = right;
181
182     protected override void SetSize(ulong node, ulong size)
183     {
184         var previousValue = Links[node].SizeAsSource;
185         //var modified = Math.PartialWrite(previousValue, size, 5, -5);
186         var modified = (previousValue & 31) | ((size & 134217727) << 5);
187         Links[node].SizeAsSource = modified;
188     }
189
190     protected override bool GetLeftIsChild(ulong node)
191     {
192         var previousValue = Links[node].SizeAsSource;
193         //return (Integer)Math.PartialRead(previousValue, 4, 1);
194         return (previousValue & 16) >> 4 == 1UL;
195     }
196
197     protected override void SetLeftIsChild(ulong node, bool value)
198     {
199         var previousValue = Links[node].SizeAsSource;
200         //var modified = Math.PartialWrite(previousValue, (ulong)(Integer)value, 4, 1);
201         var modified = (previousValue & 4294967279) | ((value ? 1UL : 0UL) << 4);
202         Links[node].SizeAsSource = modified;
203     }
204
205     protected override bool GetRightIsChild(ulong node)
206     {
207         var previousValue = Links[node].SizeAsSource;
208         //return (Integer)Math.PartialRead(previousValue, 3, 1);
209         return (previousValue & 8) >> 3 == 1UL;
210     }
211
212     protected override void SetRightIsChild(ulong node, bool value)
213     {
214         var previousValue = Links[node].SizeAsSource;
215         //var modified = Math.PartialWrite(previousValue, (ulong)(Integer)value, 3, 1);
216         var modified = (previousValue & 4294967287) | ((value ? 1UL : 0UL) << 3);
217         Links[node].SizeAsSource = modified;
218     }
219
220     protected override sbyte GetBalance(ulong node)
221     {
222         var previousValue = Links[node].SizeAsSource;
223         //var value = Math.PartialRead(previousValue, 0, 3);

```

```

220     var value = previousValue & 7;
221     var unpackedValue = (sbyte)((value & 4) > 0 ? ((value & 4) << 5) | value & 3 |
    ↪ 124 : value & 3);
222     return unpackedValue;
223 }
224
225 protected override void SetBalance(ulong node, sbyte value)
226 {
227     var previousValue = Links[node].SizeAsSource;
228     var packagedValue = (ulong)((((byte)value >> 5) & 4) | value & 3);
229     //var modified = Math.PartialWrite(previousValue, packagedValue, 0, 3);
230     var modified = (previousValue & 4294967288) | (packagedValue & 7);
231     Links[node].SizeAsSource = modified;
232 }
233
234 protected override bool FirstIsToTheLeftOfSecond(ulong first, ulong second)
235     => Links[first].Source < Links[second].Source ||
236     (Links[first].Source == Links[second].Source && Links[first].Target <
    ↪ Links[second].Target);
237
238 protected override bool FirstIsToTheRightOfSecond(ulong first, ulong second)
239     => Links[first].Source > Links[second].Source ||
240     (Links[first].Source == Links[second].Source && Links[first].Target >
    ↪ Links[second].Target);
241
242 protected override ulong GetTreeRoot() => Header->FirstAsSource;
243
244 protected override ulong GetBasePartValue(ulong link) => Links[link].Source;
245
246 /// <summary>
247 /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
    ↪ (концом)
248 /// по дереву (индексу) связей, отсортированному по Source, а затем по Target.
249 /// </summary>
250 /// <param name="source">Индекс связи, которая является началом на искомой
    ↪ связи.</param>
251 /// <param name="target">Индекс связи, которая является концом на искомой
    ↪ связи.</param>
252 /// <returns>Индекс искомой связи.</returns>
253 public ulong Search(ulong source, ulong target)
254 {
255     var root = Header->FirstAsSource;
256     while (root != 0)
257     {
258         var rootSource = Links[root].Source;
259         var rootTarget = Links[root].Target;
260         if (FirstIsToTheLeftOfSecond(source, target, rootSource, rootTarget)) //
    ↪ node.Key < root.Key
261         {
262             root = GetLeftOrDefault(root);
263         }
264         else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget))
    ↪ // node.Key > root.Key
265         {
266             root = GetRightOrDefault(root);
267         }
268         else // node.Key == root.Key
269         {
270             return root;
271         }
272     }
273     return 0;
274 }
275
276 [MethodImpl(MethodImplOptions.AggressiveInlining)]
277 private static bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
    ↪ ulong secondSource, ulong secondTarget)
278     => firstSource < secondSource || (firstSource == secondSource && firstTarget <
    ↪ secondTarget);
279
280 [MethodImpl(MethodImplOptions.AggressiveInlining)]
281 private static bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
    ↪ ulong secondSource, ulong secondTarget)
282     => firstSource > secondSource || (firstSource == secondSource && firstTarget >
    ↪ secondTarget);
283
284 [MethodImpl(MethodImplOptions.AggressiveInlining)]
285 protected override void ClearNode(ulong node)

```

```

286     {
287         Links[node].LeftAsSource = OUL;
288         Links[node].RightAsSource = OUL;
289         Links[node].SizeAsSource = OUL;
290     }
291
292     [MethodImpl(MethodImplOptions.AggressiveInlining)]
293     protected override ulong GetZero() => OUL;
294
295     [MethodImpl(MethodImplOptions.AggressiveInlining)]
296     protected override ulong GetOne() => 1UL;
297
298     [MethodImpl(MethodImplOptions.AggressiveInlining)]
299     protected override ulong GetTwo() => 2UL;
300
301     [MethodImpl(MethodImplOptions.AggressiveInlining)]
302     protected override bool ValueEqualToZero(IntPtr pointer) =>
303         ↪ *(ulong*)pointer.ToPointer() == OUL;
304
305     [MethodImpl(MethodImplOptions.AggressiveInlining)]
306     protected override bool EqualToZero(ulong value) => value == OUL;
307
308     [MethodImpl(MethodImplOptions.AggressiveInlining)]
309     protected override bool IsEquals(ulong first, ulong second) => first == second;
310
311     [MethodImpl(MethodImplOptions.AggressiveInlining)]
312     protected override bool GreaterThanZero(ulong value) => value > OUL;
313
314     [MethodImpl(MethodImplOptions.AggressiveInlining)]
315     protected override bool GreaterThan(ulong first, ulong second) => first > second;
316
317     [MethodImpl(MethodImplOptions.AggressiveInlining)]
318     protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >=
319         ↪ second;
320
321     [MethodImpl(MethodImplOptions.AggressiveInlining)]
322     protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0
323         ↪ is always true for ulong
324
325     [MethodImpl(MethodImplOptions.AggressiveInlining)]
326     protected override bool LessOrEqualThanZero(ulong value) => value == 0; // value is
327         ↪ always >= 0 for ulong
328
329     [MethodImpl(MethodImplOptions.AggressiveInlining)]
330     protected override bool LessOrEqualThan(ulong first, ulong second) => first <=
331         ↪ second;
332
333     [MethodImpl(MethodImplOptions.AggressiveInlining)]
334     protected override bool LessThanZero(ulong value) => false; // value < 0 is always
335         ↪ false for ulong
336
337     [MethodImpl(MethodImplOptions.AggressiveInlining)]
338     protected override bool LessThan(ulong first, ulong second) => first < second;
339
340     [MethodImpl(MethodImplOptions.AggressiveInlining)]
341     protected override ulong Increment(ulong value) => ++value;
342
343     [MethodImpl(MethodImplOptions.AggressiveInlining)]
344     protected override ulong Decrement(ulong value) => --value;
345
346     [MethodImpl(MethodImplOptions.AggressiveInlining)]
347     protected override ulong Add(ulong first, ulong second) => first + second;
348
349     [MethodImpl(MethodImplOptions.AggressiveInlining)]
350     protected override ulong Subtract(ulong first, ulong second) => first - second;
351 }
352
353 private class LinksTargetsTreeMethods : LinksTreeMethodsBase
354 {
355     public LinksTargetsTreeMethods(UInt64ResizableDirectMemoryLinks memory)
356         : base(memory)
357     {
358     }
359
360     //protected override IntPtr GetLeft(ulong node) => new
361     ↪ IntPtr(&Links[node].LeftAsTarget);
362
363     //protected override IntPtr GetRight(ulong node) => new
364     ↪ IntPtr(&Links[node].RightAsTarget);

```

```

357 //protected override ulong GetSize(ulong node) => Links[node].SizeAsTarget;
358
359 //protected override void SetLeft(ulong node, ulong left) =>
360 ↪ Links[node].LeftAsTarget = left;
361
362 //protected override void SetRight(ulong node, ulong right) =>
363 ↪ Links[node].RightAsTarget = right;
364
365 //protected override void SetSize(ulong node, ulong size) =>
366 ↪ Links[node].SizeAsTarget = size;
367
368 protected override IntPtr GetLeftPointer(ulong node) => new
369 ↪ IntPtr(&Links[node].LeftAsTarget);
370
371 protected override IntPtr GetRightPointer(ulong node) => new
372 ↪ IntPtr(&Links[node].RightAsTarget);
373
374 protected override ulong GetLeftValue(ulong node) => Links[node].LeftAsTarget;
375
376 protected override ulong GetRightValue(ulong node) => Links[node].RightAsTarget;
377
378 protected override ulong GetSize(ulong node)
379 {
380     var previousValue = Links[node].SizeAsTarget;
381     //return Math.PartialRead(previousValue, 5, -5);
382     return (previousValue & 4294967264) >> 5;
383 }
384
385 protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsTarget
386 ↪ = left;
387
388 protected override void SetRight(ulong node, ulong right) =>
389 ↪ Links[node].RightAsTarget = right;
390
391 protected override void SetSize(ulong node, ulong size)
392 {
393     var previousValue = Links[node].SizeAsTarget;
394     //var modified = Math.PartialWrite(previousValue, size, 5, -5);
395     var modified = (previousValue & 31) | ((size & 134217727) << 5);
396     Links[node].SizeAsTarget = modified;
397 }
398
399 protected override bool GetLeftIsChild(ulong node)
400 {
401     var previousValue = Links[node].SizeAsTarget;
402     //return (Integer)Math.PartialRead(previousValue, 4, 1);
403     return (previousValue & 16) >> 4 == 1UL;
404     // TODO: Check if this is possible to use
405     //var nodeSize = GetSize(node);
406     //var left = GetLeftValue(node);
407     //var leftSize = GetSizeOrZero(left);
408     //return leftSize > 0 && nodeSize > leftSize;
409 }
410
411 protected override void SetLeftIsChild(ulong node, bool value)
412 {
413     var previousValue = Links[node].SizeAsTarget;
414     //var modified = Math.PartialWrite(previousValue, (ulong)(Integer)value, 4, 1);
415     var modified = (previousValue & 4294967279) | ((value ? 1UL : 0UL) << 4);
416     Links[node].SizeAsTarget = modified;
417 }
418
419 protected override bool GetRightIsChild(ulong node)
420 {
421     var previousValue = Links[node].SizeAsTarget;
422     //return (Integer)Math.PartialRead(previousValue, 3, 1);
423     return (previousValue & 8) >> 3 == 1UL;
424     // TODO: Check if this is possible to use
425     //var nodeSize = GetSize(node);
426     //var right = GetRightValue(node);
427     //var rightSize = GetSizeOrZero(right);
428     //return rightSize > 0 && nodeSize > rightSize;
429 }
430
431 protected override void SetRightIsChild(ulong node, bool value)
432 {
433     var previousValue = Links[node].SizeAsTarget;

```

```

428         //var modified = Math.PartialWrite(previousValue, (ulong)(Integer)value, 3, 1);
429         var modified = (previousValue & 4294967287) | ((value ? 1UL : 0UL) << 3);
430         Links[node].SizeAsTarget = modified;
431     }
432
433     protected override sbyte GetBalance(ulong node)
434     {
435         var previousValue = Links[node].SizeAsTarget;
436         //var value = Math.PartialRead(previousValue, 0, 3);
437         var value = previousValue & 7;
438         var unpackedValue = (sbyte)((value & 4) > 0 ? ((value & 4) << 5) | value & 3 |
439             ↪ 124 : value & 3);
440         return unpackedValue;
441     }
442
443     protected override void SetBalance(ulong node, sbyte value)
444     {
445         var previousValue = Links[node].SizeAsTarget;
446         var packagedValue = (ulong)((((byte)value >> 5) & 4) | value & 3);
447         //var modified = Math.PartialWrite(previousValue, packagedValue, 0, 3);
448         var modified = (previousValue & 4294967288) | (packagedValue & 7);
449         Links[node].SizeAsTarget = modified;
450     }
451
452     protected override bool FirstIsToTheLeftOfSecond(ulong first, ulong second)
453     => Links[first].Target < Links[second].Target ||
454         (Links[first].Target == Links[second].Target && Links[first].Source <
455             ↪ Links[second].Source);
456
457     protected override bool FirstIsToTheRightOfSecond(ulong first, ulong second)
458     => Links[first].Target > Links[second].Target ||
459         (Links[first].Target == Links[second].Target && Links[first].Source >
460             ↪ Links[second].Source);
461
462     protected override ulong GetTreeRoot() => Header->FirstAsTarget;
463
464     protected override ulong GetBasePartValue(ulong link) => Links[link].Target;
465
466     [MethodImpl(MethodImplOptions.AggressiveInlining)]
467     protected override void ClearNode(ulong node)
468     {
469         Links[node].LeftAsTarget = 0UL;
470         Links[node].RightAsTarget = 0UL;
471         Links[node].SizeAsTarget = 0UL;
472     }
473 }

```

./Platform.Data.Doublets/Sequences/Converters/BalancedVariantConverter.cs

```

1 using System.Collections.Generic;
2
3 namespace Platform.Data.Doublets.Sequences.Converters
4 {
5     public class BalancedVariantConverter<TLink> : LinksListToSequenceConverterBase<TLink>
6     {
7         public BalancedVariantConverter(ILinks<TLink> links) : base(links) { }
8
9         public override TLink Convert(ICollection<TLink> sequence)
10        {
11            var length = sequence.Count;
12            if (length < 1)
13            {
14                return default;
15            }
16            if (length == 1)
17            {
18                return sequence[0];
19            }
20            // Make copy of next layer
21            if (length > 2)
22            {
23                // TODO: Try to use stackalloc (which at the moment is not working with
24                ↪ generics) but will be possible with Sigil
25                var halvedSequence = new TLink[(length / 2) + (length % 2)];
26                HalveSequence(halvedSequence, sequence, length);
27                sequence = halvedSequence;
28                length = halvedSequence.Length;
29            }
30        }
31    }
32 }

```

```

29         // Keep creating layer after layer
30         while (length > 2)
31         {
32             HalveSequence(sequence, sequence, length);
33             length = (length / 2) + (length % 2);
34         }
35         return Links.GetOrCreate(sequence[0], sequence[1]);
36     }
37
38     private void HalveSequence(IList<TLink> destination, IList<TLink> source, int length)
39     {
40         var loopedLength = length - (length % 2);
41         for (var i = 0; i < loopedLength; i += 2)
42         {
43             destination[i / 2] = Links.GetOrCreate(source[i], source[i + 1]);
44         }
45         if (length > loopedLength)
46         {
47             destination[length / 2] = source[length - 1];
48         }
49     }
50 }
51 }

```

./Platform.Data.Doublets/Sequences/Converters/CompressingConverter.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Interfaces;
5  using Platform.Collections;
6  using Platform.Singletons;
7  using Platform.Numbers;
8  using Platform.Data.Constants;
9  using Platform.Data.Doublets.Sequences.Frequencies.Cache;
10
11 namespace Platform.Data.Doublets.Sequences.Converters
12 {
13     /// <remarks>
14     /// TODO: Возможно будет лучше если алгоритм будет выполняться полностью изолированно от
15     /// ↳ Links на этапе сжатия.
16     /// А именно будет создаваться временный список пар необходимых для выполнения сжатия, в
17     /// ↳ таком случае тип значения элемента массива может быть любым, как char так и ulong.
18     /// Как только список/словарь пар был выявлен можно разом выполнить создание всех этих
19     /// ↳ пар, а так же разом выполнить замену.
20     /// </remarks>
21     public class CompressingConverter<TLink> : LinksListToSequenceConverterBase<TLink>
22     {
23         private static readonly LinksCombinedConstants<bool, TLink, long> _constants =
24             ↳ Default<LinksCombinedConstants<bool, TLink, long>>.Instance;
25         private static readonly EqualityComparer<TLink> _equalityComparer =
26             ↳ EqualityComparer<TLink>.Default;
27         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
28
29         private readonly IConverter<IList<TLink>, TLink> _baseConverter;
30         private readonly LinkFrequenciesCache<TLink> _doubletFrequenciesCache;
31         private readonly TLink _minFrequencyToCompress;
32         private readonly bool _doInitialFrequenciesIncrement;
33         private Doublet<TLink> _maxDoublet;
34         private LinkFrequency<TLink> _maxDoubletData;
35
36         private struct HalfDoublet
37         {
38             public TLink Element;
39             public LinkFrequency<TLink> DoubletData;
40
41             public HalfDoublet(TLink element, LinkFrequency<TLink> doubletData)
42             {
43                 Element = element;
44                 DoubletData = doubletData;
45             }
46
47             public override string ToString() => $"{Element}: ({DoubletData})";
48         }
49
50         public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
51             ↳ baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache)
52             : this(links, baseConverter, doubletFrequenciesCache, Integer<TLink>.One, true)
53         {
54         }
55     }
56 }

```

```

50 public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
    ↳ baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache, bool
    ↳ doInitialFrequenciesIncrement)
51 : this(links, baseConverter, doubletFrequenciesCache, Integer<TLink>.One,
    ↳ doInitialFrequenciesIncrement)
52 {
53 }
54
55 public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
    ↳ baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache, TLink
    ↳ minFrequencyToCompress, bool doInitialFrequenciesIncrement)
56 : base(links)
57 {
58     _baseConverter = baseConverter;
59     _doubletFrequenciesCache = doubletFrequenciesCache;
60     if (_comparer.Compare(minFrequencyToCompress, Integer<TLink>.One) < 0)
61     {
62         minFrequencyToCompress = Integer<TLink>.One;
63     }
64     _minFrequencyToCompress = minFrequencyToCompress;
65     _doInitialFrequenciesIncrement = doInitialFrequenciesIncrement;
66     ResetMaxDoublet();
67 }
68
69 public override TLink Convert(IList<TLink> source) =>
    ↳ _baseConverter.Convert(Compress(source));
70
71 /// <remarks>
72 /// Original algorithm idea: https://en.wikipedia.org/wiki/Byte\_pair\_encoding .
73 /// Faster version (doublets' frequencies dictionary is not recreated).
74 /// </remarks>
75 private IList<TLink> Compress(IList<TLink> sequence)
76 {
77     if (sequence.IsNullOrEmpty())
78     {
79         return null;
80     }
81     if (sequence.Count == 1)
82     {
83         return sequence;
84     }
85     if (sequence.Count == 2)
86     {
87         return new[] { Links.GetOrCreate(sequence[0], sequence[1]) };
88     }
89     // TODO: arraypool with min size (to improve cache locality) or stackalloc with Sigil
90     var copy = new HalfDoublet[sequence.Count];
91     Doublet<TLink> doublet = default;
92     for (var i = 1; i < sequence.Count; i++)
93     {
94         doublet.Source = sequence[i - 1];
95         doublet.Target = sequence[i];
96         LinkFrequency<TLink> data;
97         if (_doInitialFrequenciesIncrement)
98         {
99             data = _doubletFrequenciesCache.IncrementFrequency(ref doublet);
100         }
101         else
102         {
103             data = _doubletFrequenciesCache.GetFrequency(ref doublet);
104             if (data == null)
105             {
106                 throw new NotSupportedException("If you ask not to increment
                    ↳ frequencies, it is expected that all frequencies for the sequence
                    ↳ are prepared.");
107             }
108         }
109         copy[i - 1].Element = sequence[i - 1];
110         copy[i - 1].DoubletData = data;
111         UpdateMaxDoublet(ref doublet, data);
112     }
113     copy[sequence.Count - 1].Element = sequence[sequence.Count - 1];
114     copy[sequence.Count - 1].DoubletData = new LinkFrequency<TLink>();
115     if (_comparer.Compare(_maxDoubletData.Frequency, default) > 0)
116     {
117         var newLength = ReplaceDoublets(copy);
118         sequence = new TLink[newLength];
119         for (int i = 0; i < newLength; i++)

```

```

120         {
121             sequence[i] = copy[i].Element;
122         }
123     }
124     return sequence;
125 }
126
127 /// <remarks>
128 /// Original algorithm idea: https://en.wikipedia.org/wiki/Byte\_pair\_encoding
129 /// </remarks>
130 private int ReplaceDoublets(HalfDoublet[] copy)
131 {
132     var oldLength = copy.Length;
133     var newLength = copy.Length;
134     while (_comparer.Compare(_maxDoubletData.Frequency, default) > 0)
135     {
136         var maxDoubletSource = _maxDoublet.Source;
137         var maxDoubletTarget = _maxDoublet.Target;
138         if (_equalityComparer.Equals(_maxDoubletData.Link, _constants.Null))
139         {
140             _maxDoubletData.Link = Links.GetOrCreate(maxDoubletSource, maxDoubletTarget);
141         }
142         var maxDoubletReplacementLink = _maxDoubletData.Link;
143         oldLength--;
144         var oldLengthMinusTwo = oldLength - 1;
145         // Substitute all usages
146         int w = 0, r = 0; // (r == read, w == write)
147         for (; r < oldLength; r++)
148         {
149             if (_equalityComparer.Equals(copy[r].Element, maxDoubletSource) &&
150                 ↪ _equalityComparer.Equals(copy[r + 1].Element, maxDoubletTarget))
151             {
152                 if (r > 0)
153                 {
154                     var previous = copy[w - 1].Element;
155                     copy[w - 1].DoubletData.DecrementFrequency();
156                     copy[w - 1].DoubletData =
157                         ↪ _doubletFrequenciesCache.IncrementFrequency(previous,
158                         ↪ maxDoubletReplacementLink);
159                 }
160                 if (r < oldLengthMinusTwo)
161                 {
162                     var next = copy[r + 2].Element;
163                     copy[r + 1].DoubletData.DecrementFrequency();
164                     copy[w].DoubletData = _doubletFrequenciesCache.IncrementFrequency(max
165                         ↪ xDoubletReplacementLink,
166                         ↪ next);
167                 }
168                 copy[w++] .Element = maxDoubletReplacementLink;
169                 r++;
170                 newLength--;
171             }
172             else
173             {
174                 copy[w++] = copy[r];
175             }
176         }
177         if (w < newLength)
178         {
179             copy[w] = copy[r];
180         }
181         oldLength = newLength;
182         ResetMaxDoublet();
183         UpdateMaxDoublet(copy, newLength);
184     }
185     return newLength;
186 }
187
188 [MethodImpl(MethodImplOptions.AggressiveInlining)]
189 private void ResetMaxDoublet()
190 {
191     _maxDoublet = new Doublet<TLink>();
192     _maxDoubletData = new LinkFrequency<TLink>();
193 }
194
195 [MethodImpl(MethodImplOptions.AggressiveInlining)]
196 private void UpdateMaxDoublet(HalfDoublet[] copy, int length)
197 {
198     Doublet<TLink> doublet = default;

```



```

194     for (var i = 1; i < length; i++)
195     {
196         doublet.Source = copy[i - 1].Element;
197         doublet.Target = copy[i].Element;
198         UpdateMaxDoublet(ref doublet, copy[i - 1].DoubletData);
199     }
200 }
201
202 [MethodImpl(MethodImplOptions.AggressiveInlining)]
203 private void UpdateMaxDoublet(ref Doublet<TLink> doublet, LinkFrequency<TLink> data)
204 {
205     var frequency = data.Frequency;
206     var maxFrequency = _maxDoubletData.Frequency;
207     //if (frequency > _minFrequencyToCompress && (maxFrequency < frequency ||
208     ↪ (maxFrequency == frequency && doublet.Source + doublet.Target < /* gives better
209     ↪ compression string data (and gives collisions quickly) */ _maxDoublet.Source +
210     ↪ _maxDoublet.Target)))
211     if (_comparer.Compare(frequency, _minFrequencyToCompress) > 0 &&
212     ↪ (_comparer.Compare(maxFrequency, frequency) < 0 ||
213     ↪ (_equalityComparer.Equals(maxFrequency, frequency) &&
214     ↪ _comparer.Compare(Arithmetic.Add(doublet.Source, doublet.Target),
215     ↪ Arithmetic.Add(_maxDoublet.Source, _maxDoublet.Target)) > 0))) /* gives
216     ↪ better stability and better compression on sequent data and even on random
217     ↪ numbers data (but gives collisions anyway) */
218     {
219         _maxDoublet = doublet;
220         _maxDoubletData = data;
221     }
222 }
223 }
224 }
225 }
226 }

```

./Platform.Data.Doublets/Sequences/Converters/LinksListToSequenceConverterBase.cs

```

1 using System.Collections.Generic;
2 using Platform.Interfaces;
3
4 namespace Platform.Data.Doublets.Sequences.Converters
5 {
6     public abstract class LinksListToSequenceConverterBase<TLink> : IConverter<IList<TLink>,
7     ↪ TLink>
8     {
9         protected readonly ILinks<TLink> Links;
10        public LinksListToSequenceConverterBase(ILinks<TLink> links) => Links = links;
11        public abstract TLink Convert(IList<TLink> source);
12    }
13 }

```

./Platform.Data.Doublets/Sequences/Converters/OptimalVariantConverter.cs

```

1 using System.Collections.Generic;
2 using System.Linq;
3 using Platform.Interfaces;
4
5 namespace Platform.Data.Doublets.Sequences.Converters
6 {
7     public class OptimalVariantConverter<TLink> : LinksListToSequenceConverterBase<TLink>
8     {
9         private static readonly EqualityComparer<TLink> _equalityComparer =
10        ↪ EqualityComparer<TLink>.Default;
11        private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
12
13        private readonly IConverter<IList<TLink>> _sequenceToItsLocalElementLevelsConverter;
14
15        public OptimalVariantConverter(ILinks<TLink> links, IConverter<IList<TLink>>
16        ↪ sequenceToItsLocalElementLevelsConverter) : base(links)
17        => _sequenceToItsLocalElementLevelsConverter =
18        ↪ sequenceToItsLocalElementLevelsConverter;
19
20        public override TLink Convert(IList<TLink> sequence)
21        {
22            var length = sequence.Count;
23            if (length == 1)
24            {
25                return sequence[0];
26            }
27            var links = Links;
28            if (length == 2)
29            {
30                return links.GetOrCreate(sequence[0], sequence[1]);
31            }
32        }
33    }
34 }

```

```

29     sequence = sequence.ToArray();
30     var levels = _sequenceToItsLocalElementLevelsConverter.Convert(sequence);
31     while (length > 2)
32     {
33         var levelRepeat = 1;
34         var currentLevel = levels[0];
35         var previousLevel = levels[0];
36         var skipOnce = false;
37         var w = 0;
38         for (var i = 1; i < length; i++)
39         {
40             if (_equalityComparer.Equals(currentLevel, levels[i]))
41             {
42                 levelRepeat++;
43                 skipOnce = false;
44                 if (levelRepeat == 2)
45                 {
46                     sequence[w] = links.GetOrCreate(sequence[i - 1], sequence[i]);
47                     var newLevel = i >= length - 1 ?
48                         GetPreviousLowerThanCurrentOrCurrent(previousLevel,
49                             ↪ currentLevel) :
50                         i < 2 ?
51                         GetNextLowerThanCurrentOrCurrent(currentLevel, levels[i + 1]) :
52                         GetGreatestNeighbourLowerThanCurrentOrCurrent(previousLevel,
53                             ↪ currentLevel, levels[i + 1]);
54                     levels[w] = newLevel;
55                     previousLevel = currentLevel;
56                     w++;
57                     levelRepeat = 0;
58                     skipOnce = true;
59                 }
60                 else if (i == length - 1)
61                 {
62                     sequence[w] = sequence[i];
63                     levels[w] = levels[i];
64                     w++;
65                 }
66             }
67             else
68             {
69                 currentLevel = levels[i];
70                 levelRepeat = 1;
71                 if (skipOnce)
72                 {
73                     skipOnce = false;
74                 }
75                 else
76                 {
77                     sequence[w] = sequence[i - 1];
78                     levels[w] = levels[i - 1];
79                     previousLevel = levels[w];
80                     w++;
81                 }
82                 if (i == length - 1)
83                 {
84                     sequence[w] = sequence[i];
85                     levels[w] = levels[i];
86                     w++;
87                 }
88             }
89         }
90         length = w;
91     }
92     return links.GetOrCreate(sequence[0], sequence[1]);
93 }
94
95 private static TLink GetGreatestNeighbourLowerThanCurrentOrCurrent(TLink previous, TLink
96     ↪ current, TLink next)
97 {
98     return _comparer.Compare(previous, next) > 0
99         ? _comparer.Compare(previous, current) < 0 ? previous : current
100         : _comparer.Compare(next, current) < 0 ? next : current;
101 }
102
103 private static TLink GetNextLowerThanCurrentOrCurrent(TLink current, TLink next) =>
104     ↪ _comparer.Compare(next, current) < 0 ? next : current;
105
106 private static TLink GetPreviousLowerThanCurrentOrCurrent(TLink previous, TLink current)
107     ↪ => _comparer.Compare(previous, current) < 0 ? previous : current;

```

```
103     }
104 }
```

./Platform.Data.Doublets/Sequences/Converters/SequenceToItsLocalElementLevelsConverter.cs

```
1 using System.Collections.Generic;
2 using Platform.Interfaces;
3
4 namespace Platform.Data.Doublets.Sequences.Converters
5 {
6     public class SequenceToItsLocalElementLevelsConverter<TLink> : LinksOperatorBase<TLink>,
7         ↳ IConverter<ILink<TLink>>
8     {
9         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
10        private readonly IConverter<Doublet<TLink>, TLink> _linkToItsFrequencyToNumberConveter;
11        public SequenceToItsLocalElementLevelsConverter(ILinks<TLink> links,
12            ↳ IConverter<Doublet<TLink>, TLink> linkToItsFrequencyToNumberConveter) : base(links)
13            ↳ => _linkToItsFrequencyToNumberConveter = linkToItsFrequencyToNumberConveter;
14        public ILink<TLink> Convert(ILink<TLink> sequence)
15        {
16            var levels = new TLink[sequence.Count];
17            levels[0] = GetFrequencyNumber(sequence[0], sequence[1]);
18            for (var i = 1; i < sequence.Count - 1; i++)
19            {
20                var previous = GetFrequencyNumber(sequence[i - 1], sequence[i]);
21                var next = GetFrequencyNumber(sequence[i], sequence[i + 1]);
22                levels[i] = _comparer.Compare(previous, next) > 0 ? previous : next;
23            }
24            levels[levels.Length - 1] = GetFrequencyNumber(sequence[sequence.Count - 2],
25                ↳ sequence[sequence.Count - 1]);
26            return levels;
27        }
28
29        public TLink GetFrequencyNumber(TLink source, TLink target) =>
30            ↳ _linkToItsFrequencyToNumberConveter.Convert(new Doublet<TLink>(source, target));
31    }
32 }
```

./Platform.Data.Doublets/Sequences/CreteriaMatchers/DefaultSequenceElementCriterionMatcher.cs

```
1 using Platform.Interfaces;
2
3 namespace Platform.Data.Doublets.Sequences.CreteriaMatchers
4 {
5     public class DefaultSequenceElementCriterionMatcher<TLink> : LinksOperatorBase<TLink>,
6         ↳ ICriterionMatcher<TLink>
7     {
8         public DefaultSequenceElementCriterionMatcher(ILinks<TLink> links) : base(links) { }
9         public bool IsMatched(TLink argument) => Links.IsPartialPoint(argument);
10    }
11 }
```

./Platform.Data.Doublets/Sequences/CreteriaMatchers/MarkedSequenceCriterionMatcher.cs

```
1 using System.Collections.Generic;
2 using Platform.Interfaces;
3
4 namespace Platform.Data.Doublets.Sequences.CreteriaMatchers
5 {
6     public class MarkedSequenceCriterionMatcher<TLink> : ICriterionMatcher<TLink>
7     {
8         private static readonly EqualityComparer<TLink> _equalityComparer =
9             ↳ EqualityComparer<TLink>.Default;
10
11        private readonly ILinks<TLink> _links;
12        private readonly TLink _sequenceMarkerLink;
13
14        public MarkedSequenceCriterionMatcher(ILinks<TLink> links, TLink sequenceMarkerLink)
15        {
16            _links = links;
17            _sequenceMarkerLink = sequenceMarkerLink;
18        }
19
20        public bool IsMatched(TLink sequenceCandidate)
21            ↳ => _equalityComparer.Equals(_links.GetSource(sequenceCandidate), _sequenceMarkerLink)
22            || !_equalityComparer.Equals(_links.SearchOrDefault(_sequenceMarkerLink,
23                ↳ sequenceCandidate), _links.Constants.Null);
24    }
25 }
```

./Platform.Data.Doublets/Sequences/DefaultSequenceAppender.cs

```
1 using System.Collections.Generic;
2 using Platform.Collections.Stacks;
3 using Platform.Data.Doublets.Sequences.HeightProviders;
4 using Platform.Data.Sequences;
5
6 namespace Platform.Data.Doublets.Sequences
7 {
8     public class DefaultSequenceAppender<TLink> : LinksOperatorBase<TLink>,
9         ↳ ISequenceAppender<TLink>
10    {
11        private static readonly EqualityComparer<TLink> _equalityComparer =
12            ↳ EqualityComparer<TLink>.Default;
13
14        private readonly IStack<TLink> _stack;
15        private readonly ISequenceHeightProvider<TLink> _heightProvider;
16
17        public DefaultSequenceAppender(ILinks<TLink> links, IStack<TLink> stack,
18            ↳ ISequenceHeightProvider<TLink> heightProvider)
19            : base(links)
20        {
21            _stack = stack;
22            _heightProvider = heightProvider;
23        }
24
25        public TLink Append(TLink sequence, TLink appendant)
26        {
27            var cursor = sequence;
28            while (!_equalityComparer.Equals(_heightProvider.Get(cursor), default))
29            {
30                var source = Links.GetSource(cursor);
31                var target = Links.GetTarget(cursor);
32                if (_equalityComparer.Equals(_heightProvider.Get(source),
33                    ↳ _heightProvider.Get(target)))
34                {
35                    break;
36                }
37                else
38                {
39                    _stack.Push(source);
40                    cursor = target;
41                }
42            }
43            var left = cursor;
44            var right = appendant;
45            while (!_equalityComparer.Equals(cursor = _stack.Pop(), Links.Constants.Null))
46            {
47                right = Links.GetOrCreate(left, right);
48                left = cursor;
49            }
50            return Links.GetOrCreate(left, right);
51        }
52    }
53 }
```

./Platform.Data.Doublets/Sequences/DuplicateSegmentsCounter.cs

```
1 using System.Collections.Generic;
2 using System.Linq;
3 using Platform.Interfaces;
4
5 namespace Platform.Data.Doublets.Sequences
6 {
7     public class DuplicateSegmentsCounter<TLink> : ICounter<int>
8     {
9         private readonly IProvider<IList<KeyValuePair<IList<TLink>, IList<TLink>>>>
10            ↳ _duplicateFragmentsProvider;
11         public DuplicateSegmentsCounter(IProvider<IList<KeyValuePair<IList<TLink>,
12            ↳ IList<TLink>>>> duplicateFragmentsProvider) => _duplicateFragmentsProvider =
13            ↳ duplicateFragmentsProvider;
14         public int Count() => _duplicateFragmentsProvider.Get().Sum(x => x.Value.Count);
15     }
16 }
```

./Platform.Data.Doublets/Sequences/DuplicateSegmentsProvider.cs

```
1 using System;
2 using System.Linq;
3 using System.Collections.Generic;
4 using Platform.Interfaces;
5 using Platform.Collections;
6 using Platform.Collections.Lists;
```

```

7 using Platform.Collections.Segments;
8 using Platform.Collections.Segments.Walkers;
9 using Platform.Singletons;
10 using Platform.Numbers;
11 using Platform.Data.Sequences;
12
13 namespace Platform.Data.Doublets.Sequences
14 {
15     public class DuplicateSegmentsProvider<TLink> :
16         ↳ DictionaryBasedDuplicateSegmentsWalkerBase<TLink>,
17         ↳ IProvider<IList<KeyValuePair<IList<TLink>, IList<TLink>>>>
18     {
19         private readonly ILinks<TLink> _links;
20         private readonly ISequences<TLink> _sequences;
21         private HashSet<KeyValuePair<IList<TLink>, IList<TLink>>> _groups;
22         private BitString _visited;
23
24         private class ItemEquilityComparer : IEqualityComparer<KeyValuePair<IList<TLink>,
25             ↳ IList<TLink>>>
26         {
27             private readonly IListEqualityComparer<TLink> _listComparer;
28             public ItemEquilityComparer() => _listComparer =
29                 ↳ Default<IListEqualityComparer<TLink>>.Instance;
30             public bool Equals(KeyValuePair<IList<TLink>, IList<TLink>> left,
31                 ↳ KeyValuePair<IList<TLink>, IList<TLink>> right) =>
32                 ↳ _listComparer.Equals(left.Key, right.Key) && _listComparer.Equals(left.Value,
33                 ↳ right.Value);
34             public int GetHashCode(KeyValuePair<IList<TLink>, IList<TLink>> pair) =>
35                 ↳ (_listComparer.GetHashCode(pair.Key),
36                 ↳ _listComparer.GetHashCode(pair.Value)).GetHashCode();
37         }
38
39         private class ItemComparer : IComparer<KeyValuePair<IList<TLink>, IList<TLink>>>
40         {
41             private readonly IListComparer<TLink> _listComparer;
42
43             public ItemComparer() => _listComparer = Default<IListComparer<TLink>>.Instance;
44
45             public int Compare(KeyValuePair<IList<TLink>, IList<TLink>> left,
46                 ↳ KeyValuePair<IList<TLink>, IList<TLink>> right)
47             {
48                 var intermediateResult = _listComparer.Compare(left.Key, right.Key);
49                 if (intermediateResult == 0)
50                 {
51                     intermediateResult = _listComparer.Compare(left.Value, right.Value);
52                 }
53                 return intermediateResult;
54             }
55         }
56
57         public DuplicateSegmentsProvider(ILinks<TLink> links, ISequences<TLink> sequences)
58             : base(minimumStringSegmentLength: 2)
59         {
60             _links = links;
61             _sequences = sequences;
62         }
63
64         public IList<KeyValuePair<IList<TLink>, IList<TLink>>> Get()
65         {
66             _groups = new HashSet<KeyValuePair<IList<TLink>,
67                 ↳ IList<TLink>>>(Default<ItemEquilityComparer>.Instance);
68             var count = _links.Count();
69             _visited = new BitString((long)(Integer<TLink>)count + 1);
70             _links.Each(link =>
71             {
72                 var linkIndex = _links.GetIndex(link);
73                 var linkBitIndex = (long)(Integer<TLink>)linkIndex;
74                 if (!_visited.Get(linkBitIndex))
75                 {
76                     var sequenceElements = new List<TLink>();
77                     _sequences.EachPart(sequenceElements.AddAndReturnTrue, linkIndex);
78                     if (sequenceElements.Count > 2)
79                     {
80                         WalkAll(sequenceElements);
81                     }
82                 }
83             });
84             return _links.Constants.Continue;
85         }
86     };
87     var resultList = _groups.ToList();

```

```

75         var comparer = Default<ItemComparer>.Instance;
76         resultList.Sort(comparer);
77     #if DEBUG
78         foreach (var item in resultList)
79         {
80             PrintDuplicates(item);
81         }
82     #endif
83     return resultList;
84 }
85
86 protected override Segment<TLink> CreateSegment(IList<TLink> elements, int offset, int
↪ length) => new Segment<TLink>(elements, offset, length);
87
88 protected override void OnDuplicateFound(Segment<TLink> segment)
89 {
90     var duplicates = CollectDuplicatesForSegment(segment);
91     if (duplicates.Count > 1)
92     {
93         _groups.Add(new KeyValuePair<IList<TLink>, IList<TLink>>(segment.ToArray(),
↪ duplicates));
94     }
95 }
96
97 private List<TLink> CollectDuplicatesForSegment(Segment<TLink> segment)
98 {
99     var duplicates = new List<TLink>();
100     var readAsElement = new HashSet<TLink>();
101     _sequences.Each(sequence =>
102     {
103         duplicates.Add(sequence);
104         readAsElement.Add(sequence);
105         return true; // Continue
106     }, segment);
107     if (duplicates.Any(x => _visited.Get((Integer<TLink>)x)))
108     {
109         return new List<TLink>();
110     }
111     foreach (var duplicate in duplicates)
112     {
113         var duplicateBitIndex = (long)(Integer<TLink>)duplicate;
114         _visited.Set(duplicateBitIndex);
115     }
116     if (_sequences is Sequences sequencesExperiments)
117     {
118         var partiallyMatched = sequencesExperiments.GetAllPartiallyMatchingSequences4((H
↪ ashSet<ulong>)(object)readAsElement,
↪ (IList<ulong>)segment);
119         foreach (var partiallyMatchedSequence in partiallyMatched)
120         {
121             TLink sequenceIndex = (Integer<TLink>)partiallyMatchedSequence;
122             duplicates.Add(sequenceIndex);
123         }
124     }
125     duplicates.Sort();
126     return duplicates;
127 }
128
129 private void PrintDuplicates(KeyValuePair<IList<TLink>, IList<TLink>> duplicatesItem)
130 {
131     if (!(_links is ILinks<ulong> ulongLinks))
132     {
133         return;
134     }
135     var duplicatesKey = duplicatesItem.Key;
136     var keyString = UnicodeMap.FromLinksToString((IList<ulong>)duplicatesKey);
137     Console.WriteLine($"> {keyString} ({string.Join(", ", duplicatesKey)}");
138     var duplicatesList = duplicatesItem.Value;
139     for (int i = 0; i < duplicatesList.Count; i++)
140     {
141         ulong sequenceIndex = (Integer<TLink>)duplicatesList[i];
142         var formattedSequenceStructure = ulongLinks.FormatStructure(sequenceIndex, x =>
↪ Point<ulong>.IsPartialPoint(x), (sb, link) => _ =
↪ UnicodeMap.IsCharLink(link.Index) ?
↪ sb.Append(UnicodeMap.FromLinkToChar(link.Index)) : sb.Append(link.Index));
143         Console.WriteLine(formattedSequenceStructure);
144         var sequenceString = UnicodeMap.FromSequenceLinkToString(sequenceIndex,
↪ ulongLinks);

```

```

145         Console.WriteLine(sequenceString);
146     }
147     Console.WriteLine();
148 }
149 }
150 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Cache/FrequenciesCacheBasedLinkFrequencyIncrementer.cs

```

1 using System.Collections.Generic;
2 using Platform.Interfaces;
3
4 namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
5 {
6     public class FrequenciesCacheBasedLinkFrequencyIncrementer<TLink> :
7         ↳ IIncrementer<IList<TLink>>
8     {
9         private readonly LinkFrequenciesCache<TLink> _cache;
10
11         public FrequenciesCacheBasedLinkFrequencyIncrementer(LinkFrequenciesCache<TLink> cache)
12             ↳ => _cache = cache;
13
14         /// <remarks>Sequence itseft is not changed, only frequency of its doublets is
15         ↳ incremented.</remarks>
16         public IList<TLink> Increment(IList<TLink> sequence)
17         {
18             _cache.IncrementFrequencies(sequence);
19             return sequence;
20         }
21     }
22 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Cache/FrequenciesCacheBasedLinkToItsFrequencyNumberConverter.cs

```

1 using Platform.Interfaces;
2
3 namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
4 {
5     public class FrequenciesCacheBasedLinkToItsFrequencyNumberConverter<TLink> :
6         ↳ IConverter<Doublet<TLink>, TLink>
7     {
8         private readonly LinkFrequenciesCache<TLink> _cache;
9         public
10             ↳ FrequenciesCacheBasedLinkToItsFrequencyNumberConverter(LinkFrequenciesCache<TLink>
11             ↳ cache) => _cache = cache;
12         public TLink Convert(Doublet<TLink> source) => _cache.GetFrequency(ref source).Frequency;
13     }
14 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequenciesCache.cs

```

1 using System;
2 using System.Collections.Generic;
3 using System.Runtime.CompilerServices;
4 using Platform.Interfaces;
5 using Platform.Numbers;
6
7 namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
8 {
9     /// <remarks>
10     /// Can be used to operate with many CompressingConverters (to keep global frequencies data
11     ↳ between them).
12     /// TODO: Extract interface to implement frequencies storage inside Links storage
13     /// </remarks>
14     public class LinkFrequenciesCache<TLink> : LinksOperatorBase<TLink>
15     {
16         private static readonly EqualityComparer<TLink> _equalityComparer =
17             ↳ EqualityComparer<TLink>.Default;
18         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
19
20         private readonly Dictionary<Doublet<TLink>, LinkFrequency<TLink>> _doubletsCache;
21         private readonly ICounter<TLink, TLink> _frequencyCounter;
22
23         public LinkFrequenciesCache(ILinks<TLink> links, ICounter<TLink, TLink> frequencyCounter)
24             : base(links)
25         {
26             _doubletsCache = new Dictionary<Doublet<TLink>, LinkFrequency<TLink>>(4096,
27                 ↳ DoubletComparer<TLink>.Default);
28             _frequencyCounter = frequencyCounter;
29         }
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32     }
33 }

```

```

public LinkFrequency<TLink> GetFrequency(TLink source, TLink target)
{
    var doublet = new Doublet<TLink>(source, target);
    return GetFrequency(ref doublet);
}

[MethodImpl(MethodImplOptions.AggressiveInlining)]
public LinkFrequency<TLink> GetFrequency(ref Doublet<TLink> doublet)
{
    _doubletsCache.TryGetValue(doublet, out LinkFrequency<TLink> data);
    return data;
}

public void IncrementFrequencies(IList<TLink> sequence)
{
    for (var i = 1; i < sequence.Count; i++)
    {
        IncrementFrequency(sequence[i - 1], sequence[i]);
    }
}

[MethodImpl(MethodImplOptions.AggressiveInlining)]
public LinkFrequency<TLink> IncrementFrequency(TLink source, TLink target)
{
    var doublet = new Doublet<TLink>(source, target);
    return IncrementFrequency(ref doublet);
}

public void PrintFrequencies(IList<TLink> sequence)
{
    for (var i = 1; i < sequence.Count; i++)
    {
        PrintFrequency(sequence[i - 1], sequence[i]);
    }
}

public void PrintFrequency(TLink source, TLink target)
{
    var number = GetFrequency(source, target).Frequency;
    Console.WriteLine("{0},{1} - {2}", source, target, number);
}

[MethodImpl(MethodImplOptions.AggressiveInlining)]
public LinkFrequency<TLink> IncrementFrequency(ref Doublet<TLink> doublet)
{
    if (_doubletsCache.TryGetValue(doublet, out LinkFrequency<TLink> data))
    {
        data.IncrementFrequency();
    }
    else
    {
        var link = Links.SearchOrDefault(doublet.Source, doublet.Target);
        data = new LinkFrequency<TLink>(Integer<TLink>.One, link);
        if (!_equalityComparer.Equals(link, default))
        {
            data.Frequency = Arithmetic.Add(data.Frequency,
                ↪ _frequencyCounter.Count(link));
        }
        _doubletsCache.Add(doublet, data);
    }
    return data;
}

public void ValidateFrequencies()
{
    foreach (var entry in _doubletsCache)
    {
        var value = entry.Value;
        var linkIndex = value.Link;
        if (!_equalityComparer.Equals(linkIndex, default))
        {
            var frequency = value.Frequency;
            var count = _frequencyCounter.Count(linkIndex);
            // TODO: Why `frequency` always greater than `count` by 1?
            if (((_comparer.Compare(frequency, count) > 0) &&
                ↪ (_comparer.Compare(Arithmetic.Subtract(frequency, count),
                ↪ Integer<TLink>.One) > 0))

```



```

103         || (_comparer.Compare(count, frequency) > 0) &&
        ↪         (_comparer.Compare(Arithmetic.Subtract(count, frequency),
        ↪         Integer<TLink>.One) > 0)))
104     {
105         throw new InvalidOperationException("Frequencies validation failed.");
106     }
107 }
108 //else
109 //{
110 //    if (value.Frequency > 0)
111 //    {
112 //        var frequency = value.Frequency;
113 //        linkIndex = _createLink(entry.Key.Source, entry.Key.Target);
114 //        var count = _countLinkFrequency(linkIndex);
115 //
116 //        if ((frequency > count && frequency - count > 1) || (count > frequency
        ↪        && count - frequency > 1))
117 //            throw new Exception("Frequencies validation failed.");
118 //    }
119 //}
120 }
121 }
122 }
123 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequency.cs

```

1 using System.Runtime.CompilerServices;
2 using Platform.Numbers;
3
4 namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
5 {
6     public class LinkFrequency<TLink>
7     {
8         public TLink Frequency { get; set; }
9         public TLink Link { get; set; }
10
11         public LinkFrequency(TLink frequency, TLink link)
12         {
13             Frequency = frequency;
14             Link = link;
15         }
16
17         public LinkFrequency() { }
18
19         [MethodImpl(MethodImplOptions.AggressiveInlining)]
20         public void IncrementFrequency() => Frequency = Arithmetic<TLink>.Increment(Frequency);
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         public void DecrementFrequency() => Frequency = Arithmetic<TLink>.Decrement(Frequency);
24
25         public override string ToString() => $"F: {Frequency}, L: {Link}";
26     }
27 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Counters/MarkedSequenceSymbolFrequencyOneOffCounter.cs

```

1 using Platform.Interfaces;
2
3 namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
4 {
5     public class MarkedSequenceSymbolFrequencyOneOffCounter<TLink> :
        ↪     SequenceSymbolFrequencyOneOffCounter<TLink>
6     {
7         private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;
8
9         public MarkedSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links,
        ↪         ICriterionMatcher<TLink> markedSequenceMatcher, TLink sequenceLink, TLink symbol)
10         : base(links, sequenceLink, symbol)
11         => _markedSequenceMatcher = markedSequenceMatcher;
12
13         public override TLink Count()
14         {
15             if (!_markedSequenceMatcher.IsMatched(_sequenceLink))
16             {
17                 return default;
18             }
19             return base.Count();
20         }
21     }
22 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Counters/SequenceSymbolFrequencyOneOffCounter.cs

```
1 using System.Collections.Generic;
2 using Platform.Interfaces;
3 using Platform.Numbers;
4 using Platform.Data.Sequences;
5
6 namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
7 {
8     public class SequenceSymbolFrequencyOneOffCounter<TLink> : ICounter<TLink>
9     {
10         private static readonly EqualityComparer<TLink> _equalityComparer =
11             ↪ EqualityComparer<TLink>.Default;
12         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
13
14         protected readonly ILinks<TLink> _links;
15         protected readonly TLink _sequenceLink;
16         protected readonly TLink _symbol;
17         protected TLink _total;
18
19         public SequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links, TLink sequenceLink,
20             ↪ TLink symbol)
21         {
22             _links = links;
23             _sequenceLink = sequenceLink;
24             _symbol = symbol;
25             _total = default;
26         }
27
28         public virtual TLink Count()
29         {
30             if (_comparer.Compare(_total, default) > 0)
31             {
32                 return _total;
33             }
34             StopableSequenceWalker.WalkRight(_sequenceLink, _links.GetSource, _links.GetTarget,
35                 ↪ IsElement, VisitElement);
36             return _total;
37         }
38
39         private bool IsElement(TLink x) => _equalityComparer.Equals(x, _symbol) ||
40             ↪ _links.IsPartialPoint(x); // TODO: Use SequenceElementCriteriaMatcher instead of
41             ↪ IsPartialPoint
42
43         private bool VisitElement(TLink element)
44         {
45             if (_equalityComparer.Equals(element, _symbol))
46             {
47                 _total = Arithmetic.Increment(_total);
48             }
49             return true;
50         }
51     }
52 }
```

./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequencyCounter.cs

```
1 using Platform.Interfaces;
2
3 namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
4 {
5     public class TotalMarkedSequenceSymbolFrequencyCounter<TLink> : ICounter<TLink, TLink>
6     {
7         private readonly ILinks<TLink> _links;
8         private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;
9
10         public TotalMarkedSequenceSymbolFrequencyCounter(ILinks<TLink> links,
11             ↪ ICriterionMatcher<TLink> markedSequenceMatcher)
12         {
13             _links = links;
14             _markedSequenceMatcher = markedSequenceMatcher;
15         }
16
17         public TLink Count(TLink argument) => new
18             ↪ TotalMarkedSequenceSymbolFrequencyOneOffCounter<TLink>(_links,
19             ↪ _markedSequenceMatcher, argument).Count();
20     }
21 }
```

./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequencyOneOffCounter.cs

```
1 using Platform.Interfaces;
2 using Platform.Numbers;
```

```

3
4 namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
5 {
6     public class TotalMarkedSequenceSymbolFrequencyOneOffCounter<TLink> :
7         ↪ TotalSequenceSymbolFrequencyOneOffCounter<TLink>
8     {
9         private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;
10
11         public TotalMarkedSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links,
12             ↪ ICriterionMatcher<TLink> markedSequenceMatcher, TLink symbol) : base(links, symbol)
13             => _markedSequenceMatcher = markedSequenceMatcher;
14
15         protected override void CountSequenceSymbolFrequency(TLink link)
16         {
17             var symbolFrequencyCounter = new
18                 ↪ MarkedSequenceSymbolFrequencyOneOffCounter<TLink>(_links,
19                 ↪ _markedSequenceMatcher, link, _symbol);
20             _total = Arithmetic.Add(_total, symbolFrequencyCounter.Count());
21         }
22     }
23 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyCounter.cs

```

1 using Platform.Interfaces;
2
3 namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
4 {
5     public class TotalSequenceSymbolFrequencyCounter<TLink> : ICounter<TLink, TLink>
6     {
7         private readonly ILinks<TLink> _links;
8         public TotalSequenceSymbolFrequencyCounter(ILinks<TLink> links) => _links = links;
9         public TLink Count(TLink symbol) => new
10             ↪ TotalSequenceSymbolFrequencyOneOffCounter<TLink>(_links, symbol).Count();
11     }
12 }

```

./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyOneOffCounter.cs

```

1 using System.Collections.Generic;
2 using Platform.Interfaces;
3 using Platform.Numbers;
4
5 namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
6 {
7     public class TotalSequenceSymbolFrequencyOneOffCounter<TLink> : ICounter<TLink>
8     {
9         private static readonly EqualityComparer<TLink> _equalityComparer =
10             ↪ EqualityComparer<TLink>.Default;
11         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
12
13         protected readonly ILinks<TLink> _links;
14         protected readonly TLink _symbol;
15         protected readonly HashSet<TLink> _visits;
16         protected TLink _total;
17
18         public TotalSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links, TLink symbol)
19         {
20             _links = links;
21             _symbol = symbol;
22             _visits = new HashSet<TLink>();
23             _total = default;
24         }
25
26         public TLink Count()
27         {
28             if (_comparer.Compare(_total, default) > 0 || _visits.Count > 0)
29             {
30                 return _total;
31             }
32             CountCore(_symbol);
33             return _total;
34         }
35
36         private void CountCore(TLink link)
37         {
38             var any = _links.Constants.Any;
39             if (_equalityComparer.Equals(_links.Count(any, link), default))
40             {
41                 CountSequenceSymbolFrequency(link);
42             }
43             else

```

```

43     {
44         _links.Each(EachElementHandler, any, link);
45     }
46 }
47
48 protected virtual void CountSequenceSymbolFrequency(TLink link)
49 {
50     var symbolFrequencyCounter = new SequenceSymbolFrequencyOneOffCounter<TLink>(_links,
51         ↪ link, _symbol);
52     _total = Arithmetic.Add(_total, symbolFrequencyCounter.Count());
53 }
54
55 private TLink EachElementHandler(IList<TLink> doublet)
56 {
57     var constants = _links.Constants;
58     var doubletIndex = doublet[constants.IndexPart];
59     if (_visits.Add(doubletIndex))
60     {
61         CountCore(doubletIndex);
62     }
63     return constants.Continue;
64 }
65 }

```

./Platform.Data.Doublets/Sequences/HeightProviders/CachedSequenceHeightProvider.cs

```

1 using System.Collections.Generic;
2 using Platform.Interfaces;
3
4 namespace Platform.Data.Doublets.Sequences.HeightProviders
5 {
6     public class CachedSequenceHeightProvider<TLink> : LinksOperatorBase<TLink>,
7         ↪ ISequenceHeightProvider<TLink>
8     {
9         private static readonly EqualityComparer<TLink> _equalityComparer =
10             ↪ EqualityComparer<TLink>.Default;
11
12         private readonly TLink _heightPropertyMarker;
13         private readonly ISequenceHeightProvider<TLink> _baseHeightProvider;
14         private readonly IConverter<TLink> _addressToUnaryNumberConverter;
15         private readonly IConverter<TLink> _unaryNumberToAddressConverter;
16         private readonly IPropertiesOperator<TLink, TLink, TLink> _propertyOperator;
17
18         public CachedSequenceHeightProvider(
19             ILinks<TLink> links,
20             ISequenceHeightProvider<TLink> baseHeightProvider,
21             IConverter<TLink> addressToUnaryNumberConverter,
22             IConverter<TLink> unaryNumberToAddressConverter,
23             TLink heightPropertyMarker,
24             IPropertiesOperator<TLink, TLink, TLink> propertyOperator)
25             : base(links)
26         {
27             _heightPropertyMarker = heightPropertyMarker;
28             _baseHeightProvider = baseHeightProvider;
29             _addressToUnaryNumberConverter = addressToUnaryNumberConverter;
30             _unaryNumberToAddressConverter = unaryNumberToAddressConverter;
31             _propertyOperator = propertyOperator;
32         }
33
34         public TLink Get(TLink sequence)
35         {
36             TLink height;
37             var heightValue = _propertyOperator.GetValue(sequence, _heightPropertyMarker);
38             if (_equalityComparer.Equals(heightValue, default))
39             {
40                 height = _baseHeightProvider.Get(sequence);
41                 heightValue = _addressToUnaryNumberConverter.Convert(height);
42                 _propertyOperator.SetValue(sequence, _heightPropertyMarker, heightValue);
43             }
44             else
45             {
46                 height = _unaryNumberToAddressConverter.Convert(heightValue);
47             }
48             return height;
49         }
50     }
51 }

```

./Platform.Data.Doublets/Sequences/HeightProviders/DefaultSequenceRightHeightProvider.cs

```

1 using Platform.Interfaces;
2 using Platform.Numbers;

```

```

3
4 namespace Platform.Data.Doublets.Sequences.HeightProviders
5 {
6     public class DefaultSequenceRightHeightProvider<TLink> : LinksOperatorBase<TLink>,
        ↪ ISequenceHeightProvider<TLink>
7     {
8         private readonly ICriterionMatcher<TLink> _elementMatcher;
9
10        public DefaultSequenceRightHeightProvider(ILinks<TLink> links, ICriterionMatcher<TLink>
        ↪ elementMatcher) : base(links) => _elementMatcher = elementMatcher;
11
12        public TLink Get(TLink sequence)
13        {
14            var height = default(TLink);
15            var pairOrElement = sequence;
16            while (!_elementMatcher.IsMatched(pairOrElement))
17            {
18                pairOrElement = Links.GetTarget(pairOrElement);
19                height = Arithmetic.Increment(height);
20            }
21            return height;
22        }
23    }
24 }

```

./Platform.Data.Doublets/Sequences/HeightProviders/ISequenceHeightProvider.cs

```

1 using Platform.Interfaces;
2
3 namespace Platform.Data.Doublets.Sequences.HeightProviders
4 {
5     public interface ISequenceHeightProvider<TLink> : IProvider<TLink, TLink>
6     {
7     }
8 }

```

./Platform.Data.Doublets/Sequences/Sequences.cs

```

1 using System;
2 using System.Collections.Generic;
3 using System.Linq;
4 using System.Runtime.CompilerServices;
5 using Platform.Collections;
6 using Platform.Collections.Lists;
7 using Platform.Threading.Synchronization;
8 using Platform.Singletons;
9 using LinkIndex = System.UInt64;
10 using Platform.Data.Constants;
11 using Platform.Data.Sequences;
12 using Platform.Data.Doublets.Sequences.Walkers;
13
14 namespace Platform.Data.Doublets.Sequences
15 {
16     /// <summary>
17     /// Представляет коллекцию последовательностей связей.
18     /// </summary>
19     /// <remarks>
20     /// Обязательно реализовать атомарность каждого публичного метода.
21     ///
22     /// TODO:
23     ///
24     /// !!! Повышение вероятности повторного использования групп (подпоследовательностей),
25     /// через естественную группировку по unicode типам, все whitespace вместе, все символы
        ↪ вместе, все числа вместе и т.п.
26     /// + использовать ровно сбалансированный вариант, чтобы уменьшать вложенность (глубину
        ↪ графа)
27     ///
28     /// х*у - найти все связи между, в последовательностях любой формы, если не стоит
        ↪ ограничитель на то, что является последовательностью, а что нет,
29     /// то находятся любые структуры связей, которые содержат эти элементы именно в таком
        ↪ порядке.
30     ///
31     /// Рост последовательности слева и справа.
32     /// Поиск со звёздочкой.
33     /// URL, PURL - реестр используемых во вне ссылок на ресурсы,
34     /// так же проблема может быть решена при реализации дистанционных триггеров.
35     /// Нужны ли уникальные указатели вообще?
36     /// Что если обращение к информации будет происходить через содержимое всегда?
37     ///
38     /// Писать тесты.
39     ///
40     ///

```

```

41  /// Можно убрать зависимость от конкретной реализации Links,
42  /// на зависимость от абстрактного элемента, который может быть представлен несколькими
43  /// способами.
44  ///
45  /// Можно ли как-то сделать один общий интерфейс
46  ///
47  /// Блокчейн и/или гит для распределённой записи транзакций.
48  ///
49  /// </remarks>
50  public partial class Sequences : ISequences<ulong> // IList<string>, IList<ulong[]> (после
51  {
52      private static readonly LinksCombinedConstants<bool, ulong, long> _constants =
53          ↳ Default<LinksCombinedConstants<bool, ulong, long>>.Instance;
54
55      /// <summary>Возвращает значение ulong, обозначающее любое количество связей.</summary>
56      public const ulong ZeroOrMany = ulong.MaxValue;
57
58      public SequencesOptions<ulong> Options;
59      public readonly SynchronizedLinks<ulong> Links;
60      public readonly ISynchronization Sync;
61
62      public Sequences(SynchronizedLinks<ulong> links)
63          : this(links, new SequencesOptions<ulong>())
64      {
65      }
66
67      public Sequences(SynchronizedLinks<ulong> links, SequencesOptions<ulong> options)
68      {
69          Links = links;
70          Sync = links.SyncRoot;
71          Options = options;
72
73          Options.ValidateOptions();
74          Options.InitOptions(Links);
75      }
76
77      public bool IsSequence(ulong sequence)
78      {
79          return Sync.ExecuteReadOperation(() =>
80          {
81              if (Options.UseSequenceMarker)
82              {
83                  return Options.MarkedSequenceMatcher.IsMatched(sequence);
84              }
85              return !Links.Unsync.IsPartialPoint(sequence);
86          });
87      }
88
89      [MethodImpl(MethodImplOptions.AggressiveInlining)]
90      private ulong GetSequenceByElements(ulong sequence)
91      {
92          if (Options.UseSequenceMarker)
93          {
94              return Links.SearchOrDefault(Options.SequenceMarkerLink, sequence);
95          }
96          return sequence;
97      }
98
99      private ulong GetSequenceElements(ulong sequence)
100     {
101         if (Options.UseSequenceMarker)
102         {
103             var linkContents = new UInt64Link(Links.GetLink(sequence));
104             if (linkContents.Source == Options.SequenceMarkerLink)
105             {
106                 return linkContents.Target;
107             }
108             if (linkContents.Target == Options.SequenceMarkerLink)
109             {
110                 return linkContents.Source;
111             }
112             return sequence;
113         }
114     }
115
116     #region Count

```

```

117 public ulong Count(params ulong[] sequence)
118 {
119     if (sequence.Length == 0)
120     {
121         return Links.Count(_constants.Any, Options.SequenceMarkerLink, _constants.Any);
122     }
123     if (sequence.Length == 1) // Первая связь это адрес
124     {
125         if (sequence[0] == _constants.Null)
126         {
127             return 0;
128         }
129         if (sequence[0] == _constants.Any)
130         {
131             return Count();
132         }
133         if (Options.UseSequenceMarker)
134         {
135             return Links.Count(_constants.Any, Options.SequenceMarkerLink, sequence[0]);
136         }
137         return Links.Exists(sequence[0]) ? 1UL : 0;
138     }
139     throw new NotImplementedException();
140 }
141
142 private ulong CountUsages(params ulong[] restrictions)
143 {
144     if (restrictions.Length == 0)
145     {
146         return 0;
147     }
148     if (restrictions.Length == 1) // Первая связь это адрес
149     {
150         if (restrictions[0] == _constants.Null)
151         {
152             return 0;
153         }
154         if (Options.UseSequenceMarker)
155         {
156             var elementsLink = GetSequenceElements(restrictions[0]);
157             var sequenceLink = GetSequenceByElements(elementsLink);
158             if (sequenceLink != _constants.Null)
159             {
160                 return Links.Count(sequenceLink) + Links.Count(elementsLink) - 1;
161             }
162             return Links.Count(elementsLink);
163         }
164         return Links.Count(restrictions[0]);
165     }
166     throw new NotImplementedException();
167 }
168
169 #endregion
170
171 #region Create
172
173 public ulong Create(params ulong[] sequence)
174 {
175     return Sync.ExecuteWriteOperation(() =>
176     {
177         if (sequence.IsNullOrEmpty())
178         {
179             return _constants.Null;
180         }
181         Links.EnsureEachLinkExists(sequence);
182         return CreateCore(sequence);
183     });
184 }
185
186 private ulong CreateCore(params ulong[] sequence)
187 {
188     if (Options.UseIndex)
189     {
190         Options.Indexer.Index(sequence);
191     }
192     var sequenceRoot = default(ulong);
193     if (Options.EnforceSingleSequenceVersionOnWriteBasedOnExisting)
194     {
195         var matches = Each(sequence);

```

```

196         if (matches.Count > 0)
197         {
198             sequenceRoot = matches[0];
199         }
200     }
201     else if (Options.EnforceSingleSequenceVersionOnWriteBasedOnNew)
202     {
203         return CompactCore(sequence);
204     }
205     if (sequenceRoot == default)
206     {
207         sequenceRoot = Options.LinksToSequenceConverter.Convert(sequence);
208     }
209     if (Options.UseSequenceMarker)
210     {
211         Links.Unsync.CreateAndUpdate(Options.SequenceMarkerLink, sequenceRoot);
212     }
213     return sequenceRoot; // Возвращаем корень последовательности (т.е. сами элементы)
214 }
215
216 #endregion
217
218 #region Each
219
220 public List<ulong> Each(params ulong[] sequence)
221 {
222     var results = new List<ulong>();
223     Each(results.AddAndReturnTrue, sequence);
224     return results;
225 }
226
227 public bool Each(Func<ulong, bool> handler, IList<ulong> sequence)
228 {
229     return Sync.ExecuteReadOperation(() =>
230     {
231         if (sequence.IsNullOrEmpty())
232         {
233             return true;
234         }
235         Links.EnsureEachLinkIsAnyOrExists(sequence);
236         if (sequence.Count == 1)
237         {
238             var link = sequence[0];
239             if (link == _constants.Any)
240             {
241                 return Links.Unsync.Each(_constants.Any, _constants.Any, handler);
242             }
243             return handler(link);
244         }
245         if (sequence.Count == 2)
246         {
247             return Links.Unsync.Each(sequence[0], sequence[1], handler);
248         }
249         if (Options.UseIndex && !Options.Indexer.CheckIndex(sequence))
250         {
251             return false;
252         }
253         return EachCore(handler, sequence);
254     });
255 }
256
257 private bool EachCore(Func<ulong, bool> handler, IList<ulong> sequence)
258 {
259     var matcher = new Matcher(this, sequence, new HashSet<LinkIndex>(), handler);
260     // TODO: Find out why matcher.HandleFullMatched executed twice for the same sequence
261     ↪ Id.
262     Func<ulong, bool> innerHandler = Options.UseSequenceMarker ? (Func<ulong,
263     ↪ bool>)matcher.HandleFullMatchedSequence : matcher.HandleFullMatched;
264     //if (sequence.Length >= 2)
265     if (!StepRight(innerHandler, sequence[0], sequence[1]))
266     {
267         return false;
268     }
269     var last = sequence.Count - 2;
270     for (var i = 1; i < last; i++)
271     {
272         if (!PartialStepRight(innerHandler, sequence[i], sequence[i + 1]))
273         {
274             return false;
275         }
276     }

```



```

273     }
274 }
275 if (sequence.Count >= 3)
276 {
277     if (!StepLeft(innerHandler, sequence[sequence.Count - 2],
278         ↪ sequence[sequence.Count - 1]))
279     {
280         return false;
281     }
282 }
283 return true;
284 }
285
286 private bool PartialStepRight(Func<ulong, bool> handler, ulong left, ulong right)
287 {
288     return Links.Unsync.Each(_constants.Any, left, doublet =>
289     {
290         if (!StepRight(handler, doublet, right))
291         {
292             return false;
293         }
294         if (left != doublet)
295         {
296             return PartialStepRight(handler, doublet, right);
297         }
298         return true;
299     });
300 }
301
302 private bool StepRight(Func<ulong, bool> handler, ulong left, ulong right) =>
303     ↪ Links.Unsync.Each(left, _constants.Any, rightStep => TryStepRightUp(handler, right,
304     ↪ rightStep));
305
306 private bool TryStepRightUp(Func<ulong, bool> handler, ulong right, ulong stepFrom)
307 {
308     var upStep = stepFrom;
309     var firstSource = Links.Unsync.GetTarget(upStep);
310     while (firstSource != right && firstSource != upStep)
311     {
312         upStep = firstSource;
313         firstSource = Links.Unsync.GetSource(upStep);
314     }
315     if (firstSource == right)
316     {
317         return handler(stepFrom);
318     }
319     return true;
320 }
321
322 private bool StepLeft(Func<ulong, bool> handler, ulong left, ulong right) =>
323     ↪ Links.Unsync.Each(_constants.Any, right, leftStep => TryStepLeftUp(handler, left,
324     ↪ leftStep));
325
326 private bool TryStepLeftUp(Func<ulong, bool> handler, ulong left, ulong stepFrom)
327 {
328     var upStep = stepFrom;
329     var firstTarget = Links.Unsync.GetSource(upStep);
330     while (firstTarget != left && firstTarget != upStep)
331     {
332         upStep = firstTarget;
333         firstTarget = Links.Unsync.GetTarget(upStep);
334     }
335     if (firstTarget == left)
336     {
337         return handler(stepFrom);
338     }
339     return true;
340 }
341
342 #endregion
343
344 #region Update
345
346 public ulong Update(ulong[] sequence, ulong[] newSequence)
347 {
348     if (sequence.IsNullOrEmpty() && newSequence.IsNullOrEmpty())
349     {
350         return _constants.Null;
351     }
352 }

```

```

347     if (sequence.IsNullOrEmpty())
348     {
349         return Create(newSequence);
350     }
351     if (newSequence.IsNullOrEmpty())
352     {
353         Delete(sequence);
354         return _constants.Null;
355     }
356     return Sync.ExecuteWriteOperation(() =>
357     {
358         Links.EnsureEachLinkIsAnyOrExists(sequence);
359         Links.EnsureEachLinkExists(newSequence);
360         return UpdateCore(sequence, newSequence);
361     });
362 }
363
364 private ulong UpdateCore(ulong[] sequence, ulong[] newSequence)
365 {
366     ulong bestVariant;
367     if (Options.EnforceSingleSequenceVersionOnWriteBasedOnNew &&
368         ↪ !sequence.EqualTo(newSequence))
369     {
370         bestVariant = CompactCore(newSequence);
371     }
372     else
373     {
374         bestVariant = CreateCore(newSequence);
375     }
376     // TODO: Check all options only ones before loop execution
377     // Возможно нужно две версии Each, возвращающий фактические последовательности и с
378     ↪ маркером,
379     // или возможно даже возвращать и тот и тот вариант. С другой стороны все варианты
380     ↪ можно получить имея только фактические последовательности.
381     foreach (var variant in Each(sequence))
382     {
383         if (variant != bestVariant)
384         {
385             UpdateOneCore(variant, bestVariant);
386         }
387     }
388     return bestVariant;
389 }
390
391 private void UpdateOneCore(ulong sequence, ulong newSequence)
392 {
393     if (Options.UseGarbageCollection)
394     {
395         var sequenceElements = GetSequenceElements(sequence);
396         var sequenceElementsContents = new UInt64Link(Links.GetLink(sequenceElements));
397         var sequenceLink = GetSequenceByElements(sequenceElements);
398         var newSequenceElements = GetSequenceElements(newSequence);
399         var newSequenceLink = GetSequenceByElements(newSequenceElements);
400         if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
401         {
402             if (sequenceLink != _constants.Null)
403             {
404                 Links.Unsync.MergeUsages(sequenceLink, newSequenceLink);
405             }
406             Links.Unsync.MergeUsages(sequenceElements, newSequenceElements);
407         }
408         ClearGarbage(sequenceElementsContents.Source);
409         ClearGarbage(sequenceElementsContents.Target);
410     }
411     else
412     {
413         if (Options.UseSequenceMarker)
414         {
415             var sequenceElements = GetSequenceElements(sequence);
416             var sequenceLink = GetSequenceByElements(sequenceElements);
417             var newSequenceElements = GetSequenceElements(newSequence);
418             var newSequenceLink = GetSequenceByElements(newSequenceElements);
419             if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
420             {
421                 if (sequenceLink != _constants.Null)
422                 {
423                     Links.Unsync.MergeUsages(sequenceLink, newSequenceLink);
424                 }
425             }
426         }
427     }
428 }

```

```

422         Links.Unsync.MergeUsages(sequenceElements, newSequenceElements);
423     }
424 }
425 else
426 {
427     if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
428     {
429         Links.Unsync.MergeUsages(sequence, newSequence);
430     }
431 }
432 }
433 }
434
435 #endregion
436
437 #region Delete
438
439 public void Delete(params ulong[] sequence)
440 {
441     Sync.ExecuteWriteOperation(() =>
442     {
443         // TODO: Check all options only ones before loop execution
444         foreach (var linkToDelete in Each(sequence))
445         {
446             DeleteOneCore(linkToDelete);
447         }
448     });
449 }
450
451 private void DeleteOneCore(ulong link)
452 {
453     if (Options.UseGarbageCollection)
454     {
455         var sequenceElements = GetSequenceElements(link);
456         var sequenceElementsContents = new UInt64Link(Links.GetLink(sequenceElements));
457         var sequenceLink = GetSequenceByElements(sequenceElements);
458         if (Options.UseCascadeDelete || CountUsages(link) == 0)
459         {
460             if (sequenceLink != _constants.Null)
461             {
462                 Links.Unsync.Delete(sequenceLink);
463             }
464             Links.Unsync.Delete(link);
465         }
466         ClearGarbage(sequenceElementsContents.Source);
467         ClearGarbage(sequenceElementsContents.Target);
468     }
469     else
470     {
471         if (Options.UseSequenceMarker)
472         {
473             var sequenceElements = GetSequenceElements(link);
474             var sequenceLink = GetSequenceByElements(sequenceElements);
475             if (Options.UseCascadeDelete || CountUsages(link) == 0)
476             {
477                 if (sequenceLink != _constants.Null)
478                 {
479                     Links.Unsync.Delete(sequenceLink);
480                 }
481                 Links.Unsync.Delete(link);
482             }
483         }
484         else
485         {
486             if (Options.UseCascadeDelete || CountUsages(link) == 0)
487             {
488                 Links.Unsync.Delete(link);
489             }
490         }
491     }
492 }
493
494 #endregion
495
496 #region Compactification
497
498 /// <remarks>
499 /// bestVariant можно выбирать по максимальному числу использований,
500 /// но балансированный позволяет гарантировать уникальность (если есть возможность,

```

```

501     /// гарантировать его использование в других местах).
502     ///
503     /// Получается этот метод должен игнорировать Options.EnforceSingleSequenceVersionOnWrite
504     /// </remarks>
505     public ulong Compact(params ulong[] sequence)
506     {
507         return Sync.ExecuteWriteOperation(() =>
508         {
509             if (sequence.IsNullOrEmpty())
510             {
511                 return _constants.Null;
512             }
513             Links.EnsureEachLinkExists(sequence);
514             return CompactCore(sequence);
515         });
516     }
517
518     [MethodImpl(MethodImplOptions.AggressiveInlining)]
519     private ulong CompactCore(params ulong[] sequence) => UpdateCore(sequence, sequence);
520
521     #endregion
522
523     #region Garbage Collection
524
525     /// <remarks>
526     /// TODO: Добавить дополнительный обработчик / событие CanBeDeleted которое можно
527     ///   ↳ определить извне или в унаследованном классе
528     /// </remarks>
529     [MethodImpl(MethodImplOptions.AggressiveInlining)]
530     private bool IsGarbage(ulong link) => link != Options.SequenceMarkerLink &&
531     ↳ !Links.Unsync.IsPartialPoint(link) && Links.Count(link) == 0;
532
533     private void ClearGarbage(ulong link)
534     {
535         if (IsGarbage(link))
536         {
537             var contents = new UInt64Link(Links.GetLink(link));
538             Links.Unsync.Delete(link);
539             ClearGarbage(contents.Source);
540             ClearGarbage(contents.Target);
541         }
542     }
543
544     #endregion
545
546     #region Walkers
547
548     public bool EachPart(Func<ulong, bool> handler, ulong sequence)
549     {
550         return Sync.ExecuteReadOperation(() =>
551         {
552             var links = Links.Unsync;
553             var walker = new RightSequenceWalker<ulong>(links);
554             foreach (var part in walker.Walk(sequence))
555             {
556                 if (!handler(links.GetIndex(part)))
557                 {
558                     return false;
559                 }
560             }
561             return true;
562         });
563     }
564
565     public class Matcher : RightSequenceWalker<ulong>
566     {
567         private readonly Sequences _sequences;
568         private readonly IList<LinkIndex> _patternSequence;
569         private readonly HashSet<LinkIndex> _linksInSequence;
570         private readonly HashSet<LinkIndex> _results;
571         private readonly Func<ulong, bool> _stopableHandler;
572         private readonly HashSet<ulong> _readAsElements;
573         private int _filterPosition;
574
575         public Matcher(Sequences sequences, IList<LinkIndex> patternSequence,
576             ↳ HashSet<LinkIndex> results, Func<LinkIndex, bool> stopableHandler,
577             ↳ HashSet<LinkIndex> readAsElements = null)
578             : base(sequences.Links.Unsync)
579         {
580             _sequences = sequences;
581         }
582     }
583

```

```

577     _patternSequence = patternSequence;
578     _linksInSequence = new HashSet<LinkIndex>(patternSequence.Where(x => x !=
    ↳ _constants.Any && x != ZeroOrMany));
579     _results = results;
580     _stopableHandler = stopableHandler;
581     _readAsElements = readAsElements;
582 }
583
584 protected override bool IsElement(IList<ulong> link) => base.IsElement(link) ||
    ↳ (_readAsElements != null && _readAsElements.Contains(Links.GetIndex(link))) ||
    ↳ _linksInSequence.Contains(Links.GetIndex(link));
585
586 public bool FullMatch(LinkIndex sequenceToMatch)
587 {
588     _filterPosition = 0;
589     foreach (var part in Walk(sequenceToMatch))
590     {
591         if (!FullMatchCore(Links.GetIndex(part)))
592         {
593             break;
594         }
595     }
596     return _filterPosition == _patternSequence.Count;
597 }
598
599 private bool FullMatchCore(LinkIndex element)
600 {
601     if (_filterPosition == _patternSequence.Count)
602     {
603         _filterPosition = -2; // Длиннее чем нужно
604         return false;
605     }
606     if (_patternSequence[_filterPosition] != _constants.Any
607         && element != _patternSequence[_filterPosition])
608     {
609         _filterPosition = -1;
610         return false; // Начинается/Продолжается иначе
611     }
612     _filterPosition++;
613     return true;
614 }
615
616 public void AddFullMatchedToResults(ulong sequenceToMatch)
617 {
618     if (FullMatch(sequenceToMatch))
619     {
620         _results.Add(sequenceToMatch);
621     }
622 }
623
624 public bool HandleFullMatched(ulong sequenceToMatch)
625 {
626     if (FullMatch(sequenceToMatch) && _results.Add(sequenceToMatch))
627     {
628         return _stopableHandler(sequenceToMatch);
629     }
630     return true;
631 }
632
633 public bool HandleFullMatchedSequence(ulong sequenceToMatch)
634 {
635     var sequence = _sequences.GetSequenceByElements(sequenceToMatch);
636     if (sequence != _constants.Null && FullMatch(sequenceToMatch) &&
    ↳ _results.Add(sequenceToMatch))
637     {
638         return _stopableHandler(sequence);
639     }
640     return true;
641 }
642
643 /// <remarks>
644 /// TODO: Add support for LinksConstants.Any
645 /// </remarks>
646 public bool PartialMatch(LinkIndex sequenceToMatch)
647 {
648     _filterPosition = -1;
649     foreach (var part in Walk(sequenceToMatch))
650     {
651         if (!PartialMatchCore(Links.GetIndex(part)))

```

```

652         {
653             break;
654         }
655     }
656     return _filterPosition == _patternSequence.Count - 1;
657 }
658
659 private bool PartialMatchCore(LinkIndex element)
660 {
661     if (_filterPosition == (_patternSequence.Count - 1))
662     {
663         return false; // Нашлось
664     }
665     if (_filterPosition >= 0)
666     {
667         if (element == _patternSequence[_filterPosition + 1])
668         {
669             _filterPosition++;
670         }
671         else
672         {
673             _filterPosition = -1;
674         }
675     }
676     if (_filterPosition < 0)
677     {
678         if (element == _patternSequence[0])
679         {
680             _filterPosition = 0;
681         }
682     }
683     return true; // Ищем дальше
684 }
685
686 public void AddPartialMatchedToResults(ulong sequenceToMatch)
687 {
688     if (PartialMatch(sequenceToMatch))
689     {
690         _results.Add(sequenceToMatch);
691     }
692 }
693
694 public bool HandlePartialMatched(ulong sequenceToMatch)
695 {
696     if (PartialMatch(sequenceToMatch))
697     {
698         return _stopableHandler(sequenceToMatch);
699     }
700     return true;
701 }
702
703 public void AddAllPartialMatchedToResults(IEnumerable<ulong> sequencesToMatch)
704 {
705     foreach (var sequenceToMatch in sequencesToMatch)
706     {
707         if (PartialMatch(sequenceToMatch))
708         {
709             _results.Add(sequenceToMatch);
710         }
711     }
712 }
713
714 public void AddAllPartialMatchedToResultsAndReadAsElements(IEnumerable<ulong>
715 ↪ sequencesToMatch)
716 {
717     foreach (var sequenceToMatch in sequencesToMatch)
718     {
719         if (PartialMatch(sequenceToMatch))
720         {
721             _readAsElements.Add(sequenceToMatch);
722             _results.Add(sequenceToMatch);
723         }
724     }
725 }
726
727 #endregion
728 }
729 }

```

./Platform.Data.Doublets/Sequences/Sequences.Experiments.cs

```
1 using System;
2 using LinkIndex = System.UInt64;
3 using System.Collections.Generic;
4 using Stack = System.Collections.Generic.Stack<ulong>;
5 using System.Linq;
6 using System.Text;
7 using Platform.Collections;
8 using Platform.Numbers;
9 using Platform.Data.Exceptions;
10 using Platform.Data.Sequences;
11 using Platform.Data.Doublets.Sequences.Frequencies.Counters;
12 using Platform.Data.Doublets.Sequences.Walkers;
13
14 namespace Platform.Data.Doublets.Sequences
15 {
16     partial class Sequences
17     {
18         #region Create All Variants (Not Practical)
19
20         /// <remarks>
21         /// Number of links that is needed to generate all variants for
22         /// sequence of length N corresponds to https://oeis.org/A014143/list sequence.
23         /// </remarks>
24         public ulong[] CreateAllVariants2(ulong[] sequence)
25         {
26             return Sync.ExecuteWriteOperation(() =>
27             {
28                 if (sequence.IsNullOrEmpty())
29                 {
30                     return new ulong[0];
31                 }
32                 Links.EnsureEachLinkExists(sequence);
33                 if (sequence.Length == 1)
34                 {
35                     return sequence;
36                 }
37                 return CreateAllVariants2Core(sequence, 0, sequence.Length - 1);
38             });
39         }
40
41         private ulong[] CreateAllVariants2Core(ulong[] sequence, long startAt, long stopAt)
42         {
43             #if DEBUG
44                 if ((stopAt - startAt) < 0)
45                 {
46                     throw new ArgumentOutOfRangeException(nameof(startAt), "startAt должен быть
47                     ↪ меньше или равен stopAt");
48                 }
49                 #endif
50                 if ((stopAt - startAt) == 0)
51                 {
52                     return new[] { sequence[startAt] };
53                 }
54                 if ((stopAt - startAt) == 1)
55                 {
56                     return new[] { Links.Unsync.CreateAndUpdate(sequence[startAt], sequence[stopAt])
57                     ↪ };
58                 }
59                 var variants = new ulong[(ulong)Numbers.Math.Catalan(stopAt - startAt)];
60                 var last = 0;
61                 for (var splitter = startAt; splitter < stopAt; splitter++)
62                 {
63                     var left = CreateAllVariants2Core(sequence, startAt, splitter);
64                     var right = CreateAllVariants2Core(sequence, splitter + 1, stopAt);
65                     for (var i = 0; i < left.Length; i++)
66                     {
67                         for (var j = 0; j < right.Length; j++)
68                         {
69                             var variant = Links.Unsync.CreateAndUpdate(left[i], right[j]);
70                             if (variant == _constants.Null)
71                             {
72                                 throw new NotImplementedException("Creation cancellation is not
73                                 ↪ implemented.");
74                             }
75                             variants[last++] = variant;
76                         }
77                     }
78                 }
79             }
80         }
81     }
82 }
```

```

76     return variants;
77 }
78
79 public List<ulong> CreateAllVariants1(params ulong[] sequence)
80 {
81     return Sync.ExecuteWriteOperation(() =>
82     {
83         if (sequence.IsNullOrEmpty())
84         {
85             return new List<ulong>();
86         }
87         Links.Unsync.EnsureEachLinkExists(sequence);
88         if (sequence.Length == 1)
89         {
90             return new List<ulong> { sequence[0] };
91         }
92         var results = new List<ulong>((int)Numbers.Math.Catalan(sequence.Length));
93         return CreateAllVariants1Core(sequence, results);
94     });
95 }
96
97 private List<ulong> CreateAllVariants1Core(ulong[] sequence, List<ulong> results)
98 {
99     if (sequence.Length == 2)
100     {
101         var link = Links.Unsync.CreateAndUpdate(sequence[0], sequence[1]);
102         if (link == _constants.Null)
103         {
104             throw new NotImplementedException("Creation cancellation is not
105                 ↳ implemented.");
106         }
107         results.Add(link);
108         return results;
109     }
110     var innerSequenceLength = sequence.Length - 1;
111     var innerSequence = new ulong[innerSequenceLength];
112     for (var li = 0; li < innerSequenceLength; li++)
113     {
114         var link = Links.Unsync.CreateAndUpdate(sequence[li], sequence[li + 1]);
115         if (link == _constants.Null)
116         {
117             throw new NotImplementedException("Creation cancellation is not
118                 ↳ implemented.");
119         }
120         for (var isi = 0; isi < li; isi++)
121         {
122             innerSequence[isi] = sequence[isi];
123         }
124         innerSequence[li] = link;
125         for (var isi = li + 1; isi < innerSequenceLength; isi++)
126         {
127             innerSequence[isi] = sequence[isi + 1];
128         }
129         CreateAllVariants1Core(innerSequence, results);
130     }
131     return results;
132 }
133
134 #endregion
135
136 public HashSet<ulong> Each1(params ulong[] sequence)
137 {
138     var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
139     Each1(link =>
140     {
141         if (!visitedLinks.Contains(link))
142         {
143             visitedLinks.Add(link); // изучить почему случаются повторы
144         }
145         return true;
146     }, sequence);
147     return visitedLinks;
148 }
149
150 private void Each1(Func<ulong, bool> handler, params ulong[] sequence)
151 {
152     if (sequence.Length == 2)
153     {
154

```



```

152     Links.Unsync.Each(sequence[0], sequence[1], handler);
153 }
154 else
155 {
156     var innerSequenceLength = sequence.Length - 1;
157     for (var li = 0; li < innerSequenceLength; li++)
158     {
159         var left = sequence[li];
160         var right = sequence[li + 1];
161         if (left == 0 && right == 0)
162         {
163             continue;
164         }
165         var linkIndex = li;
166         ulong[] innerSequence = null;
167         Links.Unsync.Each(left, right, doublet =>
168         {
169             if (innerSequence == null)
170             {
171                 innerSequence = new ulong[innerSequenceLength];
172                 for (var isi = 0; isi < linkIndex; isi++)
173                 {
174                     innerSequence[isi] = sequence[isi];
175                 }
176                 for (var isi = linkIndex + 1; isi < innerSequenceLength; isi++)
177                 {
178                     innerSequence[isi] = sequence[isi + 1];
179                 }
180             }
181             innerSequence[linkIndex] = doublet;
182             Each1(handler, innerSequence);
183             return _constants.Continue;
184         });
185     }
186 }
187
188
189 public HashSet<ulong> EachPart(params ulong[] sequence)
190 {
191     var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
192     EachPartCore(link =>
193     {
194         if (!visitedLinks.Contains(link))
195         {
196             visitedLinks.Add(link); // изучить почему случаются повторы
197         }
198         return true;
199     }, sequence);
200     return visitedLinks;
201 }
202
203 public void EachPart(Func<ulong, bool> handler, params ulong[] sequence)
204 {
205     var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
206     EachPartCore(link =>
207     {
208         if (!visitedLinks.Contains(link))
209         {
210             visitedLinks.Add(link); // изучить почему случаются повторы
211             return handler(link);
212         }
213         return true;
214     }, sequence);
215 }
216
217 private void EachPartCore(Func<ulong, bool> handler, params ulong[] sequence)
218 {
219     if (sequence.IsNullOrEmpty())
220     {
221         return;
222     }
223     Links.EnsureEachLinkIsAnyOrExists(sequence);
224     if (sequence.Length == 1)
225     {
226         var link = sequence[0];
227         if (link > 0)
228         {
229             handler(link);
230         }
231     }

```

```

231         else
232         {
233             Links.Each(_constants.Any, _constants.Any, handler);
234         }
235     }
236     else if (sequence.Length == 2)
237     {
238         //_links.Each(sequence[0], sequence[1], handler);
239         //  o_|      x_o ...
240         // x_|      |__|
241         Links.Each(sequence[1], _constants.Any, doublet =>
242         {
243             var match = Links.SearchOrDefault(sequence[0], doublet);
244             if (match != _constants.Null)
245             {
246                 handler(match);
247             }
248             return true;
249         });
250         // |_x      ... x_o
251         // |_o      |__|
252         Links.Each(_constants.Any, sequence[0], doublet =>
253         {
254             var match = Links.SearchOrDefault(doublet, sequence[1]);
255             if (match != 0)
256             {
257                 handler(match);
258             }
259             return true;
260         });
261         //      . _x o _ .
262         //      |__|
263         PartialStepRight(x => handler(x), sequence[0], sequence[1]);
264     }
265     else
266     {
267         // TODO: Implement other variants
268         return;
269     }
270 }
271
272 private void PartialStepRight(Action<ulong> handler, ulong left, ulong right)
273 {
274     Links.Unsync.Each(_constants.Any, left, doublet =>
275     {
276         StepRight(handler, doublet, right);
277         if (left != doublet)
278         {
279             PartialStepRight(handler, doublet, right);
280         }
281         return true;
282     });
283 }
284
285 private void StepRight(Action<ulong> handler, ulong left, ulong right)
286 {
287     Links.Unsync.Each(left, _constants.Any, rightStep =>
288     {
289         TryStepRightUp(handler, right, rightStep);
290         return true;
291     });
292 }
293
294 private void TryStepRightUp(Action<ulong> handler, ulong right, ulong stepFrom)
295 {
296     var upStep = stepFrom;
297     var firstSource = Links.Unsync.GetTarget(upStep);
298     while (firstSource != right && firstSource != upStep)
299     {
300         upStep = firstSource;
301         firstSource = Links.Unsync.GetSource(upStep);
302     }
303     if (firstSource == right)
304     {
305         handler(stepFrom);
306     }
307 }
308
309 // TODO: Test

```

```

310 private void PartialStepLeft(Action<ulong> handler, ulong left, ulong right)
311 {
312     Links.Unsync.Each(right, _constants.Any, doublet =>
313     {
314         StepLeft(handler, left, doublet);
315         if (right != doublet)
316         {
317             PartialStepLeft(handler, left, doublet);
318         }
319         return true;
320     });
321 }
322
323 private void StepLeft(Action<ulong> handler, ulong left, ulong right)
324 {
325     Links.Unsync.Each(_constants.Any, right, leftStep =>
326     {
327         TryStepLeftUp(handler, left, leftStep);
328         return true;
329     });
330 }
331
332 private void TryStepLeftUp(Action<ulong> handler, ulong left, ulong stepFrom)
333 {
334     var upStep = stepFrom;
335     var firstTarget = Links.Unsync.GetSource(upStep);
336     while (firstTarget != left && firstTarget != upStep)
337     {
338         upStep = firstTarget;
339         firstTarget = Links.Unsync.GetTarget(upStep);
340     }
341     if (firstTarget == left)
342     {
343         handler(stepFrom);
344     }
345 }
346
347 private bool StartsWith(ulong sequence, ulong link)
348 {
349     var upStep = sequence;
350     var firstSource = Links.Unsync.GetSource(upStep);
351     while (firstSource != link && firstSource != upStep)
352     {
353         upStep = firstSource;
354         firstSource = Links.Unsync.GetSource(upStep);
355     }
356     return firstSource == link;
357 }
358
359 private bool EndsWith(ulong sequence, ulong link)
360 {
361     var upStep = sequence;
362     var lastTarget = Links.Unsync.GetTarget(upStep);
363     while (lastTarget != link && lastTarget != upStep)
364     {
365         upStep = lastTarget;
366         lastTarget = Links.Unsync.GetTarget(upStep);
367     }
368     return lastTarget == link;
369 }
370
371 public List<ulong> GetAllMatchingSequences0(params ulong[] sequence)
372 {
373     return Sync.ExecuteReadOperation(() =>
374     {
375         var results = new List<ulong>();
376         if (sequence.Length > 0)
377         {
378             Links.EnsureEachLinkExists(sequence);
379             var firstElement = sequence[0];
380             if (sequence.Length == 1)
381             {
382                 results.Add(firstElement);
383                 return results;
384             }
385             if (sequence.Length == 2)
386             {
387                 var doublet = Links.SearchOrDefault(firstElement, sequence[1]);
388                 if (doublet != _constants.Null)

```

```

389         {
390             results.Add(doublet);
391         }
392         return results;
393     }
394     var linksInSequence = new HashSet<ulong>(sequence);
395     void handler(ulong result)
396     {
397         var filterPosition = 0;
398         StopableSequenceWalker.WalkRight(result, Links.Unsync.GetSource,
399             ↪ Links.Unsync.GetTarget,
400             ↪ x => linksInSequence.Contains(x) || Links.Unsync.GetTarget(x) == x,
401             {
402                 if (filterPosition == sequence.Length)
403                 {
404                     filterPosition = -2; // Длиннее чем нужно
405                     return false;
406                 }
407                 if (x != sequence[filterPosition])
408                 {
409                     filterPosition = -1;
410                     return false; // Начинается иначе
411                 }
412                 filterPosition++;
413                 return true;
414             });
415         if (filterPosition == sequence.Length)
416         {
417             results.Add(result);
418         }
419     }
420     if (sequence.Length >= 2)
421     {
422         StepRight(handler, sequence[0], sequence[1]);
423     }
424     var last = sequence.Length - 2;
425     for (var i = 1; i < last; i++)
426     {
427         PartialStepRight(handler, sequence[i], sequence[i + 1]);
428     }
429     if (sequence.Length >= 3)
430     {
431         StepLeft(handler, sequence[sequence.Length - 2],
432             ↪ sequence[sequence.Length - 1]);
433     }
434     }
435     return results;
436 }
437
438 public HashSet<ulong> GetAllMatchingSequences1(params ulong[] sequence)
439 {
440     return Sync.ExecuteReadOperation(() =>
441     {
442         var results = new HashSet<ulong>();
443         if (sequence.Length > 0)
444         {
445             Links.EnsureEachLinkExists(sequence);
446             var firstElement = sequence[0];
447             if (sequence.Length == 1)
448             {
449                 results.Add(firstElement);
450                 return results;
451             }
452             if (sequence.Length == 2)
453             {
454                 var doublet = Links.SearchOrDefault(firstElement, sequence[1]);
455                 if (doublet != _constants.Null)
456                 {
457                     results.Add(doublet);
458                 }
459                 return results;
460             }
461             var matcher = new Matcher(this, sequence, results, null);
462             if (sequence.Length >= 2)
463             {
464                 StepRight(matcher.AddFullMatchedToResults, sequence[0], sequence[1]);

```

```

465     }
466     var last = sequence.Length - 2;
467     for (var i = 1; i < last; i++)
468     {
469         PartialStepRight(matcher.AddFullMatchedToResults, sequence[i],
470             ↪ sequence[i + 1]);
471     }
472     if (sequence.Length >= 3)
473     {
474         StepLeft(matcher.AddFullMatchedToResults, sequence[sequence.Length - 2],
475             ↪ sequence[sequence.Length - 1]);
476     }
477     }
478     return results;
479 }
480 });
481
482 public const int MaxSequenceFormatSize = 200;
483
484 public string FormatSequence(LinkIndex sequenceLink, params LinkIndex[] knownElements)
485     ↪ => FormatSequence(sequenceLink, (sb, x) => sb.Append(x), true, knownElements);
486
487 public string FormatSequence(LinkIndex sequenceLink, Action<StringBuilder, LinkIndex>
488     ↪ elementToString, bool insertComma, params LinkIndex[] knownElements) =>
489     ↪ Links.SyncRoot.ExecuteReadOperation(() => FormatSequence(Links.Unsync, sequenceLink,
490     ↪ elementToString, insertComma, knownElements));
491
492 private string FormatSequence(ILinks<LinkIndex> links, LinkIndex sequenceLink,
493     ↪ Action<StringBuilder, LinkIndex> elementToString, bool insertComma, params
494     ↪ LinkIndex[] knownElements)
495 {
496     var linksInSequence = new HashSet<ulong>(knownElements);
497     //var entered = new HashSet<ulong>();
498     var sb = new StringBuilder();
499     sb.Append('{');
500     if (links.Exists(sequenceLink))
501     {
502         StopableSequenceWalker.WalkRight(sequenceLink, links.GetSource, links.GetTarget,
503             x => linksInSequence.Contains(x) || links.IsPartialPoint(x), element => //
504             ↪ entered.AddAndReturnVoid, x => { }, entered.DoNotContains
505             {
506                 if (insertComma && sb.Length > 1)
507                 {
508                     sb.Append(',');
509                 }
510                 //if (entered.Contains(element))
511                 //{
512                 //    sb.Append('{');
513                 //    elementToString(sb, element);
514                 //    sb.Append('}');
515                 //}
516                 //else
517                 elementToString(sb, element);
518                 if (sb.Length < MaxSequenceFormatSize)
519                 {
520                     return true;
521                 }
522                 sb.Append(insertComma ? ", ..." : "...");
523                 return false;
524             }
525     });
526     sb.Append('}');
527     return sb.ToString();
528 }
529
530 public string SafeFormatSequence(LinkIndex sequenceLink, params LinkIndex[]
531     ↪ knownElements) => SafeFormatSequence(sequenceLink, (sb, x) => sb.Append(x), true,
532     ↪ knownElements);
533
534 public string SafeFormatSequence(LinkIndex sequenceLink, Action<StringBuilder,
535     ↪ LinkIndex> elementToString, bool insertComma, params LinkIndex[] knownElements) =>
536     ↪ Links.SyncRoot.ExecuteReadOperation(() => SafeFormatSequence(Links.Unsync,
537     ↪ sequenceLink, elementToString, insertComma, knownElements));
538
539 private string SafeFormatSequence(ILinks<LinkIndex> links, LinkIndex sequenceLink,
540     ↪ Action<StringBuilder, LinkIndex> elementToString, bool insertComma, params
541     ↪ LinkIndex[] knownElements)
542 {

```

```

527     var linksInSequence = new HashSet<ulong>(knownElements);
528     var entered = new HashSet<ulong>();
529     var sb = new StringBuilder();
530     sb.Append('{');
531     if (links.Exists(sequenceLink))
532     {
533         StopableSequenceWalker.WalkRight(sequenceLink, links.GetSource, links.GetTarget,
534             x => linksInSequence.Contains(x) || links.IsFullPoint(x),
535             entered.AddAndReturnVoid, x => { }, entered.DoNotContains, element =>
536             {
537                 if (insertComma && sb.Length > 1)
538                 {
539                     sb.Append(',');
540                 }
541                 if (entered.Contains(element))
542                 {
543                     sb.Append('{');
544                     elementToString(sb, element);
545                     sb.Append('}');
546                 }
547                 else
548                 {
549                     elementToString(sb, element);
550                 }
551                 if (sb.Length < MaxSequenceFormatSize)
552                 {
553                     return true;
554                 }
555                 sb.Append(insertComma ? ", ..." : "...");
556                 return false;
557             });
558     }
559     sb.Append('}');
560     return sb.ToString();
561 }
562
563 public List<ulong> GetAllPartiallyMatchingSequences0(params ulong[] sequence)
564 {
565     return Sync.ExecuteReadOperation(() =>
566     {
567         if (sequence.Length > 0)
568         {
569             Links.EnsureEachLinkExists(sequence);
570             var results = new HashSet<ulong>();
571             for (var i = 0; i < sequence.Length; i++)
572             {
573                 AllUsagesCore(sequence[i], results);
574             }
575             var filteredResults = new List<ulong>();
576             var linksInSequence = new HashSet<ulong>(sequence);
577             foreach (var result in results)
578             {
579                 var filterPosition = -1;
580                 StopableSequenceWalker.WalkRight(result, Links.Unsync.GetSource,
581                     Links.Unsync.GetTarget,
582                     x => linksInSequence.Contains(x) || Links.Unsync.GetTarget(x) == x,
583                     x =>
584                     {
585                         if (filterPosition == (sequence.Length - 1))
586                         {
587                             return false;
588                         }
589                         if (filterPosition >= 0)
590                         {
591                             if (x == sequence[filterPosition + 1])
592                             {
593                                 filterPosition++;
594                             }
595                             else
596                             {
597                                 return false;
598                             }
599                         }
600                         if (filterPosition < 0)
601                         {
602                             if (x == sequence[0])
603                             {
604                                 filterPosition = 0;

```

```

602         }
603     }
604     return true;
605 });
606 if (filterPosition == (sequence.Length - 1))
607 {
608     filteredResults.Add(result);
609 }
610 }
611 return filteredResults;
612 }
613 return new List<ulong>();
614 });
615 }
616
617 public HashSet<ulong> GetAllPartiallyMatchingSequences1(params ulong[] sequence)
618 {
619     return Sync.ExecuteReadOperation(() =>
620     {
621         if (sequence.Length > 0)
622         {
623             Links.EnsureEachLinkExists(sequence);
624             var results = new HashSet<ulong>();
625             for (var i = 0; i < sequence.Length; i++)
626             {
627                 AllUsagesCore(sequence[i], results);
628             }
629             var filteredResults = new HashSet<ulong>();
630             var matcher = new Matcher(this, sequence, filteredResults, null);
631             matcher.AddAllPartialMatchedToResults(results);
632             return filteredResults;
633         }
634         return new HashSet<ulong>();
635     });
636 }
637
638 public bool GetAllPartiallyMatchingSequences2(Func<ulong, bool> handler, params ulong[]
639 ↪ sequence)
640 {
641     return Sync.ExecuteReadOperation(() =>
642     {
643         if (sequence.Length > 0)
644         {
645             Links.EnsureEachLinkExists(sequence);
646
647             var results = new HashSet<ulong>();
648             var filteredResults = new HashSet<ulong>();
649             var matcher = new Matcher(this, sequence, filteredResults, handler);
650             for (var i = 0; i < sequence.Length; i++)
651             {
652                 if (!AllUsagesCore1(sequence[i], results, matcher.HandlePartialMatched))
653                 {
654                     return false;
655                 }
656             }
657             return true;
658         }
659         return true;
660     });
661 }
662
663 //public HashSet<ulong> GetAllPartiallyMatchingSequences3(params ulong[] sequence)
664 //{
665 //    return Sync.ExecuteReadOperation(() =>
666 //    {
667 //        if (sequence.Length > 0)
668 //        {
669 //            _links.EnsureEachLinkIsAnyOrExists(sequence);
670
671 //            var firstResults = new HashSet<ulong>();
672 //            var lastResults = new HashSet<ulong>();
673
674 //            var first = sequence.First(x => x != LinksConstants.Any);
675 //            var last = sequence.Last(x => x != LinksConstants.Any);
676
677 //            AllUsagesCore(first, firstResults);
678 //            AllUsagesCore(last, lastResults);
679 //            firstResults.IntersectWith(lastResults);

```

```

680
681 //          //for (var i = 0; i < sequence.Length; i++)
682 //          //    AllUsagesCore(sequence[i], results);
683
684 //          var filteredResults = new HashSet<ulong>();
685 //          var matcher = new Matcher(this, sequence, filteredResults, null);
686 //          matcher.AddAllPartialMatchedToResults(firstResults);
687 //          return filteredResults;
688 //      }
689
690 //      return new HashSet<ulong>();
691 //  });
692 //}
693
694 public HashSet<ulong> GetAllPartiallyMatchingSequences3(params ulong[] sequence)
695 {
696     return Sync.ExecuteReadOperation(() =>
697     {
698         if (sequence.Length > 0)
699         {
700             Links.EnsureEachLinkIsAnyOrExists(sequence);
701             var firstResults = new HashSet<ulong>();
702             var lastResults = new HashSet<ulong>();
703             var first = sequence.First(x => x != _constants.Any);
704             var last = sequence.Last(x => x != _constants.Any);
705             AllUsagesCore(first, firstResults);
706             AllUsagesCore(last, lastResults);
707             firstResults.IntersectWith(lastResults);
708             //for (var i = 0; i < sequence.Length; i++)
709             //    AllUsagesCore(sequence[i], results);
710             var filteredResults = new HashSet<ulong>();
711             var matcher = new Matcher(this, sequence, filteredResults, null);
712             matcher.AddAllPartialMatchedToResults(firstResults);
713             return filteredResults;
714         }
715         return new HashSet<ulong>();
716     });
717 }
718
719 public HashSet<ulong> GetAllPartiallyMatchingSequences4(HashSet<ulong> readAsElements,
720 ↪ IList<ulong> sequence)
721 {
722     return Sync.ExecuteReadOperation(() =>
723     {
724         if (sequence.Count > 0)
725         {
726             Links.EnsureEachLinkExists(sequence);
727             var results = new HashSet<LinkIndex>();
728             //var nextResults = new HashSet<ulong>();
729             //for (var i = 0; i < sequence.Length; i++)
730             //{
731             //    AllUsagesCore(sequence[i], nextResults);
732             //    if (results.IsNullOrEmpty())
733             //    {
734             //        results = nextResults;
735             //        nextResults = new HashSet<ulong>();
736             //    }
737             //    else
738             //    {
739             //        results.IntersectWith(nextResults);
740             //        nextResults.Clear();
741             //    }
742             //}
743             var collector1 = new AllUsagesCollector1(Links.Unsync, results);
744             collector1.Collect(Links.Unsync.GetLink(sequence[0]));
745             var next = new HashSet<ulong>();
746             for (var i = 1; i < sequence.Count; i++)
747             {
748                 var collector = new AllUsagesCollector1(Links.Unsync, next);
749                 collector.Collect(Links.Unsync.GetLink(sequence[i]));
750
751                 results.IntersectWith(next);
752                 next.Clear();
753             }
754             var filteredResults = new HashSet<ulong>();
755             var matcher = new Matcher(this, sequence, filteredResults, null,
756 ↪ readAsElements);

```



```

        matcher.AddAllPartialMatchedToResultsAndReadAsElements(results.OrderBy(x =>
            ↪ x)); // OrderBy is a Hack
        return filteredResults;
    }
    return new HashSet<ulong>();
});
}

// Does not work
public HashSet<ulong> GetAllPartiallyMatchingSequences5(HashSet<ulong> readAsElements,
    ↪ params ulong[] sequence)
{
    var visited = new HashSet<ulong>();
    var results = new HashSet<ulong>();
    var matcher = new Matcher(this, sequence, visited, x => { results.Add(x); return
        ↪ true; }, readAsElements);
    var last = sequence.Length - 1;
    for (var i = 0; i < last; i++)
    {
        PartialStepRight(matcher.PartialMatch, sequence[i], sequence[i + 1]);
    }
    return results;
}

public List<ulong> GetAllPartiallyMatchingSequences(params ulong[] sequence)
{
    return Sync.ExecuteReadOperation(() =>
    {
        if (sequence.Length > 0)
        {
            Links.EnsureEachLinkExists(sequence);
            //var firstElement = sequence[0];
            //if (sequence.Length == 1)
            //{
            //    //results.Add(firstElement);
            //    return results;
            //}
            //if (sequence.Length == 2)
            //{
            //    //var doublet = _links.SearchCore(firstElement, sequence[1]);
            //    //if (doublet != Doublets.Links.Null)
            //    //    results.Add(doublet);
            //    return results;
            //}
            //var lastElement = sequence[sequence.Length - 1];
            //Func<ulong, bool> handler = x =>
            //{
            //    if (StartsWith(x, firstElement) && EndsWith(x, lastElement))
            //        ↪ results.Add(x);
            //    return true;
            //};
            //if (sequence.Length >= 2)
            //    StepRight(handler, sequence[0], sequence[1]);
            //var last = sequence.Length - 2;
            //for (var i = 1; i < last; i++)
            //    PartialStepRight(handler, sequence[i], sequence[i + 1]);
            //if (sequence.Length >= 3)
            //    StepLeft(handler, sequence[sequence.Length - 2],
            //        ↪ sequence[sequence.Length - 1]);
            //if (sequence.Length == 1)
            //    {
            //        throw new NotImplementedException(); // all sequences, containing
            //        ↪ this element?
            //    }
            //if (sequence.Length == 2)
            //    {
            //        var results = new List<ulong>();
            //        PartialStepRight(results.Add, sequence[0], sequence[1]);
            //        return results;
            //    }
            //var matches = new List<List<ulong>>();
            //var last = sequence.Length - 1;
            //for (var i = 0; i < last; i++)
            //    {
            //        var results = new List<ulong>();
            //        //StepRight(results.Add, sequence[i], sequence[i + 1]);
            //        PartialStepRight(results.Add, sequence[i], sequence[i + 1]);
        }
    }
}

```

```

826         if (results.Count > 0)
827             matches.Add(results);
828         else
829             return results;
830         if (matches.Count == 2)
831         {
832             var merged = new List<ulong>();
833             for (var j = 0; j < matches[0].Count; j++)
834                 for (var k = 0; k < matches[1].Count; k++)
835                     CloseInnerConnections(merged.Add, matches[0][j],
836                                     ↪ matches[1][k]);
837             if (merged.Count > 0)
838                 matches = new List<List<ulong>> { merged };
839             else
840                 return new List<ulong>();
841         }
842         if (matches.Count > 0)
843         {
844             var usages = new HashSet<ulong>();
845             for (int i = 0; i < sequence.Length; i++)
846             {
847                 AllUsagesCore(sequence[i], usages);
848             }
849             //for (int i = 0; i < matches[0].Count; i++)
850             //    AllUsagesCore(matches[0][i], usages);
851             //usages.UnionWith(matches[0]);
852             return usages.ToList();
853         }
854         var firstLinkUsages = new HashSet<ulong>();
855         AllUsagesCore(sequence[0], firstLinkUsages);
856         firstLinkUsages.Add(sequence[0]);
857         //var previousMatchings = firstLinkUsages.ToList(); //new List<ulong>() {
858         ↪ sequence[0] }; // or all sequences, containing this element?
859         //return GetAllPartiallyMatchingSequencesCore(sequence, firstLinkUsages,
860         ↪ 1).ToList();
861         var results = new HashSet<ulong>();
862         foreach (var match in GetAllPartiallyMatchingSequencesCore(sequence,
863         ↪ firstLinkUsages, 1))
864         {
865             AllUsagesCore(match, results);
866         }
867         return results.ToList();
868     }
869     return new List<ulong>();
870 });
871 }
872
873 /// <remarks>
874 /// TODO: Может потребоваться ограничение на уровень глубины рекурсии
875 /// </remarks>
876 public HashSet<ulong> AllUsages(ulong link)
877 {
878     return Sync.ExecuteReadOperation(() =>
879     {
880         var usages = new HashSet<ulong>();
881         AllUsagesCore(link, usages);
882         return usages;
883     });
884 }
885
886 // При сборе всех использований (последовательностей) можно сохранять обратный путь к
887 ↪ той связи с которой начинался поиск (STTTSSSTT),
888 // причём достаточно одного бита для хранения перехода влево или вправо
889 private void AllUsagesCore(ulong link, HashSet<ulong> usages)
890 {
891     bool handler(ulong doublet)
892     {
893         if (usages.Add(doublet))
894         {
895             AllUsagesCore(doublet, usages);
896         }
897         return true;
898     }
899     Links.Unsync.Each(link, _constants.Any, handler);
900     Links.Unsync.Each(_constants.Any, link, handler);
901 }

```

```

898
899 public HashSet<ulong> AllBottomUsages(ulong link)
900 {
901     return Sync.ExecuteReadOperation(() =>
902     {
903         var visits = new HashSet<ulong>();
904         var usages = new HashSet<ulong>();
905         AllBottomUsagesCore(link, visits, usages);
906         return usages;
907     });
908 }
909
910 private void AllBottomUsagesCore(ulong link, HashSet<ulong> visits, HashSet<ulong>
↪ usages)
911 {
912     bool handler(ulong doublet)
913     {
914         if (visits.Add(doublet))
915         {
916             AllBottomUsagesCore(doublet, visits, usages);
917         }
918         return true;
919     }
920     if (Links.Unsync.Count(_constants.Any, link) == 0)
921     {
922         usages.Add(link);
923     }
924     else
925     {
926         Links.Unsync.Each(link, _constants.Any, handler);
927         Links.Unsync.Each(_constants.Any, link, handler);
928     }
929 }
930
931 public ulong CalculateTotalSymbolFrequencyCore(ulong symbol)
932 {
933     if (Options.UseSequenceMarker)
934     {
935         var counter = new TotalMarkedSequenceSymbolFrequencyOneOffCounter<ulong>(Links,
↪ Options.MarkedSequenceMatcher, symbol);
936         return counter.Count();
937     }
938     else
939     {
940         var counter = new TotalSequenceSymbolFrequencyOneOffCounter<ulong>(Links,
↪ symbol);
941         return counter.Count();
942     }
943 }
944
945 private bool AllUsagesCore1(ulong link, HashSet<ulong> usages, Func<ulong, bool>
↪ outerHandler)
946 {
947     bool handler(ulong doublet)
948     {
949         if (usages.Add(doublet))
950         {
951             if (!outerHandler(doublet))
952             {
953                 return false;
954             }
955             if (!AllUsagesCore1(doublet, usages, outerHandler))
956             {
957                 return false;
958             }
959         }
960         return true;
961     }
962     return Links.Unsync.Each(link, _constants.Any, handler)
963         && Links.Unsync.Each(_constants.Any, link, handler);
964 }
965
966 public void CalculateAllUsages(ulong[] totals)
967 {
968     var calculator = new AllUsagesCalculator(Links, totals);
969     calculator.Calculate();
970 }
971

```

```

972 public void CalculateAllUsages2(ulong[] totals)
973 {
974     var calculator = new AllUsagesCalculator2(Links, totals);
975     calculator.Calculate();
976 }
977
978 private class AllUsagesCalculator
979 {
980     private readonly SynchronizedLinks<ulong> _links;
981     private readonly ulong[] _totals;
982
983     public AllUsagesCalculator(SynchronizedLinks<ulong> links, ulong[] totals)
984     {
985         _links = links;
986         _totals = totals;
987     }
988
989     public void Calculate() => _links.Each(_constants.Any, _constants.Any,
990         ↪ CalculateCore);
991
992     private bool CalculateCore(ulong link)
993     {
994         if (_totals[link] == 0)
995         {
996             var total = 1UL;
997             _totals[link] = total;
998             var visitedChildren = new HashSet<ulong>();
999             bool linkCalculator(ulong child)
1000             {
1001                 if (link != child && visitedChildren.Add(child))
1002                 {
1003                     total += _totals[child] == 0 ? 1 : _totals[child];
1004                 }
1005                 return true;
1006             }
1007             _links.Unsync.Each(link, _constants.Any, linkCalculator);
1008             _links.Unsync.Each(_constants.Any, link, linkCalculator);
1009             _totals[link] = total;
1010         }
1011         return true;
1012     }
1013 }
1014
1015 private class AllUsagesCalculator2
1016 {
1017     private readonly SynchronizedLinks<ulong> _links;
1018     private readonly ulong[] _totals;
1019
1020     public AllUsagesCalculator2(SynchronizedLinks<ulong> links, ulong[] totals)
1021     {
1022         _links = links;
1023         _totals = totals;
1024     }
1025
1026     public void Calculate() => _links.Each(_constants.Any, _constants.Any,
1027         ↪ CalculateCore);
1028
1029     private bool IsElement(ulong link)
1030     {
1031         // _linksInSequence.Contains(link) ||
1032         return _links.Unsync.GetTarget(link) == link || _links.Unsync.GetSource(link) ==
1033             ↪ link;
1034     }
1035
1036     private bool CalculateCore(ulong link)
1037     {
1038         // TODO: Проработать защиту от заикливания
1039         // Основано на SequenceWalker.WalkLeft
1040         Func<ulong, ulong> getSource = _links.Unsync.GetSource;
1041         Func<ulong, ulong> getTarget = _links.Unsync.GetTarget;
1042         Func<ulong, bool> isElement = IsElement;
1043         void visitLeaf(ulong parent)
1044         {
1045             if (link != parent)
1046             {
1047                 _totals[parent]++;
1048             }
1049         }
1050         void visitNode(ulong parent)

```

```

1048     {
1049         if (link != parent)
1050         {
1051             _totals[parent]++;
1052         }
1053     }
1054     var stack = new Stack();
1055     var element = link;
1056     if (isElement(element))
1057     {
1058         visitLeaf(element);
1059     }
1060     else
1061     {
1062         while (true)
1063         {
1064             if (isElement(element))
1065             {
1066                 if (stack.Count == 0)
1067                 {
1068                     break;
1069                 }
1070                 element = stack.Pop();
1071                 var source = getSource(element);
1072                 var target = getTarget(element);
1073                 // 06пабoтка элемеHта
1074                 if (isElement(target))
1075                 {
1076                     visitLeaf(target);
1077                 }
1078                 if (isElement(source))
1079                 {
1080                     visitLeaf(source);
1081                 }
1082                 element = source;
1083             }
1084             else
1085             {
1086                 stack.Push(element);
1087                 visitNode(element);
1088                 element = getTarget(element);
1089             }
1090         }
1091     }
1092     _totals[link]++;
1093     return true;
1094 }
1095
1096
1097 private class AllUsagesCollector
1098 {
1099     private readonly ILinks<ulong> _links;
1100     private readonly HashSet<ulong> _usages;
1101
1102     public AllUsagesCollector(ILinks<ulong> links, HashSet<ulong> usages)
1103     {
1104         _links = links;
1105         _usages = usages;
1106     }
1107
1108     public bool Collect(ulong link)
1109     {
1110         if (_usages.Add(link))
1111         {
1112             _links.Each(link, _constants.Any, Collect);
1113             _links.Each(_constants.Any, link, Collect);
1114         }
1115         return true;
1116     }
1117 }
1118
1119 private class AllUsagesCollector1
1120 {
1121     private readonly ILinks<ulong> _links;
1122     private readonly HashSet<ulong> _usages;
1123     private readonly ulong _continue;
1124
1125     public AllUsagesCollector1(ILinks<ulong> links, HashSet<ulong> usages)
1126     {

```

```

1127         _links = links;
1128         _usages = usages;
1129         _continue = _links.Constants.Continue;
1130     }
1131
1132     public ulong Collect(IList<ulong> link)
1133     {
1134         var linkIndex = _links.GetIndex(link);
1135         if (_usages.Add(linkIndex))
1136         {
1137             _links.Each(Collect, _constants.Any, linkIndex);
1138         }
1139         return _continue;
1140     }
1141 }
1142
1143 private class AllUsagesCollector2
1144 {
1145     private readonly ILinks<ulong> _links;
1146     private readonly BitString _usages;
1147
1148     public AllUsagesCollector2(ILinks<ulong> links, BitString usages)
1149     {
1150         _links = links;
1151         _usages = usages;
1152     }
1153
1154     public bool Collect(ulong link)
1155     {
1156         if (_usages.Add((long)link))
1157         {
1158             _links.Each(link, _constants.Any, Collect);
1159             _links.Each(_constants.Any, link, Collect);
1160         }
1161         return true;
1162     }
1163 }
1164
1165 private class AllUsagesIntersectingCollector
1166 {
1167     private readonly SynchronizedLinks<ulong> _links;
1168     private readonly HashSet<ulong> _intersectWith;
1169     private readonly HashSet<ulong> _usages;
1170     private readonly HashSet<ulong> _enter;
1171
1172     public AllUsagesIntersectingCollector(SynchronizedLinks<ulong> links, HashSet<ulong>
1173     ↪ intersectWith, HashSet<ulong> usages)
1174     {
1175         _links = links;
1176         _intersectWith = intersectWith;
1177         _usages = usages;
1178         _enter = new HashSet<ulong>(); // защита от зацикливания
1179     }
1180
1181     public bool Collect(ulong link)
1182     {
1183         if (_enter.Add(link))
1184         {
1185             if (_intersectWith.Contains(link))
1186             {
1187                 _usages.Add(link);
1188             }
1189             _links.Unsync.Each(link, _constants.Any, Collect);
1190             _links.Unsync.Each(_constants.Any, link, Collect);
1191         }
1192         return true;
1193     }
1194 }
1195
1196 private void CloseInnerConnections(Action<ulong> handler, ulong left, ulong right)
1197 {
1198     TryStepLeftUp(handler, left, right);
1199     TryStepRightUp(handler, right, left);
1200 }
1201
1202 private void AllCloseConnections(Action<ulong> handler, ulong left, ulong right)
1203 {
1204     // Direct
1205     if (left == right)
1206     {

```

```

1206         handler(left);
1207     }
1208     var doublet = Links.Unsync.SearchOrDefault(left, right);
1209     if (doublet != _constants.Null)
1210     {
1211         handler(doublet);
1212     }
1213     // Inner
1214     CloseInnerConnections(handler, left, right);
1215     // Outer
1216     StepLeft(handler, left, right);
1217     StepRight(handler, left, right);
1218     PartialStepRight(handler, left, right);
1219     PartialStepLeft(handler, left, right);
1220 }
1221
1222 private HashSet<ulong> GetAllPartiallyMatchingSequencesCore(ulong[] sequence,
1223     ↪ HashSet<ulong> previousMatchings, long startAt)
1224 {
1225     if (startAt >= sequence.Length) // ?
1226     {
1227         return previousMatchings;
1228     }
1229     var secondLinkUsages = new HashSet<ulong>();
1230     AllUsagesCore(sequence[startAt], secondLinkUsages);
1231     secondLinkUsages.Add(sequence[startAt]);
1232     var matchings = new HashSet<ulong>();
1233     //for (var i = 0; i < previousMatchings.Count; i++)
1234     foreach (var secondLinkUsage in secondLinkUsages)
1235     {
1236         foreach (var previousMatching in previousMatchings)
1237         {
1238             //AllCloseConnections(matchings.AddAndReturnVoid, previousMatching,
1239             ↪ secondLinkUsage);
1240             StepRight(matchings.AddAndReturnVoid, previousMatching, secondLinkUsage);
1241             TryStepRightUp(matchings.AddAndReturnVoid, secondLinkUsage,
1242             ↪ previousMatching);
1243             //PartialStepRight(matchings.AddAndReturnVoid, secondLinkUsage,
1244             ↪ sequence[startAt]); // почему-то эта ошибочная запись приводит к
1245             ↪ желаемым результатам.
1246             PartialStepRight(matchings.AddAndReturnVoid, previousMatching,
1247             ↪ secondLinkUsage);
1248         }
1249     }
1250     if (matchings.Count == 0)
1251     {
1252         return matchings;
1253     }
1254     return GetAllPartiallyMatchingSequencesCore(sequence, matchings, startAt + 1); // ??
1255 }
1256
1257 private static void EnsureEachLinkIsAnyOrZeroOrManyOrExists(SynchronizedLinks<ulong>
1258     ↪ links, params ulong[] sequence)
1259 {
1260     if (sequence == null)
1261     {
1262         return;
1263     }
1264     for (var i = 0; i < sequence.Length; i++)
1265     {
1266         if (sequence[i] != _constants.Any && sequence[i] != ZeroOrMany &&
1267             ↪ !links.Exists(sequence[i]))
1268         {
1269             throw new ArgumentLinkDoesNotExistsException<ulong>(sequence[i],
1270             ↪ $"patternSequence[{i}]");
1271         }
1272     }
1273 }
1274
1275 // Pattern Matching -> Key To Triggers
1276 public HashSet<ulong> MatchPattern(params ulong[] patternSequence)
1277 {
1278     return Sync.ExecuteReadOperation(() =>
1279     {
1280         patternSequence = Simplify(patternSequence);
1281         if (patternSequence.Length > 0)
1282         {

```

```

1274         EnsureEachLinkIsAnyOrZeroOrManyOrExists(Links, patternSequence);
1275         var uniqueSequenceElements = new HashSet<ulong>();
1276         for (var i = 0; i < patternSequence.Length; i++)
1277         {
1278             if (patternSequence[i] != _constants.Any && patternSequence[i] !=
1279                 ↪ ZeroOrMany)
1280             {
1281                 uniqueSequenceElements.Add(patternSequence[i]);
1282             }
1283         }
1284         var results = new HashSet<ulong>();
1285         foreach (var uniqueSequenceElement in uniqueSequenceElements)
1286         {
1287             AllUsagesCore(uniqueSequenceElement, results);
1288         }
1289         var filteredResults = new HashSet<ulong>();
1290         var matcher = new PatternMatcher(this, patternSequence, filteredResults);
1291         matcher.AddAllPatternMatchedToResults(results);
1292         return filteredResults;
1293     }
1294     return new HashSet<ulong>();
1295 });
1296 }
1297 // Найти все возможные связи между указанным списком связей.
1298 // Находит связи между всеми указанными связями в любом порядке.
1299 // TODO: решить что делать с повторами (когда одни и те же элементы встречаются
1300 ↪ несколько раз в последовательности)
1301 public HashSet<ulong> GetAllConnections(params ulong[] linksToConnect)
1302 {
1303     return Sync.ExecuteReadOperation(() =>
1304     {
1305         var results = new HashSet<ulong>();
1306         if (linksToConnect.Length > 0)
1307         {
1308             Links.EnsureEachLinkExists(linksToConnect);
1309             AllUsagesCore(linksToConnect[0], results);
1310             for (var i = 1; i < linksToConnect.Length; i++)
1311             {
1312                 var next = new HashSet<ulong>();
1313                 AllUsagesCore(linksToConnect[i], next);
1314                 results.IntersectWith(next);
1315             }
1316         }
1317         return results;
1318     });
1319 }
1320 public HashSet<ulong> GetAllConnections1(params ulong[] linksToConnect)
1321 {
1322     return Sync.ExecuteReadOperation(() =>
1323     {
1324         var results = new HashSet<ulong>();
1325         if (linksToConnect.Length > 0)
1326         {
1327             Links.EnsureEachLinkExists(linksToConnect);
1328             var collector1 = new AllUsagesCollector(Links.Unsync, results);
1329             collector1.Collect(linksToConnect[0]);
1330             var next = new HashSet<ulong>();
1331             for (var i = 1; i < linksToConnect.Length; i++)
1332             {
1333                 var collector = new AllUsagesCollector(Links.Unsync, next);
1334                 collector.Collect(linksToConnect[i]);
1335                 results.IntersectWith(next);
1336                 next.Clear();
1337             }
1338         }
1339         return results;
1340     });
1341 }
1342 public HashSet<ulong> GetAllConnections2(params ulong[] linksToConnect)
1343 {
1344     return Sync.ExecuteReadOperation(() =>
1345     {
1346         var results = new HashSet<ulong>();
1347         if (linksToConnect.Length > 0)
1348         {
1349

```



```

1350     Links.EnsureEachLinkExists(linksToConnect);
1351     var collector1 = new AllUsagesCollector(Links, results);
1352     collector1.Collect(linksToConnect[0]);
1353     //AllUsagesCore(linksToConnect[0], results);
1354     for (var i = 1; i < linksToConnect.Length; i++)
1355     {
1356         var next = new HashSet();
1357         var collector = new AllUsagesIntersectingCollector(Links, results, next);
1358         collector.Collect(linksToConnect[i]);
1359         //AllUsagesCore(linksToConnect[i], next);
1360         //results.IntersectWith(next);
1361         results = next;
1362     }
1363 }
1364 return results;
1365 });
1366 }
1367
1368 public List

```

```

1426         if (sequence[i] == ZeroOrMany)
1427         {
1428             if (zeroOrManyStepped)
1429             {
1430                 continue;
1431             }
1432             zeroOrManyStepped = true;
1433         }
1434         else
1435         {
1436             //if (zeroOrManyStepped) Is it efficient?
1437             zeroOrManyStepped = false;
1438         }
1439         newSequence[j++] = sequence[i];
1440     }
1441     return newSequence;
1442 }
1443
1444 public static void TestSimplify()
1445 {
1446     var sequence = new ulong[] { ZeroOrMany, ZeroOrMany, 2, 3, 4, ZeroOrMany,
1447     ↪ ZeroOrMany, ZeroOrMany, 4, ZeroOrMany, ZeroOrMany, ZeroOrMany };
1448     var simplifiedSequence = Simplify(sequence);
1449 }
1450
1451 public List<ulong> GetSimilarSequences() => new List<ulong>();
1452
1453 public void Prediction()
1454 {
1455     //_links
1456     //sequences
1457 }
1458
1459 #region From Triplets
1460
1461 //public static void DeleteSequence(Link sequence)
1462 //{
1463 //}
1464
1465 public List<ulong> CollectMatchingSequences(ulong[] links)
1466 {
1467     if (links.Length == 1)
1468     {
1469         throw new Exception("Подпоследовательности с одним элементом не
1470         ↪ поддерживаются.");
1471     }
1472     var leftBound = 0;
1473     var rightBound = links.Length - 1;
1474     var left = links[leftBound++];
1475     var right = links[rightBound--];
1476     var results = new List<ulong>();
1477     CollectMatchingSequences(left, leftBound, links, right, rightBound, ref results);
1478     return results;
1479 }
1480
1481 private void CollectMatchingSequences(ulong leftLink, int leftBound, ulong[]
1482 ↪ middleLinks, ulong rightLink, int rightBound, ref List<ulong> results)
1483 {
1484     var leftLinkTotalReferers = Links.Unsync.Count(leftLink);
1485     var rightLinkTotalReferers = Links.Unsync.Count(rightLink);
1486     if (leftLinkTotalReferers <= rightLinkTotalReferers)
1487     {
1488         var nextLeftLink = middleLinks[leftBound];
1489         var elements = GetRightElements(leftLink, nextLeftLink);
1490         if (leftBound <= rightBound)
1491         {
1492             for (var i = elements.Length - 1; i >= 0; i--)
1493             {
1494                 var element = elements[i];
1495                 if (element != 0)
1496                 {
1497                     CollectMatchingSequences(element, leftBound + 1, middleLinks,
1498                     ↪ rightLink, rightBound, ref results);
1499                 }
1500             }
1501         }
1502     }
1503     else
1504     {
1505         for (var i = elements.Length - 1; i >= 0; i--)

```

```

1501         {
1502             var element = elements[i];
1503             if (element != 0)
1504             {
1505                 results.Add(element);
1506             }
1507         }
1508     }
1509 }
1510 else
1511 {
1512     var nextRightLink = middleLinks[rightBound];
1513     var elements = GetLeftElements(rightLink, nextRightLink);
1514     if (leftBound <= rightBound)
1515     {
1516         for (var i = elements.Length - 1; i >= 0; i--)
1517         {
1518             var element = elements[i];
1519             if (element != 0)
1520             {
1521                 CollectMatchingSequences(leftLink, leftBound, middleLinks,
1522                     ↪ elements[i], rightBound - 1, ref results);
1523             }
1524         }
1525     }
1526     else
1527     {
1528         for (var i = elements.Length - 1; i >= 0; i--)
1529         {
1530             var element = elements[i];
1531             if (element != 0)
1532             {
1533                 results.Add(element);
1534             }
1535         }
1536     }
1537 }
1538
1539 public ulong[] GetRightElements(ulong startLink, ulong rightLink)
1540 {
1541     var result = new ulong[5];
1542     TryStepRight(startLink, rightLink, result, 0);
1543     Links.Each(_constants.Any, startLink, couple =>
1544     {
1545         if (couple != startLink)
1546         {
1547             if (TryStepRight(couple, rightLink, result, 2))
1548             {
1549                 return false;
1550             }
1551         }
1552         return true;
1553     });
1554     if (Links.GetTarget(Links.GetTarget(startLink)) == rightLink)
1555     {
1556         result[4] = startLink;
1557     }
1558     return result;
1559 }
1560
1561 public bool TryStepRight(ulong startLink, ulong rightLink, ulong[] result, int offset)
1562 {
1563     var added = 0;
1564     Links.Each(startLink, _constants.Any, couple =>
1565     {
1566         if (couple != startLink)
1567         {
1568             var coupleTarget = Links.GetTarget(couple);
1569             if (coupleTarget == rightLink)
1570             {
1571                 result[offset] = couple;
1572                 if (++added == 2)
1573                 {
1574                     return false;
1575                 }
1576             }

```

```

1577         else if (Links.GetSource(coupleTarget) == rightLink) // coupleTarget.Linker
1578             ↪ == Net.And &&
1579         {
1580             result[offset + 1] = couple;
1581             if (++added == 2)
1582             {
1583                 return false;
1584             }
1585         }
1586         return true;
1587     });
1588     return added > 0;
1589 }
1590
1591 public ulong[] GetLeftElements(ulong startLink, ulong leftLink)
1592 {
1593     var result = new ulong[5];
1594     TryStepLeft(startLink, leftLink, result, 0);
1595     Links.Each(startLink, _constants.Any, couple =>
1596     {
1597         if (couple != startLink)
1598         {
1599             if (TryStepLeft(couple, leftLink, result, 2))
1600             {
1601                 return false;
1602             }
1603         }
1604         return true;
1605     });
1606     if (Links.GetSource(Links.GetSource(leftLink)) == startLink)
1607     {
1608         result[4] = leftLink;
1609     }
1610     return result;
1611 }
1612
1613 public bool TryStepLeft(ulong startLink, ulong leftLink, ulong[] result, int offset)
1614 {
1615     var added = 0;
1616     Links.Each(_constants.Any, startLink, couple =>
1617     {
1618         if (couple != startLink)
1619         {
1620             var coupleSource = Links.GetSource(couple);
1621             if (coupleSource == leftLink)
1622             {
1623                 result[offset] = couple;
1624                 if (++added == 2)
1625                 {
1626                     return false;
1627                 }
1628             }
1629             else if (Links.GetTarget(coupleSource) == leftLink) // coupleSource.Linker
1630                 ↪ == Net.And &&
1631             {
1632                 result[offset + 1] = couple;
1633                 if (++added == 2)
1634                 {
1635                     return false;
1636                 }
1637             }
1638             return true;
1639         });
1640     return added > 0;
1641 }
1642
1643 #endregion
1644
1645 #region Walkers
1646
1647 public class PatternMatcher : RightSequenceWalker<ulong>
1648 {
1649     private readonly Sequences _sequences;
1650     private readonly ulong[] _patternSequence;
1651     private readonly HashSet<LinkIndex> _linksInSequence;
1652     private readonly HashSet<LinkIndex> _results;
1653
1654     #region Pattern Match

```

```

1655 enum PatternBlockType
1656 {
1657     Undefined,
1658     Gap,
1659     Elements
1660 }
1661
1662 struct PatternBlock
1663 {
1664     public PatternBlockType Type;
1665     public long Start;
1666     public long Stop;
1667 }
1668
1669 private readonly List<PatternBlock> _pattern;
1670 private int _patternPosition;
1671 private long _sequencePosition;
1672
1673 #endregion
1674
1675 public PatternMatcher(Sequences sequences, LinkIndex[] patternSequence,
1676     ↳ HashSet<LinkIndex> results)
1677     : base(sequences.Links.Unsync)
1678 {
1679     _sequences = sequences;
1680     _patternSequence = patternSequence;
1681     _linksInSequence = new HashSet<LinkIndex>(patternSequence.Where(x => x !=
1682     ↳ _constants.Any && x != ZeroOrMany));
1683     _results = results;
1684     _pattern = CreateDetailedPattern();
1685 }
1686
1687 protected override bool IsElement(IList<ulong> link) =>
1688     ↳ _linksInSequence.Contains(Links.GetIndex(link)) || base.IsElement(link);
1689
1690 public bool PatternMatch(LinkIndex sequenceToMatch)
1691 {
1692     _patternPosition = 0;
1693     _sequencePosition = 0;
1694     foreach (var part in Walk(sequenceToMatch))
1695     {
1696         if (!PatternMatchCore(Links.GetIndex(part)))
1697         {
1698             break;
1699         }
1700     }
1701     return _patternPosition == _pattern.Count || (_patternPosition == _pattern.Count
1702     ↳ - 1 && _pattern[_patternPosition].Start == 0);
1703 }
1704
1705 private List<PatternBlock> CreateDetailedPattern()
1706 {
1707     var pattern = new List<PatternBlock>();
1708     var patternBlock = new PatternBlock();
1709     for (var i = 0; i < _patternSequence.Length; i++)
1710     {
1711         if (patternBlock.Type == PatternBlockType.Undefined)
1712         {
1713             if (_patternSequence[i] == _constants.Any)
1714             {
1715                 patternBlock.Type = PatternBlockType.Gap;
1716                 patternBlock.Start = 1;
1717                 patternBlock.Stop = 1;
1718             }
1719             else if (_patternSequence[i] == ZeroOrMany)
1720             {
1721                 patternBlock.Type = PatternBlockType.Gap;
1722                 patternBlock.Start = 0;
1723                 patternBlock.Stop = long.MaxValue;
1724             }
1725             else
1726             {
1727                 patternBlock.Type = PatternBlockType.Elements;
1728                 patternBlock.Start = i;
1729                 patternBlock.Stop = i;
1730             }
1731         }
1732         else if (patternBlock.Type == PatternBlockType.Elements)
1733         {

```

```

1731         if (_patternSequence[i] == _constants.Any)
1732         {
1733             pattern.Add(patternBlock);
1734             patternBlock = new PatternBlock
1735             {
1736                 Type = PatternBlockType.Gap,
1737                 Start = 1,
1738                 Stop = 1
1739             };
1740         }
1741         else if (_patternSequence[i] == ZeroOrMany)
1742         {
1743             pattern.Add(patternBlock);
1744             patternBlock = new PatternBlock
1745             {
1746                 Type = PatternBlockType.Gap,
1747                 Start = 0,
1748                 Stop = long.MaxValue
1749             };
1750         }
1751         else
1752         {
1753             patternBlock.Stop = i;
1754         }
1755     }
1756     else // patternBlock.Type == PatternBlockType.Gap
1757     {
1758         if (_patternSequence[i] == _constants.Any)
1759         {
1760             patternBlock.Start++;
1761             if (patternBlock.Stop < patternBlock.Start)
1762             {
1763                 patternBlock.Stop = patternBlock.Start;
1764             }
1765         }
1766         else if (_patternSequence[i] == ZeroOrMany)
1767         {
1768             patternBlock.Stop = long.MaxValue;
1769         }
1770         else
1771         {
1772             pattern.Add(patternBlock);
1773             patternBlock = new PatternBlock
1774             {
1775                 Type = PatternBlockType.Elements,
1776                 Start = i,
1777                 Stop = i
1778             };
1779         }
1780     }
1781 }
1782 if (patternBlock.Type != PatternBlockType.Undefined)
1783 {
1784     pattern.Add(patternBlock);
1785 }
1786 return pattern;
1787 }
1788
1789 /* match: search for regexp anywhere in text */
1790 int match(char* regexp, char* text)
1791 {
1792     do
1793     {
1794         while (*text++ != '\0');
1795         return 0;
1796     }
1797
1798     /* matchhere: search for regexp at beginning of text */
1799     int matchhere(char* regexp, char* text)
1800     {
1801         if (regexp[0] == '\0')
1802             return 1;
1803         if (regexp[1] == '*')
1804             return matchstar(regexp[0], regexp + 2, text);
1805         if (regexp[0] == '$' && regexp[1] == '\0')
1806             return *text == '\0';
1807         if (*text != '\0' && (regexp[0] == '.' || regexp[0] == *text))
1808             return matchhere(regexp + 1, text + 1);
1809         return 0;

```

```

1810     //}
1811
1812     ///  

1813     ///  

1814     ///  

1815     ///  

1816     ///  

1817     ///  

1818     ///  

1819     ///  

1820     ///  

1821     ///  

1822
1823     ///  

1824     ///  

1825     ///  

1826     ///  

1827     ///  

1828     ///  

1829     ///  

1830     ///  

1831     ///  

1832     ///  

1833     ///  

1834     ///  

1835     ///  

1836     ///  

1837
1838     ///  

1839     ///  

1840     ///  

1841
1842     private bool PatternMatchCore(LinkIndex element)
1843     {
1844         if (_patternPosition >= _pattern.Count)
1845         {
1846             _patternPosition = -2;
1847             return false;
1848         }
1849         var currentPatternBlock = _pattern[_patternPosition];
1850         if (currentPatternBlock.Type == PatternBlockType.Gap)
1851         {
1852             ///  

1853             ///  

1854             ///  

1855             ///  

1856             ///  

1857             ///  

1858             ///  

1859             ///  

1860             ///  

1861             ///  

1862             ///  

1863             ///  

1864             ///  

1865             ///  

1866             ///  

1867             ///  

1868             ///  

1869             ///  

1870             ///  

1871             ///  

1872             ///  

1873             ///  

1874             ///  

1875             ///  

1876             ///  

1877             ///  

1878             ///  

1879             ///  

1880             ///  

1881             ///  

1882             ///  

1883             ///  

1884             ///  

1885             ///  

1886             ///  


```

```

1887     else // currentPatternBlock.Type == PatternBlockType.Elements
1888     {
1889         var patternElementPosition = currentPatternBlock.Start + _sequencePosition;
1890         if (_patternSequence[patternElementPosition] != element)
1891         {
1892             return false; // Соответствие невозможно
1893         }
1894         if (patternElementPosition == currentPatternBlock.Stop)
1895         {
1896             _patternPosition++;
1897             _sequencePosition = 0;
1898         }
1899         else
1900         {
1901             _sequencePosition++;
1902         }
1903     }
1904     return true;
1905     //if (_patternSequence[_patternPosition] != element)
1906     //    return false;
1907     //else
1908     //{
1909     //    _sequencePosition++;
1910     //    _patternPosition++;
1911     //    return true;
1912     //}
1913     //if (_filterPosition == _patternSequence.Length)
1914     //{
1915     //    _filterPosition = -2; // Длиннее чем нужно
1916     //    return false;
1917     //}
1918     //if (element != _patternSequence[_filterPosition])
1919     //{
1920     //    _filterPosition = -1;
1921     //    return false; // Начинается иначе
1922     //}
1923     //if (_filterPosition == (_patternSequence.Length - 1))
1924     //    return false;
1925     //if (_filterPosition >= 0)
1926     //{
1927     //    if (element == _patternSequence[_filterPosition + 1])
1928     //        _filterPosition++;
1929     //    else
1930     //        return false;
1931     //}
1932     //if (_filterPosition < 0)
1933     //{
1934     //    if (element == _patternSequence[0])
1935     //        _filterPosition = 0;
1936     //}
1937     //}
1938 }
1939
1940 public void AddAllPatternMatchedToResults(IEnumerable<ulong> sequencesToMatch)
1941 {
1942     foreach (var sequenceToMatch in sequencesToMatch)
1943     {
1944         if (PatternMatch(sequenceToMatch))
1945         {
1946             _results.Add(sequenceToMatch);
1947         }
1948     }
1949 }
1950 }
1951 }
1952
1953 #endregion
1954 }
1955 }

```

./Platform.Data.Doublets/Sequences/Sequences.Experiments.ReadSequence.cs

```

1  //define USEARRAYPOOL
2  using System;
3  using System.Runtime.CompilerServices;
4  #if USEARRAYPOOL
5  using Platform.Collections;
6  #endif
7
8  namespace Platform.Data.Doublets.Sequences

```



```

9  {
10 partial class Sequences
11 {
12     public ulong[] ReadSequenceCore(ulong sequence, Func<ulong, bool> isElement)
13     {
14         var links = Links.Unsync;
15         var length = 1;
16         var array = new ulong[length];
17         array[0] = sequence;
18
19         if (isElement(sequence))
20         {
21             return array;
22         }
23
24         bool hasElements;
25         do
26         {
27             length *= 2;
28 #if USEARRAYPOOL
29             var nextArray = ArrayPool.Allocate<ulong>(length);
30 #else
31             var nextArray = new ulong[length];
32 #endif
33             hasElements = false;
34             for (var i = 0; i < array.Length; i++)
35             {
36                 var candidate = array[i];
37                 if (candidate == 0)
38                 {
39                     continue;
40                 }
41                 var doubletOffset = i * 2;
42                 if (isElement(candidate))
43                 {
44                     nextArray[doubletOffset] = candidate;
45                 }
46                 else
47                 {
48                     var link = links.GetLink(candidate);
49                     var linkSource = links.GetSource(link);
50                     var linkTarget = links.GetTarget(link);
51                     nextArray[doubletOffset] = linkSource;
52                     nextArray[doubletOffset + 1] = linkTarget;
53                     if (!hasElements)
54                     {
55                         hasElements = !(isElement(linkSource) && isElement(linkTarget));
56                     }
57                 }
58             }
59 #if USEARRAYPOOL
60             if (array.Length > 1)
61             {
62                 ArrayPool.Free(array);
63             }
64 #endif
65             array = nextArray;
66         }
67         while (hasElements);
68         var filledElementsCount = CountFilledElements(array);
69         if (filledElementsCount == array.Length)
70         {
71             return array;
72         }
73         else
74         {
75             return CopyFilledElements(array, filledElementsCount);
76         }
77     }
78
79     [MethodImpl(MethodImplOptions.AggressiveInlining)]
80     private static ulong[] CopyFilledElements(ulong[] array, int filledElementsCount)
81     {
82         var finalArray = new ulong[filledElementsCount];
83         for (int i = 0, j = 0; i < array.Length; i++)
84         {
85             if (array[i] > 0)
86             {
87                 finalArray[j] = array[i];
88                 j++;

```

```

89         }
90     }
91     #if USEARRAYPOOL
92         ArrayPool.Free(array);
93     #endif
94     return finalArray;
95 }
96
97 [MethodImpl(MethodImplOptions.AggressiveInlining)]
98 private static int CountFilledElements(ulong[] array)
99 {
100     var count = 0;
101     for (var i = 0; i < array.Length; i++)
102     {
103         if (array[i] > 0)
104         {
105             count++;
106         }
107     }
108     return count;
109 }
110 }
111 }

```

./Platform.Data.Doublets/Sequences/SequencesExtensions.cs

```

1 using Platform.Data.Sequences;
2 using System.Collections.Generic;
3
4 namespace Platform.Data.Doublets.Sequences
5 {
6     public static class SequencesExtensions
7     {
8         public static TLink Create<TLink>(this ISequences<TLink> sequences, IList<TLink[]>
9         ↪ groupedSequence)
10        {
11            var finalSequence = new TLink[groupedSequence.Count];
12            for (var i = 0; i < finalSequence.Length; i++)
13            {
14                var part = groupedSequence[i];
15                finalSequence[i] = part.Length == 1 ? part[0] : sequences.Create(part);
16            }
17            return sequences.Create(finalSequence);
18        }
19    }
20 }

```

./Platform.Data.Doublets/Sequences/SequencesIndexer.cs

```

1 using System.Collections.Generic;
2
3 namespace Platform.Data.Doublets.Sequences
4 {
5     public class SequencesIndexer<TLink>
6     {
7         private static readonly EqualityComparer<TLink> _equalityComparer =
8         ↪ EqualityComparer<TLink>.Default;
9
10        private readonly ISynchronizedLinks<TLink> _links;
11        private readonly TLink _null;
12
13        public SequencesIndexer(ISynchronizedLinks<TLink> links)
14        {
15            _links = links;
16            _null = _links.Constants.Null;
17        }
18
19        /// <summary>
20        /// Индексирует последовательность глобально, и возвращает значение,
21        /// определяющие была ли запрошенная последовательность проиндексирована ранее.
22        /// </summary>
23        /// <param name="sequence">Последовательность для индексации.</param>
24        /// <returns>
25        /// True если последовательность уже была проиндексирована ранее и
26        /// False если последовательность была проиндексирована только что.
27        /// </returns>
28        public bool Index(TLink[] sequence)
29        {
30            var indexed = true;
31            var i = sequence.Length;

```

```

31         while (--i >= 1 && (indexed =
           ↳ !_equalityComparer.Equals(_links.SearchOrDefault(sequence[i - 1], sequence[i]),
           ↳ _null))) { }
32     for (; i >= 1; i--)
33     {
34         _links.GetOrCreate(sequence[i - 1], sequence[i]);
35     }
36     return indexed;
37 }
38
39 public bool BulkIndex(TLink[] sequence)
40 {
41     var indexed = true;
42     var i = sequence.Length;
43     var links = _links.Unsync;
44     _links.SyncRoot.ExecuteReadOperation(() =>
45     {
46         while (--i >= 1 && (indexed =
           ↳ !_equalityComparer.Equals(links.SearchOrDefault(sequence[i - 1],
           ↳ sequence[i]), _null))) { }
47     });
48     if (indexed == false)
49     {
50         _links.SyncRoot.ExecuteWriteOperation(() =>
51         {
52             for (; i >= 1; i--)
53             {
54                 links.GetOrCreate(sequence[i - 1], sequence[i]);
55             }
56         });
57     }
58     return indexed;
59 }
60
61 public bool BulkIndexUnsync(TLink[] sequence)
62 {
63     var indexed = true;
64     var i = sequence.Length;
65     var links = _links.Unsync;
66     while (--i >= 1 && (indexed =
           ↳ !_equalityComparer.Equals(links.SearchOrDefault(sequence[i - 1], sequence[i]),
           ↳ _null))) { }
67     for (; i >= 1; i--)
68     {
69         links.GetOrCreate(sequence[i - 1], sequence[i]);
70     }
71     return indexed;
72 }
73
74 public bool CheckIndex(IList<TLink> sequence)
75 {
76     var indexed = true;
77     var i = sequence.Count;
78     while (--i >= 1 && (indexed =
           ↳ !_equalityComparer.Equals(_links.SearchOrDefault(sequence[i - 1], sequence[i]),
           ↳ _null))) { }
79     return indexed;
80 }
81 }
82 }

```

./Platform.Data.Doublets/Sequences/SequencesOptions.cs

```

1  using System;
2  using System.Collections.Generic;
3  using Platform.Interfaces;
4  using Platform.Data.Doublets.Sequences.Frequencies.Cache;
5  using Platform.Data.Doublets.Sequences.Frequencies.Counters;
6  using Platform.Data.Doublets.Sequences.Converters;
7  using Platform.Data.Doublets.Sequences.CriteriaMatchers;
8
9  namespace Platform.Data.Doublets.Sequences
10 {
11     public class SequencesOptions<TLink> // TODO: To use type parameter <TLink> the
           ↳ ILinks<TLink> must contain GetConstants function.
12     {
13         private static readonly EqualityComparer<TLink> _equalityComparer =
           ↳ EqualityComparer<TLink>.Default;
14
15         public TLink SequenceMarkerLink { get; set; }

```

```

16 public bool UseCascadeUpdate { get; set; }
17 public bool UseCascadeDelete { get; set; }
18 public bool UseIndex { get; set; } // TODO: Update Index on sequence update/delete.
19 public bool UseSequenceMarker { get; set; }
20 public bool UseCompression { get; set; }
21 public bool UseGarbageCollection { get; set; }
22 public bool EnforceSingleSequenceVersionOnWriteBasedOnExisting { get; set; }
23 public bool EnforceSingleSequenceVersionOnWriteBasedOnNew { get; set; }
24
25 public MarkedSequenceCriterionMatcher<TLink> MarkedSequenceMatcher { get; set; }
26 public IConverter<IList<TLink>, TLink> LinksToSequenceConverter { get; set; }
27 public SequencesIndexer<TLink> Indexer { get; set; }
28
29 // TODO: Реализовать компактификацию при чтении
30 //public bool EnforceSingleSequenceVersionOnRead { get; set; }
31 //public bool UseRequestMarker { get; set; }
32 //public bool StoreRequestResults { get; set; }
33
34 public void InitOptions(ISynchronizedLinks<TLink> links)
35 {
36     if (UseSequenceMarker)
37     {
38         if (_equalityComparer.Equals(SequenceMarkerLink, links.Constants.Null))
39         {
40             SequenceMarkerLink = links.CreatePoint();
41         }
42         else
43         {
44             if (!links.Exists(SequenceMarkerLink))
45             {
46                 var link = links.CreatePoint();
47                 if (!_equalityComparer.Equals(link, SequenceMarkerLink))
48                 {
49                     throw new InvalidOperationException("Cannot recreate sequence marker
50                     ↪ link.");
51                 }
52             }
53             if (MarkedSequenceMatcher == null)
54             {
55                 MarkedSequenceMatcher = new MarkedSequenceCriterionMatcher<TLink>(links,
56                 ↪ SequenceMarkerLink);
57             }
58             var balancedVariantConverter = new BalancedVariantConverter<TLink>(links);
59             if (UseCompression)
60             {
61                 if (LinksToSequenceConverter == null)
62                 {
63                     ICounter<TLink, TLink> totalSequenceSymbolFrequencyCounter;
64                     if (UseSequenceMarker)
65                     {
66                         totalSequenceSymbolFrequencyCounter = new
67                         ↪ TotalMarkedSequenceSymbolFrequencyCounter<TLink>(links,
68                         ↪ MarkedSequenceMatcher);
69                     }
70                     else
71                     {
72                         totalSequenceSymbolFrequencyCounter = new
73                         ↪ TotalSequenceSymbolFrequencyCounter<TLink>(links);
74                     }
75                     var doubletFrequenciesCache = new LinkFrequenciesCache<TLink>(links,
76                     ↪ totalSequenceSymbolFrequencyCounter);
77                     var compressingConverter = new CompressingConverter<TLink>(links,
78                     ↪ balancedVariantConverter, doubletFrequenciesCache);
79                     LinksToSequenceConverter = compressingConverter;
80                 }
81             }
82             else
83             {
84                 if (LinksToSequenceConverter == null)
85                 {
86                     LinksToSequenceConverter = balancedVariantConverter;
87                 }
88             }
89             if (UseIndex && Indexer == null)
90             {
91                 Indexer = new SequencesIndexer<TLink>(links);
92             }
93         }
94     }
95 }

```

```

87     }
88 }
89
90 public void ValidateOptions()
91 {
92     if (UseGarbageCollection && !UseSequenceMarker)
93     {
94         throw new NotSupportedException("To use garbage collection UseSequenceMarker
95             ↪ option must be on.");
96     }
97 }
98 }

```

./Platform.Data.Doublets/Sequences/UnicodeMap.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Globalization;
4  using System.Runtime.CompilerServices;
5  using System.Text;
6  using Platform.Data.Sequences;
7
8  namespace Platform.Data.Doublets.Sequences
9  {
10     public class UnicodeMap
11     {
12         public static readonly ulong FirstCharLink = 1;
13         public static readonly ulong LastCharLink = FirstCharLink + char.MaxValue;
14         public static readonly ulong MapSize = 1 + char.MaxValue;
15
16         private readonly ILinks<ulong> _links;
17         private bool _initialized;
18
19         public UnicodeMap(ILinks<ulong> links) => _links = links;
20
21         public static UnicodeMap InitNew(ILinks<ulong> links)
22         {
23             var map = new UnicodeMap(links);
24             map.Init();
25             return map;
26         }
27
28         public void Init()
29         {
30             if (_initialized)
31             {
32                 return;
33             }
34             _initialized = true;
35             var firstLink = _links.CreatePoint();
36             if (firstLink != FirstCharLink)
37             {
38                 _links.Delete(firstLink);
39             }
40             else
41             {
42                 for (var i = FirstCharLink + 1; i <= LastCharLink; i++)
43                 {
44                     // From NIL to It (NIL -> Character) transformation meaning, (or infinite
45                     ↪ amount of NIL characters before actual Character)
46                     var createdLink = _links.CreatePoint();
47                     _links.Update(createdLink, firstLink, createdLink);
48                     if (createdLink != i)
49                     {
50                         throw new InvalidOperationException("Unable to initialize UTF 16
51                             ↪ table.");
52                     }
53                 }
54             }
55         }
56
57         // 0 - null link
58         // 1 - nil character (0 character)
59         // ...
60         // 65536 (0(1) + 65535 = 65536 possible values)
61
62         [MethodImpl(MethodImplOptions.AggressiveInlining)]
63         public static ulong FromCharToLink(char character) => (ulong)character + 1;
64
65         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

64 public static char FromLinkToChar(ulong link) => (char)(link - 1);
65
66 [MethodImpl(MethodImplOptions.AggressiveInlining)]
67 public static bool IsCharLink(ulong link) => link <= MapSize;
68
69 public static string FromLinksToString(IList<ulong> linksList)
70 {
71     var sb = new StringBuilder();
72     for (int i = 0; i < linksList.Count; i++)
73     {
74         sb.Append(FromLinkToChar(linksList[i]));
75     }
76     return sb.ToString();
77 }
78
79 public static string FromSequenceLinkToString(ulong link, ILinks<ulong> links)
80 {
81     var sb = new StringBuilder();
82     if (links.Exists(link))
83     {
84         StopableSequenceWalker.WalkRight(link, links.GetSource, links.GetTarget,
85             x => x <= MapSize || links.GetSource(x) == x || links.GetTarget(x) == x,
86             ↪ element =>
87             {
88                 sb.Append(FromLinkToChar(element));
89                 return true;
90             }
91     }
92     return sb.ToString();
93 }
94
95 public static ulong[] FromCharsToLinkArray(char[] chars) => FromCharsToLinkArray(chars,
96     ↪ chars.Length);
97
98 public static ulong[] FromCharsToLinkArray(char[] chars, int count)
99 {
100     // char array to ulong array
101     var linksSequence = new ulong[count];
102     for (var i = 0; i < count; i++)
103     {
104         linksSequence[i] = FromCharToLink(chars[i]);
105     }
106     return linksSequence;
107 }
108
109 public static ulong[] FromStringToLinkArray(string sequence)
110 {
111     // char array to ulong array
112     var linksSequence = new ulong[sequence.Length];
113     for (var i = 0; i < sequence.Length; i++)
114     {
115         linksSequence[i] = FromCharToLink(sequence[i]);
116     }
117     return linksSequence;
118 }
119
120 public static List<ulong[]> FromStringToLinkArrayGroups(string sequence)
121 {
122     var result = new List<ulong[]>();
123     var offset = 0;
124     while (offset < sequence.Length)
125     {
126         var currentCategory = CharUnicodeInfo.GetUnicodeCategory(sequence[offset]);
127         var relativeLength = 1;
128         var absoluteLength = offset + relativeLength;
129         while (absoluteLength < sequence.Length &&
130             currentCategory ==
131             ↪ CharUnicodeInfo.GetUnicodeCategory(sequence[absoluteLength]))
132         {
133             relativeLength++;
134             absoluteLength++;
135         }
136         // char array to ulong array
137         var innerSequence = new ulong[relativeLength];
138         var maxLength = offset + relativeLength;
139         for (var i = offset; i < maxLength; i++)
140         {
141             innerSequence[i - offset] = FromCharToLink(sequence[i]);
142         }
143     }
144 }

```

```

140         result.Add(innerSequence);
141         offset += relativeLength;
142     }
143     return result;
144 }
145
146 public static List<ulong[]> FromLinkArrayToLinkArrayGroups(ulong[] array)
147 {
148     var result = new List<ulong[]>();
149     var offset = 0;
150     while (offset < array.Length)
151     {
152         var relativeLength = 1;
153         if (array[offset] <= LastCharLink)
154         {
155             var currentCategory =
156                 CharUnicodeInfo.GetUnicodeCategory(FromLinkToChar(array[offset]));
157             var absoluteLength = offset + relativeLength;
158             while (absoluteLength < array.Length &&
159                 array[absoluteLength] <= LastCharLink &&
160                 currentCategory == CharUnicodeInfo.GetUnicodeCategory(FromLinkToChar(
161                     array[absoluteLength])))
162             {
163                 relativeLength++;
164                 absoluteLength++;
165             }
166         }
167         else
168         {
169             var absoluteLength = offset + relativeLength;
170             while (absoluteLength < array.Length && array[absoluteLength] > LastCharLink)
171             {
172                 relativeLength++;
173                 absoluteLength++;
174             }
175             // copy array
176             var innerSequence = new ulong[relativeLength];
177             var maxLength = offset + relativeLength;
178             for (var i = offset; i < maxLength; i++)
179             {
180                 innerSequence[i - offset] = array[i];
181             }
182             result.Add(innerSequence);
183             offset += relativeLength;
184         }
185     }
186     return result;
187 }

```

./Platform.Data.Doublets/Sequences/Walkers/LeftSequenceWalker.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 namespace Platform.Data.Doublets.Sequences.Walkers
5 {
6     public class LeftSequenceWalker<TLink> : SequenceWalkerBase<TLink>
7     {
8         public LeftSequenceWalker(ILinks<TLink> links) : base(links) { }
9
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         protected override IList<TLink> GetNextElementAfterPop(IList<TLink> element) =>
12             Links.GetLink(Links.GetSource(element));
13
14         [MethodImpl(MethodImplOptions.AggressiveInlining)]
15         protected override IList<TLink> GetNextElementAfterPush(IList<TLink> element) =>
16             Links.GetLink(Links.GetTarget(element));
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         protected override IEnumerable<IList<TLink>> WalkContents(IList<TLink> element)
20         {
21             var start = Links.Constants.IndexPart + 1;
22             for (var i = element.Count - 1; i >= start; i--)
23             {
24                 var partLink = Links.GetLink(element[i]);
25                 if (IsElement(partLink))
26                 {
27                     yield return partLink;
28                 }
29             }
30         }
31     }
32 }

```

```

27     }
28 }
29 }
30 }

```

./Platform.Data.Doublets/Sequences/Walkers/RightSequenceWalker.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 namespace Platform.Data.Doublets.Sequences.Walkers
5 {
6     public class RightSequenceWalker<TLink> : SequenceWalkerBase<TLink>
7     {
8         public RightSequenceWalker(ILinks<TLink> links) : base(links) { }
9
10        [MethodImpl(MethodImplOptions.AggressiveInlining)]
11        protected override IList<TLink> GetNextElementAfterPop(IList<TLink> element) =>
12            ↪ Links.GetLink(Links.GetTarget(element));
13
14        [MethodImpl(MethodImplOptions.AggressiveInlining)]
15        protected override IList<TLink> GetNextElementAfterPush(IList<TLink> element) =>
16            ↪ Links.GetLink(Links.GetSource(element));
17
18        [MethodImpl(MethodImplOptions.AggressiveInlining)]
19        protected override IEnumerable<IList<TLink>> WalkContents(IList<TLink> element)
20        {
21            for (var i = Links.Constants.IndexPart + 1; i < element.Count; i++)
22            {
23                var partLink = Links.GetLink(element[i]);
24                if (IsElement(partLink))
25                {
26                    yield return partLink;
27                }
28            }
29 }

```

./Platform.Data.Doublets/Sequences/Walkers/SequenceWalkerBase.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3 using Platform.Data.Sequences;
4
5 namespace Platform.Data.Doublets.Sequences.Walkers
6 {
7     public abstract class SequenceWalkerBase<TLink> : LinksOperatorBase<TLink>,
8         ↪ ISequenceWalker<TLink>
9     {
10        // TODO: Use IStack instead of System.Collections.Generic.Stack, but IStack should
11        ↪ contain IsEmpty property
12        private readonly Stack<IList<TLink>> _stack;
13
14        protected SequenceWalkerBase(ILinks<TLink> links) : base(links) => _stack = new
15            ↪ Stack<IList<TLink>>();
16
17        public IEnumerable<IList<TLink>> Walk(TLink sequence)
18        {
19            if (_stack.Count > 0)
20            {
21                _stack.Clear(); // This can be replaced with while(!_stack.IsEmpty) _stack.Pop()
22            }
23            var element = Links.GetLink(sequence);
24            if (IsElement(element))
25            {
26                yield return element;
27            }
28            else
29            {
30                while (true)
31                {
32                    if (IsElement(element))
33                    {
34                        if (_stack.Count == 0)
35                        {
36                            break;
37                        }
38                        element = _stack.Pop();
39                        foreach (var output in WalkContents(element))
40                        {

```



```

38         yield return output;
39     }
40     element = GetNextElementAfterPop(element);
41 }
42 else
43 {
44     _stack.Push(element);
45     element = GetNextElementAfterPush(element);
46 }
47 }
48 }
49 }
50
51 [MethodImpl(MethodImplOptions.AggressiveInlining)]
52 protected virtual bool IsElement(IList<TLink> elementLink) =>
53     ⇨ Point<TLink>.IsPartialPointUnchecked(elementLink);
54
55 [MethodImpl(MethodImplOptions.AggressiveInlining)]
56 protected abstract IList<TLink> GetNextElementAfterPop(IList<TLink> element);
57
58 [MethodImpl(MethodImplOptions.AggressiveInlining)]
59 protected abstract IList<TLink> GetNextElementAfterPush(IList<TLink> element);
60
61 [MethodImpl(MethodImplOptions.AggressiveInlining)]
62 protected abstract IEnumerable<IList<TLink>> WalkContents(IList<TLink> element);
63 }

```

./Platform.Data.Doublets/Stacks/Stack.cs

```

1  using System.Collections.Generic;
2  using Platform.Collections.Stacks;
3
4  namespace Platform.Data.Doublets.Stacks
5  {
6      public class Stack<TLink> : IStack<TLink>
7      {
8          private static readonly EqualityComparer<TLink> _equalityComparer =
9              ⇨ EqualityComparer<TLink>.Default;
10
11          private readonly ILinks<TLink> _links;
12          private readonly TLink _stack;
13
14          public bool IsEmpty => _equalityComparer.Equals(Peek(), _stack);
15
16          public Stack(ILinks<TLink> links, TLink stack)
17          {
18              _links = links;
19              _stack = stack;
20          }
21
22          private TLink GetStackMarker() => _links.GetSource(_stack);
23
24          private TLink GetTop() => _links.GetTarget(_stack);
25
26          public TLink Peek() => _links.GetTarget(GetTop());
27
28          public TLink Pop()
29          {
30              var element = Peek();
31              if (!_equalityComparer.Equals(element, _stack))
32              {
33                  var top = GetTop();
34                  var previousTop = _links.GetSource(top);
35                  _links.Update(_stack, GetStackMarker(), previousTop);
36                  _links.Delete(top);
37              }
38              return element;
39          }
40
41          public void Push(TLink element) => _links.Update(_stack, GetStackMarker(),
42              ⇨ _links.GetOrCreate(GetTop(), element));
43      }
44  }

```

./Platform.Data.Doublets/Stacks/StackExtensions.cs

```

1  namespace Platform.Data.Doublets.Stacks
2  {
3      public static class StackExtensions
4      {

```

```

5         public static TLink CreateStack<TLink>(this ILinks<TLink> links, TLink stackMarker)
6         {
7             var stackPoint = links.CreatePoint();
8             var stack = links.Update(stackPoint, stackMarker, stackPoint);
9             return stack;
10        }
11    }
12 }

```

./Platform.Data.Doublets/SynchronizedLinks.cs

```

1  using System;
2  using System.Collections.Generic;
3  using Platform.Data.Constants;
4  using Platform.Data.Doublets;
5  using Platform.Threading.Synchronization;
6
7  namespace Platform.Data.Doublets
8  {
9      /// <remarks>
10     /// TODO: Autogeneration of synchronized wrapper (decorator).
11     /// TODO: Try to unfold code of each method using IL generation for performance improvements.
12     /// TODO: Or even to unfold multiple layers of implementations.
13     /// </remarks>
14     public class SynchronizedLinks<T> : ISynchronizedLinks<T>
15     {
16         public LinksCombinedConstants<T, T, int> Constants { get; }
17         public ISynchronization SyncRoot { get; }
18         public ILinks<T> Sync { get; }
19         public ILinks<T> Unsync { get; }
20
21         public SynchronizedLinks(ILinks<T> links) : this(new ReaderWriterLockSynchronization(),
22             ↪ links) { }
23
24         public SynchronizedLinks(ISynchronization synchronization, ILinks<T> links)
25         {
26             SyncRoot = synchronization;
27             Sync = this;
28             Unsync = links;
29             Constants = links.Constants;
30         }
31
32         public T Count(IList<T> restriction) => SyncRoot.ExecuteReadOperation(restriction,
33             ↪ Unsync.Count);
34         public T Each(Func<IList<T>, T> handler, IList<T> restrictions) =>
35             ↪ SyncRoot.ExecuteReadOperation(handler, restrictions, (handler1, restrictions1) =>
36             ↪ Unsync.Each(handler1, restrictions1));
37         public T Create() => SyncRoot.ExecuteWriteOperation(Unsync.Create);
38         public T Update(IList<T> restrictions) => SyncRoot.ExecuteWriteOperation(restrictions,
39             ↪ Unsync.Update);
40         public void Delete(T link) => SyncRoot.ExecuteWriteOperation(link, Unsync.Delete);
41
42         //public T Trigger(IList<T> restriction, Func<IList<T>, IList<T>, T> matchedHandler,
43         //    ↪ IList<T> substitution, Func<IList<T>, IList<T>, T> substitutedHandler)
44         //{
45         //    if (restriction != null && substitution != null &&
46         //        ↪ !substitution.EqualTo(restriction))
47         //        return SyncRoot.ExecuteWriteOperation(restriction, matchedHandler,
48         //            ↪ substitution, substitutedHandler, Unsync.Trigger);
49         //    return SyncRoot.ExecuteReadOperation(restriction, matchedHandler, substitution,
50         //        ↪ substitutedHandler, Unsync.Trigger);
51         //}
52     }
53 }

```

./Platform.Data.Doublets/UInt64Link.cs

```

1  using System;
2  using System.Collections;
3  using System.Collections.Generic;
4  using Platform.Exceptions;
5  using Platform.Ranges;
6  using Platform.Singletons;
7  using Platform.Collections.Lists;
8  using Platform.Data.Constants;
9
10 namespace Platform.Data.Doublets
11 {
12     /// <summary>
13     /// Структура описывающая уникальную связь.

```

```

14  /// </summary>
15  public struct UInt64Link : IEquatable<UInt64Link>, IReadOnlyList<ulong>, IList<ulong>
16  {
17      private static readonly LinksCombinedConstants<bool, ulong, int> _constants =
18          ↳ Default<LinksCombinedConstants<bool, ulong, int>>.Instance;
19
20      private const int Length = 3;
21
22      public readonly ulong Index;
23      public readonly ulong Source;
24      public readonly ulong Target;
25
26      public static readonly UInt64Link Null = new UInt64Link();
27
28      public UInt64Link(params ulong[] values)
29      {
30          Index = values.Length > _constants.IndexPart ? values[_constants.IndexPart] :
31              ↳ _constants.Null;
32          Source = values.Length > _constants.SourcePart ? values[_constants.SourcePart] :
33              ↳ _constants.Null;
34          Target = values.Length > _constants.TargetPart ? values[_constants.TargetPart] :
35              ↳ _constants.Null;
36      }
37
38      public UInt64Link(IList<ulong> values)
39      {
40          Index = values.Count > _constants.IndexPart ? values[_constants.IndexPart] :
41              ↳ _constants.Null;
42          Source = values.Count > _constants.SourcePart ? values[_constants.SourcePart] :
43              ↳ _constants.Null;
44          Target = values.Count > _constants.TargetPart ? values[_constants.TargetPart] :
45              ↳ _constants.Null;
46      }
47
48      public UInt64Link(ulong index, ulong source, ulong target)
49      {
50          Index = index;
51          Source = source;
52          Target = target;
53      }
54
55      public UInt64Link(ulong source, ulong target)
56      : this(_constants.Null, source, target)
57      {
58          Source = source;
59          Target = target;
60      }
61
62      public static UInt64Link Create(ulong source, ulong target) => new UInt64Link(source,
63          ↳ target);
64
65      public override int GetHashCode() => (Index, Source, Target).GetHashCode();
66
67      public bool IsNull() => Index == _constants.Null
68          && Source == _constants.Null
69          && Target == _constants.Null;
70
71      public override bool Equals(object other) => other is UInt64Link &&
72          ↳ Equals((UInt64Link)other);
73
74      public bool Equals(UInt64Link other) => Index == other.Index
75          && Source == other.Source
76          && Target == other.Target;
77
78      public static string ToString(ulong index, ulong source, ulong target) => $"{index}:
79          ↳ {source}->{target}";
80
81      public static string ToString(ulong source, ulong target) => $"{source}->{target}";
82
83      public static implicit operator ulong[] (UInt64Link link) => link.ToArray();
84
85      public static implicit operator UInt64Link(ulong[] linkArray) => new
86          ↳ UInt64Link(linkArray);
87
88      public override string ToString() => Index == _constants.Null ? ToString(Source, Target)
89          ↳ : ToString(Index, Source, Target);
90
91      #region IList
92
93      public ulong this[int index]

```

```

82 {
83     get
84     {
85         Ensure.Always.ArgumentInRange(index, new Range<int>(0, Length - 1),
            ↳ nameof(index));
86         if (index == _constants.IndexPart)
87         {
88             return Index;
89         }
90         if (index == _constants.SourcePart)
91         {
92             return Source;
93         }
94         if (index == _constants.TargetPart)
95         {
96             return Target;
97         }
98         throw new NotSupportedException(); // Impossible path due to
            ↳ Ensure.ArgumentInRange
99     }
100     set => throw new NotSupportedException();
101 }
102
103 public int Count => Length;
104
105 public bool IsReadOnly => true;
106
107 IEnumerator IEnumerable.GetEnumerator() => GetEnumerator();
108
109 public IEnumerator<ulong> GetEnumerator()
110 {
111     yield return Index;
112     yield return Source;
113     yield return Target;
114 }
115
116 public void Add(ulong item) => throw new NotSupportedException();
117
118 public void Clear() => throw new NotSupportedException();
119
120 public bool Contains(ulong item) => IndexOf(item) >= 0;
121
122 public void CopyTo(ulong[] array, int arrayIndex)
123 {
124     Ensure.Always.ArgumentNotNull(array, nameof(array));
125     Ensure.Always.ArgumentInRange(arrayIndex, new Range<int>(0, array.Length - 1),
            ↳ nameof(arrayIndex));
126     if (arrayIndex + Length > array.Length)
127     {
128         throw new ArgumentException();
129     }
130     array[arrayIndex++] = Index;
131     array[arrayIndex++] = Source;
132     array[arrayIndex] = Target;
133 }
134
135 public bool Remove(ulong item) => Throw.A.NotSupportedExceptionAndReturn<bool>();
136
137 public int IndexOf(ulong item)
138 {
139     if (Index == item)
140     {
141         return _constants.IndexPart;
142     }
143     if (Source == item)
144     {
145         return _constants.SourcePart;
146     }
147     if (Target == item)
148     {
149         return _constants.TargetPart;
150     }
151     return -1;
152 }
153
154 public void Insert(int index, ulong item) => throw new NotSupportedException();
155
156 public void RemoveAt(int index) => throw new NotSupportedException();
157
158

```

```
#endregion
```

```
159 }  
160 }  
161 }
```

```
./Platform.Data.Doublets/UInt64LinkExtensions.cs
```

```
1 namespace Platform.Data.Doublets  
2 {  
3     public static class UInt64LinkExtensions  
4     {  
5         public static bool IsFullPoint(this UInt64Link link) => Point<ulong>.IsFullPoint(link);  
6         public static bool IsPartialPoint(this UInt64Link link) =>  
            ↳ Point<ulong>.IsPartialPoint(link);  
7     }  
8 }
```

```
./Platform.Data.Doublets/UInt64LinksExtensions.cs
```

```
1 using System;  
2 using System.Text;  
3 using System.Collections.Generic;  
4 using Platform.Singletons;  
5 using Platform.Data.Constants;  
6 using Platform.Data.Exceptions;  
7 using Platform.Data.Doublets.Sequences;  
8  
9 namespace Platform.Data.Doublets  
10 {  
11     public static class UInt64LinksExtensions  
12     {  
13         public static readonly LinksCombinedConstants<bool, ulong, int> Constants =  
            ↳ Default<LinksCombinedConstants<bool, ulong, int>>.Instance;  
14  
15         public static void UseUnicode(this ILinks<ulong> links) => UnicodeMap.InitNew(links);  
16  
17         public static void EnsureEachLinkExists(this ILinks<ulong> links, IList<ulong> sequence)  
18         {  
19             if (sequence == null)  
20             {  
21                 return;  
22             }  
23             for (var i = 0; i < sequence.Count; i++)  
24             {  
25                 if (!links.Exists(sequence[i]))  
26                 {  
27                     throw new ArgumentLinkDoesNotExistsException<ulong>(sequence[i],  
                        ↳ $"sequence[{i}]");  
28                 }  
29             }  
30         }  
31  
32         public static void EnsureEachLinkIsAnyOrExists(this ILinks<ulong> links, IList<ulong>  
            ↳ sequence)  
33         {  
34             if (sequence == null)  
35             {  
36                 return;  
37             }  
38             for (var i = 0; i < sequence.Count; i++)  
39             {  
40                 if (sequence[i] != Constants.Any && !links.Exists(sequence[i]))  
41                 {  
42                     throw new ArgumentLinkDoesNotExistsException<ulong>(sequence[i],  
                        ↳ $"sequence[{i}]");  
43                 }  
44             }  
45         }  
46  
47         public static bool AnyLinkIsAny(this ILinks<ulong> links, params ulong[] sequence)  
48         {  
49             if (sequence == null)  
50             {  
51                 return false;  
52             }  
53             var constants = links.Constants;  
54             for (var i = 0; i < sequence.Length; i++)  
55             {  
56                 if (sequence[i] == constants.Any)  
57                 {  
58                     return true;  
59                 }  
60             }  
61         }  
62     }  
63 }
```

```

60     }
61     return false;
62 }
63
64 public static string FormatStructure(this ILinks<ulong> links, ulong linkIndex,
↳ Func<UInt64Link, bool> isElement, bool renderIndex = false, bool renderDebug = false)
65 {
66     var sb = new StringBuilder();
67     var visited = new HashSet<ulong>();
68     links.AppendStructure(sb, visited, linkIndex, isElement, (innerSb, link) =>
↳ innerSb.Append(link.Index), renderIndex, renderDebug);
69     return sb.ToString();
70 }
71
72 public static string FormatStructure(this ILinks<ulong> links, ulong linkIndex,
↳ Func<UInt64Link, bool> isElement, Action<StringBuilder, UInt64Link> appendElement,
↳ bool renderIndex = false, bool renderDebug = false)
73 {
74     var sb = new StringBuilder();
75     var visited = new HashSet<ulong>();
76     links.AppendStructure(sb, visited, linkIndex, isElement, appendElement, renderIndex,
↳ renderDebug);
77     return sb.ToString();
78 }
79
80 public static void AppendStructure(this ILinks<ulong> links, StringBuilder sb,
↳ HashSet<ulong> visited, ulong linkIndex, Func<UInt64Link, bool> isElement,
↳ Action<StringBuilder, UInt64Link> appendElement, bool renderIndex = false, bool
↳ renderDebug = false)
81 {
82     if (sb == null)
83     {
84         throw new ArgumentNullException(nameof(sb));
85     }
86     if (linkIndex == Constants.Null || linkIndex == Constants.Any || linkIndex ==
↳ Constants.Itself)
87     {
88         return;
89     }
90     if (links.Exists(linkIndex))
91     {
92         if (visited.Add(linkIndex))
93         {
94             sb.Append('(');
95             var link = new UInt64Link(links.GetLink(linkIndex));
96             if (renderIndex)
97             {
98                 sb.Append(link.Index);
99                 sb.Append(':');
100             }
101             if (link.Source == link.Index)
102             {
103                 sb.Append(link.Index);
104             }
105             else
106             {
107                 var source = new UInt64Link(links.GetLink(link.Source));
108                 if (isElement(source))
109                 {
110                     appendElement(sb, source);
111                 }
112                 else
113                 {
114                     links.AppendStructure(sb, visited, source.Index, isElement,
↳ appendElement, renderIndex);
115                 }
116             }
117             sb.Append(' ');
118             if (link.Target == link.Index)
119             {
120                 sb.Append(link.Index);
121             }
122             else
123             {
124                 var target = new UInt64Link(links.GetLink(link.Target));
125                 if (isElement(target))
126                 {
127                     appendElement(sb, target);

```

```

128     }
129     else
130     {
131         links.AppendStructure(sb, visited, target.Index, isElement,
132                               ↪ appendElement, renderIndex);
133     }
134     sb.Append(')');
135 }
136 else
137 {
138     if (renderDebug)
139     {
140         sb.Append('*');
141     }
142     sb.Append(linkIndex);
143 }
144 }
145 else
146 {
147     if (renderDebug)
148     {
149         sb.Append('~');
150     }
151     sb.Append(linkIndex);
152 }
153 }
154 }
155 }

```

./Platform.Data.Doublets/UInt64LinksTransactionsLayer.cs

```

1  using System;
2  using System.Linq;
3  using System.Collections.Generic;
4  using System.IO;
5  using System.Runtime.CompilerServices;
6  using System.Threading;
7  using System.Threading.Tasks;
8  using Platform.Disposables;
9  using Platform.Timestamps;
10 using Platform.Unsafe;
11 using Platform.IO;
12 using Platform.Data.Doublets.Decorators;
13
14 namespace Platform.Data.Doublets
15 {
16     public class UInt64LinksTransactionsLayer : LinksDisposableDecoratorBase<ulong> //-V3073
17     {
18         /// <remarks>
19         /// Альтернативные варианты хранения трансформации (элемента транзакции):
20         ///
21         /// private enum TransitionType
22         /// {
23         ///     Creation,
24         ///     UpdateOf,
25         ///     UpdateTo,
26         ///     Deletion
27         /// }
28         ///
29         /// private struct Transition
30         /// {
31         ///     public ulong TransactionId;
32         ///     public UniqueTimestamp Timestamp;
33         ///     public TransactionItemType Type;
34         ///     public Link Source;
35         ///     public Link Linker;
36         ///     public Link Target;
37         /// }
38         ///
39         /// Или
40         ///
41         /// public struct TransitionHeader
42         /// {
43         ///     public ulong TransactionIdCombined;
44         ///     public ulong TimestampCombined;
45         ///
46         ///     public ulong TransactionId
47         ///     {
48         ///         get

```

```

49     {
50         return (ulong) mask & TransactionIdCombined;
51     }
52 }
53
54 public UniqueTimestamp Timestamp
55 {
56     get
57     {
58         return (UniqueTimestamp)mask & TransactionIdCombined;
59     }
60 }
61
62 public TransactionItemType Type
63 {
64     get
65     {
66         // Использовать по одному биту из TransactionId и Timestamp,
67         // для значения в 2 бита, которое представляет тип операции
68         throw new NotImplementedException();
69     }
70 }
71 }
72
73 private struct Transition
74 {
75     public TransitionHeader Header;
76     public Link Source;
77     public Link Linker;
78     public Link Target;
79 }
80
81 </remarks>
82 public struct Transition
83 {
84     public static readonly long Size = Structure<Transition>.Size;
85
86     public readonly ulong TransactionId;
87     public readonly UInt64Link Before;
88     public readonly UInt64Link After;
89     public readonly Timestamp Timestamp;
90
91     public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong
92     ↪ transactionId, UInt64Link before, UInt64Link after)
93     {
94         TransactionId = transactionId;
95         Before = before;
96         After = after;
97         Timestamp = uniqueTimestampFactory.Create();
98     }
99
100     public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong
101     ↪ transactionId, UInt64Link before)
102     : this(uniqueTimestampFactory, transactionId, before, default)
103     {
104     }
105
106     public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong transactionId)
107     : this(uniqueTimestampFactory, transactionId, default, default)
108     {
109     }
110
111     public override string ToString() => $"{Timestamp} {TransactionId}: {Before} =>
112     ↪ {After}";
113 }
114
115 <remarks>
116 // Другие варианты реализации транзакций (атомарности):
117 // 1. Разделение хранения значения связи ((Source Target) или (Source Linker
118 ↪ Target)) и индексов.
119 // 2. Хранение трансформаций/операций в отдельном хранилище Links, но дополнительно
120 ↪ потребуется решить вопрос
121 // со ссылками на внешние идентификаторы, или как-то иначе решить вопрос с
122 ↪ пересечениями идентификаторов.
123 //
124 // Где хранить промежуточный список транзакций?
125 //
126 // В оперативной памяти:

```



```

121  /// Минусы:
122  /// 1. Может усложнить систему, если она будет функционировать самостоятельно,
123  /// так как нужно отдельно выделять память под список трансформаций.
124  /// 2. Выделенной оперативной памяти может не хватить, в том случае,
125  /// если транзакция использует слишком много трансформаций.
126  /// -> Можно использовать жёсткий диск для слишком длинных транзакций.
127  /// -> Максимальный размер списка трансформаций можно ограничить / задать
    ↪ константой.
128  /// 3. При подтверждении транзакции (Commit) все трансформации записываются разом
    ↪ создавая задержку.
129  ///
130  /// На жёстком диске:
131  /// Минусы:
132  /// 1. Длительный отклик, на запись каждой трансформации.
133  /// 2. Лог транзакций дополнительно наполняется отменёнными транзакциями.
134  /// -> Это может решаться упаковкой/исключением дублирующих операций.
135  /// -> Также это может решаться тем, что короткие транзакции вообще
136  /// не будут записываться в случае отката.
137  /// 3. Перед тем как выполнять отмену операций транзакции нужно дождаться пока все
    ↪ операции (трансформации)
138  /// будут записаны в лог.
139  ///
140  </remarks>
141  public class Transaction : DisposableBase
142  {
143      private readonly Queue<Transition> _transitions;
144      private readonly UInt64LinksTransactionsLayer _layer;
145      public bool IsCommitted { get; private set; }
146      public bool IsReverted { get; private set; }
147
148      public Transaction(UInt64LinksTransactionsLayer layer)
149      {
150          _layer = layer;
151          if (_layer._currentTransactionId != 0)
152          {
153              throw new NotSupportedException("Nested transactions not supported.");
154          }
155          IsCommitted = false;
156          IsReverted = false;
157          _transitions = new Queue<Transition>();
158          SetCurrentTransaction(layer, this);
159      }
160
161      public void Commit()
162      {
163          EnsureTransactionAllowsWriteOperations(this);
164          while (_transitions.Count > 0)
165          {
166              var transition = _transitions.Dequeue();
167              _layer._transitions.Enqueue(transition);
168          }
169          _layer._lastCommittedTransactionId = _layer._currentTransactionId;
170          IsCommitted = true;
171      }
172
173      private void Revert()
174      {
175          EnsureTransactionAllowsWriteOperations(this);
176          var transitionsToRevert = new Transition[_transitions.Count];
177          _transitions.CopyTo(transitionsToRevert, 0);
178          for (var i = transitionsToRevert.Length - 1; i >= 0; i--)
179          {
180              _layer.RevertTransition(transitionsToRevert[i]);
181          }
182          IsReverted = true;
183      }
184
185      public static void SetCurrentTransaction(UInt64LinksTransactionsLayer layer,
    ↪ Transaction transaction)
186      {
187          layer._currentTransactionId = layer._lastCommittedTransactionId + 1;
188          layer._currentTransactionTransitions = transaction._transitions;
189          layer._currentTransaction = transaction;
190      }
191
192      public static void EnsureTransactionAllowsWriteOperations(Transaction transaction)
193      {
194          if (transaction.IsReverted)
195          {

```

```

196         throw new InvalidOperationException("Transation is reverted.");
197     }
198     if (transaction.IsCommitted)
199     {
200         throw new InvalidOperationException("Transation is committed.");
201     }
202 }
203
204 protected override void Dispose(bool manual, bool wasDisposed)
205 {
206     if (!wasDisposed && _layer != null && !_layer.IsDisposed)
207     {
208         if (!IsCommitted && !IsReverted)
209         {
210             Revert();
211         }
212         _layer.ResetCurrentTransation();
213     }
214 }
215 }
216
217 public static readonly TimeSpan DefaultPushDelay = TimeSpan.FromSeconds(0.1);
218
219 private readonly string _logAddress;
220 private readonly FileStream _log;
221 private readonly Queue<Transition> _transitions;
222 private readonly UniqueTimestampFactory _uniqueTimestampFactory;
223 private Task _transitionsPusher;
224 private Transition _lastCommittedTransition;
225 private ulong _currentTransactionId;
226 private Queue<Transition> _currentTransactionTransitions;
227 private Transaction _currentTransaction;
228 private ulong _lastCommittedTransactionId;
229
230 public UInt64LinksTransactionsLayer(ILinks<ulong> links, string logAddress)
231     : base(links)
232 {
233     if (string.IsNullOrEmpty(logAddress))
234     {
235         throw new ArgumentNullException(nameof(logAddress));
236     }
237     // В первой строке файла хранится последняя законченная транзакция.
238     // При запуске это используется для проверки удачного закрытия файла лога.
239     // In the first line of the file the last committed transaction is stored.
240     // On startup, this is used to check that the log file is successfully closed.
241     var lastCommittedTransition = FileHelpers.ReadFirstOrDefault<Transition>(logAddress);
242     var lastWrittenTransition = FileHelpers.ReadLastOrDefault<Transition>(logAddress);
243     if (!lastCommittedTransition.Equals(lastWrittenTransition))
244     {
245         Dispose();
246         throw new NotSupportedException("Database is damaged, autorecovery is not
247             ↳ supported yet.");
248     }
249     if (lastCommittedTransition.Equals(default(Transition)))
250     {
251         FileHelpers.WriteFirst(logAddress, lastCommittedTransition);
252     }
253     _lastCommittedTransition = lastCommittedTransition;
254     // TODO: Think about a better way to calculate or store this value
255     var allTransitions = FileHelpers.ReadAll<Transition>(logAddress);
256     _lastCommittedTransactionId = allTransitions.Max(x => x.TransactionId);
257     _uniqueTimestampFactory = new UniqueTimestampFactory();
258     _logAddress = logAddress;
259     _log = FileHelpers.Append(logAddress);
260     _transitions = new Queue<Transition>();
261     _transitionsPusher = new Task(TransitionsPusher);
262     _transitionsPusher.Start();
263 }
264
265 public IList<ulong> GetLinkValue(ulong link) => Links.GetLink(link);
266
267 public override ulong Create()
268 {
269     var createdLinkIndex = Links.Create();
270     var createdLink = new UInt64Link(Links.GetLink(createdLinkIndex));
271     CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
272         ↳ default, createdLink));
273     return createdLinkIndex;
274 }

```

```

273 public override ulong Update(ICollection<ulong> parts)
274 {
275     var linkIndex = parts[Constants.IndexPart];
276     var beforeLink = new UInt64Link(Links.GetLink(linkIndex));
277     linkIndex = Links.Update(parts);
278     var afterLink = new UInt64Link(Links.GetLink(linkIndex));
279     CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
280         ↪ beforeLink, afterLink));
281     return linkIndex;
282 }
283
284 public override void Delete(ulong link)
285 {
286     var deletedLink = new UInt64Link(Links.GetLink(link));
287     Links.Delete(link);
288     CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
289         ↪ deletedLink, default));
290 }
291
292 [MethodImpl(MethodImplOptions.AggressiveInlining)]
293 private Queue<Transition> GetCurrentTransitions() => _currentTransactionTransitions ??
294     ↪ _transitions;
295
296 private void CommitTransition(Transition transition)
297 {
298     if (_currentTransaction != null)
299     {
300         Transaction.EnsureTransactionAllowsWriteOperations(_currentTransaction);
301     }
302     var transitions = GetCurrentTransitions();
303     transitions.Enqueue(transition);
304 }
305
306 private void RevertTransition(Transition transition)
307 {
308     if (transition.After.IsNull()) // Revert Deletion with Creation
309     {
310         Links.Create();
311     }
312     else if (transition.Before.IsNull()) // Revert Creation with Deletion
313     {
314         Links.Delete(transition.After.Index);
315     }
316     else // Revert Update
317     {
318         Links.Update(new[] { transition.After.Index, transition.Before.Source,
319             ↪ transition.Before.Target });
320     }
321 }
322
323 private void ResetCurrentTransation()
324 {
325     _currentTransactionId = 0;
326     _currentTransactionTransitions = null;
327     _currentTransaction = null;
328 }
329
330 private void PushTransitions()
331 {
332     if (_log == null || _transitions == null)
333     {
334         return;
335     }
336     for (var i = 0; i < _transitions.Count; i++)
337     {
338         var transition = _transitions.Dequeue();
339         _log.Write(transition);
340         _lastCommittedTransition = transition;
341     }
342 }
343
344 private void TransitionsPusher()
345 {
346     while (!IsDisposed && _transitionsPusher != null)
347     {
348         Thread.Sleep(DefaultPushDelay);
349     }
350 }

```

```

347         PushTransitions();
348     }
349 }
350
351 public Transaction BeginTransaction() => new Transaction(this);
352
353 private void DisposeTransitions()
354 {
355     try
356     {
357         var pusher = _transitionsPusher;
358         if (pusher != null)
359         {
360             _transitionsPusher = null;
361             pusher.Wait();
362         }
363         if (_transitions != null)
364         {
365             PushTransitions();
366         }
367         _log.DisposeIfPossible();
368         FileHelpers.WriteFirst(_logAddress, _lastCommittedTransition);
369     }
370     catch
371     {
372     }
373 }
374
375 #region DisposalBase
376
377 protected override void Dispose(bool manual, bool wasDisposed)
378 {
379     if (!wasDisposed)
380     {
381         DisposeTransitions();
382     }
383     base.Dispose(manual, wasDisposed);
384 }
385
386 #endregion
387 }
388 }

```

./Platform.Data.Doublets.Tests/ComparisonTests.cs

```

1  using System;
2  using System.Collections.Generic;
3  using Xunit;
4  using Platform.Diagnostics;
5
6  namespace Platform.Data.Doublets.Tests
7  {
8      public static class ComparisonTests
9      {
10         protected class UInt64Comparer : IComparer

```

```

37     var ts2 = Performance.Measure(() =>
38     {
39         for (int i = 0; i < N; i++)
40         {
41             result = comparer1.Compare(x, y) >= 0;
42         }
43     });
44
45     Func<ulong, ulong, int> compareReference = comparer1.Compare;
46
47     var ts3 = Performance.Measure(() =>
48     {
49         for (int i = 0; i < N; i++)
50         {
51             result = compareReference(x, y) >= 0;
52         }
53     });
54
55     var comparer2 = new UInt64Comparer();
56
57     var ts4 = Performance.Measure(() =>
58     {
59         for (int i = 0; i < N; i++)
60         {
61             result = comparer2.Compare(x, y) >= 0;
62         }
63     });
64
65     Console.WriteLine($"{ts1} {ts2} {ts3} {ts4} {result}");
66 }
67
68 }

```

```

1 using System.Collections.Generic;
2 using Xunit;
3 using Platform.Reflection;
4 using Platform.Numbers;
5 using Platform.Memory;
6 using Platform.Scopes;
7 using Platform.Setters;
8 using Platform.Data.Doublets.ResizableDirectMemory;
9
10 namespace Platform.Data.Doublets.Tests
11 {
12     public static class DoubletLinksTests
13     {
14         [Fact]
15         public static void UInt64CRUDTest()
16         {
17             using (var scope = new Scope<Types<HeapResizableDirectMemory,
18                 ↳ ResizableDirectMemoryLinks<ulong>>>())
19             {
20                 scope.Use<ILinks<ulong>>().TestCRUDOperations();
21             }
22         }
23         [Fact]
24         public static void UInt32CRUDTest()
25         {
26             using (var scope = new Scope<Types<HeapResizableDirectMemory,
27                 ↳ ResizableDirectMemoryLinks<uint>>>())
28             {
29                 scope.Use<ILinks<uint>>().TestCRUDOperations();
30             }
31         }
32         [Fact]
33         public static void UInt16CRUDTest()
34         {
35             using (var scope = new Scope<Types<HeapResizableDirectMemory,
36                 ↳ ResizableDirectMemoryLinks<ushort>>>())
37             {
38                 scope.Use<ILinks<ushort>>().TestCRUDOperations();
39             }
40         }
41         [Fact]
42         public static void UInt8CRUDTest()

```

```

43 {
44     using (var scope = new Scope<Types<HeapResizableDirectMemory,
45         ↳ ResizableDirectMemoryLinks<byte>>>())
46     {
47         scope.Use<ILinks<byte>>>().TestCRUDOperations();
48     }
49
50 private static void TestCRUDOperations<T>(this ILinks<T> links)
51 {
52     var constants = links.Constants;
53
54     var equalityComparer = EqualityComparer<T>.Default;
55
56     // Create Link
57     Assert.True(equalityComparer.Equals(links.Count(), Integer<T>.Zero));
58
59     var setter = new Setter<T>(constants.Null);
60     links.Each(constants.Any, constants.Any, setter.SetAndReturnTrue);
61
62     Assert.True(equalityComparer.Equals(setter.Result, constants.Null));
63
64     var linkAddress = links.Create();
65
66     var link = new Link<T>(links.GetLink(linkAddress));
67
68     Assert.True(link.Count == 3);
69     Assert.True(equalityComparer.Equals(link.Index, linkAddress));
70     Assert.True(equalityComparer.Equals(link.Source, constants.Null));
71     Assert.True(equalityComparer.Equals(link.Target, constants.Null));
72
73     Assert.True(equalityComparer.Equals(links.Count(), Integer<T>.One));
74
75     // Get first link
76     setter = new Setter<T>(constants.Null);
77     links.Each(constants.Any, constants.Any, setter.SetAndReturnFalse);
78
79     Assert.True(equalityComparer.Equals(setter.Result, linkAddress));
80
81     // Update link to reference itself
82     links.Update(linkAddress, linkAddress, linkAddress);
83
84     link = new Link<T>(links.GetLink(linkAddress));
85
86     Assert.True(equalityComparer.Equals(link.Source, linkAddress));
87     Assert.True(equalityComparer.Equals(link.Target, linkAddress));
88
89     // Update link to reference null (prepare for delete)
90     var updated = links.Update(linkAddress, constants.Null, constants.Null);
91
92     Assert.True(equalityComparer.Equals(updated, linkAddress));
93
94     link = new Link<T>(links.GetLink(linkAddress));
95
96     Assert.True(equalityComparer.Equals(link.Source, constants.Null));
97     Assert.True(equalityComparer.Equals(link.Target, constants.Null));
98
99     // Delete link
100    links.Delete(linkAddress);
101
102    Assert.True(equalityComparer.Equals(links.Count(), Integer<T>.Zero));
103
104    setter = new Setter<T>(constants.Null);
105    links.Each(constants.Any, constants.Any, setter.SetAndReturnTrue);
106
107    Assert.True(equalityComparer.Equals(setter.Result, constants.Null));
108 }
109
110 [Fact]
111 public static void UInt64RawNumbersCRUDTest()
112 {
113     using (var scope = new Scope<Types<HeapResizableDirectMemory,
114         ↳ ResizableDirectMemoryLinks<ulong>>>())
115     {
116         scope.Use<ILinks<ulong>>>().TestRawNumbersCRUDOperations();
117     }
118
119 [Fact]
120 public static void UInt32RawNumbersCRUDTest()

```

```

121 {
122     using (var scope = new Scope<Types<HeapResizableDirectMemory,
123         ↳ ResizableDirectMemoryLinks<uint>>>())
124     {
125         scope.Use<ILinks<uint>>().TestRawNumbersCRUDOperations();
126     }
127
128 [Fact]
129 public static void UInt16RawNumbersCRUDTest()
130 {
131     using (var scope = new Scope<Types<HeapResizableDirectMemory,
132         ↳ ResizableDirectMemoryLinks<ushort>>>())
133     {
134         scope.Use<ILinks<ushort>>().TestRawNumbersCRUDOperations();
135     }
136
137 [Fact]
138 public static void UInt8RawNumbersCRUDTest()
139 {
140     using (var scope = new Scope<Types<HeapResizableDirectMemory,
141         ↳ ResizableDirectMemoryLinks<byte>>>())
142     {
143         scope.Use<ILinks<byte>>().TestRawNumbersCRUDOperations();
144     }
145
146 private static void TestRawNumbersCRUDOperations<T>(this ILinks<T> links)
147 {
148     // Constants
149     var constants = links.Constants;
150     var equalityComparer = EqualityComparer<T>.Default;
151
152     var h106E = new Hybrid<T>(106L, isExternal: true);
153     var h107E = new Hybrid<T>(-char.ConvertFromUtf32(107)[0]);
154     var h108E = new Hybrid<T>(-108L);
155
156     Assert.Equal(106L, h106E.AbsoluteValue);
157     Assert.Equal(107L, h107E.AbsoluteValue);
158     Assert.Equal(108L, h108E.AbsoluteValue);
159
160     // Create Link (External -> External)
161     var linkAddress1 = links.Create();
162
163     links.Update(linkAddress1, h106E, h108E);
164
165     var link1 = new Link<T>(links.GetLink(linkAddress1));
166
167     Assert.True(equalityComparer.Equals(link1.Source, h106E));
168     Assert.True(equalityComparer.Equals(link1.Target, h108E));
169
170     // Create Link (Internal -> External)
171     var linkAddress2 = links.Create();
172
173     links.Update(linkAddress2, linkAddress1, h108E);
174
175     var link2 = new Link<T>(links.GetLink(linkAddress2));
176
177     Assert.True(equalityComparer.Equals(link2.Source, linkAddress1));
178     Assert.True(equalityComparer.Equals(link2.Target, h108E));
179
180     // Create Link (Internal -> Internal)
181     var linkAddress3 = links.Create();
182
183     links.Update(linkAddress3, linkAddress1, linkAddress2);
184
185     var link3 = new Link<T>(links.GetLink(linkAddress3));
186
187     Assert.True(equalityComparer.Equals(link3.Source, linkAddress1));
188     Assert.True(equalityComparer.Equals(link3.Target, linkAddress2));
189
190     // Search for created link
191     var setter1 = new Setter<T>(constants.Null);
192     links.Each(h106E, h108E, setter1.SetAndReturnFalse);
193
194     Assert.True(equalityComparer.Equals(setter1.Result, linkAddress1));
195
196     // Search for nonexistent link

```

```

197     var setter2 = new Setter<T>(constants.Null);
198     links.Each(h106E, h107E, setter2.SetAndReturnFalse);
199
200     Assert.True(equalityComparer.Equals(setter2.Result, constants.Null));
201
202     // Update link to reference null (prepare for delete)
203     var updated = links.Update(linkAddress3, constants.Null, constants.Null);
204
205     Assert.True(equalityComparer.Equals(updated, linkAddress3));
206
207     link3 = new Link<T>(links.GetLink(linkAddress3));
208
209     Assert.True(equalityComparer.Equals(link3.Source, constants.Null));
210     Assert.True(equalityComparer.Equals(link3.Target, constants.Null));
211
212     // Delete link
213     links.Delete(linkAddress3);
214
215     Assert.True(equalityComparer.Equals(links.Count(), Integer<T>.Two));
216
217     var setter3 = new Setter<T>(constants.Null);
218     links.Each(constants.Any, constants.Any, setter3.SetAndReturnTrue);
219
220     Assert.True(equalityComparer.Equals(setter3.Result, linkAddress2));
221 }
222
223 // TODO: Test layers
224 }
225 }

```

./Platform.Data.Doublets.Tests/EqualityTests.cs

```

1  using System;
2  using System.Collections.Generic;
3  using Xunit;
4  using Platform.Diagnostics;
5
6  namespace Platform.Data.Doublets.Tests
7  {
8      public static class EqualityTests
9      {
10         protected class UInt64EqualityComparer : IEqualityComparer<ulong>
11         {
12             public bool Equals(ulong x, ulong y) => x == y;
13
14             public int GetHashCode(ulong obj) => obj.GetHashCode();
15         }
16
17         private static bool Equals1<T>(T x, T y) => Equals(x, y);
18
19         private static bool Equals2<T>(T x, T y) => x.Equals(y);
20
21         private static bool Equals3(ulong x, ulong y) => x == y;
22
23         [Fact]
24         public static void EqualsPerformanceTest()
25         {
26             const int N = 1000000;
27
28             ulong x = 10;
29             ulong y = 500;
30
31             bool result = false;
32
33             var ts1 = Performance.Measure(() =>
34             {
35                 for (int i = 0; i < N; i++)
36                 {
37                     result = Equals1(x, y);
38                 }
39             });
40
41             var ts2 = Performance.Measure(() =>
42             {
43                 for (int i = 0; i < N; i++)
44                 {
45                     result = Equals2(x, y);
46                 }
47             });
48
49             var ts3 = Performance.Measure(() =>

```



```

50     {
51         for (int i = 0; i < N; i++)
52         {
53             result = Equals3(x, y);
54         }
55     });
56
57     var equalityComparer1 = EqualityComparer<ulong>.Default;
58
59     var ts4 = Performance.Measure(() =>
60     {
61         for (int i = 0; i < N; i++)
62         {
63             result = equalityComparer1.Equals(x, y);
64         }
65     });
66
67     var equalityComparer2 = new UInt64EqualityComparer();
68
69     var ts5 = Performance.Measure(() =>
70     {
71         for (int i = 0; i < N; i++)
72         {
73             result = equalityComparer2.Equals(x, y);
74         }
75     });
76
77     Func<ulong, ulong, bool> equalityComparer3 = equalityComparer2.Equals;
78
79     var ts6 = Performance.Measure(() =>
80     {
81         for (int i = 0; i < N; i++)
82         {
83             result = equalityComparer3(x, y);
84         }
85     });
86
87     var comparer = Comparer<ulong>.Default;
88
89     var ts7 = Performance.Measure(() =>
90     {
91         for (int i = 0; i < N; i++)
92         {
93             result = comparer.Compare(x, y) == 0;
94         }
95     });
96
97     Assert.True(ts2 < ts1);
98     Assert.True(ts3 < ts2);
99     Assert.True(ts5 < ts4);
100    Assert.True(ts5 < ts6);
101
102    Console.WriteLine($"{ts1} {ts2} {ts3} {ts4} {ts5} {ts6} {ts7} {result}");
103 }
104 }
105 }

```

./Platform.Data.Doublets.Tests/LinksTests.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Diagnostics;
4  using System.IO;
5  using System.Text;
6  using System.Threading;
7  using System.Threading.Tasks;
8  using Xunit;
9  using Platform.Disposables;
10 using Platform.IO;
11 using Platform.Ranges;
12 using Platform.Random;
13 using Platform.Timestamps;
14 using Platform.Singletons;
15 using Platform.Counters;
16 using Platform.Diagnostics;
17 using Platform.Data.Constants;
18 using Platform.Data.Doublets.ResizableDirectMemory;
19 using Platform.Data.Doublets.Decorators;
20
21 namespace Platform.Data.Doublets.Tests
22 {
23     public static class LinksTests

```

```

24 {
25     private static readonly LinksCombinedConstants<bool, ulong, int> _constants =
        ↳ Default<LinksCombinedConstants<bool, ulong, int>>.Instance;
26
27     private const long Iterations = 10 * 1024;
28
29     #region Concept
30
31     [Fact]
32     public static void MultipleCreateAndDeleteTest()
33     {
34         //const int N = 21;
35
36         using (var scope = new TempLinksTestScope())
37         {
38             var links = scope.Links;
39
40             for (var N = 0; N < 100; N++)
41             {
42                 var random = new System.Random(N);
43
44                 var created = 0;
45                 var deleted = 0;
46
47                 for (var i = 0; i < N; i++)
48                 {
49                     var linksCount = links.Count();
50
51                     var createPoint = random.NextBoolean();
52
53                     if (linksCount > 2 && createPoint)
54                     {
55                         var linksAddressRange = new Range<ulong>(1, linksCount);
56                         var source = random.NextUInt64(linksAddressRange);
57                         var target = random.NextUInt64(linksAddressRange); //-V3086
58
59                         var resultLink = links.CreateAndUpdate(source, target);
60                         if (resultLink > linksCount)
61                         {
62                             created++;
63                         }
64                     }
65                     else
66                     {
67                         links.Create();
68                         created++;
69                     }
70                 }
71
72                 Assert.True(created == (int)links.Count());
73
74                 for (var i = 0; i < N; i++)
75                 {
76                     var link = (ulong)i + 1;
77                     if (links.Exists(link))
78                     {
79                         links.Delete(link);
80                         deleted++;
81                     }
82                 }
83
84                 Assert.True(links.Count() == 0);
85             }
86         }
87     }
88
89     [Fact]
90     public static void CascadeUpdateTest()
91     {
92         var itself = _constants.Itself;
93
94         using (var scope = new TempLinksTestScope(useLog: true))
95         {
96             var links = scope.Links;
97
98             var l1 = links.Create();
99             var l2 = links.Create();
100
101             l2 = links.Update(l2, l2, l1, l2);
102

```

```

103         links.CreateAndUpdate(l2, itself);
104         links.CreateAndUpdate(l2, itself);
105
106         l2 = links.Update(l2, l1);
107
108         links.Delete(l2);
109
110         Global.Trash = links.Count();
111
112         links.Unsync.DisposeIfPossible(); // Close links to access log
113
114         Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(scope
            ↪ e.TempTransactionLogFilename);
115     }
116 }
117
118 [Fact]
119 public static void BasicTransactionLogTest()
120 {
121     using (var scope = new TempLinksTestScope(useLog: true))
122     {
123         var links = scope.Links;
124         var l1 = links.Create();
125         var l2 = links.Create();
126
127         Global.Trash = links.Update(l2, l2, l1, l2);
128
129         links.Delete(l1);
130
131         links.Unsync.DisposeIfPossible(); // Close links to access log
132
133         Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(scope
            ↪ e.TempTransactionLogFilename);
134     }
135 }
136
137 [Fact]
138 public static void TransactionAutoRevertedTest()
139 {
140     // Auto Reverted (Because no commit at transaction)
141     using (var scope = new TempLinksTestScope(useLog: true))
142     {
143         var links = scope.Links;
144         var transactionsLayer = (UInt64LinksTransactionsLayer)scope.MemoryAdapter;
145         using (var transaction = transactionsLayer.BeginTransaction())
146         {
147             var l1 = links.Create();
148             var l2 = links.Create();
149
150             links.Update(l2, l2, l1, l2);
151         }
152
153         Assert.Equal(OUL, links.Count());
154
155         links.Unsync.DisposeIfPossible();
156
157         var transitions = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(s
            ↪ cope.TempTransactionLogFilename);
158         Assert.Single(transitions);
159     }
160 }
161
162 [Fact]
163 public static void TransactionUserCodeErrorNoDataSavedTest()
164 {
165     // User Code Error (Autoreverted), no data saved
166     var itself = _constants.Itself;
167
168     TempLinksTestScope lastScope = null;
169     try
170     {
171         using (var scope = lastScope = new TempLinksTestScope(deleteFiles: false,
            ↪ useLog: true))
172         {
173             var links = scope.Links;
174             var transactionsLayer = (UInt64LinksTransactionsLayer)((LinksDisposableDecor
            ↪ atorBase<ulong>)links.Unsync).Links;
175             using (var transaction = transactionsLayer.BeginTransaction())
176             {

```

```

177         var l1 = links.CreateAndUpdate(itself, itself);
178         var l2 = links.CreateAndUpdate(itself, itself);
179
180         l2 = links.Update(l2, l2, l1, l2);
181
182         links.CreateAndUpdate(l2, itself);
183         links.CreateAndUpdate(l2, itself);
184
185         //Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transi_
186         ↪ tion>(scope.TempTransactionLogFilename);
187
188         l2 = links.Update(l2, l1);
189
190         links.Delete(l2);
191
192         ExceptionThrower();
193
194         transaction.Commit();
195     }
196     Global.Trash = links.Count();
197 }
198 }
199 catch
200 {
201     Assert.False(lastScope == null);
202
203     var transitions = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(l_
204     ↪ astScope.TempTransactionLogFilename);
205
206     Assert.True(transitions.Length == 1 && transitions[0].Before.IsNull() &&
207     ↪ transitions[0].After.IsNull());
208
209     lastScope.DeleteFiles();
210 }
211 }
212 [Fact]
213 public static void TransactionUserCodeErrorSomeDataSavedTest()
214 {
215     // User Code Error (Autoreverted), some data saved
216     var itself = _constants.Itself;
217
218     TempLinksTestScope lastScope = null;
219     try
220     {
221         ulong l1;
222         ulong l2;
223
224         using (var scope = new TempLinksTestScope(useLog: true))
225         {
226             var links = scope.Links;
227             l1 = links.CreateAndUpdate(itself, itself);
228             l2 = links.CreateAndUpdate(itself, itself);
229
230             l2 = links.Update(l2, l2, l1, l2);
231
232             links.CreateAndUpdate(l2, itself);
233             links.CreateAndUpdate(l2, itself);
234
235             links.Unsync.DisposeIfPossible();
236
237             Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(
238             ↪ scope.TempTransactionLogFilename);
239         }
240
241         using (var scope = lastScope = new TempLinksTestScope(deleteFiles: false,
242         ↪ useLog: true))
243         {
244             var links = scope.Links;
245             var transactionsLayer = (UInt64LinksTransactionsLayer)links.Unsync;
246             using (var transaction = transactionsLayer.BeginTransaction())
247             {
248                 l2 = links.Update(l2, l1);
249
250                 links.Delete(l2);
251
252                 ExceptionThrower();
253
254                 transaction.Commit();

```

```

252     }
253
254     Global.Trash = links.Count();
255 }
256 }
257 catch
258 {
259     Assert.False(lastScope == null);
260
261     Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(last
        ↪ Scope.TempTransactionLogFilename);
262
263     lastScope.DeleteFiles();
264 }
265 }
266
267 [Fact]
268 public static void TransactionCommit()
269 {
270     var itself = _constants.Itself;
271
272     var tempDatabaseFilename = Path.GetTempFileName();
273     var tempTransactionLogFilename = Path.GetTempFileName();
274
275     // Commit
276     using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
        ↪ UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
        ↪ tempTransactionLogFilename))
277     using (var links = new UInt64Links(memoryAdapter))
278     {
279         using (var transaction = memoryAdapter.BeginTransaction())
280         {
281             var l1 = links.CreateAndUpdate(itself, itself);
282             var l2 = links.CreateAndUpdate(itself, itself);
283
284             Global.Trash = links.Update(l2, l2, l1, l2);
285
286             links.Delete(l1);
287
288             transaction.Commit();
289         }
290
291         Global.Trash = links.Count();
292     }
293
294     Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran
        ↪ sactionLogFilename);
295 }
296
297 [Fact]
298 public static void TransactionDamage()
299 {
300     var itself = _constants.Itself;
301
302     var tempDatabaseFilename = Path.GetTempFileName();
303     var tempTransactionLogFilename = Path.GetTempFileName();
304
305     // Commit
306     using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
        ↪ UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
        ↪ tempTransactionLogFilename))
307     using (var links = new UInt64Links(memoryAdapter))
308     {
309         using (var transaction = memoryAdapter.BeginTransaction())
310         {
311             var l1 = links.CreateAndUpdate(itself, itself);
312             var l2 = links.CreateAndUpdate(itself, itself);
313
314             Global.Trash = links.Update(l2, l2, l1, l2);
315
316             links.Delete(l1);
317
318             transaction.Commit();
319         }
320
321         Global.Trash = links.Count();
322     }
323 }

```

```

324 Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran
    ↪ sactionLogFilename);
325
326 // Damage database
327
328 FileHelpers.WriteFirst(tempTransactionLogFilename, new
    ↪ UInt64LinksTransactionsLayer.Transition(new UniqueTimestampFactory(), 555));
329
330 // Try load damaged database
331 try
332 {
333     // TODO: Fix
334     using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
        ↪ UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
        ↪ tempTransactionLogFilename))
        using (var links = new UInt64Links(memoryAdapter))
        {
335             Global.Trash = links.Count();
336         }
337     }
338 }
339 catch (NotSupportedException ex)
340 {
341     Assert.True(ex.Message == "Database is damaged, autorecovery is not supported
        ↪ yet.");
342 }
343
344 Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran
    ↪ sactionLogFilename);
345
346 File.Delete(tempDatabaseFilename);
347 File.Delete(tempTransactionLogFilename);
348
349 }
350
351 [Fact]
352 public static void Bug1Test()
353 {
354     var tempDatabaseFilename = Path.GetTempFileName();
355     var tempTransactionLogFilename = Path.GetTempFileName();
356
357     var itself = _constants.Itself;
358
359     // User Code Error (Autoreverted), some data saved
360     try
361     {
362         ulong l1;
363         ulong l2;
364
365         using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
            ↪ UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
            ↪ tempTransactionLogFilename))
            using (var links = new UInt64Links(memoryAdapter))
            {
366             l1 = links.CreateAndUpdate(itself, itself);
367             l2 = links.CreateAndUpdate(itself, itself);
368
369             l2 = links.Update(l2, l2, l1, l2);
370
371             links.CreateAndUpdate(l2, itself);
372             links.CreateAndUpdate(l2, itself);
373         }
374
375         Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(temp
    ↪ TransactionLogFilename);
376
377         using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
            ↪ UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
            ↪ tempTransactionLogFilename))
            using (var links = new UInt64Links(memoryAdapter))
            {
378                 using (var transaction = memoryAdapter.BeginTransaction())
379                 {
380                     l2 = links.Update(l2, l1);
381
382                     links.Delete(l2);
383
384                     ExceptionThrower();
385
386                     transaction.Commit();
387
388                 }
389
390             }

```

```

391         }
392
393         Global.Trash = links.Count();
394     }
395 }
396 catch
397 {
398     Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(temp ↵
        ↵ TransactionLogFilename);
399 }
400
401 File.Delete(tempDatabaseFilename);
402 File.Delete(tempTransactionLogFilename);
403 }
404
405 private static void ExceptionThrower()
406 {
407     throw new Exception();
408 }
409
410 [Fact]
411 public static void PathsTest()
412 {
413     var source = _constants.SourcePart;
414     var target = _constants.TargetPart;
415
416     using (var scope = new TempLinksTestScope())
417     {
418         var links = scope.Links;
419         var l1 = links.CreatePoint();
420         var l2 = links.CreatePoint();
421
422         var r1 = links.GetByKeys(l1, source, target, source);
423         var r2 = links.CheckPathExistence(l2, l2, l2, l2);
424     }
425 }
426
427 [Fact]
428 public static void RecursiveStringFormattingTest()
429 {
430     using (var scope = new TempLinksTestScope(useSequences: true))
431     {
432         var links = scope.Links;
433         var sequences = scope.Sequences; // TODO: Auto use sequences on Sequences getter.
434
435         var a = links.CreatePoint();
436         var b = links.CreatePoint();
437         var c = links.CreatePoint();
438
439         var ab = links.CreateAndUpdate(a, b);
440         var cb = links.CreateAndUpdate(c, b);
441         var ac = links.CreateAndUpdate(a, c);
442
443         a = links.Update(a, c, b);
444         b = links.Update(b, a, c);
445         c = links.Update(c, a, b);
446
447         Debug.WriteLine(links.FormatStructure(ab, link => link.IsFullPoint(), true));
448         Debug.WriteLine(links.FormatStructure(cb, link => link.IsFullPoint(), true));
449         Debug.WriteLine(links.FormatStructure(ac, link => link.IsFullPoint(), true));
450
451         Assert.True(links.FormatStructure(cb, link => link.IsFullPoint(), true) ==
            ↵ "(5:(4:5 (6:5 4)) 6)");
452         Assert.True(links.FormatStructure(ac, link => link.IsFullPoint(), true) ==
            ↵ "(6:(5:(4:5 6) 6) 4)");
453         Assert.True(links.FormatStructure(ab, link => link.IsFullPoint(), true) ==
            ↵ "(4:(5:4 (6:5 4)) 6)");
454
455         // TODO: Think how to build balanced syntax tree while formatting structure (eg.
            ↵ "(4:(5:4 6) (6:5 4))" instead of "(4:(5:4 (6:5 4)) 6)"
456
457         Assert.True(sequences.SafeFormatSequence(cb, DefaultFormatter, false) ==
            ↵ "{{5}{5}{4}{6}}");
458         Assert.True(sequences.SafeFormatSequence(ac, DefaultFormatter, false) ==
            ↵ "{{5}{6}{6}{4}}");
459         Assert.True(sequences.SafeFormatSequence(ab, DefaultFormatter, false) ==
            ↵ "{{4}{5}{4}{6}}");
460     }

```

```

461     }
462
463     private static void DefaultFormatter(StringBuilder sb, ulong link)
464     {
465         sb.Append(link.ToString());
466     }
467
468     #endregion
469
470     #region Performance
471
472     /*
473     public static void RunAllPerformanceTests()
474     {
475         try
476         {
477             links.TestLinksInSteps();
478         }
479         catch (Exception ex)
480         {
481             ex.WriteToConsole();
482         }
483
484         return;
485
486         try
487         {
488             //ThreadPool.SetMaxThreads(2, 2);
489
490             // Запускаем все тесты дважды, чтобы первоначальная инициализация не повлияла на
491             // Также это дополнительно помогает в отладке
492             // Увеличивает вероятность попадания информации в кэши
493             for (var i = 0; i < 10; i++)
494             {
495                 //0 - 10 ГБ
496                 //Каждые 100 МБ срез цифр
497
498                 //links.TestGetSourceFunction();
499                 //links.TestGetSourceFunctionInParallel();
500                 //links.TestGetTargetFunction();
501                 //links.TestGetTargetFunctionInParallel();
502                 links.Create64BillionLinks();
503
504                 links.TestRandomSearchFixed();
505                 //links.Create64BillionLinksInParallel();
506                 links.TestEachFunction();
507                 //links.TestForeach();
508                 //links.TestParallelForeach();
509             }
510
511             links.TestDeletionOfAllLinks();
512
513         }
514         catch (Exception ex)
515         {
516             ex.WriteToConsole();
517         }
518     }*/
519
520     /*
521     public static void TestLinksInSteps()
522     {
523         const long gibibyte = 1024 * 1024 * 1024;
524         const long mebibyte = 1024 * 1024;
525
526         var totalLinksToCreate = gibibyte /
527         Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;
528         var linksStep = 102 * mebibyte /
529         Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;
530
531         var creationMeasurements = new List<TimeSpan>();
532         var searchMeasurements = new List<TimeSpan>();
533         var deletionMeasurements = new List<TimeSpan>();
534
535         GetBaseRandomLoopOverhead(linksStep);
536         GetBaseRandomLoopOverhead(linksStep);
537
538         var stepLoopOverhead = GetBaseRandomLoopOverhead(linksStep);

```



```

538     ConsoleHelpers.Debug("Step loop overhead: {0}.", stepLoopOverhead);
539
540     var loops = totalLinksToCreate / linksStep;
541
542     for (int i = 0; i < loops; i++)
543     {
544         creationMeasurements.Add(Measure(() => links.RunRandomCreations(linksStep)));
545         searchMeasurements.Add(Measure(() => links.RunRandomSearches(linksStep)));
546
547         Console.WriteLine("\rC + S {0}/{1}", i + 1, loops);
548     }
549
550     ConsoleHelpers.Debug();
551
552     for (int i = 0; i < loops; i++)
553     {
554         deletionMeasurements.Add(Measure(() => links.RunRandomDeletions(linksStep)));
555
556         Console.WriteLine("\rD {0}/{1}", i + 1, loops);
557     }
558
559     ConsoleHelpers.Debug();
560
561     ConsoleHelpers.Debug("C S D");
562
563     for (int i = 0; i < loops; i++)
564     {
565         ConsoleHelpers.Debug("{0} {1} {2}", creationMeasurements[i],
↵ searchMeasurements[i], deletionMeasurements[i]);
566     }
567
568     ConsoleHelpers.Debug("C S D (no overhead)");
569
570     for (int i = 0; i < loops; i++)
571     {
572         ConsoleHelpers.Debug("{0} {1} {2}", creationMeasurements[i] - stepLoopOverhead,
↵ searchMeasurements[i] - stepLoopOverhead, deletionMeasurements[i] - stepLoopOverhead);
573     }
574
575     ConsoleHelpers.Debug("All tests done. Total links left in database: {0}.",
↵ links.Total);
576 }
577
578 private static void CreatePoints(this Platform.Links.Data.Core.Doublets.Links links, long
↵ amountToCreate)
579 {
580     for (long i = 0; i < amountToCreate; i++)
581         links.Create(0, 0);
582 }
583
584 private static TimeSpan GetBaseRandomLoopOverhead(long loops)
585 {
586     return Measure(() =>
587     {
588         ulong maxValue = RandomHelpers.DefaultFactory.NextUInt64();
589         ulong result = 0;
590         for (long i = 0; i < loops; i++)
591         {
592             var source = RandomHelpers.DefaultFactory.NextUInt64(maxValue);
593             var target = RandomHelpers.DefaultFactory.NextUInt64(maxValue);
594
595             result += maxValue + source + target;
596         }
597         Global.Trash = result;
598     });
599 }
600
601 /*
602 [Fact(Skip = "performance test")]
603 public static void GetSourceTest()
604 {
605     using (var scope = new TempLinksTestScope())
606     {
607         var links = scope.Links;
608         ConsoleHelpers.Debug("Testing GetSource function with {0} Iterations.",
↵ Iterations);
609
610         ulong counter = 0;

```

```

612 //var firstLink = links.First();
613 // Создаём одну связь, из которой будет производить считывание
614 var firstLink = links.Create();
615
616 var sw = Stopwatch.StartNew();
617
618 // Тестируем саму функцию
619 for (ulong i = 0; i < Iterations; i++)
620 {
621     counter += links.GetSource(firstLink);
622 }
623
624 var elapsedTime = sw.Elapsed;
625
626 var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
627
628 // Удаляем связь, из которой производилось считывание
629 links.Delete(firstLink);
630
631 ConsoleHelpers.Debug(
632     "{0} Iterations of GetSource function done in {1} ({2} Iterations per
        ↳ second), counter result: {3}",
        Iterations, elapsedTime, (long)iterationsPerSecond, counter);
633 }
634 }
635
636 [Fact(Skip = "performance test")]
637 public static void GetSourceInParallel()
638 {
639     using (var scope = new TempLinksTestScope())
640     {
641         var links = scope.Links;
642         ConsoleHelpers.Debug("Testing GetSource function with {0} Iterations in
        ↳ parallel.", Iterations);
643
644         long counter = 0;
645
646         //var firstLink = links.First();
647         var firstLink = links.Create();
648
649         var sw = Stopwatch.StartNew();
650
651         // Тестируем саму функцию
652         Parallel.For(0, Iterations, x =>
653         {
654             Interlocked.Add(ref counter, (long)links.GetSource(firstLink));
655             //Interlocked.Increment(ref counter);
656         });
657
658         var elapsedTime = sw.Elapsed;
659
660         var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
661
662         links.Delete(firstLink);
663
664         ConsoleHelpers.Debug(
665             "{0} Iterations of GetSource function done in {1} ({2} Iterations per
        ↳ second), counter result: {3}",
        Iterations, elapsedTime, (long)iterationsPerSecond, counter);
666     }
667 }
668
669 [Fact(Skip = "performance test")]
670 public static void TestGetTarget()
671 {
672     using (var scope = new TempLinksTestScope())
673     {
674         var links = scope.Links;
675         ConsoleHelpers.Debug("Testing GetTarget function with {0} Iterations.",
        ↳ Iterations);
676
677         ulong counter = 0;
678
679         //var firstLink = links.First();
680         var firstLink = links.Create();
681
682         var sw = Stopwatch.StartNew();
683
684         for (ulong i = 0; i < Iterations; i++)

```

```

687         {
688             counter += links.GetTarget(firstLink);
689         }
690
691         var elapsedTime = sw.Elapsed;
692
693         var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
694
695         links.Delete(firstLink);
696
697         ConsoleHelpers.Debug(
698             "{0} Iterations of GetTarget function done in {1} ({2} Iterations per
        ↳ second), counter result: {3}",
        ↳ Iterations, elapsedTime, (long)iterationsPerSecond, counter);
699     }
700 }
701
702 [Fact(Skip = "performance test")]
703 public static void TestGetTargetInParallel()
704 {
705     using (var scope = new TempLinksTestScope())
706     {
707         var links = scope.Links;
708         ConsoleHelpers.Debug("Testing GetTarget function with {0} Iterations in
        ↳ parallel.", Iterations);
709
710         long counter = 0;
711
712         //var firstLink = links.First();
713         var firstLink = links.Create();
714
715         var sw = Stopwatch.StartNew();
716
717         Parallel.For(0, Iterations, x =>
718         {
719             Interlocked.Add(ref counter, (long)links.GetTarget(firstLink));
720             //Interlocked.Increment(ref counter);
721         });
722
723         var elapsedTime = sw.Elapsed;
724
725         var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
726
727         links.Delete(firstLink);
728
729         ConsoleHelpers.Debug(
730             "{0} Iterations of GetTarget function done in {1} ({2} Iterations per
        ↳ second), counter result: {3}",
        ↳ Iterations, elapsedTime, (long)iterationsPerSecond, counter);
731     }
732 }
733
734 // TODO: Заполнить базу данных перед тестом
735 /*
736 [Fact]
737 public void TestRandomSearchFixed()
738 {
739     var tempFilename = Path.GetTempFileName();
740
741     using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
        ↳ DefaultLinksSizeStep))
742     {
743         long iterations = 64 * 1024 * 1024 /
        ↳ Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;
744
745         ulong counter = 0;
746         var maxLink = links.Total;
747
748         ConsoleHelpers.Debug("Testing Random Search with {0} Iterations.", iterations);
749
750         var sw = Stopwatch.StartNew();
751
752         for (var i = iterations; i > 0; i--)
753         {
754             var source =
        ↳ RandomHelpers.DefaultFactory.NextUInt64(LinksConstants.MinPossibleIndex, maxLink);
755             var target =
        ↳ RandomHelpers.DefaultFactory.NextUInt64(LinksConstants.MinPossibleIndex, maxLink);
756
757             // ... (rest of the test logic)
758         }
759     }
760 }
761 */

```

```

759         counter += links.Search(source, target);
760     }
761
762     var elapsedTime = sw.Elapsed;
763
764     var iterationsPerSecond = iterations / elapsedTime.TotalSeconds;
765
766     ConsoleHelpers.Debug("{0} Iterations of Random Search done in {1} ({2}
↵ Iterations per second), c: {3}", iterations, elapsedTime, (long)iterationsPerSecond,
↵ counter);
767     }
768
769     File.Delete(tempFilename);
770 }*/
771
772 [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
773 public static void TestRandomSearchAll()
774 {
775     using (var scope = new TempLinksTestScope())
776     {
777         var links = scope.Links;
778         ulong counter = 0;
779
780         var maxLink = links.Count();
781
782         var iterations = links.Count();
783
784         ConsoleHelpers.Debug("Testing Random Search with {0} Iterations.",
↵ links.Count());
785
786         var sw = Stopwatch.StartNew();
787
788         for (var i = iterations; i > 0; i--)
789         {
790             var linksAddressRange = new Range<ulong>(_constants.MinPossibleIndex,
↵ maxLink);
791
792             var source = RandomHelpers.Default.NextUInt64(linksAddressRange);
793             var target = RandomHelpers.Default.NextUInt64(linksAddressRange);
794
795             counter += links.SearchOrDefault(source, target);
796         }
797
798         var elapsedTime = sw.Elapsed;
799
800         var iterationsPerSecond = iterations / elapsedTime.TotalSeconds;
801
802         ConsoleHelpers.Debug("{0} Iterations of Random Search done in {1} ({2}
↵ Iterations per second), c: {3}",
↵ iterations, elapsedTime, (long)iterationsPerSecond, counter);
803     }
804 }
805
806 [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
807 public static void TestEach()
808 {
809     using (var scope = new TempLinksTestScope())
810     {
811         var links = scope.Links;
812
813         var counter = new Counter<IList<ulong>, ulong>(links.Constants.Continue);
814
815         ConsoleHelpers.Debug("Testing Each function.");
816
817         var sw = Stopwatch.StartNew();
818
819         links.Each(counter.IncrementAndReturnTrue);
820
821         var elapsedTime = sw.Elapsed;
822
823         var linksPerSecond = counter.Count / elapsedTime.TotalSeconds;
824
825         ConsoleHelpers.Debug("{0} Iterations of Each's handler function done in {1} ({2}
↵ links per second)",
↵ counter, elapsedTime, (long)linksPerSecond);
826     }
827 }
828
829 }
830
831 /*
832 [Fact]

```

```

833     public static void TestForeach()
834     {
835         var tempFilename = Path.GetTempFileName();
836
837         using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
↵ DefaultLinksSizeStep))
838         {
839             ulong counter = 0;
840
841             ConsoleHelpers.Debug("Testing foreach through links.");
842
843             var sw = Stopwatch.StartNew();
844
845             //foreach (var link in links)
846             //{
847                 //    counter++;
848             //}
849
850             var elapsedTime = sw.Elapsed;
851
852             var linksPerSecond = (double)counter / elapsedTime.TotalSeconds;
853
854             ConsoleHelpers.Debug("{0} Iterations of Foreach's handler block done in {1} ({2}
↵ links per second)", counter, elapsedTime, (long)linksPerSecond);
855         }
856
857         File.Delete(tempFilename);
858     }
859     */
860
861     /*
862     [Fact]
863     public static void TestParallelForeach()
864     {
865         var tempFilename = Path.GetTempFileName();
866
867         using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
↵ DefaultLinksSizeStep))
868         {
869             long counter = 0;
870
871             ConsoleHelpers.Debug("Testing parallel foreach through links.");
872
873             var sw = Stopwatch.StartNew();
874
875             //Parallel.ForEach((IEnumerable<ulong>)links, x =>
876             //{
877                 //    Interlocked.Increment(ref counter);
878             //});
879
880             var elapsedTime = sw.Elapsed;
881
882             var linksPerSecond = (double)counter / elapsedTime.TotalSeconds;
883
884             ConsoleHelpers.Debug("{0} Iterations of Parallel Foreach's handler block done in
↵ {1} ({2} links per second)", counter, elapsedTime, (long)linksPerSecond);
885         }
886
887         File.Delete(tempFilename);
888     }
889     */
890
891     [Fact(Skip = "performance test")]
892     public static void Create64BillionLinks()
893     {
894         using (var scope = new TempLinksTestScope())
895         {
896             var links = scope.Links;
897             var linksBeforeTest = links.Count();
898
899             long linksToCreate = 64 * 1024 * 1024 /
↵ UInt64ResizableDirectMemoryLinks.LinkSizeInBytes;
900
901             ConsoleHelpers.Debug("Creating {0} links.", linksToCreate);
902
903             var elapsedTime = Performance.Measure(() =>
904             {
905                 for (long i = 0; i < linksToCreate; i++)
906                 {
907

```

```

908         links.Create();
909     }
910 });
911
912 var linksCreated = links.Count() - linksBeforeTest;
913 var linksPerSecond = linksCreated / elapsedTime.TotalSeconds;
914
915 ConsoleHelpers.Debug("Current links count: {0}.", links.Count());
916
917 ConsoleHelpers.Debug("{0} links created in {1} ({2} links per second)",
    ↪ linksCreated, elapsedTime,
    (long)linksPerSecond);
918 }
919 }
920 }
921
922 [Fact(Skip = "performance test")]
923 public static void Create64BillionLinksInParallel()
924 {
925     using (var scope = new TempLinksTestScope())
926     {
927         var links = scope.Links;
928         var linksBeforeTest = links.Count();
929
930         var sw = Stopwatch.StartNew();
931
932         long linksToCreate = 64 * 1024 * 1024 /
    ↪ UInt64ResizableDirectMemoryLinks.LinkSizeInBytes;
933
934         ConsoleHelpers.Debug("Creating {0} links in parallel.", linksToCreate);
935
936         Parallel.For(0, linksToCreate, x => links.Create());
937
938         var elapsedTime = sw.Elapsed;
939
940         var linksCreated = links.Count() - linksBeforeTest;
941         var linksPerSecond = linksCreated / elapsedTime.TotalSeconds;
942
943         ConsoleHelpers.Debug("{0} links created in {1} ({2} links per second)",
    ↪ linksCreated, elapsedTime,
    (long)linksPerSecond);
944     }
945 }
946
947 [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
948 public static void TestDeletionOfAllLinks()
949 {
950     using (var scope = new TempLinksTestScope())
951     {
952         var links = scope.Links;
953         var linksBeforeTest = links.Count();
954
955         ConsoleHelpers.Debug("Deleting all links");
956
957         var elapsedTime = Performance.Measure(links.DeleteAll);
958
959         var linksDeleted = linksBeforeTest - links.Count();
960         var linksPerSecond = linksDeleted / elapsedTime.TotalSeconds;
961
962         ConsoleHelpers.Debug("{0} links deleted in {1} ({2} links per second)",
    ↪ linksDeleted, elapsedTime,
    (long)linksPerSecond);
963     }
964 }
965
966 }
967
968 #endregion
969 }
970 }

```

./Platform.Data.Doublets.Tests/OptimalVariantSequenceTests.cs

```

1  using System;
2  using System.Linq;
3  using System.Collections.Generic;
4  using Xunit;
5  using Platform.Interfaces;
6  using Platform.Data.Doublets.Sequences;
7  using Platform.Data.Doublets.Sequences.Frequencies.Cache;
8  using Platform.Data.Doublets.Sequences.Frequencies.Counters;
9  using Platform.Data.Doublets.Sequences.Converters;
10 using Platform.Data.Doublets.PropertyOperators;
11 using Platform.Data.Doublets.Incrementers;

```

```

12 using Platform.Data.Doublets.Converters;
13
14 namespace Platform.Data.Doublets.Tests
15 {
16     public static class OptimalVariantSequenceTests
17     {
18         private const string SequenceExample = "зеленела зелёная зелень";
19
20         [Fact]
21         public static void LinksBasedFrequencyStoredOptimalVariantSequenceTest()
22         {
23             using (var scope = new TempLinksTestScope(useSequences: true))
24             {
25                 var links = scope.Links;
26                 var sequences = scope.Sequences;
27                 var constants = links.Constants;
28
29                 links.UseUnicode();
30
31                 var sequence = UnicodeMap.FromStringToLinkArray(SequenceExample);
32
33                 var meaningRoot = links.CreatePoint();
34                 var unaryOne = links.CreateAndUpdate(meaningRoot, constants.Itself);
35                 var frequencyMarker = links.CreateAndUpdate(meaningRoot, constants.Itself);
36                 var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot,
37                     ↳ constants.Itself);
38
39                 var unaryNumberToAddressConveter = new
40                     ↳ UnaryNumberToAddressAddOperationConverter<ulong>(links, unaryOne);
41                 var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links, unaryOne);
42                 var frequencyIncrementer = new FrequencyIncrementer<ulong>(links,
43                     ↳ frequencyMarker, unaryOne, unaryNumberIncrementer);
44                 var frequencyPropertyOperator = new PropertyOperator<ulong>(links,
45                     ↳ frequencyPropertyMarker, frequencyMarker);
46                 var linkFrequencyIncrementer = new LinkFrequencyIncrementer<ulong>(links,
47                     ↳ frequencyPropertyOperator, frequencyIncrementer);
48                 var linkToItsFrequencyNumberConverter = new
49                     ↳ LinkToItsFrequencyNumberConveter<ulong>(links, frequencyPropertyOperator,
50                     ↳ unaryNumberToAddressConveter);
51                 var sequenceToItsLocalElementLevelsConverter = new
52                     ↳ SequenceToItsLocalElementLevelsConverter<ulong>(links,
53                     ↳ linkToItsFrequencyNumberConverter);
54                 var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
55                     ↳ sequenceToItsLocalElementLevelsConverter);
56
57                 ExecuteTest(links, sequences, sequence,
58                     ↳ sequenceToItsLocalElementLevelsConverter, linkFrequencyIncrementer,
59                     ↳ optimalVariantConverter);
60             }
61         }
62
63         [Fact]
64         public static void DictionaryBasedFrequencyStoredOptimalVariantSequenceTest()
65         {
66             using (var scope = new TempLinksTestScope(useSequences: true))
67             {
68                 var links = scope.Links;
69                 var sequences = scope.Sequences;
70
71                 links.UseUnicode();
72
73                 var sequence = UnicodeMap.FromStringToLinkArray(SequenceExample);
74
75                 var linksToFrequencies = new Dictionary<ulong, ulong>();
76
77                 var totalSequenceSymbolFrequencyCounter = new
78                     ↳ TotalSequenceSymbolFrequencyCounter<ulong>(links);
79
80                 var linkFrequenciesCache = new LinkFrequenciesCache<ulong>(links,
81                     ↳ totalSequenceSymbolFrequencyCounter);
82
83                 var linkFrequencyIncrementer = new
84                     ↳ FrequenciesCacheBasedLinkFrequencyIncrementer<ulong>(linkFrequenciesCache);
85                 var linkToItsFrequencyNumberConverter = new FrequenciesCacheBasedLinkToItsFreque
86                     ↳ ncyNumberConverter<ulong>(linkFrequenciesCache);
87
88                 var sequenceToItsLocalElementLevelsConverter = new
89                     ↳ SequenceToItsLocalElementLevelsConverter<ulong>(links,
90                     ↳ linkToItsFrequencyNumberConverter);

```

```

73         var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
74             ↪ sequenceToItsLocalElementLevelsConverter);
75
76         ExecuteTest(links, sequences, sequence,
77             ↪ sequenceToItsLocalElementLevelsConverter, linkFrequencyIncrementer,
78             ↪ optimalVariantConverter);
79     }
80
81     private static void ExecuteTest(SynchronizedLinks<ulong> links, Sequences.Sequences
82     ↪ sequences, ulong[] sequence, SequenceToItsLocalElementLevelsConverter<ulong>
83     ↪ sequenceToItsLocalElementLevelsConverter, IIncrementer<IList<ulong>>
84     ↪ linkFrequencyIncrementer, OptimalVariantConverter<ulong> optimalVariantConverter)
85     {
86         linkFrequencyIncrementer.Increment(sequence);
87
88         var levels = sequenceToItsLocalElementLevelsConverter.Convert(sequence);
89
90         var optimalVariant = optimalVariantConverter.Convert(sequence);
91
92         var readSequence1 = sequences.ReadSequenceCore(optimalVariant, links.IsPartialPoint);
93
94         Assert.True(sequence.SequenceEqual(readSequence1));
95     }
96 }

```

./Platform.Data.Doublets.Tests/ReadSequenceTests.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Diagnostics;
4  using System.Linq;
5  using Xunit;
6  using Platform.Data.Sequences;
7  using Platform.Data.Doublets.Sequences.Converters;
8
9  namespace Platform.Data.Doublets.Tests
10 {
11     public static class ReadSequenceTests
12     {
13         [Fact]
14         public static void ReadSequenceTest()
15         {
16             const long sequenceLength = 2000;
17
18             using (var scope = new TempLinksTestScope(useSequences: true))
19             {
20                 var links = scope.Links;
21                 var sequences = scope.Sequences;
22
23                 var sequence = new ulong[sequenceLength];
24                 for (var i = 0; i < sequenceLength; i++)
25                 {
26                     sequence[i] = links.Create();
27                 }
28
29                 var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
30
31                 var sw1 = Stopwatch.StartNew();
32                 var balancedVariant = balancedVariantConverter.Convert(sequence); sw1.Stop();
33
34                 var sw2 = Stopwatch.StartNew();
35                 var readSequence1 = sequences.ReadSequenceCore(balancedVariant,
36                     ↪ links.IsPartialPoint); sw2.Stop();
37
38                 var sw3 = Stopwatch.StartNew();
39                 var readSequence2 = new List<ulong>();
40                 SequenceWalker.WalkRight(balancedVariant,
41                     links.GetSource,
42                     links.GetTarget,
43                     links.IsPartialPoint,
44                     readSequence2.Add);
45
46                 sw3.Stop();
47
48                 Assert.True(sequence.SequenceEqual(readSequence1));
49
50                 Assert.True(sequence.SequenceEqual(readSequence2));
51
52                 // Assert.True(sw2.Elapsed < sw3.Elapsed);

```



```

52         Console.WriteLine($"Stack-based walker: {sw3.Elapsed}, Level-based reader:
    ↪ {sw2.Elapsed}");
53
54         for (var i = 0; i < sequenceLength; i++)
55         {
56             links.Delete(sequence[i]);
57         }
58     }
59 }
60 }
61 }

```

./Platform.Data.Doublets.Tests/ResizableDirectMemoryLinksTests.cs

```

1  using System.IO;
2  using Xunit;
3  using Platform.Singletons;
4  using Platform.Memory;
5  using Platform.Data.Constants;
6  using Platform.Data.Doublets.ResizableDirectMemory;
7
8  namespace Platform.Data.Doublets.Tests
9  {
10     public static class ResizableDirectMemoryLinksTests
11     {
12         private static readonly LinksCombinedConstants<ulong, ulong, int> _constants =
    ↪ Default<LinksCombinedConstants<ulong, ulong, int>>.Instance;
13
14         [Fact]
15         public static void BasicFileMappedMemoryTest()
16         {
17             var tempFilename = Path.GetTempFileName();
18             using (var memoryAdapter = new UInt64ResizableDirectMemoryLinks(tempFilename))
19             {
20                 memoryAdapter.TestBasicMemoryOperations();
21             }
22             File.Delete(tempFilename);
23         }
24
25         [Fact]
26         public static void BasicHeapMemoryTest()
27         {
28             using (var memory = new
    ↪ HeapResizableDirectMemory(UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
29             using (var memoryAdapter = new UInt64ResizableDirectMemoryLinks(memory,
    ↪ UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
30             {
31                 memoryAdapter.TestBasicMemoryOperations();
32             }
33         }
34
35         private static void TestBasicMemoryOperations(this ILinks<ulong> memoryAdapter)
36         {
37             var link = memoryAdapter.Create();
38             memoryAdapter.Delete(link);
39         }
40
41         [Fact]
42         public static void NonexistentReferencesHeapMemoryTest()
43         {
44             using (var memory = new
    ↪ HeapResizableDirectMemory(UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
45             using (var memoryAdapter = new UInt64ResizableDirectMemoryLinks(memory,
    ↪ UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
46             {
47                 memoryAdapter.TestNonexistentReferences();
48             }
49         }
50
51         private static void TestNonexistentReferences(this ILinks<ulong> memoryAdapter)
52         {
53             var link = memoryAdapter.Create();
54             memoryAdapter.Update(link, ulong.MaxValue, ulong.MaxValue);
55             var resultLink = _constants.Null;
56             memoryAdapter.Each(foundLink =>
57             {
58                 resultLink = foundLink[_constants.IndexPart];
59                 return _constants.Break;
60             }, _constants.Any, ulong.MaxValue, ulong.MaxValue);
61             Assert.True(resultLink == link);

```

```

62         Assert.True(memoryAdapter.Count(ulong.MaxValue) == 0);
63         memoryAdapter.Delete(link);
64     }
65 }
66 }

```

./Platform.Data.Doublets.Tests/ScopeTests.cs

```

1  using Xunit;
2  using Platform.Scopes;
3  using Platform.Memory;
4  using Platform.Data.Doublets.ResizableDirectMemory;
5  using Platform.Data.Doublets.Decorators;
6
7  namespace Platform.Data.Doublets.Tests
8  {
9      public static class ScopeTests
10     {
11         [Fact]
12         public static void SingleDependencyTest()
13         {
14             using (var scope = new Scope())
15             {
16                 scope.IncludeAssemblyOf();
17                 var instance = scope.Use<IDirectMemory>();
18                 Assert.IsType<HeapResizableDirectMemory>(instance);
19             }
20         }
21
22         [Fact]
23         public static void CascadeDependencyTest()
24         {
25             using (var scope = new Scope())
26             {
27                 scope.Include<TemporaryFileMappedResizableDirectMemory>();
28                 scope.Include<UInt64ResizableDirectMemoryLinks>();
29                 var instance = scope.Use<ILinks<ulong>>();
30                 Assert.IsType<UInt64ResizableDirectMemoryLinks>(instance);
31             }
32         }
33
34         [Fact]
35         public static void FullAutoResolutionTest()
36         {
37             using (var scope = new Scope(autoInclude: true, autoExplore: true))
38             {
39                 var instance = scope.Use<UInt64Links>();
40                 Assert.IsType<UInt64Links>(instance);
41             }
42         }
43     }
44 }

```

./Platform.Data.Doublets.Tests/SequencesTests.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Diagnostics;
4  using System.Linq;
5  using Xunit;
6  using Platform.Collections;
7  using Platform.Random;
8  using Platform.IO;
9  using Platform.Singletons;
10 using Platform.Data.Constants;
11 using Platform.Data.Doublets.Sequences;
12 using Platform.Data.Doublets.Sequences.Frequencies.Cache;
13 using Platform.Data.Doublets.Sequences.Frequencies.Counters;
14 using Platform.Data.Doublets.Sequences.Converters;
15
16 namespace Platform.Data.Doublets.Tests
17 {
18     public static class SequencesTests
19     {
20         private static readonly LinksCombinedConstants<bool, ulong, int> _constants =
21             ↪ Default<LinksCombinedConstants<bool, ulong, int>>.Instance;
22
23         static SequencesTests()
24         {
25             // Trigger static constructor to not mess with performance measurements
26             _ = BitString.GetBitMaskFromIndex(1);
27         }
28     }
29 }

```

```

27
28 [Fact]
29 public static void CreateAllVariantsTest()
30 {
31     const long sequenceLength = 8;
32
33     using (var scope = new TempLinksTestScope(useSequences: true))
34     {
35         var links = scope.Links;
36         var sequences = scope.Sequences;
37
38         var sequence = new ulong[sequenceLength];
39         for (var i = 0; i < sequenceLength; i++)
40         {
41             sequence[i] = links.Create();
42         }
43
44         var sw1 = Stopwatch.StartNew();
45         var results1 = sequences.CreateAllVariants1(sequence); sw1.Stop();
46
47         var sw2 = Stopwatch.StartNew();
48         var results2 = sequences.CreateAllVariants2(sequence); sw2.Stop();
49
50         Assert.True(results1.Count > results2.Length);
51         Assert.True(sw1.Elapsed > sw2.Elapsed);
52
53         for (var i = 0; i < sequenceLength; i++)
54         {
55             links.Delete(sequence[i]);
56         }
57
58         Assert.True(links.Count() == 0);
59     }
60 }
61
62 //[Fact]
63 //public void CUDTest()
64 //{
65 //    var tempFilename = Path.GetTempFileName();
66 //
67 //    const long sequenceLength = 8;
68 //
69 //    const ulong itself = LinksConstants.Itself;
70 //
71 //    using (var memoryAdapter = new ResizableDirectMemoryLinks(tempFilename,
72 //        ↪ DefaultLinksSizeStep))
73 //    using (var links = new Links(memoryAdapter))
74 //    {
75 //        var sequence = new ulong[sequenceLength];
76 //        for (var i = 0; i < sequenceLength; i++)
77 //            sequence[i] = links.Create(itself, itself);
78 //
79 //        SequencesOptions o = new SequencesOptions();
80 //
81 //        TODO: Из числа в bool значения o.UseSequenceMarker = ((value & 1) != 0)
82 //        o.
83 //
84 //        var sequences = new Sequences(links);
85 //
86 //        var sw1 = Stopwatch.StartNew();
87 //        var results1 = sequences.CreateAllVariants1(sequence); sw1.Stop();
88 //
89 //        var sw2 = Stopwatch.StartNew();
90 //        var results2 = sequences.CreateAllVariants2(sequence); sw2.Stop();
91 //
92 //        Assert.True(results1.Count > results2.Length);
93 //        Assert.True(sw1.Elapsed > sw2.Elapsed);
94 //
95 //        for (var i = 0; i < sequenceLength; i++)
96 //            links.Delete(sequence[i]);
97 //    }
98 //
99 //    File.Delete(tempFilename);
100 //}
101
102 [Fact]
103 public static void AllVariantsSearchTest()
104 {
105

```

```

106     const long sequenceLength = 8;
107
108     using (var scope = new TempLinksTestScope(useSequences: true))
109     {
110         var links = scope.Links;
111         var sequences = scope.Sequences;
112
113         var sequence = new ulong[sequenceLength];
114         for (var i = 0; i < sequenceLength; i++)
115         {
116             sequence[i] = links.Create();
117         }
118
119         var createResults = sequences.CreateAllVariants2(sequence).Distinct().ToArray();
120
121         //for (int i = 0; i < createResults.Length; i++)
122         //    sequences.Create(createResults[i]);
123
124         var sw0 = Stopwatch.StartNew();
125         var searchResults0 = sequences.GetAllMatchingSequences0(sequence); sw0.Stop();
126
127         var sw1 = Stopwatch.StartNew();
128         var searchResults1 = sequences.GetAllMatchingSequences1(sequence); sw1.Stop();
129
130         var sw2 = Stopwatch.StartNew();
131         var searchResults2 = sequences.Each1(sequence); sw2.Stop();
132
133         var sw3 = Stopwatch.StartNew();
134         var searchResults3 = sequences.Each(sequence); sw3.Stop();
135
136         var intersection0 = createResults.Intersect(searchResults0).ToList();
137         Assert.True(intersection0.Count == searchResults0.Count);
138         Assert.True(intersection0.Count == createResults.Length);
139
140         var intersection1 = createResults.Intersect(searchResults1).ToList();
141         Assert.True(intersection1.Count == searchResults1.Count);
142         Assert.True(intersection1.Count == createResults.Length);
143
144         var intersection2 = createResults.Intersect(searchResults2).ToList();
145         Assert.True(intersection2.Count == searchResults2.Count);
146         Assert.True(intersection2.Count == createResults.Length);
147
148         var intersection3 = createResults.Intersect(searchResults3).ToList();
149         Assert.True(intersection3.Count == searchResults3.Count);
150         Assert.True(intersection3.Count == createResults.Length);
151
152         for (var i = 0; i < sequenceLength; i++)
153         {
154             links.Delete(sequence[i]);
155         }
156     }
157 }
158
159 [Fact]
160 public static void BalancedVariantSearchTest()
161 {
162     const long sequenceLength = 200;
163
164     using (var scope = new TempLinksTestScope(useSequences: true))
165     {
166         var links = scope.Links;
167         var sequences = scope.Sequences;
168
169         var sequence = new ulong[sequenceLength];
170         for (var i = 0; i < sequenceLength; i++)
171         {
172             sequence[i] = links.Create();
173         }
174
175         var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
176
177         var sw1 = Stopwatch.StartNew();
178         var balancedVariant = balancedVariantConverter.Convert(sequence); sw1.Stop();
179
180         var sw2 = Stopwatch.StartNew();
181         var searchResults2 = sequences.GetAllMatchingSequences0(sequence); sw2.Stop();
182
183         var sw3 = Stopwatch.StartNew();
184         var searchResults3 = sequences.GetAllMatchingSequences1(sequence); sw3.Stop();
185

```

```

186 // На количестве в 200 элементов это будет занимать вечность
187 //var sw4 = Stopwatch.StartNew();
188 //var searchResults4 = sequences.Each(sequence); sw4.Stop();
189
190 Assert.True(searchResults2.Count == 1 && balancedVariant == searchResults2[0]);
191
192 Assert.True(searchResults3.Count == 1 && balancedVariant ==
    ↳ searchResults3.First());
193
194 //Assert.True(sw1.Elapsed < sw2.Elapsed);
195
196 for (var i = 0; i < sequenceLength; i++)
197 {
198     links.Delete(sequence[i]);
199 }
200 }
201 }
202
203 [Fact]
204 public static void AllPartialVariantsSearchTest()
205 {
206     const long sequenceLength = 8;
207
208     using (var scope = new TempLinksTestScope(useSequences: true))
209     {
210         var links = scope.Links;
211         var sequences = scope.Sequences;
212
213         var sequence = new ulong[sequenceLength];
214         for (var i = 0; i < sequenceLength; i++)
215         {
216             sequence[i] = links.Create();
217         }
218
219         var createResults = sequences.CreateAllVariants2(sequence);
220
221         //var createResultsStrings = createResults.Select(x => x + ": " +
222             ↳ sequences.FormatSequence(x)).ToList();
223         //Global.Trash = createResultsStrings;
224
225         var partialSequence = new ulong[sequenceLength - 2];
226
227         Array.Copy(sequence, 1, partialSequence, 0, (int)sequenceLength - 2);
228
229         var sw1 = Stopwatch.StartNew();
230         var searchResults1 =
231             ↳ sequences.GetAllPartiallyMatchingSequences0(partialSequence); sw1.Stop();
232
233         var sw2 = Stopwatch.StartNew();
234         var searchResults2 =
235             ↳ sequences.GetAllPartiallyMatchingSequences1(partialSequence); sw2.Stop();
236
237         //var sw3 = Stopwatch.StartNew();
238         //var searchResults3 =
239             ↳ sequences.GetAllPartiallyMatchingSequences2(partialSequence); sw3.Stop();
240
241         var sw4 = Stopwatch.StartNew();
242         var searchResults4 =
243             ↳ sequences.GetAllPartiallyMatchingSequences3(partialSequence); sw4.Stop();
244
245         //Global.Trash = searchResults3;
246
247         //var searchResults1Strings = searchResults1.Select(x => x + ": " +
248             ↳ sequences.FormatSequence(x)).ToList();
249         //Global.Trash = searchResults1Strings;
250
251         var intersection1 = createResults.Intersect(searchResults1).ToList();
252         Assert.True(intersection1.Count == createResults.Length);
253
254         var intersection2 = createResults.Intersect(searchResults2).ToList();
255         Assert.True(intersection2.Count == createResults.Length);
256
257         var intersection4 = createResults.Intersect(searchResults4).ToList();
258         Assert.True(intersection4.Count == createResults.Length);
259
260         for (var i = 0; i < sequenceLength; i++)
261         {
262             links.Delete(sequence[i]);
263         }
264     }
265 }

```

```

258     }
259 }
260
261 [Fact]
262 public static void BalancedPartialVariantsSearchTest()
263 {
264     const long sequenceLength = 200;
265
266     using (var scope = new TempLinksTestScope(useSequences: true))
267     {
268         var links = scope.Links;
269         var sequences = scope.Sequences;
270
271         var sequence = new ulong[sequenceLength];
272         for (var i = 0; i < sequenceLength; i++)
273         {
274             sequence[i] = links.Create();
275         }
276
277         var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
278         var balancedVariant = balancedVariantConverter.Convert(sequence);
279
280         var partialSequence = new ulong[sequenceLength - 2];
281
282         Array.Copy(sequence, 1, partialSequence, 0, (int)sequenceLength - 2);
283
284         var sw1 = Stopwatch.StartNew();
285         var searchResults1 =
286             ↪ sequences.GetAllPartiallyMatchingSequences0(partialSequence); sw1.Stop();
287
288         var sw2 = Stopwatch.StartNew();
289         var searchResults2 =
290             ↪ sequences.GetAllPartiallyMatchingSequences1(partialSequence); sw2.Stop();
291
292         Assert.True(searchResults1.Count == 1 && balancedVariant == searchResults1[0]);
293
294         Assert.True(searchResults2.Count == 1 && balancedVariant ==
295             ↪ searchResults2.First());
296
297         for (var i = 0; i < sequenceLength; i++)
298         {
299             links.Delete(sequence[i]);
300         }
301     }
302 }
303
304 [Fact(Skip = "Correct implementation is pending")]
305 public static void PatternMatchTest()
306 {
307     var zeroOrMany = Sequences.Sequences.ZeroOrMany;
308
309     using (var scope = new TempLinksTestScope(useSequences: true))
310     {
311         var links = scope.Links;
312         var sequences = scope.Sequences;
313
314         var e1 = links.Create();
315         var e2 = links.Create();
316
317         var sequence = new[]
318         {
319             e1, e2, e1, e2 // mama / papa
320         };
321
322         var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
323         var balancedVariant = balancedVariantConverter.Convert(sequence);
324
325         // 1: [1]
326         // 2: [2]
327         // 3: [1,2]
328         // 4: [1,2,1,2]
329
330         var doublet = links.GetSource(balancedVariant);
331
332         var matchedSequences1 = sequences.MatchPattern(e2, e1, zeroOrMany);
333
334         Assert.True(matchedSequences1.Count == 0);

```

```

335     var matchedSequences2 = sequences.MatchPattern(zeroOrMany, e2, e1);
336
337     Assert.True(matchedSequences2.Count == 0);
338
339     var matchedSequences3 = sequences.MatchPattern(e1, zeroOrMany, e1);
340
341     Assert.True(matchedSequences3.Count == 0);
342
343     var matchedSequences4 = sequences.MatchPattern(e1, zeroOrMany, e2);
344
345     Assert.Contains(doublet, matchedSequences4);
346     Assert.Contains(balancedVariant, matchedSequences4);
347
348     for (var i = 0; i < sequence.Length; i++)
349     {
350         links.Delete(sequence[i]);
351     }
352 }
353 }
354
355 [Fact]
356 public static void IndexTest()
357 {
358     using (var scope = new TempLinksTestScope(new SequencesOptions<ulong> { UseIndex =
359 ↪ true }, useSequences: true))
360     {
361         var links = scope.Links;
362         var sequences = scope.Sequences;
363         var indexer = sequences.Options.Indexer;
364
365         var e1 = links.Create();
366         var e2 = links.Create();
367
368         var sequence = new[]
369         {
370             e1, e2, e1, e2 // mama / papa
371         };
372
373         Assert.False(indexer.Index(sequence));
374
375         Assert.True(indexer.Index(sequence));
376     }
377 }
378
379 /// <summary>Imported from https://raw.githubusercontent.com/wiki/Konard/LinksPlatform/%
380 ↪ D0%9E-%D1%82%D0%BE%D0%BC%2C-%D0%BA%D0%B0%D0%BA-%D0%B2%D1%81%D1%91-%D0%BD%D0%B0%D1%87
381 ↪ %D0%B8%D0%BD%D0%B0%D0%BB%D0%BE%D1%81%D1%8C.md</summary>
382 private static readonly string _exampleText =
383     @"([english
384 ↪ version](https://github.com/Konard/LinksPlatform/wiki/About-the-beginning))

```

Обозначение пустоты, какое оно? Темнота ли это? Там где отсутствие света, отсутствие фотонов
 ↪ (носителей света)? Или это то, что полностью отражает свет? Пустой белый лист бумаги? Там
 ↪ где есть место для нового начала? Разве пустота это не характеристика пространства?
 ↪ Пространство это то, что можно чем-то наполнить?

[[чёрное пространство, белое
 ↪ пространство](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/1.png
 ↪ "чёрное пространство, белое пространство")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/1.png)

Что может быть минимальным рисунком, образом, графикой? Может быть это точка? Это ли простейшая
 ↪ форма? Но есть ли у точки размер? Цвет? Масса? Координаты? Время существования?

[[чёрное пространство, чёрная
 ↪ точка](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/2.png
 ↪ "чёрное пространство, чёрная
 ↪ точка")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/2.png)

А что если повторить? Сделать копию? Создать дубликат? Из одного сделать два? Может это быть
 ↪ так? Инверсия? Отражение? Сумма?

[[белая точка, чёрная
 ↪ точка](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/3.png "белая
 ↪ точка, чёрная
 ↪ точка")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/3.png)

А что если мы вообразим движение? Нужно ли время? Каким самым коротким будет путь? Что будет
 ↪ если этот путь зафиксировать? Запомнить след? Как две точки становятся линией? Чертой?
 ↪ Гранью? Разделителем? Единицей?

395
396 `[![две белые точки, чёрная вертикальная`
↳ `линия](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/4.png` `"две`
↳ `белые точки, чёрная вертикальная`
↳ `линия")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/4.png)`

397
398 Можно ли замкнуть движение? Может ли это быть кругом? Можно ли замкнуть время? Или остаётся
↳ только спираль? Но что если замкнуть предел? Создать ограничение, разделение? Получится
↳ замкнутая область? Полностью отделённая от всего остального? Но что это всё остальное? Что
↳ можно делить? В каком направлении? Ничего или всё? Пустота или полнота? Начало или конец?
↳ Или может быть это единица и ноль? Дуальность? Противоположность? А что будет с кругом если
↳ у него нет размера? Будет ли круг точкой? Точка состоящая из точек?

399
400 `[![белая вертикальная линия, чёрный`
↳ `круг](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/5.png` `"белая`
↳ `вертикальная линия, чёрный`
↳ `круг")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/5.png)`

401
402 Как ещё можно использовать грань, черту, линию? А что если она может что-то соединять, может
↳ тогда её нужно повернуть? Почему то, что перпендикулярно вертикальному горизонтально?
↳ Горизонт? Инвертирует ли это смысл? Что такое смысл? Из чего состоит смысл? Существует ли
↳ элементарная единица смысла?

403
404 `[![белый круг, чёрная горизонтальная`
↳ `линия](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/6.png` `"белый`
↳ `круг, чёрная горизонтальная`
↳ `линия")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/6.png)`

405
406 Соединять, допустим, а какой смысл в этом есть ещё? Что если помимо смысла "соединить,
↳ связать", есть ещё и смысл направления "от начала к концу"? От предка к потомку? От
↳ родителя к ребёнку? От общего к частному?

407
408 `[![белая горизонтальная линия, чёрная горизонтальная`
↳ `стрелка](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/7.png`
↳ `"белая горизонтальная линия, чёрная горизонтальная`
↳ `стрелка")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/7.png)`

409
410 Шаг назад. Возьмём опять отделённую область, которая лишь та же замкнутая линия, что ещё она
↳ может представлять собой? Объект? Но в чём его суть? Разве не в том, что у него есть
↳ граница, разделяющая внутреннее и внешнее? Допустим связь, стрелка, линия соединяет два
↳ объекта, как бы это выглядело?

411
412 `[![белая связь, чёрная направленная`
↳ `связь](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/8.png` `"белая`
↳ `связь, чёрная направленная`
↳ `связь")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/8.png)`

413
414 Допустим у нас есть смысл "связать" и смысл "направления", много ли это нам даёт? Много ли
↳ вариантов интерпретации? А что если уточнить, каким именно образом выполнена связь? Что если
↳ можно задать ей чёткий, конкретный смысл? Что это будет? Тип? Глагол? Связка? Действие?
↳ Трансформация? Переход из состояния в состояние? Или всё это и есть объект, суть которого в
↳ его конечном состоянии, если конечно конец определён направлением?

415
416 `[![белая обычная и направленная связи, чёрная типизированная`
↳ `связь](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/9.png` `"белая`
↳ `обычная и направленная связи, чёрная типизированная`
↳ `связь")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/9.png)`

417
418 А что если всё это время, мы смотрели на суть как бы снаружи? Можно ли взглянуть на это изнутри?
↳ Что будет внутри объектов? Объекты ли это? Или это связи? Может ли эта структура описать
↳ сама себя? Но что тогда получится, разве это не рекурсия? Может это фрактал?

419
420 `[![белая обычная и направленная связи с рекурсивной внутренней структурой, чёрная типизированная`
↳ `связь с рекурсивной внутренней`
↳ `структурой](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/10.png`
↳ `"белая обычная и направленная связи с рекурсивной внутренней структурой, чёрная`
↳ `типизированная связь с рекурсивной внутренней структурой")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/10.png)`

421
422 На один уровень внутрь (вниз)? Или на один уровень во вне (вверх)? Или это можно назвать шагом
↳ рекурсии или фрактала?

423
424 `[![белая обычная и направленная связи с двойной рекурсивной внутренней структурой, чёрная`
↳ `типизированная связь с двойной рекурсивной внутренней`
↳ `структурой](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/11.png`
↳ `"белая обычная и направленная связи с двойной рекурсивной внутренней структурой, чёрная`
↳ `типизированная связь с двойной рекурсивной внутренней структурой")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/11.png)`

425


```

426 Последовательность? Массив? Список? Множество? Объект? Таблица? Элементы? Цвета? Символы? Буквы?
↳ Слово? Цифры? Число? Алфавит? Дерево? Сеть? Граф? Гиперграф?
427
428 [![белая обычная и направленная связи со структурой из 8 цветных элементов последовательности,
↳ чёрная типизированная связь со структурой из 8 цветных элементов последовательности](https://
↳ /raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/12.png "белая обычная и
↳ направленная связи со структурой из 8 цветных элементов последовательности, чёрная
↳ типизированная связь со структурой из 8 цветных элементов последовательности")](https://raw
↳ .githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/12.png)
429
430 ...
431
432 [![анимация](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/intro-anima
↳ tion-500.gif
↳ "анимация")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/intro
↳ -animation-500.gif)";
433
434
435 private static readonly string _exampleLoremIpsumText =
436     @"Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor
↳ ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo
↳ consequat.";
437
438
439 [Fact]
440 public static void CompressionTest()
441 {
442     using (var scope = new TempLinksTestScope(useSequences: true))
443     {
444         var links = scope.Links;
445         var sequences = scope.Sequences;
446
447         var e1 = links.Create();
448         var e2 = links.Create();
449
450         var sequence = new[]
451         {
452             e1, e2, e1, e2 // mama / papa / template [(m/p), a] { [1] [2] [1] [2] }
453         };
454
455         var balancedVariantConverter = new BalancedVariantConverter<ulong>(links.Unsync);
456         var totalSequenceSymbolFrequencyCounter = new
↳ TotalSequenceSymbolFrequencyCounter<ulong>(links.Unsync);
457         var doubletFrequenciesCache = new LinkFrequenciesCache<ulong>(links.Unsync,
↳ totalSequenceSymbolFrequencyCounter);
458         var compressingConverter = new CompressingConverter<ulong>(links.Unsync,
↳ balancedVariantConverter, doubletFrequenciesCache);
459
460         var compressedVariant = compressingConverter.Convert(sequence);
461
462         // 1: [1] (1->1) point
463         // 2: [2] (2->2) point
464         // 3: [1,2] (1->2) doublet
465         // 4: [1,2,1,2] (3->3) doublet
466
467         Assert.True(links.GetSource(links.GetSource(compressedVariant)) == sequence[0]);
468         Assert.True(links.GetTarget(links.GetSource(compressedVariant)) == sequence[1]);
469         Assert.True(links.GetSource(links.GetTarget(compressedVariant)) == sequence[2]);
470         Assert.True(links.GetTarget(links.GetTarget(compressedVariant)) == sequence[3]);
471
472         var source = _constants.SourcePart;
473         var target = _constants.TargetPart;
474
475         Assert.True(links.GetByKeys(compressedVariant, source, source) == sequence[0]);
476         Assert.True(links.GetByKeys(compressedVariant, source, target) == sequence[1]);
477         Assert.True(links.GetByKeys(compressedVariant, target, source) == sequence[2]);
478         Assert.True(links.GetByKeys(compressedVariant, target, target) == sequence[3]);
479
480         // 4 - length of sequence
481         Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 0)
↳ == sequence[0]);
482         Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 1)
↳ == sequence[1]);
483         Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 2)
↳ == sequence[2]);
484         Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 3)
↳ == sequence[3]);
485     }
486 }

```

```

487 [Fact]
488 public static void CompressionEfficiencyTest()
489 {
490     var strings = _exampleLoremIpsumText.Split(new[] { '\n', '\r' },
491         ↪ StringSplitOptions.RemoveEmptyEntries);
492     var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
493     var totalCharacters = arrays.Select(x => x.Length).Sum();
494
495     using (var scope1 = new TempLinksTestScope(useSequences: true))
496     using (var scope2 = new TempLinksTestScope(useSequences: true))
497     using (var scope3 = new TempLinksTestScope(useSequences: true))
498     {
499         scope1.Links.Unsync.UseUnicode();
500         scope2.Links.Unsync.UseUnicode();
501         scope3.Links.Unsync.UseUnicode();
502
503         var balancedVariantConverter1 = new
504             ↪ BalancedVariantConverter<ulong>(scope1.Links.Unsync);
505         var totalSequenceSymbolFrequencyCounter = new
506             ↪ TotalSequenceSymbolFrequencyCounter<ulong>(scope1.Links.Unsync);
507         var linkFrequenciesCache1 = new LinkFrequenciesCache<ulong>(scope1.Links.Unsync,
508             ↪ totalSequenceSymbolFrequencyCounter);
509         var compressor1 = new CompressingConverter<ulong>(scope1.Links.Unsync,
510             ↪ balancedVariantConverter1, linkFrequenciesCache1,
511             ↪ doInitialFrequenciesIncrement: false);
512
513         var compressor2 = scope2.Sequences;
514         var compressor3 = scope3.Sequences;
515
516         var constants = Default<LinksCombinedConstants<bool, ulong, int>>.Instance;
517
518         var sequences = compressor3;
519         //var meaningRoot = links.CreatePoint();
520         //var unaryOne = links.CreateAndUpdate(meaningRoot, constants.Itself);
521         //var frequencyMarker = links.CreateAndUpdate(meaningRoot, constants.Itself);
522         //var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot,
523             ↪ constants.Itself);
524
525         //var unaryNumberToAddressConveter = new
526             ↪ UnaryNumberToAddressAddOperationConverter<ulong>(links, unaryOne);
527         //var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links,
528             ↪ unaryOne);
529         //var frequencyIncrementer = new FrequencyIncrementer<ulong>(links,
530             ↪ frequencyMarker, unaryOne, unaryNumberIncrementer);
531         //var frequencyPropertyOperator = new FrequencyPropertyOperator<ulong>(links,
532             ↪ frequencyPropertyMarker, frequencyMarker);
533         //var linkFrequencyIncrementer = new LinkFrequencyIncrementer<ulong>(links,
534             ↪ frequencyPropertyOperator, frequencyIncrementer);
535         //var linkToItsFrequencyNumberConverter = new
536             ↪ LinkToItsFrequencyNumberConveter<ulong>(links, frequencyPropertyOperator,
537             ↪ unaryNumberToAddressConveter);
538
539         var linkFrequenciesCache3 = new LinkFrequenciesCache<ulong>(scope3.Links.Unsync,
540             ↪ totalSequenceSymbolFrequencyCounter);
541
542         var linkToItsFrequencyNumberConverter = new FrequenciesCacheBasedLinkToItsFreque
543             ↪ ncyNumberConverter<ulong>(linkFrequenciesCache3);
544
545         var sequenceToItsLocalElementLevelsConverter = new
546             ↪ SequenceToItsLocalElementLevelsConverter<ulong>(scope3.Links.Unsync,
547             ↪ linkToItsFrequencyNumberConverter);
548         var optimalVariantConverter = new
549             ↪ OptimalVariantConverter<ulong>(scope3.Links.Unsync,
550             ↪ sequenceToItsLocalElementLevelsConverter);
551
552         var compressed1 = new ulong[arrays.Length];
553         var compressed2 = new ulong[arrays.Length];
554         var compressed3 = new ulong[arrays.Length];
555
556         var START = 0;
557         var END = arrays.Length;
558
559         //for (int i = START; i < END; i++)
560         //    linkFrequenciesCache1.IncrementFrequencies(arrays[i]);
561
562         var initialCount1 = scope2.Links.Unsync.Count();

```

```

545     var sw1 = Stopwatch.StartNew();
546
547     for (int i = START; i < END; i++)
548     {
549         linkFrequenciesCache1.IncrementFrequencies(arrays[i]);
550         compressed1[i] = compressor1.Convert(arrays[i]);
551     }
552
553     var elapsed1 = sw1.Elapsed;
554
555     var balancedVariantConverter2 = new
556     ↪ BalancedVariantConverter<ulong>(scope2.Links.Unsync);
557
558     var initialCount2 = scope2.Links.Unsync.Count();
559
560     var sw2 = Stopwatch.StartNew();
561
562     for (int i = START; i < END; i++)
563     {
564         compressed2[i] = balancedVariantConverter2.Convert(arrays[i]);
565     }
566
567     var elapsed2 = sw2.Elapsed;
568
569     for (int i = START; i < END; i++)
570     {
571         linkFrequenciesCache3.IncrementFrequencies(arrays[i]);
572     }
573
574     var initialCount3 = scope3.Links.Unsync.Count();
575
576     var sw3 = Stopwatch.StartNew();
577
578     for (int i = START; i < END; i++)
579     {
580         //linkFrequenciesCache3.IncrementFrequencies(arrays[i]);
581         compressed3[i] = optimalVariantConverter.Convert(arrays[i]);
582     }
583
584     var elapsed3 = sw3.Elapsed;
585
586     Console.WriteLine($"Compressor: {elapsed1}, Balanced variant: {elapsed2},
587     ↪ Optimal variant: {elapsed3}");
588
589     // Assert.True(elapsed1 > elapsed2);
590
591     // Checks
592     for (int i = START; i < END; i++)
593     {
594         var sequence1 = compressed1[i];
595         var sequence2 = compressed2[i];
596         var sequence3 = compressed3[i];
597
598         var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
599         ↪ scope1.Links.Unsync);
600
601         var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
602         ↪ scope2.Links.Unsync);
603
604         var decompress3 = UnicodeMap.FromSequenceLinkToString(sequence3,
605         ↪ scope3.Links.Unsync);
606
607         var structure1 = scope1.Links.Unsync.FormatStructure(sequence1, link =>
608         ↪ link.IsPartialPoint());
609         var structure2 = scope2.Links.Unsync.FormatStructure(sequence2, link =>
610         ↪ link.IsPartialPoint());
611         var structure3 = scope3.Links.Unsync.FormatStructure(sequence3, link =>
612         ↪ link.IsPartialPoint());
613
614         //if (sequence1 != Constants.Null && sequence2 != Constants.Null &&
615         ↪ arrays[i].Length > 3)
616         //    Assert.False(structure1 == structure2);
617         //if (sequence3 != Constants.Null && sequence2 != Constants.Null &&
618         ↪ arrays[i].Length > 3)
619         //    Assert.False(structure3 == structure2);
620
621         Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
622         Assert.True(strings[i] == decompress3 && decompress3 == decompress2);
623     }

```

```

614     Assert.True((int)(scope1.Links.Unsync.Count() - initialCount1) <
615         ↳ totalCharacters);
616     Assert.True((int)(scope2.Links.Unsync.Count() - initialCount2) <
617         ↳ totalCharacters);
618     Assert.True((int)(scope3.Links.Unsync.Count() - initialCount3) <
619         ↳ totalCharacters);
620
621     Console.WriteLine($"{(double)(scope1.Links.Unsync.Count() - initialCount1) /
622         ↳ totalCharacters} | {(double)(scope2.Links.Unsync.Count() - initialCount2) /
623         ↳ totalCharacters} | {(double)(scope3.Links.Unsync.Count() - initialCount3) /
624         ↳ totalCharacters}");
625
626     Assert.True(scope1.Links.Unsync.Count() - initialCount1 <
627         ↳ scope2.Links.Unsync.Count() - initialCount2);
628     Assert.True(scope3.Links.Unsync.Count() - initialCount3 <
629         ↳ scope2.Links.Unsync.Count() - initialCount2);
630
631     var duplicateProvider1 = new
632         ↳ DuplicateSegmentsProvider<ulong>(scope1.Links.Unsync, scope1.Sequences);
633     var duplicateProvider2 = new
634         ↳ DuplicateSegmentsProvider<ulong>(scope2.Links.Unsync, scope2.Sequences);
635     var duplicateProvider3 = new
636         ↳ DuplicateSegmentsProvider<ulong>(scope3.Links.Unsync, scope3.Sequences);
637
638     var duplicateCounter1 = new DuplicateSegmentsCounter<ulong>(duplicateProvider1);
639     var duplicateCounter2 = new DuplicateSegmentsCounter<ulong>(duplicateProvider2);
640     var duplicateCounter3 = new DuplicateSegmentsCounter<ulong>(duplicateProvider3);
641
642     var duplicates1 = duplicateCounter1.Count();
643
644     ConsoleHelpers.Debug("-----");
645
646     var duplicates2 = duplicateCounter2.Count();
647
648     ConsoleHelpers.Debug("-----");
649
650     var duplicates3 = duplicateCounter3.Count();
651
652     Console.WriteLine($"{duplicates1} | {duplicates2} | {duplicates3}");
653
654     linkFrequenciesCache1.ValidateFrequencies();
655     linkFrequenciesCache3.ValidateFrequencies();
656 }
657
658 [Fact]
659 public static void CompressionStabilityTest()
660 {
661     // TODO: Fix bug (do a separate test)
662     //const ulong minNumbers = 0;
663     //const ulong maxNumbers = 1000;
664
665     const ulong minNumbers = 10000;
666     const ulong maxNumbers = 12500;
667
668     var strings = new List<string>();
669
670     for (ulong i = minNumbers; i < maxNumbers; i++)
671     {
672         strings.Add(i.ToString());
673     }
674
675     var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
676     var totalCharacters = arrays.Select(x => x.Length).Sum();
677
678     using (var scope1 = new TempLinksTestScope(useSequences: true, sequencesOptions: new
679         ↳ SequencesOptions<ulong> { UseCompression = true,
680         ↳ EnforceSingleSequenceVersionOnWriteBasedOnExisting = true }))
681     using (var scope2 = new TempLinksTestScope(useSequences: true))
682     {
683         scope1.Links.UseUnicode();
684         scope2.Links.UseUnicode();
685
686         //var compressor1 = new Compressor(scope1.Links.Unsync, scope1.Sequences);
687         var compressor1 = scope1.Sequences;
688         var compressor2 = scope2.Sequences;
689
690         var compressed1 = new ulong[arrays.Length];

```

```

680 var compressed2 = new ulong[arrays.Length];
681
682 var sw1 = Stopwatch.StartNew();
683
684 var START = 0;
685 var END = arrays.Length;
686
687 // Collisions proved (cannot be solved by max doublet comparison, no stable rule)
688 // Stability issue starts at 10001 or 11000
689 //for (int i = START; i < END; i++)
690 //{
691 //    var first = compressor1.Compress(arrays[i]);
692 //    var second = compressor1.Compress(arrays[i]);
693
694 //    if (first == second)
695 //        compressed1[i] = first;
696 //    else
697 //    {
698 //        // TODO: Find a solution for this case
699 //    }
700 //}
701
702 for (int i = START; i < END; i++)
703 {
704     var first = compressor1.Create(arrays[i]);
705     var second = compressor1.Create(arrays[i]);
706
707     if (first == second)
708     {
709         compressed1[i] = first;
710     }
711     else
712     {
713         // TODO: Find a solution for this case
714     }
715 }
716
717 var elapsed1 = sw1.Elapsed;
718
719 var balancedVariantConverter = new BalancedVariantConverter<ulong>(scope2.Links);
720
721 var sw2 = Stopwatch.StartNew();
722
723 for (int i = START; i < END; i++)
724 {
725     var first = balancedVariantConverter.Convert(arrays[i]);
726     var second = balancedVariantConverter.Convert(arrays[i]);
727
728     if (first == second)
729     {
730         compressed2[i] = first;
731     }
732 }
733
734 var elapsed2 = sw2.Elapsed;
735
736 Debug.WriteLine($"Compressor: {elapsed1}, Balanced sequence creator:
737 ↪ {elapsed2}");
738
739 Assert.True(elapsed1 > elapsed2);
740
741 // Checks
742 for (int i = START; i < END; i++)
743 {
744     var sequence1 = compressed1[i];
745     var sequence2 = compressed2[i];
746
747     if (sequence1 != _constants.Null && sequence2 != _constants.Null)
748     {
749         var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
750 ↪ scope1.Links);
751
752         var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
753 ↪ scope2.Links);
754
755         //var structure1 = scope1.Links.FormatStructure(sequence1, link =>
756 ↪ link.IsPartialPoint());
757         //var structure2 = scope2.Links.FormatStructure(sequence2, link =>
758 ↪ link.IsPartialPoint());

```

```

754         //if (sequence1 != Constants.Null && sequence2 != Constants.Null &&
755         ↪ arrays[i].Length > 3)
756         //    Assert.False(structure1 == structure2);
757
758         Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
759     }
760 }
761
762 Assert.True((int)(scope1.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
763 Assert.True((int)(scope2.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
764
765 Debug.WriteLine($"{(double)(scope1.Links.Count() - UnicodeMap.MapSize) /
766 ↪ totalCharacters} | {(double)(scope2.Links.Count() - UnicodeMap.MapSize) /
767 ↪ totalCharacters}");
768
769 Assert.True(scope1.Links.Count() <= scope2.Links.Count());
770 //compressor1.ValidateFrequencies();
771 }
772
773 [Fact]
774 public static void RandomNumbersCompressionQualityTest()
775 {
776     const ulong N = 500;
777
778     //const ulong minNumbers = 10000;
779     //const ulong maxNumbers = 20000;
780
781     //var strings = new List<string>();
782
783     //for (ulong i = 0; i < N; i++)
784     //    strings.Add(RandomHelpers.DefaultFactory.NextUInt64(minNumbers,
785     ↪ maxNumbers).ToString());
786
787     var strings = new List<string>();
788
789     for (ulong i = 0; i < N; i++)
790     {
791         strings.Add(RandomHelpers.Default.NextUInt64().ToString());
792     }
793
794     strings = strings.Distinct().ToList();
795
796     var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
797     var totalCharacters = arrays.Select(x => x.Length).Sum();
798
799     using (var scope1 = new TempLinksTestScope(useSequences: true, sequencesOptions: new
800     ↪ SequencesOptions<ulong> { UseCompression = true,
801     ↪ EnforceSingleSequenceVersionOnWriteBasedOnExisting = true }))
802     using (var scope2 = new TempLinksTestScope(useSequences: true))
803     {
804         scope1.Links.UseUnicode();
805         scope2.Links.UseUnicode();
806
807         var compressor1 = scope1.Sequences;
808         var compressor2 = scope2.Sequences;
809
810         var compressed1 = new ulong[arrays.Length];
811         var compressed2 = new ulong[arrays.Length];
812
813         var sw1 = Stopwatch.StartNew();
814
815         var START = 0;
816         var END = arrays.Length;
817
818         for (int i = START; i < END; i++)
819         {
820             compressed1[i] = compressor1.Create(arrays[i]);
821         }
822
823         var elapsed1 = sw1.Elapsed;
824
825         var balancedVariantConverter = new BalancedVariantConverter<ulong>(scope2.Links);
826
827         var sw2 = Stopwatch.StartNew();
828
829         for (int i = START; i < END; i++)
830         {

```

```

828         compressed2[i] = balancedVariantConverter.Convert(arrays[i]);
829     }
830
831     var elapsed2 = sw2.Elapsed;
832
833     Debug.WriteLine($"Compressor: {elapsed1}, Balanced sequence creator:
834         ↳ {elapsed2}");
835
836     Assert.True(elapsed1 > elapsed2);
837
838     // Checks
839     for (int i = START; i < END; i++)
840     {
841         var sequence1 = compressed1[i];
842         var sequence2 = compressed2[i];
843
844         if (sequence1 != _constants.Null && sequence2 != _constants.Null)
845         {
846             var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
847                 ↳ scope1.Links);
848
849             var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
850                 ↳ scope2.Links);
851
852             Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
853         }
854     }
855
856     Assert.True((int)(scope1.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
857     Assert.True((int)(scope2.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
858
859     Debug.WriteLine($"{{(double)(scope1.Links.Count() - UnicodeMap.MapSize) /
860         ↳ totalCharacters}} | {{(double)(scope2.Links.Count() - UnicodeMap.MapSize) /
861         ↳ totalCharacters}}");
862
863     // Can be worse than balanced variant
864     //Assert.True(scope1.Links.Count() <= scope2.Links.Count());
865
866     //compressor1.ValidateFrequencies();
867 }
868
869 [Fact]
870 public static void AllTreeBreakDownAtSequencesCreationBugTest()
871 {
872     // Made out of AllPossibleConnectionsTest test.
873
874     //const long sequenceLength = 5; //100% bug
875     const long sequenceLength = 4; //100% bug
876     //const long sequenceLength = 3; //100% _no_bug (ok)
877
878     using (var scope = new TempLinksTestScope(useSequences: true))
879     {
880         var links = scope.Links;
881         var sequences = scope.Sequences;
882
883         var sequence = new ulong[sequenceLength];
884         for (var i = 0; i < sequenceLength; i++)
885         {
886             sequence[i] = links.Create();
887         }
888
889         var createResults = sequences.CreateAllVariants2(sequence);
890
891         Global.Trash = createResults;
892
893         for (var i = 0; i < sequenceLength; i++)
894         {
895             links.Delete(sequence[i]);
896         }
897     }
898 }
899
900 [Fact]
901 public static void AllPossibleConnectionsTest()
902 {
903     const long sequenceLength = 5;
904
905     using (var scope = new TempLinksTestScope(useSequences: true))

```

```

902     {
903         var links = scope.Links;
904         var sequences = scope.Sequences;
905
906         var sequence = new ulong[sequenceLength];
907         for (var i = 0; i < sequenceLength; i++)
908         {
909             sequence[i] = links.Create();
910         }
911
912         var createResults = sequences.CreateAllVariants2(sequence);
913         var reverseResults = sequences.CreateAllVariants2(sequence.Reverse().ToArray());
914
915         for (var i = 0; i < 1; i++)
916         {
917             var sw1 = Stopwatch.StartNew();
918             var searchResults1 = sequences.GetAllConnections(sequence); sw1.Stop();
919
920             var sw2 = Stopwatch.StartNew();
921             var searchResults2 = sequences.GetAllConnections1(sequence); sw2.Stop();
922
923             var sw3 = Stopwatch.StartNew();
924             var searchResults3 = sequences.GetAllConnections2(sequence); sw3.Stop();
925
926             var sw4 = Stopwatch.StartNew();
927             var searchResults4 = sequences.GetAllConnections3(sequence); sw4.Stop();
928
929             Global.Trash = searchResults3;
930             Global.Trash = searchResults4; //-V3008
931
932             var intersection1 = createResults.Intersect(searchResults1).ToList();
933             Assert.True(intersection1.Count == createResults.Length);
934
935             var intersection2 = reverseResults.Intersect(searchResults1).ToList();
936             Assert.True(intersection2.Count == reverseResults.Length);
937
938             var intersection0 = searchResults1.Intersect(searchResults2).ToList();
939             Assert.True(intersection0.Count == searchResults2.Count);
940
941             var intersection3 = searchResults2.Intersect(searchResults3).ToList();
942             Assert.True(intersection3.Count == searchResults3.Count);
943
944             var intersection4 = searchResults3.Intersect(searchResults4).ToList();
945             Assert.True(intersection4.Count == searchResults4.Count);
946         }
947
948         for (var i = 0; i < sequenceLength; i++)
949         {
950             links.Delete(sequence[i]);
951         }
952     }
953 }
954
955 [Fact(Skip = "Correct implementation is pending")]
956 public static void CalculateAllUsagesTest()
957 {
958     const long sequenceLength = 3;
959
960     using (var scope = new TempLinksTestScope(useSequences: true))
961     {
962         var links = scope.Links;
963         var sequences = scope.Sequences;
964
965         var sequence = new ulong[sequenceLength];
966         for (var i = 0; i < sequenceLength; i++)
967         {
968             sequence[i] = links.Create();
969         }
970
971         var createResults = sequences.CreateAllVariants2(sequence);
972
973         //var reverseResults =
974         ↪ sequences.CreateAllVariants2(sequence.Reverse().ToArray());
975
976         for (var i = 0; i < 1; i++)
977         {
978             var linksTotalUsages1 = new ulong[links.Count() + 1];
979
980             sequences.CalculateAllUsages(linksTotalUsages1);

```



```

981         var linksTotalUsages2 = new ulong[links.Count() + 1];
982
983         sequences.CalculateAllUsages2(linksTotalUsages2);
984
985         var intersection1 = linksTotalUsages1.Intersect(linksTotalUsages2).ToList();
986         Assert.True(intersection1.Count == linksTotalUsages2.Length);
987     }
988
989     for (var i = 0; i < sequenceLength; i++)
990     {
991         links.Delete(sequence[i]);
992     }
993 }
994 }
995 }
996 }

```

./Platform.Data.Doublets.Tests/TempLinksTestScope.cs

```

1  using System.IO;
2  using Platform.Disposables;
3  using Platform.Data.Doublets.ResizableDirectMemory;
4  using Platform.Data.Doublets.Sequences;
5  using Platform.Data.Doublets.Decorators;
6
7  namespace Platform.Data.Doublets.Tests
8  {
9      public class TempLinksTestScope : DisposableBase
10     {
11         public readonly ILinks<ulong> MemoryAdapter;
12         public readonly SynchronizedLinks<ulong> Links;
13         public readonly Sequences.Sequences Sequences;
14         public readonly string TempFilename;
15         public readonly string TempTransactionLogFilename;
16         private readonly bool _deleteFiles;
17
18         public TempLinksTestScope(bool deleteFiles = true, bool useSequences = false, bool
19             ↪ useLog = false)
20             : this(new SequencesOptions<ulong>(), deleteFiles, useSequences, useLog)
21         {
22         }
23
24         public TempLinksTestScope(SequencesOptions<ulong> sequencesOptions, bool deleteFiles =
25             ↪ true, bool useSequences = false, bool useLog = false)
26         {
27             _deleteFiles = deleteFiles;
28             TempFilename = Path.GetTempFileName();
29             TempTransactionLogFilename = Path.GetTempFileName();
30
31             var coreMemoryAdapter = new UInt64ResizableDirectMemoryLinks(TempFilename);
32
33             MemoryAdapter = useLog ? (ILinks<ulong>)new
34                 ↪ UInt64LinksTransactionsLayer(coreMemoryAdapter, TempTransactionLogFilename) :
35                 ↪ coreMemoryAdapter;
36
37             Links = new SynchronizedLinks<ulong>(new UInt64Links(MemoryAdapter));
38             if (useSequences)
39             {
40                 Sequences = new Sequences.Sequences(Links, sequencesOptions);
41             }
42         }
43
44         protected override void Dispose(bool manual, bool wasDisposed)
45         {
46             if (!wasDisposed)
47             {
48                 Links.Unsync.DisposeIfPossible();
49                 if (_deleteFiles)
50                 {
51                     DeleteFiles();
52                 }
53             }
54         }
55
56         public void DeleteFiles()
57         {
58             File.Delete(TempFilename);
59             File.Delete(TempTransactionLogFilename);
60         }
61     }
62 }

```

./Platform.Data.Doublets.Tests/UnaryNumberConvertersTests.cs

```
1 using Xunit;
2 using Platform.Random;
3 using Platform.Data.Doublets.Converters;
4
5 namespace Platform.Data.Doublets.Tests
6 {
7     public static class UnaryNumberConvertersTests
8     {
9         [Fact]
10        public static void ConvertersTest()
11        {
12            using (var scope = new TempLinksTestScope())
13            {
14                const int N = 10;
15                var links = scope.Links;
16                var meaningRoot = links.CreatePoint();
17                var one = links.CreateAndUpdate(meaningRoot, links.Constants.Itself);
18                var powerOf2ToUnaryNumberConverter = new
19                    ↪ PowerOf2ToUnaryNumberConverter<ulong>(links, one);
20                var toUnaryNumberConverter = new AddressToUnaryNumberConverter<ulong>(links,
21                    ↪ powerOf2ToUnaryNumberConverter);
22                var random = new System.Random(0);
23                ulong[] numbers = new ulong[N];
24                ulong[] unaryNumbers = new ulong[N];
25                for (int i = 0; i < N; i++)
26                {
27                    numbers[i] = random.NextUInt64();
28                    unaryNumbers[i] = toUnaryNumberConverter.Convert(numbers[i]);
29                }
30                var fromUnaryNumberConverterUsingOrOperation = new
31                    ↪ UnaryNumberToAddressOrOperationConverter<ulong>(links,
32                    ↪ powerOf2ToUnaryNumberConverter);
33                var fromUnaryNumberConverterUsingAddOperation = new
34                    ↪ UnaryNumberToAddressAddOperationConverter<ulong>(links, one);
35                for (int i = 0; i < N; i++)
36                {
37                    Assert.Equal(numbers[i],
38                        ↪ fromUnaryNumberConverterUsingOrOperation.Convert(unaryNumbers[i]));
39                    Assert.Equal(numbers[i],
40                        ↪ fromUnaryNumberConverterUsingAddOperation.Convert(unaryNumbers[i]));
41                }
42            }
43        }
44    }
45 }
```

Index

- ./Platform.Data.Doublets.Tests/ComparisonTests.cs, 132
- ./Platform.Data.Doublets.Tests/DoubletLinksTests.cs, 133
- ./Platform.Data.Doublets.Tests/EqualityTests.cs, 136
- ./Platform.Data.Doublets.Tests/LinksTests.cs, 137
- ./Platform.Data.Doublets.Tests/OptimalVariantSequenceTests.cs, 150
- ./Platform.Data.Doublets.Tests/ReadSequenceTests.cs, 152
- ./Platform.Data.Doublets.Tests/ResizableDirectMemoryLinksTests.cs, 153
- ./Platform.Data.Doublets.Tests/ScopeTests.cs, 154
- ./Platform.Data.Doublets.Tests/SequencesTests.cs, 154
- ./Platform.Data.Doublets.Tests/TempLinksTestScope.cs, 169
- ./Platform.Data.Doublets.Tests/UnaryNumberConvertersTests.cs, 170
- ./Platform.Data.Doublets/Converters/AddressToUnaryNumberConverter.cs, 1
- ./Platform.Data.Doublets/Converters/LinkToltsFrequencyNumberConveter.cs, 1
- ./Platform.Data.Doublets/Converters/PowerOf2ToUnaryNumberConverter.cs, 2
- ./Platform.Data.Doublets/Converters/UnaryNumberToAddressAddOperationConverter.cs, 2
- ./Platform.Data.Doublets/Converters/UnaryNumberToAddressOrOperationConverter.cs, 3
- ./Platform.Data.Doublets/Decorators/LinksCascadeUniquenessAndUsagesResolver.cs, 4
- ./Platform.Data.Doublets/Decorators/LinksCascadeUsagesResolver.cs, 4
- ./Platform.Data.Doublets/Decorators/LinksDecoratorBase.cs, 4
- ./Platform.Data.Doublets/Decorators/LinksDisposableDecoratorBase.cs, 5
- ./Platform.Data.Doublets/Decorators/LinksInnerReferenceExistenceValidator.cs, 5
- ./Platform.Data.Doublets/Decorators/LinksItselfConstantToSelfReferenceResolver.cs, 6
- ./Platform.Data.Doublets/Decorators/LinksNonExistentDependenciesCreator.cs, 6
- ./Platform.Data.Doublets/Decorators/LinksNullConstantToSelfReferenceResolver.cs, 7
- ./Platform.Data.Doublets/Decorators/LinksUniquenessResolver.cs, 7
- ./Platform.Data.Doublets/Decorators/LinksUniquenessValidator.cs, 7
- ./Platform.Data.Doublets/Decorators/LinksUsagesValidator.cs, 7
- ./Platform.Data.Doublets/Decorators/NonNullContentsLinkDeletionResolver.cs, 8
- ./Platform.Data.Doublets/Decorators/UInt64Links.cs, 8
- ./Platform.Data.Doublets/Decorators/UniLinks.cs, 9
- ./Platform.Data.Doublets/Doublet.cs, 14
- ./Platform.Data.Doublets/DoubletComparer.cs, 14
- ./Platform.Data.Doublets/Hybrid.cs, 15
- ./Platform.Data.Doublets/ILinks.cs, 16
- ./Platform.Data.Doublets/ILinksExtensions.cs, 16
- ./Platform.Data.Doublets/ISynchronizedLinks.cs, 28
- ./Platform.Data.Doublets/Incrementers/FrequencyIncrementer.cs, 26
- ./Platform.Data.Doublets/Incrementers/LinkFrequencyIncrementer.cs, 27
- ./Platform.Data.Doublets/Incrementers/UnaryNumberIncrementer.cs, 27
- ./Platform.Data.Doublets/Link.cs, 28
- ./Platform.Data.Doublets/LinkExtensions.cs, 30
- ./Platform.Data.Doublets/LinksOperatorBase.cs, 30
- ./Platform.Data.Doublets/PropertyOperators/PropertiesOperator.cs, 30
- ./Platform.Data.Doublets/PropertyOperators/PropertyOperator.cs, 31
- ./Platform.Data.Doublets/ResizableDirectMemory/ResizableDirectMemoryLinks.ListMethods.cs, 41
- ./Platform.Data.Doublets/ResizableDirectMemory/ResizableDirectMemoryLinks.TreeMethods.cs, 41
- ./Platform.Data.Doublets/ResizableDirectMemory/ResizableDirectMemoryLinks.cs, 32
- ./Platform.Data.Doublets/ResizableDirectMemory/UInt64ResizableDirectMemoryLinks.ListMethods.cs, 54
- ./Platform.Data.Doublets/ResizableDirectMemory/UInt64ResizableDirectMemoryLinks.TreeMethods.cs, 55
- ./Platform.Data.Doublets/ResizableDirectMemory/UInt64ResizableDirectMemoryLinks.cs, 47
- ./Platform.Data.Doublets/Sequences/Converters/BalancedVariantConverter.cs, 61
- ./Platform.Data.Doublets/Sequences/Converters/CompressingConverter.cs, 62
- ./Platform.Data.Doublets/Sequences/Converters/LinksListToSequenceConverterBase.cs, 65
- ./Platform.Data.Doublets/Sequences/Converters/OptimalVariantConverter.cs, 65
- ./Platform.Data.Doublets/Sequences/Converters/SequenceToltsLocalElementLevelsConverter.cs, 67
- ./Platform.Data.Doublets/Sequences/CriteriaMatchers/DefaultSequenceElementCriterionMatcher.cs, 67
- ./Platform.Data.Doublets/Sequences/CriteriaMatchers/MarkedSequenceCriterionMatcher.cs, 67
- ./Platform.Data.Doublets/Sequences/DefaultSequenceAppender.cs, 67
- ./Platform.Data.Doublets/Sequences/DuplicateSegmentsCounter.cs, 68
- ./Platform.Data.Doublets/Sequences/DuplicateSegmentsProvider.cs, 68
- ./Platform.Data.Doublets/Sequences/Frequencies/Cache/FrequenciesCacheBasedLinkFrequencyIncrementer.cs, 71
- ./Platform.Data.Doublets/Sequences/Frequencies/Cache/FrequenciesCacheBasedLinkToltsFrequencyNumberConverter.cs, 71
- ./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequenciesCache.cs, 71
- ./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequency.cs, 73
- ./Platform.Data.Doublets/Sequences/Frequencies/Counters/MarkedSequenceSymbolFrequencyOneOffCounter.cs, 73
- ./Platform.Data.Doublets/Sequences/Frequencies/Counters/SequenceSymbolFrequencyOneOffCounter.cs, 73

./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequencyCounter.cs, 74
./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequencyOneOffCounter.cs, 74
./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyCounter.cs, 75
./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyOneOffCounter.cs, 75
./Platform.Data.Doublets/Sequences/HeightProviders/CachedSequenceHeightProvider.cs, 76
./Platform.Data.Doublets/Sequences/HeightProviders/DefaultSequenceRightHeightProvider.cs, 76
./Platform.Data.Doublets/Sequences/HeightProviders/ISequenceHeightProvider.cs, 77
./Platform.Data.Doublets/Sequences/Sequences.Experiments.ReadSequence.cs, 112
./Platform.Data.Doublets/Sequences/Sequences.Experiments.cs, 87
./Platform.Data.Doublets/Sequences/Sequences.cs, 77
./Platform.Data.Doublets/Sequences/SequencesExtensions.cs, 114
./Platform.Data.Doublets/Sequences/SequencesIndexer.cs, 114
./Platform.Data.Doublets/Sequences/SequencesOptions.cs, 115
./Platform.Data.Doublets/Sequences/UnicodeMap.cs, 117
./Platform.Data.Doublets/Sequences/Walkers/LeftSequenceWalker.cs, 119
./Platform.Data.Doublets/Sequences/Walkers/RightSequenceWalker.cs, 120
./Platform.Data.Doublets/Sequences/Walkers/SequenceWalkerBase.cs, 120
./Platform.Data.Doublets/Stacks/Stack.cs, 121
./Platform.Data.Doublets/Stacks/StackExtensions.cs, 121
./Platform.Data.Doublets/SynchronizedLinks.cs, 122
./Platform.Data.Doublets/UInt64Link.cs, 122
./Platform.Data.Doublets/UInt64LinkExtensions.cs, 125
./Platform.Data.Doublets/UInt64LinksExtensions.cs, 125
./Platform.Data.Doublets/UInt64LinksTransactionsLayer.cs, 127