1.1 ./Platform.Data.Doublets/Decorators/LinksCascadeUniquenessAndUsagesResolver.cs

```
#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

using System.Runtime.CompilerServices;

namespace Platform.Data.Doublets.Decorators
{
    public class LinksCascadeUniquenessAndUsagesResolver<TLink> : LinksUniquenessResolver<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksCascadeUniquenessAndUsagesResolver(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink ResolveAddressChangeConflict(TLink oldLinkAddress, TLink
        ↪  newLinkAddress)
        {
            // Use Facade (the last decorator) to ensure recursion working correctly
            Facade.MergeUsages(oldLinkAddress, newLinkAddress);
            return base.ResolveAddressChangeConflict(oldLinkAddress, newLinkAddress);
        }
    }
}
```

1.2 ./Platform.Data.Doublets/Decorators/LinksCascadeUsagesResolver.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    /// <remarks>
    /// <para>Must be used in conjunction with NonNullContentsLinkDeletionResolver.</para>
    /// <para>Должен использоваться вместе с NonNullContentsLinkDeletionResolver.</para>
    /// </remarks>
    public class LinksCascadeUsagesResolver<TLink> : LinksDecoratorBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksCascadeUsagesResolver(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override void Delete(IList<TLink> restrictions)
        {
            var linkIndex = restrictions[Constants.IndexPart];
            // Use Facade (the last decorator) to ensure recursion working correctly
            Facade.DeleteAllUsages(linkIndex);
            Links.Delete(linkIndex);
        }
    }
}
```

1.3 ./Platform.Data.Doublets/Decorators/LinksDecoratorBase.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    public abstract class LinksDecoratorBase<TLink> : LinksOperatorBase<TLink>, ILinks<TLink>
    {
        private ILinks<TLink> _facade;

        public LinksConstants<TLink> Constants { get; }

        public ILinks<TLink> Facade
        {
            get => _facade;
            set
            {
                _facade = value;
                if (Links is LinksDecoratorBase<TLink> decorator)
                {
                    decorator.Facade = value;
                }
                else if (Links is LinksDisposableDecoratorBase<TLink> disposableDecorator)
                {
```

```
                    disposableDecorator.Facade = value;
                }
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected LinksDecoratorBase(ILinks<TLink> links) : base(links)
        {
            Constants = links.Constants;
            Facade = this;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Count(IList<TLink> restrictions) => Links.Count(restrictions);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
        ↪  => Links.Each(handler, restrictions);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Create(IList<TLink> restrictions) => Links.Create(restrictions);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Update(IList<TLink> restrictions, IList<TLink> substitution) =>
        ↪  Links.Update(restrictions, substitution);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual void Delete(IList<TLink> restrictions) => Links.Delete(restrictions);
    }
}
```

1.4 ./Platform.Data.Doublets/Decorators/LinksDisposableDecoratorBase.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Disposables;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    public abstract class LinksDisposableDecoratorBase<TLink> : DisposableBase, ILinks<TLink>
    {
        private ILinks<TLink> _facade;

        public LinksConstants<TLink> Constants { get; }

        public ILinks<TLink> Links { get; }

        public ILinks<TLink> Facade
        {
            get => _facade;
            set
            {
                _facade = value;
                if (Links is LinksDecoratorBase<TLink> decorator)
                {
                    decorator.Facade = value;
                }
                else if (Links is LinksDisposableDecoratorBase<TLink> disposableDecorator)
                {
                    disposableDecorator.Facade = value;
                }
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected LinksDisposableDecoratorBase(ILinks<TLink> links)
        {
            Links = links;
            Constants = links.Constants;
            Facade = this;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Count(IList<TLink> restrictions) => Links.Count(restrictions);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
        ↪  => Links.Each(handler, restrictions);
```

```

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Create(IList<TLink> restrictions) => Links.Create(restrictions);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Update(IList<TLink> restrictions, IList<TLink> substitution) =>
        ↪  Links.Update(restrictions, substitution);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual void Delete(IList<TLink> restrictions) => Links.Delete(restrictions);

        protected override bool AllowMultipleDisposeCalls => true;

        protected override void Dispose(bool manual, bool wasDisposed)
        {
            if (!wasDisposed)
            {
                Links.DisposeIfPossible();
            }
        }
    }
}
```

1.5 ./Platform.Data.Doublets/Decorators/LinksInnerReferenceExistenceValidator.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    // TODO: Make LinksExternalReferenceValidator. A layer that checks each link to exist or to
    ↪  be external (hybrid link's raw number).
    public class LinksInnerReferenceExistenceValidator<TLink> : LinksDecoratorBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksInnerReferenceExistenceValidator(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
        {
            Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
            return Links.Each(handler, restrictions);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
        {
            // TODO: Possible values: null, ExistentLink or NonExistentHybrid(ExternalReference)
            Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
            Links.EnsureInnerReferenceExists(substitution, nameof(substitution));
            return Links.Update(restrictions, substitution);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override void Delete(IList<TLink> restrictions)
        {
            var link = restrictions[Constants.IndexPart];
            Links.EnsureLinkExists(link, nameof(link));
            Links.Delete(link);
        }
    }
}
```

1.6 ./Platform.Data.Doublets/Decorators/LinksItselfConstantToSelfReferenceResolver.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    public class LinksItselfConstantToSelfReferenceResolver<TLink> : LinksDecoratorBase<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksItselfConstantToSelfReferenceResolver(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
        {
            var constants = Constants;
            var itselfConstant = constants.Itself;
            var indexPartConstant = constants.IndexPart;
            var sourcePartConstant = constants.SourcePart;
            var targetPartConstant = constants.TargetPart;
            var restrictionsCount = restrictions.Count;
            if (!_equalityComparer.Equals(constants.Any, itselfConstant)
             && (((restrictionsCount > indexPartConstant) &&
              ↪  _equalityComparer.Equals(restrictions[indexPartConstant], itselfConstant))
             || ((restrictionsCount > sourcePartConstant) &&
              ↪  _equalityComparer.Equals(restrictions[sourcePartConstant], itselfConstant))
             || ((restrictionsCount > targetPartConstant) &&
              ↪  _equalityComparer.Equals(restrictions[targetPartConstant], itselfConstant))))
            {
                // Itself constant is not supported for Each method right now, skipping execution
                return constants.Continue;
            }
            return Links.Each(handler, restrictions);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution) =>
         ↪  Links.Update(restrictions, Links.ResolveConstantAsSelfReference(Constants.Itself,
         ↪  restrictions, substitution));
    }
}
```

1.7 ./Platform.Data.Doublets/Decorators/LinksNonExistentDependenciesCreator.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    /// <remarks>
    /// Not practical if newSource and newTarget are too big.
    /// To be able to use practical version we should allow to create link at any specific
     ↪  location inside ResizableDirectMemoryLinks.
    /// This in turn will require to implement not a list of empty links, but a list of ranges
     ↪  to store it more efficiently.
    /// </remarks>
    public class LinksNonExistentDependenciesCreator<TLink> : LinksDecoratorBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksNonExistentDependenciesCreator(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
        {
            var constants = Constants;
            Links.EnsureCreated(substitution[constants.SourcePart],
             ↪  substitution[constants.TargetPart]);
            return Links.Update(restrictions, substitution);
        }
    }
}
```

1.8 ./Platform.Data.Doublets/Decorators/LinksNullConstantToSelfReferenceResolver.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    public class LinksNullConstantToSelfReferenceResolver<TLink> : LinksDecoratorBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksNullConstantToSelfReferenceResolver(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Create(IList<TLink> restrictions)
```

```
15          {
16              var link = Links.Create();
17              return Links.Update(link, link, link);
18          }
19
20          [MethodImpl(MethodImplOptions.AggressiveInlining)]
21          public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution) =>
            ↪  Links.Update(restrictions, Links.ResolveConstantAsSelfReference(Constants.Null,
            ↪  restrictions, substitution));
22      }
23  }
```

1.9 ./Platform.Data.Doublets/Decorators/LinksUniquenessResolver.cs

```
1   using System.Collections.Generic;
2   using System.Runtime.CompilerServices;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Data.Doublets.Decorators
7   {
8       public class LinksUniquenessResolver<TLink> : LinksDecoratorBase<TLink>
9       {
10          private static readonly EqualityComparer<TLink> _equalityComparer =
            ↪  EqualityComparer<TLink>.Default;
11
12          [MethodImpl(MethodImplOptions.AggressiveInlining)]
13          public LinksUniquenessResolver(ILinks<TLink> links) : base(links) { }
14
15          [MethodImpl(MethodImplOptions.AggressiveInlining)]
16          public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
17          {
18              var newLinkAddress = Links.SearchOrDefault(substitution[Constants.SourcePart],
                ↪  substitution[Constants.TargetPart]);
19              if (_equalityComparer.Equals(newLinkAddress, default))
20              {
21                  return Links.Update(restrictions, substitution);
22              }
23              return ResolveAddressChangeConflict(restrictions[Constants.IndexPart],
                ↪  newLinkAddress);
24          }
25
26          [MethodImpl(MethodImplOptions.AggressiveInlining)]
27          protected virtual TLink ResolveAddressChangeConflict(TLink oldLinkAddress, TLink
            ↪  newLinkAddress)
28          {
29              if (!_equalityComparer.Equals(oldLinkAddress, newLinkAddress) &&
                ↪  Links.Exists(oldLinkAddress))
30              {
31                  Facade.Delete(oldLinkAddress);
32              }
33              return newLinkAddress;
34          }
35      }
36  }
```

1.10 ./Platform.Data.Doublets/Decorators/LinksUniquenessValidator.cs

```
1   using System.Collections.Generic;
2   using System.Runtime.CompilerServices;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Data.Doublets.Decorators
7   {
8       public class LinksUniquenessValidator<TLink> : LinksDecoratorBase<TLink>
9       {
10          [MethodImpl(MethodImplOptions.AggressiveInlining)]
11          public LinksUniquenessValidator(ILinks<TLink> links) : base(links) { }
12
13          [MethodImpl(MethodImplOptions.AggressiveInlining)]
14          public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
15          {
16              Links.EnsureDoesNotExists(substitution[Constants.SourcePart],
                ↪  substitution[Constants.TargetPart]);
17              return Links.Update(restrictions, substitution);
18          }
19      }
20  }
```

1.11 ./Platform.Data.Doublets/Decorators/LinksUsagesValidator.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    public class LinksUsagesValidator<TLink> : LinksDecoratorBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksUsagesValidator(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
        {
            Links.EnsureNoUsages(restrictions[Constants.IndexPart]);
            return Links.Update(restrictions, substitution);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override void Delete(IList<TLink> restrictions)
        {
            var link = restrictions[Constants.IndexPart];
            Links.EnsureNoUsages(link);
            Links.Delete(link);
        }
    }
}
```

1.12 ./Platform.Data.Doublets/Decorators/NonNullContentsLinkDeletionResolver.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    public class NonNullContentsLinkDeletionResolver<TLink> : LinksDecoratorBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public NonNullContentsLinkDeletionResolver(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override void Delete(IList<TLink> restrictions)
        {
            var linkIndex = restrictions[Constants.IndexPart];
            Links.EnforceResetValues(linkIndex);
            Links.Delete(linkIndex);
        }
    }
}
```

1.13 ./Platform.Data.Doublets/Decorators/UInt64Links.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    /// <summary>
    /// Представляет объект для работы с базой данных (файлом) в формате Links (массива связей).
    /// </summary>
    /// <remarks>
    /// Возможные оптимизации:
    /// Объединение в одном поле Source и Target с уменьшением до 32 бит.
    ///     + меньше объём БД
    ///     - меньше производительность
    ///     - больше ограничение на количество связей в БД)
    /// Ленивое хранение размеров поддеревьев (расчитываемое по мере использования БД)
    ///     + меньше объём БД
    ///     - больше сложность
    ///
    /// Текущее теоретическое ограничение на индекс связи, из-за использования 5 бит в размере
    ↪  поддеревьев для AVL баланса и флагов нитей: 2 в степени(64 минус 5 равно 59 ) равно 576
    ↪  460 752 303 423 488
    /// Желательно реализовать поддержку переключения между деревьями и битовыми индексами
    ↪  (битовыми строками) - вариант матрицы (выстраеваемой лениво).
```

```
23      ///
24      /// Решить отключать ли проверки при компиляции под Release. Т.е. исключения будут
        ↪  выбрасываться только при #if DEBUG
25      /// </remarks>
26      public class UInt64Links : LinksDisposableDecoratorBase<ulong>
27      {
28          [MethodImpl(MethodImplOptions.AggressiveInlining)]
29          public UInt64Links(ILinks<ulong> links) : base(links) { }
30
31          [MethodImpl(MethodImplOptions.AggressiveInlining)]
32          public override ulong Create(IList<ulong> restrictions) => Links.CreatePoint();
33
34          public override ulong Update(IList<ulong> restrictions, IList<ulong> substitution)
35          {
36              var constants = Constants;
37              var indexPartConstant = constants.IndexPart;
38              var updatedLink = restrictions[indexPartConstant];
39              var sourcePartConstant = constants.SourcePart;
40              var newSource = substitution[sourcePartConstant];
41              var targetPartConstant = constants.TargetPart;
42              var newTarget = substitution[targetPartConstant];
43              var nullConstant = constants.Null;
44              var existedLink = nullConstant;
45              var itselfConstant = constants.Itself;
46              if (newSource != itselfConstant && newTarget != itselfConstant)
47              {
48                  existedLink = Links.SearchOrDefault(newSource, newTarget);
49              }
50              if (existedLink == nullConstant)
51              {
52                  var before = Links.GetLink(updatedLink);
53                  if (before[sourcePartConstant] != newSource || before[targetPartConstant] !=
                    ↪  newTarget)
54                  {
55                      Links.Update(updatedLink, newSource == itselfConstant ? updatedLink :
                        ↪  newSource,
56                                                newTarget == itselfConstant ? updatedLink :
                                                  ↪  newTarget);
57                  }
58                  return updatedLink;
59              }
60              else
61              {
62                  return Facade.MergeAndDelete(updatedLink, existedLink);
63              }
64          }
65
66          [MethodImpl(MethodImplOptions.AggressiveInlining)]
67          public override void Delete(IList<ulong> restrictions)
68          {
69              var linkIndex = restrictions[Constants.IndexPart];
70              Links.EnforceResetValues(linkIndex);
71              Facade.DeleteAllUsages(linkIndex);
72              Links.Delete(linkIndex);
73          }
74      }
75  }
```

1.14 ./Platform.Data.Doublets/Decorators/UniLinks.cs

```
1   using System;
2   using System.Collections.Generic;
3   using System.Linq;
4   using Platform.Collections;
5   using Platform.Collections.Lists;
6   using Platform.Data.Universal;
7
8   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10  namespace Platform.Data.Doublets.Decorators
11  {
12      /// <remarks>
13      /// What does empty pattern (for condition or substitution) mean? Nothing or Everything?
14      /// Now we go with nothing. And nothing is something one, but empty, and cannot be changed
        ↪  by itself. But can cause creation (update from nothing) or deletion (update to nothing).
15      ///
16      /// TODO: Decide to change to IDoubletLinks or not to change. (Better to create
        ↪  DefaultUniLinksBase, that contains logic itself and can be implemented using both
        ↪  IDoubletLinks and ILinks.)
17      /// </remarks>
```

```
18      internal class UniLinks<TLink> : LinksDecoratorBase<TLink>, IUniLinks<TLink>
19      {
20          private static readonly EqualityComparer<TLink> _equalityComparer =
            ↪ EqualityComparer<TLink>.Default;
21
22          public UniLinks(ILinks<TLink> links) : base(links) { }
23
24          private struct Transition
25          {
26              public IList<TLink> Before;
27              public IList<TLink> After;
28
29              public Transition(IList<TLink> before, IList<TLink> after)
30              {
31                  Before = before;
32                  After = after;
33              }
34          }
35
36          //public static readonly TLink NullConstant = Use<LinksConstants<TLink>>.Single.Null;
37          //public static readonly IReadOnlyList<TLink> NullLink = new
            ↪ ReadOnlyCollection<TLink>(new List<TLink> { NullConstant, NullConstant, NullConstant
            ↪ });
38
39          // TODO: Подумать о том, как реализовать древовидный Restriction и Substitution
            ↪ (Links-Expression)
40          public TLink Trigger(IList<TLink> restriction, Func<IList<TLink>, IList<TLink>, TLink>
            ↪ matchedHandler, IList<TLink> substitution, Func<IList<TLink>, IList<TLink>, TLink>
            ↪ substitutedHandler)
41          {
42              ////List<Transition> transitions = null;
43              ////if (!restriction.IsNullOrEmpty())
44              ////{
45              ////    // Есть причина делать проход (чтение)
46              ////    if (matchedHandler != null)
47              ////    {
48              ////        if (!substitution.IsNullOrEmpty())
49              ////        {
50              ////            // restriction => { 0, 0, 0 } | { 0 } // Create
51              ////            // substitution => { itself, 0, 0 } | { itself, itself, itself } //
                ↪ Create / Update
52              ////            // substitution => { 0, 0, 0 } | { 0 } // Delete
53              ////            transitions = new List<Transition>();
54              ////            if (Equals(substitution[Constants.IndexPart], Constants.Null))
55              ////            {
56              ////                // If index is Null, that means we always ignore every other
                ↪ value (they are also Null by definition)
57              ////                var matchDecision = matchedHandler(, NullLink);
58              ////                if (Equals(matchDecision, Constants.Break))
59              ////                    return false;
60              ////                if (!Equals(matchDecision, Constants.Skip))
61              ////                    transitions.Add(new Transition(matchedLink, newValue));
62              ////            }
63              ////            else
64              ////            {
65              ////                Func<T, bool> handler;
66              ////                handler = link =>
67              ////                {
68              ////                    var matchedLink = Memory.GetLinkValue(link);
69              ////                    var newValue = Memory.GetLinkValue(link);
70              ////                    newValue[Constants.IndexPart] = Constants.Itself;
71              ////                    newValue[Constants.SourcePart] =
                ↪ Equals(substitution[Constants.SourcePart], Constants.Itself) ?
                ↪ matchedLink[Constants.IndexPart] : substitution[Constants.SourcePart];
72              ////                    newValue[Constants.TargetPart] =
                ↪ Equals(substitution[Constants.TargetPart], Constants.Itself) ?
                ↪ matchedLink[Constants.IndexPart] : substitution[Constants.TargetPart];
73              ////                    var matchDecision = matchedHandler(matchedLink, newValue);
74              ////                    if (Equals(matchDecision, Constants.Break))
75              ////                        return false;
76              ////                    if (!Equals(matchDecision, Constants.Skip))
77              ////                        transitions.Add(new Transition(matchedLink, newValue));
78              ////                    return true;
79              ////                };
80              ////                if (!Memory.Each(handler, restriction))
81              ////                    return Constants.Break;
82              ////            }
83              ////        }
```

```
            ////        else
            ////        {
            ////            Func<T, bool> handler = link =>
            ////            {
            ////                var matchedLink = Memory.GetLinkValue(link);
            ////                var matchDecision = matchedHandler(matchedLink, matchedLink);
            ////                return !Equals(matchDecision, Constants.Break);
            ////            };
            ////            if (!Memory.Each(handler, restriction))
            ////                return Constants.Break;
            ////        }
            ////    }
            ////    else
            ////    {
            ////        if (substitution != null)
            ////        {
            ////            transitions = new List<IList<T>>();
            ////            Func<T, bool> handler = link =>
            ////            {
            ////                var matchedLink = Memory.GetLinkValue(link);
            ////                transitions.Add(matchedLink);
            ////                return true;
            ////            };
            ////            if (!Memory.Each(handler, restriction))
            ////                return Constants.Break;
            ////        }
            ////        else
            ////        {
            ////            return Constants.Continue;
            ////        }
            ////    }
            ////}
            ////if (substitution != null)
            ////{
            ////    // Есть причина делать замену (запись)
            ////    if (substitutedHandler != null)
            ////    {
            ////    }
            ////    else
            ////    {
            ////    }
            ////}
            ////return Constants.Continue;

            //if (restriction.IsNullOrEmpty()) // Create
            //{
            //    substitution[Constants.IndexPart] = Memory.AllocateLink();
            //    Memory.SetLinkValue(substitution);
            //}
            //else if (substitution.IsNullOrEmpty()) // Delete
            //{
            //    Memory.FreeLink(restriction[Constants.IndexPart]);
            //}
            //else if (restriction.EqualTo(substitution)) // Read or ("repeat" the state) // Each
            //{
            //    // No need to collect links to list
            //    // Skip == Continue
            //    // No need to check substituedHandler
            //    if (!Memory.Each(link => !Equals(matchedHandler(Memory.GetLinkValue(link)),
            ↪  Constants.Break), restriction))
            //        return Constants.Break;
            //}
            //else // Update
            //{
            //    //List<IList<T>> matchedLinks = null;
            //    if (matchedHandler != null)
            //    {
            //        matchedLinks = new List<IList<T>>();
            //        Func<T, bool> handler = link =>
            //        {
            //            var matchedLink = Memory.GetLinkValue(link);
            //            var matchDecision = matchedHandler(matchedLink);
            //            if (Equals(matchDecision, Constants.Break))
            //                return false;
            //            if (!Equals(matchDecision, Constants.Skip))
            //                matchedLinks.Add(matchedLink);
            //            return true;
            //        };
```

```
161             //        if (!Memory.Each(handler, restriction))
162             //            return Constants.Break;
163             //    }
164             //    if (!matchedLinks.IsNullOrEmpty())
165             //    {
166             //        var totalMatchedLinks = matchedLinks.Count;
167             //        for (var i = 0; i < totalMatchedLinks; i++)
168             //        {
169             //            var matchedLink = matchedLinks[i];
170             //            if (substitutedHandler != null)
171             //            {
172             //                var newValue = new List<T>(); // TODO: Prepare value to update here
173             //                // TODO: Decide is it actually needed to use Before and After
                ↪  substitution handling.
174             //                var substitutedDecision = substitutedHandler(matchedLink,
                ↪  newValue);
175             //                if (Equals(substitutedDecision, Constants.Break))
176             //                    return Constants.Break;
177             //                if (Equals(substitutedDecision, Constants.Continue))
178             //                {
179             //                    // Actual update here
180             //                    Memory.SetLinkValue(newValue);
181             //                }
182             //                if (Equals(substitutedDecision, Constants.Skip))
183             //                {
184             //                    // Cancel the update. TODO: decide use separate Cancel
                ↪  constant or Skip is enough?
185             //                }
186             //            }
187             //        }
188             //    }
189             //}
190             return Constants.Continue;
191         }
192 
193         public TLink Trigger(IList<TLink> patternOrCondition, Func<IList<TLink>, TLink>
            ↪  matchHandler, IList<TLink> substitution, Func<IList<TLink>, IList<TLink>, TLink>
            ↪  substitutionHandler)
194         {
195             if (patternOrCondition.IsNullOrEmpty() && substitution.IsNullOrEmpty())
196             {
197                 return Constants.Continue;
198             }
199             else if (patternOrCondition.EqualTo(substitution)) // Should be Each here TODO:
                ↪  Check if it is a correct condition
200             {
201                 // Or it only applies to trigger without matchHandler.
202                 throw new NotImplementedException();
203             }
204             else if (!substitution.IsNullOrEmpty()) // Creation
205             {
206                 var before = Array.Empty<TLink>();
207                 // Что должно означать False здесь? Остановиться (перестать идти) или пропустить
                    ↪  (пройти мимо) или пустить (взять)?
208                 if (matchHandler != null && _equalityComparer.Equals(matchHandler(before),
                    ↪  Constants.Break))
209                 {
210                     return Constants.Break;
211                 }
212                 var after = (IList<TLink>)substitution.ToArray();
213                 if (_equalityComparer.Equals(after[0], default))
214                 {
215                     var newLink = Links.Create();
216                     after[0] = newLink;
217                 }
218                 if (substitution.Count == 1)
219                 {
220                     after = Links.GetLink(substitution[0]);
221                 }
222                 else if (substitution.Count == 3)
223                 {
224                     //Links.Create(after);
225                 }
226                 else
227                 {
228                     throw new NotSupportedException();
229                 }
230                 if (matchHandler != null)
```

```
231                 {
232                     return substitutionHandler(before, after);
233                 }
234                 return Constants.Continue;
235             }
236             else if (!patternOrCondition.IsNullOrEmpty()) // Deletion
237             {
238                 if (patternOrCondition.Count == 1)
239                 {
240                     var linkToDelete = patternOrCondition[0];
241                     var before = Links.GetLink(linkToDelete);
242                     if (matchHandler != null && _equalityComparer.Equals(matchHandler(before),
                        ↪ Constants.Break))
243                     {
244                         return Constants.Break;
245                     }
246                     var after = Array.Empty<TLink>();
247                     Links.Update(linkToDelete, Constants.Null, Constants.Null);
248                     Links.Delete(linkToDelete);
249                     if (matchHandler != null)
250                     {
251                         return substitutionHandler(before, after);
252                     }
253                     return Constants.Continue;
254                 }
255                 else
256                 {
257                     throw new NotSupportedException();
258                 }
259             }
260             else // Replace / Update
261             {
262                 if (patternOrCondition.Count == 1) //-V3125
263                 {
264                     var linkToUpdate = patternOrCondition[0];
265                     var before = Links.GetLink(linkToUpdate);
266                     if (matchHandler != null && _equalityComparer.Equals(matchHandler(before),
                        ↪ Constants.Break))
267                     {
268                         return Constants.Break;
269                     }
270                     var after = (IList<TLink>)substitution.ToArray(); //-V3125
271                     if (_equalityComparer.Equals(after[0], default))
272                     {
273                         after[0] = linkToUpdate;
274                     }
275                     if (substitution.Count == 1)
276                     {
277                         if (!_equalityComparer.Equals(substitution[0], linkToUpdate))
278                         {
279                             after = Links.GetLink(substitution[0]);
280                             Links.Update(linkToUpdate, Constants.Null, Constants.Null);
281                             Links.Delete(linkToUpdate);
282                         }
283                     }
284                     else if (substitution.Count == 3)
285                     {
286                         //Links.Update(after);
287                     }
288                     else
289                     {
290                         throw new NotSupportedException();
291                     }
292                     if (matchHandler != null)
293                     {
294                         return substitutionHandler(before, after);
295                     }
296                     return Constants.Continue;
297                 }
298                 else
299                 {
300                     throw new NotSupportedException();
301                 }
302             }
303         }
304 
305         /// <remarks>
306         /// IList[IList[IList[T]]]
```

```
307             /// |      |      |       |||
308             /// |      |      |  ------ ||
309             /// |      |      |   link  ||
310             /// |      |  ------------- |
311             /// |      |     change     |
312             ///  --------------------
313             ///         changes
314             /// </remarks>
315             public IList<IList<IList<TLink>>> Trigger(IList<TLink> condition, IList<TLink>
                ↪  substitution)
316             {
317                 var changes = new List<IList<IList<TLink>>>();
318                 Trigger(condition, AlwaysContinue, substitution, (before, after) =>
319                 {
320                     var change = new[] { before, after };
321                     changes.Add(change);
322                     return Constants.Continue;
323                 });
324                 return changes;
325             }
326
327             private TLink AlwaysContinue(IList<TLink> linkToMatch) => Constants.Continue;
328         }
329     }
```

1.15 ./Platform.Data.Doublets/Doublet.cs

```
1   using System;
2   using System.Collections.Generic;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Data.Doublets
7   {
8       public struct Doublet<T> : IEquatable<Doublet<T>>
9       {
10          private static readonly EqualityComparer<T> _equalityComparer =
                ↪  EqualityComparer<T>.Default;
11
12          public T Source { get; set; }
13          public T Target { get; set; }
14
15          public Doublet(T source, T target)
16          {
17              Source = source;
18              Target = target;
19          }
20
21          public override string ToString() => $"{Source}->{Target}";
22
23          public bool Equals(Doublet<T> other) => _equalityComparer.Equals(Source, other.Source)
                ↪  && _equalityComparer.Equals(Target, other.Target);
24
25          public override bool Equals(object obj) => obj is Doublet<T> doublet ?
                ↪  base.Equals(doublet) : false;
26
27          public override int GetHashCode() => (Source, Target).GetHashCode();
28      }
29  }
```

1.16 ./Platform.Data.Doublets/DoubletComparer.cs

```
1   using System.Collections.Generic;
2   using System.Runtime.CompilerServices;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Data.Doublets
7   {
8       /// <remarks>
9       /// TODO: Может стоит попробовать ref во всех методах (IRefEqualityComparer)
10      /// 2x faster with comparer
11      /// </remarks>
12      public class DoubletComparer<T> : IEqualityComparer<Doublet<T>>
13      {
14          public static readonly DoubletComparer<T> Default = new DoubletComparer<T>();
15
16          [MethodImpl(MethodImplOptions.AggressiveInlining)]
17          public bool Equals(Doublet<T> x, Doublet<T> y) => x.Equals(y);
18
19          [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        public int GetHashCode(Doublet<T> obj) => obj.GetHashCode();
    }
}
```

1.17 ./Platform.Data.Doublets/Hybrid.cs

```
using System;
using System.Reflection;
using System.Reflection.Emit;
using Platform.Reflection;
using Platform.Converters;
using Platform.Exceptions;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets
{
    public struct Hybrid<T>
    {
        private static readonly Func<object, T> _absAndConvert;
        private static readonly Func<object, T> _absAndNegateAndConvert;

        static Hybrid()
        {
            _absAndConvert = DelegateHelpers.Compile<Func<object, T>>(emiter =>
            {
                Ensure.Always.IsUnsignedInteger<T>();
                emiter.LoadArgument(0);
                var signedVersion = NumericType<T>.SignedVersion;
                var signedVersionField =
                ↪  typeof(NumericType<T>).GetTypeInfo().GetField("SignedVersion",
                ↪  BindingFlags.Static | BindingFlags.Public);
                //emiter.LoadField(signedVersionField);
                emiter.Emit(OpCodes.Ldsfld, signedVersionField);
                var changeTypeMethod = typeof(Convert).GetTypeInfo().GetMethod("ChangeType",
                ↪  Types<object, Type>.Array);
                emiter.Call(changeTypeMethod);
                emiter.UnboxValue(signedVersion);
                var absMethod = typeof(Math).GetTypeInfo().GetMethod("Abs", new[] {
                ↪  signedVersion });
                emiter.Call(absMethod);
                var unsignedMethod = typeof(To).GetTypeInfo().GetMethod("Unsigned", new[] {
                ↪  signedVersion });
                emiter.Call(unsignedMethod);
                emiter.Return();
            });
            _absAndNegateAndConvert = DelegateHelpers.Compile<Func<object, T>>(emiter =>
            {
                Ensure.Always.IsUnsignedInteger<T>();
                emiter.LoadArgument(0);
                var signedVersion = NumericType<T>.SignedVersion;
                var signedVersionField =
                ↪  typeof(NumericType<T>).GetTypeInfo().GetField("SignedVersion",
                ↪  BindingFlags.Static | BindingFlags.Public);
                //emiter.LoadField(signedVersionField);
                emiter.Emit(OpCodes.Ldsfld, signedVersionField);
                var changeTypeMethod = typeof(Convert).GetTypeInfo().GetMethod("ChangeType",
                ↪  Types<object, Type>.Array);
                emiter.Call(changeTypeMethod);
                emiter.UnboxValue(signedVersion);
                var absMethod = typeof(Math).GetTypeInfo().GetMethod("Abs", new[] {
                ↪  signedVersion });
                emiter.Call(absMethod);
                var negateMethod = typeof(Platform.Numbers.Math).GetTypeInfo().GetMethod("Negate
                ↪  ").MakeGenericMethod(signedVersion);
                emiter.Call(negateMethod);
                var unsignedMethod = typeof(To).GetTypeInfo().GetMethod("Unsigned", new[] {
                ↪  signedVersion });
                emiter.Call(unsignedMethod);
                emiter.Return();
            });
        }

        public readonly T Value;
        public bool IsNothing => Convert.ToInt64(To.Signed(Value)) == 0;
        public bool IsInternal => Convert.ToInt64(To.Signed(Value)) > 0;
        public bool IsExternal => Convert.ToInt64(To.Signed(Value)) < 0;
        public long AbsoluteValue =>
        ↪  Platform.Numbers.Math.Abs(Convert.ToInt64(To.Signed(Value)));
```

```
62
63          public Hybrid(T value)
64          {
65              Ensure.OnDebug.IsUnsignedInteger<T>();
66              Value = value;
67          }
68
69          public Hybrid(object value) => Value = To.UnsignedAs<T>(Convert.ChangeType(value,
            ↪  NumericType<T>.SignedVersion));
70
71          public Hybrid(object value, bool isExternal)
72          {
73              //var signedType = Type<T>.SignedVersion;
74              //var signedValue = Convert.ChangeType(value, signedType);
75              //var abs = typeof(Platform.Numbers.Math).GetTypeInfo().GetMethod("Abs").MakeGeneric
                ↪  Method(signedType);
76              //var negate = typeof(Platform.Numbers.Math).GetTypeInfo().GetMethod("Negate").MakeG
                ↪  enericMethod(signedType);
77              //var absoluteValue = abs.Invoke(null, new[] { signedValue });
78              //var resultValue = isExternal ? negate.Invoke(null, new[] { absoluteValue }) :
                ↪  absoluteValue;
79              //Value = To.UnsignedAs<T>(resultValue);
80              if (isExternal)
81              {
82                  Value = _absAndNegateAndConvert(value);
83              }
84              else
85              {
86                  Value = _absAndConvert(value);
87              }
88          }
89
90          public static implicit operator Hybrid<T>(T integer) => new Hybrid<T>(integer);
91
92          public static explicit operator Hybrid<T>(ulong integer) => new Hybrid<T>(integer);
93
94          public static explicit operator Hybrid<T>(long integer) => new Hybrid<T>(integer);
95
96          public static explicit operator Hybrid<T>(uint integer) => new Hybrid<T>(integer);
97
98          public static explicit operator Hybrid<T>(int integer) => new Hybrid<T>(integer);
99
100         public static explicit operator Hybrid<T>(ushort integer) => new Hybrid<T>(integer);
101
102         public static explicit operator Hybrid<T>(short integer) => new Hybrid<T>(integer);
103
104         public static explicit operator Hybrid<T>(byte integer) => new Hybrid<T>(integer);
105
106         public static explicit operator Hybrid<T>(sbyte integer) => new Hybrid<T>(integer);
107
108         public static implicit operator T(Hybrid<T> hybrid) => hybrid.Value;
109
110         public static explicit operator ulong(Hybrid<T> hybrid) =>
            ↪  Convert.ToUInt64(hybrid.Value);
111
112         public static explicit operator long(Hybrid<T> hybrid) => hybrid.AbsoluteValue;
113
114         public static explicit operator uint(Hybrid<T> hybrid) => Convert.ToUInt32(hybrid.Value);
115
116         public static explicit operator int(Hybrid<T> hybrid) =>
            ↪  Convert.ToInt32(hybrid.AbsoluteValue);
117
118         public static explicit operator ushort(Hybrid<T> hybrid) =>
            ↪  Convert.ToUInt16(hybrid.Value);
119
120         public static explicit operator short(Hybrid<T> hybrid) =>
            ↪  Convert.ToInt16(hybrid.AbsoluteValue);
121
122         public static explicit operator byte(Hybrid<T> hybrid) => Convert.ToByte(hybrid.Value);
123
124         public static explicit operator sbyte(Hybrid<T> hybrid) =>
            ↪  Convert.ToSByte(hybrid.AbsoluteValue);
125
126         public override string ToString() => IsNothing ? default(T) == null ? "Nothing" :
            ↪  default(T).ToString() : IsExternal ? $"<{AbsoluteValue}>" : Value.ToString();
127     }
128 }
```

1.18 ./Platform.Data.Doublets/ILinks.cs

```
#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

using System.Collections.Generic;

namespace Platform.Data.Doublets
{
    public interface ILinks<TLink> : ILinks<TLink, LinksConstants<TLink>>
    {
    }
}
```

1.19 ./Platform.Data.Doublets/ILinksExtensions.cs

```
using System;
using System.Collections;
using System.Collections.Generic;
using System.Linq;
using System.Runtime.CompilerServices;
using Platform.Ranges;
using Platform.Collections.Arrays;
using Platform.Numbers;
using Platform.Random;
using Platform.Setters;
using Platform.Data.Exceptions;
using Platform.Data.Doublets.Decorators;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets
{
    public static class ILinksExtensions
    {
        public static void RunRandomCreations<TLink>(this ILinks<TLink> links, long
        ↪  amountOfCreations)
        {
            for (long i = 0; i < amountOfCreations; i++)
            {
                var linksAddressRange = new Range<ulong>(0, (Integer<TLink>)links.Count());
                Integer<TLink> source = RandomHelpers.Default.NextUInt64(linksAddressRange);
                Integer<TLink> target = RandomHelpers.Default.NextUInt64(linksAddressRange);
                links.CreateAndUpdate(source, target);
            }
        }

        public static void RunRandomSearches<TLink>(this ILinks<TLink> links, long
        ↪  amountOfSearches)
        {
            for (long i = 0; i < amountOfSearches; i++)
            {
                var linkAddressRange = new Range<ulong>(1, (Integer<TLink>)links.Count());
                Integer<TLink> source = RandomHelpers.Default.NextUInt64(linkAddressRange);
                Integer<TLink> target = RandomHelpers.Default.NextUInt64(linkAddressRange);
                links.SearchOrDefault(source, target);
            }
        }

        public static void RunRandomDeletions<TLink>(this ILinks<TLink> links, long
        ↪  amountOfDeletions)
        {
            var min = (ulong)amountOfDeletions > (Integer<TLink>)links.Count() ? 1 :
            ↪  (Integer<TLink>)links.Count() - (ulong)amountOfDeletions;
            for (long i = 0; i < amountOfDeletions; i++)
            {
                var linksAddressRange = new Range<ulong>(min, (Integer<TLink>)links.Count());
                Integer<TLink> link = RandomHelpers.Default.NextUInt64(linksAddressRange);
                links.Delete(link);
                if ((Integer<TLink>)links.Count() < min)
                {
                    break;
                }
            }
        }

        public static void Delete<TLink>(this ILinks<TLink> links, TLink linkToDelete) =>
        ↪  links.Delete(new LinkAddress<TLink>(linkToDelete));

        /// <remarks>
        /// TODO: Возможно есть очень простой способ это сделать.
        /// (Например просто удалить файл, или изменить его размер таким образом,
```

```
62          /// чтобы удалился весь контент)
63          /// Например через _header->AllocatedLinks в ResizableDirectMemoryLinks
64          /// </remarks>
65          public static void DeleteAll<TLink>(this ILinks<TLink> links)
66          {
67              var equalityComparer = EqualityComparer<TLink>.Default;
68              var comparer = Comparer<TLink>.Default;
69              for (var i = links.Count(); comparer.Compare(i, default) > 0; i =
                ↪ Arithmetic.Decrement(i))
70              {
71                  links.Delete(i);
72                  if (!equalityComparer.Equals(links.Count(), Arithmetic.Decrement(i)))
73                  {
74                      i = links.Count();
75                  }
76              }
77          }
78
79          public static TLink First<TLink>(this ILinks<TLink> links)
80          {
81              TLink firstLink = default;
82              var equalityComparer = EqualityComparer<TLink>.Default;
83              if (equalityComparer.Equals(links.Count(), default))
84              {
85                  throw new InvalidOperationException("В хранилище нет связей.");
86              }
87              links.Each(links.Constants.Any, links.Constants.Any, link =>
88              {
89                  firstLink = link[links.Constants.IndexPart];
90                  return links.Constants.Break;
91              });
92              if (equalityComparer.Equals(firstLink, default))
93              {
94                  throw new InvalidOperationException("В процессе поиска по хранилищу не было
                    ↪ найдено связей.");
95              }
96              return firstLink;
97          }
98
99          #region Paths
100
101         /// <remarks>
102         /// TODO: Как так? Как то что ниже может быть корректно?
103         /// Скорее всего практически не применимо
104         /// Предполагалось, что можно было конвертировать формируемый в проходе через
            ↪ SequenceWalker
105         /// Stack в конкретный путь из Source, Target до связи, но это не всегда так.
106         /// TODO: Возможно нужен метод, который именно выбрасывает исключения (EnsurePathExists)
107         /// </remarks>
108         public static bool CheckPathExistance<TLink>(this ILinks<TLink> links, params TLink[]
            ↪ path)
109         {
110             var current = path[0];
111             //EnsureLinkExists(current, "path");
112             if (!links.Exists(current))
113             {
114                 return false;
115             }
116             var equalityComparer = EqualityComparer<TLink>.Default;
117             var constants = links.Constants;
118             for (var i = 1; i < path.Length; i++)
119             {
120                 var next = path[i];
121                 var values = links.GetLink(current);
122                 var source = values[constants.SourcePart];
123                 var target = values[constants.TargetPart];
124                 if (equalityComparer.Equals(source, target) && equalityComparer.Equals(source,
                    ↪ next))
125                 {
126                     //throw new InvalidOperationException(string.Format("Невозможно выбрать
                        ↪ путь, так как и Source и Target совпадают с элементом пути {0}.", next));
127                     return false;
128                 }
129                 if (!equalityComparer.Equals(next, source) && !equalityComparer.Equals(next,
                    ↪ target))
130                 {
131                     //throw new InvalidOperationException(string.Format("Невозможно продолжить
                        ↪ путь через элемент пути {0}", next));
```

```
                return false;
            }
            current = next;
        }
        return true;
    }

    /// <remarks>
    /// Может потребовать дополнительного стека для PathElement's при использовании SequenceWalker.
    /// </remarks>
    public static TLink GetByKeys<TLink>(this ILinks<TLink> links, TLink root, params int[] path)
    {
        links.EnsureLinkExists(root, "root");
        var currentLink = root;
        for (var i = 0; i < path.Length; i++)
        {
            currentLink = links.GetLink(currentLink)[path[i]];
        }
        return currentLink;
    }

    public static TLink GetSquareMatrixSequenceElementByIndex<TLink>(this ILinks<TLink> links, TLink root, ulong size, ulong index)
    {
        var constants = links.Constants;
        var source = constants.SourcePart;
        var target = constants.TargetPart;
        if (!Platform.Numbers.Math.IsPowerOfTwo(size))
        {
            throw new ArgumentOutOfRangeException(nameof(size), "Sequences with sizes other than powers of two are not supported.");
        }
        var path = new BitArray(BitConverter.GetBytes(index));
        var length = Bit.GetLowestPosition(size);
        links.EnsureLinkExists(root, "root");
        var currentLink = root;
        for (var i = length - 1; i >= 0; i--)
        {
            currentLink = links.GetLink(currentLink)[path[i] ? target : source];
        }
        return currentLink;
    }

    #endregion

    /// <summary>
    /// Возвращает индекс указанной связи.
    /// </summary>
    /// <param name="links">Хранилище связей.</param>
    /// <param name="link">Связь представленная списком, состоящим из её адреса и содержимого.</param>
    /// <returns>Индекс начальной связи для указанной связи.</returns>
    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public static TLink GetIndex<TLink>(this ILinks<TLink> links, IList<TLink> link) => link[links.Constants.IndexPart];

    /// <summary>
    /// Возвращает индекс начальной (Source) связи для указанной связи.
    /// </summary>
    /// <param name="links">Хранилище связей.</param>
    /// <param name="link">Индекс связи.</param>
    /// <returns>Индекс начальной связи для указанной связи.</returns>
    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public static TLink GetSource<TLink>(this ILinks<TLink> links, TLink link) => links.GetLink(link)[links.Constants.SourcePart];

    /// <summary>
    /// Возвращает индекс начальной (Source) связи для указанной связи.
    /// </summary>
    /// <param name="links">Хранилище связей.</param>
    /// <param name="link">Связь представленная списком, состоящим из её адреса и содержимого.</param>
    /// <returns>Индекс начальной связи для указанной связи.</returns>
    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public static TLink GetSource<TLink>(this ILinks<TLink> links, IList<TLink> link) => link[links.Constants.SourcePart];
```

```
201
202         /// <summary>
203         /// Возвращает индекс конечной (Target) связи для указанной связи.
204         /// </summary>
205         /// <param name="links">Хранилище связей.</param>
206         /// <param name="link">Индекс связи.</param>
207         /// <returns>Индекс конечной связи для указанной связи.</returns>
208         [MethodImpl(MethodImplOptions.AggressiveInlining)]
209         public static TLink GetTarget<TLink>(this ILinks<TLink> links, TLink link) =>
            ↪ links.GetLink(link)[links.Constants.TargetPart];
210
211         /// <summary>
212         /// Возвращает индекс конечной (Target) связи для указанной связи.
213         /// </summary>
214         /// <param name="links">Хранилище связей.</param>
215         /// <param name="link">Связь представленная списком, состоящим из её адреса и
            ↪ содержимого.</param>
216         /// <returns>Индекс конечной связи для указанной связи.</returns>
217         [MethodImpl(MethodImplOptions.AggressiveInlining)]
218         public static TLink GetTarget<TLink>(this ILinks<TLink> links, IList<TLink> link) =>
            ↪ link[links.Constants.TargetPart];
219
220         /// <summary>
221         /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
            ↪ (handler) для каждой подходящей связи.
222         /// </summary>
223         /// <param name="links">Хранилище связей.</param>
224         /// <param name="handler">Обработчик каждой подходящей связи.</param>
225         /// <param name="restrictions">Ограничения на содержимое связей. Каждое ограничение
            ↪ может иметь значения: Constants.Null - 0-я связь, обозначающая ссылку на пустоту,
            ↪ Any - отсутствие ограничения, 1..∞ конкретный адрес связи.</param>
226         /// <returns>True, в случае если проход по связям не был прерван и False в обратном
            ↪ случае.</returns>
227         [MethodImpl(MethodImplOptions.AggressiveInlining)]
228         public static bool Each<TLink>(this ILinks<TLink> links, Func<IList<TLink>, TLink>
            ↪ handler, params TLink[] restrictions)
229             => EqualityComparer<TLink>.Default.Equals(links.Each(handler, restrictions),
                ↪ links.Constants.Continue);
230
231         /// <summary>
232         /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
            ↪ (handler) для каждой подходящей связи.
233         /// </summary>
234         /// <param name="links">Хранилище связей.</param>
235         /// <param name="source">Значение, определяющее соответствующие шаблону связи.
            ↪ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве начала,
            ↪ Constants.Any - любое начало, 1..∞ конкретное начало)</param>
236         /// <param name="target">Значение, определяющее соответствующие шаблону связи.
            ↪ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве конца,
            ↪ Constants.Any - любой конец, 1..∞ конкретный конец)</param>
237         /// <param name="handler">Обработчик каждой подходящей связи.</param>
238         /// <returns>True, в случае если проход по связям не был прерван и False в обратном
            ↪ случае.</returns>
239         [MethodImpl(MethodImplOptions.AggressiveInlining)]
240         public static bool Each<TLink>(this ILinks<TLink> links, TLink source, TLink target,
            ↪ Func<TLink, bool> handler)
241         {
242             var constants = links.Constants;
243             return links.Each(link => handler(link[constants.IndexPart]) ? constants.Continue :
                ↪ constants.Break, constants.Any, source, target);
244         }
245
246         /// <summary>
247         /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
            ↪ (handler) для каждой подходящей связи.
248         /// </summary>
249         /// <param name="links">Хранилище связей.</param>
250         /// <param name="source">Значение, определяющее соответствующие шаблону связи.
            ↪ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве начала,
            ↪ Constants.Any - любое начало, 1..∞ конкретное начало)</param>
251         /// <param name="target">Значение, определяющее соответствующие шаблону связи.
            ↪ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве конца,
            ↪ Constants.Any - любой конец, 1..∞ конкретный конец)</param>
252         /// <param name="handler">Обработчик каждой подходящей связи.</param>
253         /// <returns>True, в случае если проход по связям не был прерван и False в обратном
            ↪ случае.</returns>
```

```
254         [MethodImpl(MethodImplOptions.AggressiveInlining)]
255         public static bool Each<TLink>(this ILinks<TLink> links, TLink source, TLink target,
            ↪  Func<IList<TLink>, TLink> handler)
256         {
257             var constants = links.Constants;
258             return links.Each(handler, constants.Any, source, target);
259         }
260
261         [MethodImpl(MethodImplOptions.AggressiveInlining)]
262         public static IList<IList<TLink>> All<TLink>(this ILinks<TLink> links, params TLink[]
            ↪  restrictions)
263         {
264             long arraySize = (Integer<TLink>)links.Count(restrictions);
265             var array = new IList<TLink>[arraySize];
266             if (arraySize > 0)
267             {
268                 var filler = new ArrayFiller<IList<TLink>, TLink>(array,
                    ↪  links.Constants.Continue);
269                 links.Each(filler.AddAndReturnConstant, restrictions);
270             }
271             return array;
272         }
273
274         [MethodImpl(MethodImplOptions.AggressiveInlining)]
275         public static IList<TLink> AllIndices<TLink>(this ILinks<TLink> links, params TLink[]
            ↪  restrictions)
276         {
277             long arraySize = (Integer<TLink>)links.Count(restrictions);
278             var array = new TLink[arraySize];
279             if (arraySize > 0)
280             {
281                 var filler = new ArrayFiller<TLink, TLink>(array, links.Constants.Continue);
282                 links.Each(filler.AddFirstAndReturnConstant, restrictions);
283             }
284             return array;
285         }
286
287         /// <summary>
288         /// Возвращает значение, определяющее существует ли связь с указанными началом и концом
            ↪  в хранилище связей.
289         /// </summary>
290         /// <param name="links">Хранилище связей.</param>
291         /// <param name="source">Начало связи.</param>
292         /// <param name="target">Конец связи.</param>
293         /// <returns>Значение, определяющее существует ли связь.</returns>
294         [MethodImpl(MethodImplOptions.AggressiveInlining)]
295         public static bool Exists<TLink>(this ILinks<TLink> links, TLink source, TLink target)
            ↪  => Comparer<TLink>.Default.Compare(links.Count(links.Constants.Any, source, target),
            ↪  default) > 0;
296
297         #region Ensure
298         // TODO: May be move to EnsureExtensions or make it both there and here
299
300         [MethodImpl(MethodImplOptions.AggressiveInlining)]
301         public static void EnsureLinkExists<TLink>(this ILinks<TLink> links, IList<TLink>
            ↪  restrictions)
302         {
303             for (var i = 0; i < restrictions.Count; i++)
304             {
305                 if (!links.Exists(restrictions[i]))
306                 {
307                     throw new ArgumentLinkDoesNotExistsException<TLink>(restrictions[i],
                        ↪  $"sequence[{i}]");
308                 }
309             }
310         }
311
312         [MethodImpl(MethodImplOptions.AggressiveInlining)]
313         public static void EnsureInnerReferenceExists<TLink>(this ILinks<TLink> links, TLink
            ↪  reference, string argumentName)
314         {
315             if (links.Constants.IsInternalReference(reference) && !links.Exists(reference))
316             {
317                 throw new ArgumentLinkDoesNotExistsException<TLink>(reference, argumentName);
318             }
319         }
320
321         [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
322         public static void EnsureInnerReferenceExists<TLink>(this ILinks<TLink> links,
            ↪ IList<TLink> restrictions, string argumentName)
323         {
324             for (int i = 0; i < restrictions.Count; i++)
325             {
326                 links.EnsureInnerReferenceExists(restrictions[i], argumentName);
327             }
328         }
329 
330         [MethodImpl(MethodImplOptions.AggressiveInlining)]
331         public static void EnsureLinkIsAnyOrExists<TLink>(this ILinks<TLink> links, IList<TLink>
            ↪ restrictions)
332         {
333             var equalityComparer = EqualityComparer<TLink>.Default;
334             var any = links.Constants.Any;
335             for (var i = 0; i < restrictions.Count; i++)
336             {
337                 if (!equalityComparer.Equals(restrictions[i], any) &&
                    ↪ !links.Exists(restrictions[i]))
338                 {
339                     throw new ArgumentLinkDoesNotExistsException<TLink>(restrictions[i],
                        ↪ $"sequence[{i}]");
340                 }
341             }
342         }
343 
344         [MethodImpl(MethodImplOptions.AggressiveInlining)]
345         public static void EnsureLinkIsAnyOrExists<TLink>(this ILinks<TLink> links, TLink link,
            ↪ string argumentName)
346         {
347             var equalityComparer = EqualityComparer<TLink>.Default;
348             if (!equalityComparer.Equals(link, links.Constants.Any) && !links.Exists(link))
349             {
350                 throw new ArgumentLinkDoesNotExistsException<TLink>(link, argumentName);
351             }
352         }
353 
354         [MethodImpl(MethodImplOptions.AggressiveInlining)]
355         public static void EnsureLinkIsItselfOrExists<TLink>(this ILinks<TLink> links, TLink
            ↪ link, string argumentName)
356         {
357             var equalityComparer = EqualityComparer<TLink>.Default;
358             if (!equalityComparer.Equals(link, links.Constants.Itself) && !links.Exists(link))
359             {
360                 throw new ArgumentLinkDoesNotExistsException<TLink>(link, argumentName);
361             }
362         }
363 
364         /// <param name="links">Хранилище связей.</param>
365         [MethodImpl(MethodImplOptions.AggressiveInlining)]
366         public static void EnsureDoesNotExists<TLink>(this ILinks<TLink> links, TLink source,
            ↪ TLink target)
367         {
368             if (links.Exists(source, target))
369             {
370                 throw new LinkWithSameValueAlreadyExistsException();
371             }
372         }
373 
374         /// <param name="links">Хранилище связей.</param>
375         public static void EnsureNoUsages<TLink>(this ILinks<TLink> links, TLink link)
376         {
377             if (links.HasUsages(link))
378             {
379                 throw new ArgumentLinkHasDependenciesException<TLink>(link);
380             }
381         }
382 
383         /// <param name="links">Хранилище связей.</param>
384         public static void EnsureCreated<TLink>(this ILinks<TLink> links, params TLink[]
            ↪ addresses) => links.EnsureCreated(links.Create, addresses);
385 
386         /// <param name="links">Хранилище связей.</param>
387         public static void EnsurePointsCreated<TLink>(this ILinks<TLink> links, params TLink[]
            ↪ addresses) => links.EnsureCreated(links.CreatePoint, addresses);
388 
389         /// <param name="links">Хранилище связей.</param>
```

```
390         public static void EnsureCreated<TLink>(this ILinks<TLink> links, Func<TLink> creator,
            ↪  params TLink[] addresses)
391         {
392             var constants = links.Constants;
393             var nonExistentAddresses = new HashSet<TLink>(addresses.Where(x =>
                ↪  !links.Exists(x)));
394             if (nonExistentAddresses.Count > 0)
395             {
396                 var max = nonExistentAddresses.Max();
397                 max = (Integer<TLink>)System.Math.Min((ulong)(Integer<TLink>)max,
                    ↪  (ulong)(Integer<TLink>)constants.InternalReferencesRange.Maximum);
398                 var createdLinks = new List<TLink>();
399                 var equalityComparer = EqualityComparer<TLink>.Default;
400                 TLink createdLink = creator();
401                 while (!equalityComparer.Equals(createdLink, max))
402                 {
403                     createdLinks.Add(createdLink);
404                 }
405                 for (var i = 0; i < createdLinks.Count; i++)
406                 {
407                     if (!nonExistentAddresses.Contains(createdLinks[i]))
408                     {
409                         links.Delete(createdLinks[i]);
410                     }
411                 }
412             }
413         }
414
415         #endregion
416
417         /// <param name="links">Хранилище связей.</param>
418         public static TLink CountUsages<TLink>(this ILinks<TLink> links, TLink link)
419         {
420             var constants = links.Constants;
421             var values = links.GetLink(link);
422             TLink usagesAsSource = links.Count(new Link<TLink>(constants.Any, link,
                ↪  constants.Any));
423             var equalityComparer = EqualityComparer<TLink>.Default;
424             if (equalityComparer.Equals(values[constants.SourcePart], link))
425             {
426                 usagesAsSource = Arithmetic<TLink>.Decrement(usagesAsSource);
427             }
428             TLink usagesAsTarget = links.Count(new Link<TLink>(constants.Any, constants.Any,
                ↪  link));
429             if (equalityComparer.Equals(values[constants.TargetPart], link))
430             {
431                 usagesAsTarget = Arithmetic<TLink>.Decrement(usagesAsTarget);
432             }
433             return Arithmetic<TLink>.Add(usagesAsSource, usagesAsTarget);
434         }
435
436         /// <param name="links">Хранилище связей.</param>
437         [MethodImpl(MethodImplOptions.AggressiveInlining)]
438         public static bool HasUsages<TLink>(this ILinks<TLink> links, TLink link) =>
            ↪  Comparer<TLink>.Default.Compare(links.CountUsages(link), Integer<TLink>.Zero) > 0;
439
440         /// <param name="links">Хранилище связей.</param>
441         [MethodImpl(MethodImplOptions.AggressiveInlining)]
442         public static bool Equals<TLink>(this ILinks<TLink> links, TLink link, TLink source,
            ↪  TLink target)
443         {
444             var constants = links.Constants;
445             var values = links.GetLink(link);
446             var equalityComparer = EqualityComparer<TLink>.Default;
447             return equalityComparer.Equals(values[constants.SourcePart], source) &&
                ↪  equalityComparer.Equals(values[constants.TargetPart], target);
448         }
449
450         /// <summary>
451         /// Выполняет поиск связи с указанными Source (началом) и Target (концом).
452         /// </summary>
453         /// <param name="links">Хранилище связей.</param>
454         /// <param name="source">Индекс связи, которая является началом для искомой
            ↪  связи.</param>
455         /// <param name="target">Индекс связи, которая является концом для искомой связи.</param>
456         /// <returns>Индекс искомой связи с указанными Source (началом) и Target
            ↪  (концом).</returns>
457         [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
458         public static TLink SearchOrDefault<TLink>(this ILinks<TLink> links, TLink source, TLink
            ↪ target)
459         {
460             var contants = links.Constants;
461             var setter = new Setter<TLink, TLink>(contants.Continue, contants.Break, default);
462             links.Each(setter.SetFirstAndReturnFalse, contants.Any, source, target);
463             return setter.Result;
464         }
465 
466         /// <param name="links">Хранилище связей.</param>
467         [MethodImpl(MethodImplOptions.AggressiveInlining)]
468         public static TLink Create<TLink>(this ILinks<TLink> links) => links.Create(null);
469 
470         /// <param name="links">Хранилище связей.</param>
471         [MethodImpl(MethodImplOptions.AggressiveInlining)]
472         public static TLink CreatePoint<TLink>(this ILinks<TLink> links)
473         {
474             var link = links.Create();
475             return links.Update(link, link, link);
476         }
477 
478         /// <param name="links">Хранилище связей.</param>
479         [MethodImpl(MethodImplOptions.AggressiveInlining)]
480         public static TLink CreateAndUpdate<TLink>(this ILinks<TLink> links, TLink source, TLink
            ↪ target) => links.Update(links.Create(), source, target);
481 
482         /// <summary>
483         /// Обновляет связь с указанными началом (Source) и концом (Target)
484         /// на связь с указанными началом (NewSource) и концом (NewTarget).
485         /// </summary>
486         /// <param name="links">Хранилище связей.</param>
487         /// <param name="link">Индекс обновляемой связи.</param>
488         /// <param name="newSource">Индекс связи, которая является началом связи, на которую
            ↪ выполняется обновление.</param>
489         /// <param name="newTarget">Индекс связи, которая является концом связи, на которую
            ↪ выполняется обновление.</param>
490         /// <returns>Индекс обновлённой связи.</returns>
491         [MethodImpl(MethodImplOptions.AggressiveInlining)]
492         public static TLink Update<TLink>(this ILinks<TLink> links, TLink link, TLink newSource,
            ↪ TLink newTarget) => links.Update(new LinkAddress<TLink>(link), new Link<TLink>(link,
            ↪ newSource, newTarget));
493 
494         /// <summary>
495         /// Обновляет связь с указанными началом (Source) и концом (Target)
496         /// на связь с указанными началом (NewSource) и концом (NewTarget).
497         /// </summary>
498         /// <param name="links">Хранилище связей.</param>
499         /// <param name="restrictions">Ограничения на содержимое связей. Каждое ограничение
            ↪ может иметь значения: Constants.Null - 0-я связь, обозначающая ссылку на пустоту,
            ↪ Itself - требование установить ссылку на себя, 1..∞ конкретный адрес другой
            ↪ связи.</param>
500         /// <returns>Индекс обновлённой связи.</returns>
501         [MethodImpl(MethodImplOptions.AggressiveInlining)]
502         public static TLink Update<TLink>(this ILinks<TLink> links, params TLink[] restrictions)
503         {
504             if (restrictions.Length == 2)
505             {
506                 return links.MergeAndDelete(restrictions[0], restrictions[1]);
507             }
508             if (restrictions.Length == 4)
509             {
510                 return links.UpdateOrCreateOrGet(restrictions[0], restrictions[1],
                    ↪ restrictions[2], restrictions[3]);
511             }
512             else
513             {
514                 return links.Update(new LinkAddress<TLink>(restrictions[0]), restrictions);
515             }
516         }
517 
518         [MethodImpl(MethodImplOptions.AggressiveInlining)]
519         public static IList<TLink> ResolveConstantAsSelfReference<TLink>(this ILinks<TLink>
            ↪ links, TLink constant, IList<TLink> restrictions, IList<TLink> substitution)
520         {
521             var equalityComparer = EqualityComparer<TLink>.Default;
522             var constants = links.Constants;
523             var restrictionsIndex = restrictions[constants.IndexPart];
524             var substitutionIndex = substitution[constants.IndexPart];
```

```
525             if (equalityComparer.Equals(substitutionIndex, default))
526             {
527                 substitutionIndex = restrictionsIndex;
528             }
529             var source = substitution[constants.SourcePart];
530             var target = substitution[constants.TargetPart];
531             source = equalityComparer.Equals(source, constant) ? substitutionIndex : source;
532             target = equalityComparer.Equals(target, constant) ? substitutionIndex : target;
533             return new Link<TLink>(substitutionIndex, source, target);
534         }
535 
536         /// <summary>
537         /// Создаёт связь (если она не существовала), либо возвращает индекс существующей связи
        ↪  с указанными Source (началом) и Target (концом).
538         /// </summary>
539         /// <param name="links">Хранилище связей.</param>
540         /// <param name="source">Индекс связи, которая является началом на создаваемой
        ↪  связи.</param>
541         /// <param name="target">Индекс связи, которая является концом для создаваемой
        ↪  связи.</param>
542         /// <returns>Индекс связи, с указанным Source (началом) и Target (концом)</returns>
543         [MethodImpl(MethodImplOptions.AggressiveInlining)]
544         public static TLink GetOrCreate<TLink>(this ILinks<TLink> links, TLink source, TLink
        ↪  target)
545         {
546             var link = links.SearchOrDefault(source, target);
547             if (EqualityComparer<TLink>.Default.Equals(link, default))
548             {
549                 link = links.CreateAndUpdate(source, target);
550             }
551             return link;
552         }
553 
554         /// <summary>
555         /// Обновляет связь с указанными началом (Source) и концом (Target)
556         /// на связь с указанными началом (NewSource) и концом (NewTarget).
557         /// </summary>
558         /// <param name="links">Хранилище связей.</param>
559         /// <param name="source">Индекс связи, которая является началом обновляемой
        ↪  связи.</param>
560         /// <param name="target">Индекс связи, которая является концом обновляемой связи.</param>
561         /// <param name="newSource">Индекс связи, которая является началом связи, на которую
        ↪  выполняется обновление.</param>
562         /// <param name="newTarget">Индекс связи, которая является концом связи, на которую
        ↪  выполняется обновление.</param>
563         /// <returns>Индекс обновлённой связи.</returns>
564         [MethodImpl(MethodImplOptions.AggressiveInlining)]
565         public static TLink UpdateOrCreateOrGet<TLink>(this ILinks<TLink> links, TLink source,
        ↪  TLink target, TLink newSource, TLink newTarget)
566         {
567             var equalityComparer = EqualityComparer<TLink>.Default;
568             var link = links.SearchOrDefault(source, target);
569             if (equalityComparer.Equals(link, default))
570             {
571                 return links.CreateAndUpdate(newSource, newTarget);
572             }
573             if (equalityComparer.Equals(newSource, source) && equalityComparer.Equals(newTarget,
            ↪  target))
574             {
575                 return link;
576             }
577             return links.Update(link, newSource, newTarget);
578         }
579 
580         /// <summary>Удаляет связь с указанными началом (Source) и концом (Target).</summary>
581         /// <param name="links">Хранилище связей.</param>
582         /// <param name="source">Индекс связи, которая является началом удаляемой связи.</param>
583         /// <param name="target">Индекс связи, которая является концом удаляемой связи.</param>
584         [MethodImpl(MethodImplOptions.AggressiveInlining)]
585         public static TLink DeleteIfExists<TLink>(this ILinks<TLink> links, TLink source, TLink
        ↪  target)
586         {
587             var link = links.SearchOrDefault(source, target);
588             if (!EqualityComparer<TLink>.Default.Equals(link, default))
589             {
590                 links.Delete(link);
591                 return link;
```

```
            }
            return default;
        }

        /// <summary>Удаляет несколько связей.</summary>
        /// <param name="links">Хранилище связей.</param>
        /// <param name="deletedLinks">Список адресов связей к удалению.</param>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static void DeleteMany<TLink>(this ILinks<TLink> links, IList<TLink> deletedLinks)
        {
            for (int i = 0; i < deletedLinks.Count; i++)
            {
                links.Delete(deletedLinks[i]);
            }
        }

        /// <remarks>Before execution of this method ensure that deleted link is detached (all values - source and target are reset to null) or it might enter into infinite recursion.</remarks>
        public static void DeleteAllUsages<TLink>(this ILinks<TLink> links, TLink linkIndex)
        {
            var anyConstant = links.Constants.Any;
            var usagesAsSourceQuery = new Link<TLink>(anyConstant, linkIndex, anyConstant);
            links.DeleteByQuery(usagesAsSourceQuery);
            var usagesAsTargetQuery = new Link<TLink>(anyConstant, linkIndex, anyConstant);
            links.DeleteByQuery(usagesAsTargetQuery);
        }

        public static void DeleteByQuery<TLink>(this ILinks<TLink> links, Link<TLink> query)
        {
            var count = (Integer<TLink>)links.Count(query);
            if (count > 0)
            {
                var queryResult = new TLink[count];
                var queryResultFiller = new ArrayFiller<TLink, TLink>(queryResult, links.Constants.Continue);
                links.Each(queryResultFiller.AddFirstAndReturnConstant, query);
                for (var i = (long)count - 1; i >= 0; i--)
                {
                    links.Delete(queryResult[i]);
                }
            }
        }

        // TODO: Move to Platform.Data
        public static bool AreValuesReset<TLink>(this ILinks<TLink> links, TLink linkIndex)
        {
            var nullConstant = links.Constants.Null;
            var equalityComparer = EqualityComparer<TLink>.Default;
            var link = links.GetLink(linkIndex);
            for (int i = 1; i < link.Count; i++)
            {
                if (!equalityComparer.Equals(link[i], nullConstant))
                {
                    return false;
                }
            }
            return true;
        }

        // TODO: Create a universal version of this method in Platform.Data (with using of for loop)
        public static void ResetValues<TLink>(this ILinks<TLink> links, TLink linkIndex)
        {
            var nullConstant = links.Constants.Null;
            var updateRequest = new Link<TLink>(linkIndex, nullConstant, nullConstant);
            links.Update(updateRequest);
        }

        // TODO: Create a universal version of this method in Platform.Data (with using of for loop)
        public static void EnforceResetValues<TLink>(this ILinks<TLink> links, TLink linkIndex)
        {
            if (!links.AreValuesReset(linkIndex))
            {
                links.ResetValues(linkIndex);
            }
        }
```

```
665
666         /// <summary>
667         /// Merging two usages graphs, all children of old link moved to be children of new link
            ↪  or deleted.
668         /// </summary>
669         public static TLink MergeUsages<TLink>(this ILinks<TLink> links, TLink oldLinkIndex,
            ↪  TLink newLinkIndex)
670         {
671             var equalityComparer = EqualityComparer<TLink>.Default;
672             if (!equalityComparer.Equals(oldLinkIndex, newLinkIndex))
673             {
674                 var constants = links.Constants;
675                 var usagesAsSourceQuery = new Link<TLink>(constants.Any, oldLinkIndex,
                    ↪  constants.Any);
676                 long usagesAsSourceCount = (Integer<TLink>)links.Count(usagesAsSourceQuery);
677                 var usagesAsTargetQuery = new Link<TLink>(constants.Any, constants.Any,
                    ↪  oldLinkIndex);
678                 long usagesAsTargetCount = (Integer<TLink>)links.Count(usagesAsTargetQuery);
679                 var isStandalonePoint = Point<TLink>.IsFullPoint(links.GetLink(oldLinkIndex)) &&
                    ↪  usagesAsSourceCount == 1 && usagesAsTargetCount == 1;
680                 if (!isStandalonePoint)
681                 {
682                     var totalUsages = usagesAsSourceCount + usagesAsTargetCount;
683                     if (totalUsages > 0)
684                     {
685                         var usages = ArrayPool.Allocate<TLink>(totalUsages);
686                         var usagesFiller = new ArrayFiller<TLink, TLink>(usages,
                            ↪  links.Constants.Continue);
687                         var i = 0L;
688                         if (usagesAsSourceCount > 0)
689                         {
690                             links.Each(usagesFiller.AddFirstAndReturnConstant,
                                ↪  usagesAsSourceQuery);
691                             for (; i < usagesAsSourceCount; i++)
692                             {
693                                 var usage = usages[i];
694                                 if (!equalityComparer.Equals(usage, oldLinkIndex))
695                                 {
696                                     links.Update(usage, newLinkIndex, links.GetTarget(usage));
697                                 }
698                             }
699                         }
700                         if (usagesAsTargetCount > 0)
701                         {
702                             links.Each(usagesFiller.AddFirstAndReturnConstant,
                                ↪  usagesAsTargetQuery);
703                             for (; i < usages.Length; i++)
704                             {
705                                 var usage = usages[i];
706                                 if (!equalityComparer.Equals(usage, oldLinkIndex))
707                                 {
708                                     links.Update(usage, links.GetSource(usage), newLinkIndex);
709                                 }
710                             }
711                         }
712                         ArrayPool.Free(usages);
713                     }
714                 }
715             }
716             return newLinkIndex;
717         }
718
719         /// <summary>
720         /// Replace one link with another (replaced link is deleted, children are updated or
            ↪  deleted).
721         /// </summary>
722         [MethodImpl(MethodImplOptions.AggressiveInlining)]
723         public static TLink MergeAndDelete<TLink>(this ILinks<TLink> links, TLink oldLinkIndex,
            ↪  TLink newLinkIndex)
724         {
725             var equalityComparer = EqualityComparer<TLink>.Default;
726             if (!equalityComparer.Equals(oldLinkIndex, newLinkIndex))
727             {
728                 links.MergeUsages(oldLinkIndex, newLinkIndex);
729                 links.Delete(oldLinkIndex);
730             }
731             return newLinkIndex;
```

```
732         }
733
734         public static ILinks<TLink>
            ↪ DecorateWithAutomaticUniquenessAndUsagesResolution<TLink>(this ILinks<TLink> links)
735         {
736             links = new LinksCascadeUsagesResolver<TLink>(links);
737             links = new NonNullContentsLinkDeletionResolver<TLink>(links);
738             links = new LinksCascadeUniquenessAndUsagesResolver<TLink>(links);
739             return links;
740         }
741     }
742 }
```

1.20 ./Platform.Data.Doublets/ISynchronizedLinks.cs

```
1  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
2
3  namespace Platform.Data.Doublets
4  {
5      public interface ISynchronizedLinks<TLink> : ISynchronizedLinks<TLink, ILinks<TLink>,
       ↪ LinksConstants<TLink>>, ILinks<TLink>
6      {
7      }
8  }
```

1.21 ./Platform.Data.Doublets/Incrementers/FrequencyIncrementer.cs

```
1  using System.Collections.Generic;
2  using Platform.Incrementers;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Incrementers
7  {
8      public class FrequencyIncrementer<TLink> : LinksOperatorBase<TLink>, IIncrementer<TLink>
9      {
10         private static readonly EqualityComparer<TLink> _equalityComparer =
           ↪ EqualityComparer<TLink>.Default;
11
12         private readonly TLink _frequencyMarker;
13         private readonly TLink _unaryOne;
14         private readonly IIncrementer<TLink> _unaryNumberIncrementer;
15
16         public FrequencyIncrementer(ILinks<TLink> links, TLink frequencyMarker, TLink unaryOne,
           ↪ IIncrementer<TLink> unaryNumberIncrementer)
17             : base(links)
18         {
19             _frequencyMarker = frequencyMarker;
20             _unaryOne = unaryOne;
21             _unaryNumberIncrementer = unaryNumberIncrementer;
22         }
23
24         public TLink Increment(TLink frequency)
25         {
26             if (_equalityComparer.Equals(frequency, default))
27             {
28                 return Links.GetOrCreate(_unaryOne, _frequencyMarker);
29             }
30             var source = Links.GetSource(frequency);
31             var incrementedSource = _unaryNumberIncrementer.Increment(source);
32             return Links.GetOrCreate(incrementedSource, _frequencyMarker);
33         }
34     }
35 }
```

1.22 ./Platform.Data.Doublets/Incrementers/UnaryNumberIncrementer.cs

```
1  using System.Collections.Generic;
2  using Platform.Incrementers;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Incrementers
7  {
8      public class UnaryNumberIncrementer<TLink> : LinksOperatorBase<TLink>, IIncrementer<TLink>
9      {
10         private static readonly EqualityComparer<TLink> _equalityComparer =
           ↪ EqualityComparer<TLink>.Default;
11
12         private readonly TLink _unaryOne;
13
14         public UnaryNumberIncrementer(ILinks<TLink> links, TLink unaryOne) : base(links) =>
           ↪ _unaryOne = unaryOne;
```

```

        public TLink Increment(TLink unaryNumber)
        {
            if (_equalityComparer.Equals(unaryNumber, _unaryOne))
            {
                return Links.GetOrCreate(_unaryOne, _unaryOne);
            }
            var source = Links.GetSource(unaryNumber);
            var target = Links.GetTarget(unaryNumber);
            if (_equalityComparer.Equals(source, target))
            {
                return Links.GetOrCreate(unaryNumber, _unaryOne);
            }
            else
            {
                return Links.GetOrCreate(source, Increment(target));
            }
        }
    }
}
```

1.23 ./Platform.Data.Doublets/Link.cs

```
using Platform.Collections.Lists;
using Platform.Exceptions;
using Platform.Ranges;
using Platform.Singletons;
using System;
using System.Collections;
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets
{
    /// <summary>
    /// Структура описывающая уникальную связь.
    /// </summary>
    public struct Link<TLink> : IEquatable<Link<TLink>>, IReadOnlyList<TLink>, IList<TLink>
    {
        public static readonly Link<TLink> Null = new Link<TLink>();

        private static readonly LinksConstants<TLink> _constants =
        ↪  Default<LinksConstants<TLink>>.Instance;
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private const int Length = 3;

        public readonly TLink Index;
        public readonly TLink Source;
        public readonly TLink Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public Link(params TLink[] values) => SetValues(values, out Index, out Source, out
        ↪  Target);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public Link(IList<TLink> values) => SetValues(values, out Index, out Source, out Target);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public Link(object other)
        {
            if (other is Link<TLink> otherLink)
            {
                SetValues(ref otherLink, out Index, out Source, out Target);
            }
            else if(other is IList<TLink> otherList)
            {
                SetValues(otherList, out Index, out Source, out Target);
            }
            else
            {
                throw new NotSupportedException();
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public Link(ref Link<TLink> other) => SetValues(ref other, out Index, out Source, out
        ↪  Target);
```

```
55
56          [MethodImpl(MethodImplOptions.AggressiveInlining)]
57          public Link(TLink index, TLink source, TLink target)
58          {
59              Index = index;
60              Source = source;
61              Target = target;
62          }
63
64          [MethodImpl(MethodImplOptions.AggressiveInlining)]
65          private static void SetValues(ref Link<TLink> other, out TLink index, out TLink source,
            ↪  out TLink target)
66          {
67              index = other.Index;
68              source = other.Source;
69              target = other.Target;
70          }
71
72          [MethodImpl(MethodImplOptions.AggressiveInlining)]
73          private static void SetValues(IList<TLink> values, out TLink index, out TLink source,
            ↪  out TLink target)
74          {
75              switch (values.Count)
76              {
77                  case 3:
78                      index = values[0];
79                      source = values[1];
80                      target = values[2];
81                      break;
82                  case 2:
83                      index = values[0];
84                      source = values[1];
85                      target = default;
86                      break;
87                  case 1:
88                      index = values[0];
89                      source = default;
90                      target = default;
91                      break;
92                  default:
93                      index = default;
94                      source = default;
95                      target = default;
96                      break;
97              }
98          }
99
100         [MethodImpl(MethodImplOptions.AggressiveInlining)]
101         public override int GetHashCode() => (Index, Source, Target).GetHashCode();
102
103         [MethodImpl(MethodImplOptions.AggressiveInlining)]
104         public bool IsNull() => _equalityComparer.Equals(Index, _constants.Null)
105                              && _equalityComparer.Equals(Source, _constants.Null)
106                              && _equalityComparer.Equals(Target, _constants.Null);
107
108         [MethodImpl(MethodImplOptions.AggressiveInlining)]
109         public override bool Equals(object other) => other is Link<TLink> &&
            ↪  Equals((Link<TLink>)other);
110
111         [MethodImpl(MethodImplOptions.AggressiveInlining)]
112         public bool Equals(Link<TLink> other) => _equalityComparer.Equals(Index, other.Index)
113                                               && _equalityComparer.Equals(Source, other.Source)
114                                               && _equalityComparer.Equals(Target, other.Target);
115
116         [MethodImpl(MethodImplOptions.AggressiveInlining)]
117         public static string ToString(TLink index, TLink source, TLink target) => $"({index}:
            ↪  {source}->{target})";
118
119         [MethodImpl(MethodImplOptions.AggressiveInlining)]
120         public static string ToString(TLink source, TLink target) => $"({source}->{target})";
121
122         [MethodImpl(MethodImplOptions.AggressiveInlining)]
123         public static implicit operator TLink[](Link<TLink> link) => link.ToArray();
124
125         [MethodImpl(MethodImplOptions.AggressiveInlining)]
126         public static implicit operator Link<TLink>(TLink[] linkArray) => new
            ↪  Link<TLink>(linkArray);
127
128         [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
129         public override string ToString() => _equalityComparer.Equals(Index, _constants.Null) ?
            ↪ ToString(Source, Target) : ToString(Index, Source, Target);
130
131         #region IList
132
133         public int Count => Length;
134
135         public bool IsReadOnly => true;
136
137         public TLink this[int index]
138         {
139             [MethodImpl(MethodImplOptions.AggressiveInlining)]
140             get
141             {
142                 Ensure.OnDebug.ArgumentInRange(index, new Range<int>(0, Length - 1),
                    ↪ nameof(index));
143                 if (index == _constants.IndexPart)
144                 {
145                     return Index;
146                 }
147                 if (index == _constants.SourcePart)
148                 {
149                     return Source;
150                 }
151                 if (index == _constants.TargetPart)
152                 {
153                     return Target;
154                 }
155                 throw new NotSupportedException(); // Impossible path due to
                    ↪ Ensure.ArgumentInRange
156             }
157             [MethodImpl(MethodImplOptions.AggressiveInlining)]
158             set => throw new NotSupportedException();
159         }
160
161         [MethodImpl(MethodImplOptions.AggressiveInlining)]
162         IEnumerator IEnumerable.GetEnumerator() => GetEnumerator();
163
164         [MethodImpl(MethodImplOptions.AggressiveInlining)]
165         public IEnumerator<TLink> GetEnumerator()
166         {
167             yield return Index;
168             yield return Source;
169             yield return Target;
170         }
171
172         [MethodImpl(MethodImplOptions.AggressiveInlining)]
173         public void Add(TLink item) => throw new NotSupportedException();
174
175         [MethodImpl(MethodImplOptions.AggressiveInlining)]
176         public void Clear() => throw new NotSupportedException();
177
178         [MethodImpl(MethodImplOptions.AggressiveInlining)]
179         public bool Contains(TLink item) => IndexOf(item) >= 0;
180
181         [MethodImpl(MethodImplOptions.AggressiveInlining)]
182         public void CopyTo(TLink[] array, int arrayIndex)
183         {
184             Ensure.OnDebug.ArgumentNotNull(array, nameof(array));
185             Ensure.OnDebug.ArgumentInRange(arrayIndex, new Range<int>(0, array.Length - 1),
                ↪ nameof(arrayIndex));
186             if (arrayIndex + Length > array.Length)
187             {
188                 throw new InvalidOperationException();
189             }
190             array[arrayIndex++] = Index;
191             array[arrayIndex++] = Source;
192             array[arrayIndex] = Target;
193         }
194
195         [MethodImpl(MethodImplOptions.AggressiveInlining)]
196         public bool Remove(TLink item) => Throw.A.NotSupportedExceptionAndReturn<bool>();
197
198         [MethodImpl(MethodImplOptions.AggressiveInlining)]
199         public int IndexOf(TLink item)
200         {
201             if (_equalityComparer.Equals(Index, item))
202             {
203                 return _constants.IndexPart;
```

```
            }
            if (_equalityComparer.Equals(Source, item))
            {
                return _constants.SourcePart;
            }
            if (_equalityComparer.Equals(Target, item))
            {
                return _constants.TargetPart;
            }
            return -1;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void Insert(int index, TLink item) => throw new NotSupportedException();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void RemoveAt(int index) => throw new NotSupportedException();

        #endregion
    }
}
```

1.24 ./Platform.Data.Doublets/LinkExtensions.cs

```
#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets
{
    public static class LinkExtensions
    {
        public static bool IsFullPoint<TLink>(this Link<TLink> link) =>
        ↪  Point<TLink>.IsFullPoint(link);
        public static bool IsPartialPoint<TLink>(this Link<TLink> link) =>
        ↪  Point<TLink>.IsPartialPoint(link);
    }
}
```

1.25 ./Platform.Data.Doublets/LinksOperatorBase.cs

```
#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets
{
    public abstract class LinksOperatorBase<TLink>
    {
        public ILinks<TLink> Links { get; }
        protected LinksOperatorBase(ILinks<TLink> links) => Links = links;
    }
}
```

1.26 ./Platform.Data.Doublets/Numbers/Unary/AddressToUnaryNumberConverter.cs

```
using System.Collections.Generic;
using Platform.Reflection;
using Platform.Converters;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Numbers.Unary
{
    public class AddressToUnaryNumberConverter<TLink> : LinksOperatorBase<TLink>,
    ↪  IConverter<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private readonly IConverter<int, TLink> _powerOf2ToUnaryNumberConverter;

        public AddressToUnaryNumberConverter(ILinks<TLink> links, IConverter<int, TLink>
        ↪  powerOf2ToUnaryNumberConverter) : base(links) => _powerOf2ToUnaryNumberConverter =
        ↪  powerOf2ToUnaryNumberConverter;

        public TLink Convert(TLink number)
        {
            var nullConstant = Links.Constants.Null;
            var one = Integer<TLink>.One;
            var target = nullConstant;
            for (int i = 0; !_equalityComparer.Equals(number, default) && i <
            ↪  NumericType<TLink>.BitsSize; i++)
            {
                if (_equalityComparer.Equals(Bit.And(number, one), one))
```

```
                {
                    target = _equalityComparer.Equals(target, nullConstant)
                        ? _powerOf2ToUnaryNumberConverter.Convert(i)
                        : Links.GetOrCreate(_powerOf2ToUnaryNumberConverter.Convert(i), target);
                }
                number = Bit.ShiftRight(number, 1);
            }
            return target;
        }
    }
}
```

1.27 ./Platform.Data.Doublets/Numbers/Unary/LinkToItsFrequencyNumberConveter.cs

```
using System;
using System.Collections.Generic;
using Platform.Interfaces;
using Platform.Converters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Numbers.Unary
{
    public class LinkToItsFrequencyNumberConveter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<Doublet<TLink>, TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;

        private readonly IProperty<TLink, TLink> _frequencyPropertyOperator;
        private readonly IConverter<TLink> _unaryNumberToAddressConverter;

        public LinkToItsFrequencyNumberConveter(
            ILinks<TLink> links,
            IProperty<TLink, TLink> frequencyPropertyOperator,
            IConverter<TLink> unaryNumberToAddressConverter)
            : base(links)
        {
            _frequencyPropertyOperator = frequencyPropertyOperator;
            _unaryNumberToAddressConverter = unaryNumberToAddressConverter;
        }

        public TLink Convert(Doublet<TLink> doublet)
        {
            var link = Links.SearchOrDefault(doublet.Source, doublet.Target);
            if (_equalityComparer.Equals(link, default))
            {
                throw new ArgumentException($"Link ({doublet}) not found.", nameof(doublet));
            }
            var frequency = _frequencyPropertyOperator.Get(link);
            if (_equalityComparer.Equals(frequency, default))
            {
                return default;
            }
            var frequencyNumber = Links.GetSource(frequency);
            return _unaryNumberToAddressConverter.Convert(frequencyNumber);
        }
    }
}
```

1.28 ./Platform.Data.Doublets/Numbers/Unary/PowerOf2ToUnaryNumberConverter.cs

```
using System.Collections.Generic;
using Platform.Exceptions;
using Platform.Ranges;
using Platform.Converters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Numbers.Unary
{
    public class PowerOf2ToUnaryNumberConverter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<int, TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;

        private readonly TLink[] _unaryNumberPowersOf2;

        public PowerOf2ToUnaryNumberConverter(ILinks<TLink> links, TLink one) : base(links)
        {
            _unaryNumberPowersOf2 = new TLink[64];
```

```
            _unaryNumberPowersOf2[0] = one;
        }

        public TLink Convert(int power)
        {
            Ensure.Always.ArgumentInRange(power, new Range<int>(0, _unaryNumberPowersOf2.Length
            ↪  - 1), nameof(power));
            if (!_equalityComparer.Equals(_unaryNumberPowersOf2[power], default))
            {
                return _unaryNumberPowersOf2[power];
            }
            var previousPowerOf2 = Convert(power - 1);
            var powerOf2 = Links.GetOrCreate(previousPowerOf2, previousPowerOf2);
            _unaryNumberPowersOf2[power] = powerOf2;
            return powerOf2;
        }
    }
}
```

1.29 ./Platform.Data.Doublets/Numbers/Unary/UnaryNumberToAddressAddOperationConverter.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Converters;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Numbers.Unary
{
    public class UnaryNumberToAddressAddOperationConverter<TLink> : LinksOperatorBase<TLink>,
    ↪  IConverter<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private Dictionary<TLink, TLink> _unaryToUInt64;
        private readonly TLink _unaryOne;

        public UnaryNumberToAddressAddOperationConverter(ILinks<TLink> links, TLink unaryOne)
            : base(links)
        {
            _unaryOne = unaryOne;
            InitUnaryToUInt64();
        }

        private void InitUnaryToUInt64()
        {
            var one = Integer<TLink>.One;
            _unaryToUInt64 = new Dictionary<TLink, TLink>
            {
                { _unaryOne, one }
            };
            var unary = _unaryOne;
            var number = one;
            for (var i = 1; i < 64; i++)
            {
                unary = Links.GetOrCreate(unary, unary);
                number = Double(number);
                _unaryToUInt64.Add(unary, number);
            }
        }

        public TLink Convert(TLink unaryNumber)
        {
            if (_equalityComparer.Equals(unaryNumber, default))
            {
                return default;
            }
            if (_equalityComparer.Equals(unaryNumber, _unaryOne))
            {
                return Integer<TLink>.One;
            }
            var source = Links.GetSource(unaryNumber);
            var target = Links.GetTarget(unaryNumber);
            if (_equalityComparer.Equals(source, target))
            {
                return _unaryToUInt64[unaryNumber];
            }
            else
            {
```

```
                var result = _unaryToUInt64[source];
                TLink lastValue;
                while (!_unaryToUInt64.TryGetValue(target, out lastValue))
                {
                    source = Links.GetSource(target);
                    result = Arithmetic<TLink>.Add(result, _unaryToUInt64[source]);
                    target = Links.GetTarget(target);
                }
                result = Arithmetic<TLink>.Add(result, lastValue);
                return result;
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static TLink Double(TLink number) => (Integer<TLink>)((Integer<TLink>)number *
        ↪  2UL);
    }
}
```

1.30 ./Platform.Data.Doublets/Numbers/Unary/UnaryNumberToAddressOrOperationConverter.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Reflection;
using Platform.Converters;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Numbers.Unary
{
    public class UnaryNumberToAddressOrOperationConverter<TLink> : LinksOperatorBase<TLink>,
    ↪  IConverter<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private readonly IDictionary<TLink, int> _unaryNumberPowerOf2Indicies;

        public UnaryNumberToAddressOrOperationConverter(ILinks<TLink> links, IConverter<int,
        ↪  TLink> powerOf2ToUnaryNumberConverter)
            : base(links)
        {
            _unaryNumberPowerOf2Indicies = new Dictionary<TLink, int>();
            for (int i = 0; i < NumericType<TLink>.BitsSize; i++)
            {
                _unaryNumberPowerOf2Indicies.Add(powerOf2ToUnaryNumberConverter.Convert(i), i);
            }
        }

        public TLink Convert(TLink sourceNumber)
        {
            var nullConstant = Links.Constants.Null;
            var source = sourceNumber;
            var target = nullConstant;
            if (!_equalityComparer.Equals(source, nullConstant))
            {
                while (true)
                {
                    if (_unaryNumberPowerOf2Indicies.TryGetValue(source, out int powerOf2Index))
                    {
                        SetBit(ref target, powerOf2Index);
                        break;
                    }
                    else
                    {
                        powerOf2Index = _unaryNumberPowerOf2Indicies[Links.GetSource(source)];
                        SetBit(ref target, powerOf2Index);
                        source = Links.GetTarget(source);
                    }
                }
            }
            return target;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static void SetBit(ref TLink target, int powerOf2Index) => target =
        ↪  Bit.Or(target, Bit.ShiftLeft(Integer<TLink>.One, powerOf2Index));
    }
}
```

1.31 ./Platform.Data.Doublets/PropertyOperators/PropertiesOperator.cs

```
using System.Linq;
using System.Collections.Generic;
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.PropertyOperators
{
    public class PropertiesOperator<TLink> : LinksOperatorBase<TLink>, IProperties<TLink, TLink,
    ↪ TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;

        public PropertiesOperator(ILinks<TLink> links) : base(links) { }

        public TLink GetValue(TLink @object, TLink property)
        {
            var objectProperty = Links.SearchOrDefault(@object, property);
            if (_equalityComparer.Equals(objectProperty, default))
            {
                return default;
            }
            var valueLink = Links.All(Links.Constants.Any, objectProperty).SingleOrDefault();
            if (valueLink == null)
            {
                return default;
            }
            return Links.GetTarget(valueLink[Links.Constants.IndexPart]);
        }

        public void SetValue(TLink @object, TLink property, TLink value)
        {
            var objectProperty = Links.GetOrCreate(@object, property);
            Links.DeleteMany(Links.AllIndices(Links.Constants.Any, objectProperty));
            Links.GetOrCreate(objectProperty, value);
        }
    }
}
```

1.32 ./Platform.Data.Doublets/PropertyOperators/PropertyOperator.cs

```
using System.Collections.Generic;
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.PropertyOperators
{
    public class PropertyOperator<TLink> : LinksOperatorBase<TLink>, IProperty<TLink, TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;

        private readonly TLink _propertyMarker;
        private readonly TLink _propertyValueMarker;

        public PropertyOperator(ILinks<TLink> links, TLink propertyMarker, TLink
        ↪ propertyValueMarker) : base(links)
        {
            _propertyMarker = propertyMarker;
            _propertyValueMarker = propertyValueMarker;
        }

        public TLink Get(TLink link)
        {
            var property = Links.SearchOrDefault(link, _propertyMarker);
            var container = GetContainer(property);
            var value = GetValue(container);
            return value;
        }

        private TLink GetContainer(TLink property)
        {
            var valueContainer = default(TLink);
            if (_equalityComparer.Equals(property, default))
            {
                return valueContainer;
            }
            var constants = Links.Constants;
```

```
            var countinueConstant = constants.Continue;
            var breakConstant = constants.Break;
            var anyConstant = constants.Any;
            var query = new Link<TLink>(anyConstant, property, anyConstant);
            Links.Each(candidate =>
            {
                var candidateTarget = Links.GetTarget(candidate);
                var valueTarget = Links.GetTarget(candidateTarget);
                if (_equalityComparer.Equals(valueTarget, _propertyValueMarker))
                {
                    valueContainer = Links.GetIndex(candidate);
                    return breakConstant;
                }
                return countinueConstant;
            }, query);
            return valueContainer;
        }

        private TLink GetValue(TLink container) => _equalityComparer.Equals(container, default)
        ↪  ? default : Links.GetTarget(container);

        public void Set(TLink link, TLink value)
        {
            var property = Links.GetOrCreate(link, _propertyMarker);
            var container = GetContainer(property);
            if (_equalityComparer.Equals(container, default))
            {
                Links.GetOrCreate(property, value);
            }
            else
            {
                Links.Update(container, property, value);
            }
        }
    }
}
```

1.33 ./Platform.Data.Doublets/ResizableDirectMemory/Generic/LinksAvlBalancedTreeMethodsBase.cs

```
using System;
using System.Text;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Methods.Trees;
using Platform.Numbers;
using static System.Runtime.CompilerServices.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Generic
{
    public unsafe abstract class LinksAvlBalancedTreeMethodsBase<TLink> :
    ↪  SizedAndThreadedAVLBalancedTreeMethods<TLink>, ILinksTreeMethods<TLink>
    {
        protected readonly TLink Break;
        protected readonly TLink Continue;
        protected readonly byte* Links;
        protected readonly byte* Header;

        public LinksAvlBalancedTreeMethodsBase(LinksConstants<TLink> constants, byte* links,
        ↪  byte* header)
        {
            Links = links;
            Header = header;
            Break = constants.Break;
            Continue = constants.Continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetTreeRoot();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetBasePartValue(TLink link);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract bool FirstIsToTheRightOfSecond(TLink source, TLink target, TLink
        ↪  rootSource, TLink rootTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract bool FirstIsToTheLeftOfSecond(TLink source, TLink target, TLink
        ↪  rootSource, TLink rootTarget);
```

```
39
40          [MethodImpl(MethodImplOptions.AggressiveInlining)]
41          protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref
            ↪ AsRef<LinksHeader<TLink>>(Header);
42
43          [MethodImpl(MethodImplOptions.AggressiveInlining)]
44          protected virtual ref RawLink<TLink> GetLinkReference(TLink link) => ref
            ↪ AsRef<RawLink<TLink>>(Links + RawLink<TLink>.SizeInBytes * (Integer<TLink>)link);
45
46          [MethodImpl(MethodImplOptions.AggressiveInlining)]
47          protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
48          {
49              ref var link = ref GetLinkReference(linkIndex);
50              return new Link<TLink>(linkIndex, link.Source, link.Target);
51          }
52
53          [MethodImpl(MethodImplOptions.AggressiveInlining)]
54          protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
55          {
56              ref var firstLink = ref GetLinkReference(first);
57              ref var secondLink = ref GetLinkReference(second);
58              return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
                ↪ secondLink.Source, secondLink.Target);
59          }
60
61          [MethodImpl(MethodImplOptions.AggressiveInlining)]
62          protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
63          {
64              ref var firstLink = ref GetLinkReference(first);
65              ref var secondLink = ref GetLinkReference(second);
66              return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
                ↪ secondLink.Source, secondLink.Target);
67          }
68
69          [MethodImpl(MethodImplOptions.AggressiveInlining)]
70          protected virtual TLink GetSizeValue(TLink value) => Bit<TLink>.PartialRead(value, 5,
            ↪ -5);
71
72          [MethodImpl(MethodImplOptions.AggressiveInlining)]
73          protected virtual void SetSizeValue(ref TLink storedValue, TLink size) => storedValue =
            ↪ Bit<TLink>.PartialWrite(storedValue, size, 5, -5);
74
75          [MethodImpl(MethodImplOptions.AggressiveInlining)]
76          protected virtual bool GetLeftIsChildValue(TLink value)
77          {
78              unchecked
79              {
80                  //return (Integer<TLink>)Bit<TLink>.PartialRead(previousValue, 4, 1);
81                  return !EqualityComparer.Equals(Bit<TLink>.PartialRead(value, 4, 1), default);
82              }
83          }
84
85          [MethodImpl(MethodImplOptions.AggressiveInlining)]
86          protected virtual void SetLeftIsChildValue(ref TLink storedValue, bool value)
87          {
88              unchecked
89              {
90                  var previousValue = storedValue;
91                  var modified = Bit<TLink>.PartialWrite(previousValue, (Integer<TLink>)value, 4,
                    ↪ 1);
92                  storedValue = modified;
93              }
94          }
95
96          [MethodImpl(MethodImplOptions.AggressiveInlining)]
97          protected virtual bool GetRightIsChildValue(TLink value)
98          {
99              unchecked
100             {
101                 //return (Integer<TLink>)Bit<TLink>.PartialRead(previousValue, 3, 1);
102                 return !EqualityComparer.Equals(Bit<TLink>.PartialRead(value, 3, 1), default);
103             }
104         }
105
106         [MethodImpl(MethodImplOptions.AggressiveInlining)]
107         protected virtual void SetRightIsChildValue(ref TLink storedValue, bool value)
108         {
109             unchecked
```

```
110             {
111                 var previousValue = storedValue;
112                 var modified = Bit<TLink>.PartialWrite(previousValue, (Integer<TLink>)value, 3,
                    ↪  1);
113                 storedValue = modified;
114             }
115         }
116 
117         [MethodImpl(MethodImplOptions.AggressiveInlining)]
118         protected bool IsChild(TLink parent, TLink possibleChild)
119         {
120             var parentSize = GetSize(parent);
121             var childSize = GetSizeOrZero(possibleChild);
122             return GreaterThanZero(childSize) && LessOrEqualThan(childSize, parentSize);
123         }
124 
125         [MethodImpl(MethodImplOptions.AggressiveInlining)]
126         protected virtual sbyte GetBalanceValue(TLink storedValue)
127         {
128             unchecked
129             {
130                 var value = (int)(Integer<TLink>)Bit<TLink>.PartialRead(storedValue, 0, 3);
131                 value |= 0xF8 * ((value & 4) >> 2); // if negative, then continue ones to the
                    ↪  end of sbyte
132                 return (sbyte)value;
133             }
134         }
135 
136         [MethodImpl(MethodImplOptions.AggressiveInlining)]
137         protected virtual void SetBalanceValue(ref TLink storedValue, sbyte value)
138         {
139             unchecked
140             {
141                 var packagedValue = (TLink)(Integer<TLink>)((byte)value >> 5 & 4 | value & 3);
142                 var modified = Bit<TLink>.PartialWrite(storedValue, packagedValue, 0, 3);
143                 storedValue = modified;
144             }
145         }
146 
147         public TLink this[TLink index]
148         {
149             get
150             {
151                 var root = GetTreeRoot();
152                 if (GreaterOrEqualThan(index, GetSize(root)))
153                 {
154                     return Zero;
155                 }
156                 while (!EqualToZero(root))
157                 {
158                     var left = GetLeftOrDefault(root);
159                     var leftSize = GetSizeOrZero(left);
160                     if (LessThan(index, leftSize))
161                     {
162                         root = left;
163                         continue;
164                     }
165                     if (AreEqual(index, leftSize))
166                     {
167                         return root;
168                     }
169                     root = GetRightOrDefault(root);
170                     index = Subtract(index, Increment(leftSize));
171                 }
172                 return Zero; // TODO: Impossible situation exception (only if tree structure
                    ↪  broken)
173             }
174         }
175 
176         /// <summary>
177         /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
                ↪  (концом).
178         /// </summary>
179         /// <param name="source">Индекс связи, которая является началом на искомой связи.</param>
180         /// <param name="target">Индекс связи, которая является концом на искомой связи.</param>
181         /// <returns>Индекс искомой связи.</returns>
182         public TLink Search(TLink source, TLink target)
183         {
184             var root = GetTreeRoot();
```

```
185             while (!EqualToZero(root))
186             {
187                 ref var rootLink = ref GetLinkReference(root);
188                 var rootSource = rootLink.Source;
189                 var rootTarget = rootLink.Target;
190                 if (FirstIsToTheLeftOfSecond(source, target, rootSource, rootTarget)) //
                    ↪ node.Key < root.Key
191                 {
192                     root = GetLeftOrDefault(root);
193                 }
194                 else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget)) //
                    ↪ node.Key > root.Key
195                 {
196                     root = GetRightOrDefault(root);
197                 }
198                 else // node.Key == root.Key
199                 {
200                     return root;
201                 }
202             }
203             return Zero;
204         }
205 
206         // TODO: Return indices range instead of references count
207         public TLink CountUsages(TLink link)
208         {
209             var root = GetTreeRoot();
210             var total = GetSize(root);
211             var totalRightIgnore = Zero;
212             while (!EqualToZero(root))
213             {
214                 var @base = GetBasePartValue(root);
215                 if (LessOrEqualThan(@base, link))
216                 {
217                     root = GetRightOrDefault(root);
218                 }
219                 else
220                 {
221                     totalRightIgnore = Add(totalRightIgnore, Increment(GetRightSize(root)));
222                     root = GetLeftOrDefault(root);
223                 }
224             }
225             root = GetTreeRoot();
226             var totalLeftIgnore = Zero;
227             while (!EqualToZero(root))
228             {
229                 var @base = GetBasePartValue(root);
230                 if (GreaterOrEqualThan(@base, link))
231                 {
232                     root = GetLeftOrDefault(root);
233                 }
234                 else
235                 {
236                     totalLeftIgnore = Add(totalLeftIgnore, Increment(GetLeftSize(root)));
237 
238                     root = GetRightOrDefault(root);
239                 }
240             }
241             return Subtract(Subtract(total, totalRightIgnore), totalLeftIgnore);
242         }
243 
244         public TLink EachUsage(TLink link, Func<IList<TLink>, TLink> handler)
245         {
246             var root = GetTreeRoot();
247             if (EqualToZero(root))
248             {
249                 return Continue;
250             }
251             TLink first = Zero, current = root;
252             while (!EqualToZero(current))
253             {
254                 var @base = GetBasePartValue(current);
255                 if (GreaterOrEqualThan(@base, link))
256                 {
257                     if (AreEqual(@base, link))
258                     {
259                         first = current;
260                     }
261                     current = GetLeftOrDefault(current);
```

```
                }
                else
                {
                    current = GetRightOrDefault(current);
                }
            }
            if (!EqualToZero(first))
            {
                current = first;
                while (true)
                {
                    if (AreEqual(handler(GetLinkValues(current)), Break))
                    {
                        return Break;
                    }
                    current = GetNext(current);
                    if (EqualToZero(current) || !AreEqual(GetBasePartValue(current), link))
                    {
                        break;
                    }
                }
            }
            return Continue;
        }

        protected override void PrintNodeValue(TLink node, StringBuilder sb)
        {
            ref var link = ref GetLinkReference(node);
            sb.Append(' ');
            sb.Append(link.Source);
            sb.Append('-');
            sb.Append('>');
            sb.Append(link.Target);
        }
    }
}
```

1.34 ./Platform.Data.Doublets/ResizableDirectMemory/Generic/LinksSizeBalancedTreeMethodsBase.cs

```
using System;
using System.Text;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Methods.Trees;
using Platform.Numbers;
using static System.Runtime.CompilerServices.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Generic
{
    public unsafe abstract class LinksSizeBalancedTreeMethodsBase<TLink> : SizeBalancedTreeMethods<TLink>, ILinksTreeMethods<TLink>
    {
        protected readonly TLink Break;
        protected readonly TLink Continue;
        protected readonly byte* Links;
        protected readonly byte* Header;

        public LinksSizeBalancedTreeMethodsBase(LinksConstants<TLink> constants, byte* links, byte* header)
        {
            Links = links;
            Header = header;
            Break = constants.Break;
            Continue = constants.Continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetTreeRoot();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetBasePartValue(TLink link);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract bool FirstIsToTheRightOfSecond(TLink source, TLink target, TLink rootSource, TLink rootTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract bool FirstIsToTheLeftOfSecond(TLink source, TLink target, TLink rootSource, TLink rootTarget);
```

```
39
40          [MethodImpl(MethodImplOptions.AggressiveInlining)]
41          protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref
            ↪ AsRef<LinksHeader<TLink>>(Header);
42
43          [MethodImpl(MethodImplOptions.AggressiveInlining)]
44          protected virtual ref RawLink<TLink> GetLinkReference(TLink link) => ref
            ↪ AsRef<RawLink<TLink>>(Links + RawLink<TLink>.SizeInBytes * (Integer<TLink>)link);
45
46          [MethodImpl(MethodImplOptions.AggressiveInlining)]
47          protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
48          {
49              ref var link = ref GetLinkReference(linkIndex);
50              return new Link<TLink>(linkIndex, link.Source, link.Target);
51          }
52
53          [MethodImpl(MethodImplOptions.AggressiveInlining)]
54          protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
55          {
56              ref var firstLink = ref GetLinkReference(first);
57              ref var secondLink = ref GetLinkReference(second);
58              return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
                ↪ secondLink.Source, secondLink.Target);
59          }
60
61          [MethodImpl(MethodImplOptions.AggressiveInlining)]
62          protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
63          {
64              ref var firstLink = ref GetLinkReference(first);
65              ref var secondLink = ref GetLinkReference(second);
66              return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
                ↪ secondLink.Source, secondLink.Target);
67          }
68
69          public TLink this[TLink index]
70          {
71              get
72              {
73                  var root = GetTreeRoot();
74                  if (GreaterOrEqualThan(index, GetSize(root)))
75                  {
76                      return Zero;
77                  }
78                  while (!EqualToZero(root))
79                  {
80                      var left = GetLeftOrDefault(root);
81                      var leftSize = GetSizeOrZero(left);
82                      if (LessThan(index, leftSize))
83                      {
84                          root = left;
85                          continue;
86                      }
87                      if (AreEqual(index, leftSize))
88                      {
89                          return root;
90                      }
91                      root = GetRightOrDefault(root);
92                      index = Subtract(index, Increment(leftSize));
93                  }
94                  return Zero; // TODO: Impossible situation exception (only if tree structure
                    ↪ broken)
95              }
96          }
97
98          /// <summary>
99          /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
            ↪ (концом).
100         /// </summary>
101         /// <param name="source">Индекс связи, которая является началом на искомой связи.</param>
102         /// <param name="target">Индекс связи, которая является концом на искомой связи.</param>
103         /// <returns>Индекс искомой связи.</returns>
104         public TLink Search(TLink source, TLink target)
105         {
106             var root = GetTreeRoot();
107             while (!EqualToZero(root))
108             {
109                 ref var rootLink = ref GetLinkReference(root);
110                 var rootSource = rootLink.Source;
```

```
                var rootTarget = rootLink.Target;
                if (FirstIsToTheLeftOfSecond(source, target, rootSource, rootTarget)) //
                ↪  node.Key < root.Key
                {
                    root = GetLeftOrDefault(root);
                }
                else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget)) //
                ↪  node.Key > root.Key
                {
                    root = GetRightOrDefault(root);
                }
                else // node.Key == root.Key
                {
                    return root;
                }
            }
            return Zero;
        }

        // TODO: Return indices range instead of references count
        public TLink CountUsages(TLink link)
        {
            var root = GetTreeRoot();
            var total = GetSize(root);
            var totalRightIgnore = Zero;
            while (!EqualToZero(root))
            {
                var @base = GetBasePartValue(root);
                if (LessOrEqualThan(@base, link))
                {
                    root = GetRightOrDefault(root);
                }
                else
                {
                    totalRightIgnore = Add(totalRightIgnore, Increment(GetRightSize(root)));
                    root = GetLeftOrDefault(root);
                }
            }
            root = GetTreeRoot();
            var totalLeftIgnore = Zero;
            while (!EqualToZero(root))
            {
                var @base = GetBasePartValue(root);
                if (GreaterOrEqualThan(@base, link))
                {
                    root = GetLeftOrDefault(root);
                }
                else
                {
                    totalLeftIgnore = Add(totalLeftIgnore, Increment(GetLeftSize(root)));

                    root = GetRightOrDefault(root);
                }
            }
            return Subtract(Subtract(total, totalRightIgnore), totalLeftIgnore);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink EachUsage(TLink @base, Func<IList<TLink>, TLink> handler) =>
        ↪  EachUsageCore(@base, GetTreeRoot(), handler);

        // TODO: 1. Move target, handler to separate object. 2. Use stack or walker 3. Use
        ↪  low-level MSIL stack.
        private TLink EachUsageCore(TLink @base, TLink link, Func<IList<TLink>, TLink> handler)
        {
            var @continue = Continue;
            if (EqualToZero(link))
            {
                return @continue;
            }
            var linkBasePart = GetBasePartValue(link);
            var @break = Break;
            if (GreaterThan(linkBasePart, @base))
            {
                if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
                {
                    return @break;
                }
            }
```

```
            else if (LessThan(linkBasePart, @base))
            {
                if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
                {
                    return @break;
                }
            }
            else //if (linkBasePart == @base)
            {
                if (AreEqual(handler(GetLinkValues(link)), @break))
                {
                    return @break;
                }
                if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
                {
                    return @break;
                }
                if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
                {
                    return @break;
                }
            }
            return @continue;
        }

        protected override void PrintNodeValue(TLink node, StringBuilder sb)
        {
            ref var link = ref GetLinkReference(node);
            sb.Append(' ');
            sb.Append(link.Source);
            sb.Append('-');
            sb.Append('>');
            sb.Append(link.Target);
        }
    }
}
```

1.35 ./Platform.Data.Doublets/ResizableDirectMemory/Generic/LinksSourcesAvlBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Generic
{
    public unsafe class LinksSourcesAvlBalancedTreeMethods<TLink> :
    ↪ LinksAvlBalancedTreeMethodsBase<TLink>
    {
        public LinksSourcesAvlBalancedTreeMethods(LinksConstants<TLink> constants, byte* links,
        ↪ byte* header) : base(constants, links, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected unsafe override ref TLink GetLeftReference(TLink node) => ref
        ↪ GetLinkReference(node).LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected unsafe override ref TLink GetRightReference(TLink node) => ref
        ↪ GetLinkReference(node).RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪ GetLinkReference(node).LeftAsSource = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪ GetLinkReference(node).RightAsSource = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) =>
        ↪ GetSizeValue(GetLinkReference(node).SizeAsSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) => SetSizeValue(ref
        ↪ GetLinkReference(node).SizeAsSource, size);
```

```

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GetLeftIsChild(TLink node) =>
        ↪ GetLeftIsChildValue(GetLinkReference(node).SizeAsSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeftIsChild(TLink node, bool value) =>
        ↪ SetLeftIsChildValue(ref GetLinkReference(node).SizeAsSource, value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GetRightIsChild(TLink node) =>
        ↪ GetRightIsChildValue(GetLinkReference(node).SizeAsSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRightIsChild(TLink node, bool value) =>
        ↪ SetRightIsChildValue(ref GetLinkReference(node).SizeAsSource, value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override sbyte GetBalance(TLink node) =>
        ↪ GetBalanceValue(GetLinkReference(node).SizeAsSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetBalance(TLink node, sbyte value) => SetBalanceValue(ref
        ↪ GetLinkReference(node).SizeAsSource, value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot() => GetHeaderReference().FirstAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
        ↪ TLink secondSource, TLink secondTarget) => LessThan(firstSource, secondSource) ||
        ↪ AreEqual(firstSource, secondSource) && LessThan(firstTarget, secondTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
        ↪ TLink secondSource, TLink secondTarget) => GreaterThan(firstSource, secondSource) ||
        ↪ AreEqual(firstSource, secondSource) && GreaterThan(firstTarget, secondTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref GetLinkReference(node);
            link.LeftAsSource = Zero;
            link.RightAsSource = Zero;
            link.SizeAsSource = Zero;
        }
    }
}
```

1.36 ./Platform.Data.Doublets/ResizableDirectMemory/Generic/LinksSourcesSizeBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Generic
{
    public unsafe class LinksSourcesSizeBalancedTreeMethods<TLink> :
    ↪ LinksSizeBalancedTreeMethodsBase<TLink>
    {
        public LinksSourcesSizeBalancedTreeMethods(LinksConstants<TLink> constants, byte* links,
        ↪ byte* header) : base(constants, links, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected unsafe override ref TLink GetLeftReference(TLink node) => ref
        ↪ GetLinkReference(node).LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected unsafe override ref TLink GetRightReference(TLink node) => ref
        ↪ GetLinkReference(node).RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsSource;
```

```

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪ GetLinkReference(node).LeftAsSource = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪ GetLinkReference(node).RightAsSource = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) => GetLinkReference(node).SizeAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪ GetLinkReference(node).SizeAsSource = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot() => GetHeaderReference().FirstAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
        ↪ TLink secondSource, TLink secondTarget) => LessThan(firstSource, secondSource) ||
        ↪ AreEqual(firstSource, secondSource) && LessThan(firstTarget, secondTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
        ↪ TLink secondSource, TLink secondTarget) => GreaterThan(firstSource, secondSource) ||
        ↪ AreEqual(firstSource, secondSource) && GreaterThan(firstTarget, secondTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref GetLinkReference(node);
            link.LeftAsSource = Zero;
            link.RightAsSource = Zero;
            link.SizeAsSource = Zero;
        }
    }
}
```

1.37 ./Platform.Data.Doublets/ResizableDirectMemory/Generic/LinksTargetsAvlBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Generic
{
    public unsafe class LinksTargetsAvlBalancedTreeMethods<TLink> :
    ↪ LinksAvlBalancedTreeMethodsBase<TLink>
    {
        public LinksTargetsAvlBalancedTreeMethods(LinksConstants<TLink> constants, byte* links,
        ↪ byte* header) : base(constants, links, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected unsafe override ref TLink GetLeftReference(TLink node) => ref
        ↪ GetLinkReference(node).LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected unsafe override ref TLink GetRightReference(TLink node) => ref
        ↪ GetLinkReference(node).RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪ GetLinkReference(node).LeftAsTarget = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪ GetLinkReference(node).RightAsTarget = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
30          protected override TLink GetSize(TLink node) =>
            ↪ GetSizeValue(GetLinkReference(node).SizeAsTarget);
31
32          [MethodImpl(MethodImplOptions.AggressiveInlining)]
33          protected override void SetSize(TLink node, TLink size) => SetSizeValue(ref
            ↪ GetLinkReference(node).SizeAsTarget, size);
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          protected override bool GetLeftIsChild(TLink node) =>
            ↪ GetLeftIsChildValue(GetLinkReference(node).SizeAsTarget);
37
38          [MethodImpl(MethodImplOptions.AggressiveInlining)]
39          protected override void SetLeftIsChild(TLink node, bool value) =>
            ↪ SetLeftIsChildValue(ref GetLinkReference(node).SizeAsTarget, value);
40
41          [MethodImpl(MethodImplOptions.AggressiveInlining)]
42          protected override bool GetRightIsChild(TLink node) =>
            ↪ GetRightIsChildValue(GetLinkReference(node).SizeAsTarget);
43
44          [MethodImpl(MethodImplOptions.AggressiveInlining)]
45          protected override void SetRightIsChild(TLink node, bool value) =>
            ↪ SetRightIsChildValue(ref GetLinkReference(node).SizeAsTarget, value);
46
47          [MethodImpl(MethodImplOptions.AggressiveInlining)]
48          protected override sbyte GetBalance(TLink node) =>
            ↪ GetBalanceValue(GetLinkReference(node).SizeAsTarget);
49
50          [MethodImpl(MethodImplOptions.AggressiveInlining)]
51          protected override void SetBalance(TLink node, sbyte value) => SetBalanceValue(ref
            ↪ GetLinkReference(node).SizeAsTarget, value);
52
53          [MethodImpl(MethodImplOptions.AggressiveInlining)]
54          protected override TLink GetTreeRoot() => GetHeaderReference().FirstAsTarget;
55
56          [MethodImpl(MethodImplOptions.AggressiveInlining)]
57          protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Target;
58
59          [MethodImpl(MethodImplOptions.AggressiveInlining)]
60          protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
            ↪ TLink secondSource, TLink secondTarget) => LessThan(firstTarget, secondTarget) ||
            ↪ AreEqual(firstTarget, secondTarget) && LessThan(firstSource, secondSource);
61
62          [MethodImpl(MethodImplOptions.AggressiveInlining)]
63          protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
            ↪ TLink secondSource, TLink secondTarget) => GreaterThan(firstTarget, secondTarget) ||
            ↪ AreEqual(firstTarget, secondTarget) && GreaterThan(firstSource, secondSource);
64
65          [MethodImpl(MethodImplOptions.AggressiveInlining)]
66          protected override void ClearNode(TLink node)
67          {
68              ref var link = ref GetLinkReference(node);
69              link.LeftAsTarget = Zero;
70              link.RightAsTarget = Zero;
71              link.SizeAsTarget = Zero;
72          }
73      }
74  }
```

1.38 ./Platform.Data.Doublets/ResizableDirectMemory/Generic/LinksTargetsSizeBalancedTreeMethods.cs

```
1   using System.Runtime.CompilerServices;
2
3   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5   namespace Platform.Data.Doublets.ResizableDirectMemory.Generic
6   {
7       public unsafe class LinksTargetsSizeBalancedTreeMethods<TLink> :
        ↪ LinksSizeBalancedTreeMethodsBase<TLink>
8       {
9           public LinksTargetsSizeBalancedTreeMethods(LinksConstants<TLink> constants, byte* links,
            ↪ byte* header) : base(constants, links, header) { }
10
11          [MethodImpl(MethodImplOptions.AggressiveInlining)]
12          protected unsafe override ref TLink GetLeftReference(TLink node) => ref
            ↪ GetLinkReference(node).LeftAsTarget;
13
14          [MethodImpl(MethodImplOptions.AggressiveInlining)]
15          protected unsafe override ref TLink GetRightReference(TLink node) => ref
            ↪ GetLinkReference(node).RightAsTarget;
```

```

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪  GetLinkReference(node).LeftAsTarget = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪  GetLinkReference(node).RightAsTarget = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) => GetLinkReference(node).SizeAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪  GetLinkReference(node).SizeAsTarget = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot() => GetHeaderReference().FirstAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
        ↪  TLink secondSource, TLink secondTarget) => LessThan(firstTarget, secondTarget) ||
        ↪  AreEqual(firstTarget, secondTarget) && LessThan(firstSource, secondSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
        ↪  TLink secondSource, TLink secondTarget) => GreaterThan(firstTarget, secondTarget) ||
        ↪  AreEqual(firstTarget, secondTarget) && GreaterThan(firstSource, secondSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref GetLinkReference(node);
            link.LeftAsTarget = Zero;
            link.RightAsTarget = Zero;
            link.SizeAsTarget = Zero;
        }
    }
}
```

1.39 ./Platform.Data.Doublets/ResizableDirectMemory/Generic/ResizableDirectMemoryLinks.cs

```
using System.Runtime.CompilerServices;
using Platform.Numbers;
using Platform.Memory;
using static System.Runtime.CompilerServices.Unsafe;
using System;
using Platform.Singletons;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Generic
{
    public unsafe partial class ResizableDirectMemoryLinks<TLink> :
    ↪  ResizableDirectMemoryLinksBase<TLink>
    {
        private readonly Func<ILinksTreeMethods<TLink>> _createSourceTreeMethods;
        private readonly Func<ILinksTreeMethods<TLink>> _createTargetTreeMethods;
        private byte* _header;
        private byte* _links;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public ResizableDirectMemoryLinks(string address) : this(address, DefaultLinksSizeStep)
        ↪  { }

        /// <summary>
        /// Создаёт экземпляр базы данных Links в файле по указанному адресу, с указанным
        ↪  минимальным шагом расширения базы данных.
        /// </summary>
        /// <param name="address">Полный пусть к файлу базы данных.</param>
        /// <param name="memoryReservationStep">Минимальный шаг расширения базы данных в
        ↪  байтах.</param>
```

```
27          [MethodImpl(MethodImplOptions.AggressiveInlining)]
28          public ResizableDirectMemoryLinks(string address, long memoryReservationStep) : this(new
            ↪  FileMappedResizableDirectMemory(address, memoryReservationStep),
            ↪  memoryReservationStep) { }
29
30          [MethodImpl(MethodImplOptions.AggressiveInlining)]
31          public ResizableDirectMemoryLinks(IResizableDirectMemory memory) : this(memory,
            ↪  DefaultLinksSizeStep) { }
32
33          [MethodImpl(MethodImplOptions.AggressiveInlining)]
34          public ResizableDirectMemoryLinks(IResizableDirectMemory memory, long
            ↪  memoryReservationStep) : this(memory, memoryReservationStep,
            ↪  Default<LinksConstants<TLink>>.Instance, true) { }
35
36          [MethodImpl(MethodImplOptions.AggressiveInlining)]
37          public ResizableDirectMemoryLinks(IResizableDirectMemory memory, long
            ↪  memoryReservationStep, LinksConstants<TLink> constants, bool useAvlBasedIndex) :
            ↪  base(memory, memoryReservationStep, constants)
38          {
39              if (useAvlBasedIndex)
40              {
41                  _createSourceTreeMethods = () => new
                    ↪  LinksSourcesAvlBalancedTreeMethods<TLink>(Constants, _links, _header);
42                  _createTargetTreeMethods = () => new
                    ↪  LinksTargetsAvlBalancedTreeMethods<TLink>(Constants, _links, _header);
43              }
44              else
45              {
46                  _createSourceTreeMethods = () => new
                    ↪  LinksSourcesSizeBalancedTreeMethods<TLink>(Constants, _links, _header);
47                  _createTargetTreeMethods = () => new
                    ↪  LinksTargetsSizeBalancedTreeMethods<TLink>(Constants, _links, _header);
48              }
49              Init(memory, memoryReservationStep);
50          }
51
52          [MethodImpl(MethodImplOptions.AggressiveInlining)]
53          protected override void SetPointers(IResizableDirectMemory memory)
54          {
55              _links = (byte*)memory.Pointer;
56              _header = _links;
57              SourcesTreeMethods = _createSourceTreeMethods();
58              TargetsTreeMethods = _createTargetTreeMethods();
59              UnusedLinksListMethods = new UnusedLinksListMethods<TLink>(_links, _header);
60          }
61
62          [MethodImpl(MethodImplOptions.AggressiveInlining)]
63          protected override void ResetPointers()
64          {
65              base.ResetPointers();
66              _links = null;
67              _header = null;
68          }
69
70          [MethodImpl(MethodImplOptions.AggressiveInlining)]
71          protected override ref LinksHeader<TLink> GetHeaderReference() => ref
            ↪  AsRef<LinksHeader<TLink>>(_header);
72
73          [MethodImpl(MethodImplOptions.AggressiveInlining)]
74          protected override ref RawLink<TLink> GetLinkReference(TLink linkIndex) => ref
            ↪  AsRef<RawLink<TLink>>(_links + LinkSizeInBytes * (Integer<TLink>)linkIndex);
75      }
76  }
```

1.40 ./Platform.Data.Doublets/ResizableDirectMemory/Generic/ResizableDirectMemoryLinksBase.cs

```
1   using System;
2   using System.Collections.Generic;
3   using System.Runtime.CompilerServices;
4   using Platform.Disposables;
5   using Platform.Singletons;
6   using Platform.Numbers;
7   using Platform.Memory;
8   using Platform.Data.Exceptions;
9
10
11  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
12
13  namespace Platform.Data.Doublets.ResizableDirectMemory.Generic
14  {
```

```
15      public abstract class ResizableDirectMemoryLinksBase<TLink> : DisposableBase, ILinks<TLink>
16      {
17          protected static readonly EqualityComparer<TLink> EqualityComparer =
            ↪  EqualityComparer<TLink>.Default;
18          protected static readonly Comparer<TLink> Comparer = Comparer<TLink>.Default;
19
20          /// <summary>Возвращает размер одной связи в байтах.</summary>
21          /// <remarks>
22          /// Используется только во вне класса, не рекомедуется использовать внутри.
23          /// Так как во вне не обязательно будет доступен unsafe C#.
24          /// </remarks>
25          public static readonly long LinkSizeInBytes = RawLink<TLink>.SizeInBytes;
26
27          public static readonly long LinkHeaderSizeInBytes = LinksHeader<TLink>.SizeInBytes;
28
29          public static readonly long DefaultLinksSizeStep = LinkSizeInBytes * 1024 * 1024;
30
31          protected readonly IResizableDirectMemory _memory;
32          protected readonly long _memoryReservationStep;
33
34          protected ILinksTreeMethods<TLink> TargetsTreeMethods;
35          protected ILinksTreeMethods<TLink> SourcesTreeMethods;
36          // TODO: Возможно чтобы гарантированно проверять на то, является ли связь удалённой,
            ↪  нужно использовать не список а дерево, так как так можно быстрее проверить на
            ↪  наличие связи внутри
37          protected ILinksListMethods<TLink> UnusedLinksListMethods;
38
39          /// <summary>
40          /// Возвращает общее число связей находящихся в хранилище.
41          /// </summary>
42          protected virtual TLink Total
43          {
44              get
45              {
46                  ref var header = ref GetHeaderReference();
47                  return Subtract(header.AllocatedLinks, header.FreeLinks);
48              }
49          }
50
51          public virtual LinksConstants<TLink> Constants { get; }
52
53          [MethodImpl(MethodImplOptions.AggressiveInlining)]
54          public ResizableDirectMemoryLinksBase(IResizableDirectMemory memory, long
            ↪  memoryReservationStep, LinksConstants<TLink> constants)
55          {
56              _memory = memory;
57              _memoryReservationStep = memoryReservationStep;
58              Constants = constants;
59          }
60
61          [MethodImpl(MethodImplOptions.AggressiveInlining)]
62          public ResizableDirectMemoryLinksBase(IResizableDirectMemory memory, long
            ↪  memoryReservationStep) : this(memory, memoryReservationStep,
            ↪  Default<LinksConstants<TLink>>.Instance) { }
63
64          protected virtual void Init(IResizableDirectMemory memory, long memoryReservationStep)
65          {
66              if (memory.ReservedCapacity < memoryReservationStep)
67              {
68                  memory.ReservedCapacity = memoryReservationStep;
69              }
70              SetPointers(_memory);
71              ref var header = ref GetHeaderReference();
72              // Гарантия корректности _memory.UsedCapacity относительно _header->AllocatedLinks
73              _memory.UsedCapacity = ConvertToUInt64(header.AllocatedLinks) * LinkSizeInBytes +
                ↪  LinkHeaderSizeInBytes;
74              // Гарантия корректности _header->ReservedLinks относительно _memory.ReservedCapacity
75              header.ReservedLinks = ConvertToAddress((_memory.ReservedCapacity -
                ↪  LinkHeaderSizeInBytes) / LinkSizeInBytes);
76          }
77
78          [MethodImpl(MethodImplOptions.AggressiveInlining)]
79          public virtual TLink Count(IList<TLink> restrictions)
80          {
81              // Если нет ограничений, тогда возвращаем общее число связей находящихся в хранилище.
82              if (restrictions.Count == 0)
83              {
84                  return Total;
85              }
86              var constants = Constants;
```

```
87              var any = constants.Any;
88              var index = restrictions[constants.IndexPart];
89              if (restrictions.Count == 1)
90              {
91                  if (AreEqual(index, any))
92                  {
93                      return Total;
94                  }
95                  return Exists(index) ? GetOne() : GetZero();
96              }
97              if (restrictions.Count == 2)
98              {
99                  var value = restrictions[1];
100                 if (AreEqual(index, any))
101                 {
102                     if (AreEqual(value, any))
103                     {
104                         return Total; // Any - как отсутствие ограничения
105                     }
106                     return Add(SourcesTreeMethods.CountUsages(value),
                        ↪ TargetsTreeMethods.CountUsages(value));
107                 }
108                 else
109                 {
110                     if (!Exists(index))
111                     {
112                         return GetZero();
113                     }
114                     if (AreEqual(value, any))
115                     {
116                         return GetOne();
117                     }
118                     ref var storedLinkValue = ref GetLinkReference(index);
119                     if (AreEqual(storedLinkValue.Source, value) ||
                        ↪ AreEqual(storedLinkValue.Target, value))
120                     {
121                         return GetOne();
122                     }
123                     return GetZero();
124                 }
125             }
126             if (restrictions.Count == 3)
127             {
128                 var source = restrictions[constants.SourcePart];
129                 var target = restrictions[constants.TargetPart];
130                 if (AreEqual(index, any))
131                 {
132                     if (AreEqual(source, any) && AreEqual(target, any))
133                     {
134                         return Total;
135                     }
136                     else if (AreEqual(source, any))
137                     {
138                         return TargetsTreeMethods.CountUsages(target);
139                     }
140                     else if (AreEqual(target, any))
141                     {
142                         return SourcesTreeMethods.CountUsages(source);
143                     }
144                     else //if(source != Any && target != Any)
145                     {
146                         // Эквивалент Exists(source, target) => Count(Any, source, target) > 0
147                         var link = SourcesTreeMethods.Search(source, target);
148                         return AreEqual(link, constants.Null) ? GetZero() : GetOne();
149                     }
150                 }
151                 else
152                 {
153                     if (!Exists(index))
154                     {
155                         return GetZero();
156                     }
157                     if (AreEqual(source, any) && AreEqual(target, any))
158                     {
159                         return GetOne();
160                     }
161                     ref var storedLinkValue = ref GetLinkReference(index);
162                     if (!AreEqual(source, any) && !AreEqual(target, any))
```

```
                    {
                        if (AreEqual(storedLinkValue.Source, source) &&
                        ↪  AreEqual(storedLinkValue.Target, target))
                        {
                            return GetOne();
                        }
                        return GetZero();
                    }
                    var value = default(TLink);
                    if (AreEqual(source, any))
                    {
                        value = target;
                    }
                    if (AreEqual(target, any))
                    {
                        value = source;
                    }
                    if (AreEqual(storedLinkValue.Source, value) ||
                    ↪  AreEqual(storedLinkValue.Target, value))
                    {
                        return GetOne();
                    }
                    return GetZero();
                }
            }
            throw new NotSupportedException("Другие размеры и способы ограничений не
            ↪  поддерживаются.");
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
        {
            var constants = Constants;
            var @break = constants.Break;
            if (restrictions.Count == 0)
            {
                for (var link = GetOne(); LessOrEqualThan(link,
                ↪  GetHeaderReference().AllocatedLinks); link = Increment(link))
                {
                    if (Exists(link) && AreEqual(handler(GetLinkStruct(link)), @break))
                    {
                        return @break;
                    }
                }
                return @break;
            }
            var @continue = constants.Continue;
            var any = constants.Any;
            var index = restrictions[constants.IndexPart];
            if (restrictions.Count == 1)
            {
                if (AreEqual(index, any))
                {
                    return Each(handler, GetEmptyList());
                }
                if (!Exists(index))
                {
                    return @continue;
                }
                return handler(GetLinkStruct(index));
            }
            if (restrictions.Count == 2)
            {
                var value = restrictions[1];
                if (AreEqual(index, any))
                {
                    if (AreEqual(value, any))
                    {
                        return Each(handler, GetEmptyList());
                    }
                    if (AreEqual(Each(handler, new Link<TLink>(index, value, any)), @break))
                    {
                        return @break;
                    }
                    return Each(handler, new Link<TLink>(index, any, value));
                }
                else
                {
```

```
                    if (!Exists(index))
                    {
                        return @continue;
                    }
                    if (AreEqual(value, any))
                    {
                        return handler(GetLinkStruct(index));
                    }
                    ref var storedLinkValue = ref GetLinkReference(index);
                    if (AreEqual(storedLinkValue.Source, value) ||
                        AreEqual(storedLinkValue.Target, value))
                    {
                        return handler(GetLinkStruct(index));
                    }
                    return @continue;
                }
            }
            if (restrictions.Count == 3)
            {
                var source = restrictions[constants.SourcePart];
                var target = restrictions[constants.TargetPart];
                if (AreEqual(index, any))
                {
                    if (AreEqual(source, any) && AreEqual(target, any))
                    {
                        return Each(handler, GetEmptyList());
                    }
                    else if (AreEqual(source, any))
                    {
                        return TargetsTreeMethods.EachUsage(target, handler);
                    }
                    else if (AreEqual(target, any))
                    {
                        return SourcesTreeMethods.EachUsage(source, handler);
                    }
                    else //if(source != Any && target != Any)
                    {
                        var link = SourcesTreeMethods.Search(source, target);
                        return AreEqual(link, constants.Null) ? @continue :
                        ↪  handler(GetLinkStruct(link));
                    }
                }
                else
                {
                    if (!Exists(index))
                    {
                        return @continue;
                    }
                    if (AreEqual(source, any) && AreEqual(target, any))
                    {
                        return handler(GetLinkStruct(index));
                    }
                    ref var storedLinkValue = ref GetLinkReference(index);
                    if (!AreEqual(source, any) && !AreEqual(target, any))
                    {
                        if (AreEqual(storedLinkValue.Source, source) &&
                            AreEqual(storedLinkValue.Target, target))
                        {
                            return handler(GetLinkStruct(index));
                        }
                        return @continue;
                    }
                    var value = default(TLink);
                    if (AreEqual(source, any))
                    {
                        value = target;
                    }
                    if (AreEqual(target, any))
                    {
                        value = source;
                    }
                    if (AreEqual(storedLinkValue.Source, value) ||
                        AreEqual(storedLinkValue.Target, value))
                    {
                        return handler(GetLinkStruct(index));
                    }
                    return @continue;
                }
```

```
314             }
315             throw new NotSupportedException("Другие размеры и способы ограничений не
                ↪  поддерживаются.");
316         }
317 
318         /// <remarks>
319         /// TODO: Возможно можно перемещать значения, если указан индекс, но значение существует
                ↪  в другом месте (но не в менеджере памяти, а в логике Links)
320         /// </remarks>
321         [MethodImpl(MethodImplOptions.AggressiveInlining)]
322         public virtual TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
323         {
324             var constants = Constants;
325             var @null = constants.Null;
326             var linkIndex = restrictions[constants.IndexPart];
327             ref var link = ref GetLinkReference(linkIndex);
328             ref var header = ref GetHeaderReference();
329             ref var firstAsSource = ref header.FirstAsSource;
330             ref var firstAsTarget = ref header.FirstAsTarget;
331             // Будет корректно работать только в том случае, если пространство выделенной связи
                ↪  предварительно заполнено нулями
332             if (!AreEqual(link.Source, @null))
333             {
334                 SourcesTreeMethods.Detach(ref firstAsSource, linkIndex);
335             }
336             if (!AreEqual(link.Target, @null))
337             {
338                 TargetsTreeMethods.Detach(ref firstAsTarget, linkIndex);
339             }
340             link.Source = substitution[constants.SourcePart];
341             link.Target = substitution[constants.TargetPart];
342             if (!AreEqual(link.Source, @null))
343             {
344                 SourcesTreeMethods.Attach(ref firstAsSource, linkIndex);
345             }
346             if (!AreEqual(link.Target, @null))
347             {
348                 TargetsTreeMethods.Attach(ref firstAsTarget, linkIndex);
349             }
350             return linkIndex;
351         }
352 
353         /// <remarks>
354         /// TODO: Возможно нужно будет заполнение нулями, если внешнее API ими не заполняет
                ↪  пространство
355         /// </remarks>
356         public virtual TLink Create(IList<TLink> restrictions)
357         {
358             ref var header = ref GetHeaderReference();
359             var freeLink = header.FirstFreeLink;
360             if (!AreEqual(freeLink, Constants.Null))
361             {
362                 UnusedLinksListMethods.Detach(freeLink);
363             }
364             else
365             {
366                 var maximumPossibleInnerReference = Constants.InternalReferencesRange.Maximum;
367                 if (GreaterThan(header.AllocatedLinks, maximumPossibleInnerReference))
368                 {
369                     throw new LinksLimitReachedException<TLink>(maximumPossibleInnerReference);
370                 }
371                 if (GreaterOrEqualThan(header.AllocatedLinks, Decrement(header.ReservedLinks)))
372                 {
373                     _memory.ReservedCapacity += _memoryReservationStep;
374                     SetPointers(_memory);
375                     header.ReservedLinks = ConvertToAddress(_memory.ReservedCapacity /
                        ↪  LinkSizeInBytes);
376                 }
377                 header.AllocatedLinks = Increment(header.AllocatedLinks);
378                 _memory.UsedCapacity += LinkSizeInBytes;
379                 freeLink = header.AllocatedLinks;
380             }
381             return freeLink;
382         }
383 
384         [MethodImpl(MethodImplOptions.AggressiveInlining)]
385         public virtual void Delete(IList<TLink> restrictions)
386         {
387             ref var header = ref GetHeaderReference();
```

```
388             var link = restrictions[Constants.IndexPart];
389             if (LessThan(link, header.AllocatedLinks))
390             {
391                 UnusedLinksListMethods.AttachAsFirst(link);
392             }
393             else if (AreEqual(link, header.AllocatedLinks))
394             {
395                 header.AllocatedLinks = Decrement(header.AllocatedLinks);
396                 _memory.UsedCapacity -= LinkSizeInBytes;
397                 // Убираем все связи, находящиеся в списке свободных в конце файла, до тех пор,
                    ↪ пока не дойдём до первой существующей связи
398                 // Позволяет оптимизировать количество выделенных связей (AllocatedLinks)
399                 while (GreaterThan(header.AllocatedLinks, GetZero()) &&
                    ↪ IsUnusedLink(header.AllocatedLinks))
400                 {
401                     UnusedLinksListMethods.Detach(header.AllocatedLinks);
402                     header.AllocatedLinks = Decrement(header.AllocatedLinks);
403                     _memory.UsedCapacity -= LinkSizeInBytes;
404                 }
405             }
406         }
407 
408         [MethodImpl(MethodImplOptions.AggressiveInlining)]
409         public IList<TLink> GetLinkStruct(TLink linkIndex)
410         {
411             ref var link = ref GetLinkReference(linkIndex);
412             return new Link<TLink>(linkIndex, link.Source, link.Target);
413         }
414 
415         /// <remarks>
416         /// TODO: Возможно это должно быть событием, вызываемым из IMemory, в том случае, если
            ↪ адрес реально поменялся
417         ///
418         /// Указатель this.links может быть в том же месте,
419         /// так как 0-я связь не используется и имеет такой же размер как Header,
420         /// поэтому header размещается в том же месте, что и 0-я связь
421         /// </remarks>
422         [MethodImpl(MethodImplOptions.AggressiveInlining)]
423         protected abstract void SetPointers(IResizableDirectMemory memory);
424 
425         [MethodImpl(MethodImplOptions.AggressiveInlining)]
426         protected virtual void ResetPointers()
427         {
428             SourcesTreeMethods = null;
429             TargetsTreeMethods = null;
430             UnusedLinksListMethods = null;
431         }
432 
433         [MethodImpl(MethodImplOptions.AggressiveInlining)]
434         protected abstract ref LinksHeader<TLink> GetHeaderReference();
435 
436         [MethodImpl(MethodImplOptions.AggressiveInlining)]
437         protected abstract ref RawLink<TLink> GetLinkReference(TLink linkIndex);
438 
439         [MethodImpl(MethodImplOptions.AggressiveInlining)]
440         protected virtual bool Exists(TLink link)
441             => GreaterOrEqualThan(link, Constants.InternalReferencesRange.Minimum)
442             && LessOrEqualThan(link, GetHeaderReference().AllocatedLinks)
443             && !IsUnusedLink(link);
444 
445         [MethodImpl(MethodImplOptions.AggressiveInlining)]
446         protected virtual bool IsUnusedLink(TLink linkIndex)
447         {
448             if (!AreEqual(GetHeaderReference().FirstFreeLink, linkIndex)) // May be this check
                ↪ is not needed
449             {
450                 ref var link = ref GetLinkReference(linkIndex);
451                 return AreEqual(link.SizeAsSource, default) && !AreEqual(link.Source, default);
452             }
453             else
454             {
455                 return true;
456             }
457         }
458 
459         [MethodImpl(MethodImplOptions.AggressiveInlining)]
460         protected virtual TLink GetOne() => Integer<TLink>.One;
461 
462         [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
463         protected virtual TLink GetZero() => Integer<TLink>.Zero;
464
465         [MethodImpl(MethodImplOptions.AggressiveInlining)]
466         protected virtual bool AreEqual(TLink first, TLink second) =>
            ↪ EqualityComparer.Equals(first, second);
467
468         [MethodImpl(MethodImplOptions.AggressiveInlining)]
469         protected virtual bool LessThan(TLink first, TLink second) => Comparer.Compare(first,
            ↪ second) < 0;
470
471         [MethodImpl(MethodImplOptions.AggressiveInlining)]
472         protected virtual bool LessOrEqualThan(TLink first, TLink second) =>
            ↪ Comparer.Compare(first, second) <= 0;
473
474         [MethodImpl(MethodImplOptions.AggressiveInlining)]
475         protected virtual bool GreaterThan(TLink first, TLink second) => Comparer.Compare(first,
            ↪ second) > 0;
476
477         [MethodImpl(MethodImplOptions.AggressiveInlining)]
478         protected virtual bool GreaterOrEqualThan(TLink first, TLink second) =>
            ↪ Comparer.Compare(first, second) >= 0;
479
480         [MethodImpl(MethodImplOptions.AggressiveInlining)]
481         protected virtual long ConvertToUInt64(TLink value) => (Integer<TLink>)value;
482
483         [MethodImpl(MethodImplOptions.AggressiveInlining)]
484         protected virtual TLink ConvertToAddress(long value) => (Integer<TLink>)value;
485
486         [MethodImpl(MethodImplOptions.AggressiveInlining)]
487         protected virtual TLink Add(TLink first, TLink second) => Arithmetic<TLink>.Add(first,
            ↪ second);
488
489         [MethodImpl(MethodImplOptions.AggressiveInlining)]
490         protected virtual TLink Subtract(TLink first, TLink second) =>
            ↪ Arithmetic<TLink>.Subtract(first, second);
491
492         [MethodImpl(MethodImplOptions.AggressiveInlining)]
493         protected virtual TLink Increment(TLink link) => Arithmetic<TLink>.Increment(link);
494
495         [MethodImpl(MethodImplOptions.AggressiveInlining)]
496         protected virtual TLink Decrement(TLink link) => Arithmetic<TLink>.Decrement(link);
497
498         [MethodImpl(MethodImplOptions.AggressiveInlining)]
499         protected virtual IList<TLink> GetEmptyList() => Array.Empty<TLink>();
500
501         #region Disposable
502
503         protected override bool AllowMultipleDisposeCalls => true;
504
505         protected override void Dispose(bool manual, bool wasDisposed)
506         {
507             if (!wasDisposed)
508             {
509                 ResetPointers();
510                 _memory.DisposeIfPossible();
511             }
512         }
513
514         #endregion
515     }
516 }
```

1.41 ./Platform.Data.Doublets/ResizableDirectMemory/Generic/UnusedLinksListMethods.cs

```
1  using System.Runtime.CompilerServices;
2  using Platform.Collections.Methods.Lists;
3  using Platform.Numbers;
4  using static System.Runtime.CompilerServices.Unsafe;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data.Doublets.ResizableDirectMemory.Generic
9  {
10     public unsafe class UnusedLinksListMethods<TLink> : CircularDoublyLinkedListMethods<TLink>,
       ↪ ILinksListMethods<TLink>
11     {
12         private readonly byte* _links;
13         private readonly byte* _header;
14
15         [MethodImpl(MethodImplOptions.AggressiveInlining)]
16         public UnusedLinksListMethods(byte* links, byte* header)
```

```
        {
            _links = links;
            _header = header;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref
        ↪  AsRef<LinksHeader<TLink>>(_header);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref RawLink<TLink> GetLinkReference(TLink link) => ref
        ↪  AsRef<RawLink<TLink>>(_links + RawLink<TLink>.SizeInBytes * (Integer<TLink>)link);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetFirst() => GetHeaderReference().FirstFreeLink;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLast() => GetHeaderReference().LastFreeLink;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetPrevious(TLink element) => GetLinkReference(element).Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetNext(TLink element) => GetLinkReference(element).Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize() => GetHeaderReference().FreeLinks;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetFirst(TLink element) => GetHeaderReference().FirstFreeLink =
        ↪  element;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLast(TLink element) => GetHeaderReference().LastFreeLink =
        ↪  element;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetPrevious(TLink element, TLink previous) =>
        ↪  GetLinkReference(element).Source = previous;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetNext(TLink element, TLink next) =>
        ↪  GetLinkReference(element).Target = next;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink size) => GetHeaderReference().FreeLinks = size;
    }
}
```

1.42 ./Platform.Data.Doublets/ResizableDirectMemory/ILinksListMethods.cs

```
#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory
{
    public interface ILinksListMethods<TLink>
    {
        void Detach(TLink freeLink);
        void AttachAsFirst(TLink link);
    }
}
```

1.43 ./Platform.Data.Doublets/ResizableDirectMemory/ILinksTreeMethods.cs

```
using System;
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory
{
    public interface ILinksTreeMethods<TLink>
    {
        TLink CountUsages(TLink link);
        TLink Search(TLink source, TLink target);
        TLink EachUsage(TLink source, Func<IList<TLink>, TLink> handler);
        void Detach(ref TLink firstAsSource, TLink linkIndex);
        void Attach(ref TLink firstAsSource, TLink linkIndex);
    }
}
```

1.44 ./Platform.Data.Doublets/ResizableDirectMemory/LinksHeader.cs

```
using Platform.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory
{
    public struct LinksHeader<TLink>
    {
        public static readonly long SizeInBytes = Structure<LinksHeader<TLink>>.Size;

        public TLink AllocatedLinks;
        public TLink ReservedLinks;
        public TLink FreeLinks;
        public TLink FirstFreeLink;
        public TLink FirstAsSource;
        public TLink FirstAsTarget;
        public TLink LastFreeLink;
        public TLink Reserved8;
    }
}
```

1.45 ./Platform.Data.Doublets/ResizableDirectMemory/RawLink.cs

```
using Platform.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory
{
    public struct RawLink<TLink>
    {
        public static readonly long SizeInBytes = Structure<RawLink<TLink>>.Size;

        public TLink Source;
        public TLink Target;
        public TLink LeftAsSource;
        public TLink RightAsSource;
        public TLink SizeAsSource;
        public TLink LeftAsTarget;
        public TLink RightAsTarget;
        public TLink SizeAsTarget;
    }
}
```

1.46 ./Platform.Data.Doublets/ResizableDirectMemory/Specific/UInt64LinksAvlBalancedTreeMethodsBase.cs

```
using System.Runtime.CompilerServices;
using Platform.Data.Doublets.ResizableDirectMemory.Generic;
using static System.Runtime.CompilerServices.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Specific
{
    public unsafe abstract class UInt64LinksAvlBalancedTreeMethodsBase :
    ↪ LinksAvlBalancedTreeMethodsBase<ulong>
    {
        protected new readonly RawLink<ulong>* Links;
        protected new readonly LinksHeader<ulong>* Header;

        public UInt64LinksAvlBalancedTreeMethodsBase(LinksConstants<ulong> constants,
        ↪ RawLink<ulong>* links, LinksHeader<ulong>* header)
            : base(constants, (byte*)links, (byte*)header)
        {
            Links = links;
            Header = header;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetZero() => 0UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool EqualToZero(ulong value) => value == 0UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool AreEqual(ulong first, ulong second) => first == second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterThanZero(ulong value) => value > 0UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterThan(ulong first, ulong second) => first > second;
```

```
35
36          [MethodImpl(MethodImplOptions.AggressiveInlining)]
37          protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;
38
39          [MethodImpl(MethodImplOptions.AggressiveInlining)]
40          protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0 is
            ↪  always true for ulong
41
42          [MethodImpl(MethodImplOptions.AggressiveInlining)]
43          protected override bool LessOrEqualThanZero(ulong value) => value == 0UL; // value is
            ↪  always >= 0 for ulong
44
45          [MethodImpl(MethodImplOptions.AggressiveInlining)]
46          protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;
47
48          [MethodImpl(MethodImplOptions.AggressiveInlining)]
49          protected override bool LessThanZero(ulong value) => false; // value < 0 is always false
            ↪  for ulong
50
51          [MethodImpl(MethodImplOptions.AggressiveInlining)]
52          protected override bool LessThan(ulong first, ulong second) => first < second;
53
54          [MethodImpl(MethodImplOptions.AggressiveInlining)]
55          protected override ulong Increment(ulong value) => ++value;
56
57          [MethodImpl(MethodImplOptions.AggressiveInlining)]
58          protected override ulong Decrement(ulong value) => --value;
59
60          [MethodImpl(MethodImplOptions.AggressiveInlining)]
61          protected override ulong Add(ulong first, ulong second) => first + second;
62
63          [MethodImpl(MethodImplOptions.AggressiveInlining)]
64          protected override ulong Subtract(ulong first, ulong second) => first - second;
65
66          [MethodImpl(MethodImplOptions.AggressiveInlining)]
67          protected override bool FirstIsToTheLeftOfSecond(ulong first, ulong second)
68          {
69              ref var firstLink = ref Links[first];
70              ref var secondLink = ref Links[second];
71              return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
                ↪  secondLink.Source, secondLink.Target);
72          }
73
74          [MethodImpl(MethodImplOptions.AggressiveInlining)]
75          protected override bool FirstIsToTheRightOfSecond(ulong first, ulong second)
76          {
77              ref var firstLink = ref Links[first];
78              ref var secondLink = ref Links[second];
79              return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
                ↪  secondLink.Source, secondLink.Target);
80          }
81
82          [MethodImpl(MethodImplOptions.AggressiveInlining)]
83          protected override ulong GetSizeValue(ulong value) => unchecked((value & 4294967264UL)
            ↪  >> 5);
84
85          [MethodImpl(MethodImplOptions.AggressiveInlining)]
86          protected override void SetSizeValue(ref ulong storedValue, ulong size) => storedValue =
            ↪  unchecked(storedValue & 31UL | (size & 134217727UL) << 5);
87
88          [MethodImpl(MethodImplOptions.AggressiveInlining)]
89          protected override bool GetLeftIsChildValue(ulong value) => unchecked((value & 16UL) >>
            ↪  4 == 1UL);
90
91          [MethodImpl(MethodImplOptions.AggressiveInlining)]
92          protected override void SetLeftIsChildValue(ref ulong storedValue, bool value) =>
            ↪  storedValue = unchecked(storedValue & 4294967279UL | (As<bool, byte>(ref value) &
            ↪  1UL) << 4);
93
94          [MethodImpl(MethodImplOptions.AggressiveInlining)]
95          protected override bool GetRightIsChildValue(ulong value) => unchecked((value & 8UL) >>
            ↪  3 == 1UL);
96
97          [MethodImpl(MethodImplOptions.AggressiveInlining)]
98          protected override void SetRightIsChildValue(ref ulong storedValue, bool value) =>
            ↪  storedValue = unchecked(storedValue & 4294967287UL | (As<bool, byte>(ref value) &
            ↪  1UL) << 3);
99
```

```
100         [MethodImpl(MethodImplOptions.AggressiveInlining)]
101         protected override sbyte GetBalanceValue(ulong value) => unchecked((sbyte)(value & 7UL |
            ↪ 0xF8UL * ((value & 4UL) >> 2))); // if negative, then continue ones to the end of
            ↪ sbyte
102
103         [MethodImpl(MethodImplOptions.AggressiveInlining)]
104         protected override void SetBalanceValue(ref ulong storedValue, sbyte value) =>
            ↪ storedValue = unchecked(storedValue & 4294967288UL | (ulong)((byte)value >> 5 & 4 |
            ↪ value & 3) & 7UL);
105
106         [MethodImpl(MethodImplOptions.AggressiveInlining)]
107         protected override ref LinksHeader<ulong> GetHeaderReference() => ref *Header;
108
109         [MethodImpl(MethodImplOptions.AggressiveInlining)]
110         protected override ref RawLink<ulong> GetLinkReference(ulong link) => ref Links[link];
111     }
112 }
```

1.47 ./Platform.Data.Doublets/ResizableDirectMemory/Specific/UInt64LinksSizeBalancedTreeMethodsBase.cs

```
1  using System.Runtime.CompilerServices;
2  using Platform.Data.Doublets.ResizableDirectMemory.Generic;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.ResizableDirectMemory.Specific
7  {
8      public unsafe abstract class UInt64LinksSizeBalancedTreeMethodsBase :
       ↪ LinksSizeBalancedTreeMethodsBase<ulong>
9      {
10         protected new readonly RawLink<ulong>* Links;
11         protected new readonly LinksHeader<ulong>* Header;
12
13         public UInt64LinksSizeBalancedTreeMethodsBase(LinksConstants<ulong> constants,
           ↪ RawLink<ulong>* links, LinksHeader<ulong>* header)
14             : base(constants, (byte*)links, (byte*)header)
15         {
16             Links = links;
17             Header = header;
18         }
19
20         [MethodImpl(MethodImplOptions.AggressiveInlining)]
21         protected override ulong GetZero() => 0UL;
22
23         [MethodImpl(MethodImplOptions.AggressiveInlining)]
24         protected override bool EqualToZero(ulong value) => value == 0UL;
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         protected override bool AreEqual(ulong first, ulong second) => first == second;
28
29         [MethodImpl(MethodImplOptions.AggressiveInlining)]
30         protected override bool GreaterThanZero(ulong value) => value > 0UL;
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         protected override bool GreaterThan(ulong first, ulong second) => first > second;
34
35         [MethodImpl(MethodImplOptions.AggressiveInlining)]
36         protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;
37
38         [MethodImpl(MethodImplOptions.AggressiveInlining)]
39         protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0 is
           ↪ always true for ulong
40
41         [MethodImpl(MethodImplOptions.AggressiveInlining)]
42         protected override bool LessOrEqualThanZero(ulong value) => value == 0UL; // value is
           ↪ always >= 0 for ulong
43
44         [MethodImpl(MethodImplOptions.AggressiveInlining)]
45         protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;
46
47         [MethodImpl(MethodImplOptions.AggressiveInlining)]
48         protected override bool LessThanZero(ulong value) => false; // value < 0 is always false
           ↪ for ulong
49
50         [MethodImpl(MethodImplOptions.AggressiveInlining)]
51         protected override bool LessThan(ulong first, ulong second) => first < second;
52
53         [MethodImpl(MethodImplOptions.AggressiveInlining)]
54         protected override ulong Increment(ulong value) => ++value;
55
56         [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
57          protected override ulong Decrement(ulong value) => --value;
58
59          [MethodImpl(MethodImplOptions.AggressiveInlining)]
60          protected override ulong Add(ulong first, ulong second) => first + second;
61
62          [MethodImpl(MethodImplOptions.AggressiveInlining)]
63          protected override ulong Subtract(ulong first, ulong second) => first - second;
64
65          [MethodImpl(MethodImplOptions.AggressiveInlining)]
66          protected override bool FirstIsToTheLeftOfSecond(ulong first, ulong second)
67          {
68              ref var firstLink = ref Links[first];
69              ref var secondLink = ref Links[second];
70              return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
                    ↪ secondLink.Source, secondLink.Target);
71          }
72
73          [MethodImpl(MethodImplOptions.AggressiveInlining)]
74          protected override bool FirstIsToTheRightOfSecond(ulong first, ulong second)
75          {
76              ref var firstLink = ref Links[first];
77              ref var secondLink = ref Links[second];
78              return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
                    ↪ secondLink.Source, secondLink.Target);
79          }
80
81          [MethodImpl(MethodImplOptions.AggressiveInlining)]
82          protected override ref LinksHeader<ulong> GetHeaderReference() => ref *Header;
83
84          [MethodImpl(MethodImplOptions.AggressiveInlining)]
85          protected override ref RawLink<ulong> GetLinkReference(ulong link) => ref Links[link];
86      }
87  }
```

1.48 ./Platform.Data.Doublets/ResizableDirectMemory/Specific/UInt64LinksSourcesAvlBalancedTreeMethods.cs

```
1   using System.Runtime.CompilerServices;
2
3   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5   namespace Platform.Data.Doublets.ResizableDirectMemory.Specific
6   {
7       public unsafe class UInt64LinksSourcesAvlBalancedTreeMethods :
            ↪ UInt64LinksAvlBalancedTreeMethodsBase
8       {
9           public UInt64LinksSourcesAvlBalancedTreeMethods(LinksConstants<ulong> constants,
                ↪ RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants, links, header)
                ↪ { }
10
11          [MethodImpl(MethodImplOptions.AggressiveInlining)]
12          protected override ref ulong GetLeftReference(ulong node) => ref
                ↪ Links[node].LeftAsSource;
13
14          [MethodImpl(MethodImplOptions.AggressiveInlining)]
15          protected override ref ulong GetRightReference(ulong node) => ref
                ↪ Links[node].RightAsSource;
16
17          [MethodImpl(MethodImplOptions.AggressiveInlining)]
18          protected override ulong GetLeft(ulong node) => Links[node].LeftAsSource;
19
20          [MethodImpl(MethodImplOptions.AggressiveInlining)]
21          protected override ulong GetRight(ulong node) => Links[node].RightAsSource;
22
23          [MethodImpl(MethodImplOptions.AggressiveInlining)]
24          protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsSource =
                ↪ left;
25
26          [MethodImpl(MethodImplOptions.AggressiveInlining)]
27          protected override void SetRight(ulong node, ulong right) => Links[node].RightAsSource =
                ↪ right;
28
29          [MethodImpl(MethodImplOptions.AggressiveInlining)]
30          protected override ulong GetSize(ulong node) => GetSizeValue(Links[node].SizeAsSource);
31
32          [MethodImpl(MethodImplOptions.AggressiveInlining)]
33          protected override void SetSize(ulong node, ulong size) => SetSizeValue(ref
                ↪ Links[node].SizeAsSource, size);
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
36          protected override bool GetLeftIsChild(ulong node) =>
            ↪  GetLeftIsChildValue(Links[node].SizeAsSource);
37
38          //[MethodImpl(MethodImplOptions.AggressiveInlining)]
39          //protected override bool GetLeftIsChild(ulong node) => IsChild(node, GetLeft(node));
40
41          [MethodImpl(MethodImplOptions.AggressiveInlining)]
42          protected override void SetLeftIsChild(ulong node, bool value) =>
            ↪  SetLeftIsChildValue(ref Links[node].SizeAsSource, value);
43
44          [MethodImpl(MethodImplOptions.AggressiveInlining)]
45          protected override bool GetRightIsChild(ulong node) =>
            ↪  GetRightIsChildValue(Links[node].SizeAsSource);
46
47          //[MethodImpl(MethodImplOptions.AggressiveInlining)]
48          //protected override bool GetRightIsChild(ulong node) => IsChild(node, GetRight(node));
49
50          [MethodImpl(MethodImplOptions.AggressiveInlining)]
51          protected override void SetRightIsChild(ulong node, bool value) =>
            ↪  SetRightIsChildValue(ref Links[node].SizeAsSource, value);
52
53          [MethodImpl(MethodImplOptions.AggressiveInlining)]
54          protected override sbyte GetBalance(ulong node) =>
            ↪  GetBalanceValue(Links[node].SizeAsSource);
55
56          [MethodImpl(MethodImplOptions.AggressiveInlining)]
57          protected override void SetBalance(ulong node, sbyte value) => SetBalanceValue(ref
            ↪  Links[node].SizeAsSource, value);
58
59          [MethodImpl(MethodImplOptions.AggressiveInlining)]
60          protected override ulong GetTreeRoot() => Header->FirstAsSource;
61
62          [MethodImpl(MethodImplOptions.AggressiveInlining)]
63          protected override ulong GetBasePartValue(ulong link) => Links[link].Source;
64
65          [MethodImpl(MethodImplOptions.AggressiveInlining)]
66          protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
            ↪  ulong secondSource, ulong secondTarget)
67              => firstSource < secondSource || firstSource == secondSource && firstTarget <
                ↪  secondTarget;
68
69          [MethodImpl(MethodImplOptions.AggressiveInlining)]
70          protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
            ↪  ulong secondSource, ulong secondTarget)
71              => firstSource > secondSource || firstSource == secondSource && firstTarget >
                ↪  secondTarget;
72
73          [MethodImpl(MethodImplOptions.AggressiveInlining)]
74          protected override void ClearNode(ulong node)
75          {
76              ref var link = ref Links[node];
77              link.LeftAsSource = 0UL;
78              link.RightAsSource = 0UL;
79              link.SizeAsSource = 0UL;
80          }
81      }
82  }
```

1.49 ./Platform.Data.Doublets/ResizableDirectMemory/Specific/UInt64LinksSourcesSizeBalancedTreeMethods.cs

```
1   using System.Runtime.CompilerServices;
2
3   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5   namespace Platform.Data.Doublets.ResizableDirectMemory.Specific
6   {
7       public unsafe class UInt64LinksSourcesSizeBalancedTreeMethods :
        ↪  UInt64LinksSizeBalancedTreeMethodsBase
8       {
9           public UInt64LinksSourcesSizeBalancedTreeMethods(LinksConstants<ulong> constants,
            ↪  RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants, links, header)
            ↪  { }
10
11          [MethodImpl(MethodImplOptions.AggressiveInlining)]
12          protected override ref ulong GetLeftReference(ulong node) => ref
            ↪  Links[node].LeftAsSource;
13
14          [MethodImpl(MethodImplOptions.AggressiveInlining)]
15          protected override ref ulong GetRightReference(ulong node) => ref
            ↪  Links[node].RightAsSource;
```

```

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetLeft(ulong node) => Links[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetRight(ulong node) => Links[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsSource =
        ↪  left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(ulong node, ulong right) => Links[node].RightAsSource =
        ↪  right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetSize(ulong node) => Links[node].SizeAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(ulong node, ulong size) => Links[node].SizeAsSource =
        ↪  size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetTreeRoot() => Header->FirstAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetBasePartValue(ulong link) => Links[link].Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
        ↪  ulong secondSource, ulong secondTarget)
            => firstSource < secondSource || firstSource == secondSource && firstTarget <
            ↪  secondTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
        ↪  ulong secondSource, ulong secondTarget)
            => firstSource > secondSource || firstSource == secondSource && firstTarget >
            ↪  secondTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(ulong node)
        {
            ref var link = ref Links[node];
            link.LeftAsSource = 0UL;
            link.RightAsSource = 0UL;
            link.SizeAsSource = 0UL;
        }
    }
}
```

1.50 ./Platform.Data.Doublets/ResizableDirectMemory/Specific/UInt64LinksTargetsAvlBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Specific
{
    public unsafe class UInt64LinksTargetsAvlBalancedTreeMethods :
    ↪  UInt64LinksAvlBalancedTreeMethodsBase
    {
        public UInt64LinksTargetsAvlBalancedTreeMethods(LinksConstants<ulong> constants,
        ↪  RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants, links, header)
        ↪  { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref ulong GetLeftReference(ulong node) => ref
        ↪  Links[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref ulong GetRightReference(ulong node) => ref
        ↪  Links[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetLeft(ulong node) => Links[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetRight(ulong node) => Links[node].RightAsTarget;

```

```
23          [MethodImpl(MethodImplOptions.AggressiveInlining)]
24          protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsTarget =
            ↪  left;
25
26          [MethodImpl(MethodImplOptions.AggressiveInlining)]
27          protected override void SetRight(ulong node, ulong right) => Links[node].RightAsTarget =
            ↪  right;
28
29          [MethodImpl(MethodImplOptions.AggressiveInlining)]
30          protected override ulong GetSize(ulong node) => GetSizeValue(Links[node].SizeAsTarget);
31
32          [MethodImpl(MethodImplOptions.AggressiveInlining)]
33          protected override void SetSize(ulong node, ulong size) => SetSizeValue(ref
            ↪  Links[node].SizeAsTarget, size);
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          protected override bool GetLeftIsChild(ulong node) =>
            ↪  GetLeftIsChildValue(Links[node].SizeAsTarget);
37
38          [MethodImpl(MethodImplOptions.AggressiveInlining)]
39          protected override void SetLeftIsChild(ulong node, bool value) =>
            ↪  SetLeftIsChildValue(ref Links[node].SizeAsTarget, value);
40
41          [MethodImpl(MethodImplOptions.AggressiveInlining)]
42          protected override bool GetRightIsChild(ulong node) =>
            ↪  GetRightIsChildValue(Links[node].SizeAsTarget);
43
44          [MethodImpl(MethodImplOptions.AggressiveInlining)]
45          protected override void SetRightIsChild(ulong node, bool value) =>
            ↪  SetRightIsChildValue(ref Links[node].SizeAsTarget, value);
46
47          [MethodImpl(MethodImplOptions.AggressiveInlining)]
48          protected override sbyte GetBalance(ulong node) =>
            ↪  GetBalanceValue(Links[node].SizeAsTarget);
49
50          [MethodImpl(MethodImplOptions.AggressiveInlining)]
51          protected override void SetBalance(ulong node, sbyte value) => SetBalanceValue(ref
            ↪  Links[node].SizeAsTarget, value);
52
53          [MethodImpl(MethodImplOptions.AggressiveInlining)]
54          protected override ulong GetTreeRoot() => Header->FirstAsTarget;
55
56          [MethodImpl(MethodImplOptions.AggressiveInlining)]
57          protected override ulong GetBasePartValue(ulong link) => Links[link].Target;
58
59          [MethodImpl(MethodImplOptions.AggressiveInlining)]
60          protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
            ↪  ulong secondSource, ulong secondTarget)
61              => firstTarget < secondTarget || firstTarget == secondTarget && firstSource <
                ↪  secondSource;
62
63          [MethodImpl(MethodImplOptions.AggressiveInlining)]
64          protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
            ↪  ulong secondSource, ulong secondTarget)
65              => firstTarget > secondTarget || firstTarget == secondTarget && firstSource >
                ↪  secondSource;
66
67          [MethodImpl(MethodImplOptions.AggressiveInlining)]
68          protected override void ClearNode(ulong node)
69          {
70              ref var link = ref Links[node];
71              link.LeftAsTarget = 0UL;
72              link.RightAsTarget = 0UL;
73              link.SizeAsTarget = 0UL;
74          }
75      }
76  }
```

1.51 ./Platform.Data.Doublets/ResizableDirectMemory/Specific/UInt64LinksTargetsSizeBalancedTreeMethods.cs

```
1   using System.Runtime.CompilerServices;
2
3   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5   namespace Platform.Data.Doublets.ResizableDirectMemory.Specific
6   {
7       public unsafe class UInt64LinksTargetsSizeBalancedTreeMethods :
        ↪  UInt64LinksSizeBalancedTreeMethodsBase
8       {
```

```
9           public UInt64LinksTargetsSizeBalancedTreeMethods(LinksConstants<ulong> constants,
            ↪  RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants, links, header)
            ↪  { }
10
11          [MethodImpl(MethodImplOptions.AggressiveInlining)]
12          protected override ref ulong GetLeftReference(ulong node) => ref
            ↪  Links[node].LeftAsTarget;
13
14          [MethodImpl(MethodImplOptions.AggressiveInlining)]
15          protected override ref ulong GetRightReference(ulong node) => ref
            ↪  Links[node].RightAsTarget;
16
17          [MethodImpl(MethodImplOptions.AggressiveInlining)]
18          protected override ulong GetLeft(ulong node) => Links[node].LeftAsTarget;
19
20          [MethodImpl(MethodImplOptions.AggressiveInlining)]
21          protected override ulong GetRight(ulong node) => Links[node].RightAsTarget;
22
23          [MethodImpl(MethodImplOptions.AggressiveInlining)]
24          protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsTarget =
            ↪  left;
25
26          [MethodImpl(MethodImplOptions.AggressiveInlining)]
27          protected override void SetRight(ulong node, ulong right) => Links[node].RightAsTarget =
            ↪  right;
28
29          [MethodImpl(MethodImplOptions.AggressiveInlining)]
30          protected override ulong GetSize(ulong node) => Links[node].SizeAsTarget;
31
32          [MethodImpl(MethodImplOptions.AggressiveInlining)]
33          protected override void SetSize(ulong node, ulong size) => Links[node].SizeAsTarget =
            ↪  size;
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          protected override ulong GetTreeRoot() => Header->FirstAsTarget;
37
38          [MethodImpl(MethodImplOptions.AggressiveInlining)]
39          protected override ulong GetBasePartValue(ulong link) => Links[link].Target;
40
41          [MethodImpl(MethodImplOptions.AggressiveInlining)]
42          protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
            ↪  ulong secondSource, ulong secondTarget)
43              => firstTarget < secondTarget || firstTarget == secondTarget && firstSource <
                ↪  secondSource;
44
45          [MethodImpl(MethodImplOptions.AggressiveInlining)]
46          protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
            ↪  ulong secondSource, ulong secondTarget)
47              => firstTarget > secondTarget || firstTarget == secondTarget && firstSource >
                ↪  secondSource;
48
49          [MethodImpl(MethodImplOptions.AggressiveInlining)]
50          protected override void ClearNode(ulong node)
51          {
52              ref var link = ref Links[node];
53              link.LeftAsTarget = OUL;
54              link.RightAsTarget = OUL;
55              link.SizeAsTarget = OUL;
56          }
57      }
58  }
```

1.52 ./Platform.Data.Doublets/ResizableDirectMemory/Specific/UInt64ResizableDirectMemoryLinks.cs

```
1   using System;
2   using System.Collections.Generic;
3   using System.Runtime.CompilerServices;
4   using Platform.Memory;
5   using Platform.Data.Doublets.ResizableDirectMemory.Generic;
6   using Platform.Singletons;
7
8   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10  namespace Platform.Data.Doublets.ResizableDirectMemory.Specific
11  {
12      public unsafe class UInt64ResizableDirectMemoryLinks : ResizableDirectMemoryLinksBase<ulong>
13      {
14          private readonly Func<ILinksTreeMethods<ulong>> _createSourceTreeMethods;
15          private readonly Func<ILinksTreeMethods<ulong>> _createTargetTreeMethods;
16          private LinksHeader<ulong>* _header;
17          private RawLink<ulong>* _links;
```

```
18
19          [MethodImpl(MethodImplOptions.AggressiveInlining)]
20          public UInt64ResizableDirectMemoryLinks(string address) : this(address,
            ↪  DefaultLinksSizeStep) { }
21
22          /// <summary>
23          /// Создаёт экземпляр базы данных Links в файле по указанному адресу, с указанным
            ↪  минимальным шагом расширения базы данных.
24          /// </summary>
25          /// <param name="address">Полный пусть к файлу базы данных.</param>
26          /// <param name="memoryReservationStep">Минимальный шаг расширения базы данных в
            ↪  байтах.</param>
27          [MethodImpl(MethodImplOptions.AggressiveInlining)]
28          public UInt64ResizableDirectMemoryLinks(string address, long memoryReservationStep) :
            ↪  this(new FileMappedResizableDirectMemory(address, memoryReservationStep),
            ↪  memoryReservationStep) { }
29
30          [MethodImpl(MethodImplOptions.AggressiveInlining)]
31          public UInt64ResizableDirectMemoryLinks(IResizableDirectMemory memory) : this(memory,
            ↪  DefaultLinksSizeStep) { }
32
33          [MethodImpl(MethodImplOptions.AggressiveInlining)]
34          public UInt64ResizableDirectMemoryLinks(IResizableDirectMemory memory, long
            ↪  memoryReservationStep) : this(memory, memoryReservationStep,
            ↪  Default<LinksConstants<ulong>>.Instance, true) { }
35
36          [MethodImpl(MethodImplOptions.AggressiveInlining)]
37          public UInt64ResizableDirectMemoryLinks(IResizableDirectMemory memory, long
            ↪  memoryReservationStep, LinksConstants<ulong> constants, bool useAvlBasedIndex) :
            ↪  base(memory, memoryReservationStep, constants)
38          {
39              if (useAvlBasedIndex)
40              {
41                  _createSourceTreeMethods = () => new
                    ↪  UInt64LinksSourcesAvlBalancedTreeMethods(Constants, _links, _header);
42                  _createTargetTreeMethods = () => new
                    ↪  UInt64LinksTargetsAvlBalancedTreeMethods(Constants, _links, _header);
43              }
44              else
45              {
46                  _createSourceTreeMethods = () => new
                    ↪  UInt64LinksSourcesSizeBalancedTreeMethods(Constants, _links, _header);
47                  _createTargetTreeMethods = () => new
                    ↪  UInt64LinksTargetsSizeBalancedTreeMethods(Constants, _links, _header);
48              }
49              Init(memory, memoryReservationStep);
50          }
51
52          [MethodImpl(MethodImplOptions.AggressiveInlining)]
53          protected override void SetPointers(IResizableDirectMemory memory)
54          {
55              _header = (LinksHeader<ulong>*)memory.Pointer;
56              _links = (RawLink<ulong>*)memory.Pointer;
57              SourcesTreeMethods = _createSourceTreeMethods();
58              TargetsTreeMethods = _createTargetTreeMethods();
59              UnusedLinksListMethods = new UInt64UnusedLinksListMethods(_links, _header);
60          }
61
62          [MethodImpl(MethodImplOptions.AggressiveInlining)]
63          protected override void ResetPointers()
64          {
65              base.ResetPointers();
66              _links = null;
67              _header = null;
68          }
69
70          [MethodImpl(MethodImplOptions.AggressiveInlining)]
71          protected override ref LinksHeader<ulong> GetHeaderReference() => ref *_header;
72
73          [MethodImpl(MethodImplOptions.AggressiveInlining)]
74          protected override ref RawLink<ulong> GetLinkReference(ulong linkIndex) => ref
            ↪  _links[linkIndex];
75
76          [MethodImpl(MethodImplOptions.AggressiveInlining)]
77          protected override bool AreEqual(ulong first, ulong second) => first == second;
78
79          [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        protected override bool LessThan(ulong first, ulong second) => first < second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterThan(ulong first, ulong second) => first > second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetZero() => 0UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetOne() => 1UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override long ConvertToUInt64(ulong value) => (long)value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong ConvertToAddress(long value) => (ulong)value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Add(ulong first, ulong second) => first + second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Subtract(ulong first, ulong second) => first - second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Increment(ulong link) => ++link;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Decrement(ulong link) => --link;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override IList<ulong> GetEmptyList() => new ulong[0];
    }
}
```

1.53 ./Platform.Data.Doublets/ResizableDirectMemory/Specific/UInt64UnusedLinksListMethods.cs

```
using System.Runtime.CompilerServices;
using Platform.Data.Doublets.ResizableDirectMemory.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.ResizableDirectMemory.Specific
{
    public unsafe class UInt64UnusedLinksListMethods : UnusedLinksListMethods<ulong>
    {
        private readonly RawLink<ulong>* _links;
        private readonly LinksHeader<ulong>* _header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UInt64UnusedLinksListMethods(RawLink<ulong>* links, LinksHeader<ulong>* header)
            : base((byte*)links, (byte*)header)
        {
            _links = links;
            _header = header;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLink<ulong> GetLinkReference(ulong link) => ref _links[link];

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref LinksHeader<ulong> GetHeaderReference() => ref *_header;
    }
}
```

1.54 ./Platform.Data.Doublets/Sequences/ArrayExtensions.cs

```
using System;
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    public static class ArrayExtensions
    {
        public static IList<TLink> ConvertToRestrictionsValues<TLink>(this TLink[] array)
```

```
        {
            var restrictions = new TLink[array.Length + 1];
            Array.Copy(array, 0, restrictions, 1, array.Length);
            return restrictions;
        }
    }
}
```

1.55 ./Platform.Data.Doublets/Sequences/Converters/BalancedVariantConverter.cs

```
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Converters
{
    public class BalancedVariantConverter<TLink> : LinksListToSequenceConverterBase<TLink>
    {
        public BalancedVariantConverter(ILinks<TLink> links) : base(links) { }

        public override TLink Convert(IList<TLink> sequence)
        {
            var length = sequence.Count;
            if (length < 1)
            {
                return default;
            }
            if (length == 1)
            {
                return sequence[0];
            }
            // Make copy of next layer
            if (length > 2)
            {
                // TODO: Try to use stackalloc (which at the moment is not working with
                ↪  generics) but will be possible with Sigil
                var halvedSequence = new TLink[(length / 2) + (length % 2)];
                HalveSequence(halvedSequence, sequence, length);
                sequence = halvedSequence;
                length = halvedSequence.Length;
            }
            // Keep creating layer after layer
            while (length > 2)
            {
                HalveSequence(sequence, sequence, length);
                length = (length / 2) + (length % 2);
            }
            return Links.GetOrCreate(sequence[0], sequence[1]);
        }

        private void HalveSequence(IList<TLink> destination, IList<TLink> source, int length)
        {
            var loopedLength = length - (length % 2);
            for (var i = 0; i < loopedLength; i += 2)
            {
                destination[i / 2] = Links.GetOrCreate(source[i], source[i + 1]);
            }
            if (length > loopedLength)
            {
                destination[length / 2] = source[length - 1];
            }
        }
    }
}
```

1.56 ./Platform.Data.Doublets/Sequences/Converters/CompressingConverter.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections;
using Platform.Converters;
using Platform.Singletons;
using Platform.Numbers;
using Platform.Data.Doublets.Sequences.Frequencies.Cache;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Converters
{
    /// <remarks>
```

```
15      /// TODO: Возможно будет лучше если алгоритм будет выполняться полностью изолированно от
        ↪  Links на этапе сжатия.
16      ///     А именно будет создаваться временный список пар необходимых для выполнения сжатия, в
        ↪  таком случае тип значения элемента массива может быть любым, как char так и ulong.
17      ///     Как только список/словарь пар был выявлен можно разом выполнить создание всех этих
        ↪  пар, а так же разом выполнить замену.
18      /// </remarks>
19      public class CompressingConverter<TLink> : LinksListToSequenceConverterBase<TLink>
20      {
21          private static readonly LinksConstants<TLink> _constants =
            ↪  Default<LinksConstants<TLink>>.Instance;
22          private static readonly EqualityComparer<TLink> _equalityComparer =
            ↪  EqualityComparer<TLink>.Default;
23          private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
24
25          private readonly IConverter<IList<TLink>, TLink> _baseConverter;
26          private readonly LinkFrequenciesCache<TLink> _doubletFrequenciesCache;
27          private readonly TLink _minFrequencyToCompress;
28          private readonly bool _doInitialFrequenciesIncrement;
29          private Doublet<TLink> _maxDoublet;
30          private LinkFrequency<TLink> _maxDoubletData;
31
32          private struct HalfDoublet
33          {
34              public TLink Element;
35              public LinkFrequency<TLink> DoubletData;
36
37              public HalfDoublet(TLink element, LinkFrequency<TLink> doubletData)
38              {
39                  Element = element;
40                  DoubletData = doubletData;
41              }
42
43              public override string ToString() => $"{Element}: ({DoubletData})";
44          }
45
46          public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
            ↪  baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache)
47              : this(links, baseConverter, doubletFrequenciesCache, Integer<TLink>.One, true)
48          {
49          }
50
51          public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
            ↪  baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache, bool
            ↪  doInitialFrequenciesIncrement)
52              : this(links, baseConverter, doubletFrequenciesCache, Integer<TLink>.One,
                ↪  doInitialFrequenciesIncrement)
53          {
54          }
55
56          public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
            ↪  baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache, TLink
            ↪  minFrequencyToCompress, bool doInitialFrequenciesIncrement)
57              : base(links)
58          {
59              _baseConverter = baseConverter;
60              _doubletFrequenciesCache = doubletFrequenciesCache;
61              if (_comparer.Compare(minFrequencyToCompress, Integer<TLink>.One) < 0)
62              {
63                  minFrequencyToCompress = Integer<TLink>.One;
64              }
65              _minFrequencyToCompress = minFrequencyToCompress;
66              _doInitialFrequenciesIncrement = doInitialFrequenciesIncrement;
67              ResetMaxDoublet();
68          }
69
70          public override TLink Convert(IList<TLink> source) =>
            ↪  _baseConverter.Convert(Compress(source));
71
72          /// <remarks>
73          /// Original algorithm idea: https://en.wikipedia.org/wiki/Byte_pair_encoding .
74          /// Faster version (doublets' frequencies dictionary is not recreated).
75          /// </remarks>
76          private IList<TLink> Compress(IList<TLink> sequence)
77          {
78              if (sequence.IsNullOrEmpty())
79              {
80                  return null;
81              }
82              if (sequence.Count == 1)
```

```
            {
                return sequence;
            }
            if (sequence.Count == 2)
            {
                return new[] { Links.GetOrCreate(sequence[0], sequence[1]) };
            }
            // TODO: arraypool with min size (to improve cache locality) or stackallow with Sigil
            var copy = new HalfDoublet[sequence.Count];
            Doublet<TLink> doublet = default;
            for (var i = 1; i < sequence.Count; i++)
            {
                doublet.Source = sequence[i - 1];
                doublet.Target = sequence[i];
                LinkFrequency<TLink> data;
                if (_doInitialFrequenciesIncrement)
                {
                    data = _doubletFrequenciesCache.IncrementFrequency(ref doublet);
                }
                else
                {
                    data = _doubletFrequenciesCache.GetFrequency(ref doublet);
                    if (data == null)
                    {
                        throw new NotSupportedException("If you ask not to increment
                        ↪  frequencies, it is expected that all frequencies for the sequence
                        ↪  are prepared.");
                    }
                }
                copy[i - 1].Element = sequence[i - 1];
                copy[i - 1].DoubletData = data;
                UpdateMaxDoublet(ref doublet, data);
            }
            copy[sequence.Count - 1].Element = sequence[sequence.Count - 1];
            copy[sequence.Count - 1].DoubletData = new LinkFrequency<TLink>();
            if (_comparer.Compare(_maxDoubletData.Frequency, default) > 0)
            {
                var newLength = ReplaceDoublets(copy);
                sequence = new TLink[newLength];
                for (int i = 0; i < newLength; i++)
                {
                    sequence[i] = copy[i].Element;
                }
            }
            return sequence;
        }

        /// <remarks>
        /// Original algorithm idea: https://en.wikipedia.org/wiki/Byte_pair_encoding
        /// </remarks>
        private int ReplaceDoublets(HalfDoublet[] copy)
        {
            var oldLength = copy.Length;
            var newLength = copy.Length;
            while (_comparer.Compare(_maxDoubletData.Frequency, default) > 0)
            {
                var maxDoubletSource = _maxDoublet.Source;
                var maxDoubletTarget = _maxDoublet.Target;
                if (_equalityComparer.Equals(_maxDoubletData.Link, _constants.Null))
                {
                    _maxDoubletData.Link = Links.GetOrCreate(maxDoubletSource, maxDoubletTarget);
                }
                var maxDoubletReplacementLink = _maxDoubletData.Link;
                oldLength--;
                var oldLengthMinusTwo = oldLength - 1;
                // Substitute all usages
                int w = 0, r = 0; // (r == read, w == write)
                for (; r < oldLength; r++)
                {
                    if (_equalityComparer.Equals(copy[r].Element, maxDoubletSource) &&
                    ↪  _equalityComparer.Equals(copy[r + 1].Element, maxDoubletTarget))
                    {
                        if (r > 0)
                        {
                            var previous = copy[w - 1].Element;
                            copy[w - 1].DoubletData.DecrementFrequency();
                            copy[w - 1].DoubletData =
                            ↪  _doubletFrequenciesCache.IncrementFrequency(previous,
                            ↪  maxDoubletReplacementLink);
```

```
                        }
                        if (r < oldLengthMinusTwo)
                        {
                            var next = copy[r + 2].Element;
                            copy[r + 1].DoubletData.DecrementFrequency();
                            copy[w].DoubletData = _doubletFrequenciesCache.IncrementFrequency(ma
                            ↪  xDoubletReplacementLink,
                            ↪  next);
                        }
                        copy[w++].Element = maxDoubletReplacementLink;
                        r++;
                        newLength--;
                    }
                    else
                    {
                        copy[w++] = copy[r];
                    }
                }
                if (w < newLength)
                {
                    copy[w] = copy[r];
                }
                oldLength = newLength;
                ResetMaxDoublet();
                UpdateMaxDoublet(copy, newLength);
            }
            return newLength;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void ResetMaxDoublet()
        {
            _maxDoublet = new Doublet<TLink>();
            _maxDoubletData = new LinkFrequency<TLink>();
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void UpdateMaxDoublet(HalfDoublet[] copy, int length)
        {
            Doublet<TLink> doublet = default;
            for (var i = 1; i < length; i++)
            {
                doublet.Source = copy[i - 1].Element;
                doublet.Target = copy[i].Element;
                UpdateMaxDoublet(ref doublet, copy[i - 1].DoubletData);
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void UpdateMaxDoublet(ref Doublet<TLink> doublet, LinkFrequency<TLink> data)
        {
            var frequency = data.Frequency;
            var maxFrequency = _maxDoubletData.Frequency;
            //if (frequency > _minFrequencyToCompress && (maxFrequency < frequency ||
            ↪  (maxFrequency == frequency && doublet.Source + doublet.Target < /* gives better
            ↪  compression string data (and gives collisions quickly) */ _maxDoublet.Source +
            ↪  _maxDoublet.Target)))
            if (_comparer.Compare(frequency, _minFrequencyToCompress) > 0 &&
               (_comparer.Compare(maxFrequency, frequency) < 0 ||
                ↪  (_equalityComparer.Equals(maxFrequency, frequency) &&
                ↪  _comparer.Compare(Arithmetic.Add(doublet.Source, doublet.Target),
                ↪  Arithmetic.Add(_maxDoublet.Source, _maxDoublet.Target)) > 0))) /* gives
                ↪  better stability and better compression on sequent data and even on rundom
                ↪  numbers data (but gives collisions anyway) */
            {
                _maxDoublet = doublet;
                _maxDoubletData = data;
            }
        }
    }
}
```

1.57 ./Platform.Data.Doublets/Sequences/Converters/LinksListToSequenceConverterBase.cs

```
using System.Collections.Generic;
using Platform.Converters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Converters
```

```
{
    public abstract class LinksListToSequenceConverterBase<TLink> : IConverter<IList<TLink>,
    ↪ TLink>
    {
        protected readonly ILinks<TLink> Links;
        public LinksListToSequenceConverterBase(ILinks<TLink> links) => Links = links;
        public abstract TLink Convert(IList<TLink> source);
    }
}
```

1.58 ./Platform.Data.Doublets/Sequences/Converters/OptimalVariantConverter.cs

```
using System.Collections.Generic;
using System.Linq;
using Platform.Converters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Converters
{
    public class OptimalVariantConverter<TLink> : LinksListToSequenceConverterBase<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;
        private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;

        private readonly IConverter<IList<TLink>> _sequenceToItsLocalElementLevelsConverter;

        public OptimalVariantConverter(ILinks<TLink> links, IConverter<IList<TLink>>
        ↪ sequenceToItsLocalElementLevelsConverter) : base(links)
            => _sequenceToItsLocalElementLevelsConverter =
            ↪ sequenceToItsLocalElementLevelsConverter;

        public override TLink Convert(IList<TLink> sequence)
        {
            var length = sequence.Count;
            if (length == 1)
            {
                return sequence[0];
            }
            var links = Links;
            if (length == 2)
            {
                return links.GetOrCreate(sequence[0], sequence[1]);
            }
            sequence = sequence.ToArray();
            var levels = _sequenceToItsLocalElementLevelsConverter.Convert(sequence);
            while (length > 2)
            {
                var levelRepeat = 1;
                var currentLevel = levels[0];
                var previousLevel = levels[0];
                var skipOnce = false;
                var w = 0;
                for (var i = 1; i < length; i++)
                {
                    if (_equalityComparer.Equals(currentLevel, levels[i]))
                    {
                        levelRepeat++;
                        skipOnce = false;
                        if (levelRepeat == 2)
                        {
                            sequence[w] = links.GetOrCreate(sequence[i - 1], sequence[i]);
                            var newLevel = i >= length - 1 ?
                                GetPreviousLowerThanCurrentOrCurrent(previousLevel,
                                ↪ currentLevel) :
                                i < 2 ?
                                GetNextLowerThanCurrentOrCurrent(currentLevel, levels[i + 1]) :
                                GetGreatestNeigbourLowerThanCurrentOrCurrent(previousLevel,
                                ↪ currentLevel, levels[i + 1]);
                            levels[w] = newLevel;
                            previousLevel = currentLevel;
                            w++;
                            levelRepeat = 0;
                            skipOnce = true;
                        }
                        else if (i == length - 1)
                        {
                            sequence[w] = sequence[i];
                            levels[w] = levels[i];
                            w++;
```

```
                        }
                    }
                    else
                    {
                        currentLevel = levels[i];
                        levelRepeat = 1;
                        if (skipOnce)
                        {
                            skipOnce = false;
                        }
                        else
                        {
                            sequence[w] = sequence[i - 1];
                            levels[w] = levels[i - 1];
                            previousLevel = levels[w];
                            w++;
                        }
                        if (i == length - 1)
                        {
                            sequence[w] = sequence[i];
                            levels[w] = levels[i];
                            w++;
                        }
                    }
                }
                length = w;
            }
            return links.GetOrCreate(sequence[0], sequence[1]);
        }

        private static TLink GetGreatestNeigbourLowerThanCurrentOrCurrent(TLink previous, TLink current, TLink next)
        {
            return _comparer.Compare(previous, next) > 0
                ? _comparer.Compare(previous, current) < 0 ? previous : current
                : _comparer.Compare(next, current) < 0 ? next : current;
        }

        private static TLink GetNextLowerThanCurrentOrCurrent(TLink current, TLink next) => _comparer.Compare(next, current) < 0 ? next : current;

        private static TLink GetPreviousLowerThanCurrentOrCurrent(TLink previous, TLink current) => _comparer.Compare(previous, current) < 0 ? previous : current;
    }
}
```

1.59 ./Platform.Data.Doublets/Sequences/Converters/SequenceToItsLocalElementLevelsConverter.cs

```
using System.Collections.Generic;
using Platform.Converters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Converters
{
    public class SequenceToItsLocalElementLevelsConverter<TLink> : LinksOperatorBase<TLink>, IConverter<IList<TLink>>
    {
        private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;

        private readonly IConverter<Doublet<TLink>, TLink> _linkToItsFrequencyToNumberConveter;

        public SequenceToItsLocalElementLevelsConverter(ILinks<TLink> links, IConverter<Doublet<TLink>, TLink> linkToItsFrequencyToNumberConveter) : base(links) => _linkToItsFrequencyToNumberConveter = linkToItsFrequencyToNumberConveter;

        public IList<TLink> Convert(IList<TLink> sequence)
        {
            var levels = new TLink[sequence.Count];
            levels[0] = GetFrequencyNumber(sequence[0], sequence[1]);
            for (var i = 1; i < sequence.Count - 1; i++)
            {
                var previous = GetFrequencyNumber(sequence[i - 1], sequence[i]);
                var next = GetFrequencyNumber(sequence[i], sequence[i + 1]);
                levels[i] = _comparer.Compare(previous, next) > 0 ? previous : next;
            }
            levels[levels.Length - 1] = GetFrequencyNumber(sequence[sequence.Count - 2], sequence[sequence.Count - 1]);
            return levels;
        }
```

```

        public TLink GetFrequencyNumber(TLink source, TLink target) =>
            _linkToItsFrequencyToNumberConveter.Convert(new Doublet<TLink>(source, target));
    }
}
```

1.60 ./Platform.Data.Doublets/Sequences/CreteriaMatchers/DefaultSequenceElementCriterionMatcher.cs

```
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.CreteriaMatchers
{
    public class DefaultSequenceElementCriterionMatcher<TLink> : LinksOperatorBase<TLink>,
        ICriterionMatcher<TLink>
    {
        public DefaultSequenceElementCriterionMatcher(ILinks<TLink> links) : base(links) { }
        public bool IsMatched(TLink argument) => Links.IsPartialPoint(argument);
    }
}
```

1.61 ./Platform.Data.Doublets/Sequences/CreteriaMatchers/MarkedSequenceCriterionMatcher.cs

```
using System.Collections.Generic;
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.CreteriaMatchers
{
    public class MarkedSequenceCriterionMatcher<TLink> : ICriterionMatcher<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
            EqualityComparer<TLink>.Default;

        private readonly ILinks<TLink> _links;
        private readonly TLink _sequenceMarkerLink;

        public MarkedSequenceCriterionMatcher(ILinks<TLink> links, TLink sequenceMarkerLink)
        {
            _links = links;
            _sequenceMarkerLink = sequenceMarkerLink;
        }

        public bool IsMatched(TLink sequenceCandidate)
            => _equalityComparer.Equals(_links.GetSource(sequenceCandidate), _sequenceMarkerLink)
            || !_equalityComparer.Equals(_links.SearchOrDefault(_sequenceMarkerLink,
                sequenceCandidate), _links.Constants.Null);
    }
}
```

1.62 ./Platform.Data.Doublets/Sequences/DefaultSequenceAppender.cs

```
using System.Collections.Generic;
using Platform.Collections.Stacks;
using Platform.Data.Doublets.Sequences.HeightProviders;
using Platform.Data.Sequences;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    public class DefaultSequenceAppender<TLink> : LinksOperatorBase<TLink>,
        ISequenceAppender<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
            EqualityComparer<TLink>.Default;

        private readonly IStack<TLink> _stack;
        private readonly ISequenceHeightProvider<TLink> _heightProvider;

        public DefaultSequenceAppender(ILinks<TLink> links, IStack<TLink> stack,
            ISequenceHeightProvider<TLink> heightProvider)
            : base(links)
        {
            _stack = stack;
            _heightProvider = heightProvider;
        }

        public TLink Append(TLink sequence, TLink appendant)
        {
            var cursor = sequence;
```

```
            while (!_equalityComparer.Equals(_heightProvider.Get(cursor), default))
            {
                var source = Links.GetSource(cursor);
                var target = Links.GetTarget(cursor);
                if (_equalityComparer.Equals(_heightProvider.Get(source),
                ↪  _heightProvider.Get(target)))
                {
                    break;
                }
                else
                {
                    _stack.Push(source);
                    cursor = target;
                }
            }
            var left = cursor;
            var right = appendant;
            while (!_equalityComparer.Equals(cursor = _stack.Pop(), Links.Constants.Null))
            {
                right = Links.GetOrCreate(left, right);
                left = cursor;
            }
            return Links.GetOrCreate(left, right);
        }
    }
}
```

1.63 ./Platform.Data.Doublets/Sequences/DuplicateSegmentsCounter.cs

```
using System.Collections.Generic;
using System.Linq;
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    public class DuplicateSegmentsCounter<TLink> : ICounter<int>
    {
        private readonly IProvider<IList<KeyValuePair<IList<TLink>, IList<TLink>>>>
        ↪  _duplicateFragmentsProvider;
        public DuplicateSegmentsCounter(IProvider<IList<KeyValuePair<IList<TLink>,
        ↪  IList<TLink>>>> duplicateFragmentsProvider) => _duplicateFragmentsProvider =
        ↪  duplicateFragmentsProvider;
        public int Count() => _duplicateFragmentsProvider.Get().Sum(x => x.Value.Count);
    }
}
```

1.64 ./Platform.Data.Doublets/Sequences/DuplicateSegmentsProvider.cs

```
using System;
using System.Linq;
using System.Collections.Generic;
using Platform.Interfaces;
using Platform.Collections;
using Platform.Collections.Lists;
using Platform.Collections.Segments;
using Platform.Collections.Segments.Walkers;
using Platform.Singletons;
using Platform.Numbers;
using Platform.Data.Doublets.Unicode;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    public class DuplicateSegmentsProvider<TLink> :
    ↪  DictionaryBasedDuplicateSegmentsWalkerBase<TLink>,
    ↪  IProvider<IList<KeyValuePair<IList<TLink>, IList<TLink>>>>
    {
        private readonly ILinks<TLink> _links;
        private readonly ILinks<TLink> _sequences;
        private HashSet<KeyValuePair<IList<TLink>, IList<TLink>>> _groups;
        private BitString _visited;

        private class ItemEquilityComparer : IEqualityComparer<KeyValuePair<IList<TLink>,
        ↪  IList<TLink>>>
        {
            private readonly IListEqualityComparer<TLink> _listComparer;
            public ItemEquilityComparer() => _listComparer =
            ↪  Default<IListEqualityComparer<TLink>>.Instance;
```

```
28              public bool Equals(KeyValuePair<IList<TLink>, IList<TLink>> left,
                ↪  KeyValuePair<IList<TLink>, IList<TLink>> right) =>
                ↪  _listComparer.Equals(left.Key, right.Key) && _listComparer.Equals(left.Value,
                ↪  right.Value);
29              public int GetHashCode(KeyValuePair<IList<TLink>, IList<TLink>> pair) =>
                ↪  (_listComparer.GetHashCode(pair.Key),
                ↪  _listComparer.GetHashCode(pair.Value)).GetHashCode();
30          }
31
32          private class ItemComparer : IComparer<KeyValuePair<IList<TLink>, IList<TLink>>>
33          {
34              private readonly IListComparer<TLink> _listComparer;
35
36              public ItemComparer() => _listComparer = Default<IListComparer<TLink>>.Instance;
37
38              public int Compare(KeyValuePair<IList<TLink>, IList<TLink>> left,
                ↪  KeyValuePair<IList<TLink>, IList<TLink>> right)
39              {
40                  var intermediateResult = _listComparer.Compare(left.Key, right.Key);
41                  if (intermediateResult == 0)
42                  {
43                      intermediateResult = _listComparer.Compare(left.Value, right.Value);
44                  }
45                  return intermediateResult;
46              }
47          }
48
49          public DuplicateSegmentsProvider(ILinks<TLink> links, ILinks<TLink> sequences)
50              : base(minimumStringSegmentLength: 2)
51          {
52              _links = links;
53              _sequences = sequences;
54          }
55
56          public IList<KeyValuePair<IList<TLink>, IList<TLink>>> Get()
57          {
58              _groups = new HashSet<KeyValuePair<IList<TLink>,
                ↪  IList<TLink>>>(Default<ItemEquilityComparer>.Instance);
59              var count = _links.Count();
60              _visited = new BitString((long)(Integer<TLink>)count + 1);
61              _links.Each(link =>
62              {
63                  var linkIndex = _links.GetIndex(link);
64                  var linkBitIndex = (long)(Integer<TLink>)linkIndex;
65                  if (!_visited.Get(linkBitIndex))
66                  {
67                      var sequenceElements = new List<TLink>();
68                      var filler = new ListFiller<TLink, TLink>(sequenceElements,
                        ↪  _sequences.Constants.Break);
69                      _sequences.Each(filler.AddAllValuesAndReturnConstant, new
                        ↪  LinkAddress<TLink>(linkIndex));
70                      if (sequenceElements.Count > 2)
71                      {
72                          WalkAll(sequenceElements);
73                      }
74                  }
75                  return _links.Constants.Continue;
76              });
77              var resultList = _groups.ToList();
78              var comparer = Default<ItemComparer>.Instance;
79              resultList.Sort(comparer);
80  #if DEBUG
81              foreach (var item in resultList)
82              {
83                  PrintDuplicates(item);
84              }
85  #endif
86              return resultList;
87          }
88
89          protected override Segment<TLink> CreateSegment(IList<TLink> elements, int offset, int
            ↪  length) => new Segment<TLink>(elements, offset, length);
90
91          protected override void OnDublicateFound(Segment<TLink> segment)
92          {
93              var duplicates = CollectDuplicatesForSegment(segment);
94              if (duplicates.Count > 1)
95              {
```

```
96                  _groups.Add(new KeyValuePair<IList<TLink>, IList<TLink>>(segment.ToArray(),
                    ↪ duplicates));
97              }
98          }
99
100         private List<TLink> CollectDuplicatesForSegment(Segment<TLink> segment)
101         {
102             var duplicates = new List<TLink>();
103             var readAsElement = new HashSet<TLink>();
104             var restrictions = segment.ConvertToRestrictionsValues();
105             restrictions[0] = _sequences.Constants.Any;
106             _sequences.Each(sequence =>
107             {
108                 var sequenceIndex = sequence[_sequences.Constants.IndexPart];
109                 duplicates.Add(sequenceIndex);
110                 readAsElement.Add(sequenceIndex);
111                 return _sequences.Constants.Continue;
112             }, restrictions);
113             if (duplicates.Any(x => _visited.Get((Integer<TLink>)x)))
114             {
115                 return new List<TLink>();
116             }
117             foreach (var duplicate in duplicates)
118             {
119                 var duplicateBitIndex = (long)(Integer<TLink>)duplicate;
120                 _visited.Set(duplicateBitIndex);
121             }
122             if (_sequences is Sequences sequencesExperiments)
123             {
124                 var partiallyMatched = sequencesExperiments.GetAllPartiallyMatchingSequences4((H
                    ↪ ashSet<ulong>)(object)readAsElement,
                    ↪ (IList<ulong>)segment);
125                 foreach (var partiallyMatchedSequence in partiallyMatched)
126                 {
127                     TLink sequenceIndex = (Integer<TLink>)partiallyMatchedSequence;
128                     duplicates.Add(sequenceIndex);
129                 }
130             }
131             duplicates.Sort();
132             return duplicates;
133         }
134
135         private void PrintDuplicates(KeyValuePair<IList<TLink>, IList<TLink>> duplicatesItem)
136         {
137             if (!(_links is ILinks<ulong> ulongLinks))
138             {
139                 return;
140             }
141             var duplicatesKey = duplicatesItem.Key;
142             var keyString = UnicodeMap.FromLinksToString((IList<ulong>)duplicatesKey);
143             Console.WriteLine($"> {keyString} ({string.Join(", ", duplicatesKey)})");
144             var duplicatesList = duplicatesItem.Value;
145             for (int i = 0; i < duplicatesList.Count; i++)
146             {
147                 ulong sequenceIndex = (Integer<TLink>)duplicatesList[i];
148                 var formatedSequenceStructure = ulongLinks.FormatStructure(sequenceIndex, x =>
                    ↪ Point<ulong>.IsPartialPoint(x), (sb, link) => _ =
                    ↪ UnicodeMap.IsCharLink(link.Index) ?
                    ↪ sb.Append(UnicodeMap.FromLinkToChar(link.Index)) : sb.Append(link.Index));
149                 Console.WriteLine(formatedSequenceStructure);
150                 var sequenceString = UnicodeMap.FromSequenceLinkToString(sequenceIndex,
                    ↪ ulongLinks);
151                 Console.WriteLine(sequenceString);
152             }
153             Console.WriteLine();
154         }
155     }
156 }
```

1.65 ./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequenciesCache.cs

```
1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Interfaces;
5  using Platform.Numbers;
6
7  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
```

```
namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
{
    /// <remarks>
    /// Can be used to operate with many CompressingConverters (to keep global frequencies data between them).
    /// TODO: Extract interface to implement frequencies storage inside Links storage
    /// </remarks>
    public class LinkFrequenciesCache<TLink> : LinksOperatorBase<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer = EqualityComparer<TLink>.Default;
        private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;

        private readonly Dictionary<Doublet<TLink>, LinkFrequency<TLink>> _doubletsCache;
        private readonly ICounter<TLink, TLink> _frequencyCounter;

        public LinkFrequenciesCache(ILinks<TLink> links, ICounter<TLink, TLink> frequencyCounter)
            : base(links)
        {
            _doubletsCache = new Dictionary<Doublet<TLink>, LinkFrequency<TLink>>(4096, DoubletComparer<TLink>.Default);
            _frequencyCounter = frequencyCounter;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkFrequency<TLink> GetFrequency(TLink source, TLink target)
        {
            var doublet = new Doublet<TLink>(source, target);
            return GetFrequency(ref doublet);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkFrequency<TLink> GetFrequency(ref Doublet<TLink> doublet)
        {
            _doubletsCache.TryGetValue(doublet, out LinkFrequency<TLink> data);
            return data;
        }

        public void IncrementFrequencies(IList<TLink> sequence)
        {
            for (var i = 1; i < sequence.Count; i++)
            {
                IncrementFrequency(sequence[i - 1], sequence[i]);
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkFrequency<TLink> IncrementFrequency(TLink source, TLink target)
        {
            var doublet = new Doublet<TLink>(source, target);
            return IncrementFrequency(ref doublet);
        }

        public void PrintFrequencies(IList<TLink> sequence)
        {
            for (var i = 1; i < sequence.Count; i++)
            {
                PrintFrequency(sequence[i - 1], sequence[i]);
            }
        }

        public void PrintFrequency(TLink source, TLink target)
        {
            var number = GetFrequency(source, target).Frequency;
            Console.WriteLine("({0},{1}) - {2}", source, target, number);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkFrequency<TLink> IncrementFrequency(ref Doublet<TLink> doublet)
        {
            if (_doubletsCache.TryGetValue(doublet, out LinkFrequency<TLink> data))
            {
                data.IncrementFrequency();
            }
            else
            {
                var link = Links.SearchOrDefault(doublet.Source, doublet.Target);
                data = new LinkFrequency<TLink>(Integer<TLink>.One, link);
                if (!_equalityComparer.Equals(link, default))
```

```
                {
                    data.Frequency = Arithmetic.Add(data.Frequency,
                    ↪  _frequencyCounter.Count(link));
                }
                _doubletsCache.Add(doublet, data);
            }
            return data;
        }

        public void ValidateFrequencies()
        {
            foreach (var entry in _doubletsCache)
            {
                var value = entry.Value;
                var linkIndex = value.Link;
                if (!_equalityComparer.Equals(linkIndex, default))
                {
                    var frequency = value.Frequency;
                    var count = _frequencyCounter.Count(linkIndex);
                    // TODO: Why `frequency` always greater than `count` by 1?
                    if (((_comparer.Compare(frequency, count) > 0) &&
                    ↪  (_comparer.Compare(Arithmetic.Subtract(frequency, count),
                    ↪  Integer<TLink>.One) > 0))
                     || ((_comparer.Compare(count, frequency) > 0) &&
                     ↪  (_comparer.Compare(Arithmetic.Subtract(count, frequency),
                     ↪  Integer<TLink>.One) > 0)))
                    {
                        throw new InvalidOperationException("Frequencies validation failed.");
                    }
                }
                //else
                //{
                //    if (value.Frequency > 0)
                //    {
                //        var frequency = value.Frequency;
                //        linkIndex = _createLink(entry.Key.Source, entry.Key.Target);
                //        var count = _countLinkFrequency(linkIndex);

                //        if ((frequency > count && frequency - count > 1) || (count > frequency
                ↪  && count - frequency > 1))
                //            throw new Exception("Frequencies validation failed.");
                //    }
                //}
            }
        }
    }
}
```

1.66 ./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequency.cs

```
using System.Runtime.CompilerServices;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
{
    public class LinkFrequency<TLink>
    {
        public TLink Frequency { get; set; }
        public TLink Link { get; set; }

        public LinkFrequency(TLink frequency, TLink link)
        {
            Frequency = frequency;
            Link = link;
        }

        public LinkFrequency() { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void IncrementFrequency() => Frequency = Arithmetic<TLink>.Increment(Frequency);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void DecrementFrequency() => Frequency = Arithmetic<TLink>.Decrement(Frequency);

        public override string ToString() => $"F: {Frequency}, L: {Link}";
    }
}
```

1.67 ./Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkToItsFrequencyValueConverter.cs

```
using Platform.Converters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
{
    public class FrequenciesCacheBasedLinkToItsFrequencyNumberConverter<TLink> :
    ↪ IConverter<Doublet<TLink>, TLink>
    {
        private readonly LinkFrequenciesCache<TLink> _cache;
        public
        ↪ FrequenciesCacheBasedLinkToItsFrequencyNumberConverter(LinkFrequenciesCache<TLink>
        ↪ cache) => _cache = cache;
        public TLink Convert(Doublet<TLink> source) => _cache.GetFrequency(ref source).Frequency;
    }
}
```

1.68 ./Platform.Data.Doublets/Sequences/Frequencies/Counters/MarkedSequenceSymbolFrequencyOneOffCounte

```
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
{
    public class MarkedSequenceSymbolFrequencyOneOffCounter<TLink> :
    ↪ SequenceSymbolFrequencyOneOffCounter<TLink>
    {
        private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;

        public MarkedSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links,
        ↪ ICriterionMatcher<TLink> markedSequenceMatcher, TLink sequenceLink, TLink symbol)
            : base(links, sequenceLink, symbol)
            => _markedSequenceMatcher = markedSequenceMatcher;

        public override TLink Count()
        {
            if (!_markedSequenceMatcher.IsMatched(_sequenceLink))
            {
                return default;
            }
            return base.Count();
        }
    }
}
```

1.69 ./Platform.Data.Doublets/Sequences/Frequencies/Counters/SequenceSymbolFrequencyOneOffCounter.cs

```
using System.Collections.Generic;
using Platform.Interfaces;
using Platform.Numbers;
using Platform.Data.Sequences;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
{
    public class SequenceSymbolFrequencyOneOffCounter<TLink> : ICounter<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;
        private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;

        protected readonly ILinks<TLink> _links;
        protected readonly TLink _sequenceLink;
        protected readonly TLink _symbol;
        protected TLink _total;

        public SequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links, TLink sequenceLink,
        ↪ TLink symbol)
        {
            _links = links;
            _sequenceLink = sequenceLink;
            _symbol = symbol;
            _total = default;
        }

        public virtual TLink Count()
        {
            if (_comparer.Compare(_total, default) > 0)
            {
```

```
                return _total;
            }
            StopableSequenceWalker.WalkRight(_sequenceLink, _links.GetSource, _links.GetTarget,
            ↪  IsElement, VisitElement);
            return _total;
        }

        private bool IsElement(TLink x) => _equalityComparer.Equals(x, _symbol) ||
        ↪  _links.IsPartialPoint(x); // TODO: Use SequenceElementCreteriaMatcher instead of
        ↪  IsPartialPoint

        private bool VisitElement(TLink element)
        {
            if (_equalityComparer.Equals(element, _symbol))
            {
                _total = Arithmetic.Increment(_total);
            }
            return true;
        }
    }
}
```

1.70 ./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequencyCounter.

```
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
{
    public class TotalMarkedSequenceSymbolFrequencyCounter<TLink> : ICounter<TLink, TLink>
    {
        private readonly ILinks<TLink> _links;
        private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;

        public TotalMarkedSequenceSymbolFrequencyCounter(ILinks<TLink> links,
        ↪  ICriterionMatcher<TLink> markedSequenceMatcher)
        {
            _links = links;
            _markedSequenceMatcher = markedSequenceMatcher;
        }

        public TLink Count(TLink argument) => new
        ↪  TotalMarkedSequenceSymbolFrequencyOneOffCounter<TLink>(_links,
        ↪  _markedSequenceMatcher, argument).Count();
    }
}
```

1.71 ./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequencyOneOffC

```
using Platform.Interfaces;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
{
    public class TotalMarkedSequenceSymbolFrequencyOneOffCounter<TLink> :
    ↪  TotalSequenceSymbolFrequencyOneOffCounter<TLink>
    {
        private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;

        public TotalMarkedSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links,
        ↪  ICriterionMatcher<TLink> markedSequenceMatcher, TLink symbol)
            : base(links, symbol)
            => _markedSequenceMatcher = markedSequenceMatcher;

        protected override void CountSequenceSymbolFrequency(TLink link)
        {
            var symbolFrequencyCounter = new
            ↪  MarkedSequenceSymbolFrequencyOneOffCounter<TLink>(_links,
            ↪  _markedSequenceMatcher, link, _symbol);
            _total = Arithmetic.Add(_total, symbolFrequencyCounter.Count());
        }
    }
}
```

1.72 ./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyCounter.cs

```
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
```

```

namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
{
    public class TotalSequenceSymbolFrequencyCounter<TLink> : ICounter<TLink, TLink>
    {
        private readonly ILinks<TLink> _links;
        public TotalSequenceSymbolFrequencyCounter(ILinks<TLink> links) => _links = links;
        public TLink Count(TLink symbol) => new
        ↪  TotalSequenceSymbolFrequencyOneOffCounter<TLink>(_links, symbol).Count();
    }
}
```

1.73 ./Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyOneOffCounter.

```
using System.Collections.Generic;
using Platform.Interfaces;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
{
    public class TotalSequenceSymbolFrequencyOneOffCounter<TLink> : ICounter<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;
        private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;

        protected readonly ILinks<TLink> _links;
        protected readonly TLink _symbol;
        protected readonly HashSet<TLink> _visits;
        protected TLink _total;

        public TotalSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links, TLink symbol)
        {
            _links = links;
            _symbol = symbol;
            _visits = new HashSet<TLink>();
            _total = default;
        }

        public TLink Count()
        {
            if (_comparer.Compare(_total, default) > 0 || _visits.Count > 0)
            {
                return _total;
            }
            CountCore(_symbol);
            return _total;
        }

        private void CountCore(TLink link)
        {
            var any = _links.Constants.Any;
            if (_equalityComparer.Equals(_links.Count(any, link), default))
            {
                CountSequenceSymbolFrequency(link);
            }
            else
            {
                _links.Each(EachElementHandler, any, link);
            }
        }

        protected virtual void CountSequenceSymbolFrequency(TLink link)
        {
            var symbolFrequencyCounter = new SequenceSymbolFrequencyOneOffCounter<TLink>(_links,
            ↪  link, _symbol);
            _total = Arithmetic.Add(_total, symbolFrequencyCounter.Count());
        }

        private TLink EachElementHandler(IList<TLink> doublet)
        {
            var constants = _links.Constants;
            var doubletIndex = doublet[constants.IndexPart];
            if (_visits.Add(doubletIndex))
            {
                CountCore(doubletIndex);
            }
            return constants.Continue;
        }
```

```
    }
}
```

1.74 ./Platform.Data.Doublets/Sequences/HeightProviders/CachedSequenceHeightProvider.cs

```
using System.Collections.Generic;
using Platform.Interfaces;
using Platform.Converters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.HeightProviders
{
    public class CachedSequenceHeightProvider<TLink> : LinksOperatorBase<TLink>,
    ↪ ISequenceHeightProvider<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;

        private readonly TLink _heightPropertyMarker;
        private readonly ISequenceHeightProvider<TLink> _baseHeightProvider;
        private readonly IConverter<TLink> _addressToUnaryNumberConverter;
        private readonly IConverter<TLink> _unaryNumberToAddressConverter;
        private readonly IProperties<TLink, TLink, TLink> _propertyOperator;

        public CachedSequenceHeightProvider(
            ILinks<TLink> links,
            ISequenceHeightProvider<TLink> baseHeightProvider,
            IConverter<TLink> addressToUnaryNumberConverter,
            IConverter<TLink> unaryNumberToAddressConverter,
            TLink heightPropertyMarker,
            IProperties<TLink, TLink, TLink> propertyOperator)
            : base(links)
        {
            _heightPropertyMarker = heightPropertyMarker;
            _baseHeightProvider = baseHeightProvider;
            _addressToUnaryNumberConverter = addressToUnaryNumberConverter;
            _unaryNumberToAddressConverter = unaryNumberToAddressConverter;
            _propertyOperator = propertyOperator;
        }

        public TLink Get(TLink sequence)
        {
            TLink height;
            var heightValue = _propertyOperator.GetValue(sequence, _heightPropertyMarker);
            if (_equalityComparer.Equals(heightValue, default))
            {
                height = _baseHeightProvider.Get(sequence);
                heightValue = _addressToUnaryNumberConverter.Convert(height);
                _propertyOperator.SetValue(sequence, _heightPropertyMarker, heightValue);
            }
            else
            {
                height = _unaryNumberToAddressConverter.Convert(heightValue);
            }
            return height;
        }
    }
}
```

1.75 ./Platform.Data.Doublets/Sequences/HeightProviders/DefaultSequenceRightHeightProvider.cs

```
using Platform.Interfaces;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.HeightProviders
{
    public class DefaultSequenceRightHeightProvider<TLink> : LinksOperatorBase<TLink>,
    ↪ ISequenceHeightProvider<TLink>
    {
        private readonly ICriterionMatcher<TLink> _elementMatcher;

        public DefaultSequenceRightHeightProvider(ILinks<TLink> links, ICriterionMatcher<TLink>
        ↪ elementMatcher) : base(links) => _elementMatcher = elementMatcher;

        public TLink Get(TLink sequence)
        {
            var height = default(TLink);
            var pairOrElement = sequence;
            while (!_elementMatcher.IsMatched(pairOrElement))
            {
```

```
                pairOrElement = Links.GetTarget(pairOrElement);
                height = Arithmetic.Increment(height);
            }
            return height;
        }
    }
}
```

1.76 ./Platform.Data.Doublets/Sequences/HeightProviders/ISequenceHeightProvider.cs

```
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.HeightProviders
{
    public interface ISequenceHeightProvider<TLink> : IProvider<TLink, TLink>
    {
    }
}
```

1.77 ./Platform.Data.Doublets/Sequences/IListExtensions.cs

```
using Platform.Collections;
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    public static class IListExtensions
    {
        public static TLink[] ExtractValues<TLink>(this IList<TLink> restrictions)
        {
            if(restrictions.IsNullOrEmpty() || restrictions.Count == 1)
            {
                return new TLink[0];
            }
            var values = new TLink[restrictions.Count - 1];
            for (int i = 1, j = 0; i < restrictions.Count; i++, j++)
            {
                values[j] = restrictions[i];
            }
            return values;
        }

        public static IList<TLink> ConvertToRestrictionsValues<TLink>(this IList<TLink> list)
        {
            var restrictions = new TLink[list.Count + 1];
            for (int i = 0, j = 1; i < list.Count; i++, j++)
            {
                restrictions[j] = list[i];
            }
            return restrictions;
        }
    }
}
```

1.78 ./Platform.Data.Doublets/Sequences/Indexes/CachedFrequencyIncrementingSequenceIndex.cs

```
using System.Collections.Generic;
using Platform.Data.Doublets.Sequences.Frequencies.Cache;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Indexes
{
    public class CachedFrequencyIncrementingSequenceIndex<TLink> : ISequenceIndex<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private readonly LinkFrequenciesCache<TLink> _cache;

        public CachedFrequencyIncrementingSequenceIndex(LinkFrequenciesCache<TLink> cache) =>
        ↪  _cache = cache;

        public bool Add(IList<TLink> sequence)
        {
            var indexed = true;
            var i = sequence.Count;
            while (--i >= 1 && (indexed = IsIndexedWithIncrement(sequence[i - 1], sequence[i])))
            ↪  { }
```

```
            for (; i >= 1; i--)
            {
                _cache.IncrementFrequency(sequence[i - 1], sequence[i]);
            }
            return indexed;
        }

        private bool IsIndexedWithIncrement(TLink source, TLink target)
        {
            var frequency = _cache.GetFrequency(source, target);
            if (frequency == null)
            {
                return false;
            }
            var indexed = !_equalityComparer.Equals(frequency.Frequency, default);
            if (indexed)
            {
                _cache.IncrementFrequency(source, target);
            }
            return indexed;
        }

        public bool MightContain(IList<TLink> sequence)
        {
            var indexed = true;
            var i = sequence.Count;
            while (--i >= 1 && (indexed = IsIndexed(sequence[i - 1], sequence[i]))) { }
            return indexed;
        }

        private bool IsIndexed(TLink source, TLink target)
        {
            var frequency = _cache.GetFrequency(source, target);
            if (frequency == null)
            {
                return false;
            }
            return !_equalityComparer.Equals(frequency.Frequency, default);
        }
    }
}
```

1.79 ./Platform.Data.Doublets/Sequences/Indexes/FrequencyIncrementingSequenceIndex.cs

```
using System.Collections.Generic;
using Platform.Interfaces;
using Platform.Incrementers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Indexes
{
    public class FrequencyIncrementingSequenceIndex<TLink> : SequenceIndex<TLink>,
    ↪ ISequenceIndex<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;

        private readonly IProperty<TLink, TLink> _frequencyPropertyOperator;
        private readonly IIncrementer<TLink> _frequencyIncrementer;

        public FrequencyIncrementingSequenceIndex(ILinks<TLink> links, IProperty<TLink, TLink>
        ↪ frequencyPropertyOperator, IIncrementer<TLink> frequencyIncrementer)
            : base(links)
        {
            _frequencyPropertyOperator = frequencyPropertyOperator;
            _frequencyIncrementer = frequencyIncrementer;
        }

        public override bool Add(IList<TLink> sequence)
        {
            var indexed = true;
            var i = sequence.Count;
            while (--i >= 1 && (indexed = IsIndexedWithIncrement(sequence[i - 1], sequence[i])))
            ↪ { }
            for (; i >= 1; i--)
            {
                Increment(Links.GetOrCreate(sequence[i - 1], sequence[i]));
            }
            return indexed;
        }
```

```

        private bool IsIndexedWithIncrement(TLink source, TLink target)
        {
            var link = Links.SearchOrDefault(source, target);
            var indexed = !_equalityComparer.Equals(link, default);
            if (indexed)
            {
                Increment(link);
            }
            return indexed;
        }

        private void Increment(TLink link)
        {
            var previousFrequency = _frequencyPropertyOperator.Get(link);
            var frequency = _frequencyIncrementer.Increment(previousFrequency);
            _frequencyPropertyOperator.Set(link, frequency);
        }
    }
}
```

1.80 ./Platform.Data.Doublets/Sequences/Indexes/ISequenceIndex.cs

```
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Indexes
{
    public interface ISequenceIndex<TLink>
    {
        /// <summary>
        /// Индексирует последовательность глобально, и возвращает значение,
        /// определяющие была ли запрошенная последовательность проиндексирована ранее.
        /// </summary>
        /// <param name="sequence">Последовательность для индексации.</param>
        bool Add(IList<TLink> sequence);

        bool MightContain(IList<TLink> sequence);
    }
}
```

1.81 ./Platform.Data.Doublets/Sequences/Indexes/SequenceIndex.cs

```
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Indexes
{
    public class SequenceIndex<TLink> : LinksOperatorBase<TLink>, ISequenceIndex<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        public SequenceIndex(ILinks<TLink> links) : base(links) { }

        public virtual bool Add(IList<TLink> sequence)
        {
            var indexed = true;
            var i = sequence.Count;
            while (--i >= 1 && (indexed =
            ↪  !_equalityComparer.Equals(Links.SearchOrDefault(sequence[i - 1], sequence[i]),
            ↪  default))) { }
            for (; i >= 1; i--)
            {
                Links.GetOrCreate(sequence[i - 1], sequence[i]);
            }
            return indexed;
        }

        public virtual bool MightContain(IList<TLink> sequence)
        {
            var indexed = true;
            var i = sequence.Count;
            while (--i >= 1 && (indexed =
            ↪  !_equalityComparer.Equals(Links.SearchOrDefault(sequence[i - 1], sequence[i]),
            ↪  default))) { }
            return indexed;
        }
    }
}
```

1.82 ./Platform.Data.Doublets/Sequences/Indexes/SynchronizedSequenceIndex.cs

```
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Indexes
{
    public class SynchronizedSequenceIndex<TLink> : ISequenceIndex<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private readonly ISynchronizedLinks<TLink> _links;

        public SynchronizedSequenceIndex(ISynchronizedLinks<TLink> links) => _links = links;

        public bool Add(IList<TLink> sequence)
        {
            var indexed = true;
            var i = sequence.Count;
            var links = _links.Unsync;
            _links.SyncRoot.ExecuteReadOperation(() =>
            {
                while (--i >= 1 && (indexed =
                ↪  !_equalityComparer.Equals(links.SearchOrDefault(sequence[i - 1],
                ↪  sequence[i]), default))) { }
            });
            if (!indexed)
            {
                _links.SyncRoot.ExecuteWriteOperation(() =>
                {
                    for (; i >= 1; i--)
                    {
                        links.GetOrCreate(sequence[i - 1], sequence[i]);
                    }
                });
            }
            return indexed;
        }

        public bool MightContain(IList<TLink> sequence)
        {
            var links = _links.Unsync;
            return _links.SyncRoot.ExecuteReadOperation(() =>
            {
                var indexed = true;
                var i = sequence.Count;
                while (--i >= 1 && (indexed =
                ↪  !_equalityComparer.Equals(links.SearchOrDefault(sequence[i - 1],
                ↪  sequence[i]), default))) { }
                return indexed;
            });
        }
    }
}
```

1.83 ./Platform.Data.Doublets/Sequences/Indexes/Unindex.cs

```
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Indexes
{
    public class Unindex<TLink> : ISequenceIndex<TLink>
    {
        public virtual bool Add(IList<TLink> sequence) => false;

        public virtual bool MightContain(IList<TLink> sequence) => true;
    }
}
```

1.84 ./Platform.Data.Doublets/Sequences/ListFiller.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    public class ListFiller<TElement, TReturnConstant>
```

```
    {
        protected readonly List<TElement> _list;
        protected readonly TReturnConstant _returnConstant;

        public ListFiller(List<TElement> list, TReturnConstant returnConstant)
        {
            _list = list;
            _returnConstant = returnConstant;
        }

        public ListFiller(List<TElement> list) : this(list, default) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void Add(TElement element) => _list.Add(element);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool AddAndReturnTrue(TElement element)
        {
            _list.Add(element);
            return true;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool AddFirstAndReturnTrue(IList<TElement> collection)
        {
            _list.Add(collection[0]);
            return true;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TReturnConstant AddAndReturnConstant(TElement element)
        {
            _list.Add(element);
            return _returnConstant;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TReturnConstant AddFirstAndReturnConstant(IList<TElement> collection)
        {
            _list.Add(collection[0]);
            return _returnConstant;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TReturnConstant AddAllValuesAndReturnConstant(IList<TElement> collection)
        {
            for (int i = 1; i < collection.Count; i++)
            {
                _list.Add(collection[i]);
            }
            return _returnConstant;
        }
    }
}
```

1.85 ./Platform.Data.Doublets/Sequences/Sequences.Experiments.cs

```
using System;
using LinkIndex = System.UInt64;
using System.Collections.Generic;
using Stack = System.Collections.Generic.Stack<ulong>;
using System.Linq;
using System.Text;
using Platform.Collections;
using Platform.Collections.Sets;
using Platform.Collections.Stacks;
using Platform.Data.Exceptions;
using Platform.Data.Sequences;
using Platform.Data.Doublets.Sequences.Frequencies.Counters;
using Platform.Data.Doublets.Sequences.Walkers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    partial class Sequences
    {
        #region Create All Variants (Not Practical)

        /// <remarks>
        /// Number of links that is needed to generate all variants for
        /// sequence of length N corresponds to https://oeis.org/A014143/list sequence.
```

```
26          /// </remarks>
27          public ulong[] CreateAllVariants2(ulong[] sequence)
28          {
29              return _sync.ExecuteWriteOperation(() =>
30              {
31                  if (sequence.IsNullOrEmpty())
32                  {
33                      return new ulong[0];
34                  }
35                  Links.EnsureLinkExists(sequence);
36                  if (sequence.Length == 1)
37                  {
38                      return sequence;
39                  }
40                  return CreateAllVariants2Core(sequence, 0, sequence.Length - 1);
41              });
42          }
43
44          private ulong[] CreateAllVariants2Core(ulong[] sequence, long startAt, long stopAt)
45          {
46  #if DEBUG
47              if ((stopAt - startAt) < 0)
48              {
49                  throw new ArgumentOutOfRangeException(nameof(startAt), "startAt должен быть
                    ↪  меньше или равен stopAt");
50              }
51  #endif
52              if ((stopAt - startAt) == 0)
53              {
54                  return new[] { sequence[startAt] };
55              }
56              if ((stopAt - startAt) == 1)
57              {
58                  return new[] { Links.Unsync.CreateAndUpdate(sequence[startAt], sequence[stopAt])
                    ↪  };
59              }
60              var variants = new ulong[(ulong)Platform.Numbers.Math.Catalan(stopAt - startAt)];
61              var last = 0;
62              for (var splitter = startAt; splitter < stopAt; splitter++)
63              {
64                  var left = CreateAllVariants2Core(sequence, startAt, splitter);
65                  var right = CreateAllVariants2Core(sequence, splitter + 1, stopAt);
66                  for (var i = 0; i < left.Length; i++)
67                  {
68                      for (var j = 0; j < right.Length; j++)
69                      {
70                          var variant = Links.Unsync.CreateAndUpdate(left[i], right[j]);
71                          if (variant == Constants.Null)
72                          {
73                              throw new NotImplementedException("Creation cancellation is not
                                ↪  implemented.");
74                          }
75                          variants[last++] = variant;
76                      }
77                  }
78              }
79              return variants;
80          }
81
82          public List<ulong> CreateAllVariants1(params ulong[] sequence)
83          {
84              return _sync.ExecuteWriteOperation(() =>
85              {
86                  if (sequence.IsNullOrEmpty())
87                  {
88                      return new List<ulong>();
89                  }
90                  Links.Unsync.EnsureLinkExists(sequence);
91                  if (sequence.Length == 1)
92                  {
93                      return new List<ulong> { sequence[0] };
94                  }
95                  var results = new
                    ↪  List<ulong>((int)Platform.Numbers.Math.Catalan(sequence.Length));
96                  return CreateAllVariants1Core(sequence, results);
97              });
98          }
99
```

```
100         private List<ulong> CreateAllVariants1Core(ulong[] sequence, List<ulong> results)
101         {
102             if (sequence.Length == 2)
103             {
104                 var link = Links.Unsync.CreateAndUpdate(sequence[0], sequence[1]);
105                 if (link == Constants.Null)
106                 {
107                     throw new NotImplementedException("Creation cancellation is not
                        ↪ implemented.");
108                 }
109                 results.Add(link);
110                 return results;
111             }
112             var innerSequenceLength = sequence.Length - 1;
113             var innerSequence = new ulong[innerSequenceLength];
114             for (var li = 0; li < innerSequenceLength; li++)
115             {
116                 var link = Links.Unsync.CreateAndUpdate(sequence[li], sequence[li + 1]);
117                 if (link == Constants.Null)
118                 {
119                     throw new NotImplementedException("Creation cancellation is not
                        ↪ implemented.");
120                 }
121                 for (var isi = 0; isi < li; isi++)
122                 {
123                     innerSequence[isi] = sequence[isi];
124                 }
125                 innerSequence[li] = link;
126                 for (var isi = li + 1; isi < innerSequenceLength; isi++)
127                 {
128                     innerSequence[isi] = sequence[isi + 1];
129                 }
130                 CreateAllVariants1Core(innerSequence, results);
131             }
132             return results;
133         }
134 
135         #endregion
136 
137         public HashSet<ulong> Each1(params ulong[] sequence)
138         {
139             var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
140             Each1(link =>
141             {
142                 if (!visitedLinks.Contains(link))
143                 {
144                     visitedLinks.Add(link); // изучить почему случаются повторы
145                 }
146                 return true;
147             }, sequence);
148             return visitedLinks;
149         }
150 
151         private void Each1(Func<ulong, bool> handler, params ulong[] sequence)
152         {
153             if (sequence.Length == 2)
154             {
155                 Links.Unsync.Each(sequence[0], sequence[1], handler);
156             }
157             else
158             {
159                 var innerSequenceLength = sequence.Length - 1;
160                 for (var li = 0; li < innerSequenceLength; li++)
161                 {
162                     var left = sequence[li];
163                     var right = sequence[li + 1];
164                     if (left == 0 && right == 0)
165                     {
166                         continue;
167                     }
168                     var linkIndex = li;
169                     ulong[] innerSequence = null;
170                     Links.Unsync.Each(doublet =>
171                     {
172                         if (innerSequence == null)
173                         {
174                             innerSequence = new ulong[innerSequenceLength];
175                             for (var isi = 0; isi < linkIndex; isi++)
```

```
                        {
                            innerSequence[isi] = sequence[isi];
                        }
                        for (var isi = linkIndex + 1; isi < innerSequenceLength; isi++)
                        {
                            innerSequence[isi] = sequence[isi + 1];
                        }
                    }
                    innerSequence[linkIndex] = doublet[Constants.IndexPart];
                    Each1(handler, innerSequence);
                    return Constants.Continue;
                }, Constants.Any, left, right);
            }
        }
    }

    public HashSet<ulong> EachPart(params ulong[] sequence)
    {
        var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
        EachPartCore(link =>
        {
            var linkIndex = link[Constants.IndexPart];
            if (!visitedLinks.Contains(linkIndex))
            {
                visitedLinks.Add(linkIndex); // изучить почему случаются повторы
            }
            return Constants.Continue;
        }, sequence);
        return visitedLinks;
    }

    public void EachPart(Func<IList<LinkIndex>, LinkIndex> handler, params ulong[] sequence)
    {
        var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
        EachPartCore(link =>
        {
            var linkIndex = link[Constants.IndexPart];
            if (!visitedLinks.Contains(linkIndex))
            {
                visitedLinks.Add(linkIndex); // изучить почему случаются повторы
                return handler(new LinkAddress<LinkIndex>(linkIndex));
            }
            return Constants.Continue;
        }, sequence);
    }

    private void EachPartCore(Func<IList<LinkIndex>, LinkIndex> handler, params ulong[]
    ↪ sequence)
    {
        if (sequence.IsNullOrEmpty())
        {
            return;
        }
        Links.EnsureLinkIsAnyOrExists(sequence);
        if (sequence.Length == 1)
        {
            var link = sequence[0];
            if (link > 0)
            {
                handler(new LinkAddress<LinkIndex>(link));
            }
            else
            {
                Links.Each(Constants.Any, Constants.Any, handler);
            }
        }
        else if (sequence.Length == 2)
        {
            //_links.Each(sequence[0], sequence[1], handler);
            //  o_|      x_o ...
            // x_|        |___|
            Links.Each(sequence[1], Constants.Any, doublet =>
            {
                var match = Links.SearchOrDefault(sequence[0], doublet);
                if (match != Constants.Null)
                {
                    handler(new LinkAddress<LinkIndex>(match));
                }
```

```
                    return true;
                });
                // |_x      ... x_o
                //  |_o      |___|
                Links.Each(Constants.Any, sequence[0], doublet =>
                {
                    var match = Links.SearchOrDefault(doublet, sequence[1]);
                    if (match != 0)
                    {
                        handler(new LinkAddress<LinkIndex>(match));
                    }
                    return true;
                });
                //          ._x o_.
                //           |___|
                PartialStepRight(x => handler(x), sequence[0], sequence[1]);
            }
            else
            {
                throw new NotImplementedException();
            }
        }

        private void PartialStepRight(Action<IList<LinkIndex>> handler, ulong left, ulong right)
        {
            Links.Unsync.Each(Constants.Any, left, doublet =>
            {
                StepRight(handler, doublet, right);
                if (left != doublet)
                {
                    PartialStepRight(handler, doublet, right);
                }
                return true;
            });
        }

        private void StepRight(Action<IList<LinkIndex>> handler, ulong left, ulong right)
        {
            Links.Unsync.Each(left, Constants.Any, rightStep =>
            {
                TryStepRightUp(handler, right, rightStep);
                return true;
            });
        }

        private void TryStepRightUp(Action<IList<LinkIndex>> handler, ulong right, ulong
        ↪  stepFrom)
        {
            var upStep = stepFrom;
            var firstSource = Links.Unsync.GetTarget(upStep);
            while (firstSource != right && firstSource != upStep)
            {
                upStep = firstSource;
                firstSource = Links.Unsync.GetSource(upStep);
            }
            if (firstSource == right)
            {
                handler(new LinkAddress<LinkIndex>(stepFrom));
            }
        }

        // TODO: Test
        private void PartialStepLeft(Action<IList<LinkIndex>> handler, ulong left, ulong right)
        {
            Links.Unsync.Each(right, Constants.Any, doublet =>
            {
                StepLeft(handler, left, doublet);
                if (right != doublet)
                {
                    PartialStepLeft(handler, left, doublet);
                }
                return true;
            });
        }

        private void StepLeft(Action<IList<LinkIndex>> handler, ulong left, ulong right)
        {
            Links.Unsync.Each(Constants.Any, right, leftStep =>
            {
```

```
331                 TryStepLeftUp(handler, left, leftStep);
332                 return true;
333             });
334         }
335 
336         private void TryStepLeftUp(Action<IList<LinkIndex>> handler, ulong left, ulong stepFrom)
337         {
338             var upStep = stepFrom;
339             var firstTarget = Links.Unsync.GetSource(upStep);
340             while (firstTarget != left && firstTarget != upStep)
341             {
342                 upStep = firstTarget;
343                 firstTarget = Links.Unsync.GetTarget(upStep);
344             }
345             if (firstTarget == left)
346             {
347                 handler(new LinkAddress<LinkIndex>(stepFrom));
348             }
349         }
350 
351         private bool StartsWith(ulong sequence, ulong link)
352         {
353             var upStep = sequence;
354             var firstSource = Links.Unsync.GetSource(upStep);
355             while (firstSource != link && firstSource != upStep)
356             {
357                 upStep = firstSource;
358                 firstSource = Links.Unsync.GetSource(upStep);
359             }
360             return firstSource == link;
361         }
362 
363         private bool EndsWith(ulong sequence, ulong link)
364         {
365             var upStep = sequence;
366             var lastTarget = Links.Unsync.GetTarget(upStep);
367             while (lastTarget != link && lastTarget != upStep)
368             {
369                 upStep = lastTarget;
370                 lastTarget = Links.Unsync.GetTarget(upStep);
371             }
372             return lastTarget == link;
373         }
374 
375         public List<ulong> GetAllMatchingSequences0(params ulong[] sequence)
376         {
377             return _sync.ExecuteReadOperation(() =>
378             {
379                 var results = new List<ulong>();
380                 if (sequence.Length > 0)
381                 {
382                     Links.EnsureLinkExists(sequence);
383                     var firstElement = sequence[0];
384                     if (sequence.Length == 1)
385                     {
386                         results.Add(firstElement);
387                         return results;
388                     }
389                     if (sequence.Length == 2)
390                     {
391                         var doublet = Links.SearchOrDefault(firstElement, sequence[1]);
392                         if (doublet != Constants.Null)
393                         {
394                             results.Add(doublet);
395                         }
396                         return results;
397                     }
398                     var linksInSequence = new HashSet<ulong>(sequence);
399                     void handler(IList<LinkIndex> result)
400                     {
401                         var resultIndex = result[Links.Constants.IndexPart];
402                         var filterPosition = 0;
403                         StopableSequenceWalker.WalkRight(resultIndex, Links.Unsync.GetSource,
                            ↪ Links.Unsync.GetTarget,
404                             x => linksInSequence.Contains(x) || Links.Unsync.GetTarget(x) == x,
                                ↪ x =>
405                             {
406                                 if (filterPosition == sequence.Length)
407                                 {
```

```
                                    filterPosition = -2; // Длиннее чем нужно
                                    return false;
                                }
                                if (x != sequence[filterPosition])
                                {
                                    filterPosition = -1;
                                    return false; // Начинается иначе
                                }
                                filterPosition++;

                                return true;
                            });
                        if (filterPosition == sequence.Length)
                        {
                            results.Add(resultIndex);
                        }
                    }
                    if (sequence.Length >= 2)
                    {
                        StepRight(handler, sequence[0], sequence[1]);
                    }
                    var last = sequence.Length - 2;
                    for (var i = 1; i < last; i++)
                    {
                        PartialStepRight(handler, sequence[i], sequence[i + 1]);
                    }
                    if (sequence.Length >= 3)
                    {
                        StepLeft(handler, sequence[sequence.Length - 2],
                        ↪  sequence[sequence.Length - 1]);
                    }
                }
                return results;
            });
        }

        public HashSet<ulong> GetAllMatchingSequences1(params ulong[] sequence)
        {
            return _sync.ExecuteReadOperation(() =>
            {
                var results = new HashSet<ulong>();
                if (sequence.Length > 0)
                {
                    Links.EnsureLinkExists(sequence);
                    var firstElement = sequence[0];
                    if (sequence.Length == 1)
                    {
                        results.Add(firstElement);
                        return results;
                    }
                    if (sequence.Length == 2)
                    {
                        var doublet = Links.SearchOrDefault(firstElement, sequence[1]);
                        if (doublet != Constants.Null)
                        {
                            results.Add(doublet);
                        }
                        return results;
                    }
                    var matcher = new Matcher(this, sequence, results, null);
                    if (sequence.Length >= 2)
                    {
                        StepRight(matcher.AddFullMatchedToResults, sequence[0], sequence[1]);
                    }
                    var last = sequence.Length - 2;
                    for (var i = 1; i < last; i++)
                    {
                        PartialStepRight(matcher.AddFullMatchedToResults, sequence[i],
                        ↪  sequence[i + 1]);
                    }
                    if (sequence.Length >= 3)
                    {
                        StepLeft(matcher.AddFullMatchedToResults, sequence[sequence.Length - 2],
                        ↪  sequence[sequence.Length - 1]);
                    }
                }
                return results;
            });
```

```
483         }
484
485         public const int MaxSequenceFormatSize = 200;
486
487         public string FormatSequence(LinkIndex sequenceLink, params LinkIndex[] knownElements)
            ↪  => FormatSequence(sequenceLink, (sb, x) => sb.Append(x), true, knownElements);
488
489         public string FormatSequence(LinkIndex sequenceLink, Action<StringBuilder, LinkIndex>
            ↪  elementToString, bool insertComma, params LinkIndex[] knownElements) =>
            ↪  Links.SyncRoot.ExecuteReadOperation(() => FormatSequence(Links.Unsync, sequenceLink,
            ↪  elementToString, insertComma, knownElements));
490
491         private string FormatSequence(ILinks<LinkIndex> links, LinkIndex sequenceLink,
            ↪  Action<StringBuilder, LinkIndex> elementToString, bool insertComma, params
            ↪  LinkIndex[] knownElements)
492         {
493             var linksInSequence = new HashSet<ulong>(knownElements);
494             //var entered = new HashSet<ulong>();
495             var sb = new StringBuilder();
496             sb.Append('{');
497             if (links.Exists(sequenceLink))
498             {
499                 StopableSequenceWalker.WalkRight(sequenceLink, links.GetSource, links.GetTarget,
500                     x => linksInSequence.Contains(x) || links.IsPartialPoint(x), element => //
                        ↪  entered.AddAndReturnVoid, x => { }, entered.DoNotContains
501                     {
502                         if (insertComma && sb.Length > 1)
503                         {
504                             sb.Append(',');
505                         }
506                         //if (entered.Contains(element))
507                         //{
508                         //    sb.Append('{');
509                         //    elementToString(sb, element);
510                         //    sb.Append('}');
511                         //}
512                         //else
513                         elementToString(sb, element);
514                         if (sb.Length < MaxSequenceFormatSize)
515                         {
516                             return true;
517                         }
518                         sb.Append(insertComma ? ", ..." : "...");
519                         return false;
520                     });
521             }
522             sb.Append('}');
523             return sb.ToString();
524         }
525
526         public string SafeFormatSequence(LinkIndex sequenceLink, params LinkIndex[]
            ↪  knownElements) => SafeFormatSequence(sequenceLink, (sb, x) => sb.Append(x), true,
            ↪  knownElements);
527
528         public string SafeFormatSequence(LinkIndex sequenceLink, Action<StringBuilder,
            ↪  LinkIndex> elementToString, bool insertComma, params LinkIndex[] knownElements) =>
            ↪  Links.SyncRoot.ExecuteReadOperation(() => SafeFormatSequence(Links.Unsync,
            ↪  sequenceLink, elementToString, insertComma, knownElements));
529
530         private string SafeFormatSequence(ILinks<LinkIndex> links, LinkIndex sequenceLink,
            ↪  Action<StringBuilder, LinkIndex> elementToString, bool insertComma, params
            ↪  LinkIndex[] knownElements)
531         {
532             var linksInSequence = new HashSet<ulong>(knownElements);
533             var entered = new HashSet<ulong>();
534             var sb = new StringBuilder();
535             sb.Append('{');
536             if (links.Exists(sequenceLink))
537             {
538                 StopableSequenceWalker.WalkRight(sequenceLink, links.GetSource, links.GetTarget,
539                     x => linksInSequence.Contains(x) || links.IsFullPoint(x),
                        ↪  entered.AddAndReturnVoid, x => { }, entered.DoNotContains, element =>
540                     {
541                         if (insertComma && sb.Length > 1)
542                         {
543                             sb.Append(',');
544                         }
```

```
                    if (entered.Contains(element))
                    {
                        sb.Append('{');
                        elementToString(sb, element);
                        sb.Append('}');
                    }
                    else
                    {
                        elementToString(sb, element);
                    }
                    if (sb.Length < MaxSequenceFormatSize)
                    {
                        return true;
                    }
                    sb.Append(insertComma ? ", ..." : "...");
                    return false;
                });
        }
        sb.Append('}');
        return sb.ToString();
    }

    public List<ulong> GetAllPartiallyMatchingSequences0(params ulong[] sequence)
    {
        return _sync.ExecuteReadOperation(() =>
        {
            if (sequence.Length > 0)
            {
                Links.EnsureLinkExists(sequence);
                var results = new HashSet<ulong>();
                for (var i = 0; i < sequence.Length; i++)
                {
                    AllUsagesCore(sequence[i], results);
                }
                var filteredResults = new List<ulong>();
                var linksInSequence = new HashSet<ulong>(sequence);
                foreach (var result in results)
                {
                    var filterPosition = -1;
                    StopableSequenceWalker.WalkRight(result, Links.Unsync.GetSource,
                    ↪  Links.Unsync.GetTarget,
                        x => linksInSequence.Contains(x) || Links.Unsync.GetTarget(x) == x,
                        ↪  x =>
                        {
                            if (filterPosition == (sequence.Length - 1))
                            {
                                return false;
                            }
                            if (filterPosition >= 0)
                            {
                                if (x == sequence[filterPosition + 1])
                                {
                                    filterPosition++;
                                }
                                else
                                {
                                    return false;
                                }
                            }
                            if (filterPosition < 0)
                            {
                                if (x == sequence[0])
                                {
                                    filterPosition = 0;
                                }
                            }
                            return true;
                        });
                    if (filterPosition == (sequence.Length - 1))
                    {
                        filteredResults.Add(result);
                    }
                }
                return filteredResults;
            }
            return new List<ulong>();
        });
    }

```

```
622         public HashSet<ulong> GetAllPartiallyMatchingSequences1(params ulong[] sequence)
623         {
624             return _sync.ExecuteReadOperation(() =>
625             {
626                 if (sequence.Length > 0)
627                 {
628                     Links.EnsureLinkExists(sequence);
629                     var results = new HashSet<ulong>();
630                     for (var i = 0; i < sequence.Length; i++)
631                     {
632                         AllUsagesCore(sequence[i], results);
633                     }
634                     var filteredResults = new HashSet<ulong>();
635                     var matcher = new Matcher(this, sequence, filteredResults, null);
636                     matcher.AddAllPartialMatchedToResults(results);
637                     return filteredResults;
638                 }
639                 return new HashSet<ulong>();
640             });
641         }
642 
643         public bool GetAllPartiallyMatchingSequences2(Func<IList<LinkIndex>, LinkIndex> handler,
    ↪  params ulong[] sequence)
644         {
645             return _sync.ExecuteReadOperation(() =>
646             {
647                 if (sequence.Length > 0)
648                 {
649                     Links.EnsureLinkExists(sequence);
650 
651                     var results = new HashSet<ulong>();
652                     var filteredResults = new HashSet<ulong>();
653                     var matcher = new Matcher(this, sequence, filteredResults, handler);
654                     for (var i = 0; i < sequence.Length; i++)
655                     {
656                         if (!AllUsagesCore1(sequence[i], results, matcher.HandlePartialMatched))
657                         {
658                             return false;
659                         }
660                     }
661                     return true;
662                 }
663                 return true;
664             });
665         }
666 
667         //public HashSet<ulong> GetAllPartiallyMatchingSequences3(params ulong[] sequence)
668         //{
669         //    return Sync.ExecuteReadOperation(() =>
670         //    {
671         //        if (sequence.Length > 0)
672         //        {
673         //            _links.EnsureEachLinkIsAnyOrExists(sequence);
674 
675         //            var firstResults = new HashSet<ulong>();
676         //            var lastResults = new HashSet<ulong>();
677 
678         //            var first = sequence.First(x => x != LinksConstants.Any);
679         //            var last = sequence.Last(x => x != LinksConstants.Any);
680 
681         //            AllUsagesCore(first, firstResults);
682         //            AllUsagesCore(last, lastResults);
683 
684         //            firstResults.IntersectWith(lastResults);
685 
686         //            //for (var i = 0; i < sequence.Length; i++)
687         //            //    AllUsagesCore(sequence[i], results);
688 
689         //            var filteredResults = new HashSet<ulong>();
690         //            var matcher = new Matcher(this, sequence, filteredResults, null);
691         //            matcher.AddAllPartialMatchedToResults(firstResults);
692         //            return filteredResults;
693         //        }
694 
695         //        return new HashSet<ulong>();
696         //    });
697         //}
698 
699         public HashSet<ulong> GetAllPartiallyMatchingSequences3(params ulong[] sequence)
```

```
        {
            return _sync.ExecuteReadOperation((Func<HashSet<ulong>>)(() =>
            {
                if (sequence.Length > 0)
                {
                    ILinksExtensions.EnsureLinkIsAnyOrExists<ulong>(Links,
                    ↪  (IList<ulong>)sequence);
                    var firstResults = new HashSet<ulong>();
                    var lastResults = new HashSet<ulong>();
                    var first = sequence.First(x => x != Constants.Any);
                    var last = sequence.Last(x => x != Constants.Any);
                    AllUsagesCore(first, firstResults);
                    AllUsagesCore(last, lastResults);
                    firstResults.IntersectWith(lastResults);
                    //for (var i = 0; i < sequence.Length; i++)
                    //    AllUsagesCore(sequence[i], results);
                    var filteredResults = new HashSet<ulong>();
                    var matcher = new Matcher(this, sequence, filteredResults, null);
                    matcher.AddAllPartialMatchedToResults(firstResults);
                    return filteredResults;
                }
                return new HashSet<ulong>();
            }));
        }

        public HashSet<ulong> GetAllPartiallyMatchingSequences4(HashSet<ulong> readAsElements,
        ↪  IList<ulong> sequence)
        {
            return _sync.ExecuteReadOperation(() =>
            {
                if (sequence.Count > 0)
                {
                    Links.EnsureLinkExists(sequence);
                    var results = new HashSet<LinkIndex>();
                    //var nextResults = new HashSet<ulong>();
                    //for (var i = 0; i < sequence.Length; i++)
                    //{
                    //    AllUsagesCore(sequence[i], nextResults);
                    //    if (results.IsNullOrEmpty())
                    //    {
                    //        results = nextResults;
                    //        nextResults = new HashSet<ulong>();
                    //    }
                    //    else
                    //    {
                    //        results.IntersectWith(nextResults);
                    //        nextResults.Clear();
                    //    }
                    //}
                    var collector1 = new AllUsagesCollector1(Links.Unsync, results);
                    collector1.Collect(Links.Unsync.GetLink(sequence[0]));
                    var next = new HashSet<ulong>();
                    for (var i = 1; i < sequence.Count; i++)
                    {
                        var collector = new AllUsagesCollector1(Links.Unsync, next);
                        collector.Collect(Links.Unsync.GetLink(sequence[i]));

                        results.IntersectWith(next);
                        next.Clear();
                    }
                    var filteredResults = new HashSet<ulong>();
                    var matcher = new Matcher(this, sequence, filteredResults, null,
                    ↪  readAsElements);
                    matcher.AddAllPartialMatchedToResultsAndReadAsElements(results.OrderBy(x =>
                    ↪  x)); // OrderBy is a Hack
                    return filteredResults;
                }
                return new HashSet<ulong>();
            });
        }

        // Does not work
        //public HashSet<ulong> GetAllPartiallyMatchingSequences5(HashSet<ulong> readAsElements,
        ↪  params ulong[] sequence)
        //{
        //    var visited = new HashSet<ulong>();
        //    var results = new HashSet<ulong>();
```

```
772             //    var matcher = new Matcher(this, sequence, visited, x => { results.Add(x); return
                ↪  true; }, readAsElements);
773             //    var last = sequence.Length - 1;
774             //    for (var i = 0; i < last; i++)
775             //    {
776             //        PartialStepRight(matcher.PartialMatch, sequence[i], sequence[i + 1]);
777             //    }
778             //    return results;
779             //}
780
781             public List<ulong> GetAllPartiallyMatchingSequences(params ulong[] sequence)
782             {
783                 return _sync.ExecuteReadOperation(() =>
784                 {
785                     if (sequence.Length > 0)
786                     {
787                         Links.EnsureLinkExists(sequence);
788                         //var firstElement = sequence[0];
789                         //if (sequence.Length == 1)
790                         //{
791                         //    //results.Add(firstElement);
792                         //    return results;
793                         //}
794                         //if (sequence.Length == 2)
795                         //{
796                         //    //var doublet = _links.SearchCore(firstElement, sequence[1]);
797                         //    //if (doublet != Doublets.Links.Null)
798                         //    //    results.Add(doublet);
799                         //    return results;
800                         //}
801                         //var lastElement = sequence[sequence.Length - 1];
802                         //Func<ulong, bool> handler = x =>
803                         //{
804                         //    if (StartsWith(x, firstElement) && EndsWith(x, lastElement))
                                ↪  results.Add(x);
805                         //    return true;
806                         //};
807                         //if (sequence.Length >= 2)
808                         //    StepRight(handler, sequence[0], sequence[1]);
809                         //var last = sequence.Length - 2;
810                         //for (var i = 1; i < last; i++)
811                         //    PartialStepRight(handler, sequence[i], sequence[i + 1]);
812                         //if (sequence.Length >= 3)
813                         //    StepLeft(handler, sequence[sequence.Length - 2],
                                ↪  sequence[sequence.Length - 1]);
814                         //////if (sequence.Length == 1)
815                         //////{
816                         //////    throw new NotImplementedException(); // all sequences, containing
                                ↪  this element?
817                         //////}
818                         //////if (sequence.Length == 2)
819                         //////{
820                         //////    var results = new List<ulong>();
821                         //////    PartialStepRight(results.Add, sequence[0], sequence[1]);
822                         //////    return results;
823                         //////}
824                         //////var matches = new List<List<ulong>>();
825                         //////var last = sequence.Length - 1;
826                         //////for (var i = 0; i < last; i++)
827                         //////{
828                         //////    var results = new List<ulong>();
829                         //////    //StepRight(results.Add, sequence[i], sequence[i + 1]);
830                         //////    PartialStepRight(results.Add, sequence[i], sequence[i + 1]);
831                         //////    if (results.Count > 0)
832                         //////        matches.Add(results);
833                         //////    else
834                         //////        return results;
835                         //////    if (matches.Count == 2)
836                         //////    {
837                         //////        var merged = new List<ulong>();
838                         //////        for (var j = 0; j < matches[0].Count; j++)
839                         //////            for (var k = 0; k < matches[1].Count; k++)
840                         //////                CloseInnerConnections(merged.Add, matches[0][j],
                                ↪  matches[1][k]);
841                         //////        if (merged.Count > 0)
842                         //////            matches = new List<List<ulong>> { merged };
843                         //////        else
```

```
                    //////            return new List<ulong>();
                    //////    }
                    //////}
                    //////if (matches.Count > 0)
                    //////{
                    //////    var usages = new HashSet<ulong>();
                    //////    for (int i = 0; i < sequence.Length; i++)
                    //////    {
                    //////        AllUsagesCore(sequence[i], usages);
                    //////    }
                    //////    //for (int i = 0; i < matches[0].Count; i++)
                    //////    //    AllUsagesCore(matches[0][i], usages);
                    //////    //usages.UnionWith(matches[0]);
                    //////    return usages.ToList();
                    //////}
                    var firstLinkUsages = new HashSet<ulong>();
                    AllUsagesCore(sequence[0], firstLinkUsages);
                    firstLinkUsages.Add(sequence[0]);
                    //var previousMatchings = firstLinkUsages.ToList(); //new List<ulong>() { sequence[0] }; // or all sequences, containing this element?
                    //return GetAllPartiallyMatchingSequencesCore(sequence, firstLinkUsages, 1).ToList();
                    var results = new HashSet<ulong>();
                    foreach (var match in GetAllPartiallyMatchingSequencesCore(sequence, firstLinkUsages, 1))
                    {
                        AllUsagesCore(match, results);
                    }
                    return results.ToList();
                }
                return new List<ulong>();
            });
        }

        /// <remarks>
        /// TODO: Может потробоваться ограничение на уровень глубины рекурсии
        /// </remarks>
        public HashSet<ulong> AllUsages(ulong link)
        {
            return _sync.ExecuteReadOperation(() =>
            {
                var usages = new HashSet<ulong>();
                AllUsagesCore(link, usages);
                return usages;
            });
        }

        // При сборе всех использований (последовательностей) можно сохранять обратный путь к той связи с которой начинался поиск (STTTSSSTT),
        // причём достаточно одного бита для хранения перехода влево или вправо
        private void AllUsagesCore(ulong link, HashSet<ulong> usages)
        {
            bool handler(ulong doublet)
            {
                if (usages.Add(doublet))
                {
                    AllUsagesCore(doublet, usages);
                }
                return true;
            }
            Links.Unsync.Each(link, Constants.Any, handler);
            Links.Unsync.Each(Constants.Any, link, handler);
        }

        public HashSet<ulong> AllBottomUsages(ulong link)
        {
            return _sync.ExecuteReadOperation(() =>
            {
                var visits = new HashSet<ulong>();
                var usages = new HashSet<ulong>();
                AllBottomUsagesCore(link, visits, usages);
                return usages;
            });
        }

        private void AllBottomUsagesCore(ulong link, HashSet<ulong> visits, HashSet<ulong> usages)
        {
```

```
            bool handler(ulong doublet)
            {
                if (visits.Add(doublet))
                {
                    AllBottomUsagesCore(doublet, visits, usages);
                }
                return true;
            }
            if (Links.Unsync.Count(Constants.Any, link) == 0)
            {
                usages.Add(link);
            }
            else
            {
                Links.Unsync.Each(link, Constants.Any, handler);
                Links.Unsync.Each(Constants.Any, link, handler);
            }
        }

        public ulong CalculateTotalSymbolFrequencyCore(ulong symbol)
        {
            if (Options.UseSequenceMarker)
            {
                var counter = new TotalMarkedSequenceSymbolFrequencyOneOffCounter<ulong>(Links,
                ↪  Options.MarkedSequenceMatcher, symbol);
                return counter.Count();
            }
            else
            {
                var counter = new TotalSequenceSymbolFrequencyOneOffCounter<ulong>(Links,
                ↪  symbol);
                return counter.Count();
            }
        }

        private bool AllUsagesCore1(ulong link, HashSet<ulong> usages, Func<IList<LinkIndex>,
        ↪  LinkIndex> outerHandler)
        {
            bool handler(ulong doublet)
            {
                if (usages.Add(doublet))
                {
                    if (outerHandler(new LinkAddress<LinkIndex>(doublet)) != Constants.Continue)
                    {
                        return false;
                    }
                    if (!AllUsagesCore1(doublet, usages, outerHandler))
                    {
                        return false;
                    }
                }
                return true;
            }
            return Links.Unsync.Each(link, Constants.Any, handler)
                && Links.Unsync.Each(Constants.Any, link, handler);
        }

        public void CalculateAllUsages(ulong[] totals)
        {
            var calculator = new AllUsagesCalculator(Links, totals);
            calculator.Calculate();
        }

        public void CalculateAllUsages2(ulong[] totals)
        {
            var calculator = new AllUsagesCalculator2(Links, totals);
            calculator.Calculate();
        }

        private class AllUsagesCalculator
        {
            private readonly SynchronizedLinks<ulong> _links;
            private readonly ulong[] _totals;

            public AllUsagesCalculator(SynchronizedLinks<ulong> links, ulong[] totals)
            {
                _links = links;
                _totals = totals;
            }
```

```
993
994             public void Calculate() => _links.Each(_links.Constants.Any, _links.Constants.Any,
                ↪ CalculateCore);
995
996             private bool CalculateCore(ulong link)
997             {
998                 if (_totals[link] == 0)
999                 {
1000                    var total = 1UL;
1001                    _totals[link] = total;
1002                    var visitedChildren = new HashSet<ulong>();
1003                    bool linkCalculator(ulong child)
1004                    {
1005                        if (link != child && visitedChildren.Add(child))
1006                        {
1007                            total += _totals[child] == 0 ? 1 : _totals[child];
1008                        }
1009                        return true;
1010                    }
1011                    _links.Unsync.Each(link, _links.Constants.Any, linkCalculator);
1012                    _links.Unsync.Each(_links.Constants.Any, link, linkCalculator);
1013                    _totals[link] = total;
1014                }
1015                return true;
1016            }
1017        }
1018
1019        private class AllUsagesCalculator2
1020        {
1021            private readonly SynchronizedLinks<ulong> _links;
1022            private readonly ulong[] _totals;
1023
1024            public AllUsagesCalculator2(SynchronizedLinks<ulong> links, ulong[] totals)
1025            {
1026                _links = links;
1027                _totals = totals;
1028            }
1029
1030            public void Calculate() => _links.Each(_links.Constants.Any, _links.Constants.Any,
                ↪ CalculateCore);
1031
1032            private bool IsElement(ulong link)
1033            {
1034                //_linksInSequence.Contains(link) ||
1035                return _links.Unsync.GetTarget(link) == link || _links.Unsync.GetSource(link) ==
                    ↪ link;
1036            }
1037
1038            private bool CalculateCore(ulong link)
1039            {
1040                // TODO: Проработать защиту от зацикливания
1041                // Основано на SequenceWalker.WalkLeft
1042                Func<ulong, ulong> getSource = _links.Unsync.GetSource;
1043                Func<ulong, ulong> getTarget = _links.Unsync.GetTarget;
1044                Func<ulong, bool> isElement = IsElement;
1045                void visitLeaf(ulong parent)
1046                {
1047                    if (link != parent)
1048                    {
1049                        _totals[parent]++;
1050                    }
1051                }
1052                void visitNode(ulong parent)
1053                {
1054                    if (link != parent)
1055                    {
1056                        _totals[parent]++;
1057                    }
1058                }
1059                var stack = new Stack();
1060                var element = link;
1061                if (isElement(element))
1062                {
1063                    visitLeaf(element);
1064                }
1065                else
1066                {
1067                    while (true)
1068                    {
```

```
                    if (isElement(element))
                    {
                        if (stack.Count == 0)
                        {
                            break;
                        }
                        element = stack.Pop();
                        var source = getSource(element);
                        var target = getTarget(element);
                        // Обработка элемента
                        if (isElement(target))
                        {
                            visitLeaf(target);
                        }
                        if (isElement(source))
                        {
                            visitLeaf(source);
                        }
                        element = source;
                    }
                    else
                    {
                        stack.Push(element);
                        visitNode(element);
                        element = getTarget(element);
                    }
                }
            }
            _totals[link]++;
            return true;
        }
    }

    private class AllUsagesCollector
    {
        private readonly ILinks<ulong> _links;
        private readonly HashSet<ulong> _usages;

        public AllUsagesCollector(ILinks<ulong> links, HashSet<ulong> usages)
        {
            _links = links;
            _usages = usages;
        }

        public bool Collect(ulong link)
        {
            if (_usages.Add(link))
            {
                _links.Each(link, _links.Constants.Any, Collect);
                _links.Each(_links.Constants.Any, link, Collect);
            }
            return true;
        }
    }

    private class AllUsagesCollector1
    {
        private readonly ILinks<ulong> _links;
        private readonly HashSet<ulong> _usages;
        private readonly ulong _continue;

        public AllUsagesCollector1(ILinks<ulong> links, HashSet<ulong> usages)
        {
            _links = links;
            _usages = usages;
            _continue = _links.Constants.Continue;
        }

        public ulong Collect(IList<ulong> link)
        {
            var linkIndex = _links.GetIndex(link);
            if (_usages.Add(linkIndex))
            {
                _links.Each(Collect, _links.Constants.Any, linkIndex);
            }
            return _continue;
        }
    }

    private class AllUsagesCollector2
```

```
1149            {
1150                private readonly ILinks<ulong> _links;
1151                private readonly BitString _usages;
1152
1153                public AllUsagesCollector2(ILinks<ulong> links, BitString usages)
1154                {
1155                    _links = links;
1156                    _usages = usages;
1157                }
1158
1159                public bool Collect(ulong link)
1160                {
1161                    if (_usages.Add((long)link))
1162                    {
1163                        _links.Each(link, _links.Constants.Any, Collect);
1164                        _links.Each(_links.Constants.Any, link, Collect);
1165                    }
1166                    return true;
1167                }
1168            }
1169
1170            private class AllUsagesIntersectingCollector
1171            {
1172                private readonly SynchronizedLinks<ulong> _links;
1173                private readonly HashSet<ulong> _intersectWith;
1174                private readonly HashSet<ulong> _usages;
1175                private readonly HashSet<ulong> _enter;
1176
1177                public AllUsagesIntersectingCollector(SynchronizedLinks<ulong> links, HashSet<ulong>
                    ↪ intersectWith, HashSet<ulong> usages)
1178                {
1179                    _links = links;
1180                    _intersectWith = intersectWith;
1181                    _usages = usages;
1182                    _enter = new HashSet<ulong>(); // защита от зацикливания
1183                }
1184
1185                public bool Collect(ulong link)
1186                {
1187                    if (_enter.Add(link))
1188                    {
1189                        if (_intersectWith.Contains(link))
1190                        {
1191                            _usages.Add(link);
1192                        }
1193                        _links.Unsync.Each(link, _links.Constants.Any, Collect);
1194                        _links.Unsync.Each(_links.Constants.Any, link, Collect);
1195                    }
1196                    return true;
1197                }
1198            }
1199
1200            private void CloseInnerConnections(Action<IList<LinkIndex>> handler, ulong left, ulong
                ↪ right)
1201            {
1202                TryStepLeftUp(handler, left, right);
1203                TryStepRightUp(handler, right, left);
1204            }
1205
1206            private void AllCloseConnections(Action<IList<LinkIndex>> handler, ulong left, ulong
                ↪ right)
1207            {
1208                // Direct
1209                if (left == right)
1210                {
1211                    handler(new LinkAddress<LinkIndex>(left));
1212                }
1213                var doublet = Links.Unsync.SearchOrDefault(left, right);
1214                if (doublet != Constants.Null)
1215                {
1216                    handler(new LinkAddress<LinkIndex>(doublet));
1217                }
1218                // Inner
1219                CloseInnerConnections(handler, left, right);
1220                // Outer
1221                StepLeft(handler, left, right);
1222                StepRight(handler, left, right);
1223                PartialStepRight(handler, left, right);
1224                PartialStepLeft(handler, left, right);
```

```
1225            }
1226
1227            private HashSet<ulong> GetAllPartiallyMatchingSequencesCore(ulong[] sequence,
                ↪  HashSet<ulong> previousMatchings, long startAt)
1228            {
1229                if (startAt >= sequence.Length) // ?
1230                {
1231                    return previousMatchings;
1232                }
1233                var secondLinkUsages = new HashSet<ulong>();
1234                AllUsagesCore(sequence[startAt], secondLinkUsages);
1235                secondLinkUsages.Add(sequence[startAt]);
1236                var matchings = new HashSet<ulong>();
1237                var filler = new SetFiller<LinkIndex, LinkIndex>(matchings, Constants.Continue);
1238                //for (var i = 0; i < previousMatchings.Count; i++)
1239                foreach (var secondLinkUsage in secondLinkUsages)
1240                {
1241                    foreach (var previousMatching in previousMatchings)
1242                    {
1243                        //AllCloseConnections(matchings.AddAndReturnVoid, previousMatching,
                        ↪  secondLinkUsage);
1244                        StepRight(filler.AddFirstAndReturnConstant, previousMatching,
                        ↪  secondLinkUsage);
1245                        TryStepRightUp(filler.AddFirstAndReturnConstant, secondLinkUsage,
                        ↪  previousMatching);
1246                        //PartialStepRight(matchings.AddAndReturnVoid, secondLinkUsage,
                        ↪  sequence[startAt]); // почему-то эта ошибочная запись приводит к
                        ↪  желаемым результам.
1247                        PartialStepRight(filler.AddFirstAndReturnConstant, previousMatching,
                        ↪  secondLinkUsage);
1248                    }
1249                }
1250                if (matchings.Count == 0)
1251                {
1252                    return matchings;
1253                }
1254                return GetAllPartiallyMatchingSequencesCore(sequence, matchings, startAt + 1); // ??
1255            }
1256
1257            private static void EnsureEachLinkIsAnyOrZeroOrManyOrExists(SynchronizedLinks<ulong>
                ↪  links, params ulong[] sequence)
1258            {
1259                if (sequence == null)
1260                {
1261                    return;
1262                }
1263                for (var i = 0; i < sequence.Length; i++)
1264                {
1265                    if (sequence[i] != links.Constants.Any && sequence[i] != ZeroOrMany &&
                    ↪  !links.Exists(sequence[i]))
1266                    {
1267                        throw new ArgumentLinkDoesNotExistsException<ulong>(sequence[i],
                        ↪  $"patternSequence[{i}]");
1268                    }
1269                }
1270            }
1271
1272            // Pattern Matching -> Key To Triggers
1273            public HashSet<ulong> MatchPattern(params ulong[] patternSequence)
1274            {
1275                return _sync.ExecuteReadOperation(() =>
1276                {
1277                    patternSequence = Simplify(patternSequence);
1278                    if (patternSequence.Length > 0)
1279                    {
1280                        EnsureEachLinkIsAnyOrZeroOrManyOrExists(Links, patternSequence);
1281                        var uniqueSequenceElements = new HashSet<ulong>();
1282                        for (var i = 0; i < patternSequence.Length; i++)
1283                        {
1284                            if (patternSequence[i] != Constants.Any && patternSequence[i] !=
                            ↪  ZeroOrMany)
1285                            {
1286                                uniqueSequenceElements.Add(patternSequence[i]);
1287                            }
1288                        }
1289                        var results = new HashSet<ulong>();
1290                        foreach (var uniqueSequenceElement in uniqueSequenceElements)
```

```
                {
                    AllUsagesCore(uniqueSequenceElement, results);
                }
                var filteredResults = new HashSet<ulong>();
                var matcher = new PatternMatcher(this, patternSequence, filteredResults);
                matcher.AddAllPatternMatchedToResults(results);
                return filteredResults;
            }
            return new HashSet<ulong>();
        });
    }

    // Найти все возможные связи между указанным списком связей.
    // Находит связи между всеми указанными связями в любом порядке.
    // TODO: решить что делать с повторами (когда одни и те же элементы встречаются несколько раз в последовательности)
    public HashSet<ulong> GetAllConnections(params ulong[] linksToConnect)
    {
        return _sync.ExecuteReadOperation(() =>
        {
            var results = new HashSet<ulong>();
            if (linksToConnect.Length > 0)
            {
                Links.EnsureLinkExists(linksToConnect);
                AllUsagesCore(linksToConnect[0], results);
                for (var i = 1; i < linksToConnect.Length; i++)
                {
                    var next = new HashSet<ulong>();
                    AllUsagesCore(linksToConnect[i], next);
                    results.IntersectWith(next);
                }
            }
            return results;
        });
    }

    public HashSet<ulong> GetAllConnections1(params ulong[] linksToConnect)
    {
        return _sync.ExecuteReadOperation(() =>
        {
            var results = new HashSet<ulong>();
            if (linksToConnect.Length > 0)
            {
                Links.EnsureLinkExists(linksToConnect);
                var collector1 = new AllUsagesCollector(Links.Unsync, results);
                collector1.Collect(linksToConnect[0]);
                var next = new HashSet<ulong>();
                for (var i = 1; i < linksToConnect.Length; i++)
                {
                    var collector = new AllUsagesCollector(Links.Unsync, next);
                    collector.Collect(linksToConnect[i]);
                    results.IntersectWith(next);
                    next.Clear();
                }
            }
            return results;
        });
    }

    public HashSet<ulong> GetAllConnections2(params ulong[] linksToConnect)
    {
        return _sync.ExecuteReadOperation(() =>
        {
            var results = new HashSet<ulong>();
            if (linksToConnect.Length > 0)
            {
                Links.EnsureLinkExists(linksToConnect);
                var collector1 = new AllUsagesCollector(Links, results);
                collector1.Collect(linksToConnect[0]);
                //AllUsagesCore(linksToConnect[0], results);
                for (var i = 1; i < linksToConnect.Length; i++)
                {
                    var next = new HashSet<ulong>();
                    var collector = new AllUsagesIntersectingCollector(Links, results, next);
                    collector.Collect(linksToConnect[i]);
                    //AllUsagesCore(linksToConnect[i], next);
                    //results.IntersectWith(next);
                    results = next;
```

```
                }
            }
            return results;
        });
    }

    public List<ulong> GetAllConnections3(params ulong[] linksToConnect)
    {
        return _sync.ExecuteReadOperation(() =>
        {
            var results = new BitString((long)Links.Unsync.Count() + 1); // new
            ↪  BitArray((int)_links.Total + 1);
            if (linksToConnect.Length > 0)
            {
                Links.EnsureLinkExists(linksToConnect);
                var collector1 = new AllUsagesCollector2(Links.Unsync, results);
                collector1.Collect(linksToConnect[0]);
                for (var i = 1; i < linksToConnect.Length; i++)
                {
                    var next = new BitString((long)Links.Unsync.Count() + 1); //new
                    ↪  BitArray((int)_links.Total + 1);
                    var collector = new AllUsagesCollector2(Links.Unsync, next);
                    collector.Collect(linksToConnect[i]);
                    results = results.And(next);
                }
            }
            return results.GetSetUInt64Indices();
        });
    }

    private static ulong[] Simplify(ulong[] sequence)
    {
        // Считаем новый размер последовательности
        long newLength = 0;
        var zeroOrManyStepped = false;
        for (var i = 0; i < sequence.Length; i++)
        {
            if (sequence[i] == ZeroOrMany)
            {
                if (zeroOrManyStepped)
                {
                    continue;
                }
                zeroOrManyStepped = true;
            }
            else
            {
                //if (zeroOrManyStepped) Is it efficient?
                zeroOrManyStepped = false;
            }
            newLength++;
        }
        // Строим новую последовательность
        zeroOrManyStepped = false;
        var newSequence = new ulong[newLength];
        long j = 0;
        for (var i = 0; i < sequence.Length; i++)
        {
            //var current = zeroOrManyStepped;
            //zeroOrManyStepped = patternSequence[i] == zeroOrMany;
            //if (current && zeroOrManyStepped)
            //    continue;
            //var newZeroOrManyStepped = patternSequence[i] == zeroOrMany;
            //if (zeroOrManyStepped && newZeroOrManyStepped)
            //    continue;
            //zeroOrManyStepped = newZeroOrManyStepped;
            if (sequence[i] == ZeroOrMany)
            {
                if (zeroOrManyStepped)
                {
                    continue;
                }
                zeroOrManyStepped = true;
            }
            else
            {
                //if (zeroOrManyStepped) Is it efficient?
                zeroOrManyStepped = false;
            }
```

```
                newSequence[j++] = sequence[i];
            }
            return newSequence;
        }

        public static void TestSimplify()
        {
            var sequence = new ulong[] { ZeroOrMany, ZeroOrMany, 2, 3, 4, ZeroOrMany,
            ↪  ZeroOrMany, ZeroOrMany, 4, ZeroOrMany, ZeroOrMany, ZeroOrMany };
            var simplifiedSequence = Simplify(sequence);
        }

        public List<ulong> GetSimilarSequences() => new List<ulong>();

        public void Prediction()
        {
            //_links
            //sequences
        }

        #region From Triplets

        //public static void DeleteSequence(Link sequence)
        //{
        //}

        public List<ulong> CollectMatchingSequences(ulong[] links)
        {
            if (links.Length == 1)
            {
                throw new Exception("Подпоследовательности с одним элементом не
                ↪  поддерживаются.");
            }
            var leftBound = 0;
            var rightBound = links.Length - 1;
            var left = links[leftBound++];
            var right = links[rightBound--];
            var results = new List<ulong>();
            CollectMatchingSequences(left, leftBound, links, right, rightBound, ref results);
            return results;
        }

        private void CollectMatchingSequences(ulong leftLink, int leftBound, ulong[]
        ↪  middleLinks, ulong rightLink, int rightBound, ref List<ulong> results)
        {
            var leftLinkTotalReferers = Links.Unsync.Count(leftLink);
            var rightLinkTotalReferers = Links.Unsync.Count(rightLink);
            if (leftLinkTotalReferers <= rightLinkTotalReferers)
            {
                var nextLeftLink = middleLinks[leftBound];
                var elements = GetRightElements(leftLink, nextLeftLink);
                if (leftBound <= rightBound)
                {
                    for (var i = elements.Length - 1; i >= 0; i--)
                    {
                        var element = elements[i];
                        if (element != 0)
                        {
                            CollectMatchingSequences(element, leftBound + 1, middleLinks,
                            ↪  rightLink, rightBound, ref results);
                        }
                    }
                }
                else
                {
                    for (var i = elements.Length - 1; i >= 0; i--)
                    {
                        var element = elements[i];
                        if (element != 0)
                        {
                            results.Add(element);
                        }
                    }
                }
            }
            else
            {
                var nextRightLink = middleLinks[rightBound];
```

```
1519                var elements = GetLeftElements(rightLink, nextRightLink);
1520                if (leftBound <= rightBound)
1521                {
1522                    for (var i = elements.Length - 1; i >= 0; i--)
1523                    {
1524                        var element = elements[i];
1525                        if (element != 0)
1526                        {
1527                            CollectMatchingSequences(leftLink, leftBound, middleLinks,
                                ↪  elements[i], rightBound - 1, ref results);
1528                        }
1529                    }
1530                }
1531                else
1532                {
1533                    for (var i = elements.Length - 1; i >= 0; i--)
1534                    {
1535                        var element = elements[i];
1536                        if (element != 0)
1537                        {
1538                            results.Add(element);
1539                        }
1540                    }
1541                }
1542            }
1543        }
1544
1545        public ulong[] GetRightElements(ulong startLink, ulong rightLink)
1546        {
1547            var result = new ulong[5];
1548            TryStepRight(startLink, rightLink, result, 0);
1549            Links.Each(Constants.Any, startLink, couple =>
1550            {
1551                if (couple != startLink)
1552                {
1553                    if (TryStepRight(couple, rightLink, result, 2))
1554                    {
1555                        return false;
1556                    }
1557                }
1558                return true;
1559            });
1560            if (Links.GetTarget(Links.GetTarget(startLink)) == rightLink)
1561            {
1562                result[4] = startLink;
1563            }
1564            return result;
1565        }
1566
1567        public bool TryStepRight(ulong startLink, ulong rightLink, ulong[] result, int offset)
1568        {
1569            var added = 0;
1570            Links.Each(startLink, Constants.Any, couple =>
1571            {
1572                if (couple != startLink)
1573                {
1574                    var coupleTarget = Links.GetTarget(couple);
1575                    if (coupleTarget == rightLink)
1576                    {
1577                        result[offset] = couple;
1578                        if (++added == 2)
1579                        {
1580                            return false;
1581                        }
1582                    }
1583                    else if (Links.GetSource(coupleTarget) == rightLink) // coupleTarget.Linker
                        ↪  == Net.And &&
1584                    {
1585                        result[offset + 1] = couple;
1586                        if (++added == 2)
1587                        {
1588                            return false;
1589                        }
1590                    }
1591                }
1592                return true;
1593            });
1594            return added > 0;
```

```
1595            }
1596
1597            public ulong[] GetLeftElements(ulong startLink, ulong leftLink)
1598            {
1599                var result = new ulong[5];
1600                TryStepLeft(startLink, leftLink, result, 0);
1601                Links.Each(startLink, Constants.Any, couple =>
1602                {
1603                    if (couple != startLink)
1604                    {
1605                        if (TryStepLeft(couple, leftLink, result, 2))
1606                        {
1607                            return false;
1608                        }
1609                    }
1610                    return true;
1611                });
1612                if (Links.GetSource(Links.GetSource(leftLink)) == startLink)
1613                {
1614                    result[4] = leftLink;
1615                }
1616                return result;
1617            }
1618
1619            public bool TryStepLeft(ulong startLink, ulong leftLink, ulong[] result, int offset)
1620            {
1621                var added = 0;
1622                Links.Each(Constants.Any, startLink, couple =>
1623                {
1624                    if (couple != startLink)
1625                    {
1626                        var coupleSource = Links.GetSource(couple);
1627                        if (coupleSource == leftLink)
1628                        {
1629                            result[offset] = couple;
1630                            if (++added == 2)
1631                            {
1632                                return false;
1633                            }
1634                        }
1635                        else if (Links.GetTarget(coupleSource) == leftLink) // coupleSource.Linker
                             ↪  == Net.And &&
1636                        {
1637                            result[offset + 1] = couple;
1638                            if (++added == 2)
1639                            {
1640                                return false;
1641                            }
1642                        }
1643                    }
1644                    return true;
1645                });
1646                return added > 0;
1647            }
1648
1649            #endregion
1650
1651            #region Walkers
1652
1653            public class PatternMatcher : RightSequenceWalker<ulong>
1654            {
1655                private readonly Sequences _sequences;
1656                private readonly ulong[] _patternSequence;
1657                private readonly HashSet<LinkIndex> _linksInSequence;
1658                private readonly HashSet<LinkIndex> _results;
1659
1660                #region Pattern Match
1661
1662                enum PatternBlockType
1663                {
1664                    Undefined,
1665                    Gap,
1666                    Elements
1667                }
1668
1669                struct PatternBlock
1670                {
1671                    public PatternBlockType Type;
1672                    public long Start;
1673                    public long Stop;
```

```
        }

        private readonly List<PatternBlock> _pattern;
        private int _patternPosition;
        private long _sequencePosition;

        #endregion

        public PatternMatcher(Sequences sequences, LinkIndex[] patternSequence,
        ↪  HashSet<LinkIndex> results)
            : base(sequences.Links.Unsync, new DefaultStack<ulong>())
        {
            _sequences = sequences;
            _patternSequence = patternSequence;
            _linksInSequence = new HashSet<LinkIndex>(patternSequence.Where(x => x !=
            ↪  _sequences.Constants.Any && x != ZeroOrMany));
            _results = results;
            _pattern = CreateDetailedPattern();
        }

        protected override bool IsElement(ulong link) => _linksInSequence.Contains(link) ||
        ↪  base.IsElement(link);

        public bool PatternMatch(LinkIndex sequenceToMatch)
        {
            _patternPosition = 0;
            _sequencePosition = 0;
            foreach (var part in Walk(sequenceToMatch))
            {
                if (!PatternMatchCore(part))
                {
                    break;
                }
            }
            return _patternPosition == _pattern.Count || (_patternPosition == _pattern.Count
            ↪  - 1 && _pattern[_patternPosition].Start == 0);
        }

        private List<PatternBlock> CreateDetailedPattern()
        {
            var pattern = new List<PatternBlock>();
            var patternBlock = new PatternBlock();
            for (var i = 0; i < _patternSequence.Length; i++)
            {
                if (patternBlock.Type == PatternBlockType.Undefined)
                {
                    if (_patternSequence[i] == _sequences.Constants.Any)
                    {
                        patternBlock.Type = PatternBlockType.Gap;
                        patternBlock.Start = 1;
                        patternBlock.Stop = 1;
                    }
                    else if (_patternSequence[i] == ZeroOrMany)
                    {
                        patternBlock.Type = PatternBlockType.Gap;
                        patternBlock.Start = 0;
                        patternBlock.Stop = long.MaxValue;
                    }
                    else
                    {
                        patternBlock.Type = PatternBlockType.Elements;
                        patternBlock.Start = i;
                        patternBlock.Stop = i;
                    }
                }
                else if (patternBlock.Type == PatternBlockType.Elements)
                {
                    if (_patternSequence[i] == _sequences.Constants.Any)
                    {
                        pattern.Add(patternBlock);
                        patternBlock = new PatternBlock
                        {
                            Type = PatternBlockType.Gap,
                            Start = 1,
                            Stop = 1
                        };
                    }
                    else if (_patternSequence[i] == ZeroOrMany)
                    {
                        pattern.Add(patternBlock);
```

```
                    patternBlock = new PatternBlock
                    {
                        Type = PatternBlockType.Gap,
                        Start = 0,
                        Stop = long.MaxValue
                    };
                }
                else
                {
                    patternBlock.Stop = i;
                }
            }
            else // patternBlock.Type == PatternBlockType.Gap
            {
                if (_patternSequence[i] == _sequences.Constants.Any)
                {
                    patternBlock.Start++;
                    if (patternBlock.Stop < patternBlock.Start)
                    {
                        patternBlock.Stop = patternBlock.Start;
                    }
                }
                else if (_patternSequence[i] == ZeroOrMany)
                {
                    patternBlock.Stop = long.MaxValue;
                }
                else
                {
                    pattern.Add(patternBlock);
                    patternBlock = new PatternBlock
                    {
                        Type = PatternBlockType.Elements,
                        Start = i,
                        Stop = i
                    };
                }
            }
        }
        if (patternBlock.Type != PatternBlockType.Undefined)
        {
            pattern.Add(patternBlock);
        }
        return pattern;
    }

    // match: search for regexp anywhere in text
    //int match(char* regexp, char* text)
    //{
    //    do
    //    {
    //    } while (*text++ != '\0');
    //    return 0;
    //}

    // matchhere: search for regexp at beginning of text
    //int matchhere(char* regexp, char* text)
    //{
    //    if (regexp[0] == '\0')
    //        return 1;
    //    if (regexp[1] == '*')
    //        return matchstar(regexp[0], regexp + 2, text);
    //    if (regexp[0] == '$' && regexp[1] == '\0')
    //        return *text == '\0';
    //    if (*text != '\0' && (regexp[0] == '.' || regexp[0] == *text))
    //        return matchhere(regexp + 1, text + 1);
    //    return 0;
    //}

    // matchstar: search for c*regexp at beginning of text
    //int matchstar(int c, char* regexp, char* text)
    //{
    //    do
    //    {    /* a * matches zero or more instances */
    //        if (matchhere(regexp, text))
    //            return 1;
    //    } while (*text != '\0' && (*text++ == c || c == '.'));
    //    return 0;
    //}

```

```
1829            //private void GetNextPatternElement(out LinkIndex element, out long mininumGap, out
                ↪  long maximumGap)
1830            //{
1831            //    mininumGap = 0;
1832            //    maximumGap = 0;
1833            //    element = 0;
1834            //    for (; _patternPosition < _patternSequence.Length; _patternPosition++)
1835            //    {
1836            //        if (_patternSequence[_patternPosition] == Doublets.Links.Null)
1837            //            mininumGap++;
1838            //        else if (_patternSequence[_patternPosition] == ZeroOrMany)
1839            //            maximumGap = long.MaxValue;
1840            //        else
1841            //            break;
1842            //    }
1843
1844            //    if (maximumGap < mininumGap)
1845            //        maximumGap = mininumGap;
1846            //}
1847
1848            private bool PatternMatchCore(LinkIndex element)
1849            {
1850                if (_patternPosition >= _pattern.Count)
1851                {
1852                    _patternPosition = -2;
1853                    return false;
1854                }
1855                var currentPatternBlock = _pattern[_patternPosition];
1856                if (currentPatternBlock.Type == PatternBlockType.Gap)
1857                {
1858                    //var currentMatchingBlockLength = (_sequencePosition -
                        ↪  _lastMatchedBlockPosition);
1859                    if (_sequencePosition < currentPatternBlock.Start)
1860                    {
1861                        _sequencePosition++;
1862                        return true; // Двигаемся дальше
1863                    }
1864                    // Это последний блок
1865                    if (_pattern.Count == _patternPosition + 1)
1866                    {
1867                        _patternPosition++;
1868                        _sequencePosition = 0;
1869                        return false; // Полное соответствие
1870                    }
1871                    else
1872                    {
1873                        if (_sequencePosition > currentPatternBlock.Stop)
1874                        {
1875                            return false; // Соответствие невозможно
1876                        }
1877                        var nextPatternBlock = _pattern[_patternPosition + 1];
1878                        if (_patternSequence[nextPatternBlock.Start] == element)
1879                        {
1880                            if (nextPatternBlock.Start < nextPatternBlock.Stop)
1881                            {
1882                                _patternPosition++;
1883                                _sequencePosition = 1;
1884                            }
1885                            else
1886                            {
1887                                _patternPosition += 2;
1888                                _sequencePosition = 0;
1889                            }
1890                        }
1891                    }
1892                }
1893                else // currentPatternBlock.Type == PatternBlockType.Elements
1894                {
1895                    var patternElementPosition = currentPatternBlock.Start + _sequencePosition;
1896                    if (_patternSequence[patternElementPosition] != element)
1897                    {
1898                        return false; // Соответствие невозможно
1899                    }
1900                    if (patternElementPosition == currentPatternBlock.Stop)
1901                    {
1902                        _patternPosition++;
1903                        _sequencePosition = 0;
1904                    }
1905                    else
```

```
                    {
                        _sequencePosition++;
                    }
                }
                return true;
                //if (_patternSequence[_patternPosition] != element)
                //    return false;
                //else
                //{
                //    _sequencePosition++;
                //    _patternPosition++;
                //    return true;
                //}
                ////////
                //if (_filterPosition == _patternSequence.Length)
                //{
                //    _filterPosition = -2; // Длиннее чем нужно
                //    return false;
                //}
                //if (element != _patternSequence[_filterPosition])
                //{
                //    _filterPosition = -1;
                //    return false; // Начинается иначе
                //}
                //_filterPosition++;
                //if (_filterPosition == (_patternSequence.Length - 1))
                //    return false;
                //if (_filterPosition >= 0)
                //{
                //    if (element == _patternSequence[_filterPosition + 1])
                //        _filterPosition++;
                //    else
                //        return false;
                //}
                //if (_filterPosition < 0)
                //{
                //    if (element == _patternSequence[0])
                //        _filterPosition = 0;
                //}
            }

            public void AddAllPatternMatchedToResults(IEnumerable<ulong> sequencesToMatch)
            {
                foreach (var sequenceToMatch in sequencesToMatch)
                {
                    if (PatternMatch(sequenceToMatch))
                    {
                        _results.Add(sequenceToMatch);
                    }
                }
            }
        }

        #endregion
    }
}
```

1.86 ./Platform.Data.Doublets/Sequences/Sequences.cs

```
using Platform.Collections;
using Platform.Collections.Lists;
using Platform.Collections.Stacks;
using Platform.Data.Doublets.Sequences.Walkers;
using Platform.Singletons;
using Platform.Threading.Synchronization;
using System;
using System.Collections.Generic;
using System.Linq;
using System.Runtime.CompilerServices;
using LinkIndex = System.UInt64;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    /// <summary>
    /// Представляет коллекцию последовательностей связей.
    /// </summary>
    /// <remarks>
    /// Обязательно реализовать атомарность каждого публичного метода.
```

```
22      ///
23      /// TODO:
24      ///
25      /// !!! Повышение вероятности повторного использования групп (подпоследовательностей),
26      /// через естественную группировку по unicode типам, все whitespace вместе, все символы
        ↪  вместе, все числа вместе и т.п.
27      /// + использовать ровно сбалансированный вариант, чтобы уменьшать вложенность (глубину
        ↪  графа)
28      ///
29      /// x*y - найти все связи между, в последовательностях любой формы, если не стоит
        ↪  ограничитель на то, что является последовательностью, а что нет,
30      /// то находятся любые структуры связей, которые содержат эти элементы именно в таком
        ↪  порядке.
31      ///
32      /// Рост последовательности слева и справа.
33      /// Поиск со звёздочкой.
34      /// URL, PURL - реестр используемых во вне ссылок на ресурсы,
35      /// так же проблема может быть решена при реализации дистанционных триггеров.
36      /// Нужны ли уникальные указатели вообще?
37      /// Что если обращение к информации будет происходить через содержимое всегда?
38      ///
39      /// Писать тесты.
40      ///
41      ///
42      /// Можно убрать зависимость от конкретной реализации Links,
43      /// на зависимость от абстрактного элемента, который может быть представлен несколькими
        ↪  способами.
44      ///
45      /// Можно ли как-то сделать один общий интерфейс
46      ///
47      ///
48      /// Блокчейн и/или гит для распределённой записи транзакций.
49      ///
50      /// </remarks>
51      public partial class Sequences : ILinks<LinkIndex> // IList<string>, IList<LinkIndex[]>
        ↪  (после завершения реализации Sequences)
52      {
53          /// <summary>Возвращает значение LinkIndex, обозначающее любое количество
            ↪  связей.</summary>
54          public const LinkIndex ZeroOrMany = LinkIndex.MaxValue;
55
56          public SequencesOptions<LinkIndex> Options { get; }
57          public SynchronizedLinks<LinkIndex> Links { get; }
58          private readonly ISynchronization _sync;
59
60          public LinksConstants<LinkIndex> Constants { get; }
61
62          public Sequences(SynchronizedLinks<LinkIndex> links, SequencesOptions<LinkIndex> options)
63          {
64              Links = links;
65              _sync = links.SyncRoot;
66              Options = options;
67              Options.ValidateOptions();
68              Options.InitOptions(Links);
69              Constants = links.Constants;
70          }
71
72          public Sequences(SynchronizedLinks<LinkIndex> links)
73              : this(links, new SequencesOptions<LinkIndex>())
74          {
75          }
76
77          public bool IsSequence(LinkIndex sequence)
78          {
79              return _sync.ExecuteReadOperation(() =>
80              {
81                  if (Options.UseSequenceMarker)
82                  {
83                      return Options.MarkedSequenceMatcher.IsMatched(sequence);
84                  }
85                  return !Links.Unsync.IsPartialPoint(sequence);
86              });
87          }
88
89          [MethodImpl(MethodImplOptions.AggressiveInlining)]
90          private LinkIndex GetSequenceByElements(LinkIndex sequence)
91          {
92              if (Options.UseSequenceMarker)
93              {
```

```
94                  return Links.SearchOrDefault(Options.SequenceMarkerLink, sequence);
95              }
96              return sequence;
97          }
98
99          private LinkIndex GetSequenceElements(LinkIndex sequence)
100         {
101             if (Options.UseSequenceMarker)
102             {
103                 var linkContents = new Link<ulong>(Links.GetLink(sequence));
104                 if (linkContents.Source == Options.SequenceMarkerLink)
105                 {
106                     return linkContents.Target;
107                 }
108                 if (linkContents.Target == Options.SequenceMarkerLink)
109                 {
110                     return linkContents.Source;
111                 }
112             }
113             return sequence;
114         }
115
116         #region Count
117
118         public LinkIndex Count(IList<LinkIndex> restrictions)
119         {
120             if (restrictions.IsNullOrEmpty())
121             {
122                 return Links.Count(Constants.Any, Options.SequenceMarkerLink, Constants.Any);
123             }
124             if (restrictions.Count == 1) // Первая связь это адрес
125             {
126                 var sequenceIndex = restrictions[0];
127                 if (sequenceIndex == Constants.Null)
128                 {
129                     return 0;
130                 }
131                 if (sequenceIndex == Constants.Any)
132                 {
133                     return Count(null);
134                 }
135                 if (Options.UseSequenceMarker)
136                 {
137                     return Links.Count(Constants.Any, Options.SequenceMarkerLink, sequenceIndex);
138                 }
139                 return Links.Exists(sequenceIndex) ? 1UL : 0;
140             }
141             throw new NotImplementedException();
142         }
143
144         private LinkIndex CountUsages(params LinkIndex[] restrictions)
145         {
146             if (restrictions.Length == 0)
147             {
148                 return 0;
149             }
150             if (restrictions.Length == 1) // Первая связь это адрес
151             {
152                 if (restrictions[0] == Constants.Null)
153                 {
154                     return 0;
155                 }
156                 var any = Constants.Any;
157                 if (Options.UseSequenceMarker)
158                 {
159                     var elementsLink = GetSequenceElements(restrictions[0]);
160                     var sequenceLink = GetSequenceByElements(elementsLink);
161                     if (sequenceLink != Constants.Null)
162                     {
163                         return Links.Count(any, sequenceLink) + Links.Count(any, elementsLink) -
                                ↪  1;
164                     }
165                     return Links.Count(any, elementsLink);
166                 }
167                 return Links.Count(any, restrictions[0]);
168             }
169             throw new NotImplementedException();
170         }
171
```

```
        #endregion

        #region Create

        public LinkIndex Create(IList<LinkIndex> restrictions)
        {
            return _sync.ExecuteWriteOperation(() =>
            {
                if (restrictions.IsNullOrEmpty())
                {
                    return Constants.Null;
                }
                Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
                return CreateCore(restrictions);
            });
        }

        private LinkIndex CreateCore(IList<LinkIndex> restrictions)
        {
            LinkIndex[] sequence = restrictions.ExtractValues();
            if (Options.UseIndex)
            {
                Options.Index.Add(sequence);
            }
            var sequenceRoot = default(LinkIndex);
            if (Options.EnforceSingleSequenceVersionOnWriteBasedOnExisting)
            {
                var matches = Each(restrictions);
                if (matches.Count > 0)
                {
                    sequenceRoot = matches[0];
                }
            }
            else if (Options.EnforceSingleSequenceVersionOnWriteBasedOnNew)
            {
                return CompactCore(sequence);
            }
            if (sequenceRoot == default)
            {
                sequenceRoot = Options.LinksToSequenceConverter.Convert(sequence);
            }
            if (Options.UseSequenceMarker)
            {
                return Links.Unsync.CreateAndUpdate(Options.SequenceMarkerLink, sequenceRoot);
            }
            return sequenceRoot; // Возвращаем корень последовательности (т.е. сами элементы)
        }

        #endregion

        #region Each

        public List<LinkIndex> Each(IList<LinkIndex> sequence)
        {
            var results = new List<LinkIndex>();
            var filler = new ListFiller<LinkIndex, LinkIndex>(results, Constants.Continue);
            Each(filler.AddFirstAndReturnConstant, sequence);
            return results;
        }

        public LinkIndex Each(Func<IList<LinkIndex>, LinkIndex> handler, IList<LinkIndex>
        ↪  restrictions)
        {
            return _sync.ExecuteReadOperation(() =>
            {
                if (restrictions.IsNullOrEmpty())
                {
                    return Constants.Continue;
                }
                Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
                if (restrictions.Count == 1)
                {
                    var link = restrictions[0];
                    var any = Constants.Any;
                    if (link == any)
                    {
                        if (Options.UseSequenceMarker)
                        {
```

```
                        return Links.Unsync.Each(handler, new Link<LinkIndex>(any,
                        ↪  Options.SequenceMarkerLink, any));
                    }
                    else
                    {
                        return Links.Unsync.Each(handler, new Link<LinkIndex>(any, any,
                        ↪  any));
                    }
                }
                if (Options.UseSequenceMarker)
                {
                    var sequenceLinkValues = Links.Unsync.GetLink(link);
                    if (sequenceLinkValues[Constants.SourcePart] ==
                    ↪  Options.SequenceMarkerLink)
                    {
                        link = sequenceLinkValues[Constants.TargetPart];
                    }
                }
                var sequence =
                ↪  Options.Walker.Walk(link).ToArray().ConvertToRestrictionsValues();
                sequence[0] = link;
                return handler(sequence);
            }
            else if (restrictions.Count == 2)
            {
                throw new NotImplementedException();
            }
            else if (restrictions.Count == 3)
            {
                return Links.Unsync.Each(handler, restrictions);
            }
            else
            {
                var sequence = restrictions.ExtractValues();
                if (Options.UseIndex && !Options.Index.MightContain(sequence))
                {
                    return Constants.Break;
                }
                return EachCore(handler, sequence);
            }
        });
    }

    private LinkIndex EachCore(Func<IList<LinkIndex>, LinkIndex> handler, IList<LinkIndex>
    ↪  values)
    {
        var matcher = new Matcher(this, values, new HashSet<LinkIndex>(), handler);
        // TODO: Find out why matcher.HandleFullMatched executed twice for the same sequence
        ↪  Id.
        Func<IList<LinkIndex>, LinkIndex> innerHandler = Options.UseSequenceMarker ?
        ↪  (Func<IList<LinkIndex>, LinkIndex>)matcher.HandleFullMatchedSequence :
        ↪  matcher.HandleFullMatched;
        //if (sequence.Length >= 2)
        if (StepRight(innerHandler, values[0], values[1]) != Constants.Continue)
        {
            return Constants.Break;
        }
        var last = values.Count - 2;
        for (var i = 1; i < last; i++)
        {
            if (PartialStepRight(innerHandler, values[i], values[i + 1]) !=
            ↪  Constants.Continue)
            {
                return Constants.Break;
            }
        }
        if (values.Count >= 3)
        {
            if (StepLeft(innerHandler, values[values.Count - 2], values[values.Count - 1])
            ↪  != Constants.Continue)
            {
                return Constants.Break;
            }
        }
        return Constants.Continue;
    }

```

```
316         private LinkIndex PartialStepRight(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex
            ↪ left, LinkIndex right)
317         {
318             return Links.Unsync.Each(doublet =>
319             {
320                 var doubletIndex = doublet[Constants.IndexPart];
321                 if (StepRight(handler, doubletIndex, right) != Constants.Continue)
322                 {
323                     return Constants.Break;
324                 }
325                 if (left != doubletIndex)
326                 {
327                     return PartialStepRight(handler, doubletIndex, right);
328                 }
329                 return Constants.Continue;
330             }, new Link<LinkIndex>(Constants.Any, Constants.Any, left));
331         }
332 
333         private LinkIndex StepRight(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex left,
            ↪ LinkIndex right) => Links.Unsync.Each(rightStep => TryStepRightUp(handler, right,
            ↪ rightStep[Constants.IndexPart]), new Link<LinkIndex>(Constants.Any, left,
            ↪ Constants.Any));
334 
335         private LinkIndex TryStepRightUp(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex
            ↪ right, LinkIndex stepFrom)
336         {
337             var upStep = stepFrom;
338             var firstSource = Links.Unsync.GetTarget(upStep);
339             while (firstSource != right && firstSource != upStep)
340             {
341                 upStep = firstSource;
342                 firstSource = Links.Unsync.GetSource(upStep);
343             }
344             if (firstSource == right)
345             {
346                 return handler(new LinkAddress<LinkIndex>(stepFrom));
347             }
348             return Constants.Continue;
349         }
350 
351         private LinkIndex StepLeft(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex left,
            ↪ LinkIndex right) => Links.Unsync.Each(leftStep => TryStepLeftUp(handler, left,
            ↪ leftStep[Constants.IndexPart]), new Link<LinkIndex>(Constants.Any, Constants.Any,
            ↪ right));
352 
353         private LinkIndex TryStepLeftUp(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex
            ↪ left, LinkIndex stepFrom)
354         {
355             var upStep = stepFrom;
356             var firstTarget = Links.Unsync.GetSource(upStep);
357             while (firstTarget != left && firstTarget != upStep)
358             {
359                 upStep = firstTarget;
360                 firstTarget = Links.Unsync.GetTarget(upStep);
361             }
362             if (firstTarget == left)
363             {
364                 return handler(new LinkAddress<LinkIndex>(stepFrom));
365             }
366             return Constants.Continue;
367         }
368 
369         #endregion
370 
371         #region Update
372 
373         public LinkIndex Update(IList<LinkIndex> restrictions, IList<LinkIndex> substitution)
374         {
375             var sequence = restrictions.ExtractValues();
376             var newSequence = substitution.ExtractValues();
377 
378             if (sequence.IsNullOrEmpty() && newSequence.IsNullOrEmpty())
379             {
380                 return Constants.Null;
381             }
382             if (sequence.IsNullOrEmpty())
383             {
384                 return Create(substitution);
385             }
```

```
386             if (newSequence.IsNullOrEmpty())
387             {
388                 Delete(restrictions);
389                 return Constants.Null;
390             }
391             return _sync.ExecuteWriteOperation((Func<ulong>)(() =>
392             {
393                 ILinksExtensions.EnsureLinkIsAnyOrExists<ulong>(Links, (IList<ulong>)sequence);
394                 Links.EnsureLinkExists(newSequence);
395                 return UpdateCore(sequence, newSequence);
396             }));
397         }
398 
399         private LinkIndex UpdateCore(IList<LinkIndex> sequence, IList<LinkIndex> newSequence)
400         {
401             LinkIndex bestVariant;
402             if (Options.EnforceSingleSequenceVersionOnWriteBasedOnNew &&
                ↪  !sequence.EqualTo(newSequence))
403             {
404                 bestVariant = CompactCore(newSequence);
405             }
406             else
407             {
408                 bestVariant = CreateCore(newSequence);
409             }
410             // TODO: Check all options only ones before loop execution
411             // Возможно нужно две версии Each, возвращающий фактические последовательности и с
                ↪  маркером,
412             // или возможно даже возвращать и тот и тот вариант. С другой стороны все варианты
                ↪  можно получить имея только фактические последовательности.
413             foreach (var variant in Each(sequence))
414             {
415                 if (variant != bestVariant)
416                 {
417                     UpdateOneCore(variant, bestVariant);
418                 }
419             }
420             return bestVariant;
421         }
422 
423         private void UpdateOneCore(LinkIndex sequence, LinkIndex newSequence)
424         {
425             if (Options.UseGarbageCollection)
426             {
427                 var sequenceElements = GetSequenceElements(sequence);
428                 var sequenceElementsContents = new Link<ulong>(Links.GetLink(sequenceElements));
429                 var sequenceLink = GetSequenceByElements(sequenceElements);
430                 var newSequenceElements = GetSequenceElements(newSequence);
431                 var newSequenceLink = GetSequenceByElements(newSequenceElements);
432                 if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
433                 {
434                     if (sequenceLink != Constants.Null)
435                     {
436                         Links.Unsync.MergeAndDelete(sequenceLink, newSequenceLink);
437                     }
438                     Links.Unsync.MergeAndDelete(sequenceElements, newSequenceElements);
439                 }
440                 ClearGarbage(sequenceElementsContents.Source);
441                 ClearGarbage(sequenceElementsContents.Target);
442             }
443             else
444             {
445                 if (Options.UseSequenceMarker)
446                 {
447                     var sequenceElements = GetSequenceElements(sequence);
448                     var sequenceLink = GetSequenceByElements(sequenceElements);
449                     var newSequenceElements = GetSequenceElements(newSequence);
450                     var newSequenceLink = GetSequenceByElements(newSequenceElements);
451                     if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
452                     {
453                         if (sequenceLink != Constants.Null)
454                         {
455                             Links.Unsync.MergeAndDelete(sequenceLink, newSequenceLink);
456                         }
457                         Links.Unsync.MergeAndDelete(sequenceElements, newSequenceElements);
458                     }
459                 }
460                 else
```

```
                {
                    if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
                    {
                        Links.Unsync.MergeAndDelete(sequence, newSequence);
                    }
                }
            }
        }

        #endregion

        #region Delete

        public void Delete(IList<LinkIndex> restrictions)
        {
            _sync.ExecuteWriteOperation(() =>
            {
                var sequence = restrictions.ExtractValues();
                // TODO: Check all options only ones before loop execution
                foreach (var linkToDelete in Each(sequence))
                {
                    DeleteOneCore(linkToDelete);
                }
            });
        }

        private void DeleteOneCore(LinkIndex link)
        {
            if (Options.UseGarbageCollection)
            {
                var sequenceElements = GetSequenceElements(link);
                var sequenceElementsContents = new Link<ulong>(Links.GetLink(sequenceElements));
                var sequenceLink = GetSequenceByElements(sequenceElements);
                if (Options.UseCascadeDelete || CountUsages(link) == 0)
                {
                    if (sequenceLink != Constants.Null)
                    {
                        Links.Unsync.Delete(sequenceLink);
                    }
                    Links.Unsync.Delete(link);
                }
                ClearGarbage(sequenceElementsContents.Source);
                ClearGarbage(sequenceElementsContents.Target);
            }
            else
            {
                if (Options.UseSequenceMarker)
                {
                    var sequenceElements = GetSequenceElements(link);
                    var sequenceLink = GetSequenceByElements(sequenceElements);
                    if (Options.UseCascadeDelete || CountUsages(link) == 0)
                    {
                        if (sequenceLink != Constants.Null)
                        {
                            Links.Unsync.Delete(sequenceLink);
                        }
                        Links.Unsync.Delete(link);
                    }
                }
                else
                {
                    if (Options.UseCascadeDelete || CountUsages(link) == 0)
                    {
                        Links.Unsync.Delete(link);
                    }
                }
            }
        }

        #endregion

        #region Compactification

        public void CompactAll()
        {
            _sync.ExecuteWriteOperation(() =>
            {
                var sequences = Each((LinkAddress<LinkIndex>)Constants.Any);
                for (int i = 0; i < sequences.Count; i++)
```

```
            {
                var sequence = this.ToList(sequences[i]);
                Compact(sequence.ConvertToRestrictionsValues());
            }
        });
    }

    /// <remarks>
    /// bestVariant можно выбирать по максимальному числу использований,
    /// но балансированный позволяет гарантировать уникальность (если есть возможность,
    /// гарантировать его использование в других местах).
    ///
    /// Получается этот метод должен игнорировать Options.EnforceSingleSequenceVersionOnWrite
    /// </remarks>
    public LinkIndex Compact(IList<LinkIndex> sequence)
    {
        return _sync.ExecuteWriteOperation(() =>
        {
            if (sequence.IsNullOrEmpty())
            {
                return Constants.Null;
            }
            Links.EnsureInnerReferenceExists(sequence, nameof(sequence));
            return CompactCore(sequence);
        });
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    private LinkIndex CompactCore(IList<LinkIndex> sequence) => UpdateCore(sequence,
    ↪  sequence);

    #endregion

    #region Garbage Collection

    /// <remarks>
    /// TODO: Добавить дополнительный обработчик / событие CanBeDeleted которое можно
    ↪  определить извне или в унаследованном классе
    /// </remarks>
    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    private bool IsGarbage(LinkIndex link) => link != Options.SequenceMarkerLink &&
    ↪  !Links.Unsync.IsPartialPoint(link) && Links.Count(Constants.Any, link) == 0;

    private void ClearGarbage(LinkIndex link)
    {
        if (IsGarbage(link))
        {
            var contents = new Link<ulong>(Links.GetLink(link));
            Links.Unsync.Delete(link);
            ClearGarbage(contents.Source);
            ClearGarbage(contents.Target);
        }
    }

    #endregion

    #region Walkers

    public bool EachPart(Func<LinkIndex, bool> handler, LinkIndex sequence)
    {
        return _sync.ExecuteReadOperation(() =>
        {
            var links = Links.Unsync;
            foreach (var part in Options.Walker.Walk(sequence))
            {
                if (!handler(part))
                {
                    return false;
                }
            }
            return true;
        });
    }

    public class Matcher : RightSequenceWalker<LinkIndex>
    {
        private readonly Sequences _sequences;
        private readonly IList<LinkIndex> _patternSequence;
        private readonly HashSet<LinkIndex> _linksInSequence;
```

```
616             private readonly HashSet<LinkIndex> _results;
617             private readonly Func<IList<LinkIndex>, LinkIndex> _stopableHandler;
618             private readonly HashSet<LinkIndex> _readAsElements;
619             private int _filterPosition;
620 
621             public Matcher(Sequences sequences, IList<LinkIndex> patternSequence,
                ↪  HashSet<LinkIndex> results, Func<IList<LinkIndex>, LinkIndex> stopableHandler,
                ↪  HashSet<LinkIndex> readAsElements = null)
622                 : base(sequences.Links.Unsync, new DefaultStack<LinkIndex>())
623             {
624                 _sequences = sequences;
625                 _patternSequence = patternSequence;
626                 _linksInSequence = new HashSet<LinkIndex>(patternSequence.Where(x => x !=
                    ↪  Links.Constants.Any && x != ZeroOrMany));
627                 _results = results;
628                 _stopableHandler = stopableHandler;
629                 _readAsElements = readAsElements;
630             }
631 
632             protected override bool IsElement(LinkIndex link) => base.IsElement(link) ||
                ↪  (_readAsElements != null && _readAsElements.Contains(link)) ||
                ↪  _linksInSequence.Contains(link);
633 
634             public bool FullMatch(LinkIndex sequenceToMatch)
635             {
636                 _filterPosition = 0;
637                 foreach (var part in Walk(sequenceToMatch))
638                 {
639                     if (!FullMatchCore(part))
640                     {
641                         break;
642                     }
643                 }
644                 return _filterPosition == _patternSequence.Count;
645             }
646 
647             private bool FullMatchCore(LinkIndex element)
648             {
649                 if (_filterPosition == _patternSequence.Count)
650                 {
651                     _filterPosition = -2; // Длиннее чем нужно
652                     return false;
653                 }
654                 if (_patternSequence[_filterPosition] != Links.Constants.Any
655                  && element != _patternSequence[_filterPosition])
656                 {
657                     _filterPosition = -1;
658                     return false; // Начинается/Продолжается иначе
659                 }
660                 _filterPosition++;
661                 return true;
662             }
663 
664             public void AddFullMatchedToResults(IList<LinkIndex> restrictions)
665             {
666                 var sequenceToMatch = restrictions[Links.Constants.IndexPart];
667                 if (FullMatch(sequenceToMatch))
668                 {
669                     _results.Add(sequenceToMatch);
670                 }
671             }
672 
673             public LinkIndex HandleFullMatched(IList<LinkIndex> restrictions)
674             {
675                 var sequenceToMatch = restrictions[Links.Constants.IndexPart];
676                 if (FullMatch(sequenceToMatch) && _results.Add(sequenceToMatch))
677                 {
678                     return _stopableHandler(new LinkAddress<LinkIndex>(sequenceToMatch));
679                 }
680                 return Links.Constants.Continue;
681             }
682 
683             public LinkIndex HandleFullMatchedSequence(IList<LinkIndex> restrictions)
684             {
685                 var sequenceToMatch = restrictions[Links.Constants.IndexPart];
686                 var sequence = _sequences.GetSequenceByElements(sequenceToMatch);
687                 if (sequence != Links.Constants.Null && FullMatch(sequenceToMatch) &&
                    ↪  _results.Add(sequenceToMatch))
688                 {
```

```
                return _stopableHandler(new LinkAddress<LinkIndex>(sequence));
            }
            return Links.Constants.Continue;
        }

        /// <remarks>
        /// TODO: Add support for LinksConstants.Any
        /// </remarks>
        public bool PartialMatch(LinkIndex sequenceToMatch)
        {
            _filterPosition = -1;
            foreach (var part in Walk(sequenceToMatch))
            {
                if (!PartialMatchCore(part))
                {
                    break;
                }
            }
            return _filterPosition == _patternSequence.Count - 1;
        }

        private bool PartialMatchCore(LinkIndex element)
        {
            if (_filterPosition == (_patternSequence.Count - 1))
            {
                return false; // Нашлось
            }
            if (_filterPosition >= 0)
            {
                if (element == _patternSequence[_filterPosition + 1])
                {
                    _filterPosition++;
                }
                else
                {
                    _filterPosition = -1;
                }
            }
            if (_filterPosition < 0)
            {
                if (element == _patternSequence[0])
                {
                    _filterPosition = 0;
                }
            }
            return true; // Ищем дальше
        }

        public void AddPartialMatchedToResults(LinkIndex sequenceToMatch)
        {
            if (PartialMatch(sequenceToMatch))
            {
                _results.Add(sequenceToMatch);
            }
        }

        public LinkIndex HandlePartialMatched(IList<LinkIndex> restrictions)
        {
            var sequenceToMatch = restrictions[Links.Constants.IndexPart];
            if (PartialMatch(sequenceToMatch))
            {
                return _stopableHandler(new LinkAddress<LinkIndex>(sequenceToMatch));
            }
            return Links.Constants.Continue;
        }

        public void AddAllPartialMatchedToResults(IEnumerable<LinkIndex> sequencesToMatch)
        {
            foreach (var sequenceToMatch in sequencesToMatch)
            {
                if (PartialMatch(sequenceToMatch))
                {
                    _results.Add(sequenceToMatch);
                }
            }
        }

        public void AddAllPartialMatchedToResultsAndReadAsElements(IEnumerable<LinkIndex>
        ↪  sequencesToMatch)
```

```
            {
                foreach (var sequenceToMatch in sequencesToMatch)
                {
                    if (PartialMatch(sequenceToMatch))
                    {
                        _readAsElements.Add(sequenceToMatch);
                        _results.Add(sequenceToMatch);
                    }
                }
            }
        }

        #endregion
    }
}
```

1.87 ./Platform.Data.Doublets/Sequences/SequencesExtensions.cs

```
using System;
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    public static class SequencesExtensions
    {
        public static TLink Create<TLink>(this ILinks<TLink> sequences, IList<TLink[]>
        ↪  groupedSequence)
        {
            var finalSequence = new TLink[groupedSequence.Count];
            for (var i = 0; i < finalSequence.Length; i++)
            {
                var part = groupedSequence[i];
                finalSequence[i] = part.Length == 1 ? part[0] :
                ↪  sequences.Create(part.ConvertToRestrictionsValues());
            }
            return sequences.Create(finalSequence.ConvertToRestrictionsValues());
        }

        public static IList<TLink> ToList<TLink>(this ILinks<TLink> sequences, TLink sequence)
        {
            var list = new List<TLink>();
            var filler = new ListFiller<TLink, TLink>(list, sequences.Constants.Break);
            sequences.Each(filler.AddAllValuesAndReturnConstant, new
            ↪  LinkAddress<TLink>(sequence));
            return list;
        }
    }
}
```

1.88 ./Platform.Data.Doublets/Sequences/SequencesOptions.cs

```
using System;
using System.Collections.Generic;
using Platform.Interfaces;
using Platform.Collections.Stacks;
using Platform.Converters;
using Platform.Data.Doublets.Sequences.Frequencies.Cache;
using Platform.Data.Doublets.Sequences.Frequencies.Counters;
using Platform.Data.Doublets.Sequences.Converters;
using Platform.Data.Doublets.Sequences.CreteriaMatchers;
using Platform.Data.Doublets.Sequences.Walkers;
using Platform.Data.Doublets.Sequences.Indexes;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    public class SequencesOptions<TLink> // TODO: To use type parameter <TLink> the
    ↪  ILinks<TLink> must contain GetConstants function.
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        public TLink SequenceMarkerLink { get; set; }
        public bool UseCascadeUpdate { get; set; }
        public bool UseCascadeDelete { get; set; }
        public bool UseIndex { get; set; } // TODO: Update Index on sequence update/delete.
        public bool UseSequenceMarker { get; set; }
        public bool UseCompression { get; set; }
```

```
27          public bool UseGarbageCollection { get; set; }
28          public bool EnforceSingleSequenceVersionOnWriteBasedOnExisting { get; set; }
29          public bool EnforceSingleSequenceVersionOnWriteBasedOnNew { get; set; }
30
31          public MarkedSequenceCriterionMatcher<TLink> MarkedSequenceMatcher { get; set; }
32          public IConverter<IList<TLink>, TLink> LinksToSequenceConverter { get; set; }
33          public ISequenceIndex<TLink> Index { get; set; }
34          public ISequenceWalker<TLink> Walker { get; set; }
35          public bool ReadFullSequence { get; set; }
36
37          // TODO: Реализовать компактификацию при чтении
38          //public bool EnforceSingleSequenceVersionOnRead { get; set; }
39          //public bool UseRequestMarker { get; set; }
40          //public bool StoreRequestResults { get; set; }
41
42          public void InitOptions(ISynchronizedLinks<TLink> links)
43          {
44              if (UseSequenceMarker)
45              {
46                  if (_equalityComparer.Equals(SequenceMarkerLink, links.Constants.Null))
47                  {
48                      SequenceMarkerLink = links.CreatePoint();
49                  }
50                  else
51                  {
52                      if (!links.Exists(SequenceMarkerLink))
53                      {
54                          var link = links.CreatePoint();
55                          if (!_equalityComparer.Equals(link, SequenceMarkerLink))
56                          {
57                              throw new InvalidOperationException("Cannot recreate sequence marker
                                ↪  link.");
58                          }
59                      }
60                  }
61                  if (MarkedSequenceMatcher == null)
62                  {
63                      MarkedSequenceMatcher = new MarkedSequenceCriterionMatcher<TLink>(links,
                        ↪  SequenceMarkerLink);
64                  }
65              }
66              var balancedVariantConverter = new BalancedVariantConverter<TLink>(links);
67              if (UseCompression)
68              {
69                  if (LinksToSequenceConverter == null)
70                  {
71                      ICounter<TLink, TLink> totalSequenceSymbolFrequencyCounter;
72                      if (UseSequenceMarker)
73                      {
74                          totalSequenceSymbolFrequencyCounter = new
                            ↪  TotalMarkedSequenceSymbolFrequencyCounter<TLink>(links,
                            ↪  MarkedSequenceMatcher);
75                      }
76                      else
77                      {
78                          totalSequenceSymbolFrequencyCounter = new
                            ↪  TotalSequenceSymbolFrequencyCounter<TLink>(links);
79                      }
80                      var doubletFrequenciesCache = new LinkFrequenciesCache<TLink>(links,
                        ↪  totalSequenceSymbolFrequencyCounter);
81                      var compressingConverter = new CompressingConverter<TLink>(links,
                        ↪  balancedVariantConverter, doubletFrequenciesCache);
82                      LinksToSequenceConverter = compressingConverter;
83                  }
84              }
85              else
86              {
87                  if (LinksToSequenceConverter == null)
88                  {
89                      LinksToSequenceConverter = balancedVariantConverter;
90                  }
91              }
92              if (UseIndex && Index == null)
93              {
94                  Index = new SequenceIndex<TLink>(links);
95              }
96              if (Walker == null)
97              {
```

```
                Walker = new RightSequenceWalker<TLink>(links, new DefaultStack<TLink>());
            }
        }

        public void ValidateOptions()
        {
            if (UseGarbageCollection && !UseSequenceMarker)
            {
                throw new NotSupportedException("To use garbage collection UseSequenceMarker
                ↪  option must be on.");
            }
        }
    }
}
```

1.89 ./Platform.Data.Doublets/Sequences/SetFiller.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    public class SetFiller<TElement, TReturnConstant>
    {
        protected readonly ISet<TElement> _set;
        protected readonly TReturnConstant _returnConstant;

        public SetFiller(ISet<TElement> set, TReturnConstant returnConstant)
        {
            _set = set;
            _returnConstant = returnConstant;
        }

        public SetFiller(ISet<TElement> set) : this(set, default) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void Add(TElement element) => _set.Add(element);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool AddAndReturnTrue(TElement element)
        {
            _set.Add(element);
            return true;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool AddFirstAndReturnTrue(IList<TElement> collection)
        {
            _set.Add(collection[0]);
            return true;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TReturnConstant AddAndReturnConstant(TElement element)
        {
            _set.Add(element);
            return _returnConstant;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TReturnConstant AddFirstAndReturnConstant(IList<TElement> collection)
        {
            _set.Add(collection[0]);
            return _returnConstant;
        }
    }
}
```

1.90 ./Platform.Data.Doublets/Sequences/Walkers/ISequenceWalker.cs

```
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Walkers
{
    public interface ISequenceWalker<TLink>
    {
        IEnumerable<TLink> Walk(TLink sequence);
```

```
    }
}
```

1.91 ./Platform.Data.Doublets/Sequences/Walkers/LeftSequenceWalker.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Stacks;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Walkers
{
    public class LeftSequenceWalker<TLink> : SequenceWalkerBase<TLink>
    {
        public LeftSequenceWalker(ILinks<TLink> links, IStack<TLink> stack, Func<TLink, bool>
        ↪  isElement) : base(links, stack, isElement) { }

        public LeftSequenceWalker(ILinks<TLink> links, IStack<TLink> stack) : base(links, stack,
        ↪  links.IsPartialPoint) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetNextElementAfterPop(TLink element) =>
        ↪  Links.GetSource(element);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetNextElementAfterPush(TLink element) =>
        ↪  Links.GetTarget(element);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override IEnumerable<TLink> WalkContents(TLink element)
        {
            var parts = Links.GetLink(element);
            var start = Links.Constants.IndexPart + 1;
            for (var i = parts.Count - 1; i >= start; i--)
            {
                var part = parts[i];
                if (IsElement(part))
                {
                    yield return part;
                }
            }
        }
    }
}
```

1.92 ./Platform.Data.Doublets/Sequences/Walkers/LeveledSequenceWalker.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

//#define USEARRAYPOOL
#if USEARRAYPOOL
using Platform.Collections;
#endif

namespace Platform.Data.Doublets.Sequences.Walkers
{
    public class LeveledSequenceWalker<TLink> : LinksOperatorBase<TLink>, ISequenceWalker<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private readonly Func<TLink, bool> _isElement;

        public LeveledSequenceWalker(ILinks<TLink> links, Func<TLink, bool> isElement) :
        ↪  base(links) => _isElement = isElement;

        public LeveledSequenceWalker(ILinks<TLink> links) : base(links) => _isElement =
        ↪  Links.IsPartialPoint;

        public IEnumerable<TLink> Walk(TLink sequence) => ToArray(sequence);

        public TLink[] ToArray(TLink sequence)
        {
            var length = 1;
            var array = new TLink[length];
            array[0] = sequence;
```

```
            if (_isElement(sequence))
            {
                return array;
            }
            bool hasElements;
            do
            {
                length *= 2;
#if USEARRAYPOOL
                var nextArray = ArrayPool.Allocate<ulong>(length);
#else
                var nextArray = new TLink[length];
#endif
                hasElements = false;
                for (var i = 0; i < array.Length; i++)
                {
                    var candidate = array[i];
                    if (_equalityComparer.Equals(array[i], default))
                    {
                        continue;
                    }
                    var doubletOffset = i * 2;
                    if (_isElement(candidate))
                    {
                        nextArray[doubletOffset] = candidate;
                    }
                    else
                    {
                        var link = Links.GetLink(candidate);
                        var linkSource = Links.GetSource(link);
                        var linkTarget = Links.GetTarget(link);
                        nextArray[doubletOffset] = linkSource;
                        nextArray[doubletOffset + 1] = linkTarget;
                        if (!hasElements)
                        {
                            hasElements = !(_isElement(linkSource) && _isElement(linkTarget));
                        }
                    }
                }
#if USEARRAYPOOL
                if (array.Length > 1)
                {
                    ArrayPool.Free(array);
                }
#endif
                array = nextArray;
            }
            while (hasElements);
            var filledElementsCount = CountFilledElements(array);
            if (filledElementsCount == array.Length)
            {
                return array;
            }
            else
            {
                return CopyFilledElements(array, filledElementsCount);
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static TLink[] CopyFilledElements(TLink[] array, int filledElementsCount)
        {
            var finalArray = new TLink[filledElementsCount];
            for (int i = 0, j = 0; i < array.Length; i++)
            {
                if (!_equalityComparer.Equals(array[i], default))
                {
                    finalArray[j] = array[i];
                    j++;
                }
            }
#if USEARRAYPOOL
            ArrayPool.Free(array);
#endif
            return finalArray;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static int CountFilledElements(TLink[] array)
```

```
        {
            var count = 0;
            for (var i = 0; i < array.Length; i++)
            {
                if (!_equalityComparer.Equals(array[i], default))
                {
                    count++;
                }
            }
            return count;
        }
    }
}
```

1.93 ./Platform.Data.Doublets/Sequences/Walkers/RightSequenceWalker.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Stacks;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Walkers
{
    public class RightSequenceWalker<TLink> : SequenceWalkerBase<TLink>
    {
        public RightSequenceWalker(ILinks<TLink> links, IStack<TLink> stack, Func<TLink, bool>
        ↪  isElement) : base(links, stack, isElement) { }

        public RightSequenceWalker(ILinks<TLink> links, IStack<TLink> stack) : base(links,
        ↪  stack, links.IsPartialPoint) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetNextElementAfterPop(TLink element) =>
        ↪  Links.GetTarget(element);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetNextElementAfterPush(TLink element) =>
        ↪  Links.GetSource(element);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override IEnumerable<TLink> WalkContents(TLink element)
        {
            var parts = Links.GetLink(element);
            for (var i = Links.Constants.IndexPart + 1; i < parts.Count; i++)
            {
                var part = parts[i];
                if (IsElement(part))
                {
                    yield return part;
                }
            }
        }
    }
}
```

1.94 ./Platform.Data.Doublets/Sequences/Walkers/SequenceWalkerBase.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Stacks;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Walkers
{
    public abstract class SequenceWalkerBase<TLink> : LinksOperatorBase<TLink>,
    ↪  ISequenceWalker<TLink>
    {
        private readonly IStack<TLink> _stack;
        private readonly Func<TLink, bool> _isElement;

        protected SequenceWalkerBase(ILinks<TLink> links, IStack<TLink> stack, Func<TLink, bool>
        ↪  isElement) : base(links)
        {
            _stack = stack;
            _isElement = isElement;
        }

```

```
21          protected SequenceWalkerBase(ILinks<TLink> links, IStack<TLink> stack) : this(links,
            ↪  stack, links.IsPartialPoint)
22          {
23          }
24
25          public IEnumerable<TLink> Walk(TLink sequence)
26          {
27              _stack.Clear();
28              var element = sequence;
29              if (IsElement(element))
30              {
31                  yield return element;
32              }
33              else
34              {
35                  while (true)
36                  {
37                      if (IsElement(element))
38                      {
39                          if (_stack.IsEmpty)
40                          {
41                              break;
42                          }
43                          element = _stack.Pop();
44                          foreach (var output in WalkContents(element))
45                          {
46                              yield return output;
47                          }
48                          element = GetNextElementAfterPop(element);
49                      }
50                      else
51                      {
52                          _stack.Push(element);
53                          element = GetNextElementAfterPush(element);
54                      }
55                  }
56              }
57          }
58
59          [MethodImpl(MethodImplOptions.AggressiveInlining)]
60          protected virtual bool IsElement(TLink elementLink) => _isElement(elementLink);
61
62          [MethodImpl(MethodImplOptions.AggressiveInlining)]
63          protected abstract TLink GetNextElementAfterPop(TLink element);
64
65          [MethodImpl(MethodImplOptions.AggressiveInlining)]
66          protected abstract TLink GetNextElementAfterPush(TLink element);
67
68          [MethodImpl(MethodImplOptions.AggressiveInlining)]
69          protected abstract IEnumerable<TLink> WalkContents(TLink element);
70      }
71  }
```

1.95 ./Platform.Data.Doublets/Stacks/Stack.cs

```
1   using System.Collections.Generic;
2   using Platform.Collections.Stacks;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Data.Doublets.Stacks
7   {
8       public class Stack<TLink> : IStack<TLink>
9       {
10          private static readonly EqualityComparer<TLink> _equalityComparer =
            ↪  EqualityComparer<TLink>.Default;
11
12          private readonly ILinks<TLink> _links;
13          private readonly TLink _stack;
14
15          public bool IsEmpty => _equalityComparer.Equals(Peek(), _stack);
16
17          public Stack(ILinks<TLink> links, TLink stack)
18          {
19              _links = links;
20              _stack = stack;
21          }
22
23          private TLink GetStackMarker() => _links.GetSource(_stack);
24
25          private TLink GetTop() => _links.GetTarget(_stack);
```

```
26
27          public TLink Peek() => _links.GetTarget(GetTop());
28
29          public TLink Pop()
30          {
31              var element = Peek();
32              if (!_equalityComparer.Equals(element, _stack))
33              {
34                  var top = GetTop();
35                  var previousTop = _links.GetSource(top);
36                  _links.Update(_stack, GetStackMarker(), previousTop);
37                  _links.Delete(top);
38              }
39              return element;
40          }
41
42          public void Push(TLink element) => _links.Update(_stack, GetStackMarker(),
            ↪  _links.GetOrCreate(GetTop(), element));
43      }
44  }
```

1.96 ./Platform.Data.Doublets/Stacks/StackExtensions.cs

```
1   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
2
3   namespace Platform.Data.Doublets.Stacks
4   {
5       public static class StackExtensions
6       {
7           public static TLink CreateStack<TLink>(this ILinks<TLink> links, TLink stackMarker)
8           {
9               var stackPoint = links.CreatePoint();
10              var stack = links.Update(stackPoint, stackMarker, stackPoint);
11              return stack;
12          }
13      }
14  }
```

1.97 ./Platform.Data.Doublets/SynchronizedLinks.cs

```
1   using System;
2   using System.Collections.Generic;
3   using Platform.Data.Doublets;
4   using Platform.Threading.Synchronization;
5
6   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8   namespace Platform.Data.Doublets
9   {
10      /// <remarks>
11      /// TODO: Autogeneration of synchronized wrapper (decorator).
12      /// TODO: Try to unfold code of each method using IL generation for performance improvements.
13      /// TODO: Or even to unfold multiple layers of implementations.
14      /// </remarks>
15      public class SynchronizedLinks<TLinkAddress> : ISynchronizedLinks<TLinkAddress>
16      {
17          public LinksConstants<TLinkAddress> Constants { get; }
18          public ISynchronization SyncRoot { get; }
19          public ILinks<TLinkAddress> Sync { get; }
20          public ILinks<TLinkAddress> Unsync { get; }
21
22          public SynchronizedLinks(ILinks<TLinkAddress> links) : this(new
            ↪  ReaderWriterLockSynchronization(), links) { }
23
24          public SynchronizedLinks(ISynchronization synchronization, ILinks<TLinkAddress> links)
25          {
26              SyncRoot = synchronization;
27              Sync = this;
28              Unsync = links;
29              Constants = links.Constants;
30          }
31
32          public TLinkAddress Count(IList<TLinkAddress> restriction) =>
            ↪  SyncRoot.ExecuteReadOperation(restriction, Unsync.Count);
33          public TLinkAddress Each(Func<IList<TLinkAddress>, TLinkAddress> handler,
            ↪  IList<TLinkAddress> restrictions) => SyncRoot.ExecuteReadOperation(handler,
            ↪  restrictions, (handler1, restrictions1) => Unsync.Each(handler1, restrictions1));
34          public TLinkAddress Create(IList<TLinkAddress> restrictions) =>
            ↪  SyncRoot.ExecuteWriteOperation(restrictions, Unsync.Create);
```

```
35          public TLinkAddress Update(IList<TLinkAddress> restrictions, IList<TLinkAddress>
            ↪  substitution) => SyncRoot.ExecuteWriteOperation(restrictions, substitution,
            ↪  Unsync.Update);
36          public void Delete(IList<TLinkAddress> restrictions) =>
            ↪  SyncRoot.ExecuteWriteOperation(restrictions, Unsync.Delete);
37
38          //public T Trigger(IList<T> restriction, Func<IList<T>, IList<T>, T> matchedHandler,
            ↪  IList<T> substitution, Func<IList<T>, IList<T>, T> substitutedHandler)
39          //{
40          //    if (restriction != null && substitution != null &&
            ↪  !substitution.EqualTo(restriction))
41          //        return SyncRoot.ExecuteWriteOperation(restriction, matchedHandler,
            ↪  substitution, substitutedHandler, Unsync.Trigger);
42
43          //    return SyncRoot.ExecuteReadOperation(restriction, matchedHandler, substitution,
            ↪  substitutedHandler, Unsync.Trigger);
44          //}
45      }
46  }
```

1.98 ./Platform.Data.Doublets/UInt64LinksExtensions.cs

```
1   using System;
2   using System.Text;
3   using System.Collections.Generic;
4   using Platform.Singletons;
5   using Platform.Data.Exceptions;
6   using Platform.Data.Doublets.Unicode;
7
8   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10  namespace Platform.Data.Doublets
11  {
12      public static class UInt64LinksExtensions
13      {
14          public static readonly LinksConstants<ulong> Constants =
            ↪  Default<LinksConstants<ulong>>.Instance;
15
16          public static void UseUnicode(this ILinks<ulong> links) => UnicodeMap.InitNew(links);
17
18
19
20          public static bool AnyLinkIsAny(this ILinks<ulong> links, params ulong[] sequence)
21          {
22              if (sequence == null)
23              {
24                  return false;
25              }
26              var constants = links.Constants;
27              for (var i = 0; i < sequence.Length; i++)
28              {
29                  if (sequence[i] == constants.Any)
30                  {
31                      return true;
32                  }
33              }
34              return false;
35          }
36
37          public static string FormatStructure(this ILinks<ulong> links, ulong linkIndex,
            ↪  Func<Link<ulong>, bool> isElement, bool renderIndex = false, bool renderDebug =
            ↪  false)
38          {
39              var sb = new StringBuilder();
40              var visited = new HashSet<ulong>();
41              links.AppendStructure(sb, visited, linkIndex, isElement, (innerSb, link) =>
                ↪  innerSb.Append(link.Index), renderIndex, renderDebug);
42              return sb.ToString();
43          }
44
45          public static string FormatStructure(this ILinks<ulong> links, ulong linkIndex,
            ↪  Func<Link<ulong>, bool> isElement, Action<StringBuilder, Link<ulong>> appendElement,
            ↪  bool renderIndex = false, bool renderDebug = false)
46          {
47              var sb = new StringBuilder();
48              var visited = new HashSet<ulong>();
49              links.AppendStructure(sb, visited, linkIndex, isElement, appendElement, renderIndex,
                ↪  renderDebug);
50              return sb.ToString();
51          }
```

```
52
53          public static void AppendStructure(this ILinks<ulong> links, StringBuilder sb,
            ↪  HashSet<ulong> visited, ulong linkIndex, Func<Link<ulong>, bool> isElement,
            ↪  Action<StringBuilder, Link<ulong>> appendElement, bool renderIndex = false, bool
            ↪  renderDebug = false)
54          {
55              if (sb == null)
56              {
57                  throw new ArgumentNullException(nameof(sb));
58              }
59              if (linkIndex == Constants.Null || linkIndex == Constants.Any || linkIndex ==
                ↪  Constants.Itself)
60              {
61                  return;
62              }
63              if (links.Exists(linkIndex))
64              {
65                  if (visited.Add(linkIndex))
66                  {
67                      sb.Append('(');
68                      var link = new Link<ulong>(links.GetLink(linkIndex));
69                      if (renderIndex)
70                      {
71                          sb.Append(link.Index);
72                          sb.Append(':');
73                      }
74                      if (link.Source == link.Index)
75                      {
76                          sb.Append(link.Index);
77                      }
78                      else
79                      {
80                          var source = new Link<ulong>(links.GetLink(link.Source));
81                          if (isElement(source))
82                          {
83                              appendElement(sb, source);
84                          }
85                          else
86                          {
87                              links.AppendStructure(sb, visited, source.Index, isElement,
                                ↪  appendElement, renderIndex);
88                          }
89                      }
90                      sb.Append(' ');
91                      if (link.Target == link.Index)
92                      {
93                          sb.Append(link.Index);
94                      }
95                      else
96                      {
97                          var target = new Link<ulong>(links.GetLink(link.Target));
98                          if (isElement(target))
99                          {
100                             appendElement(sb, target);
101                         }
102                         else
103                         {
104                             links.AppendStructure(sb, visited, target.Index, isElement,
                                ↪  appendElement, renderIndex);
105                         }
106                     }
107                     sb.Append(')');
108                 }
109                 else
110                 {
111                     if (renderDebug)
112                     {
113                         sb.Append('*');
114                     }
115                     sb.Append(linkIndex);
116                 }
117             }
118             else
119             {
120                 if (renderDebug)
121                 {
122                     sb.Append('~');
123                 }
```

```
                sb.Append(linkIndex);
            }
        }
    }
}
```

1.99 ./Platform.Data.Doublets/UInt64LinksTransactionsLayer.cs

```
using System;
using System.Linq;
using System.Collections.Generic;
using System.IO;
using System.Runtime.CompilerServices;
using System.Threading;
using System.Threading.Tasks;
using Platform.Disposables;
using Platform.Timestamps;
using Platform.Unsafe;
using Platform.IO;
using Platform.Data.Doublets.Decorators;
using Platform.Exceptions;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets
{
    public class UInt64LinksTransactionsLayer : LinksDisposableDecoratorBase<ulong> //-V3073
    {
        /// <remarks>
        /// Альтернативные варианты хранения трансформации (элемента транзакции):
        ///
        /// private enum TransitionType
        /// {
        ///     Creation,
        ///     UpdateOf,
        ///     UpdateTo,
        ///     Deletion
        /// }
        ///
        /// private struct Transition
        /// {
        ///     public ulong TransactionId;
        ///     public UniqueTimestamp Timestamp;
        ///     public TransactionItemType Type;
        ///     public Link Source;
        ///     public Link Linker;
        ///     public Link Target;
        /// }
        ///
        /// Или
        ///
        /// public struct TransitionHeader
        /// {
        ///     public ulong TransactionIdCombined;
        ///     public ulong TimestampCombined;
        ///
        ///     public ulong TransactionId
        ///     {
        ///         get
        ///         {
        ///             return (ulong) mask &amp; TransactionIdCombined;
        ///         }
        ///     }
        ///
        ///     public UniqueTimestamp Timestamp
        ///     {
        ///         get
        ///         {
        ///             return (UniqueTimestamp)mask &amp; TransactionIdCombined;
        ///         }
        ///     }
        ///
        ///     public TransactionItemType Type
        ///     {
        ///         get
        ///         {
        ///             // Использовать по одному биту из TransactionId и Timestamp,
        ///             // для значения в 2 бита, которое представляет тип операции
        ///             throw new NotImplementedException();
        ///         }
```

```
73          ///     }
74          /// }
75          ///
76          /// private struct Transition
77          /// {
78          ///     public TransitionHeader Header;
79          ///     public Link Source;
80          ///     public Link Linker;
81          ///     public Link Target;
82          /// }
83          ///
84          /// </remarks>
85          public struct Transition
86          {
87              public static readonly long Size = Structure<Transition>.Size;
88
89              public readonly ulong TransactionId;
90              public readonly Link<ulong> Before;
91              public readonly Link<ulong> After;
92              public readonly Timestamp Timestamp;
93
94              public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong
                ↪  transactionId, Link<ulong> before, Link<ulong> after)
95              {
96                  TransactionId = transactionId;
97                  Before = before;
98                  After = after;
99                  Timestamp = uniqueTimestampFactory.Create();
100             }
101
102             public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong
                ↪  transactionId, Link<ulong> before)
103                 : this(uniqueTimestampFactory, transactionId, before, default)
104             {
105             }
106
107             public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong transactionId)
108                 : this(uniqueTimestampFactory, transactionId, default, default)
109             {
110             }
111
112             public override string ToString() => $"{Timestamp} {TransactionId}: {Before} =>
                ↪  {After}";
113         }
114
115         /// <remarks>
116         /// Другие варианты реализации транзакций (атомарности):
117         ///     1. Разделение хранения значения связи ((Source Target) или (Source Linker
                ↪  Target)) и индексов.
118         ///     2. Хранение трансформаций/операций в отдельном хранилище Links, но дополнительно
                ↪  потребуется решить вопрос
119         ///        со ссылками на внешние идентификаторы, или как-то иначе решить вопрос с
                ↪  пересечениями идентификаторов.
120         ///
121         /// Где хранить промежуточный список транзакций?
122         ///
123         /// В оперативной памяти:
124         ///  Минусы:
125         ///     1. Может усложнить систему, если она будет функционировать самостоятельно,
126         ///     так как нужно отдельно выделять память под список трансформаций.
127         ///     2. Выделенной оперативной памяти может не хватить, в том случае,
128         ///     если транзакция использует слишком много трансформаций.
129         ///         -> Можно использовать жёсткий диск для слишком длинных транзакций.
130         ///         -> Максимальный размер списка трансформаций можно ограничить / задать
                ↪  константой.
131         ///     3. При подтверждении транзакции (Commit) все трансформации записываются разом
                ↪  создавая задержку.
132         ///
133         /// На жёстком диске:
134         ///  Минусы:
135         ///     1. Длительный отклик, на запись каждой трансформации.
136         ///     2. Лог транзакций дополнительно наполняется отменёнными транзакциями.
137         ///         -> Это может решаться упаковкой/исключением дублирующих операций.
138         ///         -> Также это может решаться тем, что короткие транзакции вообще
139         ///            не будут записываться в случае отката.
140         ///     3. Перед тем как выполнять отмену операций транзакции нужно дождаться пока все
                ↪  операции (трансформации)
141         ///        будут записаны в лог.
```

```
142         ///
143         /// </remarks>
144         public class Transaction : DisposableBase
145         {
146             private readonly Queue<Transition> _transitions;
147             private readonly UInt64LinksTransactionsLayer _layer;
148             public bool IsCommitted { get; private set; }
149             public bool IsReverted { get; private set; }
150 
151             public Transaction(UInt64LinksTransactionsLayer layer)
152             {
153                 _layer = layer;
154                 if (_layer._currentTransactionId != 0)
155                 {
156                     throw new NotSupportedException("Nested transactions not supported.");
157                 }
158                 IsCommitted = false;
159                 IsReverted = false;
160                 _transitions = new Queue<Transition>();
161                 SetCurrentTransaction(layer, this);
162             }
163 
164             public void Commit()
165             {
166                 EnsureTransactionAllowsWriteOperations(this);
167                 while (_transitions.Count > 0)
168                 {
169                     var transition = _transitions.Dequeue();
170                     _layer._transitions.Enqueue(transition);
171                 }
172                 _layer._lastCommitedTransactionId = _layer._currentTransactionId;
173                 IsCommitted = true;
174             }
175 
176             private void Revert()
177             {
178                 EnsureTransactionAllowsWriteOperations(this);
179                 var transitionsToRevert = new Transition[_transitions.Count];
180                 _transitions.CopyTo(transitionsToRevert, 0);
181                 for (var i = transitionsToRevert.Length - 1; i >= 0; i--)
182                 {
183                     _layer.RevertTransition(transitionsToRevert[i]);
184                 }
185                 IsReverted = true;
186             }
187 
188             public static void SetCurrentTransaction(UInt64LinksTransactionsLayer layer,
                ↪ Transaction transaction)
189             {
190                 layer._currentTransactionId = layer._lastCommitedTransactionId + 1;
191                 layer._currentTransactionTransitions = transaction._transitions;
192                 layer._currentTransaction = transaction;
193             }
194 
195             public static void EnsureTransactionAllowsWriteOperations(Transaction transaction)
196             {
197                 if (transaction.IsReverted)
198                 {
199                     throw new InvalidOperationException("Transation is reverted.");
200                 }
201                 if (transaction.IsCommitted)
202                 {
203                     throw new InvalidOperationException("Transation is commited.");
204                 }
205             }
206 
207             protected override void Dispose(bool manual, bool wasDisposed)
208             {
209                 if (!wasDisposed && _layer != null && !_layer.IsDisposed)
210                 {
211                     if (!IsCommitted && !IsReverted)
212                     {
213                         Revert();
214                     }
215                     _layer.ResetCurrentTransation();
216                 }
217             }
218         }
219 
```

```
220         public static readonly TimeSpan DefaultPushDelay = TimeSpan.FromSeconds(0.1);
221
222         private readonly string _logAddress;
223         private readonly FileStream _log;
224         private readonly Queue<Transition> _transitions;
225         private readonly UniqueTimestampFactory _uniqueTimestampFactory;
226         private Task _transitionsPusher;
227         private Transition _lastCommitedTransition;
228         private ulong _currentTransactionId;
229         private Queue<Transition> _currentTransactionTransitions;
230         private Transaction _currentTransaction;
231         private ulong _lastCommitedTransactionId;
232
233         public UInt64LinksTransactionsLayer(ILinks<ulong> links, string logAddress)
234             : base(links)
235         {
236             if (string.IsNullOrWhiteSpace(logAddress))
237             {
238                 throw new ArgumentNullException(nameof(logAddress));
239             }
240             // В первой строке файла хранится последняя закоммиченную транзакцию.
241             // При запуске это используется для проверки удачного закрытия файла лога.
242             // In the first line of the file the last committed transaction is stored.
243             // On startup, this is used to check that the log file is successfully closed.
244             var lastCommitedTransition = FileHelpers.ReadFirstOrDefault<Transition>(logAddress);
245             var lastWrittenTransition = FileHelpers.ReadLastOrDefault<Transition>(logAddress);
246             if (!lastCommitedTransition.Equals(lastWrittenTransition))
247             {
248                 Dispose();
249                 throw new NotSupportedException("Database is damaged, autorecovery is not
                    ↪  supported yet.");
250             }
251             if (lastCommitedTransition.Equals(default(Transition)))
252             {
253                 FileHelpers.WriteFirst(logAddress, lastCommitedTransition);
254             }
255             _lastCommitedTransition = lastCommitedTransition;
256             // TODO: Think about a better way to calculate or store this value
257             var allTransitions = FileHelpers.ReadAll<Transition>(logAddress);
258             _lastCommitedTransactionId = allTransitions.Length > 0 ? allTransitions.Max(x =>
                ↪  x.TransactionId) : 0;
259             _uniqueTimestampFactory = new UniqueTimestampFactory();
260             _logAddress = logAddress;
261             _log = FileHelpers.Append(logAddress);
262             _transitions = new Queue<Transition>();
263             _transitionsPusher = new Task(TransitionsPusher);
264             _transitionsPusher.Start();
265         }
266
267         public IList<ulong> GetLinkValue(ulong link) => Links.GetLink(link);
268
269         public override ulong Create(IList<ulong> restrictions)
270         {
271             var createdLinkIndex = Links.Create();
272             var createdLink = new Link<ulong>(Links.GetLink(createdLinkIndex));
273             CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
                ↪  default, createdLink));
274             return createdLinkIndex;
275         }
276
277         public override ulong Update(IList<ulong> restrictions, IList<ulong> substitution)
278         {
279             var linkIndex = restrictions[Constants.IndexPart];
280             var beforeLink = new Link<ulong>(Links.GetLink(linkIndex));
281             linkIndex = Links.Update(restrictions, substitution);
282             var afterLink = new Link<ulong>(Links.GetLink(linkIndex));
283             CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
                ↪  beforeLink, afterLink));
284             return linkIndex;
285         }
286
287         public override void Delete(IList<ulong> restrictions)
288         {
289             var link = restrictions[Constants.IndexPart];
290             var deletedLink = new Link<ulong>(Links.GetLink(link));
291             Links.Delete(link);
292             CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
                ↪  deletedLink, default));
293         }
```

```
294
295         [MethodImpl(MethodImplOptions.AggressiveInlining)]
296         private Queue<Transition> GetCurrentTransitions() => _currentTransactionTransitions ??
            ↪  _transitions;
297
298         private void CommitTransition(Transition transition)
299         {
300             if (_currentTransaction != null)
301             {
302                 Transaction.EnsureTransactionAllowsWriteOperations(_currentTransaction);
303             }
304             var transitions = GetCurrentTransitions();
305             transitions.Enqueue(transition);
306         }
307
308         private void RevertTransition(Transition transition)
309         {
310             if (transition.After.IsNull()) // Revert Deletion with Creation
311             {
312                 Links.Create();
313             }
314             else if (transition.Before.IsNull()) // Revert Creation with Deletion
315             {
316                 Links.Delete(transition.After.Index);
317             }
318             else // Revert Update
319             {
320                 Links.Update(new[] { transition.After.Index, transition.Before.Source,
                    ↪  transition.Before.Target });
321             }
322         }
323
324         private void ResetCurrentTransation()
325         {
326             _currentTransactionId = 0;
327             _currentTransactionTransitions = null;
328             _currentTransaction = null;
329         }
330
331         private void PushTransitions()
332         {
333             if (_log == null || _transitions == null)
334             {
335                 return;
336             }
337             for (var i = 0; i < _transitions.Count; i++)
338             {
339                 var transition = _transitions.Dequeue();
340
341                 _log.Write(transition);
342                 _lastCommitedTransition = transition;
343             }
344         }
345
346         private void TransitionsPusher()
347         {
348             while (!IsDisposed && _transitionsPusher != null)
349             {
350                 Thread.Sleep(DefaultPushDelay);
351                 PushTransitions();
352             }
353         }
354
355         public Transaction BeginTransaction() => new Transaction(this);
356
357         private void DisposeTransitions()
358         {
359             try
360             {
361                 var pusher = _transitionsPusher;
362                 if (pusher != null)
363                 {
364                     _transitionsPusher = null;
365                     pusher.Wait();
366                 }
367                 if (_transitions != null)
368                 {
369                     PushTransitions();
370                 }
```

```
                _log.DisposeIfPossible();
                FileHelpers.WriteFirst(_logAddress, _lastCommitedTransition);
            }
            catch (Exception ex)
            {
                ex.Ignore();
            }
        }

        #region DisposalBase

        protected override void Dispose(bool manual, bool wasDisposed)
        {
            if (!wasDisposed)
            {
                DisposeTransitions();
            }
            base.Dispose(manual, wasDisposed);
        }

        #endregion
    }
}
```

1.100 ./Platform.Data.Doublets/Unicode/CharToUnicodeSymbolConverter.cs

```
using Platform.Converters;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Unicode
{
    public class CharToUnicodeSymbolConverter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<char, TLink>
    {
        private readonly IConverter<TLink> _addressToNumberConverter;
        private readonly TLink _unicodeSymbolMarker;

        public CharToUnicodeSymbolConverter(ILinks<TLink> links, IConverter<TLink>
        ↪ addressToNumberConverter, TLink unicodeSymbolMarker) : base(links)
        {
            _addressToNumberConverter = addressToNumberConverter;
            _unicodeSymbolMarker = unicodeSymbolMarker;
        }

        public TLink Convert(char source)
        {
            var unaryNumber = _addressToNumberConverter.Convert((Integer<TLink>)source);
            return Links.GetOrCreate(unaryNumber, _unicodeSymbolMarker);
        }
    }
}
```

1.101 ./Platform.Data.Doublets/Unicode/StringToUnicodeSequenceConverter.cs

```
using System.Collections.Generic;
using Platform.Converters;
using Platform.Data.Doublets.Sequences.Indexes;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Unicode
{
    public class StringToUnicodeSequenceConverter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<string, TLink>
    {
        private readonly IConverter<char, TLink> _charToUnicodeSymbolConverter;
        private readonly ISequenceIndex<TLink> _index;
        private readonly IConverter<IList<TLink>, TLink> _listToSequenceLinkConverter;
        private readonly TLink _unicodeSequenceMarker;

        public StringToUnicodeSequenceConverter(ILinks<TLink> links, IConverter<char, TLink>
        ↪ charToUnicodeSymbolConverter, ISequenceIndex<TLink> index, IConverter<IList<TLink>,
        ↪ TLink> listToSequenceLinkConverter, TLink unicodeSequenceMarker) : base(links)
        {
            _charToUnicodeSymbolConverter = charToUnicodeSymbolConverter;
            _index = index;
            _listToSequenceLinkConverter = listToSequenceLinkConverter;
            _unicodeSequenceMarker = unicodeSequenceMarker;
        }

```

```
24          public TLink Convert(string source)
25          {
26              var elements = new TLink[source.Length];
27              for (int i = 0; i < source.Length; i++)
28              {
29                  elements[i] = _charToUnicodeSymbolConverter.Convert(source[i]);
30              }
31              _index.Add(elements);
32              var sequence = _listToSequenceLinkConverter.Convert(elements);
33              return Links.GetOrCreate(sequence, _unicodeSequenceMarker);
34          }
35      }
36  }
```

1.102 ./Platform.Data.Doublets/Unicode/UnicodeMap.cs

```
1   using System;
2   using System.Collections.Generic;
3   using System.Globalization;
4   using System.Runtime.CompilerServices;
5   using System.Text;
6   using Platform.Data.Sequences;
7
8   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10  namespace Platform.Data.Doublets.Unicode
11  {
12      public class UnicodeMap
13      {
14          public static readonly ulong FirstCharLink = 1;
15          public static readonly ulong LastCharLink = FirstCharLink + char.MaxValue;
16          public static readonly ulong MapSize = 1 + char.MaxValue;
17
18          private readonly ILinks<ulong> _links;
19          private bool _initialized;
20
21          public UnicodeMap(ILinks<ulong> links) => _links = links;
22
23          public static UnicodeMap InitNew(ILinks<ulong> links)
24          {
25              var map = new UnicodeMap(links);
26              map.Init();
27              return map;
28          }
29
30          public void Init()
31          {
32              if (_initialized)
33              {
34                  return;
35              }
36              _initialized = true;
37              var firstLink = _links.CreatePoint();
38              if (firstLink != FirstCharLink)
39              {
40                  _links.Delete(firstLink);
41              }
42              else
43              {
44                  for (var i = FirstCharLink + 1; i <= LastCharLink; i++)
45                  {
46                      // From NIL to It (NIL -> Character) transformation meaning, (or infinite
                        ↪  amount of NIL characters before actual Character)
47                      var createdLink = _links.CreatePoint();
48                      _links.Update(createdLink, firstLink, createdLink);
49                      if (createdLink != i)
50                      {
51                          throw new InvalidOperationException("Unable to initialize UTF 16
                            ↪  table.");
52                      }
53                  }
54              }
55          }
56
57          // 0 - null link
58          // 1 - nil character (0 character)
59          // ...
60          // 65536 (0(1) + 65535 = 65536 possible values)
61
62          [MethodImpl(MethodImplOptions.AggressiveInlining)]
63          public static ulong FromCharToLink(char character) => (ulong)character + 1;
```

```
64
65          [MethodImpl(MethodImplOptions.AggressiveInlining)]
66          public static char FromLinkToChar(ulong link) => (char)(link - 1);
67
68          [MethodImpl(MethodImplOptions.AggressiveInlining)]
69          public static bool IsCharLink(ulong link) => link <= MapSize;
70
71          public static string FromLinksToString(IList<ulong> linksList)
72          {
73              var sb = new StringBuilder();
74              for (int i = 0; i < linksList.Count; i++)
75              {
76                  sb.Append(FromLinkToChar(linksList[i]));
77              }
78              return sb.ToString();
79          }
80
81          public static string FromSequenceLinkToString(ulong link, ILinks<ulong> links)
82          {
83              var sb = new StringBuilder();
84              if (links.Exists(link))
85              {
86                  StopableSequenceWalker.WalkRight(link, links.GetSource, links.GetTarget,
87                      x => x <= MapSize || links.GetSource(x) == x || links.GetTarget(x) == x,
                        ↪  element =>
88                      {
89                          sb.Append(FromLinkToChar(element));
90                          return true;
91                      });
92              }
93              return sb.ToString();
94          }
95
96          public static ulong[] FromCharsToLinkArray(char[] chars) => FromCharsToLinkArray(chars,
            ↪  chars.Length);
97
98          public static ulong[] FromCharsToLinkArray(char[] chars, int count)
99          {
100             // char array to ulong array
101             var linksSequence = new ulong[count];
102             for (var i = 0; i < count; i++)
103             {
104                 linksSequence[i] = FromCharToLink(chars[i]);
105             }
106             return linksSequence;
107         }
108
109         public static ulong[] FromStringToLinkArray(string sequence)
110         {
111             // char array to ulong array
112             var linksSequence = new ulong[sequence.Length];
113             for (var i = 0; i < sequence.Length; i++)
114             {
115                 linksSequence[i] = FromCharToLink(sequence[i]);
116             }
117             return linksSequence;
118         }
119
120         public static List<ulong[]> FromStringToLinkArrayGroups(string sequence)
121         {
122             var result = new List<ulong[]>();
123             var offset = 0;
124             while (offset < sequence.Length)
125             {
126                 var currentCategory = CharUnicodeInfo.GetUnicodeCategory(sequence[offset]);
127                 var relativeLength = 1;
128                 var absoluteLength = offset + relativeLength;
129                 while (absoluteLength < sequence.Length &&
130                        currentCategory ==
                           ↪  CharUnicodeInfo.GetUnicodeCategory(sequence[absoluteLength]))
131                 {
132                     relativeLength++;
133                     absoluteLength++;
134                 }
135                 // char array to ulong array
136                 var innerSequence = new ulong[relativeLength];
137                 var maxLength = offset + relativeLength;
138                 for (var i = offset; i < maxLength; i++)
139                 {
```

```
                    innerSequence[i - offset] = FromCharToLink(sequence[i]);
                }
                result.Add(innerSequence);
                offset += relativeLength;
            }
            return result;
        }

        public static List<ulong[]> FromLinkArrayToLinkArrayGroups(ulong[] array)
        {
            var result = new List<ulong[]>();
            var offset = 0;
            while (offset < array.Length)
            {
                var relativeLength = 1;
                if (array[offset] <= LastCharLink)
                {
                    var currentCategory =
                    ↪ CharUnicodeInfo.GetUnicodeCategory(FromLinkToChar(array[offset]));
                    var absoluteLength = offset + relativeLength;
                    while (absoluteLength < array.Length &&
                           array[absoluteLength] <= LastCharLink &&
                           currentCategory == CharUnicodeInfo.GetUnicodeCategory(FromLinkToChar(
                           ↪ array[absoluteLength])))
                    {
                        relativeLength++;
                        absoluteLength++;
                    }
                }
                else
                {
                    var absoluteLength = offset + relativeLength;
                    while (absoluteLength < array.Length && array[absoluteLength] > LastCharLink)
                    {
                        relativeLength++;
                        absoluteLength++;
                    }
                }
                // copy array
                var innerSequence = new ulong[relativeLength];
                var maxLength = offset + relativeLength;
                for (var i = offset; i < maxLength; i++)
                {
                    innerSequence[i - offset] = array[i];
                }
                result.Add(innerSequence);
                offset += relativeLength;
            }
            return result;
        }
    }
}
```

1.103 ./Platform.Data.Doublets/Unicode/UnicodeSequenceCriterionMatcher.cs

```
using Platform.Interfaces;
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Unicode
{
    public class UnicodeSequenceCriterionMatcher<TLink> : LinksOperatorBase<TLink>,
    ↪ ICriterionMatcher<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;
        private readonly TLink _unicodeSequenceMarker;
        public UnicodeSequenceCriterionMatcher(ILinks<TLink> links, TLink unicodeSequenceMarker)
        ↪ : base(links) => _unicodeSequenceMarker = unicodeSequenceMarker;
        public bool IsMatched(TLink link) => _equalityComparer.Equals(Links.GetTarget(link),
        ↪ _unicodeSequenceMarker);
    }
}
```

1.104 ./Platform.Data.Doublets/Unicode/UnicodeSequenceToStringConverter.cs

```
using System;
using System.Linq;
using Platform.Interfaces;
using Platform.Converters;
```

```
using Platform.Data.Doublets.Sequences.Walkers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Unicode
{
    public class UnicodeSequenceToStringConverter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<TLink, string>
    {
        private readonly ICriterionMatcher<TLink> _unicodeSequenceCriterionMatcher;
        private readonly ISequenceWalker<TLink> _sequenceWalker;
        private readonly IConverter<TLink, char> _unicodeSymbolToCharConverter;

        public UnicodeSequenceToStringConverter(ILinks<TLink> links, ICriterionMatcher<TLink>
        ↪ unicodeSequenceCriterionMatcher, ISequenceWalker<TLink> sequenceWalker,
        ↪ IConverter<TLink, char> unicodeSymbolToCharConverter) : base(links)
        {
            _unicodeSequenceCriterionMatcher = unicodeSequenceCriterionMatcher;
            _sequenceWalker = sequenceWalker;
            _unicodeSymbolToCharConverter = unicodeSymbolToCharConverter;
        }

        public string Convert(TLink source)
        {
            if(!_unicodeSequenceCriterionMatcher.IsMatched(source))
            {
                throw new ArgumentOutOfRangeException(nameof(source), source, "Specified link is
                ↪ not a unicode sequence.");
            }
            var sequence = Links.GetSource(source);
            var charArray = _sequenceWalker.Walk(sequence).Select(_unicodeSymbolToCharConverter.
            ↪ Convert).ToArray();
            return new string(charArray);
        }
    }
}
```

1.105 ./Platform.Data.Doublets/Unicode/UnicodeSymbolCriterionMatcher.cs

```
using Platform.Interfaces;
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Unicode
{
    public class UnicodeSymbolCriterionMatcher<TLink> : LinksOperatorBase<TLink>,
    ↪ ICriterionMatcher<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;
        private readonly TLink _unicodeSymbolMarker;
        public UnicodeSymbolCriterionMatcher(ILinks<TLink> links, TLink unicodeSymbolMarker) :
        ↪ base(links) => _unicodeSymbolMarker = unicodeSymbolMarker;
        public bool IsMatched(TLink link) => _equalityComparer.Equals(Links.GetTarget(link),
        ↪ _unicodeSymbolMarker);
    }
}
```

1.106 ./Platform.Data.Doublets/Unicode/UnicodeSymbolToCharConverter.cs

```
using System;
using Platform.Interfaces;
using Platform.Converters;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Unicode
{
    public class UnicodeSymbolToCharConverter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<TLink, char>
    {
        private readonly IConverter<TLink> _numberToAddressConverter;
        private readonly ICriterionMatcher<TLink> _unicodeSymbolCriterionMatcher;

        public UnicodeSymbolToCharConverter(ILinks<TLink> links, IConverter<TLink>
        ↪ numberToAddressConverter, ICriterionMatcher<TLink> unicodeSymbolCriterionMatcher) :
        ↪ base(links)
        {
            _numberToAddressConverter = numberToAddressConverter;
```

```
            _unicodeSymbolCriterionMatcher = unicodeSymbolCriterionMatcher;
        }

        public char Convert(TLink source)
        {
            if (!_unicodeSymbolCriterionMatcher.IsMatched(source))
            {
                throw new ArgumentOutOfRangeException(nameof(source), source, "Specified link is not a unicode symbol.");
            }
            return (char)(ushort)(Integer<TLink>)_numberToAddressConverter.Convert(Links.GetSource(source));
        }
    }
}
```

1.107 ./Platform.Data.Doublets.Tests/ComparisonTests.cs

```
using System;
using System.Collections.Generic;
using Xunit;
using Platform.Diagnostics;

namespace Platform.Data.Doublets.Tests
{
    public static class ComparisonTests
    {
        private class UInt64Comparer : IComparer<ulong>
        {
            public int Compare(ulong x, ulong y) => x.CompareTo(y);
        }

        private static int Compare(ulong x, ulong y) => x.CompareTo(y);

        [Fact]
        public static void GreaterOrEqualPerfomanceTest()
        {
            const int N = 1000000;

            ulong x = 10;
            ulong y = 500;

            bool result = false;

            var ts1 = Performance.Measure(() =>
            {
                for (int i = 0; i < N; i++)
                {
                    result = Compare(x, y) >= 0;
                }
            });

            var comparer1 = Comparer<ulong>.Default;

            var ts2 = Performance.Measure(() =>
            {
                for (int i = 0; i < N; i++)
                {
                    result = comparer1.Compare(x, y) >= 0;
                }
            });

            Func<ulong, ulong, int> compareReference = comparer1.Compare;

            var ts3 = Performance.Measure(() =>
            {
                for (int i = 0; i < N; i++)
                {
                    result = compareReference(x, y) >= 0;
                }
            });

            var comparer2 = new UInt64Comparer();

            var ts4 = Performance.Measure(() =>
            {
                for (int i = 0; i < N; i++)
                {
                    result = comparer2.Compare(x, y) >= 0;
                }
            });
```

```

            Console.WriteLine($"{ts1} {ts2} {ts3} {ts4} {result}");
        }
    }
}
```

1.108 ./Platform.Data.Doublets.Tests/EqualityTests.cs

```
using System;
using System.Collections.Generic;
using Xunit;
using Platform.Diagnostics;

namespace Platform.Data.Doublets.Tests
{
    public static class EqualityTests
    {
        protected class UInt64EqualityComparer : IEqualityComparer<ulong>
        {
            public bool Equals(ulong x, ulong y) => x == y;

            public int GetHashCode(ulong obj) => obj.GetHashCode();
        }

        private static bool Equals1<T>(T x, T y) => Equals(x, y);

        private static bool Equals2<T>(T x, T y) => x.Equals(y);

        private static bool Equals3(ulong x, ulong y) => x == y;

        [Fact]
        public static void EqualsPerfomanceTest()
        {
            const int N = 1000000;

            ulong x = 10;
            ulong y = 500;

            bool result = false;

            var ts1 = Performance.Measure(() =>
            {
                for (int i = 0; i < N; i++)
                {
                    result = Equals1(x, y);
                }
            });

            var ts2 = Performance.Measure(() =>
            {
                for (int i = 0; i < N; i++)
                {
                    result = Equals2(x, y);
                }
            });

            var ts3 = Performance.Measure(() =>
            {
                for (int i = 0; i < N; i++)
                {
                    result = Equals3(x, y);
                }
            });

            var equalityComparer1 = EqualityComparer<ulong>.Default;

            var ts4 = Performance.Measure(() =>
            {
                for (int i = 0; i < N; i++)
                {
                    result = equalityComparer1.Equals(x, y);
                }
            });

            var equalityComparer2 = new UInt64EqualityComparer();

            var ts5 = Performance.Measure(() =>
            {
                for (int i = 0; i < N; i++)
                {
                    result = equalityComparer2.Equals(x, y);
```

```
                }
            });

            Func<ulong, ulong, bool> equalityComparer3 = equalityComparer2.Equals;

            var ts6 = Performance.Measure(() =>
            {
                for (int i = 0; i < N; i++)
                {
                    result = equalityComparer3(x, y);
                }
            });

            var comparer = Comparer<ulong>.Default;

            var ts7 = Performance.Measure(() =>
            {
                for (int i = 0; i < N; i++)
                {
                    result = comparer.Compare(x, y) == 0;
                }
            });

            Assert.True(ts2 < ts1);
            Assert.True(ts3 < ts2);
            Assert.True(ts5 < ts4);
            Assert.True(ts5 < ts6);

            Console.WriteLine($"{ts1} {ts2} {ts3} {ts4} {ts5} {ts6} {ts7} {result}");
        }
    }
}
```

1.109 ./Platform.Data.Doublets.Tests/GenericLinksTests.cs

```
using System;
using Xunit;
using Platform.Reflection;
using Platform.Memory;
using Platform.Scopes;
using Platform.Data.Doublets.ResizableDirectMemory.Generic;

namespace Platform.Data.Doublets.Tests
{
    public unsafe static class GenericLinksTests
    {
        [Fact]
        public static void CRUDTest()
        {
            Using<byte>(links => links.TestCRUDOperations());
            Using<ushort>(links => links.TestCRUDOperations());
            Using<uint>(links => links.TestCRUDOperations());
            Using<ulong>(links => links.TestCRUDOperations());
        }

        [Fact]
        public static void RawNumbersCRUDTest()
        {
            Using<byte>(links => links.TestRawNumbersCRUDOperations());
            Using<ushort>(links => links.TestRawNumbersCRUDOperations());
            Using<uint>(links => links.TestRawNumbersCRUDOperations());
            Using<ulong>(links => links.TestRawNumbersCRUDOperations());
        }

        [Fact]
        public static void MultipleRandomCreationsAndDeletionsTest()
        {
            Using<byte>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().TestMultipleRandomCreationsAndDeletions(16)); // Cannot use more because current implementation of tree cuts out 5 bits from the address space.
            Using<ushort>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().TestMultipleRandomCreationsAndDeletions(100));
            Using<uint>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().TestMultipleRandomCreationsAndDeletions(100));
            Using<ulong>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().TestMultipleRandomCreationsAndDeletions(100));
        }

        private static void Using<TLink>(Action<ILinks<TLink>> action)
        {
```

```
            using (var scope = new Scope<Types<HeapResizableDirectMemory,
            ↪  ResizableDirectMemoryLinks<TLink>>>())
            {
                action(scope.Use<ILinks<TLink>>());
            }
        }
    }
}
```

1.110 ./Platform.Data.Doublets.Tests/LinksConstantsTests.cs

```
using Xunit;

namespace Platform.Data.Doublets.Tests
{
    public static class LinksConstantsTests
    {
        [Fact]
        public static void ExternalReferencesTest()
        {
            LinksConstants<ulong> constants = new LinksConstants<ulong>((1, long.MaxValue),
            ↪  (long.MaxValue + 1UL, ulong.MaxValue));

            //var minimum = new Hybrid<ulong>(0, isExternal: true);
            var minimum = new Hybrid<ulong>(1, isExternal: true);
            var maximum = new Hybrid<ulong>(long.MaxValue, isExternal: true);

            Assert.True(constants.IsExternalReference(minimum));
            Assert.True(constants.IsExternalReference(maximum));
        }
    }
}
```

1.111 ./Platform.Data.Doublets.Tests/OptimalVariantSequenceTests.cs

```
using System;
using System.Linq;
using Xunit;
using Platform.Memory;
using Platform.Data.Numbers.Raw;
using Platform.Data.Doublets.Sequences;
using Platform.Data.Doublets.Sequences.Frequencies.Cache;
using Platform.Data.Doublets.Sequences.Frequencies.Counters;
using Platform.Data.Doublets.Sequences.Converters;
using Platform.Data.Doublets.PropertyOperators;
using Platform.Data.Doublets.Incrementers;
using Platform.Data.Doublets.Sequences.Walkers;
using Platform.Data.Doublets.Sequences.Indexes;
using Platform.Data.Doublets.Unicode;
using Platform.Data.Doublets.Numbers.Unary;
using Platform.Data.Doublets.Decorators;
using Platform.Data.Doublets.ResizableDirectMemory.Specific;
using Platform.Collections.Stacks;

namespace Platform.Data.Doublets.Tests
{
    public static class OptimalVariantSequenceTests
    {
        private static readonly string _sequenceExample = "зеленела зелёная зелень";
        private static readonly string _loremIpsumExample = @"Lorem ipsum dolor sit amet,
        ↪  consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore
        ↪  magna aliqua.
Facilisi nullam vehicula ipsum a arcu cursus vitae congue mauris.
Et malesuada fames ac turpis egestas sed.
Eget velit aliquet sagittis id consectetur purus.
Dignissim cras tincidunt lobortis feugiat vivamus.
Vitae aliquet nec ullamcorper sit.
Lectus quam id leo in vitae.
Tortor dignissim convallis aenean et tortor at risus viverra adipiscing.
Sed risus ultricies tristique nulla aliquet enim tortor at auctor.
Integer eget aliquet nibh praesent tristique.
Vitae congue eu consequat ac felis donec et odio.
Tristique et egestas quis ipsum suspendisse.
Suspendisse potenti nullam ac tortor vitae purus faucibus ornare.
Nulla facilisi etiam dignissim diam quis enim lobortis scelerisque.
Imperdiet proin fermentum leo vel orci.
In ante metus dictum at tempor commodo.
Nisi lacus sed viverra tellus in.
Quam vulputate dignissim suspendisse in.
Elit scelerisque mauris pellentesque pulvinar pellentesque habitant morbi tristique senectus.
Gravida cum sociis natoque penatibus et magnis dis parturient.
Risus quis varius quam quisque id diam.
Congue nisi vitae suscipit tellus mauris a diam maecenas.
Eget nunc scelerisque viverra mauris in aliquam sem fringilla.
```

```
Pharetra vel turpis nunc eget lorem dolor sed viverra.
Mattis pellentesque id nibh tortor id aliquet.
Purus non enim praesent elementum facilisis leo vel.
Etiam sit amet nisl purus in mollis nunc sed.
Tortor at auctor urna nunc id cursus metus aliquam.
Volutpat odio facilisis mauris sit amet.
Turpis egestas pretium aenean pharetra magna ac placerat.
Fermentum dui faucibus in ornare quam viverra orci sagittis eu.
Porttitor leo a diam sollicitudin tempor id eu.
Volutpat sed cras ornare arcu dui.
Ut aliquam purus sit amet luctus venenatis lectus magna.
Aliquet risus feugiat in ante metus dictum at.
Mattis nunc sed blandit libero.
Elit pellentesque habitant morbi tristique senectus et netus.
Nibh sit amet commodo nulla facilisi nullam vehicula ipsum a.
Enim sit amet venenatis urna cursus eget nunc scelerisque viverra.
Amet venenatis urna cursus eget nunc scelerisque viverra mauris in.
Diam donec adipiscing tristique risus nec feugiat.
Pulvinar mattis nunc sed blandit libero volutpat.
Cras fermentum odio eu feugiat pretium nibh ipsum.
In nulla posuere sollicitudin aliquam ultrices sagittis orci a.
Mauris pellentesque pulvinar pellentesque habitant morbi tristique senectus et.
A iaculis at erat pellentesque.
Morbi blandit cursus risus at ultrices mi tempus imperdiet nulla.
Eget lorem dolor sed viverra ipsum nunc.
Leo a diam sollicitudin tempor id eu.
Interdum consectetur libero id faucibus nisl tincidunt eget nullam non.";

        [Fact]
        public static void LinksBasedFrequencyStoredOptimalVariantSequenceTest()
        {
            using (var scope = new TempLinksTestScope(useSequences: false))
            {
                var links = scope.Links;
                var constants = links.Constants;

                links.UseUnicode();

                var sequence = UnicodeMap.FromStringToLinkArray(_sequenceExample);

                var meaningRoot = links.CreatePoint();
                var unaryOne = links.CreateAndUpdate(meaningRoot, constants.Itself);
                var frequencyMarker = links.CreateAndUpdate(meaningRoot, constants.Itself);
                var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot,
                ↪  constants.Itself);

                var unaryNumberToAddressConverter = new
                ↪  UnaryNumberToAddressAddOperationConverter<ulong>(links, unaryOne);
                var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links, unaryOne);
                var frequencyIncrementer = new FrequencyIncrementer<ulong>(links,
                ↪  frequencyMarker, unaryOne, unaryNumberIncrementer);
                var frequencyPropertyOperator = new PropertyOperator<ulong>(links,
                ↪  frequencyPropertyMarker, frequencyMarker);
                var index = new FrequencyIncrementingSequenceIndex<ulong>(links,
                ↪  frequencyPropertyOperator, frequencyIncrementer);
                var linkToItsFrequencyNumberConverter = new
                ↪  LinkToItsFrequencyNumberConveter<ulong>(links, frequencyPropertyOperator,
                ↪  unaryNumberToAddressConverter);
                var sequenceToItsLocalElementLevelsConverter = new
                ↪  SequenceToItsLocalElementLevelsConverter<ulong>(links,
                ↪  linkToItsFrequencyNumberConverter);
                var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
                ↪  sequenceToItsLocalElementLevelsConverter);

                var sequences = new Sequences.Sequences(links, new SequencesOptions<ulong>() {
                ↪  Walker = new LeveledSequenceWalker<ulong>(links) });

                ExecuteTest(sequences, sequence, sequenceToItsLocalElementLevelsConverter,
                ↪  index, optimalVariantConverter);
            }
        }

        [Fact]
        public static void DictionaryBasedFrequencyStoredOptimalVariantSequenceTest()
        {
            using (var scope = new TempLinksTestScope(useSequences: false))
            {
                var links = scope.Links;

                links.UseUnicode();
```

```
116
117                 var sequence = UnicodeMap.FromStringToLinkArray(_sequenceExample);
118
119                 var totalSequenceSymbolFrequencyCounter = new
                    ↪  TotalSequenceSymbolFrequencyCounter<ulong>(links);
120
121                 var linkFrequenciesCache = new LinkFrequenciesCache<ulong>(links,
                    ↪  totalSequenceSymbolFrequencyCounter);
122
123                 var index = new
                    ↪  CachedFrequencyIncrementingSequenceIndex<ulong>(linkFrequenciesCache);
124                 var linkToItsFrequencyNumberConverter = new FrequenciesCacheBasedLinkToItsFreque
                    ↪  ncyNumberConverter<ulong>(linkFrequenciesCache);
125
126                 var sequenceToItsLocalElementLevelsConverter = new
                    ↪  SequenceToItsLocalElementLevelsConverter<ulong>(links,
                    ↪  linkToItsFrequencyNumberConverter);
127                 var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
                    ↪  sequenceToItsLocalElementLevelsConverter);
128
129                 var sequences = new Sequences.Sequences(links, new SequencesOptions<ulong>() {
                    ↪  Walker = new LeveledSequenceWalker<ulong>(links) });
130
131                 ExecuteTest(sequences, sequence, sequenceToItsLocalElementLevelsConverter,
                    ↪  index, optimalVariantConverter);
132             }
133         }
134
135         private static void ExecuteTest(Sequences.Sequences sequences, ulong[] sequence,
            ↪  SequenceToItsLocalElementLevelsConverter<ulong>
            ↪  sequenceToItsLocalElementLevelsConverter, ISequenceIndex<ulong> index,
            ↪  OptimalVariantConverter<ulong> optimalVariantConverter)
136         {
137             index.Add(sequence);
138
139             var optimalVariant = optimalVariantConverter.Convert(sequence);
140
141             var readSequence1 = sequences.ToList(optimalVariant);
142
143             Assert.True(sequence.SequenceEqual(readSequence1));
144         }
145
146         [Fact]
147         public static void SavedSequencesOptimizationTest()
148         {
149             LinksConstants<ulong> constants = new LinksConstants<ulong>((1, long.MaxValue),
                ↪  (long.MaxValue + 1UL, ulong.MaxValue));
150
151             using (var memory = new HeapResizableDirectMemory())
152             using (var disposableLinks = new UInt64ResizableDirectMemoryLinks(memory,
                ↪  UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep, constants,
                ↪  useAvlBasedIndex: false))
153             {
154                 var links = new UInt64Links(disposableLinks);
155
156                 var root = links.CreatePoint();
157
158                 //var numberToAddressConverter = new RawNumberToAddressConverter<ulong>();
159                 var addressToNumberConverter = new AddressToRawNumberConverter<ulong>();
160
161                 var unicodeSymbolMarker = links.GetOrCreate(root,
                    ↪  addressToNumberConverter.Convert(1));
162                 var unicodeSequenceMarker = links.GetOrCreate(root,
                    ↪  addressToNumberConverter.Convert(2));
163
164                 var totalSequenceSymbolFrequencyCounter = new
                    ↪  TotalSequenceSymbolFrequencyCounter<ulong>(links);
165                 var linkFrequenciesCache = new LinkFrequenciesCache<ulong>(links,
                    ↪  totalSequenceSymbolFrequencyCounter);
166                 var index = new
                    ↪  CachedFrequencyIncrementingSequenceIndex<ulong>(linkFrequenciesCache);
167                 var linkToItsFrequencyNumberConverter = new FrequenciesCacheBasedLinkToItsFreque
                    ↪  ncyNumberConverter<ulong>(linkFrequenciesCache);
168                 var sequenceToItsLocalElementLevelsConverter = new
                    ↪  SequenceToItsLocalElementLevelsConverter<ulong>(links,
                    ↪  linkToItsFrequencyNumberConverter);
169                 var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
                    ↪  sequenceToItsLocalElementLevelsConverter);
```

```
170
171                 var walker = new RightSequenceWalker<ulong>(links, new DefaultStack<ulong>(),
                    ↪  (link) => constants.IsExternalReference(link) || links.IsPartialPoint(link));
172
173                 var unicodeSequencesOptions = new SequencesOptions<ulong>()
174                 {
175                     UseSequenceMarker = true,
176                     SequenceMarkerLink = unicodeSequenceMarker,
177                     UseIndex = true,
178                     Index = index,
179                     LinksToSequenceConverter = optimalVariantConverter,
180                     Walker = walker,
181                     UseGarbageCollection = true
182                 };
183
184                 var unicodeSequences = new Sequences.Sequences(new
                    ↪  SynchronizedLinks<ulong>(links), unicodeSequencesOptions);
185
186                 // Create some sequences
187                 var strings = _loremIpsumExample.Split(new[] { '\n', '\r' },
                    ↪  StringSplitOptions.RemoveEmptyEntries);
188                 var arrays = strings.Select(x => x.Select(y =>
                    ↪  addressToNumberConverter.Convert(y)).ToArray()).ToArray();
189                 for (int i = 0; i < arrays.Length; i++)
190                 {
191                     unicodeSequences.Create(arrays[i].ConvertToRestrictionsValues());
192                 }
193
194                 var linksCountAfterCreation = links.Count();
195
196                 // get list of sequences links
197                 // for each sequence link
198                 //   create new sequence version
199                 //   if new sequence is not the same as sequence link
200                 //     delete sequence link
201                 //     collect garbadge
202                 //unicodeSequences.CompactAll();
203
204                 //var linksCountAfterCompactification = links.Count();
205
206                 //Assert.True(linksCountAfterCompactification < linksCountAfterCreation);
207             }
208         }
209     }
210 }
```

1.112 ./Platform.Data.Doublets.Tests/ReadSequenceTests.cs

```
1  using System;
2  using System.Collections.Generic;
3  using System.Diagnostics;
4  using System.Linq;
5  using Xunit;
6  using Platform.Data.Sequences;
7  using Platform.Data.Doublets.Sequences.Converters;
8  using Platform.Data.Doublets.Sequences.Walkers;
9  using Platform.Data.Doublets.Sequences;
10
11 namespace Platform.Data.Doublets.Tests
12 {
13     public static class ReadSequenceTests
14     {
15         [Fact]
16         public static void ReadSequenceTest()
17         {
18             const long sequenceLength = 2000;
19
20             using (var scope = new TempLinksTestScope(useSequences: false))
21             {
22                 var links = scope.Links;
23                 var sequences = new Sequences.Sequences(links, new SequencesOptions<ulong> {
                    ↪  Walker = new LeveledSequenceWalker<ulong>(links) });
24
25                 var sequence = new ulong[sequenceLength];
26                 for (var i = 0; i < sequenceLength; i++)
27                 {
28                     sequence[i] = links.Create();
29                 }
30
31                 var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
32
```

```
                var sw1 = Stopwatch.StartNew();
                var balancedVariant = balancedVariantConverter.Convert(sequence); sw1.Stop();

                var sw2 = Stopwatch.StartNew();
                var readSequence1 = sequences.ToList(balancedVariant); sw2.Stop();

                var sw3 = Stopwatch.StartNew();
                var readSequence2 = new List<ulong>();
                SequenceWalker.WalkRight(balancedVariant,
                                         links.GetSource,
                                         links.GetTarget,
                                         links.IsPartialPoint,
                                         readSequence2.Add);
                sw3.Stop();

                Assert.True(sequence.SequenceEqual(readSequence1));

                Assert.True(sequence.SequenceEqual(readSequence2));

                // Assert.True(sw2.Elapsed < sw3.Elapsed);

                Console.WriteLine($"Stack-based walker: {sw3.Elapsed}, Level-based reader:
                ↪  {sw2.Elapsed}");

                for (var i = 0; i < sequenceLength; i++)
                {
                    links.Delete(sequence[i]);
                }
            }
        }
    }
}
```

1.113 ./Platform.Data.Doublets.Tests/ResizableDirectMemoryLinksTests.cs

```
using System.IO;
using Xunit;
using Platform.Singletons;
using Platform.Memory;
using Platform.Data.Doublets.ResizableDirectMemory.Specific;

namespace Platform.Data.Doublets.Tests
{
    public static class ResizableDirectMemoryLinksTests
    {
        private static readonly LinksConstants<ulong> _constants =
        ↪  Default<LinksConstants<ulong>>.Instance;

        [Fact]
        public static void BasicFileMappedMemoryTest()
        {
            var tempFilename = Path.GetTempFileName();
            using (var memoryAdapter = new UInt64ResizableDirectMemoryLinks(tempFilename))
            {
                memoryAdapter.TestBasicMemoryOperations();
            }
            File.Delete(tempFilename);
        }

        [Fact]
        public static void BasicHeapMemoryTest()
        {
            using (var memory = new
            ↪  HeapResizableDirectMemory(UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
            using (var memoryAdapter = new UInt64ResizableDirectMemoryLinks(memory,
            ↪  UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
            {
                memoryAdapter.TestBasicMemoryOperations();
            }
        }

        private static void TestBasicMemoryOperations(this ILinks<ulong> memoryAdapter)
        {
            var link = memoryAdapter.Create();
            memoryAdapter.Delete(link);
        }

        [Fact]
        public static void NonexistentReferencesHeapMemoryTest()
        {
```

```
            using (var memory = new
            ↪  HeapResizableDirectMemory(UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
            using (var memoryAdapter = new UInt64ResizableDirectMemoryLinks(memory,
            ↪  UInt64ResizableDirectMemoryLinks.DefaultLinksSizeStep))
            {
                memoryAdapter.TestNonexistentReferences();
            }
        }

        private static void TestNonexistentReferences(this ILinks<ulong> memoryAdapter)
        {
            var link = memoryAdapter.Create();
            memoryAdapter.Update(link, ulong.MaxValue, ulong.MaxValue);
            var resultLink = _constants.Null;
            memoryAdapter.Each(foundLink =>
            {
                resultLink = foundLink[_constants.IndexPart];
                return _constants.Break;
            }, _constants.Any, ulong.MaxValue, ulong.MaxValue);
            Assert.True(resultLink == link);
            Assert.True(memoryAdapter.Count(ulong.MaxValue) == 0);
            memoryAdapter.Delete(link);
        }
    }
}
```

1.114 ./Platform.Data.Doublets.Tests/ScopeTests.cs

```
using Xunit;
using Platform.Scopes;
using Platform.Memory;
using Platform.Data.Doublets.Decorators;
using Platform.Reflection;
using Platform.Data.Doublets.ResizableDirectMemory.Generic;
using Platform.Data.Doublets.ResizableDirectMemory.Specific;

namespace Platform.Data.Doublets.Tests
{
    public static class ScopeTests
    {
        [Fact]
        public static void SingleDependencyTest()
        {
            using (var scope = new Scope())
            {
                scope.IncludeAssemblyOf<IMemory>();
                var instance = scope.Use<IDirectMemory>();
                Assert.IsType<HeapResizableDirectMemory>(instance);
            }
        }

        [Fact]
        public static void CascadeDependencyTest()
        {
            using (var scope = new Scope())
            {
                scope.Include<TemporaryFileMappedResizableDirectMemory>();
                scope.Include<UInt64ResizableDirectMemoryLinks>();
                var instance = scope.Use<ILinks<ulong>>();
                Assert.IsType<UInt64ResizableDirectMemoryLinks>(instance);
            }
        }

        [Fact]
        public static void FullAutoResolutionTest()
        {
            using (var scope = new Scope(autoInclude: true, autoExplore: true))
            {
                var instance = scope.Use<UInt64Links>();
                Assert.IsType<UInt64Links>(instance);
            }
        }

        [Fact]
        public static void TypeParametersTest()
        {
            using (var scope = new Scope<Types<HeapResizableDirectMemory,
            ↪  ResizableDirectMemoryLinks<ulong>>>())
            {
                var links = scope.Use<ILinks<ulong>>();
```

```
                Assert.IsType<ResizableDirectMemoryLinks<ulong>>(links);
            }
        }
    }
}
```

1.115 ./Platform.Data.Doublets.Tests/SequencesTests.cs

```
using System;
using System.Collections.Generic;
using System.Diagnostics;
using System.Linq;
using Xunit;
using Platform.Collections;
using Platform.Random;
using Platform.IO;
using Platform.Singletons;
using Platform.Data.Doublets.Sequences;
using Platform.Data.Doublets.Sequences.Frequencies.Cache;
using Platform.Data.Doublets.Sequences.Frequencies.Counters;
using Platform.Data.Doublets.Sequences.Converters;
using Platform.Data.Doublets.Unicode;

namespace Platform.Data.Doublets.Tests
{
    public static class SequencesTests
    {
        private static readonly LinksConstants<ulong> _constants =
        ↪  Default<LinksConstants<ulong>>.Instance;

        static SequencesTests()
        {
            // Trigger static constructor to not mess with perfomance measurements
            _ = BitString.GetBitMaskFromIndex(1);
        }

        [Fact]
        public static void CreateAllVariantsTest()
        {
            const long sequenceLength = 8;

            using (var scope = new TempLinksTestScope(useSequences: true))
            {
                var links = scope.Links;
                var sequences = scope.Sequences;

                var sequence = new ulong[sequenceLength];
                for (var i = 0; i < sequenceLength; i++)
                {
                    sequence[i] = links.Create();
                }

                var sw1 = Stopwatch.StartNew();
                var results1 = sequences.CreateAllVariants1(sequence); sw1.Stop();

                var sw2 = Stopwatch.StartNew();
                var results2 = sequences.CreateAllVariants2(sequence); sw2.Stop();

                Assert.True(results1.Count > results2.Length);
                Assert.True(sw1.Elapsed > sw2.Elapsed);

                for (var i = 0; i < sequenceLength; i++)
                {
                    links.Delete(sequence[i]);
                }

                Assert.True(links.Count() == 0);
            }
        }

        //[Fact]
        //public void CUDTest()
        //{
        //    var tempFilename = Path.GetTempFileName();

        //    const long sequenceLength = 8;

        //    const ulong itself = LinksConstants.Itself;

        //    using (var memoryAdapter = new ResizableDirectMemoryLinks(tempFilename,
        ↪  DefaultLinksSizeStep))
        //    using (var links = new Links(memoryAdapter))
```

```
        //    {
        //        var sequence = new ulong[sequenceLength];
        //        for (var i = 0; i < sequenceLength; i++)
        //            sequence[i] = links.Create(itself, itself);

        //        SequencesOptions o = new SequencesOptions();

        // TODO: Из числа в bool значения o.UseSequenceMarker = ((value & 1) != 0)
        //        o.

        //        var sequences = new Sequences(links);

        //        var sw1 = Stopwatch.StartNew();
        //        var results1 = sequences.CreateAllVariants1(sequence); sw1.Stop();

        //        var sw2 = Stopwatch.StartNew();
        //        var results2 = sequences.CreateAllVariants2(sequence); sw2.Stop();

        //        Assert.True(results1.Count > results2.Length);
        //        Assert.True(sw1.Elapsed > sw2.Elapsed);

        //        for (var i = 0; i < sequenceLength; i++)
        //            links.Delete(sequence[i]);
        //    }

        //    File.Delete(tempFilename);
        //}

        [Fact]
        public static void AllVariantsSearchTest()
        {
            const long sequenceLength = 8;

            using (var scope = new TempLinksTestScope(useSequences: true))
            {
                var links = scope.Links;
                var sequences = scope.Sequences;

                var sequence = new ulong[sequenceLength];
                for (var i = 0; i < sequenceLength; i++)
                {
                    sequence[i] = links.Create();
                }

                var createResults = sequences.CreateAllVariants2(sequence).Distinct().ToArray();

                //for (int i = 0; i < createResults.Length; i++)
                //    sequences.Create(createResults[i]);

                var sw0 = Stopwatch.StartNew();
                var searchResults0 = sequences.GetAllMatchingSequences0(sequence); sw0.Stop();

                var sw1 = Stopwatch.StartNew();
                var searchResults1 = sequences.GetAllMatchingSequences1(sequence); sw1.Stop();

                var sw2 = Stopwatch.StartNew();
                var searchResults2 = sequences.Each1(sequence); sw2.Stop();

                var sw3 = Stopwatch.StartNew();
                var searchResults3 = sequences.Each(sequence.ConvertToRestrictionsValues());
                ↪  sw3.Stop();

                var intersection0 = createResults.Intersect(searchResults0).ToList();
                Assert.True(intersection0.Count == searchResults0.Count);
                Assert.True(intersection0.Count == createResults.Length);

                var intersection1 = createResults.Intersect(searchResults1).ToList();
                Assert.True(intersection1.Count == searchResults1.Count);
                Assert.True(intersection1.Count == createResults.Length);

                var intersection2 = createResults.Intersect(searchResults2).ToList();
                Assert.True(intersection2.Count == searchResults2.Count);
                Assert.True(intersection2.Count == createResults.Length);

                var intersection3 = createResults.Intersect(searchResults3).ToList();
                Assert.True(intersection3.Count == searchResults3.Count);
                Assert.True(intersection3.Count == createResults.Length);

                for (var i = 0; i < sequenceLength; i++)
                {
```

```
152                     links.Delete(sequence[i]);
153                 }
154             }
155         }
156 
157         [Fact]
158         public static void BalancedVariantSearchTest()
159         {
160             const long sequenceLength = 200;
161 
162             using (var scope = new TempLinksTestScope(useSequences: true))
163             {
164                 var links = scope.Links;
165                 var sequences = scope.Sequences;
166 
167                 var sequence = new ulong[sequenceLength];
168                 for (var i = 0; i < sequenceLength; i++)
169                 {
170                     sequence[i] = links.Create();
171                 }
172 
173                 var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
174 
175                 var sw1 = Stopwatch.StartNew();
176                 var balancedVariant = balancedVariantConverter.Convert(sequence); sw1.Stop();
177 
178                 var sw2 = Stopwatch.StartNew();
179                 var searchResults2 = sequences.GetAllMatchingSequences0(sequence); sw2.Stop();
180 
181                 var sw3 = Stopwatch.StartNew();
182                 var searchResults3 = sequences.GetAllMatchingSequences1(sequence); sw3.Stop();
183 
184                 // На количестве в 200 элементов это будет занимать вечность
185                 //var sw4 = Stopwatch.StartNew();
186                 //var searchResults4 = sequences.Each(sequence); sw4.Stop();
187 
188                 Assert.True(searchResults2.Count == 1 && balancedVariant == searchResults2[0]);
189 
190                 Assert.True(searchResults3.Count == 1 && balancedVariant ==
                    ↪ searchResults3.First());
191 
192                 //Assert.True(sw1.Elapsed < sw2.Elapsed);
193 
194                 for (var i = 0; i < sequenceLength; i++)
195                 {
196                     links.Delete(sequence[i]);
197                 }
198             }
199         }
200 
201         [Fact]
202         public static void AllPartialVariantsSearchTest()
203         {
204             const long sequenceLength = 8;
205 
206             using (var scope = new TempLinksTestScope(useSequences: true))
207             {
208                 var links = scope.Links;
209                 var sequences = scope.Sequences;
210 
211                 var sequence = new ulong[sequenceLength];
212                 for (var i = 0; i < sequenceLength; i++)
213                 {
214                     sequence[i] = links.Create();
215                 }
216 
217                 var createResults = sequences.CreateAllVariants2(sequence);
218 
219                 //var createResultsStrings = createResults.Select(x => x + ": " +
                    ↪ sequences.FormatSequence(x)).ToList();
220                 //Global.Trash = createResultsStrings;
221 
222                 var partialSequence = new ulong[sequenceLength - 2];
223 
224                 Array.Copy(sequence, 1, partialSequence, 0, (int)sequenceLength - 2);
225 
226                 var sw1 = Stopwatch.StartNew();
227                 var searchResults1 =
                    ↪ sequences.GetAllPartiallyMatchingSequences0(partialSequence); sw1.Stop();
228 
```

```
229                 var sw2 = Stopwatch.StartNew();
230                 var searchResults2 =
                    ↪ sequences.GetAllPartiallyMatchingSequences1(partialSequence); sw2.Stop();
231
232                 //var sw3 = Stopwatch.StartNew();
233                 //var searchResults3 =
                    ↪ sequences.GetAllPartiallyMatchingSequences2(partialSequence); sw3.Stop();
234
235                 var sw4 = Stopwatch.StartNew();
236                 var searchResults4 =
                    ↪ sequences.GetAllPartiallyMatchingSequences3(partialSequence); sw4.Stop();
237
238                 //Global.Trash = searchResults3;
239
240                 //var searchResults1Strings = searchResults1.Select(x => x + ": " +
                    ↪ sequences.FormatSequence(x)).ToList();
241                 //Global.Trash = searchResults1Strings;
242
243                 var intersection1 = createResults.Intersect(searchResults1).ToList();
244                 Assert.True(intersection1.Count == createResults.Length);
245
246                 var intersection2 = createResults.Intersect(searchResults2).ToList();
247                 Assert.True(intersection2.Count == createResults.Length);
248
249                 var intersection4 = createResults.Intersect(searchResults4).ToList();
250                 Assert.True(intersection4.Count == createResults.Length);
251
252                 for (var i = 0; i < sequenceLength; i++)
253                 {
254                     links.Delete(sequence[i]);
255                 }
256             }
257         }
258
259         [Fact]
260         public static void BalancedPartialVariantsSearchTest()
261         {
262             const long sequenceLength = 200;
263
264             using (var scope = new TempLinksTestScope(useSequences: true))
265             {
266                 var links = scope.Links;
267                 var sequences = scope.Sequences;
268
269                 var sequence = new ulong[sequenceLength];
270                 for (var i = 0; i < sequenceLength; i++)
271                 {
272                     sequence[i] = links.Create();
273                 }
274
275                 var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
276
277                 var balancedVariant = balancedVariantConverter.Convert(sequence);
278
279                 var partialSequence = new ulong[sequenceLength - 2];
280
281                 Array.Copy(sequence, 1, partialSequence, 0, (int)sequenceLength - 2);
282
283                 var sw1 = Stopwatch.StartNew();
284                 var searchResults1 =
                    ↪ sequences.GetAllPartiallyMatchingSequences0(partialSequence); sw1.Stop();
285
286                 var sw2 = Stopwatch.StartNew();
287                 var searchResults2 =
                    ↪ sequences.GetAllPartiallyMatchingSequences1(partialSequence); sw2.Stop();
288
289                 Assert.True(searchResults1.Count == 1 && balancedVariant == searchResults1[0]);
290
291                 Assert.True(searchResults2.Count == 1 && balancedVariant ==
                    ↪ searchResults2.First());
292
293                 for (var i = 0; i < sequenceLength; i++)
294                 {
295                     links.Delete(sequence[i]);
296                 }
297             }
298         }
299
300         [Fact(Skip = "Correct implementation is pending")]
```

```
301         public static void PatternMatchTest()
302         {
303             var zeroOrMany = Sequences.Sequences.ZeroOrMany;
304
305             using (var scope = new TempLinksTestScope(useSequences: true))
306             {
307                 var links = scope.Links;
308                 var sequences = scope.Sequences;
309
310                 var e1 = links.Create();
311                 var e2 = links.Create();
312
313                 var sequence = new[]
314                 {
315                     e1, e2, e1, e2 // mama / papa
316                 };
317
318                 var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
319
320                 var balancedVariant = balancedVariantConverter.Convert(sequence);
321
322                 // 1: [1]
323                 // 2: [2]
324                 // 3: [1,2]
325                 // 4: [1,2,1,2]
326
327                 var doublet = links.GetSource(balancedVariant);
328
329                 var matchedSequences1 = sequences.MatchPattern(e2, e1, zeroOrMany);
330
331                 Assert.True(matchedSequences1.Count == 0);
332
333                 var matchedSequences2 = sequences.MatchPattern(zeroOrMany, e2, e1);
334
335                 Assert.True(matchedSequences2.Count == 0);
336
337                 var matchedSequences3 = sequences.MatchPattern(e1, zeroOrMany, e1);
338
339                 Assert.True(matchedSequences3.Count == 0);
340
341                 var matchedSequences4 = sequences.MatchPattern(e1, zeroOrMany, e2);
342
343                 Assert.Contains(doublet, matchedSequences4);
344                 Assert.Contains(balancedVariant, matchedSequences4);
345
346                 for (var i = 0; i < sequence.Length; i++)
347                 {
348                     links.Delete(sequence[i]);
349                 }
350             }
351         }
352
353         [Fact]
354         public static void IndexTest()
355         {
356             using (var scope = new TempLinksTestScope(new SequencesOptions<ulong> { UseIndex =
                ↪ true }, useSequences: true))
357             {
358                 var links = scope.Links;
359                 var sequences = scope.Sequences;
360                 var index = sequences.Options.Index;
361
362                 var e1 = links.Create();
363                 var e2 = links.Create();
364
365                 var sequence = new[]
366                 {
367                     e1, e2, e1, e2 // mama / papa
368                 };
369
370                 Assert.False(index.MightContain(sequence));
371
372                 index.Add(sequence);
373
374                 Assert.True(index.MightContain(sequence));
375             }
376         }
377
```

```
        /// <summary>Imported from https://raw.githubusercontent.com/wiki/Konard/LinksPlatform/%D0%9E-%D1%82%D0%BE%D0%BC%2C-%D0%BA%D0%B0%D0%BA-%D0%B2%D1%81%D1%91-%D0%BD%D0%B0%D1%87%D0%B8%D0%BD%D0%B0%D0%BB%D0%BE%D1%81%D1%8C.md</summary>
        private static readonly string _exampleText =
            @"([english
             version](https://github.com/Konard/LinksPlatform/wiki/About-the-beginning))

Обозначение пустоты, какое оно? Темнота ли это? Там где отсутствие света, отсутствие фотонов (носителей света)? Или это то, что полностью отражает свет? Пустой белый лист бумаги? Там где есть место для нового начала? Разве пустота это не характеристика пространства? Пространство это то, что можно чем-то наполнить?

[![чёрное пространство, белое пространство](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/1.png ""чёрное пространство, белое пространство"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/1.png)

Что может быть минимальным рисунком, образом, графикой? Может быть это точка? Это ли простейшая форма? Но есть ли у точки размер? Цвет? Масса? Координаты? Время существования?

[![чёрное пространство, чёрная точка](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/2.png ""чёрное пространство, чёрная точка"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/2.png)

А что если повторить? Сделать копию? Создать дубликат? Из одного сделать два? Может это быть так? Инверсия? Отражение? Сумма?

[![белая точка, чёрная точка](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/3.png ""белая точка, чёрная точка"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/3.png)

А что если мы вообразим движение? Нужно ли время? Каким самым коротким будет путь? Что будет если этот путь зафиксировать? Запомнить след? Как две точки становятся линией? Чертой? Гранью? Разделителем? Единицей?

[![две белые точки, чёрная вертикальная линия](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/4.png ""две белые точки, чёрная вертикальная линия"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/4.png)

Можно ли замкнуть движение? Может ли это быть кругом? Можно ли замкнуть время? Или остаётся только спираль? Но что если замкнуть предел? Создать ограничение, разделение? Получится замкнутая область? Полностью отделённая от всего остального? Но что это всё остальное? Что можно делить? В каком направлении? Ничего или всё? Пустота или полнота? Начало или конец? Или может быть это единица и ноль? Дуальность? Противоположность? А что будет с кругом если у него нет размера? Будет ли круг точкой? Точка состоящая из точек?

[![белая вертикальная линия, чёрный круг](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/5.png ""белая вертикальная линия, чёрный круг"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/5.png)

Как ещё можно использовать грань, черту, линию? А что если она может что-то соединять, может тогда её нужно повернуть? Почему то, что перпендикулярно вертикальному горизонтально? Горизонт? Инвертирует ли это смысл? Что такое смысл? Из чего состоит смысл? Существует ли элементарная единица смысла?

[![белый круг, чёрная горизонтальная линия](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/6.png ""белый круг, чёрная горизонтальная линия"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/6.png)

Соединять, допустим, а какой смысл в этом есть ещё? Что если помимо смысла ""соединить, связать"", есть ещё и смысл направления ""от начала к концу""? От предка к потомку? От родителя к ребёнку? От общего к частному?

[![белая горизонтальная линия, чёрная горизонтальная стрелка](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/7.png ""белая горизонтальная линия, чёрная горизонтальная стрелка"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/7.png)

Шаг назад. Возьмём опять отделённую область, которая лишь та же замкнутая линия, что ещё она может представлять собой? Объект? Но в чём его суть? Разве не в том, что у него есть граница, разделяющая внутреннее и внешнее? Допустим связь, стрелка, линия соединяет два объекта, как бы это выглядело?

```

```
[![белая связь, чёрная направленная
↪  связь](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/8.png ""белая
↪  связь, чёрная направленная
↪  связь"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/8.png)

Допустим у нас есть смысл ""связать"" и смысл ""направления"", много ли это нам даёт? Много ли
↪  вариантов интерпретации? А что если уточнить, каким именно образом выполнена связь? Что если
↪  можно задать ей чёткий, конкретный смысл? Что это будет? Тип? Глагол? Связка? Действие?
↪  Трансформация? Переход из состояния в состояние? Или всё это и есть объект, суть которого в
↪  его конечном состоянии, если конечно конец определён направлением?

[![белая обычная и направленная связи, чёрная типизированная
↪  связь](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/9.png ""белая
↪  обычная и направленная связи, чёрная типизированная
↪  связь"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/9.png)

А что если всё это время, мы смотрели на суть как бы снаружи? Можно ли взглянуть на это изнутри?
↪  Что будет внутри объектов? Объекты ли это? Или это связи? Может ли эта структура описать
↪  сама себя? Но что тогда получится, разве это не рекурсия? Может это фрактал?

[![белая обычная и направленная связи с рекурсивной внутренней структурой, чёрная типизированная
↪  связь с рекурсивной внутренней
↪  структурой](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/10.png
↪  ""белая обычная и направленная связи с рекурсивной внутренней структурой, чёрная
↪  типизированная связь с рекурсивной внутренней структурой"")](https://raw.githubusercontent.c
↪  om/Konard/LinksPlatform/master/doc/Intro/10.png)

На один уровень внутрь (вниз)? Или на один уровень во вне (вверх)? Или это можно назвать шагом
↪  рекурсии или фрактала?

[![белая обычная и направленная связи с двойной рекурсивной внутренней структурой, чёрная
↪  типизированная связь с двойной рекурсивной внутренней
↪  структурой](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/11.png
↪  ""белая обычная и направленная связи с двойной рекурсивной внутренней структурой, чёрная
↪  типизированная связь с двойной рекурсивной внутренней структурой"")](https://raw.githubuserc
↪  ontent.com/Konard/LinksPlatform/master/doc/Intro/11.png)

Последовательность? Массив? Список? Множество? Объект? Таблица? Элементы? Цвета? Символы? Буквы?
↪  Слово? Цифры? Число? Алфавит? Дерево? Сеть? Граф? Гиперграф?

[![белая обычная и направленная связи со структурой из 8 цветных элементов последовательности,
↪  чёрная типизированная связь со структурой из 8 цветных элементов последовательности](https:/
↪  /raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/12.png ""белая обычная и
↪  направленная связи со структурой из 8 цветных элементов последовательности, чёрная
↪  типизированная связь со структурой из 8 цветных элементов последовательности"")](https://raw
↪  .githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/12.png)

...

[![анимация](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/intro-anima
↪  tion-500.gif
↪  ""анимация"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/intro
↪  -animation-500.gif)";

        private static readonly string _exampleLoremIpsumText =
            @"Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor
            ↪  incididunt ut labore et dolore magna aliqua.
Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo
↪  consequat.";

        [Fact]
        public static void CompressionTest()
        {
            using (var scope = new TempLinksTestScope(useSequences: true))
            {
                var links = scope.Links;
                var sequences = scope.Sequences;

                var e1 = links.Create();
                var e2 = links.Create();

                var sequence = new[]
                {
                    e1, e2, e1, e2 // mama / papa / template [(m/p), a] { [1] [2] [1] [2] }
                };

                var balancedVariantConverter = new BalancedVariantConverter<ulong>(links.Unsync);
                var totalSequenceSymbolFrequencyCounter = new
                ↪  TotalSequenceSymbolFrequencyCounter<ulong>(links.Unsync);
```

```
456                 var doubletFrequenciesCache = new LinkFrequenciesCache<ulong>(links.Unsync,
                    ↪  totalSequenceSymbolFrequencyCounter);
457                 var compressingConverter = new CompressingConverter<ulong>(links.Unsync,
                    ↪  balancedVariantConverter, doubletFrequenciesCache);
458
459                 var compressedVariant = compressingConverter.Convert(sequence);
460
461                 // 1: [1]       (1->1) point
462                 // 2: [2]       (2->2) point
463                 // 3: [1,2]     (1->2) doublet
464                 // 4: [1,2,1,2] (3->3) doublet
465
466                 Assert.True(links.GetSource(links.GetSource(compressedVariant)) == sequence[0]);
467                 Assert.True(links.GetTarget(links.GetSource(compressedVariant)) == sequence[1]);
468                 Assert.True(links.GetSource(links.GetTarget(compressedVariant)) == sequence[2]);
469                 Assert.True(links.GetTarget(links.GetTarget(compressedVariant)) == sequence[3]);
470
471                 var source = _constants.SourcePart;
472                 var target = _constants.TargetPart;
473
474                 Assert.True(links.GetByKeys(compressedVariant, source, source) == sequence[0]);
475                 Assert.True(links.GetByKeys(compressedVariant, source, target) == sequence[1]);
476                 Assert.True(links.GetByKeys(compressedVariant, target, source) == sequence[2]);
477                 Assert.True(links.GetByKeys(compressedVariant, target, target) == sequence[3]);
478
479                 // 4 - length of sequence
480                 Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 0)
                    ↪  == sequence[0]);
481                 Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 1)
                    ↪  == sequence[1]);
482                 Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 2)
                    ↪  == sequence[2]);
483                 Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 3)
                    ↪  == sequence[3]);
484             }
485         }
486
487         [Fact]
488         public static void CompressionEfficiencyTest()
489         {
490             var strings = _exampleLoremIpsumText.Split(new[] { '\n', '\r' },
                ↪  StringSplitOptions.RemoveEmptyEntries);
491             var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
492             var totalCharacters = arrays.Select(x => x.Length).Sum();
493
494             using (var scope1 = new TempLinksTestScope(useSequences: true))
495             using (var scope2 = new TempLinksTestScope(useSequences: true))
496             using (var scope3 = new TempLinksTestScope(useSequences: true))
497             {
498                 scope1.Links.Unsync.UseUnicode();
499                 scope2.Links.Unsync.UseUnicode();
500                 scope3.Links.Unsync.UseUnicode();
501
502                 var balancedVariantConverter1 = new
                    ↪  BalancedVariantConverter<ulong>(scope1.Links.Unsync);
503                 var totalSequenceSymbolFrequencyCounter = new
                    ↪  TotalSequenceSymbolFrequencyCounter<ulong>(scope1.Links.Unsync);
504                 var linkFrequenciesCache1 = new LinkFrequenciesCache<ulong>(scope1.Links.Unsync,
                    ↪  totalSequenceSymbolFrequencyCounter);
505                 var compressor1 = new CompressingConverter<ulong>(scope1.Links.Unsync,
                    ↪  balancedVariantConverter1, linkFrequenciesCache1,
                    ↪  doInitialFrequenciesIncrement: false);
506
507                 //var compressor2 = scope2.Sequences;
508                 var compressor3 = scope3.Sequences;
509
510                 var constants = Default<LinksConstants<ulong>>.Instance;
511
512                 var sequences = compressor3;
513                 //var meaningRoot = links.CreatePoint();
514                 //var unaryOne = links.CreateAndUpdate(meaningRoot, constants.Itself);
515                 //var frequencyMarker = links.CreateAndUpdate(meaningRoot, constants.Itself);
516                 //var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot,
                    ↪  constants.Itself);
517
518                 //var unaryNumberToAddressConverter = new
                    ↪  UnaryNumberToAddressAddOperationConverter<ulong>(links, unaryOne);
```

```
519                 //var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links,
                    ↪  unaryOne);
520                 //var frequencyIncrementer = new FrequencyIncrementer<ulong>(links,
                    ↪  frequencyMarker, unaryOne, unaryNumberIncrementer);
521                 //var frequencyPropertyOperator = new FrequencyPropertyOperator<ulong>(links,
                    ↪  frequencyPropertyMarker, frequencyMarker);
522                 //var linkFrequencyIncrementer = new LinkFrequencyIncrementer<ulong>(links,
                    ↪  frequencyPropertyOperator, frequencyIncrementer);
523                 //var linkToItsFrequencyNumberConverter = new
                    ↪  LinkToItsFrequencyNumberConveter<ulong>(links, frequencyPropertyOperator,
                    ↪  unaryNumberToAddressConverter);
524
525                 var linkFrequenciesCache3 = new LinkFrequenciesCache<ulong>(scope3.Links.Unsync,
                    ↪  totalSequenceSymbolFrequencyCounter);
526
527                 var linkToItsFrequencyNumberConverter = new FrequenciesCacheBasedLinkToItsFreque
                    ↪  ncyNumberConverter<ulong>(linkFrequenciesCache3);
528
529                 var sequenceToItsLocalElementLevelsConverter = new
                    ↪  SequenceToItsLocalElementLevelsConverter<ulong>(scope3.Links.Unsync,
                    ↪  linkToItsFrequencyNumberConverter);
530                 var optimalVariantConverter = new
                    ↪  OptimalVariantConverter<ulong>(scope3.Links.Unsync,
                    ↪  sequenceToItsLocalElementLevelsConverter);
531
532                 var compressed1 = new ulong[arrays.Length];
533                 var compressed2 = new ulong[arrays.Length];
534                 var compressed3 = new ulong[arrays.Length];
535
536                 var START = 0;
537                 var END = arrays.Length;
538
539                 //for (int i = START; i < END; i++)
540                 //    linkFrequenciesCache1.IncrementFrequencies(arrays[i]);
541
542                 var initialCount1 = scope2.Links.Unsync.Count();
543
544                 var sw1 = Stopwatch.StartNew();
545
546                 for (int i = START; i < END; i++)
547                 {
548                     linkFrequenciesCache1.IncrementFrequencies(arrays[i]);
549                     compressed1[i] = compressor1.Convert(arrays[i]);
550                 }
551
552                 var elapsed1 = sw1.Elapsed;
553
554                 var balancedVariantConverter2 = new
                    ↪  BalancedVariantConverter<ulong>(scope2.Links.Unsync);
555
556                 var initialCount2 = scope2.Links.Unsync.Count();
557
558                 var sw2 = Stopwatch.StartNew();
559
560                 for (int i = START; i < END; i++)
561                 {
562                     compressed2[i] = balancedVariantConverter2.Convert(arrays[i]);
563                 }
564
565                 var elapsed2 = sw2.Elapsed;
566
567                 for (int i = START; i < END; i++)
568                 {
569                     linkFrequenciesCache3.IncrementFrequencies(arrays[i]);
570                 }
571
572                 var initialCount3 = scope3.Links.Unsync.Count();
573
574                 var sw3 = Stopwatch.StartNew();
575
576                 for (int i = START; i < END; i++)
577                 {
578                     //linkFrequenciesCache3.IncrementFrequencies(arrays[i]);
579                     compressed3[i] = optimalVariantConverter.Convert(arrays[i]);
580                 }
581
582                 var elapsed3 = sw3.Elapsed;
583
```

```
584                 Console.WriteLine($"Compressor: {elapsed1}, Balanced variant: {elapsed2},
                    ↪  Optimal variant: {elapsed3}");
585
586                 // Assert.True(elapsed1 > elapsed2);
587
588                 // Checks
589                 for (int i = START; i < END; i++)
590                 {
591                     var sequence1 = compressed1[i];
592                     var sequence2 = compressed2[i];
593                     var sequence3 = compressed3[i];
594
595                     var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
                        ↪  scope1.Links.Unsync);
596
597                     var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
                        ↪  scope2.Links.Unsync);
598
599                     var decompress3 = UnicodeMap.FromSequenceLinkToString(sequence3,
                        ↪  scope3.Links.Unsync);
600
601                     var structure1 = scope1.Links.Unsync.FormatStructure(sequence1, link =>
                        ↪  link.IsPartialPoint());
602                     var structure2 = scope2.Links.Unsync.FormatStructure(sequence2, link =>
                        ↪  link.IsPartialPoint());
603                     var structure3 = scope3.Links.Unsync.FormatStructure(sequence3, link =>
                        ↪  link.IsPartialPoint());
604
605                     //if (sequence1 != Constants.Null && sequence2 != Constants.Null &&
                        ↪  arrays[i].Length > 3)
606                     //    Assert.False(structure1 == structure2);
607                     //if (sequence3 != Constants.Null && sequence2 != Constants.Null &&
                        ↪  arrays[i].Length > 3)
608                     //    Assert.False(structure3 == structure2);
609
610                     Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
611                     Assert.True(strings[i] == decompress3 && decompress3 == decompress2);
612                 }
613
614                 Assert.True((int)(scope1.Links.Unsync.Count() - initialCount1) <
                    ↪  totalCharacters);
615                 Assert.True((int)(scope2.Links.Unsync.Count() - initialCount2) <
                    ↪  totalCharacters);
616                 Assert.True((int)(scope3.Links.Unsync.Count() - initialCount3) <
                    ↪  totalCharacters);
617
618                 Console.WriteLine($"{(double)(scope1.Links.Unsync.Count() - initialCount1) /
                    ↪  totalCharacters} | {(double)(scope2.Links.Unsync.Count() - initialCount2) /
                    ↪  totalCharacters} | {(double)(scope3.Links.Unsync.Count() - initialCount3) /
                    ↪  totalCharacters}");
619
620                 Assert.True(scope1.Links.Unsync.Count() - initialCount1 <
                    ↪  scope2.Links.Unsync.Count() - initialCount2);
621                 Assert.True(scope3.Links.Unsync.Count() - initialCount3 <
                    ↪  scope2.Links.Unsync.Count() - initialCount2);
622
623                 var duplicateProvider1 = new
                    ↪  DuplicateSegmentsProvider<ulong>(scope1.Links.Unsync, scope1.Sequences);
624                 var duplicateProvider2 = new
                    ↪  DuplicateSegmentsProvider<ulong>(scope2.Links.Unsync, scope2.Sequences);
625                 var duplicateProvider3 = new
                    ↪  DuplicateSegmentsProvider<ulong>(scope3.Links.Unsync, scope3.Sequences);
626
627                 var duplicateCounter1 = new DuplicateSegmentsCounter<ulong>(duplicateProvider1);
628                 var duplicateCounter2 = new DuplicateSegmentsCounter<ulong>(duplicateProvider2);
629                 var duplicateCounter3 = new DuplicateSegmentsCounter<ulong>(duplicateProvider3);
630
631                 var duplicates1 = duplicateCounter1.Count();
632
633                 ConsoleHelpers.Debug("------");
634
635                 var duplicates2 = duplicateCounter2.Count();
636
637                 ConsoleHelpers.Debug("------");
638
639                 var duplicates3 = duplicateCounter3.Count();
640
641                 Console.WriteLine($"{duplicates1} | {duplicates2} | {duplicates3}");
```

```
642
643                 linkFrequenciesCache1.ValidateFrequencies();
644                 linkFrequenciesCache3.ValidateFrequencies();
645             }
646         }
647
648         [Fact]
649         public static void CompressionStabilityTest()
650         {
651             // TODO: Fix bug (do a separate test)
652             //const ulong minNumbers = 0;
653             //const ulong maxNumbers = 1000;
654
655             const ulong minNumbers = 10000;
656             const ulong maxNumbers = 12500;
657
658             var strings = new List<string>();
659
660             for (ulong i = minNumbers; i < maxNumbers; i++)
661             {
662                 strings.Add(i.ToString());
663             }
664
665             var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
666             var totalCharacters = arrays.Select(x => x.Length).Sum();
667
668             using (var scope1 = new TempLinksTestScope(useSequences: true, sequencesOptions: new
                ↪  SequencesOptions<ulong> { UseCompression = true,
                ↪  EnforceSingleSequenceVersionOnWriteBasedOnExisting = true }))
669             using (var scope2 = new TempLinksTestScope(useSequences: true))
670             {
671                 scope1.Links.UseUnicode();
672                 scope2.Links.UseUnicode();
673
674                 //var compressor1 = new Compressor(scope1.Links.Unsync, scope1.Sequences);
675                 var compressor1 = scope1.Sequences;
676                 var compressor2 = scope2.Sequences;
677
678                 var compressed1 = new ulong[arrays.Length];
679                 var compressed2 = new ulong[arrays.Length];
680
681                 var sw1 = Stopwatch.StartNew();
682
683                 var START = 0;
684                 var END = arrays.Length;
685
686                 // Collisions proved (cannot be solved by max doublet comparison, no stable rule)
687                 // Stability issue starts at 10001 or 11000
688                 //for (int i = START; i < END; i++)
689                 //{
690                 //    var first = compressor1.Compress(arrays[i]);
691                 //    var second = compressor1.Compress(arrays[i]);
692
693                 //    if (first == second)
694                 //        compressed1[i] = first;
695                 //    else
696                 //    {
697                 //        // TODO: Find a solution for this case
698                 //    }
699                 //}
700
701                 for (int i = START; i < END; i++)
702                 {
703                     var first = compressor1.Create(arrays[i].ConvertToRestrictionsValues());
704                     var second = compressor1.Create(arrays[i].ConvertToRestrictionsValues());
705
706                     if (first == second)
707                     {
708                         compressed1[i] = first;
709                     }
710                     else
711                     {
712                         // TODO: Find a solution for this case
713                     }
714                 }
715
716                 var elapsed1 = sw1.Elapsed;
717
718                 var balancedVariantConverter = new BalancedVariantConverter<ulong>(scope2.Links);
719
```

```
720                 var sw2 = Stopwatch.StartNew();
721
722                 for (int i = START; i < END; i++)
723                 {
724                     var first = balancedVariantConverter.Convert(arrays[i]);
725                     var second = balancedVariantConverter.Convert(arrays[i]);
726
727                     if (first == second)
728                     {
729                         compressed2[i] = first;
730                     }
731                 }
732
733                 var elapsed2 = sw2.Elapsed;
734
735                 Debug.WriteLine($"Compressor: {elapsed1}, Balanced sequence creator:
                    ↪ {elapsed2}");
736
737                 Assert.True(elapsed1 > elapsed2);
738
739                 // Checks
740                 for (int i = START; i < END; i++)
741                 {
742                     var sequence1 = compressed1[i];
743                     var sequence2 = compressed2[i];
744
745                     if (sequence1 != _constants.Null && sequence2 != _constants.Null)
746                     {
747                         var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
                            ↪ scope1.Links);
748
749                         var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
                            ↪ scope2.Links);
750
751                         //var structure1 = scope1.Links.FormatStructure(sequence1, link =>
                            ↪ link.IsPartialPoint());
752                         //var structure2 = scope2.Links.FormatStructure(sequence2, link =>
                            ↪ link.IsPartialPoint());
753
754                         //if (sequence1 != Constants.Null && sequence2 != Constants.Null &&
                            ↪ arrays[i].Length > 3)
755                         //    Assert.False(structure1 == structure2);
756
757                         Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
758                     }
759                 }
760
761                 Assert.True((int)(scope1.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
762                 Assert.True((int)(scope2.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
763
764                 Debug.WriteLine($"{(double)(scope1.Links.Count() - UnicodeMap.MapSize) /
                    ↪ totalCharacters} | {(double)(scope2.Links.Count() - UnicodeMap.MapSize) /
                    ↪ totalCharacters}");
765
766                 Assert.True(scope1.Links.Count() <= scope2.Links.Count());
767
768                 //compressor1.ValidateFrequencies();
769             }
770         }
771
772         [Fact]
773         public static void RundomNumbersCompressionQualityTest()
774         {
775             const ulong N = 500;
776
777             //const ulong minNumbers = 10000;
778             //const ulong maxNumbers = 20000;
779
780             //var strings = new List<string>();
781
782             //for (ulong i = 0; i < N; i++)
783             //    strings.Add(RandomHelpers.DefaultFactory.NextUInt64(minNumbers,
                ↪ maxNumbers).ToString());
784
785             var strings = new List<string>();
786
787             for (ulong i = 0; i < N; i++)
788             {
789                 strings.Add(RandomHelpers.Default.NextUInt64().ToString());
```

```
790             }
791
792             strings = strings.Distinct().ToList();
793
794             var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
795             var totalCharacters = arrays.Select(x => x.Length).Sum();
796
797             using (var scope1 = new TempLinksTestScope(useSequences: true, sequencesOptions: new
                ↪  SequencesOptions<ulong> { UseCompression = true,
                ↪  EnforceSingleSequenceVersionOnWriteBasedOnExisting = true }))
798             using (var scope2 = new TempLinksTestScope(useSequences: true))
799             {
800                 scope1.Links.UseUnicode();
801                 scope2.Links.UseUnicode();
802
803                 var compressor1 = scope1.Sequences;
804                 var compressor2 = scope2.Sequences;
805
806                 var compressed1 = new ulong[arrays.Length];
807                 var compressed2 = new ulong[arrays.Length];
808
809                 var sw1 = Stopwatch.StartNew();
810
811                 var START = 0;
812                 var END = arrays.Length;
813
814                 for (int i = START; i < END; i++)
815                 {
816                     compressed1[i] = compressor1.Create(arrays[i].ConvertToRestrictionsValues());
817                 }
818
819                 var elapsed1 = sw1.Elapsed;
820
821                 var balancedVariantConverter = new BalancedVariantConverter<ulong>(scope2.Links);
822
823                 var sw2 = Stopwatch.StartNew();
824
825                 for (int i = START; i < END; i++)
826                 {
827                     compressed2[i] = balancedVariantConverter.Convert(arrays[i]);
828                 }
829
830                 var elapsed2 = sw2.Elapsed;
831
832                 Debug.WriteLine($"Compressor: {elapsed1}, Balanced sequence creator:
                    ↪  {elapsed2}");
833
834                 Assert.True(elapsed1 > elapsed2);
835
836                 // Checks
837                 for (int i = START; i < END; i++)
838                 {
839                     var sequence1 = compressed1[i];
840                     var sequence2 = compressed2[i];
841
842                     if (sequence1 != _constants.Null && sequence2 != _constants.Null)
843                     {
844                         var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
                            ↪  scope1.Links);
845
846                         var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
                            ↪  scope2.Links);
847
848                         Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
849                     }
850                 }
851
852                 Assert.True((int)(scope1.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
853                 Assert.True((int)(scope2.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
854
855                 Debug.WriteLine($"{(double)(scope1.Links.Count() - UnicodeMap.MapSize) /
                    ↪  totalCharacters} | {(double)(scope2.Links.Count() - UnicodeMap.MapSize) /
                    ↪  totalCharacters}");
856
857                 // Can be worse than balanced variant
858                 //Assert.True(scope1.Links.Count() <= scope2.Links.Count());
859
860                 //compressor1.ValidateFrequencies();
861             }
```

```
862         }
863
864         [Fact]
865         public static void AllTreeBreakDownAtSequencesCreationBugTest()
866         {
867             // Made out of AllPossibleConnectionsTest test.
868
869             //const long sequenceLength = 5; //100% bug
870             const long sequenceLength = 4; //100% bug
871             //const long sequenceLength = 3; //100% _no_bug (ok)
872
873             using (var scope = new TempLinksTestScope(useSequences: true))
874             {
875                 var links = scope.Links;
876                 var sequences = scope.Sequences;
877
878                 var sequence = new ulong[sequenceLength];
879                 for (var i = 0; i < sequenceLength; i++)
880                 {
881                     sequence[i] = links.Create();
882                 }
883
884                 var createResults = sequences.CreateAllVariants2(sequence);
885
886                 Global.Trash = createResults;
887
888                 for (var i = 0; i < sequenceLength; i++)
889                 {
890                     links.Delete(sequence[i]);
891                 }
892             }
893         }
894
895         [Fact]
896         public static void AllPossibleConnectionsTest()
897         {
898             const long sequenceLength = 5;
899
900             using (var scope = new TempLinksTestScope(useSequences: true))
901             {
902                 var links = scope.Links;
903                 var sequences = scope.Sequences;
904
905                 var sequence = new ulong[sequenceLength];
906                 for (var i = 0; i < sequenceLength; i++)
907                 {
908                     sequence[i] = links.Create();
909                 }
910
911                 var createResults = sequences.CreateAllVariants2(sequence);
912                 var reverseResults = sequences.CreateAllVariants2(sequence.Reverse().ToArray());
913
914                 for (var i = 0; i < 1; i++)
915                 {
916                     var sw1 = Stopwatch.StartNew();
917                     var searchResults1 = sequences.GetAllConnections(sequence); sw1.Stop();
918
919                     var sw2 = Stopwatch.StartNew();
920                     var searchResults2 = sequences.GetAllConnections1(sequence); sw2.Stop();
921
922                     var sw3 = Stopwatch.StartNew();
923                     var searchResults3 = sequences.GetAllConnections2(sequence); sw3.Stop();
924
925                     var sw4 = Stopwatch.StartNew();
926                     var searchResults4 = sequences.GetAllConnections3(sequence); sw4.Stop();
927
928                     Global.Trash = searchResults3;
929                     Global.Trash = searchResults4; //-V3008
930
931                     var intersection1 = createResults.Intersect(searchResults1).ToList();
932                     Assert.True(intersection1.Count == createResults.Length);
933
934                     var intersection2 = reverseResults.Intersect(searchResults1).ToList();
935                     Assert.True(intersection2.Count == reverseResults.Length);
936
937                     var intersection0 = searchResults1.Intersect(searchResults2).ToList();
938                     Assert.True(intersection0.Count == searchResults2.Count);
939
940                     var intersection3 = searchResults2.Intersect(searchResults3).ToList();
941                     Assert.True(intersection3.Count == searchResults3.Count);
```

```
942
943                     var intersection4 = searchResults3.Intersect(searchResults4).ToList();
944                     Assert.True(intersection4.Count == searchResults4.Count);
945                 }
946
947                 for (var i = 0; i < sequenceLength; i++)
948                 {
949                     links.Delete(sequence[i]);
950                 }
951             }
952         }
953
954         [Fact(Skip = "Correct implementation is pending")]
955         public static void CalculateAllUsagesTest()
956         {
957             const long sequenceLength = 3;
958
959             using (var scope = new TempLinksTestScope(useSequences: true))
960             {
961                 var links = scope.Links;
962                 var sequences = scope.Sequences;
963
964                 var sequence = new ulong[sequenceLength];
965                 for (var i = 0; i < sequenceLength; i++)
966                 {
967                     sequence[i] = links.Create();
968                 }
969
970                 var createResults = sequences.CreateAllVariants2(sequence);
971
972                 //var reverseResults =
                    ↪  sequences.CreateAllVariants2(sequence.Reverse().ToArray());
973
974                 for (var i = 0; i < 1; i++)
975                 {
976                     var linksTotalUsages1 = new ulong[links.Count() + 1];
977
978                     sequences.CalculateAllUsages(linksTotalUsages1);
979
980                     var linksTotalUsages2 = new ulong[links.Count() + 1];
981
982                     sequences.CalculateAllUsages2(linksTotalUsages2);
983
984                     var intersection1 = linksTotalUsages1.Intersect(linksTotalUsages2).ToList();
985                     Assert.True(intersection1.Count == linksTotalUsages2.Length);
986                 }
987
988                 for (var i = 0; i < sequenceLength; i++)
989                 {
990                     links.Delete(sequence[i]);
991                 }
992             }
993         }
994     }
995 }
```

1.116 ./Platform.Data.Doublets.Tests/TempLinksTestScope.cs

```
1  using System.IO;
2  using Platform.Disposables;
3  using Platform.Data.Doublets.Sequences;
4  using Platform.Data.Doublets.Decorators;
5  using Platform.Data.Doublets.ResizableDirectMemory.Specific;
6
7  namespace Platform.Data.Doublets.Tests
8  {
9      public class TempLinksTestScope : DisposableBase
10     {
11         public ILinks<ulong> MemoryAdapter { get; }
12         public SynchronizedLinks<ulong> Links { get; }
13         public Sequences.Sequences Sequences { get; }
14         public string TempFilename { get; }
15         public string TempTransactionLogFilename { get; }
16         private readonly bool _deleteFiles;
17
18         public TempLinksTestScope(bool deleteFiles = true, bool useSequences = false, bool
           ↪  useLog = false) : this(new SequencesOptions<ulong>(), deleteFiles, useSequences,
           ↪  useLog) { }
19
20         public TempLinksTestScope(SequencesOptions<ulong> sequencesOptions, bool deleteFiles =
           ↪  true, bool useSequences = false, bool useLog = false)
```

```
        {
            _deleteFiles = deleteFiles;
            TempFilename = Path.GetTempFileName();
            TempTransactionLogFilename = Path.GetTempFileName();
            var coreMemoryAdapter = new UInt64ResizableDirectMemoryLinks(TempFilename);
            MemoryAdapter = useLog ? (ILinks<ulong>)new
            ↪  UInt64LinksTransactionsLayer(coreMemoryAdapter, TempTransactionLogFilename) :
            ↪  coreMemoryAdapter;
            Links = new SynchronizedLinks<ulong>(new UInt64Links(MemoryAdapter));
            if (useSequences)
            {
                Sequences = new Sequences.Sequences(Links, sequencesOptions);
            }
        }

        protected override void Dispose(bool manual, bool wasDisposed)
        {
            if (!wasDisposed)
            {
                Links.Unsync.DisposeIfPossible();
                if (_deleteFiles)
                {
                    DeleteFiles();
                }
            }
        }

        public void DeleteFiles()
        {
            File.Delete(TempFilename);
            File.Delete(TempTransactionLogFilename);
        }
    }
}
```

1.117 ./Platform.Data.Doublets.Tests/TestExtensions.cs

```
using System.Collections.Generic;
using Xunit;
using Platform.Ranges;
using Platform.Numbers;
using Platform.Random;
using Platform.Setters;

namespace Platform.Data.Doublets.Tests
{
    public static class TestExtensions
    {
        public static void TestCRUDOperations<T>(this ILinks<T> links)
        {
            var constants = links.Constants;

            var equalityComparer = EqualityComparer<T>.Default;

            // Create Link
            Assert.True(equalityComparer.Equals(links.Count(), Integer<T>.Zero));

            var setter = new Setter<T>(constants.Null);
            links.Each(constants.Any, constants.Any, setter.SetAndReturnTrue);

            Assert.True(equalityComparer.Equals(setter.Result, constants.Null));

            var linkAddress = links.Create();

            var link = new Link<T>(links.GetLink(linkAddress));

            Assert.True(link.Count == 3);
            Assert.True(equalityComparer.Equals(link.Index, linkAddress));
            Assert.True(equalityComparer.Equals(link.Source, constants.Null));
            Assert.True(equalityComparer.Equals(link.Target, constants.Null));

            Assert.True(equalityComparer.Equals(links.Count(), Integer<T>.One));

            // Get first link
            setter = new Setter<T>(constants.Null);
            links.Each(constants.Any, constants.Any, setter.SetAndReturnFalse);

            Assert.True(equalityComparer.Equals(setter.Result, linkAddress));

            // Update link to reference itself
            links.Update(linkAddress, linkAddress, linkAddress);
```

```
45
46              link = new Link<T>(links.GetLink(linkAddress));
47
48              Assert.True(equalityComparer.Equals(link.Source, linkAddress));
49              Assert.True(equalityComparer.Equals(link.Target, linkAddress));
50
51              // Update link to reference null (prepare for delete)
52              var updated = links.Update(linkAddress, constants.Null, constants.Null);
53
54              Assert.True(equalityComparer.Equals(updated, linkAddress));
55
56              link = new Link<T>(links.GetLink(linkAddress));
57
58              Assert.True(equalityComparer.Equals(link.Source, constants.Null));
59              Assert.True(equalityComparer.Equals(link.Target, constants.Null));
60
61              // Delete link
62              links.Delete(linkAddress);
63
64              Assert.True(equalityComparer.Equals(links.Count(), Integer<T>.Zero));
65
66              setter = new Setter<T>(constants.Null);
67              links.Each(constants.Any, constants.Any, setter.SetAndReturnTrue);
68
69              Assert.True(equalityComparer.Equals(setter.Result, constants.Null));
70          }
71
72          public static void TestRawNumbersCRUDOperations<T>(this ILinks<T> links)
73          {
74              // Constants
75              var constants = links.Constants;
76              var equalityComparer = EqualityComparer<T>.Default;
77
78              var h106E = new Hybrid<T>(106L, isExternal: true);
79              var h107E = new Hybrid<T>(-char.ConvertFromUtf32(107)[0]);
80              var h108E = new Hybrid<T>(-108L);
81
82              Assert.Equal(106L, h106E.AbsoluteValue);
83              Assert.Equal(107L, h107E.AbsoluteValue);
84              Assert.Equal(108L, h108E.AbsoluteValue);
85
86              // Create Link (External -> External)
87              var linkAddress1 = links.Create();
88
89              links.Update(linkAddress1, h106E, h108E);
90
91              var link1 = new Link<T>(links.GetLink(linkAddress1));
92
93              Assert.True(equalityComparer.Equals(link1.Source, h106E));
94              Assert.True(equalityComparer.Equals(link1.Target, h108E));
95
96              // Create Link (Internal -> External)
97              var linkAddress2 = links.Create();
98
99              links.Update(linkAddress2, linkAddress1, h108E);
100
101             var link2 = new Link<T>(links.GetLink(linkAddress2));
102
103             Assert.True(equalityComparer.Equals(link2.Source, linkAddress1));
104             Assert.True(equalityComparer.Equals(link2.Target, h108E));
105
106             // Create Link (Internal -> Internal)
107             var linkAddress3 = links.Create();
108
109             links.Update(linkAddress3, linkAddress1, linkAddress2);
110
111             var link3 = new Link<T>(links.GetLink(linkAddress3));
112
113             Assert.True(equalityComparer.Equals(link3.Source, linkAddress1));
114             Assert.True(equalityComparer.Equals(link3.Target, linkAddress2));
115
116             // Search for created link
117             var setter1 = new Setter<T>(constants.Null);
118             links.Each(h106E, h108E, setter1.SetAndReturnFalse);
119
120             Assert.True(equalityComparer.Equals(setter1.Result, linkAddress1));
121
122             // Search for nonexistent link
123             var setter2 = new Setter<T>(constants.Null);
124             links.Each(h106E, h107E, setter2.SetAndReturnFalse);
```

```
125
126             Assert.True(equalityComparer.Equals(setter2.Result, constants.Null));
127
128             // Update link to reference null (prepare for delete)
129             var updated = links.Update(linkAddress3, constants.Null, constants.Null);
130
131             Assert.True(equalityComparer.Equals(updated, linkAddress3));
132
133             link3 = new Link<T>(links.GetLink(linkAddress3));
134
135             Assert.True(equalityComparer.Equals(link3.Source, constants.Null));
136             Assert.True(equalityComparer.Equals(link3.Target, constants.Null));
137
138             // Delete link
139             links.Delete(linkAddress3);
140
141             Assert.True(equalityComparer.Equals(links.Count(), Integer<T>.Two));
142
143             var setter3 = new Setter<T>(constants.Null);
144             links.Each(constants.Any, constants.Any, setter3.SetAndReturnTrue);
145
146             Assert.True(equalityComparer.Equals(setter3.Result, linkAddress2));
147         }
148
149         public static void TestMultipleRandomCreationsAndDeletions<TLink>(this ILinks<TLink>
            ↪ links, int maximumOperationsPerCycle)
150         {
151             var comparer = Comparer<TLink>.Default;
152             for (var N = 1; N < maximumOperationsPerCycle; N++)
153             {
154                 var random = new System.Random(N);
155                 var created = 0;
156                 var deleted = 0;
157                 for (var i = 0; i < N; i++)
158                 {
159                     long linksCount = (Integer<TLink>)links.Count();
160                     var createPoint = random.NextBoolean();
161                     if (linksCount > 2 && createPoint)
162                     {
163                         var linksAddressRange = new Range<ulong>(1, (ulong)linksCount);
164                         TLink source = (Integer<TLink>)random.NextUInt64(linksAddressRange);
165                         TLink target = (Integer<TLink>)random.NextUInt64(linksAddressRange);
                            ↪ //-V3086
166                         var resultLink = links.CreateAndUpdate(source, target);
167                         if (comparer.Compare(resultLink, (Integer<TLink>)linksCount) > 0)
168                         {
169                             created++;
170                         }
171                     }
172                     else
173                     {
174                         links.Create();
175                         created++;
176                     }
177                 }
178                 Assert.True(created == (Integer<TLink>)links.Count());
179                 for (var i = 0; i < N; i++)
180                 {
181                     TLink link = (Integer<TLink>)(i + 1);
182                     if (links.Exists(link))
183                     {
184                         links.Delete(link);
185                         deleted++;
186                     }
187                 }
188                 Assert.True((Integer<TLink>)links.Count() == 0);
189             }
190         }
191     }
192 }
```

1.118 ./Platform.Data.Doublets.Tests/UInt64LinksTests.cs

```
1  using System;
2  using System.Collections.Generic;
3  using System.Diagnostics;
4  using System.IO;
5  using System.Text;
6  using System.Threading;
7  using System.Threading.Tasks;
8  using Xunit;
```

```
using Platform.Disposables;
using Platform.Ranges;
using Platform.Random;
using Platform.Timestamps;
using Platform.Reflection;
using Platform.Singletons;
using Platform.Scopes;
using Platform.Counters;
using Platform.Diagnostics;
using Platform.IO;
using Platform.Memory;
using Platform.Data.Doublets.Decorators;
using Platform.Data.Doublets.ResizableDirectMemory.Specific;

namespace Platform.Data.Doublets.Tests
{
    public static class UInt64LinksTests
    {
        private static readonly LinksConstants<ulong> _constants =
        ↪  Default<LinksConstants<ulong>>.Instance;

        private const long Iterations = 10 * 1024;

        #region Concept

        [Fact]
        public static void MultipleCreateAndDeleteTest()
        {
            using (var scope = new Scope<Types<HeapResizableDirectMemory,
            ↪  UInt64ResizableDirectMemoryLinks>>())
            {
                new UInt64Links(scope.Use<ILinks<ulong>>()).TestMultipleRandomCreationsAndDeleti⌋
                ↪  ons(100);
            }
        }

        [Fact]
        public static void CascadeUpdateTest()
        {
            var itself = _constants.Itself;
            using (var scope = new TempLinksTestScope(useLog: true))
            {
                var links = scope.Links;

                var l1 = links.Create();
                var l2 = links.Create();

                l2 = links.Update(l2, l2, l1, l2);

                links.CreateAndUpdate(l2, itself);
                links.CreateAndUpdate(l2, itself);

                l2 = links.Update(l2, l1);

                links.Delete(l2);

                Global.Trash = links.Count();

                links.Unsync.DisposeIfPossible(); // Close links to access log

                Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(scop⌋
                ↪  e.TempTransactionLogFilename);
            }
        }

        [Fact]
        public static void BasicTransactionLogTest()
        {
            using (var scope = new TempLinksTestScope(useLog: true))
            {
                var links = scope.Links;
                var l1 = links.Create();
                var l2 = links.Create();

                Global.Trash = links.Update(l2, l2, l1, l2);

                links.Delete(l1);

                links.Unsync.DisposeIfPossible(); // Close links to access log

```

```
85                  Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(scop
                    ↪  e.TempTransactionLogFilename);
86              }
87          }
88
89          [Fact]
90          public static void TransactionAutoRevertedTest()
91          {
92              // Auto Reverted (Because no commit at transaction)
93              using (var scope = new TempLinksTestScope(useLog: true))
94              {
95                  var links = scope.Links;
96                  var transactionsLayer = (UInt64LinksTransactionsLayer)scope.MemoryAdapter;
97                  using (var transaction = transactionsLayer.BeginTransaction())
98                  {
99                      var l1 = links.Create();
100                     var l2 = links.Create();
101
102                     links.Update(l2, l2, l1, l2);
103                 }
104
105                 Assert.Equal(0UL, links.Count());
106
107                 links.Unsync.DisposeIfPossible();
108
109                 var transitions = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(s
                    ↪  cope.TempTransactionLogFilename);
110                 Assert.Single(transitions);
111             }
112         }
113
114         [Fact]
115         public static void TransactionUserCodeErrorNoDataSavedTest()
116         {
117             // User Code Error (Autoreverted), no data saved
118             var itself = _constants.Itself;
119
120             TempLinksTestScope lastScope = null;
121             try
122             {
123                 using (var scope = lastScope = new TempLinksTestScope(deleteFiles: false,
                    ↪  useLog: true))
124                 {
125                     var links = scope.Links;
126                     var transactionsLayer = (UInt64LinksTransactionsLayer)((LinksDisposableDecor
                        ↪  atorBase<ulong>)links.Unsync).Links;
127                     using (var transaction = transactionsLayer.BeginTransaction())
128                     {
129                         var l1 = links.CreateAndUpdate(itself, itself);
130                         var l2 = links.CreateAndUpdate(itself, itself);
131
132                         l2 = links.Update(l2, l2, l1, l2);
133
134                         links.CreateAndUpdate(l2, itself);
135                         links.CreateAndUpdate(l2, itself);
136
137                         //Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transi
                            ↪  tion>(scope.TempTransactionLogFilename);
138
139                         l2 = links.Update(l2, l1);
140
141                         links.Delete(l2);
142
143                         ExceptionThrower();
144
145                         transaction.Commit();
146                     }
147
148                     Global.Trash = links.Count();
149                 }
150             }
151             catch
152             {
153                 Assert.False(lastScope == null);
154
155                 var transitions = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(l
                    ↪  astScope.TempTransactionLogFilename);
156
```

```
157                 Assert.True(transitions.Length == 1 && transitions[0].Before.IsNull() &&
                    ↪ transitions[0].After.IsNull());
158
159                 lastScope.DeleteFiles();
160             }
161         }
162
163         [Fact]
164         public static void TransactionUserCodeErrorSomeDataSavedTest()
165         {
166             // User Code Error (Autoreverted), some data saved
167             var itself = _constants.Itself;
168
169             TempLinksTestScope lastScope = null;
170             try
171             {
172                 ulong l1;
173                 ulong l2;
174
175                 using (var scope = new TempLinksTestScope(useLog: true))
176                 {
177                     var links = scope.Links;
178                     l1 = links.CreateAndUpdate(itself, itself);
179                     l2 = links.CreateAndUpdate(itself, itself);
180
181                     l2 = links.Update(l2, l2, l1, l2);
182
183                     links.CreateAndUpdate(l2, itself);
184                     links.CreateAndUpdate(l2, itself);
185
186                     links.Unsync.DisposeIfPossible();
187
188                     Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(
                        ↪ scope.TempTransactionLogFilename);
189                 }
190
191                 using (var scope = lastScope = new TempLinksTestScope(deleteFiles: false,
                    ↪ useLog: true))
192                 {
193                     var links = scope.Links;
194                     var transactionsLayer = (UInt64LinksTransactionsLayer)links.Unsync;
195                     using (var transaction = transactionsLayer.BeginTransaction())
196                     {
197                         l2 = links.Update(l2, l1);
198
199                         links.Delete(l2);
200
201                         ExceptionThrower();
202
203                         transaction.Commit();
204                     }
205
206                     Global.Trash = links.Count();
207                 }
208             }
209             catch
210             {
211                 Assert.False(lastScope == null);
212
213                 Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(last
                    ↪ Scope.TempTransactionLogFilename);
214
215                 lastScope.DeleteFiles();
216             }
217         }
218
219         [Fact]
220         public static void TransactionCommit()
221         {
222             var itself = _constants.Itself;
223
224             var tempDatabaseFilename = Path.GetTempFileName();
225             var tempTransactionLogFilename = Path.GetTempFileName();
226
227             // Commit
228             using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
                    ↪ UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
                    ↪ tempTransactionLogFilename))
229             using (var links = new UInt64Links(memoryAdapter))
```

```
230             {
231                 using (var transaction = memoryAdapter.BeginTransaction())
232                 {
233                     var l1 = links.CreateAndUpdate(itself, itself);
234                     var l2 = links.CreateAndUpdate(itself, itself);
235 
236                     Global.Trash = links.Update(l2, l2, l1, l2);
237 
238                     links.Delete(l1);
239 
240                     transaction.Commit();
241                 }
242 
243                 Global.Trash = links.Count();
244             }
245 
246             Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran
                ↪  sactionLogFilename);
247         }
248 
249         [Fact]
250         public static void TransactionDamage()
251         {
252             var itself = _constants.Itself;
253 
254             var tempDatabaseFilename = Path.GetTempFileName();
255             var tempTransactionLogFilename = Path.GetTempFileName();
256 
257             // Commit
258             using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
                ↪  UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
                ↪  tempTransactionLogFilename))
259             using (var links = new UInt64Links(memoryAdapter))
260             {
261                 using (var transaction = memoryAdapter.BeginTransaction())
262                 {
263                     var l1 = links.CreateAndUpdate(itself, itself);
264                     var l2 = links.CreateAndUpdate(itself, itself);
265 
266                     Global.Trash = links.Update(l2, l2, l1, l2);
267 
268                     links.Delete(l1);
269 
270                     transaction.Commit();
271                 }
272 
273                 Global.Trash = links.Count();
274             }
275 
276             Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran
                ↪  sactionLogFilename);
277 
278             // Damage database
279 
280             FileHelpers.WriteFirst(tempTransactionLogFilename, new
                ↪  UInt64LinksTransactionsLayer.Transition(new UniqueTimestampFactory(), 555));
281 
282             // Try load damaged database
283             try
284             {
285                 // TODO: Fix
286                 using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
                    ↪  UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
                    ↪  tempTransactionLogFilename))
287                 using (var links = new UInt64Links(memoryAdapter))
288                 {
289                     Global.Trash = links.Count();
290                 }
291             }
292             catch (NotSupportedException ex)
293             {
294                 Assert.True(ex.Message == "Database is damaged, autorecovery is not supported
                    ↪  yet.");
295             }
296 
297             Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran
                ↪  sactionLogFilename);
298 
299             File.Delete(tempDatabaseFilename);
```

```
300             File.Delete(tempTransactionLogFilename);
301         }
302
303         [Fact]
304         public static void Bug1Test()
305         {
306             var tempDatabaseFilename = Path.GetTempFileName();
307             var tempTransactionLogFilename = Path.GetTempFileName();
308
309             var itself = _constants.Itself;
310
311             // User Code Error (Autoreverted), some data saved
312             try
313             {
314                 ulong l1;
315                 ulong l2;
316
317                 using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
                    ↪  UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
                    ↪  tempTransactionLogFilename))
318                 using (var links = new UInt64Links(memoryAdapter))
319                 {
320                     l1 = links.CreateAndUpdate(itself, itself);
321                     l2 = links.CreateAndUpdate(itself, itself);
322
323                     l2 = links.Update(l2, l2, l1, l2);
324
325                     links.CreateAndUpdate(l2, itself);
326                     links.CreateAndUpdate(l2, itself);
327                 }
328
329                 Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(temp
                    ↪  TransactionLogFilename);
330
331                 using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
                    ↪  UInt64ResizableDirectMemoryLinks(tempDatabaseFilename),
                    ↪  tempTransactionLogFilename))
332                 using (var links = new UInt64Links(memoryAdapter))
333                 {
334                     using (var transaction = memoryAdapter.BeginTransaction())
335                     {
336                         l2 = links.Update(l2, l1);
337
338                         links.Delete(l2);
339
340                         ExceptionThrower();
341
342                         transaction.Commit();
343                     }
344
345                     Global.Trash = links.Count();
346                 }
347             }
348             catch
349             {
350                 Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(temp
                    ↪  TransactionLogFilename);
351             }
352
353             File.Delete(tempDatabaseFilename);
354             File.Delete(tempTransactionLogFilename);
355         }
356
357         private static void ExceptionThrower() => throw new InvalidOperationException();
358
359         [Fact]
360         public static void PathsTest()
361         {
362             var source = _constants.SourcePart;
363             var target = _constants.TargetPart;
364
365             using (var scope = new TempLinksTestScope())
366             {
367                 var links = scope.Links;
368                 var l1 = links.CreatePoint();
369                 var l2 = links.CreatePoint();
370
371                 var r1 = links.GetByKeys(l1, source, target, source);
372                 var r2 = links.CheckPathExistance(l2, l2, l2, l2);
```

```
373             }
374         }
375 
376         [Fact]
377         public static void RecursiveStringFormattingTest()
378         {
379             using (var scope = new TempLinksTestScope(useSequences: true))
380             {
381                 var links = scope.Links;
382                 var sequences = scope.Sequences; // TODO: Auto use sequences on Sequences getter.
383 
384                 var a = links.CreatePoint();
385                 var b = links.CreatePoint();
386                 var c = links.CreatePoint();
387 
388                 var ab = links.CreateAndUpdate(a, b);
389                 var cb = links.CreateAndUpdate(c, b);
390                 var ac = links.CreateAndUpdate(a, c);
391 
392                 a = links.Update(a, c, b);
393                 b = links.Update(b, a, c);
394                 c = links.Update(c, a, b);
395 
396                 Debug.WriteLine(links.FormatStructure(ab, link => link.IsFullPoint(), true));
397                 Debug.WriteLine(links.FormatStructure(cb, link => link.IsFullPoint(), true));
398                 Debug.WriteLine(links.FormatStructure(ac, link => link.IsFullPoint(), true));
399 
400                 Assert.True(links.FormatStructure(cb, link => link.IsFullPoint(), true) ==
                    ↪  "(5:(4:5 (6:5 4)) 6)");
401                 Assert.True(links.FormatStructure(ac, link => link.IsFullPoint(), true) ==
                    ↪  "(6:(5:(4:5 6) 6) 4)");
402                 Assert.True(links.FormatStructure(ab, link => link.IsFullPoint(), true) ==
                    ↪  "(4:(5:4 (6:5 4)) 6)");
403 
404                 // TODO: Think how to build balanced syntax tree while formatting structure (eg.
                    ↪  "(4:(5:4 6) (6:5 4)") instead of "(4:(5:4 (6:5 4)) 6)"
405 
406                 Assert.True(sequences.SafeFormatSequence(cb, DefaultFormatter, false) ==
                    ↪  "{{5}{5}{4}{6}}");
407                 Assert.True(sequences.SafeFormatSequence(ac, DefaultFormatter, false) ==
                    ↪  "{{5}{6}{6}{4}}");
408                 Assert.True(sequences.SafeFormatSequence(ab, DefaultFormatter, false) ==
                    ↪  "{{4}{5}{4}{6}}");
409             }
410         }
411 
412         private static void DefaultFormatter(StringBuilder sb, ulong link)
413         {
414             sb.Append(link.ToString());
415         }
416 
417         #endregion
418 
419         #region Performance
420 
421         /*
422        public static void RunAllPerformanceTests()
423        {
424            try
425            {
426                links.TestLinksInSteps();
427            }
428            catch (Exception ex)
429            {
430                ex.WriteToConsole();
431            }
432 
433            return;
434 
435            try
436            {
437                //ThreadPool.SetMaxThreads(2, 2);
438 
439                // Запускаем все тесты дважды, чтобы первоначальная инициализация не повлияла на
    ↪  результат
440                // Также это дополнительно помогает в отладке
441                // Увеличивает вероятность попадания информации в кэши
442                for (var i = 0; i < 10; i++)
443                {
```

```
444                     //0 - 10 ГБ
445                     //Каждые 100 МБ срез цифр
446 
447                     //links.TestGetSourceFunction();
448                     //links.TestGetSourceFunctionInParallel();
449                     //links.TestGetTargetFunction();
450                     //links.TestGetTargetFunctionInParallel();
451                     links.Create64BillionLinks();
452 
453                     links.TestRandomSearchFixed();
454                     //links.Create64BillionLinksInParallel();
455                     links.TestEachFunction();
456                     //links.TestForeach();
457                     //links.TestParallelForeach();
458                 }
459 
460                 links.TestDeletionOfAllLinks();
461 
462             }
463             catch (Exception ex)
464             {
465                 ex.WriteToConsole();
466             }
467         }*/
468 
469          /*
470         public static void TestLinksInSteps()
471         {
472             const long gibibyte = 1024 * 1024 * 1024;
473             const long mebibyte = 1024 * 1024;
474 
475             var totalLinksToCreate = gibibyte /
    ↪  Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;
476             var linksStep = 102 * mebibyte /
    ↪  Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;
477 
478             var creationMeasurements = new List<TimeSpan>();
479             var searchMeasuremets = new List<TimeSpan>();
480             var deletionMeasurements = new List<TimeSpan>();
481 
482             GetBaseRandomLoopOverhead(linksStep);
483             GetBaseRandomLoopOverhead(linksStep);
484 
485             var stepLoopOverhead = GetBaseRandomLoopOverhead(linksStep);
486 
487             ConsoleHelpers.Debug("Step loop overhead: {0}.", stepLoopOverhead);
488 
489             var loops = totalLinksToCreate / linksStep;
490 
491             for (int i = 0; i < loops; i++)
492             {
493                 creationMeasurements.Add(Measure(() => links.RunRandomCreations(linksStep)));
494                 searchMeasuremets.Add(Measure(() => links.RunRandomSearches(linksStep)));
495 
496                 Console.Write("\rC + S {0}/{1}", i + 1, loops);
497             }
498 
499             ConsoleHelpers.Debug();
500 
501             for (int i = 0; i < loops; i++)
502             {
503                 deletionMeasurements.Add(Measure(() => links.RunRandomDeletions(linksStep)));
504 
505                 Console.Write("\rD {0}/{1}", i + 1, loops);
506             }
507 
508             ConsoleHelpers.Debug();
509 
510             ConsoleHelpers.Debug("C S D");
511 
512             for (int i = 0; i < loops; i++)
513             {
514                 ConsoleHelpers.Debug("{0} {1} {2}", creationMeasurements[i],
    ↪  searchMeasuremets[i], deletionMeasurements[i]);
515             }
516 
517             ConsoleHelpers.Debug("C S D (no overhead)");
518 
519             for (int i = 0; i < loops; i++)
```

```
520             {
521                 ConsoleHelpers.Debug("{0} {1} {2}", creationMeasurements[i] - stepLoopOverhead,
    ↪  searchMeasuremets[i] - stepLoopOverhead, deletionMeasurements[i] - stepLoopOverhead);
522             }
523 
524             ConsoleHelpers.Debug("All tests done. Total links left in database: {0}.",
    ↪  links.Total);
525         }
526 
527         private static void CreatePoints(this Platform.Links.Data.Core.Doublets.Links links, long
    ↪  amountToCreate)
528         {
529             for (long i = 0; i < amountToCreate; i++)
530                 links.Create(0, 0);
531         }
532 
533          private static TimeSpan GetBaseRandomLoopOverhead(long loops)
534          {
535              return Measure(() =>
536              {
537                  ulong maxValue = RandomHelpers.DefaultFactory.NextUInt64();
538                  ulong result = 0;
539                  for (long i = 0; i < loops; i++)
540                  {
541                      var source = RandomHelpers.DefaultFactory.NextUInt64(maxValue);
542                      var target = RandomHelpers.DefaultFactory.NextUInt64(maxValue);
543 
544                      result += maxValue + source + target;
545                  }
546                  Global.Trash = result;
547              });
548          }
549           */
550 
551          [Fact(Skip = "performance test")]
552          public static void GetSourceTest()
553          {
554              using (var scope = new TempLinksTestScope())
555              {
556                  var links = scope.Links;
557                  ConsoleHelpers.Debug("Testing GetSource function with {0} Iterations.",
                     ↪  Iterations);
558 
559                  ulong counter = 0;
560 
561                  //var firstLink = links.First();
562                  // Создаём одну связь, из которой будет производить считывание
563                  var firstLink = links.Create();
564 
565                  var sw = Stopwatch.StartNew();
566 
567                  // Тестируем саму функцию
568                  for (ulong i = 0; i < Iterations; i++)
569                  {
570                      counter += links.GetSource(firstLink);
571                  }
572 
573                  var elapsedTime = sw.Elapsed;
574 
575                  var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
576 
577                  // Удаляем связь, из которой производилось считывание
578                  links.Delete(firstLink);
579 
580                  ConsoleHelpers.Debug(
581                      "{0} Iterations of GetSource function done in {1} ({2} Iterations per
                         ↪  second), counter result: {3}",
582                      Iterations, elapsedTime, (long)iterationsPerSecond, counter);
583              }
584          }
585 
586          [Fact(Skip = "performance test")]
587          public static void GetSourceInParallel()
588          {
589              using (var scope = new TempLinksTestScope())
590              {
591                  var links = scope.Links;
592                  ConsoleHelpers.Debug("Testing GetSource function with {0} Iterations in
                     ↪  parallel.", Iterations);
```

```
593
594                 long counter = 0;
595
596                 //var firstLink = links.First();
597                 var firstLink = links.Create();
598
599                 var sw = Stopwatch.StartNew();
600
601                 // Тестируем саму функцию
602                 Parallel.For(0, Iterations, x =>
603                 {
604                     Interlocked.Add(ref counter, (long)links.GetSource(firstLink));
605                     //Interlocked.Increment(ref counter);
606                 });
607
608                 var elapsedTime = sw.Elapsed;
609
610                 var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
611
612                 links.Delete(firstLink);
613
614                 ConsoleHelpers.Debug(
615                     "{0} Iterations of GetSource function done in {1} ({2} Iterations per
                        ↪  second), counter result: {3}",
616                     Iterations, elapsedTime, (long)iterationsPerSecond, counter);
617             }
618         }
619
620         [Fact(Skip = "performance test")]
621         public static void TestGetTarget()
622         {
623             using (var scope = new TempLinksTestScope())
624             {
625                 var links = scope.Links;
626                 ConsoleHelpers.Debug("Testing GetTarget function with {0} Iterations.",
                    ↪  Iterations);
627
628                 ulong counter = 0;
629
630                 //var firstLink = links.First();
631                 var firstLink = links.Create();
632
633                 var sw = Stopwatch.StartNew();
634
635                 for (ulong i = 0; i < Iterations; i++)
636                 {
637                     counter += links.GetTarget(firstLink);
638                 }
639
640                 var elapsedTime = sw.Elapsed;
641
642                 var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
643
644                 links.Delete(firstLink);
645
646                 ConsoleHelpers.Debug(
647                     "{0} Iterations of GetTarget function done in {1} ({2} Iterations per
                        ↪  second), counter result: {3}",
648                     Iterations, elapsedTime, (long)iterationsPerSecond, counter);
649             }
650         }
651
652         [Fact(Skip = "performance test")]
653         public static void TestGetTargetInParallel()
654         {
655             using (var scope = new TempLinksTestScope())
656             {
657                 var links = scope.Links;
658                 ConsoleHelpers.Debug("Testing GetTarget function with {0} Iterations in
                    ↪  parallel.", Iterations);
659
660                 long counter = 0;
661
662                 //var firstLink = links.First();
663                 var firstLink = links.Create();
664
665                 var sw = Stopwatch.StartNew();
666
667                 Parallel.For(0, Iterations, x =>
668                 {
```

```
669                     Interlocked.Add(ref counter, (long)links.GetTarget(firstLink));
670                     //Interlocked.Increment(ref counter);
671                 });
672 
673                 var elapsedTime = sw.Elapsed;
674 
675                 var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
676 
677                 links.Delete(firstLink);
678 
679                 ConsoleHelpers.Debug(
680                     "{0} Iterations of GetTarget function done in {1} ({2} Iterations per
                        ↪  second), counter result: {3}",
681                     Iterations, elapsedTime, (long)iterationsPerSecond, counter);
682             }
683         }
684 
685         // TODO: Заполнить базу данных перед тестом
686         /*
687         [Fact]
688         public void TestRandomSearchFixed()
689         {
690             var tempFilename = Path.GetTempFileName();
691 
692             using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
    ↪  DefaultLinksSizeStep))
693             {
694                 long iterations = 64 * 1024 * 1024 /
    ↪  Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;
695 
696                 ulong counter = 0;
697                 var maxLink = links.Total;
698 
699                 ConsoleHelpers.Debug("Testing Random Search with {0} Iterations.", iterations);
700 
701                 var sw = Stopwatch.StartNew();
702 
703                 for (var i = iterations; i > 0; i--)
704                 {
705                     var source =
    ↪  RandomHelpers.DefaultFactory.NextUInt64(LinksConstants.MinPossibleIndex, maxLink);
706                     var target =
    ↪  RandomHelpers.DefaultFactory.NextUInt64(LinksConstants.MinPossibleIndex, maxLink);
707 
708                     counter += links.Search(source, target);
709                 }
710 
711                 var elapsedTime = sw.Elapsed;
712 
713                 var iterationsPerSecond = iterations / elapsedTime.TotalSeconds;
714 
715                 ConsoleHelpers.Debug("{0} Iterations of Random Search done in {1} ({2}
    ↪  Iterations per second), c: {3}", iterations, elapsedTime, (long)iterationsPerSecond,
    ↪  counter);
716             }
717 
718             File.Delete(tempFilename);
719         }*/
720 
721         [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
722         public static void TestRandomSearchAll()
723         {
724             using (var scope = new TempLinksTestScope())
725             {
726                 var links = scope.Links;
727                 ulong counter = 0;
728 
729                 var maxLink = links.Count();
730 
731                 var iterations = links.Count();
732 
733                 ConsoleHelpers.Debug("Testing Random Search with {0} Iterations.",
                    ↪  links.Count());
734 
735                 var sw = Stopwatch.StartNew();
736 
737                 for (var i = iterations; i > 0; i--)
738                 {
739                     var linksAddressRange = new
                        ↪  Range<ulong>(_constants.InternalReferencesRange.Minimum, maxLink);
```

```
740
741                     var source = RandomHelpers.Default.NextUInt64(linksAddressRange);
742                     var target = RandomHelpers.Default.NextUInt64(linksAddressRange);
743
744                     counter += links.SearchOrDefault(source, target);
745                 }
746
747                 var elapsedTime = sw.Elapsed;
748
749                 var iterationsPerSecond = iterations / elapsedTime.TotalSeconds;
750
751                 ConsoleHelpers.Debug("{0} Iterations of Random Search done in {1} ({2}
                    ↪  Iterations per second), c: {3}",
752                      iterations, elapsedTime, (long)iterationsPerSecond, counter);
753             }
754         }
755
756         [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
757         public static void TestEach()
758         {
759             using (var scope = new TempLinksTestScope())
760             {
761                 var links = scope.Links;
762
763                 var counter = new Counter<IList<ulong>, ulong>(links.Constants.Continue);
764
765                 ConsoleHelpers.Debug("Testing Each function.");
766
767                 var sw = Stopwatch.StartNew();
768
769                 links.Each(counter.IncrementAndReturnTrue);
770
771                 var elapsedTime = sw.Elapsed;
772
773                 var linksPerSecond = counter.Count / elapsedTime.TotalSeconds;
774
775                 ConsoleHelpers.Debug("{0} Iterations of Each's handler function done in {1} ({2}
                    ↪  links per second)",
776                     counter, elapsedTime, (long)linksPerSecond);
777             }
778         }
779
780         /*
781         [Fact]
782         public static void TestForeach()
783         {
784             var tempFilename = Path.GetTempFileName();
785
786             using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
    ↪  DefaultLinksSizeStep))
787             {
788                 ulong counter = 0;
789
790                 ConsoleHelpers.Debug("Testing foreach through links.");
791
792                 var sw = Stopwatch.StartNew();
793
794                 //foreach (var link in links)
795                 //{
796                 //    counter++;
797                 //}
798
799                 var elapsedTime = sw.Elapsed;
800
801                 var linksPerSecond = (double)counter / elapsedTime.TotalSeconds;
802
803                 ConsoleHelpers.Debug("{0} Iterations of Foreach's handler block done in {1} ({2}
    ↪  links per second)", counter, elapsedTime, (long)linksPerSecond);
804             }
805
806             File.Delete(tempFilename);
807         }
808         */
809
810         /*
811         [Fact]
812         public static void TestParallelForeach()
813         {
814             var tempFilename = Path.GetTempFileName();
815
```

```
            using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
    ↪  DefaultLinksSizeStep))
            {

                long counter = 0;

                ConsoleHelpers.Debug("Testing parallel foreach through links.");

                var sw = Stopwatch.StartNew();

                //Parallel.ForEach((IEnumerable<ulong>)links, x =>
                //{
                //    Interlocked.Increment(ref counter);
                //});

                var elapsedTime = sw.Elapsed;

                var linksPerSecond = (double)counter / elapsedTime.TotalSeconds;

                ConsoleHelpers.Debug("{0} Iterations of Parallel Foreach's handler block done in
    ↪  {1} ({2} links per second)", counter, elapsedTime, (long)linksPerSecond);
            }

            File.Delete(tempFilename);
        }
        */

        [Fact(Skip = "performance test")]
        public static void Create64BillionLinks()
        {
            using (var scope = new TempLinksTestScope())
            {
                var links = scope.Links;
                var linksBeforeTest = links.Count();

                long linksToCreate = 64 * 1024 * 1024 /
                ↪  UInt64ResizableDirectMemoryLinks.LinkSizeInBytes;

                ConsoleHelpers.Debug("Creating {0} links.", linksToCreate);

                var elapsedTime = Performance.Measure(() =>
                {
                    for (long i = 0; i < linksToCreate; i++)
                    {
                        links.Create();
                    }
                });

                var linksCreated = links.Count() - linksBeforeTest;
                var linksPerSecond = linksCreated / elapsedTime.TotalSeconds;

                ConsoleHelpers.Debug("Current links count: {0}.", links.Count());

                ConsoleHelpers.Debug("{0} links created in {1} ({2} links per second)",
                ↪  linksCreated, elapsedTime,
                    (long)linksPerSecond);
            }
        }

        [Fact(Skip = "performance test")]
        public static void Create64BillionLinksInParallel()
        {
            using (var scope = new TempLinksTestScope())
            {
                var links = scope.Links;
                var linksBeforeTest = links.Count();

                var sw = Stopwatch.StartNew();

                long linksToCreate = 64 * 1024 * 1024 /
                ↪  UInt64ResizableDirectMemoryLinks.LinkSizeInBytes;

                ConsoleHelpers.Debug("Creating {0} links in parallel.", linksToCreate);

                Parallel.For(0, linksToCreate, x => links.Create());

                var elapsedTime = sw.Elapsed;

                var linksCreated = links.Count() - linksBeforeTest;
                var linksPerSecond = linksCreated / elapsedTime.TotalSeconds;
```

```
891
892                 ConsoleHelpers.Debug("{0} links created in {1} ({2} links per second)",
                    ↪ linksCreated, elapsedTime,
893                     (long)linksPerSecond);
894             }
895         }
896
897         [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
898         public static void TestDeletionOfAllLinks()
899         {
900             using (var scope = new TempLinksTestScope())
901             {
902                 var links = scope.Links;
903                 var linksBeforeTest = links.Count();
904
905                 ConsoleHelpers.Debug("Deleting all links");
906
907                 var elapsedTime = Performance.Measure(links.DeleteAll);
908
909                 var linksDeleted = linksBeforeTest - links.Count();
910                 var linksPerSecond = linksDeleted / elapsedTime.TotalSeconds;
911
912                 ConsoleHelpers.Debug("{0} links deleted in {1} ({2} links per second)",
                    ↪ linksDeleted, elapsedTime,
913                     (long)linksPerSecond);
914             }
915         }
916
917         #endregion
918     }
919 }
```

1.119 ./Platform.Data.Doublets.Tests/UnaryNumberConvertersTests.cs

```
1  using Xunit;
2  using Platform.Random;
3  using Platform.Data.Doublets.Numbers.Unary;
4
5  namespace Platform.Data.Doublets.Tests
6  {
7      public static class UnaryNumberConvertersTests
8      {
9          [Fact]
10         public static void ConvertersTest()
11         {
12             using (var scope = new TempLinksTestScope())
13             {
14                 const int N = 10;
15                 var links = scope.Links;
16                 var meaningRoot = links.CreatePoint();
17                 var one = links.CreateAndUpdate(meaningRoot, links.Constants.Itself);
18                 var powerOf2ToUnaryNumberConverter = new
                    ↪ PowerOf2ToUnaryNumberConverter<ulong>(links, one);
19                 var toUnaryNumberConverter = new AddressToUnaryNumberConverter<ulong>(links,
                    ↪ powerOf2ToUnaryNumberConverter);
20                 var random = new System.Random(0);
21                 ulong[] numbers = new ulong[N];
22                 ulong[] unaryNumbers = new ulong[N];
23                 for (int i = 0; i < N; i++)
24                 {
25                     numbers[i] = random.NextUInt64();
26                     unaryNumbers[i] = toUnaryNumberConverter.Convert(numbers[i]);
27                 }
28                 var fromUnaryNumberConverterUsingOrOperation = new
                    ↪ UnaryNumberToAddressOrOperationConverter<ulong>(links,
                    ↪ powerOf2ToUnaryNumberConverter);
29                 var fromUnaryNumberConverterUsingAddOperation = new
                    ↪ UnaryNumberToAddressAddOperationConverter<ulong>(links, one);
30                 for (int i = 0; i < N; i++)
31                 {
32                     Assert.Equal(numbers[i],
                        ↪ fromUnaryNumberConverterUsingOrOperation.Convert(unaryNumbers[i]));
33                     Assert.Equal(numbers[i],
                        ↪ fromUnaryNumberConverterUsingAddOperation.Convert(unaryNumbers[i]));
34                 }
35             }
36         }
37     }
38 }
```

```
using Xunit;
using Platform.Converters;
using Platform.Memory;
using Platform.Reflection;
using Platform.Scopes;
using Platform.Data.Numbers.Raw;
using Platform.Data.Doublets.Incrementers;
using Platform.Data.Doublets.Numbers.Unary;
using Platform.Data.Doublets.PropertyOperators;
using Platform.Data.Doublets.Sequences.Converters;
using Platform.Data.Doublets.Sequences.Indexes;
using Platform.Data.Doublets.Sequences.Walkers;
using Platform.Data.Doublets.Unicode;
using Platform.Data.Doublets.ResizableDirectMemory.Generic;

namespace Platform.Data.Doublets.Tests
{
    public static class UnicodeConvertersTests
    {
        [Fact]
        public static void CharAndUnaryNumberUnicodeSymbolConvertersTest()
        {
            using (var scope = new TempLinksTestScope())
            {
                var links = scope.Links;
                var meaningRoot = links.CreatePoint();
                var one = links.CreateAndUpdate(meaningRoot, links.Constants.Itself);
                var powerOf2ToUnaryNumberConverter = new
                ↪  PowerOf2ToUnaryNumberConverter<ulong>(links, one);
                var addressToUnaryNumberConverter = new
                ↪  AddressToUnaryNumberConverter<ulong>(links, powerOf2ToUnaryNumberConverter);
                var unaryNumberToAddressConverter = new
                ↪  UnaryNumberToAddressOrOperationConverter<ulong>(links,
                ↪  powerOf2ToUnaryNumberConverter);
                TestCharAndUnicodeSymbolConverters(links, meaningRoot,
                ↪  addressToUnaryNumberConverter, unaryNumberToAddressConverter);
            }
        }

        [Fact]
        public static void CharAndRawNumberUnicodeSymbolConvertersTest()
        {
            using (var scope = new Scope<Types<HeapResizableDirectMemory,
            ↪  ResizableDirectMemoryLinks<ulong>>>())
            {
                var links = scope.Use<ILinks<ulong>>();
                var meaningRoot = links.CreatePoint();
                var addressToRawNumberConverter = new AddressToRawNumberConverter<ulong>();
                var rawNumberToAddressConverter = new RawNumberToAddressConverter<ulong>();
                TestCharAndUnicodeSymbolConverters(links, meaningRoot,
                ↪  addressToRawNumberConverter, rawNumberToAddressConverter);
            }
        }

        private static void TestCharAndUnicodeSymbolConverters(ILinks<ulong> links, ulong
        ↪  meaningRoot, IConverter<ulong> addressToNumberConverter, IConverter<ulong>
        ↪  numberToAddressConverter)
        {
            var unicodeSymbolMarker = links.CreateAndUpdate(meaningRoot, links.Constants.Itself);
            var charToUnicodeSymbolConverter = new CharToUnicodeSymbolConverter<ulong>(links,
            ↪  addressToNumberConverter, unicodeSymbolMarker);
            var originalCharacter = 'H';
            var characterLink = charToUnicodeSymbolConverter.Convert(originalCharacter);
            var unicodeSymbolCriterionMatcher = new UnicodeSymbolCriterionMatcher<ulong>(links,
            ↪  unicodeSymbolMarker);
            var unicodeSymbolToCharConverter = new UnicodeSymbolToCharConverter<ulong>(links,
            ↪  numberToAddressConverter, unicodeSymbolCriterionMatcher);
            var resultingCharacter = unicodeSymbolToCharConverter.Convert(characterLink);
            Assert.Equal(originalCharacter, resultingCharacter);
        }

        [Fact]
        public static void StringAndUnicodeSequenceConvertersTest()
        {
            using (var scope = new TempLinksTestScope())
            {
                var links = scope.Links;

```

```
67                  var itself = links.Constants.Itself;
68
69                  var meaningRoot = links.CreatePoint();
70                  var unaryOne = links.CreateAndUpdate(meaningRoot, itself);
71                  var unicodeSymbolMarker = links.CreateAndUpdate(meaningRoot, itself);
72                  var unicodeSequenceMarker = links.CreateAndUpdate(meaningRoot, itself);
73                  var frequencyMarker = links.CreateAndUpdate(meaningRoot, itself);
74                  var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot, itself);
75
76                  var powerOf2ToUnaryNumberConverter = new
                    ↪  PowerOf2ToUnaryNumberConverter<ulong>(links, unaryOne);
77                  var addressToUnaryNumberConverter = new
                    ↪  AddressToUnaryNumberConverter<ulong>(links, powerOf2ToUnaryNumberConverter);
78                  var charToUnicodeSymbolConverter = new
                    ↪  CharToUnicodeSymbolConverter<ulong>(links, addressToUnaryNumberConverter,
                    ↪  unicodeSymbolMarker);
79
80                  var unaryNumberToAddressConverter = new
                    ↪  UnaryNumberToAddressOrOperationConverter<ulong>(links,
                    ↪  powerOf2ToUnaryNumberConverter);
81                  var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links, unaryOne);
82                  var frequencyIncrementer = new FrequencyIncrementer<ulong>(links,
                    ↪  frequencyMarker, unaryOne, unaryNumberIncrementer);
83                  var frequencyPropertyOperator = new PropertyOperator<ulong>(links,
                    ↪  frequencyPropertyMarker, frequencyMarker);
84                  var index = new FrequencyIncrementingSequenceIndex<ulong>(links,
                    ↪  frequencyPropertyOperator, frequencyIncrementer);
85                  var linkToItsFrequencyNumberConverter = new
                    ↪  LinkToItsFrequencyNumberConveter<ulong>(links, frequencyPropertyOperator,
                    ↪  unaryNumberToAddressConverter);
86                  var sequenceToItsLocalElementLevelsConverter = new
                    ↪  SequenceToItsLocalElementLevelsConverter<ulong>(links,
                    ↪  linkToItsFrequencyNumberConverter);
87                  var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
                    ↪  sequenceToItsLocalElementLevelsConverter);
88
89                  var stringToUnicodeSequenceConverter = new
                    ↪  StringToUnicodeSequenceConverter<ulong>(links, charToUnicodeSymbolConverter,
                    ↪  index, optimalVariantConverter, unicodeSequenceMarker);
90
91                  var originalString = "Hello";
92
93                  var unicodeSequenceLink =
                    ↪  stringToUnicodeSequenceConverter.Convert(originalString);
94
95                  var unicodeSymbolCriterionMatcher = new
                    ↪  UnicodeSymbolCriterionMatcher<ulong>(links, unicodeSymbolMarker);
96                  var unicodeSymbolToCharConverter = new
                    ↪  UnicodeSymbolToCharConverter<ulong>(links, unaryNumberToAddressConverter,
                    ↪  unicodeSymbolCriterionMatcher);
97
98                  var unicodeSequenceCriterionMatcher = new
                    ↪  UnicodeSequenceCriterionMatcher<ulong>(links, unicodeSequenceMarker);
99
100                 var sequenceWalker = new LeveledSequenceWalker<ulong>(links,
                    ↪  unicodeSymbolCriterionMatcher.IsMatched);
101
102                 var unicodeSequenceToStringConverter = new
                    ↪  UnicodeSequenceToStringConverter<ulong>(links,
                    ↪  unicodeSequenceCriterionMatcher, sequenceWalker,
                    ↪  unicodeSymbolToCharConverter);
103
104                 var resultingString =
                    ↪  unicodeSequenceToStringConverter.Convert(unicodeSequenceLink);
105
106                 Assert.Equal(originalString, resultingString);
107             }
108         }
109     }
110 }
```

Index