
Chatty M(A)C-Chatface




WARNING

This operating system was developed by professionals and/or total idiots.
In either case, Microsoft insists that neither you or any of your dumb little buddies expect that any feature of this crappy piece of programming code will run without errors and won't cause some system crashes.



Ausgangssituation





Sender.sh

```
#! /bin/bash
MESSAGE="Hallo IT-Sec Meetup Kassel
Counter=1
MAC="00:"
for (( i=0; i<${#MESSAGE}; i++ )); do
       hexChar=$(echo "${MESSAGE:$i:1}" | xxd -l1 -p$)
       echo $hexChar
       MAC="$MAC$hexChar"
        if [ "$Counter" -gt "4" ]; then
               ifdown enp0s8
               ip link set enp0s8 address $MAC
               ifup enp0s8
               Counter=1
               sleep 5
        else
        fi
```

Receiver.sh

```
#! /bin/bash
lastMac=$(arping -I vboxnet2 -c 1 192.168.58.101 | grep reply | cut -d "[" -f2 | cut -d "]" -f1)
MESSAGE=""
while true; do
        MAC=$(arping -I vboxnet2 -c 1 192.168.58.101 | grep reply | cut -d "[" -f2 | cut -d "]" -f1)
        if [ "$MAC" != "$lastMac" ]
        then
                for i in {2..6}
                        MESSAGE=$MESSAGE$(echo $MAC | cut -d ":" -f$i | xxd -r -p$)
                done
                echo -ne "$MESSAGE"
                MESSAGE=""
                lastMac=$MAC
        fi
done
```



Probleme



https://github.com/1337pwny/MAC-Chat