```
package com. sxt. syn;
import java.util.ArrayList;
import java.util.List;
/**
 * 快乐火车票
 * @author 江
 */
public class Happy1230611 {
  public static void main(String[] args) {
          Web12306 c=new Web12306(4, "happy sxt");
          new Passenger(2, c, "老高"). start();
          new Passenger(1, c, "老裴"). start();
}
//乘客
class Passenger extends Thread{
        SxtCinema cinema;
        int seats;
        public Passenger(int seats, Runnable target, String name) {
                super(target, name);
                this.seats=seats;
        }
}
//火车票网
class Web12306 implements Runnable{
         int available;//可用的位置
```

```
String name;
       public Web12306(int available, String name) {
    this.available=available;
    this.name=name;
       }
       @Override
       public void run() {
               Passenger p=(Passenger)Thread.currentThread();
               boolean flag=this.bookTickets(p.seats);
               if(flag) {
                       System.err.println("出票成
功"+Thread.currentThread().getName()+"-<位置为"+p.seats);
               }else {
                       System.err.println("出票失
败"+Thread.currentThread().getName()+"-<位置不够");
               }
       }
        //购票
        public synchronized boolean bookTickets(int seats) {
                System.err.println("欢迎光临"+this.name+",当前可用位置
为:"+available);
                       if (seats > available) {
                               return false;
                       available -= seats;
                       return true;
```