```
<%--
 Created by IntelliJ IDEA.
 User: DELL
 Date: 2019/8/28
 Time: 22:23
To change this template use File | Settings | File Templates.
--%>
<%@ page contentType="text/html;charset=UTF-8" language="java" %>
<html>
<head>
  <title>注册页面</title>
</head>
<body>
  <form action="show.jsp" method="post">
    用户名: <input type="text" id="name" name="uname" /> <br/>
    密码: <input type="password" name="upwd"/> <br/>
    年龄: <input type="text" name="uage"/> <br/>
    爱好: <br/>
        <input type="checkbox" name="uhobbies" value="足球"/>足球 <br/>
        <input type="checkbox" name="uhobbies" value="篮球"/>篮球 <br/>
        <input type="checkbox" name="uhobbies" value="兵乓球"/>兵乓球 <br/>
    <input type="submit" value="注册"/>注册
  </form>
</body>
</html>
<%@ page import="java.lang.reflect.Array" %>
<%@ page import="java.util.Arrays" %><%--</p>
 Created by IntelliJ IDEA.
 User: DELL
 Date: 2019/8/28
 Time: 22:42
 To change this template use File | Settings | File Templates.
--%>
<%@ page contentType="text/html;charset=UTF-8" language="java" %>
<html>
<head>
  <title>展示</title>
</head>
<body>
  <%
    //设置编码
    request.setCharacterEncoding("utf-8");
```

```
String uname=request.getParameter("uname");
    int uage=Integer.parseInt(request.getParameter("uage"));
    String upwd=request.getParameter("upwd");
    String[] uhobbies=request.getParameterValues("uhobbies");
  %>
 <h1 align="auto">注册成功, 信息如下</h1>
 姓名: <%=uname%><br/>>
 年龄: <%=uage%><br/>
 密码: <%=upwd%><br/>
 爱好: <%
      for(int i=0;i<uhobbies.length;i++){}
        if(uhobbies[i]!=null) {
          out.print(uhobbies[i] + " ");
        }
      }
    %>
</body>
</html>
```