

```
class Animal {  
    String name;  
    void makeSound();  
}  
System.out.println("Ting")  
class Pig extends Animal {  
    Pig() {  
        this.pig = pig; }  
}
```

(a) Override


```
    void makeSound() {  
        System.out.println(this.pig + "un in")  
    }  
class Dog extends Animal {  
    Dog() {  
        this.dog = dog, }  
}
```



① Override

```
void void makeSound () {  
    System.out.println (this dog + "gâu gâu");  
}  
public class Main {  
    public static void main (String[] args) {  
        Animal pig = new Pig();  
        Animal dog = new Dog();  
        pig.makeSound();  
        dog.makeSound();  
    }  
}
```

dog.makeSound();




```
class XeDap {
    void run() {
        System.out.println("Xe
        đạp chạy bằng sức người");
    }
}
```

```
class XeDapDien extends XeDap
```

```
@Override
```

```
void run() {
```

```
    System.out.println("Xe đạp điện
    chạy bằng điện.");
}
```

```

public class Main {
    public static void main (String[]
args) {

```

```

        Bank b1 = new SBI();
        Bank b2 = new ICICI();
        Bank b3 = new AXIS();
        System.out.println("Laisuat
ngân hàng SBI: " + b1.tylelaisuat
+ "%");

```

```

        System.out.println("Laisuat ngân hàng
ICICI: " + b2.tylelaisuat + "%"),
        System.out.println("Laisuat nh
AXIS: " + b3.tylelaisuat + "%"),
    }
}

```

```

class Bank {
    float tylelaisuat() {
        return 0;
    }
}

```

```

class SBI extends Bank {

```

① Override

```

    float tylelaisuat() {
        return 8.0f;
    }
}

```

```

class ICICI extends Bank {

```

① Override

```

    float tylelaisuat() {
        return 7.0f;
    }
}

```

```

class AXIS extends Bank {

```

① Override

```

    float tylelaisuat() {
        return 9.0f;
    }
}

```