abstract void display();

Đặc trưng không truy cập
được trừu tượng ở lớp trừu tượng chỉ cần
phần khai báo là còn phần cài đặt
lớp con kế thừa lớp cha đồng thời
cài đặt chi tiết đó.

Bài 1: abstract class xe may {
abstract void brake();
~~public void brake () {~~
~~system.out.println("xe may");~~
}

class xemaythethao extends xe may {
@ Override
public void brake () {
System.out.println("xe may the thao");
}
}

class xe may leonui extends xe may {

```
@Override
public void brake () {
System.out.println ("xe leo núi")
}

}

class Main {
public static void main (String [] args)
{
xe may the theo m = new xe may the thao;
m. brake ();

}
```

B2:

```
abstract class Shape {
abstract void draw ();
public String getColor () {
return this. color;
private String color : "red"; }
}

class HCN extends Shape {
@Override
```

```
public void draw () {
System.out.println ("Ve HCN");
super.getcolor()
}
}

class HTron extends Shape {
@ Override
public void draw () {
System.out.println ("Ve HT tron");
+ super.getcolor()
}
}

class HTG extends Shape {
@ Override
public void draw () {
System.out.println ("Ve HTG");
+ super.getcolor()
}
}
```

shape add

```
class ~~Main~~ {
public static void main (String[] args)
{
~~Shape 1 = new S~~
HCN 1 = new HCN ();
HTron 2 = new HT ();
HTG 3 = new HTG ();
1. HCN ();
2. HTron ();
3. HTG ();
}
}
```

Bài 3:

```
abstract class HinhHoc {
public float PI = 3,14 ;
public String ten ;
public float chuvi ;
public float dienTich ;
public float theTich ;
public HinhHoc () {
}
public void xuatTen () {
System.out.println ("Ten Hinh : ");
}
abstract void inChuvi ;
abstract void inDienTich ;
abstract void inTheTich ;
}

class HinhTron extends HinhHoc {
public float bankinh ;
```



```
public HinhTron () {
super ("HinhTron");
}

public void nhapbankinh ()
{
Scanner sc = new Scanner (System.in);
System.out.println ("Nhapbankinh : ");
bankinh = sc.next float ();
}
@ overrido
public void tinhChuVi ()
{
ChuVi = 2 * PI * bankinh ;
System.out.println ("ChuVi" + chuvi);
}
@ overrode
public void tinhDienTich()
{
Dientich = bankinh * bankinh * PI ;
System.out.println ("DienTich" + Dientich)
}
~~public~~
~~public class HCN~~ class HCN extends HinhHoc {
```



```
public float dai ;
public float rong ;
public HCN () ;
}
super ("HCN");
}

public void nhapChieuDai () {
Scanner v = new Scanner (System.in);
System.out.println ("Nhap ChieuDai : ");
ChieuDai = v.next float ();
}
public void nhapChieuRog () {
Scanner c = new Scanner (System.in);
System.out.println ("Nhap ChieuRog : ");
ChieuRog = c.next float ();
}
@ override
public void tinh Chu Vi ()
{
Chu vi = (dai + rong) * 2 ;
System.out.println ("ChuVi" + Chuvi)
}
```

```
@Override
public void tinhDienTich ()
{
 Dientich = dai * rong;
System.out.println ("DienTich" + DienTich);
}
class HinhTru extends HinhTron{
 public float chieuCao;
 public HinhTru
 {
  super ("HinhTru");
 }

 public void nhapChieuCao ()
 {
  Scanner a = new Scanner (System.in);
  System.out.println ("Nhap chieuCao:");
  ChieuCao = a.next float();
 }
 @Override
 public void tinhTheTich () {
 theTich = super.chuVi * ChieuCao;
 System.out.println ("TheTich" + theTich);
 }
}
```

HÒA BÌNH

```
class hinh vuong extends HCN {
  public Hinh Vuong ()
  {
    super ("Hinh Vuong");
  }

  public void nhap Canh ()
  {
    Scanner e = new Scanner (System.in);
    System.out.println ("Nhap canh: ");
    dai = rog = e.next float ();
  }

class Main {
  public static void main (String [] args)
  {
    HinhTron p = new HTron ();
    p.xuatTen ();
    p.nhapbanKinh ();
    p.TinhChuVi ();
    p.tinhDienTich ();

    System.out.println ("full HinhTron
    HCN h = new hCN ();
    h.xuatTen ();          h.nhapchieurog ();
    h.nhapchieudai ();     h.TinhchuVi ();
                           h.TinhDienTich ();
```

```
DienTich -
System.out.println("DienTich" + DienTich);
```

```
System.out.println("Giai hình CN");
Hinh vuong p = new HinhVuong();
p.xuat Ten();
p.nhap Canh();
p.tinh Chu Vi();
p.Tinh DienTich();
System.out.println("Giai hình vuong");
HinhTron q = new HinhTron();
q.xuat Ten();
q.nhap Bankinh();
q.nhap Chieucao();
q.tinh the Tich();
System.out.println("Giai hình tròn");
```

Bài 2:

```
abstract class Person
{
public String name;
public String address;
public void Set Name (String name) {
  this.name = name;
}
public void set Address (String address)
{
  this.address = address;
}
public String get Address () {
  return address;
}
public abstract void display ();
}
class Employee extends Poson
{
  int salary;
  public Employee (String name, String address,
                   int salary) {
    Super (name, address);
    this.salary = salary;
}
@ Override
public void display()
{
  System.out.println("Employee:");
  System.out.println("Name:" + name);
  System.out.println("Address:" + address);
  System.out.println("Salary:" + salary);
}
```

```
class HinhTron extends HinhTron {
public float chieuCao;
```

```
class Customer extends Person {
int balance;
public Customer (String name, String address,
                 int balance) {
  super (name, address);
  this. balance = balance;
}
@Override
public void display () {
System.out.println ("Customer");
System.out.println ("Name:" + getName());
System.out.println ("Address:" + getAddress());
System.out.println ("Balance:" + balance);
}
}

public class Main {
public static void main (String[] args)
Employee i = new Employee ("A", "Binh",
Customer b = new Customer ("B", "Hai",
e.display();
System.out.println();
c.display();
```