Họ và tên: Nguyễn Thị Thanh Thuỳ
MSSV: 13500802?6
13CATT3

Bài tập 1:

```
public interface Mail {
void sendMail();
void log();
}

class MailImpl implements Mail {
@Override
public void sendMail() {
System.out.println("Dang gui mail...");
}

@Override
public void log() {
System.out.println("Dang ghi log...");
}
}

class Main {
public static void main(String[] args) {
Mail myMail = new MailImpl();
myMail.sendMail();
myMail.log();
}
```

Scanned with CamScanner

Họ và tên: Nguyễn Thị Thanh Thuý
MSSV: 1350080276
Bài tập 2 13CNTT3

```
public interface Shape {
    double getArea ();
    double Perimeter ();
    void draw();
}

public class Rectangle implements Shape {
    private double width;
    private double height;

public Rectangle (double width, double height){
    this. width = width ;
    this. height = height;
}
@Override
public double getArea (){
    return width * height ;
}

@Override
public double getPerimeter (){
    return 2*(width+ height);
}
@Override
public void draw(){
```

```
System.out.println("vẽ hình chữ nhật với chiều rộng " + width + " và chiều cao " + height);
}
}

public class Circle implements Shape {
private double radius;
private final double PI = 3,14159;

public Circle (double radius) {
  this.radius = radius;
}

@Override
public double getArea(){
return PI * radius * radius;
}
@Override
public double getPeriment (){
return 2 * PI * radius;
}

@Override
public void main(){
System.out.println ("vẽ hình tròn với bán kính" + radius);
}
```

Scanned with CamScanner

```
class Main {
public static void main (String[] args){
  Shape hcn = new Rectangle (5, 10);
  Shape ht = new Circle(7);
  hcn.draw();
 System.out.println(" Dien tich HCN: " +
hcn.getArea());
 System.out.println(" ... ");
 ht.draw();
 System.out.println("Chu vi ht: " + hinhTron.
getPerimeter());
}
}
```

Bài tập 3:

```
public class HangSanXuat {
   private String tenHangSanXuat;
   private String tenQuocGia;
   public HangSanXuat(String tenHangSanXuat,
String tenQuocGia) {
   this.tenHangSanXuat = tenHangSanXuat;
   this.tenQuocGia = tenQuocGia;
}
```

Scanned with CamScanner

```
public String getTenHangSanXuat () {
return tenHangSanXuat ;
}
}

public abstract class PhuongTienDiChuyen {
protected String LoaiPhuongTien ;
protected HangSanXuat = hangSanXuat ;
}

public String layTenHangSanXuat () {
return hangSx. getTenHangSX () ;
}

public void BatDau () {
system.out.println (" Bat dau khoi hanh ");
}

public void TangToc () {
System.out.println (" Dang tang toc ");
}

public void Dunglai () {
System.out.println (" Da dung lai ");
}

public abstract double LayVanToc () {
}
```

```
public class MayBay extends PhuongTienDi
Chuyen {
  private String loaiNhienLieu;
  public MayBay (HangSX hangSX, String
loaiNhienLieu){
    super("Máy Bay", hangSX);
    this.loaiNhienLieu = loaiNhienLieu;
  }

  public void CatCanh () {
  System.out.println ("May bay cat canh");
}

public void HaCanh () {
System.out.println("May bay ha canh");
}

@Override
public double layVT () {
  return 800.0;
}
}

public class XeOTo extends PhuongTienDiChuyen
{
  private String loaiNhienLieu;
  public XeOTo (HangSX hangSX), String
loaiNhienLieu) {
```

Scanned with
CamScanner

```
Super ("Xe Oto", hang SX);
this. loai Nhien Lieu = loai NhienLieu;
}
@ Override
public double lay VT(){
return 100.0;
}
}
public class XeDap extends PhuongTienD Chuyen {
public XeDap (Hang SX, hang SX) {
Super ("Xe dap", hang SX);
}
@ Override
public double lay VT () {
return 20.0;
}
}
class Main {
public static void main (String [] args) {
Hang SX h1 = new Hang SX( "Boeing", "USA");
Maybay mb = new MayBay (h1, "Xang MayBay");
System.out.println ("Hang SX: " + mb.lay
TenHangSX());
```

Scanned with CamScanner

```
System.out.println("Vận tốc: " + mb.layVanToc() + "km/h");
mb.CatCanh();
}
}
```

Bài tập 4

```
public class Car {
protected String color;
protected double speed;
public Car(String color, double speed){
  this.color = color;
  this.speed = speed;
}
 void acclerate(){
 System.out.println("Xe dang tang toc ...");
}
public String getColor(){
return color;
}
 public double getSpeed(){
return speed;
}
}
```

Scanned with CamScanner

```
public class BMW extends Car {
    public BMW(String color, double Speed) {
        Super (color, speed);
    }
    @Override
    public void accelerate() {
        this.Speed += 20;
        System.out.println("BMW tang toc manh
me! Toc do hien tai: " + this.Speed);
    }
    @Override
    public String toString() {
        return "BMW [Mau Sac: " + color + ", Toc do: "
        + Speed + "]";
    }
}
public class Civic extends Car {
    public Civic (String color, double Speed) {
        Super (color, speed);
    }
    @Override
    public void accelerate() {
        this.speed += 10;
```

```
system.out.println("Civic tang tốc. Tốc độ
hiện tại: " + this.speed);
}
@Override
public String toString(){
return "Civic [Màu sắc: " + color + ", Tốc độ: "
+ speed + "]";
}
}

class Main {
public static void main(String[] args){
BMW car1 = new BMW("Đen", 100);
Civic car2 = new Civic("Trắng", 80);
car1.accelerate();
System.out.println(car1.toString());
System.out.println("-----");
car2.accelerate();
System.out.println(car2.toString());
}
```

Scanned with CamScanner