

Huỳnh Gia Phúc 1350080108 CNTT

```
Public class Người {  
    Private String ho;  
    Private String ten;  
    Private String Ngaythangnamsinh;  
    Public void Nhapthongtin () {  
        Scanner .sc = new Scanner (System.in)  
        System.out.print ("Nhap ho : ");  
        this.ho = Scanner.nextLine ();  
        System.out.print ("Nhap ten : ");  
        this.ten = Scanner.nextLine ();  
        System.out.print ("Nhap ngay thang nam sinh : ");  
        this.ngaythangnamsinh = sc.nextLine ();  
    }  
    Public void Lienluithongtin () {  
        System.out.println ("Ho ten : " + this.ho + " " + this.ten);  
        System.out.println ("Ngay thang nam sinh : " + this.ngaythangnamsinh);  
    }  
    Public String get ho () {  
        Return ho;  
    }  
    Public String
```

```
Public void setho (String ho) {
```

```
    this.ho = ho;
```

```
}
```

```
Public String getten () {
```

```
    Return ten;
```

```
}
```

```
Public void setten (String ten) {
```

```
    this.ten = ten;
```

```
}
```

```
Public String get ngay thap nam sinh () {
```

```
    return ngay thap nam sinh;
```

```
}
```

```
Public void set ngay thap nam sinh (String ngay thap nam sinh)
```

```
{
```

```
    this.ngay thap nam sinh = ngay thap nam sinh;
```

```
}
```

```
}
```

Case 2

```
Public class SinhVien extends Ngudi {
```

```
    Private String ma sv;
```

```
    Private double diem tb
```

@Override

```
Public void nhapThongTin () {
```

```
Scanner sc = new Scanner (System.in);
```

```
Super.nhapThongTin ();
```

```
Scanner sc = new Scanner (System.in);
```

```
System.out.print ("Nhap ma sv: ");
```

```
this.maSv = sc.nextLine();
```

```
System.out.print ("Nhap them tb: ");
```

```
this.themTb = sc.nextDouble();
```

```
}
```

@Override

```
Public void hienThiThongTin () {
```

```
Super.hienThiThongTin ();
```

```
System.out.print ("MaSV: " + this.maSv);
```

```
System.out.print ("demTb: " + this.themTb);
```

```
}
```

```
Public String getMaSv () {
```

```
Return maSv
```

```
}
```

```
Public void setMaSv (String maSv) {
```

```
this.maSv = maSv
```

```
}
```

```
Public void setmasv (String masv) {
```

```
    this.masv = masv;
```

```
}
```

```
Public double getdiemtb () {
```

```
    Return diemtb
```

```
}
```

```
Public void setdiemtb (double diemtb) {
```

```
    this.diemtb = diemtb
```

```
}
```

```
Public String get hten () {
```

```
    Return get ho () + " " + get ten ();
```

```
}
```

```
}
```

Câu 3

```
Public class QuanlySinhVien {
```

```
    Public static void main (String[] args) {
```

```
        Scanner sc = new Scanner (System.in);
```

```
        ArrayList <SinhVien> dsSV = new ArrayList <> ();
```

```
        System.out.print ("Nhập số lượng sinh viên, từ 1 đến 200 (n <= 200): ");
```

```
        int n = sc.nextInt();
```

```

for (int i = 0; i < n; i++) {
    System.out.print("\n -- Nhập sinh viên thứ " +
        (i + 1) + " -- ");
    sv.nhap();
    dsSV.add(sv);
}

```

```

Collections.sort(dsSV, new Comparator<SinhVien>() {
    @Override
    public int compare(SinhVien sv1, SinhVien sv2) {
        return sv1.getHoten().compareToIgnoreCase(
            sv2.getHoten());
    }
}

```

```

System.out.print("\n -- Danh sách sau khi sắp xếp theo
for (SinhVien sv : dsSV) {
    sv.xuat();
}

```

```

if (!dsSV.isEmpty()) {
    double max_diem = dsSV.get(0).getDiemTB();
}

```

```

for (sinh vien sv : ds sv) {
    if (sv.getDiemtb() > maxDiem) {
        maxDiem = sv.getDiemtb();
    }
}

```

```

}
System.out.print ("In sinh vien co diem hb cao nhất  

    (" + maxDiem + ") = ");

```

```

for (sinh lop sv : ds sv) {
    if (sv.getDiemtb() == maxDiem) {
        sv.xuat();
    }
}

```

```

}

```

```

}

```

```

}

```

```

}

```