

Amn Thi Aah Thor 1350080281
~~Đề thi Bài 1~~ đố: 13 - CNTT3

```
public interface Mail {  
    void sendMail();  
    void log();  
}
```

```
public class MailImpl implements Mail {  
    @Override  
    public void sendMail() {  
        System.out.println("Sending mail..");  
    }
```

```
    @Override  
    public void log() {  
        System.out.println("Logging mail active");  
    }  
}
```

```
public class Main {  
    public static void main(String[] args) {  
        Mail mail = new MailImpl();  
        mail.sendMail();  
        mail.log();  
    }  
}
```

20

Bar 2.

```
public interface Shape {
```

```
    double getArea();
```

```
    String color = "red";
```

```
    double getPerimeter();
```

```
    void draw();
```

```
}
```

```
public class Rectangle implements Shape {
```

```
    private double width;
```

```
    private double height;
```

```
    public Rectangle (double width, double height) {
```

```
        this.width = width;
```

```
        this.height = height;
```

```
}
```

② Override

```
    public double getArea() {
```

```
        return width * height;
```

```
}
```

15

③ Override

```
    public double getPerimeter() {
```

```
        return 2 * (width + height);
```

```
}
```

④ Override

```
    public void draw() {
```



```
        "draw" + color + "rectangle");  
    System.out.println("Drawing Rectangle");  
}
```

```
}  
  
public class Circle implements Shape {  
    private double radius;  
    public Circle (double radius) {  
        this.radius = radius;  
    }
```

@ Override

```
    public double getArea() {  
        return Math.PI * radius * radius;  
    }
```

```
} public class ShapeApp {
```

```
@ public static void main (String[] args) {  
    Shape rect = new Rectangle ();  
    rect.draw ();  
    System.out.println (" ");  
    Shape circle = new Circle ();  
    circle.draw ();  
}
```

}

Bar 3

abstract class PhuongTienDiChuyen {


```

protected String loiPhuongTien;
protected HangSanXuat hangSanXuat;
public PhuongTienDiChuyen (String loiPhuongTien, HangSanXuat) {
    this.loiPhuongTien = loiPhuongTien;
    this.hangSanXuat = hangSanXuat;
}
public String layTenHangSanXuat () {
    return hangSanXuat.getTenHangSanXuat ();
}
public class MayBay extends PhuongTienDiChuyen {
    private String loiNhanKen;
    public void setCanh () {
        System.out.println ("May bay set canh");
    }
    public void fly Canh () {
        System.out.println ("May bay fly canh");
    }
}
@Override
public double layVF () {
    return 800.0;
}
}

```



```

public class Xe Oto extends PhuongTienDiChuyen {
    public XeOto (Hang SX, Hang SX, String BaiNhanDua) {
        this.baiNhanDua = baiNhanDua;
    }
}

```

@Override

```

public double layVT() {
    return 100.0;
}
}

```

```

public class XeDap extends PhuongTienDiChuyen {
    public XeDap (Hang SX, Hang SX) {
        super ("Xe dap", Hang SX);
    }
}

```

@Override

```

public double layVT() {
    return 20.0;
}
}

```

class Main {

```

    public static void main (String[] args) {
        Hang SX ht = new HangSX ("Bong", "LISA");
    }
}

```



```

Mayday MD = new MayDay( 10, "Xing MayDay");
System.out.println("May SX; " + mb.getMaySX());
System.out.println("Xing" + mb.getVantor() + "En/h"
mb.getCar() );
}

```

```

}

Bar

public class Car {
    protected String color;
    protected double speed;
    public Car (String color, double speed) {
        this.color = color;
        this.speed = speed;
    }
    void accelerate () {
        System.out.println("Xing-tang-tan...");
    }
    public String get () {
        return color;
    }
    public double getSpeed () {

```



```
return speed;
```

```
}
```

```
}
```

```
public class BMW extends Car {
```

```
public BMW (String color, double speed) {
```

```
super (color, speed),
```

```
}
```

```
@Override
```

```
public void accelerate () {
```

```
this.speed += 20;
```

```
System.out.println ("BMW target machine! Tx
```

```
do you tai: " + this.speed);
```

```
}
```

```
@Override
```

```
public String toString () {
```

```
return "BMW [ Motor : " + color + ", Tor do "
```

```
speed + " ]";
```

```
}
```

```
}
```

```
public class Civic extends Car {
```

```
public Civic (String color, double speed) {
```


Super (color, speed);

@ Override

public void are (long) CJ

this.speed += 10;

system.out.println("Car is slowest");

this.speed;

@ Override

public String toString () {

return "Car [" + color + " " + speed + " " + color + " " + speed + " " + return "Car [" + color + " " + speed + " " + color + " " + speed + " " +

}

15

do {

public static void main (String args) {

Car A = new Car ("Red", 100);

Car B = new Car ("Blue", 80);

occ element ();

System

system.out.println ("...");

car2.addElement();

system.out.println (car2.toString());

5

10

15